

Computer algebra independent integration tests

Summer 2022 edition

5-Inverse-trig-functions/5.5-Inverse-secant/156-5.5.1-u-a+b-arcsec-
c-x-ⁿ

Nasser M. Abbasi

September 27, 2022

Compiled on September 27, 2022 at 6:57am

Contents

| | | |
|----------|---|------------|
| 1 | Introduction | 3 |
| 2 | detailed summary tables of results | 19 |
| 3 | Listing of integrals | 67 |
| 4 | Appendix | 947 |

Chapter 1

Introduction

Local contents

| | | |
|------|---|----|
| 1.1 | Listing of CAS systems tested | 4 |
| 1.2 | Results | 5 |
| 1.3 | Time and leaf size Performance | 9 |
| 1.4 | list of integrals that has no closed form antiderivative | 11 |
| 1.5 | List of integrals solved by CAS but has no known antiderivative | 12 |
| 1.6 | list of integrals solved by CAS but failed verification | 13 |
| 1.7 | Timing | 13 |
| 1.8 | Verification | 14 |
| 1.9 | Important notes about some of the results | 14 |
| 1.10 | Design of the test system | 17 |

This report gives the result of running the computer algebra independent integration test. The download section in the appendix contains links to download the problems in plain text format used for all CAS systems.

The number of integrals in this report is [174]. This is test number [156].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 13.1 (June 29, 2022) on windows 10.
2. Rubi 4.16.1 (Dec 19, 2018) on Mathematica 13.0.1 on windows 10.
3. Maple 2022.1 (June 1, 2022) on windows 10.
4. Maxima 5.46 (April 13, 2022) using Lisp SBCL 2.1.11.debian on Linux via sagemath 9.6.
5. Fricas 1.3.8 (June 21, 2022) based on sbcl 2.1.11.debian on Linux via sagemath 9.6.
6. Giac/Xcas 1.9.0-13 (July 3, 2022) on Linux via sagemath 9.6.
7. Sympy 1.10.1 (March 20, 2022) Using Python 3.10.4 on Linux.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly from Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or `Hypergeometric2F1` functions. `RootSum` and `RootOf` are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

| System | % solved | % Failed |
|-------------|----------------|---------------|
| Rubi | 100.00 (174) | 0.00 (0) |
| Mathematica | 97.13 (169) | 2.87 (5) |
| Maple | 79.89 (139) | 20.11 (35) |
| Fricas | 64.37 (112) | 35.63 (62) |
| Giac | 55.17 (96) | 44.83 (78) |
| Maxima | 48.85 (85) | 51.15 (89) |
| Sympy | 39.66 (69) | 60.34 (105) |
| Mupad | 30.46 (53) | 69.54 (121) |

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

| grade | description |
|-------|---|
| A | Integral was solved and antiderivative is optimal in quality and leaf size. |
| B | Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size. |
| C | Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not. |
| F | Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised. |


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


| System | % A grade | % B grade | % C grade | % F grade |
|-------------|-----------|-----------|-----------|-----------|
| Rubi | 100.00 | 0.00 | 0.00 | 0.00 |
| Mathematica | 84.48 | 2.30 | 10.34 | 2.87 |
| Fricas | 56.90 | 7.47 | 0.00 | 35.63 |
| Maple | 53.45 | 16.67 | 9.77 | 20.11 |
| Maxima | 48.28 | 0.57 | 0.00 | 51.15 |
| Sympy | 39.66 | 0.00 | 0.00 | 60.34 |
| Giac | 33.91 | 21.26 | 0.00 | 44.83 |
| Mupad | N/A | 5.17 | 0.00 | 69.54 |

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and

Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

| System | Number failed | Percentage normal failure | Percentage time-out failure | Percentage exception failure |
|-------------|---------------|---------------------------|-----------------------------|------------------------------|
| Rubi | 0 | 0.00 % | 0.00 % | 0.00 % |
| Mathematica | 5 | 100.00 % | 0.00 % | 0.00 % |
| Maple | 35 | 100.00 % | 0.00 % | 0.00 % |
| Fricas | 62 | 75.81 % | 4.84 % | 19.35 % |
| Giac | 78 | 60.26 % | 5.13 % | 34.62 % |
| Maxima | 89 | 93.26 % | 0.00 % | 6.74 % |
| Sympy | 105 | 65.71 % | 30.48 % | 3.81 % |
| Mupad | 121 | 100.00 % | 0.00 % | 0.00 % |

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.



Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

| System | Mean time (sec) | Mean size | Normalized mean | Median size | Normalized median |
|-------------|-----------------|-----------|-----------------|-------------|-------------------|
| Rubi | 0.32 | 197.64 | 0.75 | 129.50 | 1.00 |
| Mathematica | 3.70 | 226.56 | 0.84 | 124.00 | 0.86 |
| Maple | 9.31 | 396.15 | 1.41 | 150.00 | 1.19 |
| Maxima | 0.15 | 76.99 | 0.64 | 0.00 | 0.00 |
| Fricas | 1.81 | 175.33 | 1.07 | 67.00 | 0.70 |
| Sympy | 3.75 | 115.58 | 0.87 | 32.00 | 0.84 |
| Giac | 1.53 | 1796.04 | 12.30 | 74.00 | 1.09 |
| Mupad | 0.13 | 10.26 | 0.17 | -1.00 | -0.04 |

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used from the above table.



1.4 list of integrals that has no closed form antiderivative

{33, 34, 35, 39, 40, 41, 45, 46, 47, 51, 52, 54, 55, 114, 115, 116, 117, 118, 123, 124, 125, 126, 127, 128, 134, 135, 136, 137, 144, 145, 146, 147, 154, 155, 156, 157, 164, 165, 166, 167, 168, 169, 173, 174}

1.5 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {25, 91, 96, 97, 100, 101, 102, 103, 104, 108, 109, 110}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for `Rubi` and `Mathematica`.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
```

```
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand,the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified.

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,..}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Chapter 2

detailed summary tables of results

Local contents

| | | |
|-----|---|----|
| 2.1 | List of integrals sorted by grade for each CAS | 20 |
| 2.2 | Detailed conclusion table per each integral for all CAS systems | 24 |
| 2.3 | Detailed conclusion table specific for Rubi results | 60 |

2.1 List of integrals sorted by grade for each CAS

Local contents

| | | |
|-------|-----------------------|----|
| 2.1.1 | Rubi | 21 |
| 2.1.2 | Mathematica | 21 |
| 2.1.3 | Maple | 21 |
| 2.1.4 | Maxima | 22 |
| 2.1.5 | FriCAS | 22 |
| 2.1.6 | Sympy | 22 |
| 2.1.7 | Giac | 23 |
| 2.1.8 | Mupad | 23 |

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 66, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 100, 101, 102, 103, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 121, 122, 123, 124, 125, 126, 127, 128, 131, 132, 133, 134, 135, 136, 137, 138, 141, 142, 143, 144, 145, 146, 147, 148, 151, 152, 153, 154, 155, 156, 157, 158, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174 }

B grade: { 25, 96, 97, 104 }

C grade: { 63, 64, 65, 67, 68, 98, 105, 106, 119, 120, 129, 130, 139, 140, 149, 150, 159, 160 }

F grade: { 99, 107, 161, 162, 163 }

2.1.3 Maple

A grade: { 1, 2, 3, 4, 6, 7, 8, 9, 11, 13, 15, 16, 18, 19, 22, 24, 26, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 54, 55, 58, 59, 60, 64, 65, 66, 69, 70, 72, 73, 74, 75, 76, 77, 79, 80, 83, 84, 85, 86, 87, 89, 90, 114, 115, 116, 117, 118, 123, 124, 125, 126, 127, 128, 134, 135, 136, 137, 144, 145, 146, 147, 154, 155, 156, 157, 164, 165, 166, 167, 168, 169, 173, 174 }

B grade: { 5, 10, 12, 14, 17, 20, 21, 23, 25, 28, 29, 30, 31, 32, 56, 57, 61, 62, 63, 67, 68, 71, 78, 81, 82, 88, 98, 105, 106 }

C grade: { 91, 92, 93, 94, 95, 96, 97, 99, 100, 101, 102, 103, 104, 107, 108, 109, 110 }

F grade: { 27, 53, 111, 112, 113, 119, 120, 121, 122, 129, 130, 131, 132, 133, 138, 139, 140, 141, 142, 143, 148, 149, 150, 151, 152, 153, 158, 159, 160, 161, 162, 163, 170, 171, 172 }

2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 7, 9, 10, 11, 12, 13, 14, 15, 17, 20, 22, 29, 33, 34, 35, 39, 40, 41, 45, 46, 47, 51, 52, 54, 55, 56, 57, 58, 59, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 81, 82, 83, 84, 85, 86, 87, 88, 114, 115, 116, 117, 118, 123, 124, 125, 126, 127, 128, 134, 135, 136, 137, 144, 145, 146, 147, 154, 155, 156, 157, 164, 165, 166, 167, 168, 169, 173, 174 }

B grade: { 31 }

C grade: { }

F grade: { 8, 16, 18, 19, 21, 23, 24, 25, 26, 27, 28, 30, 32, 36, 37, 38, 42, 43, 44, 48, 49, 50, 53, 60, 61, 62, 63, 64, 65, 66, 67, 68, 79, 80, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 119, 120, 121, 122, 129, 130, 131, 132, 133, 138, 139, 140, 141, 142, 143, 148, 149, 150, 151, 152, 153, 158, 159, 160, 161, 162, 163, 170, 171, 172 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13, 14, 15, 20, 21, 22, 23, 29, 30, 31, 32, 33, 34, 35, 39, 40, 41, 45, 46, 47, 51, 52, 54, 55, 56, 57, 58, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 81, 82, 83, 84, 85, 86, 87, 88, 98, 111, 112, 113, 114, 115, 116, 117, 118, 121, 122, 123, 124, 125, 126, 127, 128, 131, 132, 134, 135, 136, 137, 141, 144, 145, 146, 147, 148, 154, 155, 156, 157, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174 }

B grade: { 7, 17, 59, 61, 62, 105, 106, 133, 142, 143, 151, 152, 153 }

C grade: { }

F grade: { 8, 16, 18, 19, 24, 25, 26, 27, 28, 36, 37, 38, 42, 43, 44, 48, 49, 50, 53, 60, 63, 64, 65, 66, 67, 68, 79, 80, 89, 90, 91, 92, 93, 94, 95, 96, 97, 99, 100, 101, 102, 103, 104, 107, 108, 109, 110, 119, 120, 129, 130, 138, 139, 140, 149, 150, 158, 159, 160, 161, 162, 163 }

2.1.6 Sympy

A grade: { 1, 2, 3, 4, 5, 6, 7, 9, 10, 11, 12, 13, 14, 33, 34, 35, 39, 40, 41, 45, 46, 47, 51, 52, 54, 55, 56, 57, 58, 59, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 81, 82, 83, 84, 85, 86, 87, 88, 114, 115, 116, 117, 118, 123, 124, 126, 127, 128, 134, 135, 136, 137, 144, 147, 164, 167, 168, 173, 174 }

B grade: { }

C grade: { }

F grade: { 8, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 36, 37, 38, 42, 43, 44, 48, 49, 50, 53, 60, 61, 62, 63, 64, 65, 66, 67, 68, 79, 80, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 119, 120, 121, 122, 125, 129, 130, 131, 132, 133, 138, 139, 140, 141, 142, 143, 145, 146, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 165, 166, 169, 170, 171, 172 }

2.1.7 Giac

A grade: { 9, 10, 11, 12, 13, 14, 21, 22, 23, 34, 35, 36, 37, 38, 39, 40, 41, 46, 47, 51, 52, 54, 55, 73, 74, 75, 85, 86, 114, 115, 116, 117, 118, 123, 124, 125, 126, 127, 128, 134, 135, 136, 137, 144, 145, 146, 147, 154, 155, 156, 157, 164, 165, 166, 167, 168, 169, 173, 174 }

B grade: { 1, 2, 3, 4, 5, 6, 7, 15, 17, 20, 29, 30, 31, 32, 42, 43, 44, 48, 49, 50, 56, 57, 58, 59, 69, 70, 71, 72, 76, 77, 78, 81, 82, 83, 84, 87, 88 }

C grade: { }

F grade: { 8, 16, 18, 19, 24, 25, 26, 27, 28, 33, 45, 53, 60, 61, 62, 63, 64, 65, 66, 67, 68, 79, 80, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 119, 120, 121, 122, 129, 130, 131, 132, 133, 138, 139, 140, 141, 142, 143, 148, 149, 150, 151, 152, 153, 158, 159, 160, 161, 162, 163, 170, 171, 172 }

2.1.8 Mupad

A grade: { 33, 34, 35, 39, 40, 41, 45, 46, 47, 51, 52, 54, 55, 114, 115, 116, 117, 118, 123, 124, 125, 126, 127, 128, 134, 135, 136, 137, 144, 145, 146, 147, 154, 155, 156, 157, 164, 165, 166, 167, 168, 169, 173, 174 }

B grade: { 6, 7, 9, 10, 20, 29, 58, 59, 72 }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 8, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 30, 31, 32, 36, 37, 38, 42, 43, 44, 48, 49, 50, 53, 56, 57, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 119, 120, 121, 122, 129, 130, 131, 132, 133, 138, 139, 140, 141, 142, 143, 148, 149, 150, 151, 152, 153, 158, 159, 160, 161, 162, 163, 170, 171, 172 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column N.S. in the table below, which stands for **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To help make the table fit, **Mathematica** was abbreviated to **MMA**.

| | Problem 1 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|----------------|------------|---------|-------|-------|-------|--------|--------|--------|-------|-------|
| viated to MMA. | grade | A | A | A | A | A | A | A | B | F |
| | verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| | size | 114 | 114 | 107 | 184 | 162 | 116 | 221 | 8644 | -1 |
| | N.S. | 1 | 1.00 | 0.94 | 1.61 | 1.42 | 1.02 | 1.94 | 75.82 | -0.01 |
| | time (sec) | N/A | 0.044 | 0.098 | 0.108 | 0.270 | 2.626 | 13.057 | 1.225 | 0.000 |

| Problem 2 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 89 | 89 | 72 | 83 | 81 | 63 | 153 | 3862 | -1 |
| N.S. | 1 | 1.00 | 0.81 | 0.93 | 0.91 | 0.71 | 1.72 | 43.39 | -0.01 |
| time (sec) | N/A | 0.029 | 0.061 | 0.099 | 0.266 | 3.061 | 3.884 | 0.480 | 0.000 |

| Problem 3 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 89 | 89 | 97 | 148 | 131 | 107 | 175 | 4828 | -1 |
| N.S. | 1 | 1.00 | 1.09 | 1.66 | 1.47 | 1.20 | 1.97 | 54.25 | -0.01 |
| time (sec) | N/A | 0.035 | 0.051 | 0.088 | 0.274 | 2.598 | 4.496 | 0.955 | 0.000 |

| Problem 4 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 64 | 64 | 62 | 74 | 60 | 53 | 107 | 1926 | -1 |
| N.S. | 1 | 1.00 | 0.97 | 1.16 | 0.94 | 0.83 | 1.67 | 30.09 | -0.02 |
| time (sec) | N/A | 0.021 | 0.072 | 0.089 | 0.273 | 2.334 | 2.486 | 0.425 | 0.000 |

| Problem 5 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 64 | 64 | 85 | 112 | 98 | 94 | 107 | 2101 | -1 |
| N.S. | 1 | 1.00 | 1.33 | 1.75 | 1.53 | 1.47 | 1.67 | 32.83 | -0.02 |
| time (sec) | N/A | 0.026 | 0.037 | 0.095 | 0.281 | 2.244 | 2.965 | 0.761 | 0.000 |

| Problem 6 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 39 | 39 | 50 | 65 | 37 | 40 | 58 | 634 | 40 |
| N.S. | 1 | 1.00 | 1.28 | 1.67 | 0.95 | 1.03 | 1.49 | 16.26 | 1.03 |
| time (sec) | N/A | 0.009 | 0.018 | 0.089 | 0.261 | 3.413 | 1.320 | 0.418 | 0.672 |

| Problem 7 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | B | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 32 | 32 | 59 | 38 | 53 | 63 | 32 | 63 | 34 |
| N.S. | 1 | 1.00 | 1.84 | 1.19 | 1.66 | 1.97 | 1.00 | 1.97 | 1.06 |
| time (sec) | N/A | 0.015 | 0.045 | 0.059 | 0.271 | 2.573 | 1.779 | 0.524 | 0.842 |

| Problem 8 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 64 | 64 | 59 | 86 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.92 | 1.34 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.057 | 0.017 | 0.191 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 9 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 31 | 31 | 40 | 62 | 33 | 27 | 36 | 43 | 36 |
| N.S. | 1 | 1.00 | 1.29 | 2.00 | 1.06 | 0.87 | 1.16 | 1.39 | 1.16 |
| time (sec) | N/A | 0.016 | 0.023 | 0.091 | 0.262 | 2.121 | 0.749 | 0.429 | 0.636 |

| Problem 10 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 51 | 51 | 66 | 114 | 83 | 39 | 119 | 58 | 50 |
| N.S. | 1 | 1.00 | 1.29 | 2.24 | 1.63 | 0.76 | 2.33 | 1.14 | 0.98 |
| time (sec) | N/A | 0.024 | 0.027 | 0.089 | 0.481 | 1.740 | 3.337 | 0.409 | 0.729 |

| Problem 11 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 60 | 60 | 59 | 75 | 58 | 40 | 110 | 65 | -1 |
| N.S. | 1 | 1.00 | 0.98 | 1.25 | 0.97 | 0.67 | 1.83 | 1.08 | -0.02 |
| time (sec) | N/A | 0.027 | 0.035 | 0.089 | 0.291 | 1.694 | 2.173 | 0.421 | 0.000 |

| Problem 12 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 76 | 76 | 78 | 150 | 125 | 52 | 192 | 83 | -1 |
| N.S. | 1 | 1.00 | 1.03 | 1.97 | 1.64 | 0.68 | 2.53 | 1.09 | -0.01 |
| time (sec) | N/A | 0.034 | 0.045 | 0.087 | 0.479 | 1.746 | 4.726 | 0.398 | 0.000 |

| Problem 13 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 82 | 82 | 69 | 83 | 76 | 51 | 156 | 87 | -1 |
| N.S. | 1 | 1.00 | 0.84 | 1.01 | 0.93 | 0.62 | 1.90 | 1.06 | -0.01 |
| time (sec) | N/A | 0.034 | 0.050 | 0.089 | 0.282 | 3.148 | 5.465 | 0.408 | 0.000 |

| Problem 14 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | B | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 101 | 101 | 88 | 186 | 165 | 62 | 241 | 104 | -1 |
| N.S. | 1 | 1.00 | 0.87 | 1.84 | 1.63 | 0.61 | 2.39 | 1.03 | -0.01 |
| time (sec) | N/A | 0.043 | 0.056 | 0.087 | 0.488 | 3.159 | 12.033 | 0.432 | 0.000 |

| Problem 15 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | F | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 107 | 107 | 124 | 181 | 163 | 146 | 0 | 6625 | -1 |
| N.S. | 1 | 1.00 | 1.16 | 1.69 | 1.52 | 1.36 | 0.00 | 61.92 | -0.01 |
| time (sec) | N/A | 0.081 | 0.144 | 0.253 | 0.521 | 5.180 | 0.000 | 0.728 | 0.000 |

| Problem 16 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 147 | 147 | 225 | 320 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.53 | 2.18 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.093 | 0.892 | 0.504 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 17 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | B | F | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 56 | 56 | 90 | 128 | 87 | 111 | 0 | 2181 | -1 |
| N.S. | 1 | 1.00 | 1.61 | 2.29 | 1.55 | 1.98 | 0.00 | 38.95 | -0.02 |
| time (sec) | N/A | 0.054 | 0.092 | 0.259 | 0.287 | 2.154 | 0.000 | 0.561 | 0.000 |

| Problem 18 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 92 | 92 | 163 | 204 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.77 | 2.22 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.055 | 0.124 | 0.175 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 19 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 93 | 93 | 129 | 215 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.39 | 2.31 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.087 | 0.077 | 0.217 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 20 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | F | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 50 | 50 | 75 | 117 | 78 | 57 | 0 | 105 | 89 |
| N.S. | 1 | 1.00 | 1.50 | 2.34 | 1.56 | 1.14 | 0.00 | 2.10 | 1.78 |
| time (sec) | N/A | 0.044 | 0.078 | 0.162 | 0.272 | 1.940 | 0.000 | 0.405 | 0.818 |

| Problem 21 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | F | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 94 | 94 | 102 | 193 | 0 | 82 | 0 | 147 | -1 |
| N.S. | 1 | 1.00 | 1.09 | 2.05 | 0.00 | 0.87 | 0.00 | 1.56 | -0.01 |
| time (sec) | N/A | 0.059 | 0.072 | 0.165 | 0.000 | 2.487 | 0.000 | 0.427 | 0.000 |

| Problem 22 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | F | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 102 | 102 | 108 | 154 | 164 | 93 | 0 | 168 | -1 |
| N.S. | 1 | 1.00 | 1.06 | 1.51 | 1.61 | 0.91 | 0.00 | 1.65 | -0.01 |
| time (sec) | N/A | 0.079 | 0.121 | 0.241 | 0.523 | 1.428 | 0.000 | 0.424 | 0.000 |

| Problem 23 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | F | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 134 | 134 | 148 | 274 | 0 | 120 | 0 | 215 | -1 |
| N.S. | 1 | 1.00 | 1.10 | 2.04 | 0.00 | 0.90 | 0.00 | 1.60 | -0.01 |
| time (sec) | N/A | 0.082 | 0.115 | 0.238 | 0.000 | 1.246 | 0.000 | 0.416 | 0.000 |

| Problem 24 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 207 | 207 | 288 | 401 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.39 | 1.94 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.162 | 0.576 | 0.540 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 25 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | B | F | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 236 | 236 | 767 | 642 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 3.25 | 2.72 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.150 | 1.451 | 0.614 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 26 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 126 | 126 | 184 | 265 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.46 | 2.10 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.110 | 0.403 | 0.479 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 27 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 158 | 158 | 289 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.83 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.094 | 0.186 | 0.011 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 28 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 128 | 128 | 204 | 390 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.59 | 3.05 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.104 | 0.126 | 0.232 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 29 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | F | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 80 | 80 | 141 | 198 | 146 | 98 | 0 | 196 | 156 |
| N.S. | 1 | 1.00 | 1.76 | 2.48 | 1.82 | 1.22 | 0.00 | 2.45 | 1.95 |
| time (sec) | N/A | 0.067 | 0.122 | 0.198 | 0.293 | 2.809 | 0.000 | 0.440 | 0.801 |

| Problem 30 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | F | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 137 | 137 | 185 | 312 | 0 | 150 | 0 | 278 | -1 |
| N.S. | 1 | 1.00 | 1.35 | 2.28 | 0.00 | 1.09 | 0.00 | 2.03 | -0.01 |
| time (sec) | N/A | 0.079 | 0.139 | 0.222 | 0.000 | 2.944 | 0.000 | 0.450 | 0.000 |

| Problem 31 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | B | A | F | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 170 | 170 | 204 | 299 | 575 | 172 | 0 | 336 | -1 |
| N.S. | 1 | 1.00 | 1.20 | 1.76 | 3.38 | 1.01 | 0.00 | 1.98 | -0.01 |
| time (sec) | N/A | 0.108 | 0.197 | 0.252 | 0.857 | 3.199 | 0.000 | 0.450 | 0.000 |

| Problem 32 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | F | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 208 | 208 | 283 | 476 | 0 | 225 | 0 | 427 | -1 |
| N.S. | 1 | 1.00 | 1.36 | 2.29 | 0.00 | 1.08 | 0.00 | 2.05 | -0.00 |
| time (sec) | N/A | 0.125 | 0.251 | 0.288 | 0.000 | 2.712 | 0.000 | 0.451 | 0.000 |

| Problem 33 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | F(-2) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.07 |
| time (sec) | N/A | 0.010 | 2.464 | 0.582 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 34 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.08 |
| time (sec) | N/A | 0.004 | 0.021 | 0.543 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 35 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.06 |
| time (sec) | N/A | 0.018 | 0.229 | 0.407 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 36 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 46 | 46 | 43 | 47 | 0 | 0 | 0 | 55 | -1 |
| N.S. | 1 | 1.00 | 0.93 | 1.02 | 0.00 | 0.00 | 0.00 | 1.20 | -0.02 |
| time (sec) | N/A | 0.080 | 0.061 | 0.159 | 0.000 | 0.000 | 0.000 | 0.404 | 0.000 |

| Problem 37 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 63 | 63 | 56 | 58 | 0 | 0 | 0 | 95 | -1 |
| N.S. | 1 | 1.00 | 0.89 | 0.92 | 0.00 | 0.00 | 0.00 | 1.51 | -0.02 |
| time (sec) | N/A | 0.109 | 0.057 | 0.135 | 0.000 | 0.000 | 0.000 | 0.426 | 0.000 |

| Problem 38 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 117 | 117 | 91 | 102 | 0 | 0 | 0 | 199 | -1 |
| N.S. | 1 | 1.00 | 0.78 | 0.87 | 0.00 | 0.00 | 0.00 | 1.70 | -0.01 |
| time (sec) | N/A | 0.183 | 0.136 | 0.151 | 0.000 | 0.000 | 0.000 | 0.418 | 0.000 |

| Problem 39 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.07 |
| time (sec) | N/A | 0.011 | 8.046 | 0.659 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 40 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.08 |
| time (sec) | N/A | 0.005 | 15.999 | 0.461 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 41 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.06 |
| time (sec) | N/A | 0.017 | 2.599 | 0.449 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 42 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 75 | 75 | 69 | 78 | 0 | 0 | 0 | 226 | -1 |
| N.S. | 1 | 1.00 | 0.92 | 1.04 | 0.00 | 0.00 | 0.00 | 3.01 | -0.01 |
| time (sec) | N/A | 0.098 | 0.199 | 0.153 | 0.000 | 0.000 | 0.000 | 0.541 | 0.000 |

| Problem 43 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 84 | 84 | 80 | 77 | 0 | 0 | 0 | 357 | -1 |
| N.S. | 1 | 1.00 | 0.95 | 0.92 | 0.00 | 0.00 | 0.00 | 4.25 | -0.01 |
| time (sec) | N/A | 0.117 | 0.264 | 0.141 | 0.000 | 0.000 | 0.000 | 0.414 | 0.000 |

| Problem 44 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 178 | 178 | 223 | 153 | 0 | 0 | 0 | 694 | -1 |
| N.S. | 1 | 1.00 | 1.25 | 0.86 | 0.00 | 0.00 | 0.00 | 3.90 | -0.01 |
| time (sec) | N/A | 0.215 | 0.340 | 0.148 | 0.000 | 0.000 | 0.000 | 0.424 | 0.000 |

| Problem 45 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | F(-2) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.07 |
| time (sec) | N/A | 0.011 | 2.616 | 0.903 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 46 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.08 |
| time (sec) | N/A | 0.004 | 8.813 | 0.588 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 47 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.06 |
| time (sec) | N/A | 0.016 | 1.353 | 0.355 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 48 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 103 | 103 | 88 | 154 | 0 | 0 | 0 | 580 | -1 |
| N.S. | 1 | 1.00 | 0.85 | 1.50 | 0.00 | 0.00 | 0.00 | 5.63 | -0.01 |
| time (sec) | N/A | 0.115 | 0.292 | 0.165 | 0.000 | 0.000 | 0.000 | 0.415 | 0.000 |

| Problem 49 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 112 | 112 | 114 | 157 | 0 | 0 | 0 | 929 | -1 |
| N.S. | 1 | 1.00 | 1.02 | 1.40 | 0.00 | 0.00 | 0.00 | 8.29 | -0.01 |
| time (sec) | N/A | 0.137 | 0.308 | 0.152 | 0.000 | 0.000 | 0.000 | 0.412 | 0.000 |

| Problem 50 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 228 | 228 | 169 | 307 | 0 | 0 | 0 | 1640 | -1 |
| N.S. | 1 | 1.00 | 0.74 | 1.35 | 0.00 | 0.00 | 0.00 | 7.19 | -0.00 |
| time (sec) | N/A | 0.250 | 0.372 | 0.170 | 0.000 | 0.000 | 0.000 | 0.537 | 0.000 |

| Problem 51 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.05 |
| time (sec) | N/A | 0.016 | 4.923 | 0.771 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 52 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.05 |
| time (sec) | N/A | 0.017 | 3.213 | 0.810 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 53 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 67 | 67 | 82 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.22 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.038 | 0.181 | 1.243 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 54 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.05 |
| time (sec) | N/A | 0.018 | 0.618 | 1.422 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 55 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.05 |
| time (sec) | N/A | 0.018 | 1.285 | 0.856 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 56 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 167 | 167 | 166 | 414 | 270 | 284 | 362 | 9430 | -1 |
| N.S. | 1 | 1.00 | 0.99 | 2.48 | 1.62 | 1.70 | 2.17 | 56.47 | -0.01 |
| time (sec) | N/A | 0.280 | 0.175 | 0.148 | 0.264 | 1.175 | 6.179 | 3.166 | 0.000 |

| Problem 57 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 124 | 124 | 124 | 317 | 200 | 208 | 228 | 6416 | -1 |
| N.S. | 1 | 1.00 | 1.00 | 2.56 | 1.61 | 1.68 | 1.84 | 51.74 | -0.01 |
| time (sec) | N/A | 0.189 | 0.111 | 0.152 | 0.263 | 0.644 | 4.876 | 3.444 | 0.000 |

| Problem 58 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 84 | 84 | 114 | 140 | 95 | 135 | 104 | 1547 | 77 |
| N.S. | 1 | 1.00 | 1.36 | 1.67 | 1.13 | 1.61 | 1.24 | 18.42 | 0.92 |
| time (sec) | N/A | 0.114 | 0.164 | 0.105 | 0.253 | 1.519 | 3.455 | 0.747 | 0.899 |

| Problem 59 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | B | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 32 | 32 | 59 | 38 | 53 | 63 | 32 | 63 | 34 |
| N.S. | 1 | 1.00 | 1.84 | 1.19 | 1.66 | 1.97 | 1.00 | 1.97 | 1.06 |
| time (sec) | N/A | 0.015 | 0.042 | 0.048 | 0.264 | 0.888 | 1.856 | 0.404 | 0.851 |

| Problem 60 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 247 | 247 | 333 | 469 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.35 | 1.90 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.267 | 0.445 | 0.638 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 61 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | B | F | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 104 | 104 | 142 | 216 | 0 | 444 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.37 | 2.08 | 0.00 | 4.27 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.109 | 0.146 | 0.907 | 0.000 | 1.095 | 0.000 | 0.000 | 0.000 |

| Problem 62 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | B | F | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 172 | 172 | 247 | 969 | 0 | 1062 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.44 | 5.63 | 0.00 | 6.17 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.215 | 0.353 | 0.902 | 0.000 | 1.307 | 0.000 | 0.000 | 0.000 |

| Problem 63 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F(-2) | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 372 | 372 | 333 | 798 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.90 | 2.15 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.543 | 10.902 | 0.409 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 64 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F(-2) | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 315 | 315 | 277 | 386 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.88 | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.342 | 27.208 | 0.392 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 65 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F(-2) | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 212 | 212 | 212 | 252 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.00 | 1.19 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.222 | 13.733 | 0.359 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 66 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F(-2) | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 119 | 119 | 124 | 215 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.04 | 1.81 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.160 | 0.190 | 0.323 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 67 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F(-2) | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 298 | 298 | 326 | 875 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.09 | 2.94 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.299 | 25.563 | 0.350 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 68 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F(-2) | F | F(-2) | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 540 | 637 | 407 | 1620 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.18 | 0.75 | 3.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.535 | 28.902 | 0.397 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 69 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 206 | 206 | 141 | 341 | 298 | 197 | 408 | 17474 | -1 |
| N.S. | 1 | 1.00 | 0.68 | 1.66 | 1.45 | 0.96 | 1.98 | 84.83 | -0.00 |
| time (sec) | N/A | 0.093 | 0.165 | 0.220 | 0.271 | 4.561 | 13.354 | 2.806 | 0.000 |

| Problem 70 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 161 | 161 | 123 | 267 | 234 | 177 | 294 | 9792 | -1 |
| N.S. | 1 | 1.00 | 0.76 | 1.66 | 1.45 | 1.10 | 1.83 | 60.82 | -0.01 |
| time (sec) | N/A | 0.074 | 0.124 | 0.217 | 0.285 | 2.049 | 5.533 | 1.981 | 0.000 |

| Problem 71 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 109 | 109 | 150 | 192 | 156 | 147 | 153 | 4051 | -1 |
| N.S. | 1 | 1.00 | 1.38 | 1.76 | 1.43 | 1.35 | 1.40 | 37.17 | -0.01 |
| time (sec) | N/A | 0.038 | 0.196 | 0.115 | 0.278 | 4.806 | 4.349 | 1.275 | 0.000 |

| Problem 72 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 87 | 87 | 104 | 137 | 91 | 128 | 73 | 1088 | 72 |
| N.S. | 1 | 1.00 | 1.20 | 1.57 | 1.05 | 1.47 | 0.84 | 12.51 | 0.83 |
| time (sec) | N/A | 0.047 | 0.088 | 0.108 | 0.290 | 5.010 | 4.007 | 0.811 | 0.788 |

| Problem 73 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 105 | 105 | 69 | 121 | 96 | 71 | 150 | 113 | -1 |
| N.S. | 1 | 1.00 | 0.66 | 1.15 | 0.91 | 0.68 | 1.43 | 1.08 | -0.01 |
| time (sec) | N/A | 0.055 | 0.061 | 0.128 | 0.266 | 2.478 | 3.320 | 0.419 | 0.000 |

| Problem 74 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 152 | 152 | 94 | 140 | 139 | 94 | 279 | 158 | -1 |
| N.S. | 1 | 1.00 | 0.62 | 0.92 | 0.91 | 0.62 | 1.84 | 1.04 | -0.01 |
| time (sec) | N/A | 0.070 | 0.095 | 0.111 | 0.266 | 4.347 | 6.049 | 0.410 | 0.000 |

| Problem 75 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 197 | 197 | 110 | 158 | 174 | 114 | 371 | 202 | -1 |
| N.S. | 1 | 1.00 | 0.56 | 0.80 | 0.88 | 0.58 | 1.88 | 1.03 | -0.01 |
| time (sec) | N/A | 0.085 | 0.104 | 0.111 | 0.280 | 2.832 | 36.604 | 0.424 | 0.000 |

| Problem 76 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 196 | 196 | 118 | 152 | 187 | 131 | 364 | 13018 | -1 |
| N.S. | 1 | 1.00 | 0.60 | 0.78 | 0.95 | 0.67 | 1.86 | 66.42 | -0.01 |
| time (sec) | N/A | 0.109 | 0.166 | 0.213 | 0.267 | 3.402 | 5.892 | 0.718 | 0.000 |

| Problem 77 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 153 | 153 | 98 | 134 | 146 | 112 | 272 | 7820 | -1 |
| N.S. | 1 | 1.00 | 0.64 | 0.88 | 0.95 | 0.73 | 1.78 | 51.11 | -0.01 |
| time (sec) | N/A | 0.087 | 0.179 | 0.200 | 0.286 | 1.905 | 3.488 | 0.489 | 0.000 |

| Problem 78 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 138 | 138 | 79 | 238 | 102 | 90 | 177 | 3346 | -1 |
| N.S. | 1 | 1.00 | 0.57 | 1.72 | 0.74 | 0.65 | 1.28 | 24.25 | -0.01 |
| time (sec) | N/A | 0.069 | 0.077 | 0.236 | 0.263 | 3.208 | 2.399 | 0.450 | 0.000 |

| Problem 79 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 124 | 124 | 104 | 142 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.84 | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.215 | 0.084 | 0.987 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 80 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 137 | 137 | 143 | 166 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.04 | 1.21 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.221 | 0.392 | 0.499 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 81 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | B | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 252 | 252 | 186 | 475 | 405 | 272 | 542 | 4760 | -1 |
| N.S. | 1 | 1.00 | 0.74 | 1.88 | 1.61 | 1.08 | 2.15 | 18.89 | -0.00 |
| time (sec) | N/A | 0.167 | 0.231 | 0.251 | 0.274 | 3.510 | 16.983 | 5.952 | 0.000 |

| Problem 82 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 191 | 191 | 153 | 359 | 296 | 236 | 355 | 14166 | -1 |
| N.S. | 1 | 1.00 | 0.80 | 1.88 | 1.55 | 1.24 | 1.86 | 74.17 | -0.01 |
| time (sec) | N/A | 0.086 | 0.141 | 0.144 | 0.276 | 3.492 | 7.884 | 4.820 | 0.000 |

| Problem 83 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 162 | 162 | 136 | 272 | 198 | 232 | 207 | 6018 | -1 |
| N.S. | 1 | 1.00 | 0.84 | 1.68 | 1.22 | 1.43 | 1.28 | 37.15 | -0.01 |
| time (sec) | N/A | 0.091 | 0.131 | 0.153 | 0.269 | 3.173 | 7.065 | 2.730 | 0.000 |

| Problem 84 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|--------|-------|
| grade | A | A | A | A | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 158 | 158 | 127 | 252 | 159 | 234 | 211 | 4968 | -1 |
| N.S. | 1 | 1.00 | 0.80 | 1.59 | 1.01 | 1.48 | 1.34 | 31.44 | -0.01 |
| time (sec) | N/A | 0.099 | 0.140 | 0.151 | 0.264 | 3.722 | 5.377 | 97.644 | 0.000 |

| Problem 85 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 183 | 183 | 127 | 191 | 181 | 132 | 333 | 222 | -1 |
| N.S. | 1 | 1.00 | 0.69 | 1.04 | 0.99 | 0.72 | 1.82 | 1.21 | -0.01 |
| time (sec) | N/A | 0.110 | 0.133 | 0.158 | 0.302 | 3.971 | 8.144 | 0.419 | 0.000 |

| Problem 86 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 241 | 241 | 153 | 223 | 241 | 166 | 508 | 293 | -1 |
| N.S. | 1 | 1.00 | 0.63 | 0.93 | 1.00 | 0.69 | 2.11 | 1.22 | -0.00 |
| time (sec) | N/A | 0.140 | 0.146 | 0.158 | 0.275 | 3.152 | 41.263 | 0.451 | 0.000 |

| Problem 87 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 242 | 242 | 162 | 214 | 256 | 185 | 493 | 17666 | -1 |
| N.S. | 1 | 1.00 | 0.67 | 0.88 | 1.06 | 0.76 | 2.04 | 73.00 | -0.00 |
| time (sec) | N/A | 0.161 | 0.221 | 0.244 | 0.266 | 3.026 | 6.738 | 0.644 | 0.000 |

| Problem 88 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 195 | 195 | 125 | 376 | 192 | 151 | 352 | 11858 | -1 |
| N.S. | 1 | 1.00 | 0.64 | 1.93 | 0.98 | 0.77 | 1.81 | 60.81 | -0.01 |
| time (sec) | N/A | 0.105 | 0.191 | 0.289 | 0.287 | 3.400 | 5.362 | 0.545 | 0.000 |

| Problem 89 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 186 | 186 | 160 | 242 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.86 | 1.30 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.305 | 0.245 | 1.697 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 90 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 189 | 189 | 194 | 245 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.03 | 1.30 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.314 | 0.504 | 1.039 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 91 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|---------|--------|--------|-------|-------|-------|
| grade | A | A | A | C | F | F | F | F(-2) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 546 | 546 | 1023 | 391 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.87 | 0.72 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.141 | 1.052 | 232.569 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 92 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | C | F | F | F | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 487 | 487 | 891 | 475 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.83 | 0.98 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.029 | 0.305 | 0.778 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 93 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|--------|--------|--------|-------|-------|-------|
| grade | A | A | A | C | F | F | F | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 509 | 509 | 871 | 281 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.71 | 0.55 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.833 | 0.316 | 88.573 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 94 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | C | F | F | F | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 459 | 459 | 402 | 2933 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.88 | 6.39 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.823 | 0.572 | 0.920 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 95 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|---------|--------|--------|-------|-------|-------|
| grade | A | A | A | C | F | F | F | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 551 | 551 | 997 | 339 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.81 | 0.62 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.089 | 0.902 | 198.122 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 96 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | C | F | F | F | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 608 | 608 | 1255 | 821 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 2.06 | 1.35 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.200 | 2.730 | 4.550 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 97 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | C | F | F | F(-1) | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 570 | 570 | 1213 | 619 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 2.13 | 1.09 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.123 | 0.898 | 0.991 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 98 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | A | F | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 131 | 131 | 286 | 350 | 0 | 394 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 2.18 | 2.67 | 0.00 | 3.01 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.088 | 0.430 | 3.276 | 0.000 | 6.456 | 0.000 | 0.000 | 0.000 |

| Problem 99 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F | C | F | F | F(-1) | F(-2) | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 546 | 546 | 0 | 3095 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.00 | 5.67 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.047 | 34.525 | 5.161 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 100 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | C | F | F | F | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 784 | 784 | 1331 | 1887 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.70 | 2.41 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 2.328 | 1.678 | 7.521 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 101 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|---------|--------|--------|-------|-------|-------|
| grade | A | A | A | C | F | F | F | F(-2) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 745 | 745 | 1245 | 1755 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.67 | 2.36 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.153 | 1.114 | 316.796 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 102 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|---------|--------|--------|-------|-------|-------|
| grade | A | A | A | C | F | F | F | F(-2) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 739 | 739 | 1239 | 1757 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.68 | 2.38 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 2.179 | 1.572 | 321.463 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 103 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | C | F | F | F(-1) | F(-2) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 785 | 785 | 1291 | 1817 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.64 | 2.31 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 2.250 | 1.561 | 7.194 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 104 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | C | F | F | F(-1) | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 707 | 707 | 1805 | 1651 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 2.55 | 2.34 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.245 | 7.406 | 8.904 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 105 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | B | F(-1) | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 157 | 157 | 389 | 1831 | 0 | 1021 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 2.48 | 11.66 | 0.00 | 6.50 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.133 | 0.938 | 7.694 | 0.000 | 4.916 | 0.000 | 0.000 | 0.000 |

| Problem 106 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | B | F(-1) | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 193 | 193 | 386 | 1788 | 0 | 886 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 2.00 | 9.26 | 0.00 | 4.59 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.151 | 0.640 | 7.812 | 0.000 | 2.673 | 0.000 | 0.000 | 0.000 |

| Problem 107 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F | C | F | F | F(-1) | F(-2) | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 685 | 685 | 0 | 5373 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.00 | 7.84 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.196 | 47.539 | 4.651 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 108 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | C | F | F | F(-1) | F(-2) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 1124 | 1124 | 1819 | 3223 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.62 | 2.87 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.499 | 6.046 | 2.102 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 109 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | C | F | F | F(-1) | F(-2) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 1124 | 1124 | 1827 | 2357 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.63 | 2.10 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 2.960 | 6.047 | 2.987 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 110 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | C | F | F | F(-1) | F(-2) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 1114 | 1114 | 1812 | 3214 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.63 | 2.89 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 3.771 | 6.032 | 2.463 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 111 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | A | F(-1) | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 403 | 403 | 322 | 0 | 0 | 865 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.80 | 0.00 | 0.00 | 2.15 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.880 | 3.794 | 2.250 | 0.000 | 6.126 | 0.000 | 0.000 | 0.000 |

| Problem 112 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 294 | 294 | 258 | 0 | 0 | 722 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.88 | 0.00 | 0.00 | 2.46 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.289 | 2.386 | 2.059 | 0.000 | 4.128 | 0.000 | 0.000 | 0.000 |

| Problem 113 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 195 | 195 | 197 | 0 | 0 | 589 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.01 | 0.00 | 0.00 | 3.02 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.137 | 1.465 | 1.308 | 0.000 | 3.699 | 0.000 | 0.000 | 0.000 |

| Problem 114 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.069 | 2.637 | 1.097 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 115 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.069 | 3.099 | 0.166 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 116 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.066 | 7.482 | 1.756 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 117 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.023 | 23.093 | 1.161 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 118 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.060 | 0.967 | 0.730 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 119 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | F | F | F(-2) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 328 | 328 | 247 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.284 | 7.256 | 1.436 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 120 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | F | F | F(-2) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 453 | 453 | 325 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.72 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.409 | 9.668 | 2.070 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 121 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | A | F(-1) | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 374 | 374 | 295 | 0 | 0 | 867 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.79 | 0.00 | 0.00 | 2.32 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.369 | 3.185 | 2.094 | 0.000 | 8.710 | 0.000 | 0.000 | 0.000 |

| Problem 122 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 262 | 262 | 236 | 0 | 0 | 717 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.90 | 0.00 | 0.00 | 2.74 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.201 | 2.545 | 1.428 | 0.000 | 4.435 | 0.000 | 0.000 | 0.000 |

| Problem 123 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.081 | 3.062 | 1.055 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 124 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.081 | 3.598 | 0.151 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 125 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | F(-1) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.078 | 7.449 | 1.219 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 126 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.028 | 23.645 | 1.163 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 127 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.068 | 46.436 | 0.728 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 128 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.071 | 7.441 | 1.619 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 129 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | F | F | F(-2) | F(-1) | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 416 | 416 | 303 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.73 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.389 | 10.064 | 1.806 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 130 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | F | F | F(-2) | F(-2) | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 554 | 554 | 383 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.69 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.536 | 10.567 | 2.647 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 131 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 321 | 321 | 259 | 0 | 0 | 721 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.81 | 0.00 | 0.00 | 2.25 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.728 | 2.119 | 2.925 | 0.000 | 4.679 | 0.000 | 0.000 | 0.000 |

| Problem 132 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 225 | 225 | 201 | 0 | 0 | 594 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.89 | 0.00 | 0.00 | 2.64 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.214 | 1.171 | 2.918 | 0.000 | 3.971 | 0.000 | 0.000 | 0.000 |

| Problem 133 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | B | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 132 | 132 | 137 | 0 | 0 | 465 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.04 | 0.00 | 0.00 | 3.52 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.103 | 0.525 | 1.434 | 0.000 | 3.757 | 0.000 | 0.000 | 0.000 |

| Problem 134 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.062 | 0.891 | 0.937 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 135 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.078 | 8.582 | 0.449 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 136 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.061 | 46.880 | 1.033 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 137 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.021 | 0.537 | 1.193 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 138 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | F(-2) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 246 | 246 | 143 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.58 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.178 | 0.837 | 0.980 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 139 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | F | F | F(-2) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 362 | 362 | 249 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.69 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.317 | 5.516 | 2.385 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 140 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | F | F | F(-2) | F(-1) | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 1006 | 1006 | 329 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.33 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.286 | 7.749 | 2.258 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 141 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | A | F(-1) | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 252 | 252 | 232 | 0 | 0 | 776 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.92 | 0.00 | 0.00 | 3.08 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.733 | 1.285 | 3.155 | 0.000 | 3.548 | 0.000 | 0.000 | 0.000 |

| Problem 142 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | B | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 157 | 157 | 147 | 0 | 0 | 572 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.94 | 0.00 | 0.00 | 3.64 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.191 | 0.959 | 2.436 | 0.000 | 3.964 | 0.000 | 0.000 | 0.000 |

| Problem 143 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | B | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 80 | 80 | 95 | 0 | 0 | 304 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.19 | 0.00 | 0.00 | 3.80 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.073 | 0.488 | 1.421 | 0.000 | 1.855 | 0.000 | 0.000 | 0.000 |

| Problem 144 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.076 | 13.915 | 1.118 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 145 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | F(-1) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.086 | 22.491 | 0.684 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 146 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | F(-1) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.072 | 6.817 | 1.108 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 147 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.068 | 2.404 | 1.210 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 148 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 109 | 109 | 113 | 0 | 0 | 77 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.04 | 0.00 | 0.00 | 0.71 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.063 | 0.693 | 1.221 | 0.000 | 0.320 | 0.000 | 0.000 | 0.000 |

| Problem 149 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | F | F | F(-2) | F(-1) | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 274 | 274 | 212 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.77 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.221 | 3.896 | 1.145 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 150 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | F | F | F(-2) | F(-1) | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 701 | 701 | 292 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.42 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.042 | 5.412 | 2.793 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 151 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | B | F(-1) | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 244 | 244 | 238 | 0 | 0 | 1112 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.98 | 0.00 | 0.00 | 4.56 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.783 | 1.130 | 3.264 | 0.000 | 2.683 | 0.000 | 0.000 | 0.000 |

| Problem 152 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | B | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 163 | 163 | 172 | 0 | 0 | 691 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.06 | 0.00 | 0.00 | 4.24 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.165 | 0.162 | 2.566 | 0.000 | 2.784 | 0.000 | 0.000 | 0.000 |

| Problem 153 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | B | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 138 | 138 | 158 | 0 | 0 | 594 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 1.14 | 0.00 | 0.00 | 4.30 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.094 | 0.129 | 1.440 | 0.000 | 2.352 | 0.000 | 0.000 | 0.000 |

| Problem 154 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | F(-1) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.085 | 26.306 | 1.164 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 155 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|--------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | F(-1) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.092 | 32.827 | 0.703 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 156 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | F(-1) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.079 | 8.554 | 1.829 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 157 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | F(-1) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.071 | 7.928 | 1.371 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 158 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | F(-2) | F(-1) | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 276 | 276 | 186 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.67 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.203 | 0.205 | 1.241 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 159 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | F | F | F(-2) | F(-1) | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 296 | 296 | 248 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.84 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.167 | 3.210 | 1.087 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 160 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | F | F | F(-2) | F(-1) | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 631 | 631 | 323 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.51 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.006 | 6.717 | 1.047 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 161 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F | F | F | F | F(-1) | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 589 | 570 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.97 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.565 | 0.656 | 4.177 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 162 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F | F | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 374 | 355 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.95 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.326 | 0.232 | 3.506 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 163 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F | F | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 178 | 204 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.144 | 0.172 | 3.031 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 164 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.053 | 1.290 | 1.514 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 165 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | F(-1) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.049 | 3.579 | 2.628 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 166 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | F(-2) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.074 | 0.504 | 1.348 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 167 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.066 | 0.068 | 1.410 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 168 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.065 | 0.681 | 1.863 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 169 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | F(-1) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.071 | 0.857 | 1.764 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 170 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|--------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | A | F(-2) | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 401 | 401 | 194 | 0 | 0 | 238 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.48 | 0.00 | 0.00 | 0.59 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.816 | 0.151 | 18.343 | 0.000 | 1.562 | 0.000 | 0.000 | 0.000 |

| Problem 171 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|--------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | A | F(-1) | F(-2) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 268 | 268 | 159 | 0 | 0 | 181 | 0 | 0 | -1 |
| N.S. | 1 | 1.00 | 0.59 | 0.00 | 0.00 | 0.68 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.614 | 0.199 | 10.492 | 0.000 | 1.034 | 0.000 | 0.000 | 0.000 |

| Problem 172 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 126 | 135 | 118 | 0 | 0 | 125 | 0 | 0 | -1 |
| N.S. | 1 | 1.07 | 0.94 | 0.00 | 0.00 | 0.99 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.143 | 0.143 | 3.411 | 0.000 | 1.355 | 0.000 | 0.000 | 0.000 |

| Problem 173 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.03 |
| time (sec) | N/A | 0.063 | 0.271 | 3.507 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 174 | Optimal | Rubi | MMA | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-------------|---------|-------|-------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| N.S. | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.03 |
| time (sec) | N/A | 0.076 | 4.561 | 3.121 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [170] had the largest ratio of [26]

Table 2.1: Rubi specific breakdown of results for each integral

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 1 | A | 7 | 5 | 1.00 | 12 | 0.417 |
| 2 | A | 4 | 3 | 1.00 | 12 | 0.250 |
| 3 | A | 6 | 5 | 1.00 | 12 | 0.417 |
| 4 | A | 3 | 3 | 1.00 | 12 | 0.250 |
| 5 | A | 5 | 5 | 1.00 | 12 | 0.417 |
| 6 | A | 2 | 2 | 1.00 | 10 | 0.200 |
| 7 | A | 5 | 4 | 1.00 | 8 | 0.500 |
| 8 | A | 6 | 6 | 1.00 | 12 | 0.500 |
| 9 | A | 2 | 2 | 1.00 | 12 | 0.167 |
| 10 | A | 4 | 4 | 1.00 | 12 | 0.333 |
| 11 | A | 4 | 3 | 1.00 | 12 | 0.250 |
| 12 | A | 5 | 4 | 1.00 | 12 | 0.333 |
| 13 | A | 4 | 3 | 1.00 | 12 | 0.250 |
| 14 | A | 6 | 4 | 1.00 | 12 | 0.333 |
| 15 | A | 5 | 5 | 1.00 | 14 | 0.357 |
| 16 | A | 8 | 6 | 1.00 | 14 | 0.429 |
| 17 | A | 4 | 4 | 1.00 | 12 | 0.333 |
| 18 | A | 7 | 5 | 1.00 | 10 | 0.500 |
| 19 | A | 6 | 6 | 1.00 | 14 | 0.429 |
| 20 | A | 4 | 3 | 1.00 | 14 | 0.214 |
| 21 | A | 4 | 3 | 1.00 | 14 | 0.214 |
| 22 | A | 5 | 5 | 1.00 | 14 | 0.357 |
| 23 | A | 5 | 3 | 1.00 | 14 | 0.214 |
| 24 | A | 10 | 10 | 1.00 | 14 | 0.714 |
| 25 | A | 11 | 8 | 1.00 | 14 | 0.571 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 26 | A | 7 | 7 | 1.00 | 12 | 0.583 |
| 27 | A | 9 | 6 | 1.00 | 10 | 0.600 |
| 28 | A | 7 | 7 | 1.00 | 14 | 0.500 |
| 29 | A | 5 | 3 | 1.00 | 14 | 0.214 |
| 30 | A | 6 | 6 | 1.00 | 14 | 0.429 |
| 31 | A | 8 | 6 | 1.00 | 14 | 0.429 |
| 32 | A | 10 | 6 | 1.00 | 14 | 0.429 |
| 33 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 34 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 35 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 36 | A | 4 | 4 | 1.00 | 14 | 0.286 |
| 37 | A | 6 | 6 | 1.00 | 14 | 0.429 |
| 38 | A | 9 | 5 | 1.00 | 14 | 0.357 |
| 39 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 40 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 41 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 42 | A | 5 | 5 | 1.00 | 14 | 0.357 |
| 43 | A | 7 | 7 | 1.00 | 14 | 0.500 |
| 44 | A | 11 | 6 | 1.00 | 14 | 0.429 |
| 45 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 46 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 47 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 48 | A | 6 | 5 | 1.00 | 14 | 0.357 |
| 49 | A | 8 | 7 | 1.00 | 14 | 0.500 |
| 50 | A | 13 | 6 | 1.00 | 14 | 0.429 |
| 51 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 52 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 53 | A | 3 | 3 | 1.00 | 14 | 0.214 |
| 54 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 55 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 56 | A | 11 | 9 | 1.00 | 16 | 0.562 |
| 57 | A | 10 | 9 | 1.00 | 16 | 0.562 |
| 58 | A | 9 | 9 | 1.00 | 14 | 0.643 |
| 59 | A | 5 | 4 | 1.00 | 8 | 0.500 |
| 60 | A | 4 | 2 | 1.00 | 16 | 0.125 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 61 | A | 7 | 7 | 1.00 | 16 | 0.438 |
| 62 | A | 8 | 8 | 1.00 | 16 | 0.500 |
| 63 | A | 22 | 13 | 1.00 | 18 | 0.722 |
| 64 | A | 15 | 11 | 1.00 | 18 | 0.611 |
| 65 | A | 9 | 9 | 1.00 | 18 | 0.500 |
| 66 | A | 6 | 6 | 1.00 | 18 | 0.333 |
| 67 | A | 12 | 11 | 1.00 | 18 | 0.611 |
| 68 | A | 19 | 14 | 1.18 | 18 | 0.778 |
| 69 | A | 7 | 7 | 1.00 | 19 | 0.368 |
| 70 | A | 6 | 7 | 1.00 | 19 | 0.368 |
| 71 | A | 5 | 5 | 1.00 | 16 | 0.312 |
| 72 | A | 4 | 5 | 1.00 | 19 | 0.263 |
| 73 | A | 4 | 5 | 1.00 | 19 | 0.263 |
| 74 | A | 5 | 6 | 1.00 | 19 | 0.316 |
| 75 | A | 6 | 6 | 1.00 | 19 | 0.316 |
| 76 | A | 5 | 5 | 1.00 | 19 | 0.263 |
| 77 | A | 5 | 5 | 1.00 | 19 | 0.263 |
| 78 | A | 6 | 5 | 1.00 | 17 | 0.294 |
| 79 | A | 11 | 11 | 1.00 | 19 | 0.579 |
| 80 | A | 13 | 13 | 1.00 | 19 | 0.684 |
| 81 | A | 7 | 8 | 1.00 | 21 | 0.381 |
| 82 | A | 6 | 7 | 1.00 | 18 | 0.389 |
| 83 | A | 6 | 7 | 1.00 | 21 | 0.333 |
| 84 | A | 6 | 7 | 1.00 | 21 | 0.333 |
| 85 | A | 5 | 6 | 1.00 | 21 | 0.286 |
| 86 | A | 6 | 7 | 1.00 | 21 | 0.333 |
| 87 | A | 5 | 6 | 1.00 | 21 | 0.286 |
| 88 | A | 6 | 5 | 1.00 | 19 | 0.263 |
| 89 | A | 12 | 13 | 1.00 | 21 | 0.619 |
| 90 | A | 14 | 15 | 1.00 | 21 | 0.714 |
| 91 | A | 25 | 12 | 1.00 | 21 | 0.571 |
| 92 | A | 26 | 9 | 1.00 | 19 | 0.474 |
| 93 | A | 19 | 7 | 1.00 | 18 | 0.389 |
| 94 | A | 19 | 7 | 1.00 | 21 | 0.333 |
| 95 | A | 24 | 10 | 1.00 | 21 | 0.476 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 96 | A | 31 | 14 | 1.00 | 21 | 0.667 |
| 97 | A | 29 | 12 | 1.00 | 21 | 0.571 |
| 98 | A | 7 | 5 | 1.00 | 19 | 0.263 |
| 99 | A | 24 | 10 | 1.00 | 21 | 0.476 |
| 100 | A | 51 | 15 | 1.00 | 21 | 0.714 |
| 101 | A | 27 | 10 | 1.00 | 21 | 0.476 |
| 102 | A | 47 | 11 | 1.00 | 18 | 0.611 |
| 103 | A | 50 | 13 | 1.00 | 21 | 0.619 |
| 104 | A | 33 | 13 | 1.00 | 21 | 0.619 |
| 105 | A | 6 | 7 | 1.00 | 21 | 0.333 |
| 106 | A | 8 | 6 | 1.00 | 19 | 0.316 |
| 107 | A | 28 | 11 | 1.00 | 21 | 0.524 |
| 108 | A | 35 | 11 | 1.00 | 21 | 0.524 |
| 109 | A | 63 | 12 | 1.00 | 21 | 0.571 |
| 110 | A | 81 | 12 | 1.00 | 18 | 0.667 |
| 111 | A | 12 | 12 | 1.00 | 23 | 0.522 |
| 112 | A | 11 | 12 | 1.00 | 23 | 0.522 |
| 113 | A | 9 | 9 | 1.00 | 21 | 0.429 |
| 114 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 115 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 116 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 117 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 118 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 119 | A | 11 | 11 | 1.00 | 23 | 0.478 |
| 120 | A | 12 | 12 | 1.00 | 23 | 0.522 |
| 121 | A | 12 | 12 | 1.00 | 23 | 0.522 |
| 122 | A | 10 | 10 | 1.00 | 21 | 0.476 |
| 123 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 124 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 125 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 126 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 127 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 128 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 129 | A | 12 | 12 | 1.00 | 23 | 0.522 |
| 130 | A | 13 | 12 | 1.00 | 23 | 0.522 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 131 | A | 11 | 12 | 1.00 | 23 | 0.522 |
| 132 | A | 10 | 12 | 1.00 | 23 | 0.522 |
| 133 | A | 9 | 9 | 1.00 | 21 | 0.429 |
| 134 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 135 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 136 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 137 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 138 | A | 11 | 11 | 1.00 | 23 | 0.478 |
| 139 | A | 11 | 12 | 1.00 | 23 | 0.522 |
| 140 | A | 32 | 15 | 1.00 | 23 | 0.652 |
| 141 | A | 10 | 11 | 1.00 | 23 | 0.478 |
| 142 | A | 9 | 11 | 1.00 | 23 | 0.478 |
| 143 | A | 4 | 4 | 1.00 | 21 | 0.190 |
| 144 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 145 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 146 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 147 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 148 | A | 5 | 5 | 1.00 | 20 | 0.250 |
| 149 | A | 10 | 11 | 1.00 | 23 | 0.478 |
| 150 | A | 25 | 14 | 1.00 | 23 | 0.609 |
| 151 | A | 10 | 11 | 1.00 | 23 | 0.478 |
| 152 | A | 7 | 8 | 1.00 | 23 | 0.348 |
| 153 | A | 5 | 5 | 1.00 | 21 | 0.238 |
| 154 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 155 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 156 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 157 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 158 | A | 10 | 10 | 1.00 | 23 | 0.435 |
| 159 | A | 10 | 11 | 1.00 | 20 | 0.550 |
| 160 | A | 26 | 18 | 1.00 | 23 | 0.783 |
| 161 | A | 6 | 7 | 0.97 | 23 | 0.304 |
| 162 | A | 6 | 7 | 0.95 | 23 | 0.304 |
| 163 | A | 5 | 6 | 1.15 | 21 | 0.286 |
| 164 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 165 | A | 0 | 0 | 0.00 | 0 | 0.000 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 166 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 167 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 168 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 169 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 170 | A | 16 | 11 | 1.00 | 26 | 0.423 |
| 171 | A | 13 | 11 | 1.00 | 26 | 0.423 |
| 172 | A | 8 | 9 | 1.07 | 26 | 0.346 |
| 173 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 174 | A | 0 | 0 | 0.00 | 0 | 0.000 |

Chapter 3

Listing of integrals

Local contents

| | | |
|------|---|-----|
| 3.1 | $\int x^6(a + b \sec^{-1}(cx)) dx$ | 68 |
| 3.2 | $\int x^5(a + b \sec^{-1}(cx)) dx$ | 75 |
| 3.3 | $\int x^4(a + b \sec^{-1}(cx)) dx$ | 80 |
| 3.4 | $\int x^3(a + b \sec^{-1}(cx)) dx$ | 87 |
| 3.5 | $\int x^2(a + b \sec^{-1}(cx)) dx$ | 92 |
| 3.6 | $\int x(a + b \sec^{-1}(cx)) dx$ | 98 |
| 3.7 | $\int (a + b \sec^{-1}(cx)) dx$ | 102 |
| 3.8 | $\int \frac{a+b \sec^{-1}(cx)}{x} dx$ | 106 |
| 3.9 | $\int \frac{a+b \sec^{-1}(cx)}{x^2} dx$ | 110 |
| 3.10 | $\int \frac{a+b \sec^{-1}(cx)}{x^3} dx$ | 113 |
| 3.11 | $\int \frac{a+b \sec^{-1}(cx)}{x^4} dx$ | 117 |
| 3.12 | $\int \frac{a+b \sec^{-1}(cx)}{x^5} dx$ | 121 |
| 3.13 | $\int \frac{a+b \sec^{-1}(cx)}{x^6} dx$ | 125 |
| 3.14 | $\int \frac{a+b \sec^{-1}(cx)}{x^7} dx$ | 129 |
| 3.15 | $\int x^3(a + b \sec^{-1}(cx))^2 dx$ | 134 |
| 3.16 | $\int x^2(a + b \sec^{-1}(cx))^2 dx$ | 140 |
| 3.17 | $\int x(a + b \sec^{-1}(cx))^2 dx$ | 145 |
| 3.18 | $\int (a + b \sec^{-1}(cx))^2 dx$ | 150 |
| 3.19 | $\int \frac{(a+b \sec^{-1}(cx))^2}{x} dx$ | 154 |
| 3.20 | $\int \frac{(a+b \sec^{-1}(cx))^2}{x^2} dx$ | 158 |
| 3.21 | $\int \frac{(a+b \sec^{-1}(cx))^2}{x^3} dx$ | 162 |
| 3.22 | $\int \frac{(a+b \sec^{-1}(cx))^2}{x^4} dx$ | 166 |
| 3.23 | $\int \frac{(a+b \sec^{-1}(cx))^2}{x^5} dx$ | 170 |
| 3.24 | $\int x^3(a + b \sec^{-1}(cx))^3 dx$ | 174 |

| | | |
|------|--|-----|
| 3.25 | $\int x^2(a + b \sec^{-1}(cx))^3 dx$ | 179 |
| 3.26 | $\int x(a + b \sec^{-1}(cx))^3 dx$ | 185 |
| 3.27 | $\int (a + b \sec^{-1}(cx))^3 dx$ | 190 |
| 3.28 | $\int \frac{(a+b \sec^{-1}(cx))^3}{x} dx$ | 195 |
| 3.29 | $\int \frac{(a+b \sec^{-1}(cx))^3}{x^2} dx$ | 201 |
| 3.30 | $\int \frac{(a+b \sec^{-1}(cx))^3}{x^3} dx$ | 205 |
| 3.31 | $\int \frac{(a+b \sec^{-1}(cx))^3}{x^4} dx$ | 210 |
| 3.32 | $\int \frac{(a+b \sec^{-1}(cx))^3}{x^5} dx$ | 215 |
| 3.33 | $\int \frac{x}{a+b \sec^{-1}(cx)} dx$ | 221 |
| 3.34 | $\int \frac{1}{a+b \sec^{-1}(cx)} dx$ | 224 |
| 3.35 | $\int \frac{1}{x(a+b \sec^{-1}(cx))} dx$ | 227 |
| 3.36 | $\int \frac{1}{x^2(a+b \sec^{-1}(cx))} dx$ | 230 |
| 3.37 | $\int \frac{1}{x^3(a+b \sec^{-1}(cx))} dx$ | 233 |
| 3.38 | $\int \frac{1}{x^4(a+b \sec^{-1}(cx))} dx$ | 237 |
| 3.39 | $\int \frac{x}{(a+b \sec^{-1}(cx))^2} dx$ | 241 |
| 3.40 | $\int \frac{1}{(a+b \sec^{-1}(cx))^2} dx$ | 244 |
| 3.41 | $\int \frac{1}{x(a+b \sec^{-1}(cx))^2} dx$ | 247 |
| 3.42 | $\int \frac{1}{x^2(a+b \sec^{-1}(cx))^2} dx$ | 250 |
| 3.43 | $\int \frac{1}{x^3(a+b \sec^{-1}(cx))^2} dx$ | 254 |
| 3.44 | $\int \frac{1}{x^4(a+b \sec^{-1}(cx))^2} dx$ | 259 |
| 3.45 | $\int \frac{x}{(a+b \sec^{-1}(cx))^3} dx$ | 264 |
| 3.46 | $\int \frac{1}{(a+b \sec^{-1}(cx))^3} dx$ | 268 |
| 3.47 | $\int \frac{1}{x(a+b \sec^{-1}(cx))^3} dx$ | 271 |
| 3.48 | $\int \frac{1}{x^2(a+b \sec^{-1}(cx))^3} dx$ | 274 |
| 3.49 | $\int \frac{1}{x^3(a+b \sec^{-1}(cx))^3} dx$ | 279 |
| 3.50 | $\int \frac{1}{x^4(a+b \sec^{-1}(cx))^3} dx$ | 285 |
| 3.51 | $\int (dx)^m (a + b \sec^{-1}(cx))^3 dx$ | 292 |
| 3.52 | $\int (dx)^m (a + b \sec^{-1}(cx))^2 dx$ | 295 |
| 3.53 | $\int (dx)^m (a + b \sec^{-1}(cx)) dx$ | 298 |
| 3.54 | $\int \frac{(dx)^m}{a+b \sec^{-1}(cx)} dx$ | 301 |
| 3.55 | $\int \frac{(dx)^m}{(a+b \sec^{-1}(cx))^2} dx$ | 304 |
| 3.56 | $\int (d + ex)^3 (a + b \sec^{-1}(cx)) dx$ | 307 |
| 3.57 | $\int (d + ex)^2 (a + b \sec^{-1}(cx)) dx$ | 314 |
| 3.58 | $\int (d + ex) (a + b \sec^{-1}(cx)) dx$ | 321 |
| 3.59 | $\int (a + b \sec^{-1}(cx)) dx$ | 327 |
| 3.60 | $\int \frac{a+b \sec^{-1}(cx)}{d+ex} dx$ | 331 |
| 3.61 | $\int \frac{a+b \sec^{-1}(cx)}{(d+ex)^2} dx$ | 335 |

| | | |
|------|--|-----|
| 3.62 | $\int \frac{a+b \sec^{-1}(cx)}{(d+ex)^3} dx$ | 340 |
| 3.63 | $\int (d+ex)^{3/2} (a+b \sec^{-1}(cx)) dx$ | 346 |
| 3.64 | $\int \sqrt{d+ex} (a+b \sec^{-1}(cx)) dx$ | 353 |
| 3.65 | $\int \frac{a+b \sec^{-1}(cx)}{\sqrt{d+ex}} dx$ | 360 |
| 3.66 | $\int \frac{a+b \sec^{-1}(cx)}{(d+ex)^{3/2}} dx$ | 366 |
| 3.67 | $\int \frac{a+b \sec^{-1}(cx)}{(d+ex)^{5/2}} dx$ | 371 |
| 3.68 | $\int \frac{a+b \sec^{-1}(cx)}{(d+ex)^{7/2}} dx$ | 378 |
| 3.69 | $\int x^4(d+ex^2) (a+b \sec^{-1}(cx)) dx$ | 386 |
| 3.70 | $\int x^2(d+ex^2) (a+b \sec^{-1}(cx)) dx$ | 393 |
| 3.71 | $\int (d+ex^2) (a+b \sec^{-1}(cx)) dx$ | 400 |
| 3.72 | $\int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^2} dx$ | 406 |
| 3.73 | $\int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^4} dx$ | 411 |
| 3.74 | $\int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^6} dx$ | 415 |
| 3.75 | $\int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^8} dx$ | 420 |
| 3.76 | $\int x^5(d+ex^2) (a+b \sec^{-1}(cx)) dx$ | 425 |
| 3.77 | $\int x^3(d+ex^2) (a+b \sec^{-1}(cx)) dx$ | 431 |
| 3.78 | $\int x(d+ex^2) (a+b \sec^{-1}(cx)) dx$ | 437 |
| 3.79 | $\int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x} dx$ | 443 |
| 3.80 | $\int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^3} dx$ | 449 |
| 3.81 | $\int x^2(d+ex^2)^2 (a+b \sec^{-1}(cx)) dx$ | 455 |
| 3.82 | $\int (d+ex^2)^2 (a+b \sec^{-1}(cx)) dx$ | 462 |
| 3.83 | $\int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^2} dx$ | 469 |
| 3.84 | $\int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^4} dx$ | 476 |
| 3.85 | $\int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^6} dx$ | 483 |
| 3.86 | $\int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^8} dx$ | 488 |
| 3.87 | $\int x^3(d+ex^2)^2 (a+b \sec^{-1}(cx)) dx$ | 494 |
| 3.88 | $\int x(d+ex^2)^2 (a+b \sec^{-1}(cx)) dx$ | 500 |
| 3.89 | $\int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x} dx$ | 506 |
| 3.90 | $\int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^3} dx$ | 513 |
| 3.91 | $\int \frac{x^2(a+b \sec^{-1}(cx))}{d+ex^2} dx$ | 520 |
| 3.92 | $\int \frac{x(a+b \sec^{-1}(cx))}{d+ex^2} dx$ | 527 |
| 3.93 | $\int \frac{a+b \sec^{-1}(cx)}{d+ex^2} dx$ | 534 |
| 3.94 | $\int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)} dx$ | 540 |
| 3.95 | $\int \frac{a+b \sec^{-1}(cx)}{x^2(d+ex^2)} dx$ | 546 |
| 3.96 | $\int \frac{x^5(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$ | 553 |
| 3.97 | $\int \frac{x^3(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$ | 561 |

| | | |
|-------|--|-----|
| 3.98 | $\int \frac{x(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$ | 568 |
| 3.99 | $\int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^2} dx$ | 573 |
| 3.100 | $\int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$ | 580 |
| 3.101 | $\int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$ | 588 |
| 3.102 | $\int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^2} dx$ | 595 |
| 3.103 | $\int \frac{a+b \sec^{-1}(cx)}{x^2(d+ex^2)^2} dx$ | 603 |
| 3.104 | $\int \frac{x^5(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$ | 611 |
| 3.105 | $\int \frac{x^3(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$ | 620 |
| 3.106 | $\int \frac{x(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$ | 626 |
| 3.107 | $\int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^3} dx$ | 632 |
| 3.108 | $\int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$ | 638 |
| 3.109 | $\int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$ | 647 |
| 3.110 | $\int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^3} dx$ | 656 |
| 3.111 | $\int x^5 \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx$ | 665 |
| 3.112 | $\int x^3 \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx$ | 672 |
| 3.113 | $\int x \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx$ | 678 |
| 3.114 | $\int \frac{\sqrt{d+ex^2} (a+b \sec^{-1}(cx))}{x} dx$ | 683 |
| 3.115 | $\int \frac{\sqrt{d+ex^2} (a+b \sec^{-1}(cx))}{x^3} dx$ | 686 |
| 3.116 | $\int x^2 \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx$ | 689 |
| 3.117 | $\int \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx$ | 692 |
| 3.118 | $\int \frac{\sqrt{d+ex^2} (a+b \sec^{-1}(cx))}{x^2} dx$ | 695 |
| 3.119 | $\int \frac{\sqrt{d+ex^2} (a+b \sec^{-1}(cx))}{x^4} dx$ | 698 |
| 3.120 | $\int \frac{\sqrt{d+ex^2} (a+b \sec^{-1}(cx))}{x^6} dx$ | 704 |
| 3.121 | $\int x^3 (d+ex^2)^{3/2} (a+b \sec^{-1}(cx)) dx$ | 710 |
| 3.122 | $\int x (d+ex^2)^{3/2} (a+b \sec^{-1}(cx)) dx$ | 717 |
| 3.123 | $\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x} dx$ | 723 |
| 3.124 | $\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^3} dx$ | 726 |
| 3.125 | $\int x^2 (d+ex^2)^{3/2} (a+b \sec^{-1}(cx)) dx$ | 729 |
| 3.126 | $\int (d+ex^2)^{3/2} (a+b \sec^{-1}(cx)) dx$ | 732 |
| 3.127 | $\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^2} dx$ | 735 |
| 3.128 | $\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^4} dx$ | 738 |
| 3.129 | $\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^6} dx$ | 741 |

| | | |
|-------|--|-----|
| 3.130 | $\int \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x^8} dx$ | 747 |
| 3.131 | $\int \frac{x^5(a+b\sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$ | 753 |
| 3.132 | $\int \frac{x^3(a+b\sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$ | 759 |
| 3.133 | $\int \frac{x(a+b\sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$ | 765 |
| 3.134 | $\int \frac{a+b\sec^{-1}(cx)}{x\sqrt{d+ex^2}} dx$ | 770 |
| 3.135 | $\int \frac{a+b\sec^{-1}(cx)}{x^3\sqrt{d+ex^2}} dx$ | 773 |
| 3.136 | $\int \frac{x^2(a+b\sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$ | 776 |
| 3.137 | $\int \frac{a+b\sec^{-1}(cx)}{\sqrt{d+ex^2}} dx$ | 779 |
| 3.138 | $\int \frac{a+b\sec^{-1}(cx)}{x^2\sqrt{d+ex^2}} dx$ | 782 |
| 3.139 | $\int \frac{a+b\sec^{-1}(cx)}{x^4\sqrt{d+ex^2}} dx$ | 788 |
| 3.140 | $\int \frac{a+b\sec^{-1}(cx)}{x^6\sqrt{d+ex^2}} dx$ | 794 |
| 3.141 | $\int \frac{x^5(a+b\sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$ | 801 |
| 3.142 | $\int \frac{x^3(a+b\sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$ | 807 |
| 3.143 | $\int \frac{x(a+b\sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$ | 812 |
| 3.144 | $\int \frac{a+b\sec^{-1}(cx)}{x(d+ex^2)^{3/2}} dx$ | 816 |
| 3.145 | $\int \frac{a+b\sec^{-1}(cx)}{x^3(d+ex^2)^{3/2}} dx$ | 819 |
| 3.146 | $\int \frac{x^4(a+b\sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$ | 822 |
| 3.147 | $\int \frac{x^2(a+b\sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$ | 825 |
| 3.148 | $\int \frac{a+b\sec^{-1}(cx)}{(d+ex^2)^{3/2}} dx$ | 828 |
| 3.149 | $\int \frac{a+b\sec^{-1}(cx)}{x^2(d+ex^2)^{3/2}} dx$ | 832 |
| 3.150 | $\int \frac{a+b\sec^{-1}(cx)}{x^4(d+ex^2)^{3/2}} dx$ | 838 |
| 3.151 | $\int \frac{x^5(a+b\sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$ | 845 |
| 3.152 | $\int \frac{x^3(a+b\sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$ | 852 |
| 3.153 | $\int \frac{x(a+b\sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$ | 857 |
| 3.154 | $\int \frac{a+b\sec^{-1}(cx)}{x(d+ex^2)^{5/2}} dx$ | 861 |
| 3.155 | $\int \frac{a+b\sec^{-1}(cx)}{x^3(d+ex^2)^{5/2}} dx$ | 864 |
| 3.156 | $\int \frac{x^6(a+b\sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$ | 867 |
| 3.157 | $\int \frac{x^4(a+b\sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$ | 870 |
| 3.158 | $\int \frac{x^2(a+b\sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$ | 873 |

| | | |
|-------|---|-----|
| 3.159 | $\int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^{5/2}} dx$ | 878 |
| 3.160 | $\int \frac{a+b \sec^{-1}(cx)}{x^2(d+ex^2)^{5/2}} dx$ | 884 |
| 3.161 | $\int (fx)^m (d+ex^2)^3 (a+b \sec^{-1}(cx)) dx$ | 891 |
| 3.162 | $\int (fx)^m (d+ex^2)^2 (a+b \sec^{-1}(cx)) dx$ | 896 |
| 3.163 | $\int (fx)^m (d+ex^2) (a+b \sec^{-1}(cx)) dx$ | 901 |
| 3.164 | $\int \frac{(fx)^m (a+b \sec^{-1}(cx))}{d+ex^2} dx$ | 905 |
| 3.165 | $\int \frac{(fx)^m (a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$ | 908 |
| 3.166 | $\int (fx)^m (d+ex^2)^{3/2} (a+b \sec^{-1}(cx)) dx$ | 911 |
| 3.167 | $\int (fx)^m \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx$ | 914 |
| 3.168 | $\int \frac{(fx)^m (a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$ | 917 |
| 3.169 | $\int \frac{(fx)^m (a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$ | 920 |
| 3.170 | $\int \frac{x^{11} (a+b \sec^{-1}(cx))}{\sqrt{1-c^4 x^4}} dx$ | 923 |
| 3.171 | $\int \frac{x^7 (a+b \sec^{-1}(cx))}{\sqrt{1-c^4 x^4}} dx$ | 929 |
| 3.172 | $\int \frac{x^3 (a+b \sec^{-1}(cx))}{\sqrt{1-c^4 x^4}} dx$ | 935 |
| 3.173 | $\int \frac{a+b \sec^{-1}(cx)}{x \sqrt{1-c^4 x^4}} dx$ | 940 |
| 3.174 | $\int \frac{a+b \sec^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}} dx$ | 943 |

3.1 $\int x^6(a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=114

$$\frac{5b\sqrt{1-\frac{1}{c^2x^2}}x^2}{112c^5} - \frac{5b\sqrt{1-\frac{1}{c^2x^2}}x^4}{168c^3} - \frac{b\sqrt{1-\frac{1}{c^2x^2}}x^6}{42c} + \frac{1}{7}x^7(a + b \sec^{-1}(cx)) - \frac{5b \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{112c^7}$$

[Out] $\frac{1}{7}x^7(a+b*\text{arcsec}(c*x))-\frac{5}{112}b*\text{arctanh}\left(\left(1-\frac{1}{c^2/x^2}\right)^{1/2}\right)/c^7-\frac{5}{112}b*x^2*\left(1-\frac{1}{c^2/x^2}\right)^{1/2}/c^5-\frac{5}{168}b*x^4*\left(1-\frac{1}{c^2/x^2}\right)^{1/2}/c^3-\frac{1}{42}b*x^6*\left(1-\frac{1}{c^2/x^2}\right)^{1/2}/c$

Rubi [A]

time = 0.04, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {5328, 272, 44, 65, 214}

$$\frac{1}{7}x^7(a + b \sec^{-1}(cx)) - \frac{bx^6\sqrt{1-\frac{1}{c^2x^2}}}{42c} - \frac{5b \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{112c^7} - \frac{5bx^2\sqrt{1-\frac{1}{c^2x^2}}}{112c^5} - \frac{5bx^4\sqrt{1-\frac{1}{c^2x^2}}}{168c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^6*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $(-5*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(112*c^5) - (5*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^4)/(168*c^3) - (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^6)/(42*c) + (x^7*(a + b*\text{ArcSec}[c*x]))/7 - (5*b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(112*c^7)$

Rule 44

$\text{Int}[(a_. + (b_.)*(x_.))^{(m_.)*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] := \text{Simp}[(a + b*x)^{(m + 1)*((c + d*x)^{(n + 1)/((b*c - a*d)*(m + 1))}], x] - \text{Dist}[d*((m + n + 2)/((b*c - a*d)*(m + 1))), \text{Int}[(a + b*x)^{(m + 1)*((c + d*x)^n}, x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{ILtQ}[m, -1] \&\& !\text{IntegerQ}[n] \&\& \text{LtQ}[n, 0]$

Rule 65

$\text{Int}[(a_. + (b_.)*(x_.))^{(m_.)*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] := \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n}, x], x, (a + b*x)^{(1/p)}, x]] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 214

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 5328

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((d_.)*(x_)^(m_.)), x_Symbol] := Sim
p[(d*x)^(m + 1)*((a + b*ArcSec[c*x])/(d*(m + 1))), x] - Dist[b*(d/(c*(m + 1
))), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d,
m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int x^6(a + b \sec^{-1}(cx)) dx &= \frac{1}{7}x^7(a + b \sec^{-1}(cx)) - \frac{b \int \frac{x^5}{\sqrt{1 - \frac{1}{c^2x^2}}} dx}{7c} \\
&= \frac{1}{7}x^7(a + b \sec^{-1}(cx)) + \frac{b \text{Subst} \left(\int \frac{1}{x^4 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{14c} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2x^2}} x^6}{42c} + \frac{1}{7}x^7(a + b \sec^{-1}(cx)) + \frac{(5b) \text{Subst} \left(\int \frac{1}{x^3 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{84c^3} \\
&= -\frac{5b \sqrt{1 - \frac{1}{c^2x^2}} x^4}{168c^3} - \frac{b \sqrt{1 - \frac{1}{c^2x^2}} x^6}{42c} + \frac{1}{7}x^7(a + b \sec^{-1}(cx)) + \frac{(5b) \text{Subst} \left(\int \frac{1}{x^2 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{84c^3} \\
&= -\frac{5b \sqrt{1 - \frac{1}{c^2x^2}} x^2}{112c^5} - \frac{5b \sqrt{1 - \frac{1}{c^2x^2}} x^4}{168c^3} - \frac{b \sqrt{1 - \frac{1}{c^2x^2}} x^6}{42c} + \frac{1}{7}x^7(a + b \sec^{-1}(cx)) \\
&= -\frac{5b \sqrt{1 - \frac{1}{c^2x^2}} x^2}{112c^5} - \frac{5b \sqrt{1 - \frac{1}{c^2x^2}} x^4}{168c^3} - \frac{b \sqrt{1 - \frac{1}{c^2x^2}} x^6}{42c} + \frac{1}{7}x^7(a + b \sec^{-1}(cx)) \\
&= -\frac{5b \sqrt{1 - \frac{1}{c^2x^2}} x^2}{112c^5} - \frac{5b \sqrt{1 - \frac{1}{c^2x^2}} x^4}{168c^3} - \frac{b \sqrt{1 - \frac{1}{c^2x^2}} x^6}{42c} + \frac{1}{7}x^7(a + b \sec^{-1}(cx))
\end{aligned}$$

Mathematica [A]

time = 0.10, size = 107, normalized size = 0.94

$$\frac{ax^7}{7} + b \sqrt{\frac{-1 + c^2x^2}{c^2x^2}} \left(-\frac{5x^2}{112c^5} - \frac{5x^4}{168c^3} - \frac{x^6}{42c} \right) + \frac{1}{7}bx^7 \sec^{-1}(cx) - \frac{5b \log \left(x \left(1 + \sqrt{\frac{-1 + c^2x^2}{c^2x^2}} \right) \right)}{112c^7}$$

Antiderivative was successfully verified.

`[In] Integrate[x^6*(a + b*ArcSec[c*x]),x]`

[Out] $(a*x^7)/7 + b*\text{Sqrt}[(-1 + c^2*x^2)/(c^2*x^2)]*((-5*x^2)/(112*c^5) - (5*x^4)/(168*c^3) - x^6/(42*c)) + (b*x^7*\text{ArcSec}[c*x])/7 - (5*b*\text{Log}[x*(1 + \text{Sqrt}[(-1 + c^2*x^2)/(c^2*x^2)])])/(112*c^7)$

Maple [A]

time = 0.11, size = 184, normalized size = 1.61

| method | result |
|-------------------|--|
| derivativedivides | $\frac{\frac{c^7 x^7 a}{7} + \frac{b c^7 x^7 \text{arcsec}(cx)}{7} - \frac{b(c^2 x^2 - 1)c^4 x^4}{42 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{5b(c^2 x^2 - 1)c^2 x^2}{168 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{5b(c^2 x^2 - 1)}{112 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{5b \sqrt{c^2 x^2 - 1} \ln(cx + \sqrt{c^2 x^2 - 1})}{112 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} cx}{c^7}$ |
| default | $\frac{\frac{c^7 x^7 a}{7} + \frac{b c^7 x^7 \text{arcsec}(cx)}{7} - \frac{b(c^2 x^2 - 1)c^4 x^4}{42 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{5b(c^2 x^2 - 1)c^2 x^2}{168 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{5b(c^2 x^2 - 1)}{112 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{5b \sqrt{c^2 x^2 - 1} \ln(cx + \sqrt{c^2 x^2 - 1})}{112 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} cx}{c^7}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^6*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)`

[Out] $1/c^7*(1/7*c^7*x^7*a+1/7*b*c^7*x^7*\text{arcsec}(c*x)-1/42*b*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*c^4*x^4-5/168*b*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*c^2*x^2-5/112*b*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}-5/112*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c/x*\ln(c*x+(c^2*x^2-1)^{(1/2)}))$

Maxima [A]

time = 0.27, size = 162, normalized size = 1.42

$$\frac{1}{7}ax^7 + \frac{1}{672} \left(96x^7 \text{arcsec}(cx) - \frac{2 \left(15 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{5}{2}} - 40 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 33 \sqrt{-\frac{1}{c^2 x^2} + 1} \right)}{c^6 \left(\frac{1}{c^2 x^2} - 1 \right)^3 + 3c^6 \left(\frac{1}{c^2 x^2} - 1 \right)^2 + 3c^6 \left(\frac{1}{c^2 x^2} - 1 \right) + c^6} + \frac{15 \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1 \right)}{c^6} - \frac{15 \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} - 1 \right)}{c^6} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $1/7*a*x^7 + 1/672*(96*x^7*\text{arcsec}(c*x) - (2*(15*(-1/(c^2*x^2) + 1)^{(5/2)} - 40*(-1/(c^2*x^2) + 1)^{(3/2)} + 33*\text{sqrt}(-1/(c^2*x^2) + 1)))/(c^6*(1/(c^2*x^2) - 1)^3 + 3*c^6*(1/(c^2*x^2) - 1)^2 + 3*c^6*(1/(c^2*x^2) - 1) + c^6) + 15*\log(\text{sqrt}(-1/(c^2*x^2) + 1) + 1)/c^6 - 15*\log(\text{sqrt}(-1/(c^2*x^2) + 1) - 1)/c^6)/c)*b$

Fricas [A]

time = 2.63, size = 116, normalized size = 1.02

$$\frac{48ac^7x^7 + 96bc^7 \arctan(-cx + \sqrt{c^2x^2 - 1}) + 48(bc^7x^7 - bc^7) \text{arcsec}(cx) + 15b \log(-cx + \sqrt{c^2x^2 - 1}) - (8bc^5x^5 + 10bc^3x^3 + 15bcx)\sqrt{c^2x^2 - 1}}{336c^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] $\frac{1}{336}*(48*a*c^7*x^7 + 96*b*c^7*\arctan(-c*x + \sqrt{c^2*x^2 - 1}) + 48*(b*c^7*x^7 - b*c^7)*\operatorname{arcsec}(c*x) + 15*b*\log(-c*x + \sqrt{c^2*x^2 - 1}) - (8*b*c^5*x^5 + 10*b*c^3*x^3 + 15*b*c*x)*\sqrt{c^2*x^2 - 1})/c^7$

Sympy [A]

time = 13.06, size = 221, normalized size = 1.94

$$\frac{ax^7}{7} + \frac{bx^7 \operatorname{asec}(cx)}{7} - \frac{b \left(\begin{cases} \frac{cx^7}{6\sqrt{c^2x^2-1}} + \frac{x^5}{24c\sqrt{c^2x^2-1}} + \frac{5x^3}{48c^3\sqrt{c^2x^2-1}} - \frac{5x}{16c^5\sqrt{c^2x^2-1}} + \frac{5 \operatorname{acosh}(cx)}{16c^6} & \text{for } |c^2x^2| > 1 \\ -\frac{icx^7}{6\sqrt{-c^2x^2+1}} - \frac{ix^5}{24c\sqrt{-c^2x^2+1}} - \frac{5ix^3}{48c^3\sqrt{-c^2x^2+1}} + \frac{5ix}{16c^5\sqrt{-c^2x^2+1}} - \frac{5i \operatorname{asin}(cx)}{16c^6} & \text{otherwise} \end{cases} \right)}{7c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6*(a+b*asec(c*x)),x)

[Out] $a*x^{**7}/7 + b*x^{**7}*asec(c*x)/7 - b*\operatorname{Piecewise}((c*x^{**7}/(6*\sqrt{c^{**2}*x^{**2} - 1}) + x^{**5}/(24*c*\sqrt{c^{**2}*x^{**2} - 1}) + 5*x^{**3}/(48*c^{**3}*\sqrt{c^{**2}*x^{**2} - 1}) - 5*x/(16*c^{**5}*\sqrt{c^{**2}*x^{**2} - 1}) + 5*\operatorname{acosh}(c*x)/(16*c^{**6}), \operatorname{Abs}(c^{**2}*x^{**2}) > 1), (-I*c*x^{**7}/(6*\sqrt{-c^{**2}*x^{**2} + 1}) - I*x^{**5}/(24*c*\sqrt{-c^{**2}*x^{**2} + 1}) - 5*I*x^{**3}/(48*c^{**3}*\sqrt{-c^{**2}*x^{**2} + 1}) + 5*I*x/(16*c^{**5}*\sqrt{-c^{**2}*x^{**2} + 1}) - 5*I*\operatorname{asin}(c*x)/(16*c^{**6}), \operatorname{True}))/ (7*c)$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 8644 vs. 2(96) = 192.

time = 1.23, size = 8644, normalized size = 75.82

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] $\frac{1}{336}*c*(48*b*\arccos(1/(c*x)))/(c^8 + 7*c^8*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 21*c^8*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 35*c^8*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 35*c^8*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 21*c^8*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + 7*c^8*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12} + c^8*(1/(c^2*x^2) - 1)^7/(1/(c*x) + 1)^{14} - 15*b*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1)))/(c^8 + 7*c^8*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 21*c^8*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 35*c^8*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 35*c^8*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 21*c^8*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + 7*c^8*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12} + c^8*(1/(c^2*x^2) - 1)^7/(1/(c*x) + 1)^{14} + 15*b*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1)))/(c^8 + 7*c^8*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 21*c^8*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 35*c^8*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 35*c^8*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 21*c^8*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + 7*c^8*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12} + c^8*(1/(c^2*x^2) - 1)^7/(1/(c*x) + 1)^{14})$

$$\begin{aligned}
&) + 1)^6 + 35c^8(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 21c^8(1/(c^2x^2) \\
& - 1)^5/(1/(cx) + 1)^{10} + 7c^8(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12} + c^8 \\
& *(1/(c^2x^2) - 1)^7/(1/(cx) + 1)^{14}) + 48a/(c^8 + 7c^8(1/(c^2x^2) - 1 \\
&)/(1/(cx) + 1)^2 + 21c^8(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 35c^8(1/ \\
& (c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 35c^8(1/(c^2x^2) - 1)^4/(1/(cx) + 1) \\
& ^8 + 21c^8(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + 7c^8(1/(c^2x^2) - 1)^ \\
& 6/(1/(cx) + 1)^{12} + c^8(1/(c^2x^2) - 1)^7/(1/(cx) + 1)^{14}) - 336b*(1/(\\
& c^2x^2) - 1)*\arccos(1/(cx))/((c^8 + 7c^8(1/(c^2x^2) - 1)/(1/(cx) + 1) \\
& ^2 + 21c^8(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 35c^8(1/(c^2x^2) - 1)^ \\
& 3/(1/(cx) + 1)^6 + 35c^8(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 21c^8(1/ \\
& (c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + 7c^8(1/(c^2x^2) - 1)^6/(1/(cx) + 1) \\
& ^{12} + c^8(1/(c^2x^2) - 1)^7/(1/(cx) + 1)^{14})*(1/(cx) + 1)^2) - 105b*(1 \\
& /(c^2x^2) - 1)*\log(\text{abs}(\sqrt{-1/(c^2x^2) + 1} + 1/(cx) + 1))/((c^8 + 7c^ \\
& 8(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 21c^8(1/(c^2x^2) - 1)^2/(1/(cx) + \\
& 1)^4 + 35c^8(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 35c^8(1/(c^2x^2) - \\
& 1)^4/(1/(cx) + 1)^8 + 21c^8(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + 7c^8* \\
& (1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12} + c^8(1/(c^2x^2) - 1)^7/(1/(cx) + 1) \\
& ^{14})*(1/(cx) + 1)^2) + 105b*(1/(c^2x^2) - 1)*\log(\text{abs}(\sqrt{-1/(c^2x^2) \\
& + 1} - 1/(cx) - 1))/((c^8 + 7c^8(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 21c^ \\
& 8(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 35c^8(1/(c^2x^2) - 1)^3/(1/(cx) \\
&) + 1)^6 + 35c^8(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 21c^8(1/(c^2x^2) \\
& - 1)^5/(1/(cx) + 1)^{10} + 7c^8(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12} + c^8 \\
& *(1/(c^2x^2) - 1)^7/(1/(cx) + 1)^{14})*(1/(cx) + 1)^2) - 66b*\sqrt{-1/(c^2 \\
& *x^2) + 1}/((c^8 + 7c^8(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 21c^8(1/(c^2 \\
& *x^2) - 1)^2/(1/(cx) + 1)^4 + 35c^8(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + \\
& 35c^8(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 21c^8(1/(c^2x^2) - 1)^5/(1 \\
& /(cx) + 1)^{10} + 7c^8(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12} + c^8(1/(c^2x \\
& ^2) - 1)^7/(1/(cx) + 1)^{14})*(1/(cx) + 1)) - 336a*(1/(c^2x^2) - 1)/((c^8 \\
& + 7c^8(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 21c^8(1/(c^2x^2) - 1)^2/(1/ \\
& (cx) + 1)^4 + 35c^8(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 35c^8(1/(c^2* \\
& x^2) - 1)^4/(1/(cx) + 1)^8 + 21c^8(1/(c^2x^2) - 1)^5/(1/(cx) + 1) \\
& ^{10} + 7c^8(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12} + c^8(1/(c^2x^2) - 1)^7/ \\
& (1/(cx) + 1)^{14})*(1/(cx) + 1)^4) - 315b*(1/(c^2x^2) - 1)^2*\log(\text{abs}(\sqrt{ \\
& -1/(c^2x^2) + 1} + 1/(cx) + 1))/((c^8 + 7c^8(1/(c^2x^2) - 1)/(1/(cx) \\
& + 1)^2 + 21c^8(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 35c^8(1/(c^2x^2) \\
& - 1)^3/(1/(cx) + 1)^6 + 35c^8(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 21c^ \\
& 8(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + 7c^8(1/(c^2x^2) - 1)^6/(1/(cx) \\
& + 1)^{12} + c^8(1/(c^2x^2) - 1)^7/(1/(cx) + 1)^{14})*(1/(cx) + 1)^4) + 315 \\
& *b*(1/(c^2x^2) - 1)^2*\log(\text{abs}(\sqrt{-1/(c^2x^2) + 1} - 1/(cx) - 1))/((c^8 \\
& + 7c^8(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 21c^8(1/(c^2x^2) - 1)^2/(1/
\end{aligned}$$

$(c*x) + 1)^4 + 35*c^8*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 35*c^8*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 21*c^8*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + 7*c^8*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12} + c^8*(1/(c^2*x^2) - 1)^7/(1/(c*x) + 1)^{14})*(1/(c*x) + 1)^4 + 56*b*(-1/(c^2*x^2) + 1)^{(3/2)}/((c^8 + 7*c^8*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 21*c^8*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 35*c^8*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 35*c^8*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 21*c^8*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + 7*c^8*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12} + c^8*(1/(c^2*x^2) - 1)^7/(1/(c*x) + 1)^{14})*(1/(c*x) + 1)^3) + 1008*a*(1/(c^2*x^2) - 1)^2/((c^8 + 7*c^8*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 21*c^8*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 35*c^8*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 35*c^8*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 21*c^8*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + 7*c^8*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12} + c^8*(1/(c^2*x^2) - 1)^7/(1/(c*x) + 1)^{14})*(1/(c*x) + 1)^3) + 1008*a*(1/(c^2*x^2) - 1)^2/((c^8 + 7*c^8*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 21*c^8*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 35*c^8*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 35*c^8*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 21*c^8*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + 7*c^8*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12} + c^8*(1/(c^2*x^2) - 1)^7/(1/(c*x) + 1)^{14})*(1/(c*x) + 1)^3) - ...$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^6 \left(a + b \arccos\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6*(a + b*acos(1/(c*x))),x)

[Out] int(x^6*(a + b*acos(1/(c*x))), x)

3.2 $\int x^5(a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=89

$$-\frac{4b\sqrt{1-\frac{1}{c^2x^2}}x}{45c^5} - \frac{2b\sqrt{1-\frac{1}{c^2x^2}}x^3}{45c^3} - \frac{b\sqrt{1-\frac{1}{c^2x^2}}x^5}{30c} + \frac{1}{6}x^6(a + b \sec^{-1}(cx))$$

[Out] $\frac{1}{6}x^6(a+b*\text{arcsec}(c*x)) - \frac{4}{45}b*x*(1-1/c^2/x^2)^{(1/2)}/c^5 - \frac{2}{45}b*x^3*(1-1/c^2/x^2)^{(1/2)}/c^3 - \frac{1}{30}b*x^5*(1-1/c^2/x^2)^{(1/2)}/c$

Rubi [A]

time = 0.03, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {5328, 277, 197}

$$\frac{1}{6}x^6(a + b \sec^{-1}(cx)) - \frac{bx^5\sqrt{1-\frac{1}{c^2x^2}}}{30c} - \frac{4bx\sqrt{1-\frac{1}{c^2x^2}}}{45c^5} - \frac{2bx^3\sqrt{1-\frac{1}{c^2x^2}}}{45c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^5*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $\frac{(-4*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(45*c^5) - (2*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^3)/(45*c^3) - (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^5)/(30*c) + (x^6*(a + b*\text{ArcSec}[c*x]))}{6}$

Rule 197

$\text{Int}[(a_) + (b_)*(x_)^{(n_)}]^{(p_)}, x_Symbol] \rightarrow \text{Simp}[x*((a + b*x^n)^{(p+1)}/a), x] /;$ FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 277

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)}]^{(p_)}, x_Symbol] \rightarrow \text{Simp}[x^{(m+1)}*((a + b*x^n)^{(p+1)}/(a*(m+1))), x] - \text{Dist}[b*((m + n*(p+1) + 1)/(a*(m+1))), \text{Int}[x^{(m+n)}*(a + b*x^n)^p, x], x] /;$ FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m+1)/n + p + 1], 0] && NeQ[m, -1]

Rule 5328

$\text{Int}[(a_.) + \text{ArcSec}[(c_.)*(x_)]*(b_.)]^{(d_.)*(x_)^{(m_.)}}, x_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*((a + b*\text{ArcSec}[c*x])/(d*(m+1))), x] - \text{Dist}[b*(d/(c*(m+1))), \text{Int}[(d*x)^{(m-1)}/\text{Sqrt}[1 - 1/(c^2*x^2)], x], x] /;$ FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int x^5(a + b \sec^{-1}(cx)) dx &= \frac{1}{6}x^6(a + b \sec^{-1}(cx)) - \frac{b \int \frac{x^4}{\sqrt{1 - \frac{1}{c^2x^2}}} dx}{6c} \\
&= -\frac{b\sqrt{1 - \frac{1}{c^2x^2}} x^5}{30c} + \frac{1}{6}x^6(a + b \sec^{-1}(cx)) - \frac{(2b) \int \frac{x^2}{\sqrt{1 - \frac{1}{c^2x^2}}} dx}{15c^3} \\
&= -\frac{2b\sqrt{1 - \frac{1}{c^2x^2}} x^3}{45c^3} - \frac{b\sqrt{1 - \frac{1}{c^2x^2}} x^5}{30c} + \frac{1}{6}x^6(a + b \sec^{-1}(cx)) - \frac{(4b) \int \frac{1}{\sqrt{1 - \frac{1}{c^2x^2}}} dx}{45c^5} \\
&= -\frac{4b\sqrt{1 - \frac{1}{c^2x^2}} x}{45c^5} - \frac{2b\sqrt{1 - \frac{1}{c^2x^2}} x^3}{45c^3} - \frac{b\sqrt{1 - \frac{1}{c^2x^2}} x^5}{30c} + \frac{1}{6}x^6(a + b \sec^{-1}(cx))
\end{aligned}$$

Mathematica [A]

time = 0.06, size = 72, normalized size = 0.81

$$\frac{ax^6}{6} + b\sqrt{\frac{-1 + c^2x^2}{c^2x^2}} \left(-\frac{4x}{45c^5} - \frac{2x^3}{45c^3} - \frac{x^5}{30c} \right) + \frac{1}{6}bx^6 \sec^{-1}(cx)$$

Antiderivative was successfully verified.

`[In] Integrate[x^5*(a + b*ArcSec[c*x]),x]`

```
[Out] (a*x^6)/6 + b*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)]*((-4*x)/(45*c^5) - (2*x^3)/(45*c^3) - x^5/(30*c)) + (b*x^6*ArcSec[c*x])/6
```

Maple [A]

time = 0.10, size = 83, normalized size = 0.93

| method | result | size |
|-------------------|--|------|
| derivativedivides | $\frac{\frac{c^6 x^6 a}{6} + b \left(\frac{c^6 x^6 \operatorname{arcsec}(cx)}{6} - \frac{(c^2 x^2 - 1)(3c^4 x^4 + 4c^2 x^2 + 8)}{90 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} cx} \right)}{c^6}$ | 83 |
| default | $\frac{\frac{c^6 x^6 a}{6} + b \left(\frac{c^6 x^6 \operatorname{arcsec}(cx)}{6} - \frac{(c^2 x^2 - 1)(3c^4 x^4 + 4c^2 x^2 + 8)}{90 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} cx} \right)}{c^6}$ | 83 |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^6} * (\frac{1}{6} * c^6 * x^6 * a + b * (\frac{1}{6} * c^6 * x^6 * \text{arcsec}(c*x) - \frac{1}{90} * (c^2 * x^2 - 1) * (3 * c^4 * x^4 + 4 * c^2 * x^2 + 8) / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c / x))$

Maxima [A]

time = 0.27, size = 81, normalized size = 0.91

$$\frac{1}{6} a x^6 + \frac{1}{90} \left(15 x^6 \text{arcsec}(c x) - \frac{3 c^4 x^5 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{5}{2}} + 10 c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{3}{2}} + 15 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^5} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{6} * a * x^6 + \frac{1}{90} * (15 * x^6 * \text{arcsec}(c * x) - (3 * c^4 * x^5 * (-1 / (c^2 * x^2) + 1)^{(5/2)} + 10 * c^2 * x^3 * (-1 / (c^2 * x^2) + 1)^{(3/2)} + 15 * x * \text{sqrt}(-1 / (c^2 * x^2) + 1)) / c^5) * b$

Fricas [A]

time = 3.06, size = 63, normalized size = 0.71

$$\frac{15 b c^6 x^6 \text{arcsec}(c x) + 15 a c^6 x^6 - (3 b c^4 x^4 + 4 b c^2 x^2 + 8 b) \sqrt{c^2 x^2 - 1}}{90 c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{90} * (15 * b * c^6 * x^6 * \text{arcsec}(c * x) + 15 * a * c^6 * x^6 - (3 * b * c^4 * x^4 + 4 * b * c^2 * x^2 + 8 * b) * \text{sqrt}(c^2 * x^2 - 1)) / c^6$

Sympy [A]

time = 3.88, size = 153, normalized size = 1.72

$$\frac{a x^6}{6} + \frac{b x^6 \text{asec}(c x)}{6} - \frac{b \left(\begin{cases} \frac{x^4 \sqrt{c^2 x^2 - 1}}{5c} + \frac{4x^2 \sqrt{c^2 x^2 - 1}}{15c^3} + \frac{8\sqrt{c^2 x^2 - 1}}{15c^5} & \text{for } |c^2 x^2| > 1 \\ \frac{i x^4 \sqrt{-c^2 x^2 + 1}}{5c} + \frac{4i x^2 \sqrt{-c^2 x^2 + 1}}{15c^3} + \frac{8i \sqrt{-c^2 x^2 + 1}}{15c^5} & \text{otherwise} \end{cases} \right)}{6c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(a+b*asec(c*x)),x)`

[Out] $a * x^{**6} / 6 + b * x^{**6} * \text{asec}(c * x) / 6 - b * \text{Piecewise}((x^{**4} * \text{sqrt}(c^{**2} * x^{**2} - 1) / (5 * c) + 4 * x^{**2} * \text{sqrt}(c^{**2} * x^{**2} - 1) / (15 * c^{**3}) + 8 * \text{sqrt}(c^{**2} * x^{**2} - 1) / (15 * c^{**5}), \text{Abs}(c^{**2} * x^{**2}) > 1), (I * x^{**4} * \text{sqrt}(-c^{**2} * x^{**2} + 1) / (5 * c) + 4 * I * x^{**2} * \text{sqrt}(-c^{**2} * x^{**2} + 1) / (15 * c^{**3}) + 8 * I * \text{sqrt}(-c^{**2} * x^{**2} + 1) / (15 * c^{**5}), \text{True})) / (6 * c)$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 3862 vs. 2(75) = 150.

time = 0.48, size = 3862, normalized size = 43.39

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out]
$$\begin{aligned} & 1/90*c*(15*b*arccos(1/(c*x))/(c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 \\ & + 15*c^7*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3/ \\ & (1/(c*x) + 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 6*c^7*(1/(c^ \\ & 2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + c^7*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12} \\ & + 15*a/(c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^2) \\ & - 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 15*c \\ & ^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 6*c^7*(1/(c^2*x^2) - 1)^5/(1/(c*x) \\ & + 1)^{10} + c^7*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12} - 90*b*(1/(c^2*x^2) - \\ & 1)*arccos(1/(c*x))/(c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^7 \\ & *(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3/(1/(c*x) \\ & + 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 6*c^7*(1/(c^2*x^2) - \\ & 1)^5/(1/(c*x) + 1)^{10} + c^7*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12}*(1/(c*x) \\ & + 1)^2 - 30*b*sqrt(-1/(c^2*x^2) + 1)/((c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c \\ & *x) + 1)^2 + 15*c^7*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^ \\ & 2) - 1)^3/(1/(c*x) + 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 6* \\ & c^7*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + c^7*(1/(c^2*x^2) - 1)^6/(1/(c*x) \\ & + 1)^{12}*(1/(c*x) + 1)) - 90*a*(1/(c^2*x^2) - 1)/((c^7 + 6*c^7*(1/(c^2*x^2) \\ &) - 1)/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 20*c^ \\ & 7*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) \\ & + 1)^8 + 6*c^7*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + c^7*(1/(c^2*x^2) - 1 \\ &)^6/(1/(c*x) + 1)^{12}*(1/(c*x) + 1)^2 + 225*b*(1/(c^2*x^2) - 1)^2*arccos(1 \\ & / (c*x))/(c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^ \\ & 2) - 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 15 \\ & *c^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 6*c^7*(1/(c^2*x^2) - 1)^5/(1/(c* \\ & x) + 1)^{10} + c^7*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12}*(1/(c*x) + 1)^4 + 7 \\ & 0*b*(-1/(c^2*x^2) + 1)^{(3/2)}/((c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^ \\ & 2 + 15*c^7*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3 \\ & / (1/(c*x) + 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 6*c^7*(1/(c \\ & ^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + c^7*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12} \\ & *(1/(c*x) + 1)^3) + 225*a*(1/(c^2*x^2) - 1)^2/((c^7 + 6*c^7*(1/(c^2*x^2) - \\ & 1)/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1 \\ & / (c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1 \\ &)^8 + 6*c^7*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + c^7*(1/(c^2*x^2) - 1)^6/ \\ & (1/(c*x) + 1)^{12}*(1/(c*x) + 1)^4 - 300*b*(1/(c^2*x^2) - 1)^3*arccos(1/(c* \\ & x))/(c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^2) - \\ & 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 15*c^7 \end{aligned}$$

```

*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 6*c^7*(1/(c^2*x^2) - 1)^5/(1/(c*x) +
1)^10 + c^7*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^12*(1/(c*x) + 1)^6) - 156*b
*(1/(c^2*x^2) - 1)^2*sqrt(-1/(c^2*x^2) + 1)/((c^7 + 6*c^7*(1/(c^2*x^2) - 1)
/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(
c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^
8 + 6*c^7*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10 + c^7*(1/(c^2*x^2) - 1)^6/(1
/(c*x) + 1)^12*(1/(c*x) + 1)^5) - 300*a*(1/(c^2*x^2) - 1)^3/((c^7 + 6*c^7*
(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1
)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)
^4/(1/(c*x) + 1)^8 + 6*c^7*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10 + c^7*(1/(c
^2*x^2) - 1)^6/(1/(c*x) + 1)^12*(1/(c*x) + 1)^6) + 225*b*(1/(c^2*x^2) - 1)
^4*arccos(1/(c*x))/((c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^7
*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3/(1/(c*x)
+ 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 6*c^7*(1/(c^2*x^2) -
1)^5/(1/(c*x) + 1)^10 + c^7*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^12*(1/(c*x)
+ 1)^8) - 156*b*(1/(c^2*x^2) - 1)^3*sqrt(-1/(c^2*x^2) + 1)/((c^7 + 6*c^7*(1
/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^
4 + 20*c^7*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4
/(1/(c*x) + 1)^8 + 6*c^7*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10 + c^7*(1/(c^2
*x^2) - 1)^6/(1/(c*x) + 1)^12*(1/(c*x) + 1)^7) + 225*a*(1/(c^2*x^2) - 1)^4
/((c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^2) - 1)
^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 15*c^7*(1
/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 6*c^7*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)
^10 + c^7*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^12*(1/(c*x) + 1)^8) - 90*b*(1/
(c^2*x^2) - 1)^5*arccos(1/(c*x))/((c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) +
1)^2 + 15*c^7*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) -
1)^3/(1/(c*x) + 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 6*c^7*(
1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10 + c^7*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)
^12*(1/(c*x) + 1)^10) - 70*b*(1/(c^2*x^2) - 1)^4*sqrt(-1/(c^2*x^2) + 1)/((
c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^2) - 1)^2/
(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3/(1...

```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^5 \left(a + b \operatorname{acos} \left(\frac{1}{cx} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a + b*acos(1/(c*x))),x)

[Out] int(x^5*(a + b*acos(1/(c*x))), x)

3.3 $\int x^4(a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=89

$$-\frac{3b\sqrt{1-\frac{1}{c^2x^2}}x^2}{40c^3} - \frac{b\sqrt{1-\frac{1}{c^2x^2}}x^4}{20c} + \frac{1}{5}x^5(a + b \sec^{-1}(cx)) - \frac{3b \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{40c^5}$$

[Out] $\frac{1}{5}x^5(a+b*\text{arcsec}(c*x))-3/40*b*\text{arctanh}((1-1/c^2/x^2)^{(1/2)})/c^5-3/40*b*x^2*(1-1/c^2/x^2)^{(1/2)}/c^3-1/20*b*x^4*(1-1/c^2/x^2)^{(1/2)}/c$

Rubi [A]

time = 0.04, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {5328, 272, 44, 65, 214}

$$\frac{1}{5}x^5(a + b \sec^{-1}(cx)) - \frac{bx^4\sqrt{1-\frac{1}{c^2x^2}}}{20c} - \frac{3b \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{40c^5} - \frac{3bx^2\sqrt{1-\frac{1}{c^2x^2}}}{40c^3}$$

Antiderivative was successfully verified.

[In] `Int[x^4*(a + b*ArcSec[c*x]),x]`

[Out] $(-3*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(40*c^3) - (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^4)/(20*c) + (x^5*(a + b*\text{ArcSec}[c*x]))/5 - (3*b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/ (40*c^5)$

Rule 44

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
(a + b*x)^(m + 1)*((c + d*x)^(n + 1)/((b*c - a*d)*(m + 1))), x] - Dist[d*((
m + n + 2)/((b*c - a*d)*(m + 1))), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, -1] && !Int
egerQ[n] && LtQ[n, 0]
```

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 214

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 5328

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((d_.)*(x_)^(m_.), x_Symbol] := Sim
p[(d*x)^(m + 1)*((a + b*ArcSec[c*x])/(d*(m + 1))), x] - Dist[b*(d/(c*(m + 1
))), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d,
m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int x^4(a + b \sec^{-1}(cx)) dx &= \frac{1}{5}x^5(a + b \sec^{-1}(cx)) - \frac{b \int \frac{x^3}{\sqrt{1 - \frac{1}{c^2x^2}}} dx}{5c} \\
&= \frac{1}{5}x^5(a + b \sec^{-1}(cx)) + \frac{b \text{Subst} \left(\int \frac{1}{x^3 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{10c} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2x^2}} x^4}{20c} + \frac{1}{5}x^5(a + b \sec^{-1}(cx)) + \frac{(3b) \text{Subst} \left(\int \frac{1}{x^2 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{40c^3} \\
&= -\frac{3b \sqrt{1 - \frac{1}{c^2x^2}} x^2}{40c^3} - \frac{b \sqrt{1 - \frac{1}{c^2x^2}} x^4}{20c} + \frac{1}{5}x^5(a + b \sec^{-1}(cx)) + \frac{(3b) \text{Subst} \left(\int \frac{1}{x \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{40c^3} \\
&= -\frac{3b \sqrt{1 - \frac{1}{c^2x^2}} x^2}{40c^3} - \frac{b \sqrt{1 - \frac{1}{c^2x^2}} x^4}{20c} + \frac{1}{5}x^5(a + b \sec^{-1}(cx)) - \frac{(3b) \text{Subst} \left(\int \frac{1}{x \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{40c^3} \\
&= -\frac{3b \sqrt{1 - \frac{1}{c^2x^2}} x^2}{40c^3} - \frac{b \sqrt{1 - \frac{1}{c^2x^2}} x^4}{20c} + \frac{1}{5}x^5(a + b \sec^{-1}(cx)) - \frac{3b \tanh^{-1} \left(\sqrt{1 - \frac{x}{c^2}} \right)}{40c^3}
\end{aligned}$$

Mathematica [A]

time = 0.05, size = 97, normalized size = 1.09

$$\frac{ax^5}{5} + b \sqrt{\frac{-1 + c^2x^2}{c^2x^2}} \left(-\frac{3x^2}{40c^3} - \frac{x^4}{20c} \right) + \frac{1}{5}bx^5 \sec^{-1}(cx) - \frac{3b \log \left(x \left(1 + \sqrt{\frac{-1 + c^2x^2}{c^2x^2}} \right) \right)}{40c^5}$$

Antiderivative was successfully verified.

`[In] Integrate[x^4*(a + b*ArcSec[c*x]),x]`

```
[Out] (a*x^5)/5 + b*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)]*((-3*x^2)/(40*c^3) - x^4/(20*c)) + (b*x^5*ArcSec[c*x])/5 - (3*b*Log[x*(1 + Sqrt[(-1 + c^2*x^2)/(c^2*x^2)])])/(40*c^5)
```

Maple [A]

time = 0.09, size = 148, normalized size = 1.66

| method | result | size |
|-------------------|---|------|
| derivativedivides | $\frac{c^5 x^5 a + b c^5 x^5 \operatorname{arcsec}(cx) - \frac{b(c^2 x^2 - 1)c^2 x^2}{20 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{3b(c^2 x^2 - 1)}{40 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{3b \sqrt{c^2 x^2 - 1} \ln(cx + \sqrt{c^2 x^2 - 1})}{40 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} cx}}{c^5}$ | 148 |
| default | $\frac{c^5 x^5 a + b c^5 x^5 \operatorname{arcsec}(cx) - \frac{b(c^2 x^2 - 1)c^2 x^2}{20 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{3b(c^2 x^2 - 1)}{40 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{3b \sqrt{c^2 x^2 - 1} \ln(cx + \sqrt{c^2 x^2 - 1})}{40 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} cx}}{c^5}$ | 148 |

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^4*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)`

`[Out] 1/c^5*(1/5*c^5*x^5*a+1/5*b*c^5*x^5*arcsec(c*x)-1/20*b*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)*c^2*x^2-3/40*b*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)-3/40*b*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x*ln(c*x+(c^2*x^2-1)^(1/2)))`

Maxima [A]

time = 0.27, size = 131, normalized size = 1.47

$$\frac{1}{5} a x^5 + \frac{1}{80} \left(16 x^5 \operatorname{arcsec}(c x) + \frac{2 \left(3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} - 5 \sqrt{-\frac{1}{c^2 x^2} + 1} \right)}{c^4 \left(\frac{1}{c^2 x^2} - 1 \right)^2 + 2 c^4 \left(\frac{1}{c^2 x^2} - 1 \right) + c^4} - \frac{3 \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1 \right)}{c^4} + \frac{3 \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} - 1 \right)}{c^4} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^4*(a+b*arcsec(c*x)),x, algorithm="maxima")`

`[Out] 1/5*a*x^5 + 1/80*(16*x^5*arcsec(c*x) + (2*(3*(-1/(c^2*x^2) + 1)^(3/2) - 5*sqrt(-1/(c^2*x^2) + 1))/(c^4*(1/(c^2*x^2) - 1)^2 + 2*c^4*(1/(c^2*x^2) - 1) + c^4) - 3*log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^4 + 3*log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^4)/c)*b`

Fricas [A]

time = 2.60, size = 107, normalized size = 1.20

$$\frac{8 a c^5 x^5 + 16 b c^5 \arctan(-c x + \sqrt{c^2 x^2 - 1}) + 8 (b c^5 x^5 - b c^5) \operatorname{arcsec}(c x) + 3 b \log(-c x + \sqrt{c^2 x^2 - 1}) - (2 b c^3 x^3 + 3 b c x) \sqrt{c^2 x^2 - 1}}{40 c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] $\frac{1}{40}*(8*a*c^5*x^5 + 16*b*c^5*\arctan(-c*x + \sqrt{c^2*x^2 - 1})) + 8*(b*c^5*x^5 - b*c^5)*\operatorname{arcsec}(c*x) + 3*b*\log(-c*x + \sqrt{c^2*x^2 - 1}) - (2*b*c^3*x^3 + 3*b*c*x)*\sqrt{c^2*x^2 - 1}/c^5$

Sympy [A]

time = 4.50, size = 175, normalized size = 1.97

$$\frac{ax^5}{5} + \frac{bx^5 \operatorname{asec}(cx)}{5} - \frac{b \left(\begin{cases} \frac{cx^5}{4\sqrt{c^2x^2-1}} + \frac{x^3}{8c\sqrt{c^2x^2-1}} - \frac{3x}{8c^3\sqrt{c^2x^2-1}} + \frac{3\operatorname{acosh}(cx)}{8c^4} & \text{for } |c^2x^2| > 1 \\ -\frac{icx^5}{4\sqrt{-c^2x^2+1}} - \frac{ix^3}{8c\sqrt{-c^2x^2+1}} + \frac{3ix}{8c^3\sqrt{-c^2x^2+1}} - \frac{3i\operatorname{asin}(cx)}{8c^4} & \text{otherwise} \end{cases} \right)}{5c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(a+b*asec(c*x)),x)

[Out] $a*x**5/5 + b*x**5*\operatorname{asec}(c*x)/5 - b*\operatorname{Piecewise}((c*x**5/(4*\sqrt{c**2*x**2 - 1})) + x**3/(8*c*\sqrt{c**2*x**2 - 1}) - 3*x/(8*c**3*\sqrt{c**2*x**2 - 1}) + 3*\operatorname{acosh}(c*x)/(8*c**4), \operatorname{Abs}(c**2*x**2) > 1), (-I*c*x**5/(4*\sqrt{-c**2*x**2 + 1})) - I*x**3/(8*c*\sqrt{-c**2*x**2 + 1}) + 3*I*x/(8*c**3*\sqrt{-c**2*x**2 + 1}) - 3*I*\operatorname{asin}(c*x)/(8*c**4), \operatorname{True}))/5c$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 4828 vs. 2(75) = 150.

time = 0.96, size = 4828, normalized size = 54.25

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] $\frac{1}{40}*c*(8*b*\arccos(1/(c*x)))/(c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} - 3*b*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1))/(c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}) + 3*b*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1))/(c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}) + 8*a/(c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}) - 40*b*(1/$

$$\begin{aligned}
& (c^2*x^2 - 1)*\arccos(1/(c*x))/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1) \\
&)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1) \\
& ^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^ \\
& 2*x^2) - 1)^5/(1/(c*x) + 1)^{10}*(1/(c*x) + 1)^2) - 15*b*(1/(c^2*x^2) - 1)* \\
& \log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/((c^6 + 5*c^6*(1/(c^2*x^2) - 1) \\
&)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1 \\
& /((c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1) \\
& ^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}*(1/(c*x) + 1)^2) + 15*b*(1/(\\
& c^2*x^2) - 1)*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/((c^6 + 5*c^6* \\
& (1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1) \\
&)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^ \\
& 4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}*(1/(c*x) + 1) \\
& ^2) - 10*b*\text{sqrt}(-1/(c^2*x^2) + 1)/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) \\
& + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - \\
& 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/ \\
& (c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}*(1/(c*x) + 1)) - 40*a*(1/(c^2*x^2) - 1)/ \\
& ((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^ \\
& 2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(\\
& c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} \\
& *(1/(c*x) + 1)^2) + 80*b*(1/(c^2*x^2) - 1)^2*\arccos(1/(c*x))/((c^6 + 5*c^6* \\
& (1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1) \\
&)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^ \\
& 4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}*(1/(c*x) + 1) \\
& ^4) - 30*b*(1/(c^2*x^2) - 1)^2*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) + 1/(c*x) + 1) \\
&)/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1) \\
&)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(\\
& 1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} \\
& *(1/(c*x) + 1)^4) + 30*b*(1/(c^2*x^2) - 1)^2*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) \\
& - 1/(c*x) - 1))/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^ \\
& 6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) \\
& + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1) \\
& ^5/(1/(c*x) + 1)^{10}*(1/(c*x) + 1)^4) + 4*b*(-1/(c^2*x^2) + 1)^{(3/2)}/((c^6 \\
& + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(\\
& c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^ \\
& 2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}*(1/(c \\
& *x) + 1)^3) + 80*a*(1/(c^2*x^2) - 1)^2/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(\\
& c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x \\
& ^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^ \\
& 6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}*(1/(c*x) + 1)^4) - 80*b*(1/(c^2*x^2 \\
&) - 1)^3*\arccos(1/(c*x))/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + \\
& 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/ \\
& (c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) \\
& - 1)^5/(1/(c*x) + 1)^{10}*(1/(c*x) + 1)^6) - 30*b*(1/(c^2*x^2) - 1)^3*\log(a \\
& bs(\text{sqrt}(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(\\
& 1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^
\end{aligned}$$

$2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 +$
 $c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}*(1/(c*x) + 1)^6) + 30*b*(1/(c^2*$
 $x^2) - 1)^3*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/((c^6 + 5*c^6*(1$
 $/ (c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^$
 $4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/$
 $(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}*(1/(c*x) + 1)^6$
 $) - 80*a*(1/(c^2*x^2) - 1)^3/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^$
 $2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 \dots$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 \left(a + b \operatorname{acos} \left(\frac{1}{c x} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a + b*acos(1/(c*x))),x)

[Out] int(x^4*(a + b*acos(1/(c*x))), x)

3.4 $\int x^3(a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=64

$$-\frac{b\sqrt{1-\frac{1}{c^2x^2}}x}{6c^3} - \frac{b\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} + \frac{1}{4}x^4(a + b \sec^{-1}(cx))$$

[Out] $\frac{1}{4}x^4(a+b\operatorname{arcsec}(cx)) - \frac{1}{6}bx(1-1/c^2/x^2)^{(1/2)}/c^3 - \frac{1}{12}bx^3(1-1/c^2/x^2)^{(1/2)}/c$

Rubi [A]

time = 0.02, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$,

Rules used = {5328, 277, 197}

$$\frac{1}{4}x^4(a + b \sec^{-1}(cx)) - \frac{bx^3\sqrt{1-\frac{1}{c^2x^2}}}{12c} - \frac{bx\sqrt{1-\frac{1}{c^2x^2}}}{6c^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^3(a + b \operatorname{ArcSec}[cx]), x]$

[Out] $-\frac{1}{6}(b\sqrt{1-1/(c^2x^2)}x)/c^3 - (b\sqrt{1-1/(c^2x^2)}x^3)/(12c) + (x^4(a + b \operatorname{ArcSec}[cx]))/4$

Rule 197

$\operatorname{Int}[(a_) + (b_)(x_)^{(n_)}]^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[x*((a + b*x^n)^{(p+1)}/a), x] /;$ $\operatorname{FreeQ}\{a, b, n, p, x\} \ \&\& \ \operatorname{EqQ}[1/n + p + 1, 0]$

Rule 277

$\operatorname{Int}[(x_)^{(m_)}*((a_) + (b_)(x_)^{(n_)}]^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[x^{(m+1)}*((a + b*x^n)^{(p+1)}/(a*(m+1))), x] - \operatorname{Dist}[b*((m + n*(p+1) + 1)/(a*(m+1))), \operatorname{Int}[x^{(m+n)}*(a + b*x^n)^p, x], x] /;$ $\operatorname{FreeQ}\{a, b, m, n, p, x\} \ \&\& \ \operatorname{ILtQ}[\operatorname{Simplify}[(m+1)/n + p + 1], 0] \ \&\& \ \operatorname{NeQ}[m, -1]$

Rule 5328

$\operatorname{Int}[(a_) + \operatorname{ArcSec}[(c_)(x_)]*(b_)]^{(d_)(x_)^{(m_)}}, x_Symbol] \rightarrow \operatorname{Simp}[(d*x)^{(m+1)}*((a + b \operatorname{ArcSec}[cx])/(d*(m+1))), x] - \operatorname{Dist}[b*(d/(c*(m+1))), \operatorname{Int}[(d*x)^{(m-1)}/\sqrt{1-1/(c^2x^2)}], x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, m\}, x] \ \&\& \ \operatorname{NeQ}[m, -1]$

Rubi steps

$$\begin{aligned}
\int x^3(a + b \sec^{-1}(cx)) dx &= \frac{1}{4}x^4(a + b \sec^{-1}(cx)) - \frac{b \int \frac{x^2}{\sqrt{1 - \frac{1}{c^2x^2}}} dx}{4c} \\
&= -\frac{b\sqrt{1 - \frac{1}{c^2x^2}} x^3}{12c} + \frac{1}{4}x^4(a + b \sec^{-1}(cx)) - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2x^2}}} dx}{6c^3} \\
&= -\frac{b\sqrt{1 - \frac{1}{c^2x^2}} x}{6c^3} - \frac{b\sqrt{1 - \frac{1}{c^2x^2}} x^3}{12c} + \frac{1}{4}x^4(a + b \sec^{-1}(cx))
\end{aligned}$$

Mathematica [A]

time = 0.07, size = 62, normalized size = 0.97

$$\frac{ax^4}{4} + b\sqrt{\frac{-1 + c^2x^2}{c^2x^2}} \left(-\frac{x}{6c^3} - \frac{x^3}{12c} \right) + \frac{1}{4}bx^4 \sec^{-1}(cx)$$

Antiderivative was successfully verified.

`[In] Integrate[x^3*(a + b*ArcSec[c*x]),x]`

```
[Out] (a*x^4)/4 + b*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)]*(-1/6*x/c^3 - x^3/(12*c)) + (b*x^4*ArcSec[c*x])/4
```

Maple [A]

time = 0.09, size = 74, normalized size = 1.16

| method | result | size |
|-------------------|--|------|
| derivativedivides | $\frac{\frac{c^4 x^4 a}{4} + b \left(\frac{c^4 x^4 \operatorname{arcsec}(cx)}{4} - \frac{(c^2 x^2 - 1)(c^2 x^2 + 2)}{12 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} cx} \right)}{c^4}$ | 74 |
| default | $\frac{\frac{c^4 x^4 a}{4} + b \left(\frac{c^4 x^4 \operatorname{arcsec}(cx)}{4} - \frac{(c^2 x^2 - 1)(c^2 x^2 + 2)}{12 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} cx} \right)}{c^4}$ | 74 |

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^3*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)`

```
[Out] 1/c^4*(1/4*c^4*x^4*a+b*(1/4*c^4*x^4*arcsec(c*x)-1/12*(c^2*x^2-1)*(c^2*x^2+2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x))
```

Maxima [A]

time = 0.27, size = 60, normalized size = 0.94

$$\frac{1}{4} ax^4 + \frac{1}{12} \left(3x^4 \operatorname{arcsec}(cx) - \frac{c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{3}{2}} + 3x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^3} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^3*(a+b*arcsec(c*x)),x, algorithm="maxima")`

```
[Out] 1/4*a*x^4 + 1/12*(3*x^4*arcsec(c*x) - (c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 3*x*sqrt(-1/(c^2*x^2) + 1))/c^3)*b
```

Fricas [A]

time = 2.33, size = 53, normalized size = 0.83

$$\frac{3bc^4x^4 \operatorname{arcsec}(cx) + 3ac^4x^4 - (bc^2x^2 + 2b)\sqrt{c^2x^2 - 1}}{12c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^3*(a+b*arcsec(c*x)),x, algorithm="fricas")`

```
[Out] 1/12*(3*b*c^4*x^4*arcsec(c*x) + 3*a*c^4*x^4 - (b*c^2*x^2 + 2*b)*sqrt(c^2*x^2 - 1))/c^4
```

Sympy [A]

time = 2.49, size = 107, normalized size = 1.67

$$\frac{ax^4}{4} + \frac{bx^4 \operatorname{asec}(cx)}{4} - \frac{b \left(\begin{cases} \frac{x^2 \sqrt{c^2 x^2 - 1}}{3c} + \frac{2\sqrt{c^2 x^2 - 1}}{3c^3} & \text{for } |c^2 x^2| > 1 \\ \frac{ix^2 \sqrt{-c^2 x^2 + 1}}{3c} + \frac{2i\sqrt{-c^2 x^2 + 1}}{3c^3} & \text{otherwise} \end{cases} \right)}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x**3*(a+b*asec(c*x)),x)`

```
[Out] a*x**4/4 + b*x**4*asec(c*x)/4 - b*Piecewise((x**2*sqrt(c**2*x**2 - 1)/(3*c) + 2*sqrt(c**2*x**2 - 1)/(3*c**3), Abs(c**2*x**2) > 1), (I*x**2*sqrt(-c**2*x**2 + 1)/(3*c) + 2*I*sqrt(-c**2*x**2 + 1)/(3*c**3), True))/(4*c)
```

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 1926 vs. 2(54) = 108.

time = 0.42, size = 1926, normalized size = 30.09

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] $\frac{1}{12}c^5(3b\arccos(1/(cx)))/(c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8) + 3a/(c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8) - 12b(1/(c^2x^2) - 1)\arccos(1/(cx))/((c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8)*(1/(cx) + 1)^2 - 6b\sqrt{-1/(c^2x^2) + 1}/((c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8)*(1/(cx) + 1)) - 12a(1/(c^2x^2) - 1)/((c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8)*(1/(cx) + 1)^2 + 18b(1/(c^2x^2) - 1)^2\arccos(1/(cx))/((c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8)*(1/(cx) + 1)^4) + 10b(-1/(c^2x^2) + 1)^{3/2}/((c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8)*(1/(cx) + 1)^3) + 18a(1/(c^2x^2) - 1)^2/((c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8)*(1/(cx) + 1)^4) - 12b(1/(c^2x^2) - 1)^3\arccos(1/(cx))/((c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8)*(1/(cx) + 1)^6) - 10b(1/(c^2x^2) - 1)^2\sqrt{-1/(c^2x^2) + 1}/((c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8)*(1/(cx) + 1)^5) - 12a(1/(c^2x^2) - 1)^3/((c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8)*(1/(cx) + 1)^6) + 3b(1/(c^2x^2) - 1)^4\arccos(1/(cx))/((c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8)*(1/(cx) + 1)^8) - 6b(1/(c^2x^2) - 1)^3\sqrt{-1/(c^2x^2) + 1}/((c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8)*(1/(cx) + 1)^7) + 3a(1/(c^2x^2) - 1)^4/((c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 4c$

$^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^8)$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int x^3 \left(a + b \operatorname{acos} \left(\frac{1}{cx} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*acos(1/(c*x))),x)

[Out] int(x^3*(a + b*acos(1/(c*x))), x)

3.5 $\int x^2(a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=64

$$-\frac{b\sqrt{1-\frac{1}{c^2x^2}}x^2}{6c} + \frac{1}{3}x^3(a + b \sec^{-1}(cx)) - \frac{b \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{6c^3}$$

[Out] $1/3*x^3*(a+b*\text{arcsec}(c*x))-1/6*b*\text{arctanh}((1-1/c^2/x^2)^(1/2))/c^3-1/6*b*x^2*(1-1/c^2/x^2)^(1/2)/c$

Rubi [A]

time = 0.03, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$,

Rules used = {5328, 272, 44, 65, 214}

$$\frac{1}{3}x^3(a + b \sec^{-1}(cx)) - \frac{bx^2\sqrt{1-\frac{1}{c^2x^2}}}{6c} - \frac{b \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{6c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*(a + b*\text{ArcSec}[c*x]),x]$

[Out] $-1/6*(b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/c + (x^3*(a + b*\text{ArcSec}[c*x]))/3 - (b*\text{ArcTanH}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(6*c^3)$

Rule 44

$\text{Int}[(a_. + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] \rightarrow \text{Simp}[(a + b*x)^(m + 1)*((c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - \text{Dist}[d*((m + n + 2)/((b*c - a*d)*(m + 1))), \text{Int}[(a + b*x)^(m + 1)*(c + d*x)^n, x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{ILtQ}[m, -1] \&\& \text{IntegerQ}[n] \&\& \text{LtQ}[n, 0]$

Rule 65

$\text{Int}[(a_. + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 214

$\text{Int}[(a_. + (b_.)*(x_.)^2)^(-1), x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-a/b, 2]/a)*\text{ArcTanH}[x/\text{Rt}[-a/b, 2]], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 272

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 5328

```
Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*((d_)*(x_))^(m_), x_Symbol] := Sim
p[(d*x)^(m + 1)*((a + b*ArcSec[c*x])/(d*(m + 1))), x] - Dist[b*(d/(c*(m +
1))), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d,
m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int x^2(a + b \sec^{-1}(cx)) dx &= \frac{1}{3}x^3(a + b \sec^{-1}(cx)) - \frac{b \int \frac{x}{\sqrt{1 - \frac{1}{c^2x^2}}} dx}{3c} \\
&= \frac{1}{3}x^3(a + b \sec^{-1}(cx)) + \frac{b \text{Subst}\left(\int \frac{1}{x^2 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2}\right)}{6c} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2x^2}} x^2}{6c} + \frac{1}{3}x^3(a + b \sec^{-1}(cx)) + \frac{b \text{Subst}\left(\int \frac{1}{x \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2}\right)}{12c^3} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2x^2}} x^2}{6c} + \frac{1}{3}x^3(a + b \sec^{-1}(cx)) - \frac{b \text{Subst}\left(\int \frac{1}{c^2 - c^2x^2} dx, x, \sqrt{1 - \frac{1}{c^2x^2}}\right)}{6c} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2x^2}} x^2}{6c} + \frac{1}{3}x^3(a + b \sec^{-1}(cx)) - \frac{b \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2x^2}}\right)}{6c^3}
\end{aligned}$$

Mathematica [A]

time = 0.04, size = 85, normalized size = 1.33

$$\frac{ax^3}{3} - \frac{bx^2 \sqrt{\frac{-1 + c^2x^2}{c^2x^2}}}{6c} + \frac{1}{3}bx^3 \sec^{-1}(cx) - \frac{b \log\left(x \left(1 + \sqrt{\frac{-1 + c^2x^2}{c^2x^2}}\right)\right)}{6c^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*ArcSec[c*x]),x]

[Out] (a*x^3)/3 - (b*x^2*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)])/(6*c) + (b*x^3*ArcSec[c*x])/3 - (b*Log[x*(1 + Sqrt[(-1 + c^2*x^2)/(c^2*x^2)])])/(6*c^3)

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 111 vs. 2(54) = 108.

time = 0.10, size = 112, normalized size = 1.75

| method | result | size |
|-------------------|---|------|
| derivativedivides | $\frac{\frac{c^3 x^3 a}{3} + \frac{b c^3 x^3 \operatorname{arcsec}(cx)}{3} - \frac{b(c^2 x^2 - 1)}{6 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}{c^3} - \frac{b \sqrt{c^2 x^2 - 1} \ln\left(\frac{cx + \sqrt{c^2 x^2 - 1}}{cx}\right)}{6 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}{c^3}}$ | 112 |
| default | $\frac{\frac{c^3 x^3 a}{3} + \frac{b c^3 x^3 \operatorname{arcsec}(cx)}{3} - \frac{b(c^2 x^2 - 1)}{6 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}{c^3} - \frac{b \sqrt{c^2 x^2 - 1} \ln\left(\frac{cx + \sqrt{c^2 x^2 - 1}}{cx}\right)}{6 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}{c^3}}$ | 112 |

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)

[Out] 1/c^3*(1/3*c^3*x^3*a+1/3*b*c^3*x^3*arcsec(c*x)-1/6*b*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)-1/6*b*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x*ln(c*x+(c^2*x^2-1)^(1/2)))

Maxima [A]

time = 0.28, size = 98, normalized size = 1.53

$$\frac{1}{3} a x^3 + \frac{1}{12} \left(4 x^3 \operatorname{arcsec}(c x) - \frac{2 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^2 \left(\frac{1}{c^2 x^2} - 1\right) + c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right)}{c^2} - \frac{\log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} - 1\right)}{c^2} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] 1/3*a*x^3 + 1/12*(4*x^3*arcsec(c*x) - (2*sqrt(-1/(c^2*x^2) + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^2 - log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^2)/c)*b

Fricas [A]

time = 2.24, size = 94, normalized size = 1.47

$$\frac{2ac^3x^3 + 4bc^3 \arctan\left(-cx + \sqrt{c^2x^2 - 1}\right) - \sqrt{c^2x^2 - 1}bcx + 2(bc^3x^3 - bc^3) \operatorname{arcsec}(cx) + b \log\left(-cx + \sqrt{c^2x^2 - 1}\right)}{6c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^2*(a+b*arcsec(c*x)),x, algorithm="fricas")`

```
[Out] 1/6*(2*a*c^3*x^3 + 4*b*c^3*arctan(-c*x + sqrt(c^2*x^2 - 1)) - sqrt(c^2*x^2 - 1)*b*c*x + 2*(b*c^3*x^3 - b*c^3)*arcsec(c*x) + b*log(-c*x + sqrt(c^2*x^2 - 1)))/c^3
```

Sympy [A]

time = 2.96, size = 107, normalized size = 1.67

$$\frac{ax^3}{3} + \frac{bx^3 \operatorname{asec}(cx)}{3} - \frac{b \left(\begin{cases} \frac{x\sqrt{c^2x^2 - 1}}{2c} + \frac{\operatorname{acosh}(cx)}{2c^2} & \text{for } |c^2x^2| > 1 \\ -\frac{icx^3}{2\sqrt{-c^2x^2 + 1}} + \frac{ix}{2c\sqrt{-c^2x^2 + 1}} - \frac{i \operatorname{asin}(cx)}{2c^2} & \text{otherwise} \end{cases} \right)}{3c}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x**2*(a+b*asec(c*x)),x)`

```
[Out] a*x**3/3 + b*x**3*asec(c*x)/3 - b*Piecewise((x*sqrt(c**2*x**2 - 1)/(2*c) + acosh(c*x)/(2*c**2), Abs(c**2*x**2) > 1), (-I*c*x**3/(2*sqrt(-c**2*x**2 + 1)) + I*x/(2*c*sqrt(-c**2*x**2 + 1)) - I*asin(c*x)/(2*c**2), True))/(3*c)
```

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 2101 vs. 2(54) = 108.

time = 0.76, size = 2101, normalized size = 32.83

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^2*(a+b*arcsec(c*x)),x, algorithm="giac")`

```
[Out] 1/6*c*(2*b*arccos(1/(c*x))/(c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) - b*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/(c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + b*log(abs(sqrt(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/(c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 2*a/(c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)
```

$$\begin{aligned}
& x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) - 6* \\
& b*(1/(c^2*x^2) - 1)*\arccos(1/(c*x))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) \\
&) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1 \\
&)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^2) - 3*b*(1/(c^2*x^2) - 1)*\log(\text{abs}(\text{sqrt}(- \\
& -1/(c^2*x^2) + 1) + 1/(c*x) + 1))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) \\
& + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^ \\
& 3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^2) + 3*b*(1/(c^2*x^2) - 1)*\log(\text{abs}(\text{sqrt}(-1 \\
& /((c^2*x^2) + 1) - 1/(c*x) - 1))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + \\
& 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/ \\
& (1/(c*x) + 1)^6)*(1/(c*x) + 1)^2) - 2*b*\text{sqrt}(-1/(c^2*x^2) + 1))/((c^4 + 3*c^ \\
& 4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + \\
& 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)) - 6*a*(1/(c^ \\
& 2*x^2) - 1)/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2 \\
& *x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/ \\
& (c*x) + 1)^2) + 6*b*(1/(c^2*x^2) - 1)^2*\arccos(1/(c*x))/((c^4 + 3*c^4*(1/(c \\
& ^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + \\
& c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^4) - 3*b*(1/(c^2*x^2 \\
&) - 1)^2*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/((c^4 + 3*c^4*(1/(c \\
& ^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + \\
& c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^4) + 3*b*(1/(c^2*x^2 \\
&) - 1)^2*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/((c^4 + 3*c^4*(1/(c \\
& ^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + \\
& c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^4) + 6*a*(1/(c^2*x^2 \\
&) - 1)^2/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^ \\
& 2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c* \\
& x) + 1)^4) - 2*b*(1/(c^2*x^2) - 1)^3*\arccos(1/(c*x))/((c^4 + 3*c^4*(1/(c^2* \\
& x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4 \\
& *(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^6) - b*(1/(c^2*x^2) - 1 \\
&)^3*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/((c^4 + 3*c^4*(1/(c^2*x^ \\
& 2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(\\
& 1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^6) + b*(1/(c^2*x^2) - 1)^ \\
& 3*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/((c^4 + 3*c^4*(1/(c^2*x^2) \\
& - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/ \\
& (c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^6) + 2*b*(1/(c^2*x^2) - 1)^ \\
& 2*\text{sqrt}(-1/(c^2*x^2) + 1))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + \\
& 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x \\
&) + 1)^6)*(1/(c*x) + 1)^5) - 2*a*(1/(c^2*x^2) - 1)^3/((c^4 + 3*c^4*(1/(c^2* \\
& x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4 \\
& *(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^6))
\end{aligned}$$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int x^2 \left(a + b \arccos \left(\frac{1}{cx} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(a + b*acos(1/(c*x))),x)
```

```
[Out] int(x^2*(a + b*acos(1/(c*x))), x)
```

3.6 $\int x(a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=39

$$-\frac{b\sqrt{1-\frac{1}{c^2x^2}}x}{2c} + \frac{1}{2}x^2(a + b \sec^{-1}(cx))$$

[Out] $1/2*x^2*(a+b*\text{arcsec}(c*x))-1/2*b*x*(1-1/c^2/x^2)^{(1/2)}/c$

Rubi [A]

time = 0.01, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5328, 197}

$$\frac{1}{2}x^2(a + b \sec^{-1}(cx)) - \frac{bx\sqrt{1-\frac{1}{c^2x^2}}}{2c}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*ArcSec[c*x]),x]

[Out] $-1/2*(b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/c + (x^2*(a + b*\text{ArcSec}[c*x]))/2$

Rule 197

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[x*((a + b*x^n)^(p + 1)/a), x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 5328

Int[((a_) + ArcSec[(c_)*(x_)])*(b_))*((d_)*(x_)^(m_)), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcSec[c*x])/(d*(m + 1))), x] - Dist[b*(d/(c*(m + 1))), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int x(a + b \sec^{-1}(cx)) dx &= \frac{1}{2}x^2(a + b \sec^{-1}(cx)) - \frac{b \int \frac{1}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{2c} \\ &= -\frac{b\sqrt{1-\frac{1}{c^2x^2}}x}{2c} + \frac{1}{2}x^2(a + b \sec^{-1}(cx)) \end{aligned}$$

Mathematica [A]

time = 0.02, size = 50, normalized size = 1.28

$$\frac{ax^2}{2} - \frac{bx\sqrt{\frac{-1+c^2x^2}{c^2x^2}}}{2c} + \frac{1}{2}bx^2 \sec^{-1}(cx)$$

Antiderivative was successfully verified.

`[In] Integrate[x*(a + b*ArcSec[c*x]),x]``[Out] (a*x^2)/2 - (b*x*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)])/(2*c) + (b*x^2*ArcSec[c*x])/2`**Maple [A]**

time = 0.09, size = 65, normalized size = 1.67

| method | result | size |
|-------------------|---|------|
| derivativedivides | $\frac{\frac{c^2x^2a}{2} + b \left(\frac{c^2x^2 \operatorname{arcsec}(cx)}{2} - \frac{c^2x^2 - 1}{2\sqrt{\frac{c^2x^2 - 1}{c^2x^2}} cx} \right)}{c^2}$ | 65 |
| default | $\frac{\frac{c^2x^2a}{2} + b \left(\frac{c^2x^2 \operatorname{arcsec}(cx)}{2} - \frac{c^2x^2 - 1}{2\sqrt{\frac{c^2x^2 - 1}{c^2x^2}} cx} \right)}{c^2}$ | 65 |

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)``[Out] 1/c^2*(1/2*c^2*x^2*a+b*(1/2*c^2*x^2*arcsec(c*x)-1/2/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x*(c^2*x^2-1)))`**Maxima [A]**

time = 0.26, size = 37, normalized size = 0.95

$$\frac{1}{2}ax^2 + \frac{1}{2} \left(x^2 \operatorname{arcsec}(cx) - \frac{x\sqrt{-\frac{1}{c^2x^2} + 1}}{c} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x*(a+b*arcsec(c*x)),x, algorithm="maxima")``[Out] 1/2*a*x^2 + 1/2*(x^2*arcsec(c*x) - x*sqrt(-1/(c^2*x^2) + 1)/c)*b`

Fricas [A]

time = 3.41, size = 40, normalized size = 1.03

$$\frac{bc^2x^2 \operatorname{arcsec}(cx) + ac^2x^2 - \sqrt{c^2x^2 - 1} b}{2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x*(a+b*arcsec(c*x)),x, algorithm="fricas")``[Out] 1/2*(b*c^2*x^2*arcsec(c*x) + a*c^2*x^2 - sqrt(c^2*x^2 - 1)*b)/c^2`**Sympy** [A]

time = 1.32, size = 58, normalized size = 1.49

$$\frac{ax^2}{2} + \frac{bx^2 \operatorname{asec}(cx)}{2} - \frac{b \left(\begin{cases} \frac{\sqrt{c^2x^2 - 1}}{c} & \text{for } |c^2x^2| > 1 \\ \frac{i\sqrt{-c^2x^2 + 1}}{c} & \text{otherwise} \end{cases} \right)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x*(a+b*asec(c*x)),x)``[Out] a*x**2/2 + b*x**2*asec(c*x)/2 - b*Piecewise((sqrt(c**2*x**2 - 1)/c, Abs(c**2*x**2) > 1), (I*sqrt(-c**2*x**2 + 1)/c, True))/(2*c)`**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 634 vs. 2(33) = 66.

time = 0.42, size = 634, normalized size = 16.26

$$\frac{1}{2} \left(\frac{b \arccos\left(\frac{a}{c}\right)}{c^2 + \frac{2a^2(\frac{a^2-1}{b^2})}{(b^2+1)} + \frac{a^2(\frac{a^2-1}{b^2})}{(b^2+1)}} + \frac{a}{c^2 + \frac{2a^2(\frac{a^2-1}{b^2})}{(b^2+1)} + \frac{a^2(\frac{a^2-1}{b^2})}{(b^2+1)}} - \frac{2b(\frac{a^2-1}{b^2}) \arccos\left(\frac{a}{c}\right)}{\left(c^2 + \frac{2a^2(\frac{a^2-1}{b^2})}{(b^2+1)} + \frac{a^2(\frac{a^2-1}{b^2})}{(b^2+1)}\right) \left(\frac{a}{c} + 1\right)^2} - \frac{2b\sqrt{\frac{a^2-1}{b^2} + 1}}{\left(c^2 + \frac{2a^2(\frac{a^2-1}{b^2})}{(b^2+1)} + \frac{a^2(\frac{a^2-1}{b^2})}{(b^2+1)}\right) \left(\frac{a}{c} + 1\right)^2} + \frac{2a(\frac{a^2-1}{b^2})}{\left(c^2 + \frac{2a^2(\frac{a^2-1}{b^2})}{(b^2+1)} + \frac{a^2(\frac{a^2-1}{b^2})}{(b^2+1)}\right) \left(\frac{a}{c} + 1\right)^2} + \frac{b(\frac{a^2-1}{b^2})^2 \arccos\left(\frac{a}{c}\right)}{\left(c^2 + \frac{2a^2(\frac{a^2-1}{b^2})}{(b^2+1)} + \frac{a^2(\frac{a^2-1}{b^2})}{(b^2+1)}\right) \left(\frac{a}{c} + 1\right)^2} + \frac{2b(-\frac{a^2-1}{b^2})^{\frac{3}{2}}}{\left(c^2 + \frac{2a^2(\frac{a^2-1}{b^2})}{(b^2+1)} + \frac{a^2(\frac{a^2-1}{b^2})}{(b^2+1)}\right) \left(\frac{a}{c} + 1\right)^2} + \frac{a(\frac{a^2-1}{b^2})^2}{\left(c^2 + \frac{2a^2(\frac{a^2-1}{b^2})}{(b^2+1)} + \frac{a^2(\frac{a^2-1}{b^2})}{(b^2+1)}\right) \left(\frac{a}{c} + 1\right)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x*(a+b*arcsec(c*x)),x, algorithm="giac")`

```
[Out] 1/2*c*(b*arccos(1/(c*x)))/(c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4) + a/(c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4) - 2*b*(1/(c^2*x^2) - 1)*arccos(1/(c*x))/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^2) - 2*b*sqrt(-1/(c^2*x^2) + 1)/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)) - 2*a*(1/(c^2*x^2) - 1)/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^2) + b*(1/(c^2*x^2) - 1)^2*arccos(1/(c*x))/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^2) + 2*b*(-1/(c^2*x^2) + 1)^(3/2)/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^4) + 2*b*(-1/(c^2*x^2) + 1)^(3/2)/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^4)
```

$x^2 - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4*(1/(c*x) + 1)^3 + a*(1/(c^2*x^2) - 1)^2/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^4)$

Mupad [B]

time = 0.67, size = 40, normalized size = 1.03

$$\frac{ax^2}{2} + \frac{bx^2 \arccos\left(\frac{1}{cx}\right)}{2} - \frac{bx \sqrt{1 - \frac{1}{c^2 x^2}}}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*acos(1/(c*x))),x)

[Out] (a*x^2)/2 + (b*x^2*acos(1/(c*x)))/2 - (b*x*(1 - 1/(c^2*x^2))^(1/2))/(2*c)

3.7 $\int (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=32

$$ax + bx \sec^{-1}(cx) - \frac{b \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{c}$$

[Out] a*x+b*x*arcsec(c*x)-b*arctanh((1-1/c^2/x^2)^(1/2))/c

Rubi [A]

time = 0.01, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5322, 272, 65, 214}

$$ax - \frac{b \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{c} + bx \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[a + b*ArcSec[c*x], x]

[Out] a*x + b*x*ArcSec[c*x] - (b*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/c

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 214

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 272

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 5322

```
Int[ArcSec[(c_.)*(x_)], x_Symbol] := Simp[x*ArcSec[c*x], x] - Dist[1/c, Int
[1/(x*Sqrt[1 - 1/(c^2*x^2)]), x], x] /; FreeQ[c, x]
```

Rubi steps

$$\begin{aligned}
 \int (a + b \sec^{-1}(cx)) dx &= ax + b \int \sec^{-1}(cx) dx \\
 &= ax + bx \sec^{-1}(cx) - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x} dx}{c} \\
 &= ax + bx \sec^{-1}(cx) + \frac{b \text{Subst} \left(\int \frac{1}{x \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{2c} \\
 &= ax + bx \sec^{-1}(cx) - (bc) \text{Subst} \left(\int \frac{1}{c^2 - c^2 x^2} dx, x, \sqrt{1 - \frac{1}{c^2 x^2}} \right) \\
 &= ax + bx \sec^{-1}(cx) - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{c}
 \end{aligned}$$

Mathematica [A]

time = 0.05, size = 59, normalized size = 1.84

$$ax + bx \sec^{-1}(cx) - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x \tanh^{-1} \left(\frac{cx}{\sqrt{-1 + c^2 x^2}} \right)}{\sqrt{-1 + c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[a + b*ArcSec[c*x], x]

[Out] a*x + b*x*ArcSec[c*x] - (b*Sqrt[1 - 1/(c^2*x^2)]*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/Sqrt[-1 + c^2*x^2]

Maple [A]

time = 0.06, size = 38, normalized size = 1.19

| method | result | size |
|--------|--------|------|
|--------|--------|------|

| | | |
|-------------------|--|----|
| default | $ax + bx \operatorname{arcsec}(cx) - \frac{b \ln\left(cx + cx \sqrt{1 - \frac{1}{c^2 x^2}}\right)}{c}$ | 38 |
| derivativedivides | $\frac{acx + \operatorname{arcsec}(cx)bcx - \ln\left(cx + cx \sqrt{1 - \frac{1}{c^2 x^2}}\right)b}{c}$ | 41 |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a+b*arcsec(c*x),x,method=_RETURNVERBOSE)`

[Out] `a*x+b*x*arcsec(c*x)-b/c*ln(c*x+c*x*(1-1/c^2/x^2)^(1/2))`

Maxima [A]

time = 0.27, size = 53, normalized size = 1.66

$$ax + \frac{\left(2cx \operatorname{arcsec}(cx) - \log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right) + \log\left(-\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right)\right)b}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arcsec(c*x),x, algorithm="maxima")`

[Out] `a*x + 1/2*(2*c*x*arcsec(c*x) - log(sqrt(-1/(c^2*x^2) + 1) + 1) + log(-sqrt(-1/(c^2*x^2) + 1) + 1))*b/c`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 63 vs. 2(30) = 60.

time = 2.57, size = 63, normalized size = 1.97

$$\frac{acx + 2bc \arctan\left(-cx + \sqrt{c^2 x^2 - 1}\right) + (bcx - bc) \operatorname{arcsec}(cx) + b \log\left(-cx + \sqrt{c^2 x^2 - 1}\right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arcsec(c*x),x, algorithm="fricas")`

[Out] `(a*c*x + 2*b*c*arctan(-c*x + sqrt(c^2*x^2 - 1)) + (b*c*x - b*c)*arcsec(c*x) + b*log(-c*x + sqrt(c^2*x^2 - 1)))/c`

Sympy [A]

time = 1.78, size = 32, normalized size = 1.00

$$ax + b \left(x \operatorname{asec}(cx) - \frac{\begin{cases} \operatorname{acosh}(cx) & \text{for } |c^2 x^2| > 1 \\ -i \operatorname{asin}(cx) & \text{otherwise} \end{cases}}{c} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*asec(c*x),x)

[Out] a*x + b*(x*asec(c*x) - Piecewise((acosh(c*x), Abs(c**2*x**2) > 1), (-I*asin(c*x), True))/c)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 63 vs. 2(30) = 60.
time = 0.52, size = 63, normalized size = 1.97

$$\frac{1}{2}bc \left(\frac{2x \arccos\left(\frac{1}{cx}\right)}{c} - \frac{\log\left(\sqrt{-\frac{1}{c^2x^2} + 1} + 1\right) - \log\left(-\sqrt{-\frac{1}{c^2x^2} + 1} + 1\right)}{c^2} \right) + ax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*arcsec(c*x),x, algorithm="giac")

[Out] 1/2*b*c*(2*x*arccos(1/(c*x))/c - (log(sqrt(-1/(c^2*x^2) + 1) + 1) - log(-sqrt(-1/(c^2*x^2) + 1) + 1))/c^2) + a*x

Mupad [B]

time = 0.84, size = 34, normalized size = 1.06

$$ax + bx \arccos\left(\frac{1}{cx}\right) - \frac{b \operatorname{atanh}\left(\frac{1}{\sqrt{1 - \frac{1}{c^2x^2}}}\right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a + b*acos(1/(c*x)),x)

[Out] a*x + b*x*acos(1/(c*x)) - (b*atanh(1/(1 - 1/(c^2*x^2))^(1/2)))/c

3.8 $\int \frac{a+b \sec^{-1}(cx)}{x} dx$

Optimal. Leaf size=64

$$\frac{i(a + b \sec^{-1}(cx))^2}{2b} - (a + b \sec^{-1}(cx)) \log\left(1 + e^{2i \sec^{-1}(cx)}\right) + \frac{1}{2} ib \text{PolyLog}\left(2, -e^{2i \sec^{-1}(cx)}\right)$$

[Out] $1/2*I*(a+b*\text{arcsec}(c*x))^2/b - (a+b*\text{arcsec}(c*x))*\ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+1/2*I*b*\text{polylog}(2, -(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)$

Rubi [A]

time = 0.06, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5326, 4722, 3800, 2221, 2317, 2438}

$$\frac{i(a + b \sec^{-1}(cx))^2}{2b} - \log\left(1 + e^{2i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx)) + \frac{1}{2} ib \text{Li}_2\left(-e^{2i \sec^{-1}(cx)}\right)$$

Antiderivative was successfully verified.

[In] `Int[(a + b*ArcSec[c*x])/x,x]`

[Out] `((I/2)*(a + b*ArcSec[c*x])^2)/b - (a + b*ArcSec[c*x])*Log[1 + E^((2*I)*ArcSec[c*x])] + (I/2)*b*PolyLog[2, -E^((2*I)*ArcSec[c*x])]`

Rule 2221

`Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

Rule 2317

`Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]`

Rule 2438

`Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

Rule 3800

`Int[(((c_) + (d_)*(x_))^(m_))*tan[(e_) + (f_)*(x_)], x_Symbol] := Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))], x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e`

+ f*x))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 4722

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] :> -Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 5326

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))/(x_), x_Symbol] :> -Subst[Int[(a + b*ArcCos[x/c])/x, x], x, 1/x] /; FreeQ[{a, b, c}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sec^{-1}(cx)}{x} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x} dx, x, \frac{1}{x} \right) \\
 &= \text{Subst} \left(\int (a + bx) \tan(x) dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{i(a + b \sec^{-1}(cx))^2}{2b} - 2i \text{Subst} \left(\int \frac{e^{2ix}(a + bx)}{1 + e^{2ix}} dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{i(a + b \sec^{-1}(cx))^2}{2b} - (a + b \sec^{-1}(cx)) \log \left(1 + e^{2i \sec^{-1}(cx)} \right) + b \text{Subst} \left(\int \log(1 + e^x) dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{i(a + b \sec^{-1}(cx))^2}{2b} - (a + b \sec^{-1}(cx)) \log \left(1 + e^{2i \sec^{-1}(cx)} \right) - \frac{1}{2}(ib) \text{Subst} \left(\int \frac{\log(1 + e^x)}{x} dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{i(a + b \sec^{-1}(cx))^2}{2b} - (a + b \sec^{-1}(cx)) \log \left(1 + e^{2i \sec^{-1}(cx)} \right) + \frac{1}{2} ib \text{Li}_2 \left(-e^{2i \sec^{-1}(cx)} \right)
 \end{aligned}$$

Mathematica [A]

time = 0.02, size = 59, normalized size = 0.92

$$\frac{1}{2} ib \sec^{-1}(cx)^2 - b \sec^{-1}(cx) \log \left(1 + e^{2i \sec^{-1}(cx)} \right) + a \log(x) + \frac{1}{2} ib \text{PolyLog} \left(2, -e^{2i \sec^{-1}(cx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/x,x]

[Out] (I/2)*b*ArcSec[c*x]^2 - b*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] + a*Log[x] + (I/2)*b*PolyLog[2, -E^((2*I)*ArcSec[c*x])]

Maple [A]

time = 0.19, size = 86, normalized size = 1.34

| method | result |
|-------------------|---|
| derivativedivides | $a \ln(cx) + \frac{i \operatorname{arcsec}(cx)^2}{2} - b \operatorname{arcsec}(cx) \ln \left(1 + \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right)^2 \right) + \frac{i b \operatorname{polylog} \left(2, - \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right)^2 \right)}{2}$ |
| default | $a \ln(cx) + \frac{i \operatorname{arcsec}(cx)^2}{2} - b \operatorname{arcsec}(cx) \ln \left(1 + \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right)^2 \right) + \frac{i b \operatorname{polylog} \left(2, - \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right)^2 \right)}{2}$ |

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsec(c*x))/x,x,method=_RETURNVERBOSE)
```

```
[Out] a*ln(c*x)+1/2*I*b*arcsec(c*x)^2-b*arcsec(c*x)*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+1/2*I*b*polylog(2,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x,x, algorithm="maxima")
```

```
[Out] -(c^2*integrate(sqrt(c*x + 1)*sqrt(c*x - 1)*log(x)/(c^4*x^3 - c^2*x), x) - arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x))*b + a*log(x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x,x, algorithm="fricas")
```

```
[Out] integral((b*arcsec(c*x) + a)/x, x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x,x)

[Out] Integral((a + b*asec(c*x))/x, x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
 INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
 by intervals (correct if the argument is real):Check [abs(sageVARx)]Undef/
 Unsigned

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/x,x)

[Out] int((a + b*acos(1/(c*x)))/x, x)

3.9 $\int \frac{a+b \sec^{-1}(cx)}{x^2} dx$

Optimal. Leaf size=31

$$bc\sqrt{1-\frac{1}{c^2x^2}} - \frac{a+b \sec^{-1}(cx)}{x}$$

[Out] $(-a-b*\text{arcsec}(c*x))/x+b*c*(1-1/c^2/x^2)^{(1/2)}$

Rubi [A]

time = 0.02, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {5328, 267}

$$bc\sqrt{1-\frac{1}{c^2x^2}} - \frac{a+b \sec^{-1}(cx)}{x}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcSec}[c*x])/x^2, x]$

[Out] $b*c*\text{Sqrt}[1 - 1/(c^2*x^2)] - (a + b*\text{ArcSec}[c*x])/x$

Rule 267

$\text{Int}[(x_)^{(m_.)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(a + b*x^n)^{(p+1)/(b*n*(p+1))}, x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \&\& \text{EqQ}[m, n-1] \&\& \text{NeQ}[p, -1]$

Rule 5328

$\text{Int}[(a_.) + \text{ArcSec}[c_.*(x_)]*(b_.)]*((d_.*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*((a + b*\text{ArcSec}[c*x])/(d*(m+1))), x] - \text{Dist}[b*(d/(c*(m+1))), \text{Int}[(d*x)^{(m-1)}/\text{Sqrt}[1 - 1/(c^2*x^2)], x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{NeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \frac{a+b \sec^{-1}(cx)}{x^2} dx &= -\frac{a+b \sec^{-1}(cx)}{x} + \frac{b \int \frac{1}{\sqrt{1-\frac{1}{c^2x^2}} x^3} dx}{c} \\ &= bc\sqrt{1-\frac{1}{c^2x^2}} - \frac{a+b \sec^{-1}(cx)}{x} \end{aligned}$$

Mathematica [A]

time = 0.02, size = 40, normalized size = 1.29

$$-\frac{a}{x} + bc\sqrt{\frac{-1 + c^2x^2}{c^2x^2}} - \frac{b \sec^{-1}(cx)}{x}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSec[c*x])/x^2,x]``[Out] -(a/x) + b*c*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)] - (b*ArcSec[c*x])/x`**Maple [A]**

time = 0.09, size = 62, normalized size = 2.00

| method | result | size |
|-------------------|--|------|
| derivativedivides | $c \left(-\frac{a}{cx} + b \left(-\frac{\operatorname{arcsec}(cx)}{cx} + \frac{c^2x^2-1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}} c^2x^2} \right) \right)$ | 62 |
| default | $c \left(-\frac{a}{cx} + b \left(-\frac{\operatorname{arcsec}(cx)}{cx} + \frac{c^2x^2-1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}} c^2x^2} \right) \right)$ | 62 |

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*arcsec(c*x))/x^2,x,method=_RETURNVERBOSE)``[Out] c*(-a/c/x+b*(-1/c/x*arcsec(c*x)+1/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^2/x^2*(c^2*x^2-1)))`**Maxima [A]**

time = 0.26, size = 33, normalized size = 1.06

$$\left(c\sqrt{-\frac{1}{c^2x^2} + 1} - \frac{\operatorname{arcsec}(cx)}{x} \right) b - \frac{a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsec(c*x))/x^2,x, algorithm="maxima")``[Out] (c*sqrt(-1/(c^2*x^2) + 1) - arcsec(c*x)/x)*b - a/x`**Fricas [A]**

time = 2.12, size = 27, normalized size = 0.87

$$-\frac{b \operatorname{arcsec}(cx) - \sqrt{c^2x^2 - 1} b + a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2,x, algorithm="fricas")

[Out] -(b*arcsec(c*x) - sqrt(c^2*x^2 - 1)*b + a)/x

Sympy [A]

time = 0.75, size = 36, normalized size = 1.16

$$\begin{cases} -\frac{a}{x} + bc\sqrt{1 - \frac{1}{c^2x^2}} - \frac{b \operatorname{asec}(cx)}{x} & \text{for } c \neq 0 \\ -\frac{a+\infty b}{x} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**2,x)

[Out] Piecewise((-a/x + b*c*sqrt(1 - 1/(c**2*x**2)) - b*asec(c*x)/x, Ne(c, 0)), (-a + zoo*b)/x, True))

Giac [A]

time = 0.43, size = 43, normalized size = 1.39

$$\left(b\sqrt{-\frac{1}{c^2x^2} + 1} - \frac{b \arccos\left(\frac{1}{cx}\right)}{cx} - \frac{a}{cx} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2,x, algorithm="giac")

[Out] (b*sqrt(-1/(c^2*x^2) + 1) - b*arccos(1/(c*x))/(c*x) - a/(c*x))*c

Mupad [B]

time = 0.64, size = 36, normalized size = 1.16

$$bc\sqrt{1 - \frac{1}{c^2x^2}} - \frac{a}{x} - \frac{b \operatorname{acos}\left(\frac{1}{cx}\right)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/x^2,x)

[Out] b*c*(1 - 1/(c^2*x^2))^(1/2) - a/x - (b*acos(1/(c*x)))/x

$$3.10 \quad \int \frac{a+b \sec^{-1}(cx)}{x^3} dx$$

Optimal. Leaf size=51

$$\frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{1}{4} bc^2 \csc^{-1}(cx) - \frac{a + b \sec^{-1}(cx)}{2x^2}$$

[Out] $-1/4*b*c^2*\arccsc(c*x)+1/2*(-a-b*\arcsec(c*x))/x^2+1/4*b*c*(1-1/c^2/x^2)^{(1/2)}/x$

Rubi [A]

time = 0.02, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5328, 342, 327, 222}

$$-\frac{a + b \sec^{-1}(cx)}{2x^2} + \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{1}{4} bc^2 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/x^3,x]

[Out] $(b*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(4*x) - (b*c^2*\text{ArcCsc}[c*x])/4 - (a + b*\text{ArcSec}[c*x])/(2*x^2)$

Rule 222

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 327

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[c^(n-1)*(c*x)^(m-n+1)*((a + b*x^n)^(p+1)/(b*(m+n*p+1))), x] - Dist[a*c^n*((m-n+1)/(b*(m+n*p+1))), Int[(c*x)^(m-n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 342

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Subst[Int[(a + b/x^n)^p/x^(m+2), x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0] && IntegerQ[m]

Rule 5328

```
Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((d_.)*(x_.))^(m_.), x_Symbol] := Sim
p[(d*x)^(m + 1)*((a + b*ArcSec[c*x])/(d*(m + 1))), x] - Dist[b*(d/(c*(m + 1
))), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d,
m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + b \sec^{-1}(cx)}{x^3} dx &= -\frac{a + b \sec^{-1}(cx)}{2x^2} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^4} dx}{2c} \\ &= -\frac{a + b \sec^{-1}(cx)}{2x^2} - \frac{b \text{Subst} \left(\int \frac{x^2}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{2c} \\ &= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{a + b \sec^{-1}(cx)}{2x^2} - \frac{1}{4}(bc) \text{Subst} \left(\int \frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right) \\ &= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{1}{4} bc^2 \csc^{-1}(cx) - \frac{a + b \sec^{-1}(cx)}{2x^2} \end{aligned}$$

Mathematica [A]

time = 0.03, size = 66, normalized size = 1.29

$$-\frac{a}{2x^2} + \frac{bc \sqrt{\frac{-1 + c^2 x^2}{c^2 x^2}}}{4x} - \frac{b \sec^{-1}(cx)}{2x^2} - \frac{1}{4} bc^2 \text{ArcSin} \left(\frac{1}{cx} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/x^3,x]

[Out] -1/2*a/x^2 + (b*c*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)]/(4*x) - (b*ArcSec[c*x])/(2*x^2) - (b*c^2*ArcSin[1/(c*x)])/4

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 113 vs. 2(46) = 92.

time = 0.09, size = 114, normalized size = 2.24

| method | result | size |
|-------------------|--|------|
| derivativedivides | $c^2 \left(-\frac{a}{2c^2x^2} - \frac{b \operatorname{arcsec}(cx)}{2c^2x^2} - \frac{b\sqrt{c^2x^2-1} \arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right)}{4\sqrt{\frac{c^2x^2-1}{c^2x^2}} cx} + \frac{b(c^2x^2-1)}{4\sqrt{\frac{c^2x^2-1}{c^2x^2}} c^3x^3} \right)$ | 114 |
| default | $c^2 \left(-\frac{a}{2c^2x^2} - \frac{b \operatorname{arcsec}(cx)}{2c^2x^2} - \frac{b\sqrt{c^2x^2-1} \arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right)}{4\sqrt{\frac{c^2x^2-1}{c^2x^2}} cx} + \frac{b(c^2x^2-1)}{4\sqrt{\frac{c^2x^2-1}{c^2x^2}} c^3x^3} \right)$ | 114 |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^3,x,method=_RETURNVERBOSE)`

[Out] $c^2 * (-1/2 * a / c^2 / x^2 - 1/2 * b / c^2 / x^2 * \operatorname{arcsec}(c * x) - 1/4 * b * (c^2 * x^2 - 1)^{(1/2)} / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c / x * \arctan(1 / (c^2 * x^2 - 1)^{(1/2)}) + 1/4 * b * (c^2 * x^2 - 1) / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c^3 / x^3)$

Maxima [A]

time = 0.48, size = 83, normalized size = 1.63

$$-\frac{1}{4} b \left(\frac{c^4 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^2 x^2 \left(\frac{1}{c^2 x^2} - 1\right) - 1} - c^3 \arctan\left(cx \sqrt{-\frac{1}{c^2 x^2} + 1}\right) + \frac{2 \operatorname{arcsec}(cx)}{x^2} \right) - \frac{a}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^3,x, algorithm="maxima")`

[Out] $-1/4 * b * ((c^4 * x * \sqrt{-1 / (c^2 * x^2) + 1}) / (c^2 * x^2 * (1 / (c^2 * x^2) - 1) - 1) - c^3 * \arctan(c * x * \sqrt{-1 / (c^2 * x^2) + 1})) / c + 2 * \operatorname{arcsec}(c * x) / x^2 - 1/2 * a / x^2$

Fricas [A]

time = 1.74, size = 39, normalized size = 0.76

$$\frac{(bc^2x^2 - 2b) \operatorname{arcsec}(cx) + \sqrt{c^2x^2 - 1} b - 2a}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^3,x, algorithm="fricas")`

[Out] $1/4 * ((b * c^2 * x^2 - 2 * b) * \operatorname{arcsec}(c * x) + \sqrt{c^2 * x^2 - 1} * b - 2 * a) / x^2$

Sympy [A]

time = 3.34, size = 119, normalized size = 2.33

$$-\frac{a}{2x^2} - \frac{b \operatorname{asec}(cx)}{2x^2} + \frac{b \left(\begin{cases} \frac{ic^3 \operatorname{acosh}\left(\frac{1}{cx}\right)}{2} - \frac{ic^2}{2x \sqrt{-1 + \frac{1}{c^2 x^2}}} + \frac{i}{2x^3 \sqrt{-1 + \frac{1}{c^2 x^2}}} & \text{for } \frac{1}{|c^2 x^2|} > 1 \\ -\frac{c^3 \operatorname{asin}\left(\frac{1}{cx}\right)}{2} + \frac{c^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{2x} & \text{otherwise} \end{cases} \right)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**3,x)

[Out] $-a/(2*x**2) - b*asec(c*x)/(2*x**2) + b*Piecewise((I*c**3*acosh(1/(c*x))/2 - I*c**2/(2*x*sqrt(-1 + 1/(c**2*x**2))) + I/(2*x**3*sqrt(-1 + 1/(c**2*x**2))), 1/Abs(c**2*x**2) > 1), (-c**3*asin(1/(c*x))/2 + c**2*sqrt(1 - 1/(c**2*x**2)))/(2*x), True))/(2*c)$

Giac [A]

time = 0.41, size = 58, normalized size = 1.14

$$\frac{1}{4} \left(bc \arccos\left(\frac{1}{cx}\right) + \frac{b \sqrt{-\frac{1}{c^2 x^2} + 1}}{x} - \frac{2b \arccos\left(\frac{1}{cx}\right)}{cx^2} - \frac{2a}{cx^2} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^3,x, algorithm="giac")

[Out] $1/4*(b*c*\arccos(1/(c*x)) + b*sqrt(-1/(c^2*x^2) + 1)/x - 2*b*\arccos(1/(c*x)))/(c*x^2) - 2*a/(c*x^2))*c$

Mupad [B]

time = 0.73, size = 50, normalized size = 0.98

$$\frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{bc^2 \operatorname{acos}\left(\frac{1}{cx}\right) \left(\frac{2}{c^2 x^2} - 1\right)}{4} - \frac{a}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/x^3,x)

[Out] $(b*c*(1 - 1/(c^2*x^2))^(1/2))/(4*x) - (b*c^2*\operatorname{acos}(1/(c*x))*(2/(c^2*x^2) - 1))/4 - a/(2*x^2)$

3.11 $\int \frac{a+b \sec^{-1}(cx)}{x^4} dx$

Optimal. Leaf size=60

$$\frac{1}{3}bc^3\sqrt{1-\frac{1}{c^2x^2}} - \frac{1}{9}bc^3\left(1-\frac{1}{c^2x^2}\right)^{3/2} - \frac{a+b \sec^{-1}(cx)}{3x^3}$$

[Out] $-1/9*b*c^3*(1-1/c^2/x^2)^{(3/2)}+1/3*(-a-b*\text{arcsec}(c*x))/x^3+1/3*b*c^3*(1-1/c^2/x^2)^{(1/2)}$

Rubi [A]

time = 0.03, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {5328, 272, 45}

$$-\frac{a+b \sec^{-1}(cx)}{3x^3} - \frac{1}{9}bc^3\left(1-\frac{1}{c^2x^2}\right)^{3/2} + \frac{1}{3}bc^3\sqrt{1-\frac{1}{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/x^4, x]

[Out] $(b*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)]/3 - (b*c^3*(1 - 1/(c^2*x^2))^{(3/2)})/9 - (a + b*\text{ArcSec}[c*x])/(3*x^3)$

Rule 45

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LtQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 272

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 5328

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[(d*x)^(m + 1)*((a + b*ArcSec[c*x])/(d*(m + 1))), x] - Dist[b*(d/(c*(m + 1))), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^4} dx &= -\frac{a + b \sec^{-1}(cx)}{3x^3} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{3c} \\
&= -\frac{a + b \sec^{-1}(cx)}{3x^3} - \frac{b \text{Subst} \left(\int \frac{x}{\sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{6c} \\
&= -\frac{a + b \sec^{-1}(cx)}{3x^3} - \frac{b \text{Subst} \left(\int \left(\frac{c^2}{\sqrt{1 - \frac{x}{c^2}}} - c^2 \sqrt{1 - \frac{x}{c^2}} \right) dx, x, \frac{1}{x^2} \right)}{6c} \\
&= \frac{1}{3} b c^3 \sqrt{1 - \frac{1}{c^2 x^2}} - \frac{1}{9} b c^3 \left(1 - \frac{1}{c^2 x^2} \right)^{3/2} - \frac{a + b \sec^{-1}(cx)}{3x^3}
\end{aligned}$$

Mathematica [A]

time = 0.03, size = 59, normalized size = 0.98

$$-\frac{a}{3x^3} + b \left(\frac{2c^3}{9} + \frac{c}{9x^2} \right) \sqrt{\frac{-1 + c^2 x^2}{c^2 x^2}} - \frac{b \sec^{-1}(cx)}{3x^3}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSec[c*x])/x^4,x]``[Out] -1/3*a/x^3 + b*((2*c^3)/9 + c/(9*x^2))*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)] - (b*ArcSec[c*x])/(3*x^3)`**Maple [A]**

time = 0.09, size = 75, normalized size = 1.25

| method | result | size |
|-------------------|--|------|
| derivativedivides | $c^3 \left(-\frac{a}{3c^3 x^3} + b \left(-\frac{\text{arcsec}(cx)}{3c^3 x^3} + \frac{(c^2 x^2 - 1)(2c^2 x^2 + 1)}{9 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} c^4 x^4} \right) \right)$ | 75 |
| default | $c^3 \left(-\frac{a}{3c^3 x^3} + b \left(-\frac{\text{arcsec}(cx)}{3c^3 x^3} + \frac{(c^2 x^2 - 1)(2c^2 x^2 + 1)}{9 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} c^4 x^4} \right) \right)$ | 75 |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^4,x,method=_RETURNVERBOSE)`

[Out] $c^3*(-1/3*a/c^3/x^3+b*(-1/3/c^3/x^3*arcsec(c*x)+1/9*(c^2*x^2-1)*(2*c^2*x^2+1)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^4/x^4))$

Maxima [A]

time = 0.29, size = 58, normalized size = 0.97

$$-\frac{1}{9}b\left(\frac{c^4\left(-\frac{1}{c^2x^2}+1\right)^{\frac{3}{2}}-3c^4\sqrt{-\frac{1}{c^2x^2}+1}}{c}+\frac{3\operatorname{arcsec}(cx)}{x^3}\right)-\frac{a}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^4,x, algorithm="maxima")`

[Out] $-1/9*b*((c^4*(-1/(c^2*x^2)+1)^(3/2)-3*c^4*sqrt(-1/(c^2*x^2)+1))/c+3*arcsec(c*x)/x^3)-1/3*a/x^3$

Fricas [A]

time = 1.69, size = 40, normalized size = 0.67

$$\frac{3b\operatorname{arcsec}(cx)-(2bc^2x^2+b)\sqrt{c^2x^2-1}+3a}{9x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^4,x, algorithm="fricas")`

[Out] $-1/9*(3*b*arcsec(c*x)-(2*b*c^2*x^2+b)*sqrt(c^2*x^2-1)+3*a)/x^3$

Sympy [A]

time = 2.17, size = 110, normalized size = 1.83

$$-\frac{a}{3x^3}-\frac{b\operatorname{asec}(cx)}{3x^3}+\frac{b\left(\begin{cases} \frac{2c^3\sqrt{c^2x^2-1}}{3x}+\frac{c\sqrt{c^2x^2-1}}{3x^3} & \text{for } |c^2x^2| > 1 \\ \frac{2ic^3\sqrt{-c^2x^2+1}}{3x}+\frac{ic\sqrt{-c^2x^2+1}}{3x^3} & \text{otherwise} \end{cases}\right)}{3c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/x**4,x)`

[Out] $-a/(3*x**3)-b*asec(c*x)/(3*x**3)+b*\operatorname{Piecewise}((2*c**3*sqrt(c**2*x**2-1)/(3*x)+c*sqrt(c**2*x**2-1)/(3*x**3),\operatorname{Abs}(c**2*x**2)>1),(2*I*c**3*sqrt(-c**2*x**2+1)/(3*x)+I*c*sqrt(-c**2*x**2+1)/(3*x**3),\operatorname{True}))/3*c$

Giac [A]

time = 0.42, size = 65, normalized size = 1.08

$$\frac{1}{9} \left(2bc^2 \sqrt{-\frac{1}{c^2x^2} + 1} + \frac{b\sqrt{-\frac{1}{c^2x^2} + 1}}{x^2} - \frac{3b \arccos\left(\frac{1}{cx}\right)}{cx^3} - \frac{3a}{cx^3} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^4,x, algorithm="giac")**[Out]** 1/9*(2*b*c^2*sqrt(-1/(c^2*x^2) + 1) + b*sqrt(-1/(c^2*x^2) + 1)/x^2 - 3*b*arccos(1/(c*x))/(c*x^3) - 3*a/(c*x^3))*c**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/x^4,x)**[Out]** int((a + b*acos(1/(c*x)))/x^4, x)

3.12 $\int \frac{a+b \sec^{-1}(cx)}{x^5} dx$

Optimal. Leaf size=76

$$\frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{16x^3} + \frac{3bc^3\sqrt{1-\frac{1}{c^2x^2}}}{32x} - \frac{3}{32}bc^4 \csc^{-1}(cx) - \frac{a+b \sec^{-1}(cx)}{4x^4}$$

[Out] $-3/32*b*c^4*\arccsc(c*x)+1/4*(-a-b*\arcsec(c*x))/x^4+1/16*b*c*(1-1/c^2/x^2)^{(1/2)}/x^3+3/32*b*c^3*(1-1/c^2/x^2)^{(1/2)}/x$

Rubi [A]

time = 0.03, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5328, 342, 327, 222}

$$-\frac{a+b \sec^{-1}(cx)}{4x^4} - \frac{3}{32}bc^4 \csc^{-1}(cx) + \frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{16x^3} + \frac{3bc^3\sqrt{1-\frac{1}{c^2x^2}}}{32x}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/x^5, x]

[Out] $(b*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(16*x^3) + (3*b*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)])/(32*x) - (3*b*c^4*\text{ArcCsc}[c*x])/32 - (a + b*\text{ArcSec}[c*x])/(4*x^4)$

Rule 222

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 327

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[c^(n-1)*(c*x)^(m-n+1)*((a+b*x^n)^(p+1)/(b*(m+n*p+1))), x] - Dist[a*c^n*((m-n+1)/(b*(m+n*p+1))), Int[(c*x)^(m-n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 342

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Subst[Int[(a+b/x^n)^p/x^(m+2), x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0] && IntegerQ[m]

Rule 5328

```
Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((d_.)*(x_.))^(m_.), x_Symbol] := Sim
p[(d*x)^(m + 1)*((a + b*ArcSec[c*x])/(d*(m + 1))), x] - Dist[b*(d/(c*(m + 1
))), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d,
m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^5} dx &= -\frac{a + b \sec^{-1}(cx)}{4x^4} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{4c} \\
&= -\frac{a + b \sec^{-1}(cx)}{4x^4} - \frac{b \operatorname{Subst}\left(\int \frac{x^4}{\sqrt{1 - \frac{x^4}{c^2}}} dx, x, \frac{1}{x}\right)}{4c} \\
&= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{16x^3} - \frac{a + b \sec^{-1}(cx)}{4x^4} - \frac{1}{16} (3bc) \operatorname{Subst}\left(\int \frac{x^2}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right) \\
&= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{16x^3} + \frac{3bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{32x} - \frac{a + b \sec^{-1}(cx)}{4x^4} - \frac{1}{32} (3bc^3) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx, x, \frac{1}{x}\right) \\
&= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{16x^3} + \frac{3bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{32x} - \frac{3}{32} bc^4 \csc^{-1}(cx) - \frac{a + b \sec^{-1}(cx)}{4x^4}
\end{aligned}$$

Mathematica [A]

time = 0.05, size = 78, normalized size = 1.03

$$-\frac{a}{4x^4} + b \left(\frac{c}{16x^3} + \frac{3c^3}{32x} \right) \sqrt{\frac{-1 + c^2 x^2}{c^2 x^2}} - \frac{b \sec^{-1}(cx)}{4x^4} - \frac{3}{32} bc^4 \operatorname{ArcSin}\left(\frac{1}{cx}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/x^5,x]

[Out] -1/4*a/x^4 + b*(c/(16*x^3) + (3*c^3)/(32*x))*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)] - (b*ArcSec[c*x])/(4*x^4) - (3*b*c^4*ArcSin[1/(c*x)])/32

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 149 vs. 2(67) = 134.

time = 0.09, size = 150, normalized size = 1.97

| method | result |
|-------------------|---|
| derivativedivides | $c^4 \left(-\frac{a}{4c^4x^4} - \frac{b \operatorname{arcsec}(cx)}{4c^4x^4} - \frac{3b\sqrt{c^2x^2-1} \arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right)}{32\sqrt{\frac{c^2x^2-1}{c^2x^2}} cx} + \frac{3b(c^2x^2-1)}{32\sqrt{\frac{c^2x^2-1}{c^2x^2}} c^3x^3} + \frac{b(c^2x^2-1)}{16\sqrt{\frac{c^2x^2-1}{c^2x^2}}} \right)$ |
| default | $c^4 \left(-\frac{a}{4c^4x^4} - \frac{b \operatorname{arcsec}(cx)}{4c^4x^4} - \frac{3b\sqrt{c^2x^2-1} \arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right)}{32\sqrt{\frac{c^2x^2-1}{c^2x^2}} cx} + \frac{3b(c^2x^2-1)}{32\sqrt{\frac{c^2x^2-1}{c^2x^2}} c^3x^3} + \frac{b(c^2x^2-1)}{16\sqrt{\frac{c^2x^2-1}{c^2x^2}}} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^5,x,method=_RETURNVERBOSE)`

[Out] $c^4 * (-1/4 * a / c^4 / x^4 - 1/4 * b / c^4 / x^4 * \operatorname{arcsec}(c * x) - 3/32 * b * (c^2 * x^2 - 1)^{(1/2)} / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c / x * \arctan(1 / (c^2 * x^2 - 1)^{(1/2)}) + 3/32 * b * (c^2 * x^2 - 1) / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c^3 / x^3 + 1/16 * b * (c^2 * x^2 - 1) / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c^5 / x^5)$

Maxima [A]

time = 0.48, size = 125, normalized size = 1.64

$$\frac{1}{32} b \left(\frac{3 c^5 \arctan\left(cx \sqrt{-\frac{1}{c^2 x^2} + 1}\right) + \frac{3 c^8 x^3 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{3}{2}} + 5 c^6 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^4 x^4 \left(\frac{1}{c^2 x^2} - 1\right)^2 - 2 c^2 x^2 \left(\frac{1}{c^2 x^2} - 1\right) + 1}}{c} - \frac{8 \operatorname{arcsec}(cx)}{x^4} - \frac{a}{4 x^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^5,x, algorithm="maxima")`

[Out] $1/32 * b * ((3 * c^5 * \arctan(c * x * \sqrt{-1 / (c^2 * x^2) + 1}) + (3 * c^8 * x^3 * (-1 / (c^2 * x^2) + 1)^{(3/2)} + 5 * c^6 * x * \sqrt{-1 / (c^2 * x^2) + 1}) / (c^4 * x^4 * (1 / (c^2 * x^2) - 1)^2 - 2 * c^2 * x^2 * (1 / (c^2 * x^2) - 1) + 1) / c - 8 * \operatorname{arcsec}(c * x) / x^4) - 1/4 * a / x^4)$

Fricas [A]

time = 1.75, size = 52, normalized size = 0.68

$$\frac{(3 b c^4 x^4 - 8 b) \operatorname{arcsec}(c x) + (3 b c^2 x^2 + 2 b) \sqrt{c^2 x^2 - 1} - 8 a}{32 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^5,x, algorithm="fricas")`

[Out] $\frac{1}{32} * ((3 * b * c^4 * x^4 - 8 * b) * \operatorname{arcsec}(c * x) + (3 * b * c^2 * x^2 + 2 * b) * \sqrt{c^2 * x^2 - 1}) - 8 * a) / x^4$

Sympy [A]

time = 4.73, size = 192, normalized size = 2.53

$$-\frac{a}{4x^4} - \frac{b \operatorname{asec}(cx)}{4x^4} + \frac{b \left(\begin{array}{l} \left(\frac{3ic^5 \operatorname{acosh}\left(\frac{1}{cx}\right)}{8} - \frac{3ic^4}{8x \sqrt{-1 + \frac{1}{c^2x^2}}} + \frac{ic^2}{8x^3 \sqrt{-1 + \frac{1}{c^2x^2}}} + \frac{i}{4x^5 \sqrt{-1 + \frac{1}{c^2x^2}}} \right) \text{ for } \left| \frac{1}{c^2x^2} \right| > 1 \\ -\frac{3c^5 \operatorname{asin}\left(\frac{1}{cx}\right)}{8} + \frac{3c^4}{8x \sqrt{1 - \frac{1}{c^2x^2}}} - \frac{c^2}{8x^3 \sqrt{1 - \frac{1}{c^2x^2}}} - \frac{1}{4x^5 \sqrt{1 - \frac{1}{c^2x^2}}} \text{ otherwise} \end{array} \right)}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/x**5,x)`

[Out] $-a/(4*x**4) - b*asec(c*x)/(4*x**4) + b*\operatorname{Piecewise}((3*I*c**5*\operatorname{acosh}(1/(c*x)))/8 - 3*I*c**4/(8*x*\sqrt{-1 + 1/(c**2*x**2)})) + I*c**2/(8*x**3*\sqrt{-1 + 1/(c**2*x**2)}) + I/(4*x**5*\sqrt{-1 + 1/(c**2*x**2)}), 1/\operatorname{Abs}(c**2*x**2) > 1), (-3*c**5*\operatorname{asin}(1/(c*x))/8 + 3*c**4/(8*x*\sqrt{1 - 1/(c**2*x**2)}) - c**2/(8*x**3*\sqrt{1 - 1/(c**2*x**2)}) - 1/(4*x**5*\sqrt{1 - 1/(c**2*x**2)}), \operatorname{True}))/4*c$

Giac [A]

time = 0.40, size = 83, normalized size = 1.09

$$\frac{1}{32} \left(3bc^3 \arccos\left(\frac{1}{cx}\right) + \frac{3bc^2 \sqrt{-\frac{1}{c^2x^2} + 1}}{x} + \frac{2b \sqrt{-\frac{1}{c^2x^2} + 1}}{x^3} - \frac{8b \arccos\left(\frac{1}{cx}\right)}{cx^4} - \frac{8a}{cx^4} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^5,x, algorithm="giac")`

[Out] $\frac{1}{32} * (3 * b * c^3 * \arccos(1/(c * x)) + 3 * b * c^2 * \sqrt{-1/(c^2 * x^2) + 1}) / x + 2 * b * \sqrt{-1/(c^2 * x^2) + 1} / x^3 - 8 * b * \arccos(1/(c * x)) / (c * x^4) - 8 * a / (c * x^4) * c$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acos(1/(c*x)))/x^5,x)`

[Out] `int((a + b*acos(1/(c*x)))/x^5, x)`

3.13 $\int \frac{a+b \sec^{-1}(cx)}{x^6} dx$

Optimal. Leaf size=82

$$\frac{1}{5}bc^5\sqrt{1-\frac{1}{c^2x^2}} - \frac{2}{15}bc^5\left(1-\frac{1}{c^2x^2}\right)^{3/2} + \frac{1}{25}bc^5\left(1-\frac{1}{c^2x^2}\right)^{5/2} - \frac{a+b \sec^{-1}(cx)}{5x^5}$$

[Out] $-2/15*b*c^5*(1-1/c^2/x^2)^(3/2)+1/25*b*c^5*(1-1/c^2/x^2)^(5/2)+1/5*(-a-b*\arccsc(c*x))/x^5+1/5*b*c^5*(1-1/c^2/x^2)^(1/2)$

Rubi [A]

time = 0.03, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$,

Rules used = {5328, 272, 45}

$$-\frac{a+b \sec^{-1}(cx)}{5x^5} + \frac{1}{25}bc^5\left(1-\frac{1}{c^2x^2}\right)^{5/2} - \frac{2}{15}bc^5\left(1-\frac{1}{c^2x^2}\right)^{3/2} + \frac{1}{5}bc^5\sqrt{1-\frac{1}{c^2x^2}}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*ArcSec[c*x])/x^6, x]`

[Out] $(b*c^5*\text{Sqrt}[1 - 1/(c^2*x^2)])/5 - (2*b*c^5*(1 - 1/(c^2*x^2))^(3/2))/15 + (b*c^5*(1 - 1/(c^2*x^2))^(5/2))/25 - (a + b*\text{ArcSec}[c*x])/(5*x^5)$

Rule 45

`Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LtQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])`

Rule 272

`Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]`

Rule 5328

`Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcSec[c*x])/(d*(m + 1))), x] - Dist[b*(d/(c*(m + 1))), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]`

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^6} dx &= -\frac{a + b \sec^{-1}(cx)}{5x^5} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^7} dx}{5c} \\
&= -\frac{a + b \sec^{-1}(cx)}{5x^5} - \frac{b \text{Subst} \left(\int \frac{x^2}{\sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{10c} \\
&= -\frac{a + b \sec^{-1}(cx)}{5x^5} - \frac{b \text{Subst} \left(\int \left(\frac{c^4}{\sqrt{1 - \frac{x}{c^2}}} - 2c^4 \sqrt{1 - \frac{x}{c^2}} + c^4 \left(1 - \frac{x}{c^2}\right)^{3/2} \right) dx, x, \frac{1}{x^2} \right)}{10c} \\
&= \frac{1}{5} b c^5 \sqrt{1 - \frac{1}{c^2 x^2}} - \frac{2}{15} b c^5 \left(1 - \frac{1}{c^2 x^2}\right)^{3/2} + \frac{1}{25} b c^5 \left(1 - \frac{1}{c^2 x^2}\right)^{5/2} - \frac{a + b \sec^{-1}(cx)}{5x^5}
\end{aligned}$$

Mathematica [A]

time = 0.05, size = 69, normalized size = 0.84

$$-\frac{a}{5x^5} + b \left(\frac{8c^5}{75} + \frac{c}{25x^4} + \frac{4c^3}{75x^2} \right) \sqrt{\frac{-1 + c^2 x^2}{c^2 x^2}} - \frac{b \sec^{-1}(cx)}{5x^5}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSec[c*x])/x^6, x]`

```
[Out] -1/5*a/x^5 + b*((8*c^5)/75 + c/(25*x^4) + (4*c^3)/(75*x^2))*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)] - (b*ArcSec[c*x])/(5*x^5)
```

Maple [A]

time = 0.09, size = 83, normalized size = 1.01

| method | result | size |
|-------------------|--|------|
| derivativedivides | $c^5 \left(-\frac{a}{5c^5 x^5} + b \left(-\frac{\text{arcsec}(cx)}{5c^5 x^5} + \frac{(c^2 x^2 - 1)(8c^4 x^4 + 4c^2 x^2 + 3)}{75 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} c^6 x^6} \right) \right)$ | 83 |
| default | $c^5 \left(-\frac{a}{5c^5 x^5} + b \left(-\frac{\text{arcsec}(cx)}{5c^5 x^5} + \frac{(c^2 x^2 - 1)(8c^4 x^4 + 4c^2 x^2 + 3)}{75 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} c^6 x^6} \right) \right)$ | 83 |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^6,x,method=_RETURNVERBOSE)`

[Out] $c^5*(-1/5*a/c^5/x^5+b*(-1/5/c^5/x^5*arcsec(c*x)+1/75*(c^2*x^2-1)*(8*c^4*x^4+4*c^2*x^2+3)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c^6/x^6))$

Maxima [A]

time = 0.28, size = 76, normalized size = 0.93

$$\frac{1}{75} b \left(\frac{3 c^6 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{5}{2}} - 10 c^6 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{3}{2}} + 15 c^6 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} - \frac{15 \operatorname{arcsec}(cx)}{x^5} \right) - \frac{a}{5 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^6,x, algorithm="maxima")`

[Out] $1/75*b*((3*c^6*(-1/(c^2*x^2) + 1)^{(5/2)} - 10*c^6*(-1/(c^2*x^2) + 1)^{(3/2)} + 15*c^6*\sqrt{-1/(c^2*x^2) + 1})/c - 15*arcsec(c*x)/x^5) - 1/5*a/x^5$

Fricas [A]

time = 3.15, size = 51, normalized size = 0.62

$$-\frac{15 b \operatorname{arcsec}(cx) - (8 b c^4 x^4 + 4 b c^2 x^2 + 3 b) \sqrt{c^2 x^2 - 1} + 15 a}{75 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^6,x, algorithm="fricas")`

[Out] $-1/75*(15*b*arcsec(c*x) - (8*b*c^4*x^4 + 4*b*c^2*x^2 + 3*b)*sqrt(c^2*x^2 - 1) + 15*a)/x^5$

Sympy [A]

time = 5.46, size = 156, normalized size = 1.90

$$-\frac{a}{5x^5} - \frac{b \operatorname{asec}(cx)}{5x^5} + \frac{b \left(\begin{cases} \frac{8c^5\sqrt{c^2x^2-1}}{15x} + \frac{4c^3\sqrt{c^2x^2-1}}{15x^3} + \frac{c\sqrt{c^2x^2-1}}{5x^5} & \text{for } |c^2x^2| > 1 \\ \frac{8ic^5\sqrt{-c^2x^2+1}}{15x} + \frac{4ic^3\sqrt{-c^2x^2+1}}{15x^3} + \frac{ic\sqrt{-c^2x^2+1}}{5x^5} & \text{otherwise} \end{cases} \right)}{5c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/x**6,x)`

[Out] $-a/(5*x**5) - b*asec(c*x)/(5*x**5) + b*\operatorname{Piecewise}((8*c**5*\sqrt{c**2*x**2 - 1})/(15*x) + 4*c**3*\sqrt{c**2*x**2 - 1}/(15*x**3) + c*\sqrt{c**2*x**2 - 1}/(5*x**5), \operatorname{Abs}(c**2*x**2) > 1), (8*I*c**5*\sqrt{-c**2*x**2 + 1})/(15*x) + 4*I*c**3*\sqrt{-c**2*x**2 + 1}/(15*x**3) + I*c*\sqrt{-c**2*x**2 + 1}/(5*x**5), \operatorname{True}))/(5*c)$

Giac [A]

time = 0.41, size = 87, normalized size = 1.06

$$\frac{1}{75} \left(8bc^4 \sqrt{-\frac{1}{c^2x^2} + 1} + \frac{4bc^2 \sqrt{-\frac{1}{c^2x^2} + 1}}{x^2} + \frac{3b \sqrt{-\frac{1}{c^2x^2} + 1}}{x^4} - \frac{15b \arccos\left(\frac{1}{cx}\right)}{cx^5} - \frac{15a}{cx^5} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsec(c*x))/x^6,x, algorithm="giac")`

```
[Out] 1/75*(8*b*c^4*sqrt(-1/(c^2*x^2) + 1) + 4*b*c^2*sqrt(-1/(c^2*x^2) + 1)/x^2 +
3*b*sqrt(-1/(c^2*x^2) + 1)/x^4 - 15*b*arccos(1/(c*x))/(c*x^5) - 15*a/(c*x^
5))*c
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a + b*acos(1/(c*x)))/x^6,x)``[Out] int((a + b*acos(1/(c*x)))/x^6, x)`

3.14 $\int \frac{a+b \sec^{-1}(cx)}{x^7} dx$

Optimal. Leaf size=101

$$\frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{36x^5} + \frac{5bc^3\sqrt{1-\frac{1}{c^2x^2}}}{144x^3} + \frac{5bc^5\sqrt{1-\frac{1}{c^2x^2}}}{96x} - \frac{5}{96}bc^6 \csc^{-1}(cx) - \frac{a+b \sec^{-1}(cx)}{6x^6}$$

[Out] $-5/96*b*c^6*\arccsc(c*x)+1/6*(-a-b*\arcsec(c*x))/x^6+1/36*b*c*(1-1/c^2/x^2)^(1/2)/x^5+5/144*b*c^3*(1-1/c^2/x^2)^(1/2)/x^3+5/96*b*c^5*(1-1/c^2/x^2)^(1/2)/x$

Rubi [A]

time = 0.04, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5328, 342, 327, 222}

$$-\frac{a+b \sec^{-1}(cx)}{6x^6} - \frac{5}{96}bc^6 \csc^{-1}(cx) + \frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{36x^5} + \frac{5bc^5\sqrt{1-\frac{1}{c^2x^2}}}{96x} + \frac{5bc^3\sqrt{1-\frac{1}{c^2x^2}}}{144x^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/x^7, x]

[Out] $(b*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(36*x^5) + (5*b*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)])/(144*x^3) + (5*b*c^5*\text{Sqrt}[1 - 1/(c^2*x^2)])/(96*x) - (5*b*c^6*\text{ArcCsc}[c*x])/96 - (a + b*\text{ArcSec}[c*x])/(6*x^6)$

Rule 222

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 327

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[c^(n-1)*(c*x)^(m-n+1)*((a+b*x^n)^(p+1)/(b*(m+n*p+1))), x] - Dist[a*c^n*((m-n+1)/(b*(m+n*p+1))), Int[(c*x)^(m-n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 342

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Subst[Int[(a+b/x^n)^p/x^(m+2), x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0] && IntegerQ[m]

Rule 5328

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((d_.)*(x_.))^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcSec[c*x])/(d*(m + 1))), x] - Dist[b*(d/(c*(m + 1))), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sec^{-1}(cx)}{x^7} dx &= -\frac{a + b \sec^{-1}(cx)}{6x^6} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{6c} \\
 &= -\frac{a + b \sec^{-1}(cx)}{6x^6} - \frac{b \operatorname{Subst}\left(\int \frac{x^6}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{6c} \\
 &= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{36x^5} - \frac{a + b \sec^{-1}(cx)}{6x^6} - \frac{1}{36}(5bc) \operatorname{Subst}\left(\int \frac{x^4}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right) \\
 &= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{36x^5} + \frac{5bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{144x^3} - \frac{a + b \sec^{-1}(cx)}{6x^6} - \frac{1}{48}(5bc^3) \operatorname{Subst}\left(\int \frac{x^2}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right) \\
 &= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{36x^5} + \frac{5bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{144x^3} + \frac{5bc^5 \sqrt{1 - \frac{1}{c^2 x^2}}}{96x} - \frac{a + b \sec^{-1}(cx)}{6x^6} - \frac{1}{96}(5bc^5) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right) \\
 &= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{36x^5} + \frac{5bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{144x^3} + \frac{5bc^5 \sqrt{1 - \frac{1}{c^2 x^2}}}{96x} - \frac{5}{96}bc^6 \operatorname{csc}^{-1}(cx) - \frac{a + b \sec^{-1}(cx)}{6x^6}
 \end{aligned}$$

Mathematica [A]

time = 0.06, size = 88, normalized size = 0.87

$$-\frac{a}{6x^6} + b\left(\frac{c}{36x^5} + \frac{5c^3}{144x^3} + \frac{5c^5}{96x}\right) \sqrt{\frac{-1 + c^2 x^2}{c^2 x^2}} - \frac{b \sec^{-1}(cx)}{6x^6} - \frac{5}{96}bc^6 \operatorname{ArcSin}\left(\frac{1}{cx}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/x^7,x]

[Out] $-1/6*a/x^6 + b*(c/(36*x^5) + (5*c^3)/(144*x^3) + (5*c^5)/(96*x))*\text{Sqrt}[(-1 + c^2*x^2)/(c^2*x^2)] - (b*\text{ArcSec}[c*x])/(6*x^6) - (5*b*c^6*\text{ArcSin}[1/(c*x)]) / 96$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 185 vs. 2(88) = 176.

time = 0.09, size = 186, normalized size = 1.84

| method | result |
|-------------------|---|
| derivativedivides | $c^6 \left(-\frac{a}{6c^6x^6} - \frac{b \operatorname{arcsec}(cx)}{6c^6x^6} - \frac{5b\sqrt{c^2x^2-1} \arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right)}{96\sqrt{\frac{c^2x^2-1}{c^2x^2}} cx} + \frac{5b(c^2x^2-1)}{96\sqrt{\frac{c^2x^2-1}{c^2x^2}} c^3x^3} + \frac{5b(c^2x^2-1)}{144\sqrt{\frac{c^2x^2-1}{c^2x^2}}} \right)$ |
| default | $c^6 \left(-\frac{a}{6c^6x^6} - \frac{b \operatorname{arcsec}(cx)}{6c^6x^6} - \frac{5b\sqrt{c^2x^2-1} \arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right)}{96\sqrt{\frac{c^2x^2-1}{c^2x^2}} cx} + \frac{5b(c^2x^2-1)}{96\sqrt{\frac{c^2x^2-1}{c^2x^2}} c^3x^3} + \frac{5b(c^2x^2-1)}{144\sqrt{\frac{c^2x^2-1}{c^2x^2}}} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x^7,x,method=_RETURNVERBOSE)

[Out] $c^6*(-1/6*a/c^6/x^6-1/6*b/c^6/x^6*\operatorname{arcsec}(c*x)-5/96*b*(c^2*x^2-1)^{(1/2)} / ((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c/x*\arctan(1/(c^2*x^2-1)^{(1/2)})+5/96*b*(c^2*x^2-1) / ((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c^3/x^3+5/144*b*(c^2*x^2-1) / ((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c^5/x^5+1/36*b*(c^2*x^2-1) / ((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c^7/x^7)$

Maxima [A]

time = 0.49, size = 165, normalized size = 1.63

$$\frac{1}{288} b \left(\frac{15 c^7 \arctan\left(cx \sqrt{-\frac{1}{c^2 x^2} + 1}\right) - \frac{15 c^{12} x^5 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{5}{2}} + 40 c^{10} x^3 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{3}{2}} + 33 c^8 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^6 x^6 \left(\frac{1}{c^2 x^2} - 1\right)^3 - 3 c^4 x^4 \left(\frac{1}{c^2 x^2} - 1\right)^2 + 3 c^2 x^2 \left(\frac{1}{c^2 x^2} - 1\right) - 1}}{c} - \frac{48 \operatorname{arcsec}(cx)}{x^6} \right) - \frac{a}{6 x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^7,x, algorithm="maxima")

[Out] $1/288*b*((15*c^7*\arctan(c*x*\text{sqrt}(-1/(c^2*x^2) + 1)) - (15*c^12*x^5*(-1/(c^2*x^2) + 1)^{(5/2)} + 40*c^10*x^3*(-1/(c^2*x^2) + 1)^{(3/2)} + 33*c^8*x*\text{sqrt}(-1/(c^2*x^2) + 1)) / (c^6*x^6*(1/(c^2*x^2) - 1)^3 - 3*c^4*x^4*(1/(c^2*x^2) - 1)^2 + 3*c^2*x^2*(1/(c^2*x^2) - 1) - 1)) / c - 48*\operatorname{arcsec}(c*x)/x^6) - 1/6*a/x^6$

Fricas [A]

time = 3.16, size = 62, normalized size = 0.61

$$\frac{3(5bc^6x^6 - 16b)\operatorname{arcsec}(cx) + (15bc^4x^4 + 10bc^2x^2 + 8b)\sqrt{c^2x^2 - 1} - 48a}{288x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsec(c*x))/x^7,x, algorithm="fricas")`

`[Out] 1/288*(3*(5*b*c^6*x^6 - 16*b)*arcsec(c*x) + (15*b*c^4*x^4 + 10*b*c^2*x^2 + 8*b)*sqrt(c^2*x^2 - 1) - 48*a)/x^6`

Sympy [A]

time = 12.03, size = 241, normalized size = 2.39

$$-\frac{a}{6x^6} - \frac{b\operatorname{asec}(cx)}{6x^6} + \frac{b}{6c} \left(\begin{array}{l} \left(\frac{5ic^7 \operatorname{acosh}\left(\frac{1}{cx}\right)}{16} - \frac{5ic^6}{16x\sqrt{-1 + \frac{1}{c^2x^2}}} + \frac{5ic^4}{48x^3\sqrt{-1 + \frac{1}{c^2x^2}}} + \frac{ic^2}{24x^5\sqrt{-1 + \frac{1}{c^2x^2}}} + \frac{i}{6x^7\sqrt{-1 + \frac{1}{c^2x^2}}} \right) \text{ for } \frac{1}{|c^2x^2|} > 1 \\ \left(-\frac{5c^7 \operatorname{asin}\left(\frac{1}{cx}\right)}{16} + \frac{5c^6}{16x\sqrt{1 - \frac{1}{c^2x^2}}} - \frac{5c^4}{48x^3\sqrt{1 - \frac{1}{c^2x^2}}} - \frac{c^2}{24x^5\sqrt{1 - \frac{1}{c^2x^2}}} - \frac{1}{6x^7\sqrt{1 - \frac{1}{c^2x^2}}} \right) \text{ otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*asec(c*x))/x**7,x)`

`[Out] -a/(6*x**6) - b*asec(c*x)/(6*x**6) + b*Piecewise((5*I*c**7*acosh(1/(c*x)))/16 - 5*I*c**6/(16*x*sqrt(-1 + 1/(c**2*x**2))) + 5*I*c**4/(48*x**3*sqrt(-1 + 1/(c**2*x**2))) + I*c**2/(24*x**5*sqrt(-1 + 1/(c**2*x**2))) + I/(6*x**7*sqrt(-1 + 1/(c**2*x**2))), 1/Abs(c**2*x**2) > 1), (-5*c**7*asin(1/(c*x))/16 + 5*c**6/(16*x*sqrt(1 - 1/(c**2*x**2))) - 5*c**4/(48*x**3*sqrt(1 - 1/(c**2*x**2))) - c**2/(24*x**5*sqrt(1 - 1/(c**2*x**2))) - 1/(6*x**7*sqrt(1 - 1/(c**2*x**2))), True))/(6*c)`

Giac [A]

time = 0.43, size = 104, normalized size = 1.03

$$\frac{1}{288} \left(15bc^5 \arccos\left(\frac{1}{cx}\right) + \frac{15bc^4 \sqrt{-\frac{1}{c^2x^2} + 1}}{x} + \frac{10bc^2 \sqrt{-\frac{1}{c^2x^2} + 1}}{x^3} + \frac{8b \sqrt{-\frac{1}{c^2x^2} + 1}}{x^5} - \frac{48b \arccos\left(\frac{1}{cx}\right)}{cx^6} - \frac{48a}{cx^6} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsec(c*x))/x^7,x, algorithm="giac")`

`[Out] 1/288*(15*b*c^5*arccos(1/(c*x)) + 15*b*c^4*sqrt(-1/(c^2*x^2) + 1)/x + 10*b*c^2*sqrt(-1/(c^2*x^2) + 1)/x^3 + 8*b*sqrt(-1/(c^2*x^2) + 1)/x^5 - 48*b*arccos(1/(c*x))/(c*x^6) - 48*a/(c*x^6))*c`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/x^7,x)

[Out] int((a + b*acos(1/(c*x)))/x^7, x)

3.15 $\int x^3(a + b \sec^{-1}(cx))^2 dx$

Optimal. Leaf size=107

$$\frac{b^2 x^2}{12c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x(a + b \sec^{-1}(cx))}{3c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3(a + b \sec^{-1}(cx))}{6c} + \frac{1}{4} x^4 (a + b \sec^{-1}(cx))^2 + \frac{b^2 \log(x)}{3c^4}$$

[Out] $1/12*b^2*x^2/c^2+1/4*x^4*(a+b*\text{arcsec}(c*x))^2+1/3*b^2*\ln(x)/c^4-1/3*b*x*(a+b*\text{arcsec}(c*x))*(1-1/c^2/x^2)^{(1/2)}/c^3-1/6*b*x^3*(a+b*\text{arcsec}(c*x))*(1-1/c^2/x^2)^{(1/2)}/c$

Rubi [A]

time = 0.08, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {5330, 4494, 4270, 4269, 3556}

$$-\frac{bx^3 \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{6c} - \frac{bx \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{3c^3} + \frac{1}{4} x^4 (a + b \sec^{-1}(cx))^2 + \frac{b^2 \log(x)}{3c^4} + \frac{b^2 x^2}{12c^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(a + b*\text{ArcSec}[c*x])^2, x]$

[Out] $(b^2*x^2)/(12*c^2) - (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(a + b*\text{ArcSec}[c*x]))/(3*c^3) - (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^3*(a + b*\text{ArcSec}[c*x]))/(6*c) + (x^4*(a + b*\text{ArcSec}[c*x])^2)/4 + (b^2*\text{Log}[x])/(3*c^4)$

Rule 3556

$\text{Int}[\tan[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[-\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 4269

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(-c + d*x)^m*(\text{Cot}[e + f*x]/f), x] + \text{Dist}[d*(m/f), \text{Int}[(c + d*x)^{(m-1)}*\text{Cot}[e + f*x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{GtQ}[m, 0]$

Rule 4270

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(n_.)}*((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[(-b^2)*(c + d*x)*\text{Cot}[e + f*x]*((b*\text{Csc}[e + f*x])^{(n-2)})/(f*(n-1)), x] + (\text{Dist}[b^2*((n-2)/(n-1)), \text{Int}[(c + d*x)*(b*\text{Csc}[e + f*x])^{(n-2)}, x], x] - \text{Simp}[b^2*d*((b*\text{Csc}[e + f*x])^{(n-2)})/(f^2*(n-1)*(n-2)), x]) /; \text{FreeQ}[\{b, c, d, e, f\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{NeQ}[n, 2]$

Rule 4494

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] := Simp[(c + d*x)^m*(Sec[a + b*x]^n/(b*n)), x] - Dist[d*(m/(b*n)), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned} \int x^3 (a + b \sec^{-1}(cx))^2 dx &= \frac{\text{Subst}\left(\int (a + bx)^2 \sec^4(x) \tan(x) dx, x, \sec^{-1}(cx)\right)}{c^4} \\ &= \frac{1}{4} x^4 (a + b \sec^{-1}(cx))^2 - \frac{b \text{Subst}\left(\int (a + bx) \sec^4(x) dx, x, \sec^{-1}(cx)\right)}{2c^4} \\ &= \frac{b^2 x^2}{12c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \sec^{-1}(cx))}{6c} + \frac{1}{4} x^4 (a + b \sec^{-1}(cx))^2 - \frac{b \text{Subst}\left(\int (a + bx) \sec^4(x) dx, x, \sec^{-1}(cx)\right)}{2c^4} \\ &= \frac{b^2 x^2}{12c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))}{3c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \sec^{-1}(cx))}{6c} + \frac{1}{4} x^4 (a + b \sec^{-1}(cx))^2 - \frac{b \text{Subst}\left(\int (a + bx) \sec^4(x) dx, x, \sec^{-1}(cx)\right)}{2c^4} \\ &= \frac{b^2 x^2}{12c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))}{3c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \sec^{-1}(cx))}{6c} + \frac{1}{4} x^4 (a + b \sec^{-1}(cx))^2 - \frac{b \text{Subst}\left(\int (a + bx) \sec^4(x) dx, x, \sec^{-1}(cx)\right)}{2c^4} \end{aligned}$$

Mathematica [A]

time = 0.14, size = 124, normalized size = 1.16

$$\frac{cx \left(b^2 cx + 3a^2 c^3 x^3 - 2ab \sqrt{1 - \frac{1}{c^2 x^2}} (2 + c^2 x^2) \right) - 2bcx \left(-3ac^3 x^3 + b \sqrt{1 - \frac{1}{c^2 x^2}} (2 + c^2 x^2) \right) \sec^{-1}(cx) + 3b^2 c^4 x^4 \sec^{-1}(cx)^2 + 4b^2 \log(x)}{12c^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*ArcSec[c*x])^2,x]

[Out] (c*x*(b^2*c*x + 3*a^2*c^3*x^3 - 2*a*b*Sqrt[1 - 1/(c^2*x^2)]*(2 + c^2*x^2)) - 2*b*c*x*(-3*a*c^3*x^3 + b*Sqrt[1 - 1/(c^2*x^2)]*(2 + c^2*x^2))*ArcSec[c*x] + 3*b^2*c^4*x^4*ArcSec[c*x]^2 + 4*b^2*Log[x])/(12*c^4)

Maple [A]

time = 0.25, size = 181, normalized size = 1.69

| method | result |
|-------------------|--|
| derivativedivides | $\frac{\frac{c^4 x^4 a^2}{4} + \frac{b^2 \operatorname{arcsec}(cx)^2 c^4 x^4}{4} - \frac{b^2 \operatorname{arcsec}(cx) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} c^3 x^3}{6} + \frac{b^2 c^2 x^2}{12} - \frac{b^2 \operatorname{arcsec}(cx) cx \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}{3} - \frac{b^2 \ln\left(\frac{1}{cx}\right)}{3} + 2ab \left(\frac{c^4 x^4}{c^4} \right)}$ |
| default | $\frac{\frac{c^4 x^4 a^2}{4} + \frac{b^2 \operatorname{arcsec}(cx)^2 c^4 x^4}{4} - \frac{b^2 \operatorname{arcsec}(cx) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} c^3 x^3}{6} + \frac{b^2 c^2 x^2}{12} - \frac{b^2 \operatorname{arcsec}(cx) cx \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}{3} - \frac{b^2 \ln\left(\frac{1}{cx}\right)}{3} + 2ab \left(\frac{c^4 x^4}{c^4} \right)}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arcsec(c*x))^2,x,method=_RETURNVERBOSE)`

[Out] $1/c^4 * (1/4 * c^4 * x^4 * a^2 + 1/4 * b^2 * \operatorname{arcsec}(c * x)^2 * c^4 * x^4 - 1/6 * b^2 * \operatorname{arcsec}(c * x) * ((c^2 * x^2 - 1)/c^2/x^2)^{(1/2)} * c^3 * x^3 + 1/12 * b^2 * c^2 * x^2 - 1/3 * b^2 * \operatorname{arcsec}(c * x) * c * x * ((c^2 * x^2 - 1)/c^2/x^2)^{(1/2)} - 1/3 * b^2 * \ln(1/c/x) + 2 * a * b * (1/4 * c^4 * x^4 * \operatorname{arcsec}(c * x) - 1/12 * (c^2 * x^2 - 1) * (c^2 * x^2 + 2) / ((c^2 * x^2 - 1)/c^2/x^2)^{(1/2)} / c/x))$

Maxima [A]

time = 0.52, size = 163, normalized size = 1.52

$$\frac{1}{4} b^2 x^4 \operatorname{arcsec}(cx)^2 + \frac{1}{4} a^2 x^4 + \frac{1}{6} \left(3x^4 \operatorname{arcsec}(cx) - \frac{c^2 x^3 \left(-\frac{1}{cx} + 1\right)^{\frac{3}{2}} + 3x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^3} \right) ab + \frac{\left((c^2 x^2 + 2 \log(x^2)) \sqrt{cx+1} \sqrt{cx-1} - 2(c^4 x^4 + c^2 x^2 - 2) \arctan\left(\frac{\sqrt{cx+1} \sqrt{cx-1}}{12 \sqrt{cx+1} \sqrt{cx-1}}\right) \right) b^2}{12 \sqrt{cx+1} \sqrt{cx-1} c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsec(c*x))^2,x, algorithm="maxima")`

[Out] $1/4 * b^2 * x^4 * \operatorname{arcsec}(c * x)^2 + 1/4 * a^2 * x^4 + 1/6 * (3 * x^4 * \operatorname{arcsec}(c * x) - (c^2 * x^3 * (-1/(c^2 * x^2) + 1))^{(3/2)} + 3 * x * \sqrt{-1/(c^2 * x^2) + 1}) / c^3 * a * b + 1/12 * ((c^2 * x^2 + 2 * \log(x^2)) * \sqrt{c * x + 1} * \sqrt{c * x - 1} - 2 * (c^4 * x^4 + c^2 * x^2 - 2) * \arctan(\sqrt{c * x + 1} * \sqrt{c * x - 1})) * b^2 / (\sqrt{c * x + 1} * \sqrt{c * x - 1}) * c^4)$

Fricas [A]

time = 5.18, size = 146, normalized size = 1.36

$$\frac{3 b^2 c^4 x^4 \operatorname{arcsec}(cx)^2 + 3 a^2 c^4 x^4 + 12 abc^4 \arctan\left(-cx + \sqrt{c^2 x^2 - 1}\right) + b^2 c^2 x^2 + 4 b^2 \log(x) + 6 (abc^4 x^4 - abc^4) \operatorname{arcsec}(cx) - 2 (abc^2 x^2 + 2 ab + (b^2 c^2 x^2 + 2 b^2) \operatorname{arcsec}(cx)) \sqrt{c^2 x^2 - 1}}{12 c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsec(c*x))^2,x, algorithm="fricas")`

[Out] $1/12 * (3 * b^2 * c^4 * x^4 * \operatorname{arcsec}(c * x)^2 + 3 * a^2 * c^4 * x^4 + 12 * a * b * c^4 * \arctan(-c * x + \sqrt{c^2 * x^2 - 1})) + b^2 * c^2 * x^2 + 4 * b^2 * \log(x) + 6 * (a * b * c^4 * x^4 - a * b * c^4)$

4)*arcsec(c*x) - 2*(a*b*c^2*x^2 + 2*a*b + (b^2*c^2*x^2 + 2*b^2)*arcsec(c*x))*sqrt(c^2*x^2 - 1))/c^4

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^3(a + b \operatorname{asec}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asec(c*x))**2,x)

[Out] Integral(x**3*(a + b*asec(c*x))**2, x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 6625 vs. 2(93) = 186.

time = 0.73, size = 6625, normalized size = 61.92

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] $\frac{1}{12} \cdot (3b^2 \arccos(1/(cx))^2 / (c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3 / (1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4 / (1/(cx) + 1)^8) + 6ab \arccos(1/(cx)) / (c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3 / (1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4 / (1/(cx) + 1)^8) - 12b^2(1/(c^2x^2) - 1) \arccos(1/(cx))^2 / ((c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3 / (1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4 / (1/(cx) + 1)^8) * (1/(cx) + 1)^2) - 4b^2 \log(2) / (c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3 / (1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4 / (1/(cx) + 1)^8) + 4b^2 \log(2/(cx) + 2) / (c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3 / (1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4 / (1/(cx) + 1)^8) - 4b^2 \log(\operatorname{abs}(\sqrt{-1/(c^2x^2) + 1} + 1/(cx) + 1)) / (c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3 / (1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4 / (1/(cx) + 1)^8) - 4b^2 \log(\operatorname{abs}(\sqrt{-1/(c^2x^2) + 1} - 1/(cx) - 1)) / (c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3 / (1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4 / (1/(cx) + 1)^8) - 12b^2 \sqrt{-1/(c^2x^2) + 1} \arccos(1/(cx)) / ((c^5 + 4c^5(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 6c^5(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 + 4c^5(1/(c^2x^2) - 1)^3 / (1/(cx) + 1)^6 + c^5(1/(c^2x^2) - 1)^4 / (1/(cx) + 1)^8)$

$$\begin{aligned}
& / (c*x) + 1)^8) * (1/(c*x) + 1)) + 3*a^2/(c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) + b^2/(c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) - 24*a*b*(1/(c^2*x^2) - 1)*arccos(1/(c*x))/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) * (1/(c*x) + 1)^2) + 18*b^2*(1/(c^2*x^2) - 1)^2*arccos(1/(c*x))^2/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) * (1/(c*x) + 1)^4) - 16*b^2*(1/(c^2*x^2) - 1)*log(2)/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) * (1/(c*x) + 1)^2) + 16*b^2*(1/(c^2*x^2) - 1)*log(2/(c*x) + 2)/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) * (1/(c*x) + 1)^2) - 16*b^2*(1/(c^2*x^2) - 1)*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) * (1/(c*x) + 1)^2) - 16*b^2*(1/(c^2*x^2) - 1)*log(abs(sqrt(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) * (1/(c*x) + 1)^2) - 12*a*b*sqrt(-1/(c^2*x^2) + 1)/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) * (1/(c*x) + 1)) + 20*b^2*(-1/(c^2*x^2) + 1)^(3/2)*arccos(1/(c*x))/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) * (1/(c*x) + 1)^3) - 12*a^2*(1/(c^2*x^2) - 1)/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) * (1/(c*x) + 1)^2) + 36*a*b*(1/(c^2*x^2) - 1)^2*arccos(1/(c*x))/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) * (1/(c*x) + 1)^4) - 12*b^2*(1/(c^2*x^2) - 1)^3*arccos(1/(c*x))^2/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) * (1/(c*x) + 1)^6) - 24*b^2*(1/(c^2*x^2) - 1)^2*log(2)/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/...
\end{aligned}$$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \left(a + b \operatorname{acos} \left(\frac{1}{cx} \right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*acos(1/(c*x)))^2,x)

[Out] int(x^3*(a + b*acos(1/(c*x)))^2, x)

3.16 $\int x^2(a + b \sec^{-1}(cx))^2 dx$

Optimal. Leaf size=147

$$\frac{b^2x}{3c^2} - \frac{b\sqrt{1 - \frac{1}{c^2x^2}}}{3c} x^2(a + b \sec^{-1}(cx)) + \frac{1}{3}x^3(a + b \sec^{-1}(cx))^2 + \frac{2ib(a + b \sec^{-1}(cx)) \operatorname{ArcTan}(e^{i \sec^{-1}(cx)})}{3c^3}$$

[Out] $1/3*b^2*x/c^2+1/3*x^3*(a+b*\operatorname{arcsec}(c*x))^2+2/3*I*b*(a+b*\operatorname{arcsec}(c*x))*\operatorname{arctan}(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/c^3-1/3*I*b^2*\operatorname{polylog}(2,-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/c^3+1/3*I*b^2*\operatorname{polylog}(2,I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/c^3-1/3*b*x^2*(a+b*\operatorname{arcsec}(c*x))*(1-1/c^2/x^2)^{(1/2)}/c$

Rubi [A]

time = 0.09, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5330, 4494, 4270, 4266, 2317, 2438}

$$\frac{2ib \operatorname{ArcTan}(e^{i \sec^{-1}(cx)}) (a + b \sec^{-1}(cx))}{3c^3} - \frac{bx^2 \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{3c} + \frac{1}{3}x^3(a + b \sec^{-1}(cx))^2 - \frac{ib^2 \operatorname{Li}_2(-ie^{i \sec^{-1}(cx)})}{3c^3} + \frac{ib^2 \operatorname{Li}_2(ie^{i \sec^{-1}(cx)})}{3c^3} + \frac{b^2x}{3c^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2*(a + b*\operatorname{ArcSec}[c*x])^2, x]$

[Out] $(b^2*x)/(3*c^2) - (b*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x^2*(a + b*\operatorname{ArcSec}[c*x]))/(3*c) + (x^3*(a + b*\operatorname{ArcSec}[c*x])^2)/3 + (((2*I)/3)*b*(a + b*\operatorname{ArcSec}[c*x])* \operatorname{ArcTan}[E^{(I*\operatorname{ArcSec}[c*x])}])/c^3 - ((I/3)*b^2*\operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSec}[c*x])}])/c^3 + ((I/3)*b^2*\operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSec}[c*x])}])/c^3$

Rule 2317

$\operatorname{Int}[\operatorname{Log}[(a_) + (b_)*((F_)^{((e_)*((c_) + (d_)*(x_)))})^{(n_)}], x_Symbol]$
 $\rightarrow \operatorname{Dist}[1/(d*e*n*\operatorname{Log}[F]), \operatorname{Subst}[\operatorname{Int}[\operatorname{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^{(n)}], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, n\}, x \ \&\& \ \operatorname{GtQ}[a, 0]$

Rule 2438

$\operatorname{Int}[\operatorname{Log}[(c_)*((d_) + (e_)*(x_)^{(n_)})]/(x_), x_Symbol] \rightarrow \operatorname{Simp}[-\operatorname{PolyLog}[2, (-c)*e*x^n]/n, x] /;$ $\operatorname{FreeQ}\{c, d, e, n\}, x \ \&\& \ \operatorname{EqQ}[c*d, 1]$

Rule 4266

$\operatorname{Int}[\operatorname{csc}[(e_) + \operatorname{Pi}*(k_) + (f_)*(x_)]*((c_) + (d_)*(x_))^{(m_)}, x_Symbol]$
 $\rightarrow \operatorname{Simp}[-2*(c + d*x)^m*(\operatorname{ArcTanh}[E^{(I*k*Pi)}*E^{(I*(e + f*x))}]/f), x] + (-\operatorname{Dist}[d*(m/f), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 - E^{(I*k*Pi)}*E^{(I*(e + f*x))}], x], x] + \operatorname{Dist}[d*(m/f), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 + E^{(I*k*Pi)}*E^{(I*(e + f*x))}], x], x]$

], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 4270

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_)), x_Symbol] :>
  Simp[(-b^2)*(c + d*x)*Cot[e + f*x]*((b*Csc[e + f*x])^(n - 2)/(f*(n - 1))),
  x] + (Dist[b^2*((n - 2)/(n - 1)), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2),
  x], x] - Simp[b^2*d*((b*Csc[e + f*x])^(n - 2)/(f^2*(n - 1)*(n - 2))), x]) /
; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rule 4494

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b
_.)*(x_)]^(p_.), x_Symbol] :> Simp[(c + d*x)^m*(Sec[a + b*x]^n/(b*n)), x] -
  Dist[d*(m/(b*n)), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a
, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]
], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] ||
  LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
 \int x^2 (a + b \sec^{-1}(cx))^2 dx &= \frac{\text{Subst}(\int (a + bx)^2 \sec^3(x) \tan(x) dx, x, \sec^{-1}(cx))}{c^3} \\
 &= \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^2 - \frac{(2b) \text{Subst}(\int (a + bx) \sec^3(x) dx, x, \sec^{-1}(cx))}{3c^3} \\
 &= \frac{b^2 x}{3c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))}{3c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^2 - \frac{b \text{Subst}(\int (a + bx) \sec^3(x) dx, x, \sec^{-1}(cx))}{3c^3} \\
 &= \frac{b^2 x}{3c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))}{3c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^2 + \frac{2ib(a + b \sec^{-1}(cx))}{3c} \\
 &= \frac{b^2 x}{3c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))}{3c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^2 + \frac{2ib(a + b \sec^{-1}(cx))}{3c} \\
 &= \frac{b^2 x}{3c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))}{3c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^2 + \frac{2ib(a + b \sec^{-1}(cx))}{3c}
 \end{aligned}$$

Mathematica [A]

time = 0.89, size = 225, normalized size = 1.53

$$\left(\frac{1}{3} \left(a^2 x^3 + \frac{ab \left(2x^2 \sec^{-1}(cx) - \frac{-cx + c^2 x^2 + \sqrt{-1 + c^2 x^2} \operatorname{tanh}^{-1} \left(\frac{x}{\sqrt{-1 + c^2 x^2}} \right)}{c^2 \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{x} + \frac{b^2 \left(cx - c^2 \sqrt{1 - \frac{1}{c^2 x^2}} x^2 \sec^{-1}(cx) + c^2 x^3 \sec^{-1}(cx)^2 - \sec^{-1}(cx) \log \left(1 - i e^{i \sec^{-1}(cx)} \right) + \sec^{-1}(cx) \log \left(1 + i e^{i \sec^{-1}(cx)} \right) - i \operatorname{PolyLog} \left(2, -i e^{i \sec^{-1}(cx)} \right) + i \operatorname{PolyLog} \left(2, i e^{i \sec^{-1}(cx)} \right) \right)}{c^3} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*ArcSec[c*x])^2,x]

[Out] (a^2*x^3 + (a*b*(2*x^4*ArcSec[c*x] - (-c*x) + c^3*x^3 + Sqrt[-1 + c^2*x^2]*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(c^4*Sqrt[1 - 1/(c^2*x^2)])))/x + (b^2*(c*x - c^2*Sqrt[1 - 1/(c^2*x^2)]*x^2*ArcSec[c*x] + c^3*x^3*ArcSec[c*x]^2 - ArcSec[c*x]*Log[1 - I*E^(I*ArcSec[c*x])] + ArcSec[c*x]*Log[1 + I*E^(I*ArcSec[c*x])] - I*PolyLog[2, (-I)*E^(I*ArcSec[c*x])] + I*PolyLog[2, I*E^(I*ArcSec[c*x])]))/c^3)/3

Maple [A]

time = 0.50, size = 320, normalized size = 2.18

| method | result |
|-------------------|---|
| derivativedivides | $\frac{c^3 x^3 a^2}{3} + \frac{b^2 \operatorname{arcsec}(cx)^2 c^3 x^3}{3} - \frac{b^2 \operatorname{arcsec}(cx) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} c^2 x^2}{3} + \frac{b^2 cx}{3} + \frac{b^2 \operatorname{arcsec}(cx) \ln \left(1 + i \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right) \right)}{3} - \frac{b^2 \operatorname{arcsec}(cx) \ln \left(1 + i \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right) \right)}{3}$ |
| default | $\frac{c^3 x^3 a^2}{3} + \frac{b^2 \operatorname{arcsec}(cx)^2 c^3 x^3}{3} - \frac{b^2 \operatorname{arcsec}(cx) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} c^2 x^2}{3} + \frac{b^2 cx}{3} + \frac{b^2 \operatorname{arcsec}(cx) \ln \left(1 + i \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right) \right)}{3} - \frac{b^2 \operatorname{arcsec}(cx) \ln \left(1 + i \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right) \right)}{3}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arcsec(c*x))^2,x,method=_RETURNVERBOSE)

[Out] 1/c^3*(1/3*c^3*x^3*a^2+1/3*b^2*arcsec(c*x)^2*c^3*x^3-1/3*b^2*arcsec(c*x)*((c^2*x^2-1)/c^2/x^2)^(1/2)*c^2*x^2+1/3*b^2*c*x+1/3*b^2*arcsec(c*x)*ln(1+I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))-1/3*b^2*arcsec(c*x)*ln(1-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))-1/3*I*b^2*dilog(1+I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))+1/3*I*b^2*dilog(1-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))+2/3*a*b*c^3*x^3*arcsec(c*x)-1/3*a*b*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)-1/3*a*b*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x*ln(c*x+(c^2*x^2-1)^(1/2)))

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))^2,x, algorithm="maxima")

[Out] $\frac{1}{3}a^2x^3 + \frac{1}{6}(4x^3\text{arcsec}(cx) - (2\sqrt{-1/(c^2x^2) + 1})/(c^2(1/(c^2x^2) - 1) + c^2) + \log(\sqrt{-1/(c^2x^2) + 1}) + 1)/c^2 - \log(\sqrt{-1/(c^2x^2) + 1}) - 1)/c^2)/c * a * b + \frac{1}{12}(4x^3\arctan(\sqrt{cx + 1})\sqrt{cx - 1})^2 - x^3\log(c^2x^2)^2 - 2c^2(2(c^2x^3 + 3x)/c^4 - 3\log(cx + 1)/c^5 + 3\log(cx - 1)/c^5)\log(c)^2 + 36c^2\int(1/3x^4\log(c^2x^2)/(c^2x^2 - 1), x)\log(c) - 72c^2\int(1/3x^4\log(x)/(c^2x^2 - 1), x)\log(c) + 36c^2\int(1/3x^4\log(c^2x^2)\log(x)/(c^2x^2 - 1), x) - 36c^2\int(1/3x^4\log(x)^2/(c^2x^2 - 1), x) + 12c^2\int(1/3x^4\log(c^2x^2)/(c^2x^2 - 1), x) + 6(2x/c^2 - \log(cx + 1)/c^3 + \log(cx - 1)/c^3)\log(c)^2 - 36\int(1/3x^2\log(c^2x^2)/(c^2x^2 - 1), x)\log(c) + 72\int(1/3x^2\log(x)/(c^2x^2 - 1), x)\log(c) - 24\int(1/3\sqrt{cx + 1}\sqrt{cx - 1})x^2\arctan(\sqrt{cx + 1})\sqrt{cx - 1})/(c^2x^2 - 1), x) - 36\int(1/3x^2\log(c^2x^2)\log(x)/(c^2x^2 - 1), x) + 36\int(1/3x^2\log(x)^2/(c^2x^2 - 1), x) - 12\int(1/3x^2\log(c^2x^2)/(c^2x^2 - 1), x)) * b^2$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))^2,x, algorithm="fricas")

[Out] integral(b^2*x^2*arcsec(c*x)^2 + 2*a*b*x^2*arcsec(c*x) + a^2*x^2, x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2(a + b \operatorname{asec}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*asec(c*x))**2,x)

[Out] Integral(x**2*(a + b*asec(c*x))**2, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsec(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)^2*x^2, x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \left(a + b \operatorname{acos} \left(\frac{1}{cx} \right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(a + b*acos(1/(c*x)))^2,x)
```

```
[Out] int(x^2*(a + b*acos(1/(c*x)))^2, x)
```

3.17 $\int x(a + b \sec^{-1}(cx))^2 dx$

Optimal. Leaf size=56

$$-\frac{b\sqrt{1-\frac{1}{c^2x^2}}x(a+b\sec^{-1}(cx))}{c} + \frac{1}{2}x^2(a+b\sec^{-1}(cx))^2 + \frac{b^2\log(x)}{c^2}$$

[Out] $1/2*x^2*(a+b*\text{arcsec}(c*x))^2+b^2*\ln(x)/c^2-b*x*(a+b*\text{arcsec}(c*x))*(1-1/c^2/x^2)^{(1/2)}/c$

Rubi [A]

time = 0.05, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5330, 4494, 4269, 3556}

$$-\frac{bx\sqrt{1-\frac{1}{c^2x^2}}(a+b\sec^{-1}(cx))}{c} + \frac{1}{2}x^2(a+b\sec^{-1}(cx))^2 + \frac{b^2\log(x)}{c^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(a + b*\text{ArcSec}[c*x])^2, x]$

[Out] $-(b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(a + b*\text{ArcSec}[c*x]))/c + (x^2*(a + b*\text{ArcSec}[c*x])^2)/2 + (b^2*\text{Log}[x])/c^2$

Rule 3556

$\text{Int}[\tan[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[-\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 4269

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(-(c + d*x)^m)*(\text{Cot}[e + f*x]/f), x] + \text{Dist}[d*(m/f), \text{Int}[(c + d*x)^{(m-1)}*\text{Cot}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{GtQ}[m, 0]$

Rule 4494

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\text{Sec}[(a_.) + (b_.)*(x_.)]^{(n_.)}*\text{Tan}[(a_.) + (b_.)*(x_.)]^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m*(\text{Sec}[a + b*x]^n/(b*n)), x] - \text{Dist}[d*(m/(b*n)), \text{Int}[(c + d*x)^{(m-1)}*\text{Sec}[a + b*x]^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[p, 1] \&\& \text{GtQ}[m, 0]$

Rule 5330

$\text{Int}[(a_.) + \text{ArcSec}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x_Symbol] \rightarrow \text{Dist}[1/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sec}[x]^{(m+1)}*\text{Tan}[x], x], x, \text{ArcSec}[c*x]]$

], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rubi steps

$$\begin{aligned} \int x(a + b \sec^{-1}(cx))^2 dx &= \frac{\text{Subst}(\int (a + bx)^2 \sec^2(x) \tan(x) dx, x, \sec^{-1}(cx))}{c^2} \\ &= \frac{1}{2}x^2(a + b \sec^{-1}(cx))^2 - \frac{b \text{Subst}(\int (a + bx) \sec^2(x) dx, x, \sec^{-1}(cx))}{c^2} \\ &= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x(a + b \sec^{-1}(cx))}{c} + \frac{1}{2}x^2(a + b \sec^{-1}(cx))^2 + \frac{b^2 \text{Subst}(\int \tan(x) dx, x, \sec^{-1}(cx))}{c^2} \\ &= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x(a + b \sec^{-1}(cx))}{c} + \frac{1}{2}x^2(a + b \sec^{-1}(cx))^2 + \frac{b^2 \log(x)}{c^2} \end{aligned}$$

Mathematica [A]

time = 0.09, size = 90, normalized size = 1.61

$$\frac{acx \left(-2b \sqrt{1 - \frac{1}{c^2 x^2}} + acx \right) + 2bcx \left(-b \sqrt{1 - \frac{1}{c^2 x^2}} + acx \right) \sec^{-1}(cx) + b^2 c^2 x^2 \sec^{-1}(cx)^2 + 2b^2 \log(cx)}{2c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*ArcSec[c*x])^2,x]

[Out] (a*c*x*(-2*b*Sqrt[1 - 1/(c^2*x^2)] + a*c*x) + 2*b*c*x*(-(b*Sqrt[1 - 1/(c^2*x^2)])) + a*c*x)*ArcSec[c*x] + b^2*c^2*x^2*ArcSec[c*x]^2 + 2*b^2*Log[c*x])/(2*c^2)

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 127 vs. 2(52) = 104.

time = 0.26, size = 128, normalized size = 2.29

| method | result | size |
|-------------------|---|------|
| derivativedivides | $\frac{\frac{c^2 x^2 a^2}{2} + \frac{b^2 \operatorname{arcsec}(cx)^2 c^2 x^2}{2} - b^2 \operatorname{arcsec}(cx) cx \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - b^2 \ln\left(\frac{1}{cx}\right) + 2ab \left(\frac{c^2 x^2 \operatorname{arcsec}(cx)}{2} - \frac{c^2 x^2 - 1}{2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} cx} \right)}{c^2}$ | 128 |

| | | |
|---------|---|-----|
| default | $\frac{\frac{c^2 x^2 a^2}{2} + \frac{b^2 \operatorname{arcsec}(cx)^2 c^2 x^2}{2} - b^2 \operatorname{arcsec}(cx) cx \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - b^2 \ln\left(\frac{1}{cx}\right) + 2ab \left(\frac{c^2 x^2 \operatorname{arcsec}(cx)}{2} - \frac{c^2 x^2 - 1}{2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} cx} \right)}{c^2}$ | 128 |
|---------|---|-----|

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsec(c*x))^2,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^2} * \left(\frac{1}{2} * c^2 * x^2 * a^2 + \frac{1}{2} * b^2 * \operatorname{arcsec}(c * x)^2 * c^2 * x^2 - b^2 * \operatorname{arcsec}(c * x) * c * x * \left(\frac{c^2 * x^2 - 1}{c^2 / x^2} \right)^{(1/2)} - b^2 * \ln(1/c/x) + 2 * a * b * \left(\frac{1}{2} * c^2 * x^2 * \operatorname{arcsec}(c * x) - \frac{1}{2} * \left(\frac{c^2 * x^2 - 1}{c^2 / x^2} \right)^{(1/2)} / c / x * (c^2 * x^2 - 1) \right) \right)$

Maxima [A]

time = 0.29, size = 87, normalized size = 1.55

$$\frac{1}{2} b^2 x^2 \operatorname{arcsec}(cx)^2 + \frac{1}{2} a^2 x^2 + \left(x^2 \operatorname{arcsec}(cx) - \frac{x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} \right) ab - \left(\frac{x \sqrt{-\frac{1}{c^2 x^2} + 1} \operatorname{arcsec}(cx)}{c} - \frac{\log(x)}{c^2} \right) b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))^2,x, algorithm="maxima")`

[Out] $\frac{1}{2} * b^2 * c^2 * x^2 * \operatorname{arcsec}(c * x)^2 + \frac{1}{2} * a^2 * x^2 + (x^2 * \operatorname{arcsec}(c * x) - x * \sqrt{-1/(c^2 * x^2) + 1}) / c * a * b - (x * \sqrt{-1/(c^2 * x^2) + 1} * \operatorname{arcsec}(c * x) / c - \log(x) / c^2) * b^2$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 111 vs. 2(52) = 104.

time = 2.15, size = 111, normalized size = 1.98

$$\frac{b^2 c^2 x^2 \operatorname{arcsec}(cx)^2 + a^2 c^2 x^2 + 4abc^2 \arctan(-cx + \sqrt{c^2 x^2 - 1}) + 2b^2 \log(x) + 2(abc^2 x^2 - abc^2) \operatorname{arcsec}(cx) - 2\sqrt{c^2 x^2 - 1} (b^2 \operatorname{arcsec}(cx) + ab)}{2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))^2,x, algorithm="fricas")`

[Out] $\frac{1}{2} * (b^2 * c^2 * x^2 * \operatorname{arcsec}(c * x)^2 + a^2 * c^2 * x^2 + 4 * a * b * c^2 * \arctan(-c * x + \sqrt{c^2 * x^2 - 1}) + 2 * b^2 * \log(x) + 2 * (a * b * c^2 * x^2 - a * b * c^2) * \operatorname{arcsec}(c * x) - 2 * \sqrt{c^2 * x^2 - 1} * (b^2 * \operatorname{arcsec}(c * x) + a * b)) / c^2$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x(a + b \operatorname{asec}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asec(c*x))**2,x)

[Out] Integral(x*(a + b*asec(c*x))**2, x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 2181 vs. 2(52) = 104.

time = 0.56, size = 2181, normalized size = 38.95

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] $\frac{1}{2}(b^2 \arccos(1/(cx))^2 / (c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 + 2ab \arccos(1/(cx)) / (c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 - 2b^2(1/(c^2x^2) - 1) \arccos(1/(cx))^2 / ((c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * (1/(cx) + 1)^2 - 2b^2 \log(2) / (c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 + 2b^2 \log(2/(cx) + 2) / (c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 - 2b^2 \log(\text{abs}(\sqrt{-1/(c^2x^2) + 1} + 1/(cx) + 1)) / (c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 - 2b^2 \log(\text{abs}(\sqrt{-1/(c^2x^2) + 1} - 1/(cx) - 1)) / (c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 - 4b^2 \sqrt{-1/(c^2x^2) + 1} \arccos(1/(cx)) / ((c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * (1/(cx) + 1) + a^2 / (c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 - 4ab(1/(c^2x^2) - 1) \arccos(1/(cx)) / ((c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * (1/(cx) + 1)^2 + b^2(1/(c^2x^2) - 1)^2 \arccos(1/(cx))^2 / ((c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * (1/(cx) + 1)^4 - 4b^2(1/(c^2x^2) - 1) \log(2) / ((c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * (1/(cx) + 1)^2 + 4b^2(1/(c^2x^2) - 1) \log(2/(cx) + 2) / ((c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * (1/(cx) + 1)^2 - 4b^2(1/(c^2x^2) - 1) \log(\text{abs}(\sqrt{-1/(c^2x^2) + 1} + 1/(cx) + 1)) / ((c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * (1/(cx) + 1)^2 - 4b^2(1/(c^2x^2) - 1) \log(\text{abs}(\sqrt{-1/(c^2x^2) + 1} - 1/(cx) - 1)) / ((c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * (1/(cx) + 1)^2 - 4ab \sqrt{-1/(c^2x^2) + 1} / ((c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * (1/(cx) + 1) + 4b^2(-1/(c^2x^2) + 1)^{3/2} \arccos(1/(cx)) / ((c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * (1/(cx) + 1)^3 - 2a^2(1/(c^2x^2) - 1) / ((c^3 + 2c^3(1/(c^2x^2) - 1)/(1/(cx) + 1))^2 + c^3(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4)$

$$\begin{aligned}
& (c^2x^2 - 1)^2/(1/(cx) + 1)^4 * (1/(cx) + 1)^2 + 2ab * (1/(c^2x^2) - 1) \\
& ^2 * \arccos(1/(cx)) / ((c^3 + 2c^3 * (1/(c^2x^2) - 1) / (1/(cx) + 1)^2 + c^3 * \\
& (1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * (1/(cx) + 1)^4 - 2b^2 * (1/(c^2x^2) - \\
& 1)^2 * \log(2) / ((c^3 + 2c^3 * (1/(c^2x^2) - 1) / (1/(cx) + 1)^2 + c^3 * (1/(c^2x^2) - \\
& 1)^2 / (1/(cx) + 1)^4) * (1/(cx) + 1)^4 + 2b^2 * (1/(c^2x^2) - 1)^2 * \log(2 / (cx) + 2) / \\
& ((c^3 + 2c^3 * (1/(c^2x^2) - 1) / (1/(cx) + 1)^2 + c^3 * (1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * \\
& (1/(cx) + 1)^4) - 2b^2 * (1/(c^2x^2) - 1)^2 * \log(\text{abs}(\sqrt{-1/(c^2x^2) + 1} + 1/(cx) + 1)) / \\
& ((c^3 + 2c^3 * (1/(c^2x^2) - 1) / (1/(cx) + 1)^2 + c^3 * (1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * \\
& (1/(cx) + 1)^4) - 2b^2 * (1/(c^2x^2) - 1)^2 * \log(\text{abs}(\sqrt{-1/(c^2x^2) + 1} - 1/(cx) - \\
& 1)) / ((c^3 + 2c^3 * (1/(c^2x^2) - 1) / (1/(cx) + 1)^2 + c^3 * (1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * \\
& (1/(cx) + 1)^4) + 4ab * (-1/(c^2x^2) + 1)^{3/2} / ((c^3 + 2c^3 * (1/(c^2x^2) - 1) / (1/(cx) + 1)^2 + \\
& c^3 * (1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * (1/(cx) + 1)^3) + a^2 * (1/(c^2x^2) - 1)^2 / ((c^3 + 2c^3 * (1/(c^2x^2) - \\
& 1) / (1/(cx) + 1)^2 + c^3 * (1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4) * (1/(cx) + 1)^4) * c
\end{aligned}$$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int x \left(a + b \arccos\left(\frac{1}{cx}\right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*acos(1/(c*x)))^2,x)

[Out] int(x*(a + b*acos(1/(c*x)))^2, x)

3.18 $\int (a + b \sec^{-1}(cx))^2 dx$

Optimal. Leaf size=92

$$x(a + b \sec^{-1}(cx))^2 + \frac{4ib(a + b \sec^{-1}(cx)) \operatorname{ArcTan}\left(e^{i \sec^{-1}(cx)}\right)}{c} - \frac{2ib^2 \operatorname{PolyLog}\left(2, -ie^{i \sec^{-1}(cx)}\right)}{c} + \frac{2ib^2 \operatorname{PolyLog}\left(2, ie^{i \sec^{-1}(cx)}\right)}{c}$$

[Out] $x*(a+b*\operatorname{arcsec}(c*x))^2+4*I*b*(a+b*\operatorname{arcsec}(c*x))*\arctan(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/c-2*I*b^2*\operatorname{polylog}(2,-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))/c+2*I*b^2*\operatorname{polylog}(2,I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))/c$

Rubi [A]

time = 0.05, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5324, 4494, 4266, 2317, 2438}

$$\frac{4ib \operatorname{ArcTan}\left(e^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))}{c} + x(a + b \sec^{-1}(cx))^2 - \frac{2ib^2 \operatorname{Li}_2\left(-ie^{i \sec^{-1}(cx)}\right)}{c} + \frac{2ib^2 \operatorname{Li}_2\left(ie^{i \sec^{-1}(cx)}\right)}{c}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSec}[c*x])^2, x]$

[Out] $x*(a + b*\operatorname{ArcSec}[c*x])^2 + ((4*I)*b*(a + b*\operatorname{ArcSec}[c*x])* \operatorname{ArcTan}[E^{(I*\operatorname{ArcSec}[c*x])}])/c - ((2*I)*b^2*\operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSec}[c*x])}])/c + ((2*I)*b^2*\operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSec}[c*x])}])/c$

Rule 2317

$\operatorname{Int}[\operatorname{Log}[(a_) + (b_)*((F_)^{((e_)*((c_) + (d_)*(x_)))})^{(n_)}], x_Symbol]$
 $\rightarrow \operatorname{Dist}[1/(d*e*n*\operatorname{Log}[F]), \operatorname{Subst}[\operatorname{Int}[\operatorname{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, n, x\} \ \&\& \ \operatorname{GtQ}[a, 0]$

Rule 2438

$\operatorname{Int}[\operatorname{Log}[(c_)*((d_) + (e_)*(x_)^{(n_)})]/(x_), x_Symbol] \rightarrow \operatorname{Simp}[-\operatorname{PolyLog}[2, (-c)*e*x^n]/n, x] /;$ $\operatorname{FreeQ}\{c, d, e, n, x\} \ \&\& \ \operatorname{EqQ}[c*d, 1]$

Rule 4266

$\operatorname{Int}[\operatorname{csc}[(e_) + \operatorname{Pi}*(k_) + (f_)*(x_)]*((c_) + (d_)*(x_))^{(m_)}, x_Symbol]$
 $\rightarrow \operatorname{Simp}[-2*(c + d*x)^m*(\operatorname{ArcTanh}[E^{(I*k*Pi)}*E^{(I*(e + f*x])}])/f, x] + (-\operatorname{Dist}[d*(m/f), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 - E^{(I*k*Pi)}*E^{(I*(e + f*x])}], x], x] + \operatorname{Dist}[d*(m/f), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 + E^{(I*k*Pi)}*E^{(I*(e + f*x])}], x], x]) /;$ $\operatorname{FreeQ}\{c, d, e, f, x\} \ \&\& \ \operatorname{IntegerQ}[2*k] \ \&\& \ \operatorname{IGtQ}[m, 0]$

Rule 4494

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b
_.)*(x_)]^(p_.), x_Symbol] := Simp[(c + d*x)^m*(Sec[a + b*x]^n/(b*n)), x] -
Dist[d*(m/(b*n)), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a
, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 5324

```
Int[(a_.) + ArcSec[(c_.)*(x_)]*(b_.)]^(n_), x_Symbol] := Dist[1/c, Subst[In
t[(a + b*x)^n*Sec[x]*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c, n}
, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned} \int (a + b \sec^{-1}(cx))^2 dx &= \frac{\text{Subst}\left(\int (a + bx)^2 \sec(x) \tan(x) dx, x, \sec^{-1}(cx)\right)}{c} \\ &= x(a + b \sec^{-1}(cx))^2 - \frac{(2b)\text{Subst}\left(\int (a + bx) \sec(x) dx, x, \sec^{-1}(cx)\right)}{c} \\ &= x(a + b \sec^{-1}(cx))^2 + \frac{4ib(a + b \sec^{-1}(cx)) \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)}{c} + \frac{(2b^2)\text{Subst}\left(\int \log\right)}{c} \\ &= x(a + b \sec^{-1}(cx))^2 + \frac{4ib(a + b \sec^{-1}(cx)) \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)}{c} - \frac{(2ib^2)\text{Subst}\left(\int \log\right)}{c} \\ &= x(a + b \sec^{-1}(cx))^2 + \frac{4ib(a + b \sec^{-1}(cx)) \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)}{c} - \frac{2ib^2 \text{Li}_2\left(-ie^{i \sec^{-1}(cx)}\right)}{c} \end{aligned}$$

Mathematica [A]

time = 0.12, size = 163, normalized size = 1.77

$$\frac{a^2 cx + 2ab(cx \sec^{-1}(cx) + \log(\cos(\frac{1}{2} \sec^{-1}(cx)) - \sin(\frac{1}{2} \sec^{-1}(cx))) - \log(\cos(\frac{1}{2} \sec^{-1}(cx)) + \sin(\frac{1}{2} \sec^{-1}(cx)))) + b^2(\sec^{-1}(cx)(cx \sec^{-1}(cx) - 2\log(1 - ie^{i \sec^{-1}(cx)}) + 2\log(1 + ie^{i \sec^{-1}(cx)})) - 2i \text{PolyLog}(2, -ie^{i \sec^{-1}(cx)}) + 2i \text{PolyLog}(2, ie^{i \sec^{-1}(cx)}))}{c}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSec[c*x])^2, x]
```

```
[Out] (a^2*c*x + 2*a*b*(c*x*ArcSec[c*x] + Log[Cos[ArcSec[c*x]/2] - Sin[ArcSec[c*x]
]/2]) - Log[Cos[ArcSec[c*x]/2] + Sin[ArcSec[c*x]/2]) + b^2*(ArcSec[c*x]*(c
*x*ArcSec[c*x] - 2*Log[1 - I*E^(I*ArcSec[c*x])]) + 2*Log[1 + I*E^(I*ArcSec[c
*x])]) - (2*I)*PolyLog[2, (-I)*E^(I*ArcSec[c*x])] + (2*I)*PolyLog[2, I*E^(I
*ArcSec[c*x])]))/c
```

Maple [A]

time = 0.18, size = 204, normalized size = 2.22

| method | result |
|-------------------|--|
| derivativedivides | $a^2cx + \operatorname{arcsec}(cx)^2 b^2 cx - 2b^2 \operatorname{arcsec}(cx) \ln\left(1 - i\left(\frac{1}{cx} + i\sqrt{1 - \frac{1}{c^2 x^2}}\right)\right) + 2b^2 \operatorname{arcsec}(cx) \ln\left(1 + i\left(\frac{1}{cx} + i\sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)$ |
| default | $a^2cx + \operatorname{arcsec}(cx)^2 b^2 cx - 2b^2 \operatorname{arcsec}(cx) \ln\left(1 - i\left(\frac{1}{cx} + i\sqrt{1 - \frac{1}{c^2 x^2}}\right)\right) + 2b^2 \operatorname{arcsec}(cx) \ln\left(1 + i\left(\frac{1}{cx} + i\sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))^2,x,method=_RETURNVERBOSE)`

[Out]
$$\frac{1}{c} \left(a^2 c x + \operatorname{arcsec}(c x)^2 b^2 c x - 2 b^2 \operatorname{arcsec}(c x) \ln\left(1 - i \sqrt{1 - \frac{1}{c^2 x^2}}\right) + 2 b^2 \operatorname{arcsec}(c x) \ln\left(1 + i \sqrt{1 - \frac{1}{c^2 x^2}}\right) \right) - 2 i \operatorname{dilog}\left(1 + i \sqrt{1 - \frac{1}{c^2 x^2}}\right) b^2 + 2 i \operatorname{dilog}\left(1 - i \sqrt{1 - \frac{1}{c^2 x^2}}\right) b^2 + 2 \operatorname{arcsec}(c x) a b c x - 2 \ln\left(c x + c x \sqrt{1 - \frac{1}{c^2 x^2}}\right) a b$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^2,x, algorithm="maxima")`

[Out]
$$-\frac{1}{4} \left(2 c^2 \left(2 x / c^2 - \log(c x + 1) / c^3 + \log(c x - 1) / c^3 \right) \log(c)^2 - 4 c^2 \int x^2 \log(c^2 x^2) / (c^2 x^2 - 1) dx \log(c) + 8 c^2 \int x^2 \log(x) / (c^2 x^2 - 1) dx \log(c) - 4 x \arctan(\sqrt{c x + 1} \sqrt{c x - 1})^2 - 4 c^2 \int x^2 \log(c^2 x^2) \log(x) / (c^2 x^2 - 1) dx + 4 c^2 \int x^2 \log(x)^2 / (c^2 x^2 - 1) dx - 4 c^2 \int x^2 \log(c^2 x^2) / (c^2 x^2 - 1) dx + x \log(c^2 x^2)^2 + 2 (\log(c x + 1) / c - \log(c x - 1) / c) \log(c)^2 + 4 \int \log(c^2 x^2) / (c^2 x^2 - 1) dx \log(c) - 8 \int \log(x) / (c^2 x^2 - 1) dx \log(c) + 8 \int \sqrt{c x + 1} \sqrt{c x - 1} \arctan(\sqrt{c x + 1} \sqrt{c x - 1}) / (c^2 x^2 - 1) dx + 4 \int \log(c^2 x^2) \log(x) / (c^2 x^2 - 1) dx - 4 \int \log(x)^2 / (c^2 x^2 - 1) dx + 4 \int \log(c^2 x^2) / (c^2 x^2 - 1) dx \right) b^2 + a^2 x + (2 c x \operatorname{arcsec}(c x) - \log(\sqrt{-1 / (c^2 x^2) + 1} + 1) + \log(-\sqrt{-1 / (c^2 x^2) + 1} + 1)) a b / c$$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^2,x, algorithm="fricas")`

[Out] `integral(b^2*arcsec(c*x)^2 + 2*a*b*arcsec(c*x) + a^2, x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asec}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))**2,x)`

[Out] `Integral((a + b*asec(c*x))**2, x)`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^2,x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)^2, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acos(1/(c*x)))^2,x)`

[Out] `int((a + b*acos(1/(c*x)))^2, x)`

$$3.19 \quad \int \frac{(a+b \sec^{-1}(cx))^2}{x} dx$$

Optimal. Leaf size=93

$$\frac{i(a+b \sec^{-1}(cx))^3}{3b} - (a+b \sec^{-1}(cx))^2 \log\left(1+e^{2i \sec^{-1}(cx)}\right) + ib(a+b \sec^{-1}(cx)) \operatorname{PolyLog}\left(2, -e^{2i \sec^{-1}(cx)}\right)$$

[Out] 1/3*I*(a+b*arcsec(c*x))^3/b-(a+b*arcsec(c*x))^2*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+I*b*(a+b*arcsec(c*x))*polylog(2,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)-1/2*b^2*polylog(3,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)

Rubi [A]

time = 0.09, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5330, 3800, 2221, 2611, 2320, 6724}

$$ib\operatorname{Li}_2\left(-e^{2i \sec^{-1}(cx)}\right) (a+b \sec^{-1}(cx)) + \frac{i(a+b \sec^{-1}(cx))^3}{3b} - \log\left(1+e^{2i \sec^{-1}(cx)}\right) (a+b \sec^{-1}(cx))^2 - \frac{1}{2}b^2\operatorname{Li}_3\left(-e^{2i \sec^{-1}(cx)}\right)$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^2/x, x]

[Out] ((I/3)*(a + b*ArcSec[c*x])^3)/b - (a + b*ArcSec[c*x])^2*Log[1 + E^((2*I)*ArcSec[c*x])] + I*b*(a + b*ArcSec[c*x])*PolyLog[2, -E^((2*I)*ArcSec[c*x])] - (b^2*PolyLog[3, -E^((2*I)*ArcSec[c*x])])/2

Rule 2221

Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2320

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2611

Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)*(x_))^(m_), x_Symbol] :> Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m

- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 3800

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 5330

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 6724

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec^{-1}(cx))^2}{x} dx &= \text{Subst} \left(\int (a + bx)^2 \tan(x) dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{i(a + b \sec^{-1}(cx))^3}{3b} - 2i \text{Subst} \left(\int \frac{e^{2ix}(a + bx)^2}{1 + e^{2ix}} dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{i(a + b \sec^{-1}(cx))^3}{3b} - (a + b \sec^{-1}(cx))^2 \log \left(1 + e^{2i \sec^{-1}(cx)} \right) + (2b) \text{Subst} \left(\int (a - bx) \tan(x) dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{i(a + b \sec^{-1}(cx))^3}{3b} - (a + b \sec^{-1}(cx))^2 \log \left(1 + e^{2i \sec^{-1}(cx)} \right) + ib(a + b \sec^{-1}(cx)) \\
 &= \frac{i(a + b \sec^{-1}(cx))^3}{3b} - (a + b \sec^{-1}(cx))^2 \log \left(1 + e^{2i \sec^{-1}(cx)} \right) + ib(a + b \sec^{-1}(cx)) \\
 &= \frac{i(a + b \sec^{-1}(cx))^3}{3b} - (a + b \sec^{-1}(cx))^2 \log \left(1 + e^{2i \sec^{-1}(cx)} \right) + ib(a + b \sec^{-1}(cx))
 \end{aligned}$$

Mathematica [A]

time = 0.08, size = 129, normalized size = 1.39

$$iab \sec^{-1}(cx)^2 + \frac{1}{3}ib^2 \sec^{-1}(cx)^3 - 2ab \sec^{-1}(cx) \log \left(1 + e^{2i \sec^{-1}(cx)} \right) - b^2 \sec^{-1}(cx)^2 \log \left(1 + e^{2i \sec^{-1}(cx)} \right) + a^2 \log(cx) + ib(a + b \sec^{-1}(cx)) \text{PolyLog} \left(2, -e^{2i \sec^{-1}(cx)} \right) - \frac{1}{2}b^2 \text{PolyLog} \left(3, -e^{2i \sec^{-1}(cx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])^2/x,x]

[Out] $I*a*b*ArcSec[c*x]^2 + (I/3)*b^2*ArcSec[c*x]^3 - 2*a*b*ArcSec[c*x]*Log[1 + E^{((2*I)*ArcSec[c*x])}] - b^2*ArcSec[c*x]^2*Log[1 + E^{((2*I)*ArcSec[c*x])}] + a^2*Log[c*x] + I*b*(a + b*ArcSec[c*x])*PolyLog[2, -E^{((2*I)*ArcSec[c*x])}] - (b^2*PolyLog[3, -E^{((2*I)*ArcSec[c*x])}])/2$

Maple [A]

time = 0.22, size = 215, normalized size = 2.31

| method | result |
|-------------------|---|
| derivativedivides | $a^2 \ln(cx) + \frac{ib^2 \operatorname{arcsec}(cx)^3}{3} - b^2 \operatorname{arcsec}(cx)^2 \ln\left(1 + \left(\frac{1}{cx} + i\sqrt{1 - \frac{1}{c^2 x^2}}\right)^2\right) + ib^2 \operatorname{arcsec}(cx)$ |
| default | $a^2 \ln(cx) + \frac{ib^2 \operatorname{arcsec}(cx)^3}{3} - b^2 \operatorname{arcsec}(cx)^2 \ln\left(1 + \left(\frac{1}{cx} + i\sqrt{1 - \frac{1}{c^2 x^2}}\right)^2\right) + ib^2 \operatorname{arcsec}(cx)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))^2/x,x,method=_RETURNVERBOSE)

[Out] $a^2*\ln(c*x)+1/3*I*b^2*\operatorname{arcsec}(c*x)^3-b^2*\operatorname{arcsec}(c*x)^2*\ln(1+(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2)+I*b^2*\operatorname{arcsec}(c*x)*\operatorname{polylog}(2,-(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2)-1/2*b^2*\operatorname{polylog}(3,-(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2)+I*a*b*\operatorname{arcsec}(c*x)^2-2*a*b*\operatorname{arcsec}(c*x)*\ln(1+(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2)+I*a*b*\operatorname{polylog}(2,-(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^2/x,x, algorithm="maxima")

[Out] $-1/2*b^2*c^2*(\log(c*x + 1)/c^2 + \log(c*x - 1)/c^2)*\log(c)^2 + b^2*c^2*\operatorname{integrate}(x^2*\log(c^2*x^2)/(c^2*x^3 - x), x)*\log(c) - 2*b^2*c^2*\operatorname{integrate}(x^2*\log(x)/(c^2*x^3 - x), x)*\log(c) + 2*b^2*c^2*\operatorname{integrate}(x^2*\log(c^2*x^2)*\log(x)/(c^2*x^3 - x), x) - b^2*c^2*\operatorname{integrate}(x^2*\log(x)^2/(c^2*x^3 - x), x) + 2*a*b*c^2*\operatorname{integrate}(x^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})/(c^2*x^3 - x), x) + 1/2*b^2*(\log(c*x + 1) + \log(c*x - 1) - 2*\log(x))*\log(c)^2 + b^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^2*\log(x) - 1/4*b^2*\log(c^2*x^2)^2*\log(x) - b^2*i*\operatorname{integrate}(\log(c^2*x^2)/(c^2*x^3 - x), x)*\log(c) + 2*b^2*\operatorname{integrate}(\log(x)/(c^2*x^3 - x), x)*\log(c)$

```
2*x^3 - x), x)*log(c) - 2*b^2*integrate(sqrt(c*x + 1)*sqrt(c*x - 1)*arctan(
sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)/(c^2*x^3 - x), x) - 2*b^2*integrate(log
(c^2*x^2)*log(x)/(c^2*x^3 - x), x) + b^2*integrate(log(x)^2/(c^2*x^3 - x),
x) - 2*a*b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^3 - x), x)
+ a^2*log(x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^2/x,x, algorithm="fricas")
```

```
[Out] integral((b^2*arcsec(c*x)^2 + 2*a*b*arcsec(c*x) + a^2)/x, x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))^2/x,x)
```

```
[Out] Integral((a + b*asec(c*x))^2/x, x)
```

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^2/x,x, algorithm="giac")
```

```
[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
by intervals (correct if the argument is real):Check [abs(sageVARx)]ln of
unsigned
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{acos}(\frac{1}{cx}))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(1/(c*x)))^2/x,x)
```

```
[Out] int((a + b*acos(1/(c*x)))^2/x, x)
```

$$3.20 \quad \int \frac{(a+b \sec^{-1}(cx))^2}{x^2} dx$$

Optimal. Leaf size=50

$$\frac{2b^2}{x} + 2bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx)) - \frac{(a + b \sec^{-1}(cx))^2}{x}$$

[Out] $2*b^2/x - (a+b*\text{arcsec}(c*x))^2/x + 2*b*c*(a+b*\text{arcsec}(c*x))*(1-1/c^2/x^2)^{(1/2)}$

Rubi [A]

time = 0.04, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {5330, 3377, 2718}

$$2bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx)) - \frac{(a + b \sec^{-1}(cx))^2}{x} + \frac{2b^2}{x}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcSec}[c*x])^2/x^2, x]$

[Out] $(2*b^2)/x + 2*b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcSec}[c*x]) - (a + b*\text{ArcSec}[c*x])^2/x$

Rule 2718

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[-\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3377

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[(-c + d*x)^m*(\text{Cos}[e + f*x]/f), x] + \text{Dist}[d*(m/f), \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 5330

$\text{Int}[(a_. + \text{ArcSec}[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}, x_Symbol] \rightarrow \text{Dist}[1/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sec}[x]^{(m+1)}*\text{Tan}[x], x], x, \text{ArcSec}[c*x]], x] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ (\text{GtQ}[n, 0] \ || \ \text{LtQ}[m, -1])$

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec^{-1}(cx))^2}{x^2} dx &= c \text{Subst} \left(\int (a + bx)^2 \sin(x) dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{(a + b \sec^{-1}(cx))^2}{x} + (2bc) \text{Subst} \left(\int (a + bx) \cos(x) dx, x, \sec^{-1}(cx) \right) \\
&= 2bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx)) - \frac{(a + b \sec^{-1}(cx))^2}{x} - (2b^2 c) \text{Subst} \left(\int \sin(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{2b^2}{x} + 2bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx)) - \frac{(a + b \sec^{-1}(cx))^2}{x}
\end{aligned}$$

Mathematica [A]

time = 0.08, size = 75, normalized size = 1.50

$$\frac{-a^2 + 2b^2 + 2abc \sqrt{1 - \frac{1}{c^2 x^2}} x + 2b \left(-a + bc \sqrt{1 - \frac{1}{c^2 x^2}} x \right) \sec^{-1}(cx) - b^2 \sec^{-1}(cx)^2}{x}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSec[c*x])^2/x^2,x]`

```
[Out] (-a^2 + 2*b^2 + 2*a*b*c*Sqrt[1 - 1/(c^2*x^2)]*x + 2*b*(-a + b*c*Sqrt[1 - 1/(c^2*x^2)]*x)*ArcSec[c*x] - b^2*ArcSec[c*x]^2)/x
```

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 116 vs.

2(48) = 96.

time = 0.16, size = 117, normalized size = 2.34

| method | result |
|-------------------|---|
| derivativedivides | $c \left(-\frac{a^2}{cx} + b^2 \left(-\frac{\text{arcsec}(cx)^2}{cx} + \frac{2}{cx} + 2 \text{arcsec}(cx) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} \right) \right) + 2ab \left(-\frac{\text{arcsec}(cx)}{cx} + \frac{c^2 x^2 - 1}{\sqrt{c^2 x^2 - 1} c} \right)$ |
| default | $c \left(-\frac{a^2}{cx} + b^2 \left(-\frac{\text{arcsec}(cx)^2}{cx} + \frac{2}{cx} + 2 \text{arcsec}(cx) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} \right) \right) + 2ab \left(-\frac{\text{arcsec}(cx)}{cx} + \frac{c^2 x^2 - 1}{\sqrt{c^2 x^2 - 1} c} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*arcsec(c*x))^2/x^2,x,method=_RETURNVERBOSE)`

```
[Out] c*(-a^2/c/x+b^2*(-arcsec(c*x)^2/c/x+2/c/x+2*arcsec(c*x)*((c^2*x^2-1)/c^2/x^2)^(1/2))+2*a*b*(-1/c/x*arcsec(c*x)+1/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^2/x^2*(c^2*x^2-1)))
```

Maxima [A]

time = 0.27, size = 78, normalized size = 1.56

$$2 \left(c \sqrt{-\frac{1}{c^2 x^2} + 1} - \frac{\operatorname{arcsec}(cx)}{x} \right) ab + 2 \left(c \sqrt{-\frac{1}{c^2 x^2} + 1} \operatorname{arcsec}(cx) + \frac{1}{x} \right) b^2 - \frac{b^2 \operatorname{arcsec}(cx)^2}{x} - \frac{a^2}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^2/x^2,x, algorithm="maxima")

[Out] 2*(c*sqrt(-1/(c^2*x^2) + 1) - arcsec(c*x)/x)*a*b + 2*(c*sqrt(-1/(c^2*x^2) + 1)*arcsec(c*x) + 1/x)*b^2 - b^2*arcsec(c*x)^2/x - a^2/x

Fricas [A]

time = 1.94, size = 57, normalized size = 1.14

$$\frac{b^2 \operatorname{arcsec}(cx)^2 + 2ab \operatorname{arcsec}(cx) + a^2 - 2b^2 - 2\sqrt{c^2 x^2 - 1} (b^2 \operatorname{arcsec}(cx) + ab)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^2/x^2,x, algorithm="fricas")

[Out] -(b^2*arcsec(c*x)^2 + 2*a*b*arcsec(c*x) + a^2 - 2*b^2 - 2*sqrt(c^2*x^2 - 1) *(b^2*arcsec(c*x) + a*b))/x

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))**2/x**2,x)

[Out] Integral((a + b*asec(c*x))**2/x**2, x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 105 vs. 2(48) = 96.

time = 0.40, size = 105, normalized size = 2.10

$$\left(2b^2 \sqrt{-\frac{1}{c^2 x^2} + 1} \arccos\left(\frac{1}{cx}\right) + 2ab \sqrt{-\frac{1}{c^2 x^2} + 1} - \frac{b^2 \arccos\left(\frac{1}{cx}\right)^2}{cx} - \frac{2ab \arccos\left(\frac{1}{cx}\right)}{cx} - \frac{a^2}{cx} + \frac{2b^2}{cx} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^2/x^2,x, algorithm="giac")

[Out] $(2*b^2*\sqrt{-1/(c^2*x^2) + 1}*\arccos(1/(c*x)) + 2*a*b*\sqrt{-1/(c^2*x^2) + 1}) - b^2*\arccos(1/(c*x))^2/(c*x) - 2*a*b*\arccos(1/(c*x))/(c*x) - a^2/(c*x) + 2*b^2/(c*x))*c$

Mupad [B]

time = 0.82, size = 89, normalized size = 1.78

$$2b^2c \arccos\left(\frac{1}{cx}\right) \sqrt{1 - \frac{1}{c^2x^2}} - \frac{b^2 \left(\arccos\left(\frac{1}{cx}\right)^2 - 2\right)}{x} - \frac{a^2}{x} + 2abc \left(\sqrt{1 - \frac{1}{c^2x^2}} - \frac{\arccos\left(\frac{1}{cx}\right)}{cx}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acos(1/(c*x)))^2/x^2,x)`

[Out] $2*b^2*c*acos(1/(c*x))*(1 - 1/(c^2*x^2))^(1/2) - (b^2*(acos(1/(c*x))^2 - 2))/x - a^2/x + 2*a*b*c*((1 - 1/(c^2*x^2))^(1/2) - acos(1/(c*x))/(c*x))$

$$3.21 \quad \int \frac{(a + b \sec^{-1}(cx))^2}{x^3} dx$$

Optimal. Leaf size=94

$$\frac{b^2}{4x^2} - \frac{1}{2}abc^2 \sec^{-1}(cx) - \frac{1}{4}b^2c^2 \sec^{-1}(cx)^2 + \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \sec^{-1}(cx))}{2x} + \frac{1}{2}\left(c^2 - \frac{1}{x^2}\right)(a + b \sec^{-1}(cx))^2$$

[Out] $1/4*b^2/x^2 - 1/2*a*b*c^2*\text{arcsec}(c*x) - 1/4*b^2*c^2*\text{arcsec}(c*x)^2 + 1/2*(c^2 - 1/x^2)*(a + b*\text{arcsec}(c*x))^2 + 1/2*b*c*(a + b*\text{arcsec}(c*x))*(1 - 1/c^2/x^2)^{(1/2)}/x$

Rubi [A]

time = 0.06, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {5330, 4489, 3391}

$$\frac{bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \sec^{-1}(cx))}{2x} + \frac{1}{2}\left(c^2 - \frac{1}{x^2}\right)(a + b \sec^{-1}(cx))^2 - \frac{1}{2}abc^2 \sec^{-1}(cx) - \frac{1}{4}b^2c^2 \sec^{-1}(cx)^2 + \frac{b^2}{4x^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcSec}[c*x])^2/x^3, x]$

[Out] $b^2/(4*x^2) - (a*b*c^2*\text{ArcSec}[c*x])/2 - (b^2*c^2*\text{ArcSec}[c*x]^2)/4 + (b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcSec}[c*x]))/(2*x) + ((c^2 - x^(-2))*(a + b*\text{ArcSec}[c*x])^2)/2$

Rule 3391

$\text{Int}[(c_. + (d_.)*(x_.))*((b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[d*((b*\text{Sin}[e + f*x])^n/(f^2*n^2)), x] + (\text{Dist}[b^2*((n - 1)/n), \text{Int}[(c + d*x)*(b*\text{Sin}[e + f*x])^{(n - 2)}, x], x] - \text{Simp}[b*(c + d*x)*\text{Cos}[e + f*x]*((b*\text{Sin}[e + f*x])^{(n - 1)})/(f*n), x]) /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{GtQ}[n, 1]$

Rule 4489

$\text{Int}[\text{Cos}[(a_.) + (b_.)*(x_.)]*((c_.) + (d_.)*(x_.))^{(m_.)*\text{Sin}[(a_.) + (b_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m*(\text{Sin}[a + b*x]^{(n + 1)})/(b*(n + 1)), x] - \text{Dist}[d*(m/(b*(n + 1))), \text{Int}[(c + d*x)^{(m - 1)}*\text{Sin}[a + b*x]^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{NeQ}[n, -1]$

Rule 5330

$\text{Int}[(a_. + \text{ArcSec}[(c_.)*(x_.)]*(b_.))^{(n_.)*(x_.)^{(m_.)}, x_Symbol] \rightarrow \text{Dist}[1/c^{(m + 1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sec}[x]^{(m + 1)}*\text{Tan}[x], x], x, \text{ArcSec}[c*x]]$

], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec^{-1}(cx))^2}{x^3} dx &= c^2 \text{Subst} \left(\int (a + bx)^2 \cos(x) \sin(x) dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{1}{2} \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx))^2 - (bc^2) \text{Subst} \left(\int (a + bx) \sin^2(x) dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{b^2}{4x^2} + \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{2x} + \frac{1}{2} \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx))^2 - \frac{1}{2} (bc^2) \\
 &= \frac{b^2}{4x^2} - \frac{1}{2} abc^2 \sec^{-1}(cx) - \frac{1}{4} b^2 c^2 \sec^{-1}(cx)^2 + \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{2x} + \frac{1}{2}
 \end{aligned}$$

Mathematica [A]

time = 0.07, size = 102, normalized size = 1.09

$$\frac{-2a^2 + b^2 + 2abc \sqrt{1 - \frac{1}{c^2 x^2}} x + 2b \left(-2a + bc \sqrt{1 - \frac{1}{c^2 x^2}} x \right) \sec^{-1}(cx) + b^2 (-2 + c^2 x^2) \sec^{-1}(cx)^2 - 2abc^2 x^2 \text{ArcSin}\left(\frac{1}{cx}\right)}{4x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])^2/x^3,x]

[Out] (-2*a^2 + b^2 + 2*a*b*c*Sqrt[1 - 1/(c^2*x^2)]*x + 2*b*(-2*a + b*c*Sqrt[1 - 1/(c^2*x^2)]*x)*ArcSec[c*x] + b^2*(-2 + c^2*x^2)*ArcSec[c*x]^2 - 2*a*b*c^2*x^2*ArcSin[1/(c*x)])/(4*x^2)

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 192 vs. 2(82) = 164.

time = 0.16, size = 193, normalized size = 2.05

| method | result |
|-------------------|---|
| derivativedivides | $ c^2 \left(-\frac{a^2}{2c^2 x^2} + b^2 \left(-\frac{\text{arcsec}(cx)^2}{2c^2 x^2} + \frac{\text{arcsec}(cx) \left(\text{arcsec}(cx) cx + \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} \right)}{2cx} - \frac{\text{arcsec}(cx)^2}{4} - \frac{1}{4} + \frac{1}{4c^2 x^2} \right) \right) $ |

| | |
|---------|---|
| default | $c^2 \left(-\frac{a^2}{2c^2x^2} + b^2 \left(-\frac{\operatorname{arcsec}(cx)^2}{2c^2x^2} + \frac{\operatorname{arcsec}(cx) \left(\operatorname{arcsec}(cx)cx + \sqrt{\frac{c^2x^2-1}{c^2x^2}} \right)}{2cx} - \frac{\operatorname{arcsec}(cx)^2}{4} - \frac{1}{4} + \frac{1}{4c^2x^2} \right) \right)$ |
|---------|---|

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))^2/x^3,x,method=_RETURNVERBOSE)`

[Out] $c^2 * (-1/2 * a^2 / c^2 / x^2 + b^2 * (-1/2 * \operatorname{arcsec}(c*x)^2 / c^2 / x^2 + 1/2 * \operatorname{arcsec}(c*x) * (\operatorname{arcsec}(c*x) * c*x + ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)}) / c / x - 1/4 * \operatorname{arcsec}(c*x)^2 - 1/4 + 1/4 / c^2 / x^2) - a * b / c^2 / x^2 * \operatorname{arcsec}(c*x) - 1/2 * a * b * (c^2 * x^2 - 1)^{(1/2)} / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c / x * \arctan(1 / (c^2 * x^2 - 1)^{(1/2)}) + 1/2 * a * b * (c^2 * x^2 - 1) / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c^3 / x^3)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^2/x^3,x, algorithm="maxima")`

[Out] $-1/2 * a * b * ((c^4 * x * \sqrt{-1 / (c^2 * x^2) + 1}) / (c^2 * x^2 * (1 / (c^2 * x^2) - 1) - 1) - c^3 * \arctan(c * x * \sqrt{-1 / (c^2 * x^2) + 1})) / c + 2 * \operatorname{arcsec}(c * x) / x^2 - 1/8 * (4 * (c^2 * (\log(c * x + 1) + \log(c * x - 1) - 2 * \log(x)) * \log(c)^2 - 4 * c^2 * \int (1/2 * x^2 * \log(c^2 * x^2) / (c^2 * x^5 - x^3), x) * \log(c) + 8 * c^2 * \int (1/2 * x^2 * \log(x) / (c^2 * x^5 - x^3), x) * \log(c) - 4 * c^2 * \int (1/2 * x^2 * \log(c^2 * x^2) * \log(x) / (c^2 * x^5 - x^3), x) + 4 * c^2 * \int (1/2 * x^2 * \log(x)^2 / (c^2 * x^5 - x^3), x) + 2 * c^2 * \int (1/2 * x^2 * \log(c^2 * x^2) / (c^2 * x^5 - x^3), x) - (c^2 * \log(c * x + 1) + c^2 * \log(c * x - 1) - 2 * c^2 * \log(x) + 1/x^2) * \log(c)^2 + 4 * \int (1/2 * \log(c^2 * x^2) / (c^2 * x^5 - x^3), x) * \log(c) - 8 * \int (1/2 * \log(x) / (c^2 * x^5 - x^3), x) * \log(c) - 4 * \int (1/2 * \sqrt{c * x + 1} * \sqrt{c * x - 1} * \arctan(\sqrt{c * x + 1} * \sqrt{c * x - 1}) / (c^2 * x^5 - x^3), x) + 4 * \int (1/2 * \log(c^2 * x^2) * \log(x) / (c^2 * x^5 - x^3), x) - 4 * \int (1/2 * \log(x)^2 / (c^2 * x^5 - x^3), x) - 2 * \int (1/2 * \log(c^2 * x^2) / (c^2 * x^5 - x^3), x)) * x^2 + 4 * \arctan(\sqrt{c * x + 1}) * \sqrt{c * x - 1})^2 - \log(c^2 * x^2)^2) * b^2 / x^2 - 1/2 * a^2 / x^2$

Fricas [A]

time = 2.49, size = 82, normalized size = 0.87

$$\frac{(b^2 c^2 x^2 - 2 b^2) \operatorname{arcsec}(c x)^2 - 2 a^2 + b^2 + 2 (a b c^2 x^2 - 2 a b) \operatorname{arcsec}(c x) + 2 \sqrt{c^2 x^2 - 1} (b^2 \operatorname{arcsec}(c x) + a b)}{4 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^2/x^3,x, algorithm="fricas")`

[Out] $\frac{1}{4} * ((b^2 * c^2 * x^2 - 2 * b^2) * \operatorname{arcsec}(c * x))^2 - 2 * a^2 + b^2 + 2 * (a * b * c^2 * x^2 - 2 * a * b) * \operatorname{arcsec}(c * x) + 2 * \sqrt{c^2 * x^2 - 1} * (b^2 * \operatorname{arcsec}(c * x) + a * b) / x^2$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx))^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))**2/x**3,x)`

[Out] `Integral((a + b*asec(c*x))**2/x**3, x)`

Giac [A]

time = 0.43, size = 147, normalized size = 1.56

$$\frac{1}{8} \left(2b^2 c \arccos\left(\frac{1}{cx}\right)^2 + 4abc \arccos\left(\frac{1}{cx}\right) - b^2 c + \frac{4b^2 \sqrt{-\frac{1}{c^2 x^2} + 1} \arccos\left(\frac{1}{cx}\right)}{x} + \frac{4ab \sqrt{-\frac{1}{c^2 x^2} + 1}}{x} - \frac{4b^2 \arccos\left(\frac{1}{cx}\right)^2}{cx^2} - \frac{8ab \arccos\left(\frac{1}{cx}\right)}{cx^2} - \frac{4a^2}{cx^2} + \frac{2b^2}{cx^2} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^2/x^3,x, algorithm="giac")`

[Out] $\frac{1}{8} * (2 * b^2 * c * \arccos(1 / (c * x))^2 + 4 * a * b * c * \arccos(1 / (c * x)) - b^2 * c + 4 * b^2 * \sqrt{-1 / (c^2 * x^2) + 1} * \arccos(1 / (c * x)) / x + 4 * a * b * \sqrt{-1 / (c^2 * x^2) + 1} / x - 4 * b^2 * \arccos(1 / (c * x))^2 / (c * x^2) - 8 * a * b * \arccos(1 / (c * x)) / (c * x^2) - 4 * a^2 / (c * x^2) + 2 * b^2 / (c * x^2)) * c$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{acos}\left(\frac{1}{cx}\right))^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acos(1/(c*x)))^2/x^3,x)`

[Out] `int((a + b*acos(1/(c*x)))^2/x^3, x)`

$$3.22 \quad \int \frac{(a+b \sec^{-1}(cx))^2}{x^4} dx$$

Optimal. Leaf size=102

$$\frac{2b^2}{27x^3} + \frac{4b^2c^2}{9x} + \frac{4}{9}bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx)) + \frac{2bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))}{9x^2} - \frac{(a+b \sec^{-1}(cx))^2}{3x^3}$$

[Out] 2/27*b^2/x^3+4/9*b^2*c^2/x-1/3*(a+b*arcsec(c*x))^2/x^3+4/9*b*c^3*(a+b*arcsec(c*x))*(1-1/c^2/x^2)^(1/2)+2/9*b*c*(a+b*arcsec(c*x))*(1-1/c^2/x^2)^(1/2)/x^2

Rubi [A]

time = 0.08, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {5330, 4490, 3391, 3377, 2718}

$$\frac{2bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))}{9x^2} + \frac{4}{9}bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx)) - \frac{(a+b \sec^{-1}(cx))^2}{3x^3} + \frac{4b^2c^2}{9x} + \frac{2b^2}{27x^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^2/x^4,x]

[Out] (2*b^2)/(27*x^3) + (4*b^2*c^2)/(9*x) + (4*b*c^3*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]))/9 + (2*b*c*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]))/(9*x^2) - (a + b*ArcSec[c*x])^2/(3*x^3)

Rule 2718

Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] := Simp[-Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3377

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[(-(c + d*x)^m)*(Cos[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3391

Int[((c_.) + (d_.)*(x_.))*((b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[d*((b*Sine[e + f*x])^n/(f^2*n^2)), x] + (Dist[b^2*((n - 1)/n), Int[(c + d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[b*(c + d*x)*Cos[e + f*x]*((b*Sine[e + f*x])^(n - 1)/(f*n)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 4490

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)], x_Symbol] := Simp[(-(c + d*x)^m)*(Cos[a + b*x]^(n + 1)/(b*(n + 1
))), x] + Dist[d*(m/(b*(n + 1))), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1
), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]
], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] ||
LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec^{-1}(cx))^2}{x^4} dx &= c^3 \text{Subst} \left(\int (a + bx)^2 \cos^2(x) \sin(x) dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{(a + b \sec^{-1}(cx))^2}{3x^3} + \frac{1}{3}(2bc^3) \text{Subst} \left(\int (a + bx) \cos^3(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{2b^2}{27x^3} + \frac{2bc \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{9x^2} - \frac{(a + b \sec^{-1}(cx))^2}{3x^3} + \frac{1}{9}(4bc^3) \text{Subst} \left(\int (a + bx) \cos^5(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{2b^2}{27x^3} + \frac{4}{9}bc^3 \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx)) + \frac{2bc \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{9x^2} - \frac{(a + b \sec^{-1}(cx))^2}{3x^3} \\
&= \frac{2b^2}{27x^3} + \frac{4b^2c^2}{9x} + \frac{4}{9}bc^3 \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx)) + \frac{2bc \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{9x^2} - \frac{(a + b \sec^{-1}(cx))^2}{3x^3}
\end{aligned}$$

Mathematica [A]

time = 0.12, size = 108, normalized size = 1.06

$$\frac{-9a^2 + 6abc \sqrt{1 - \frac{1}{c^2x^2}} x(1 + 2c^2x^2) + 2b^2(1 + 6c^2x^2) + 6b \left(-3a + bc \sqrt{1 - \frac{1}{c^2x^2}} x(1 + 2c^2x^2) \right) \sec^{-1}(cx) - 9b^2 \sec^{-1}(cx)^2}{27x^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSec[c*x])^2/x^4,x]
```

```
[Out] (-9*a^2 + 6*a*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(1 + 2*c^2*x^2) + 2*b^2*(1 + 6*c^
2*x^2) + 6*b*(-3*a + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(1 + 2*c^2*x^2))*ArcSec[c*
x] - 9*b^2*ArcSec[c*x]^2)/(27*x^3)
```

Maple [A]

time = 0.24, size = 154, normalized size = 1.51

| method | result |
|-------------------|--|
| derivativedivides | $c^3 \left(-\frac{a^2}{3c^3x^3} + b^2 \left(-\frac{\operatorname{arcsec}(cx)^2}{3c^3x^3} + \frac{2 \operatorname{arcsec}(cx)(2c^2x^2+1) \sqrt{\frac{c^2x^2-1}{c^2x^2}}}{9c^2x^2} + \frac{2}{27c^3x^3} + \frac{4}{9cx} \right) \right) + 2ab \left(-\operatorname{ar}$ |
| default | $c^3 \left(-\frac{a^2}{3c^3x^3} + b^2 \left(-\frac{\operatorname{arcsec}(cx)^2}{3c^3x^3} + \frac{2 \operatorname{arcsec}(cx)(2c^2x^2+1) \sqrt{\frac{c^2x^2-1}{c^2x^2}}}{9c^2x^2} + \frac{2}{27c^3x^3} + \frac{4}{9cx} \right) \right) + 2ab \left(-\operatorname{ar}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))^2/x^4,x,method=_RETURNVERBOSE)`

[Out] $c^3 * (-1/3 * a^2 / c^3 / x^3 + b^2 * (-1/3 * \operatorname{arcsec}(c*x)^2 / c^3 / x^3 + 2/9 * \operatorname{arcsec}(c*x) * (2 * c^2 * x^2 + 1) / c^2 / x^2 * ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} + 2/27 / c^3 / x^3 + 4/9 / c / x) + 2 * a * b * (-1/3 / c^3 / x^3 * \operatorname{arcsec}(c*x) + 1/9 * (c^2 * x^2 - 1) * (2 * c^2 * x^2 + 1) / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c^4 / x^4)$

Maxima [A]

time = 0.52, size = 164, normalized size = 1.61

$$-\frac{2}{9} ab \left(\frac{c^4 \left(-\frac{1}{c^2x^2} + 1 \right)^3 - 3c^4 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} + \frac{3 \operatorname{arcsec}(cx)}{x^3} \right) - \frac{b^2 \operatorname{arcsec}(cx)^2}{3x^3} - \frac{a^2}{3x^3} + \frac{2 \left((6c^3x^2 + c) \sqrt{cx+1} \sqrt{cx-1} + 3(2c^5x^4 - c^3x^2 - c) \arctan \left(\frac{\sqrt{cx+1} \sqrt{cx-1}}{cx} \right) \right) b^2}{27 \sqrt{cx+1} \sqrt{cx-1} cx^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^2/x^4,x, algorithm="maxima")`

[Out] $-2/9 * a * b * ((c^4 * (-1/(c^2 * x^2) + 1))^{(3/2)} - 3 * c^4 * \operatorname{sqrt}(-1/(c^2 * x^2) + 1)) / c + 3 * \operatorname{arcsec}(c * x) / x^3) - 1/3 * b^2 * \operatorname{arcsec}(c * x)^2 / x^3 - 1/3 * a^2 / x^3 + 2/27 * ((6 * c^3 * x^2 + c) * \operatorname{sqrt}(c * x + 1) * \operatorname{sqrt}(c * x - 1) + 3 * (2 * c^5 * x^4 - c^3 * x^2 - c) * \operatorname{arctan}(\operatorname{sqrt}(c * x + 1) * \operatorname{sqrt}(c * x - 1))) * b^2 / (\operatorname{sqrt}(c * x + 1) * \operatorname{sqrt}(c * x - 1) * c * x^3)$

Fricas [A]

time = 1.43, size = 93, normalized size = 0.91

$$\frac{12b^2c^2x^2 - 9b^2 \operatorname{arcsec}(cx)^2 - 18ab \operatorname{arcsec}(cx) - 9a^2 + 2b^2 + 6(2abc^2x^2 + ab + (2b^2c^2x^2 + b^2) \operatorname{arcsec}(cx)) \sqrt{c^2x^2 - 1}}{27x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^2/x^4,x, algorithm="fricas")`

[Out] $1/27 * (12 * b^2 * c^2 * x^2 - 9 * b^2 * \operatorname{arcsec}(c * x)^2 - 18 * a * b * \operatorname{arcsec}(c * x) - 9 * a^2 + 2 * b^2 + 6 * (2 * a * b * c^2 * x^2 + a * b + (2 * b^2 * c^2 * x^2 + b^2) * \operatorname{arcsec}(c * x)) * \operatorname{sqrt}(c^2 * x^2 - 1)) / x^3$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx))^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))**2/x**4,x)**[Out]** Integral((a + b*asec(c*x))**2/x**4, x)**Giac [A]**

time = 0.42, size = 168, normalized size = 1.65

$$\frac{1}{27} \left(12b^2c^2 \sqrt{-\frac{1}{c^2x^2} + 1} \arccos\left(\frac{1}{cx}\right) + 12abc^2 \sqrt{-\frac{1}{c^2x^2} + 1} + \frac{12b^2c}{x} + \frac{6b^2 \sqrt{-\frac{1}{c^2x^2} + 1} \arccos\left(\frac{1}{cx}\right)}{x^2} + \frac{6ab \sqrt{-\frac{1}{c^2x^2} + 1}}{x^2} - \frac{9b^2 \arccos\left(\frac{1}{cx}\right)^2}{cx^3} - \frac{18ab \arccos\left(\frac{1}{cx}\right)}{cx^3} - \frac{9a^2}{cx^3} + \frac{2b^2}{cx^3} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^2/x^4,x, algorithm="giac")

[Out] 1/27*(12*b^2*c^2*sqrt(-1/(c^2*x^2) + 1)*arccos(1/(c*x)) + 12*a*b*c^2*sqrt(-1/(c^2*x^2) + 1) + 12*b^2*c/x + 6*b^2*sqrt(-1/(c^2*x^2) + 1)*arccos(1/(c*x))/x^2 + 6*a*b*sqrt(-1/(c^2*x^2) + 1)/x^2 - 9*b^2*arccos(1/(c*x))^2/(c*x^3) - 18*a*b*arccos(1/(c*x))/(c*x^3) - 9*a^2/(c*x^3) + 2*b^2/(c*x^3))*c

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{acos}\left(\frac{1}{cx}\right))^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))^2/x^4,x)**[Out]** int((a + b*acos(1/(c*x)))^2/x^4, x)

$$3.23 \quad \int \frac{(a+b \sec^{-1}(cx))^2}{x^5} dx$$

Optimal. Leaf size=134

$$\frac{b^2}{32x^4} + \frac{3b^2c^2}{32x^2} + \frac{3}{16}abc^4 \sec^{-1}(cx) + \frac{3}{32}b^2c^4 \sec^{-1}(cx)^2 + \frac{bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))}{8x^3} + \frac{3bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))}{16x}$$

[Out] 1/32*b^2/x^4+3/32*b^2*c^2/x^2+3/16*a*b*c^4*arcsec(c*x)+3/32*b^2*c^4*arcsec(c*x)^2-1/4*(a+b*arcsec(c*x))^2/x^4+1/8*b*c*(a+b*arcsec(c*x))*(1-1/c^2/x^2)^(1/2)/x^3+3/16*b*c^3*(a+b*arcsec(c*x))*(1-1/c^2/x^2)^(1/2)/x

Rubi [A]

time = 0.08, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {5330, 4490, 3391}

$$\frac{3}{16}abc^4 \sec^{-1}(cx) + \frac{bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))}{8x^3} + \frac{3bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))}{16x} - \frac{(a+b \sec^{-1}(cx))^2}{4x^4} + \frac{3}{32}b^2c^4 \sec^{-1}(cx)^2 + \frac{3b^2c^2}{32x^2} + \frac{b^2}{32x^4}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^2/x^5,x]

[Out] b^2/(32*x^4) + (3*b^2*c^2)/(32*x^2) + (3*a*b*c^4*ArcSec[c*x])/16 + (3*b^2*c^4*ArcSec[c*x]^2)/32 + (b*c*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]))/(8*x^3) + (3*b*c^3*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]))/(16*x) - (a + b*ArcSec[c*x])^2/(4*x^4)

Rule 3391

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :>
  Simp[d*((b*Ssin[e + f*x])^n/(f^2*n^2)), x] + (Dist[b^2*((n - 1)/n), Int[(c + d*x)*(b*Ssin[e + f*x])^(n - 2), x], x] - Simp[b*(c + d*x)*Cos[e + f*x]*((b*Ssin[e + f*x])^(n - 1)/(f*n)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]
```

Rule 4490

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)], x_Symbol] :> Simp[(- (c + d*x)^m)*(Cos[a + b*x]^(n + 1)/(b*(n + 1))), x] + Dist[d*(m/(b*(n + 1))), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1)], x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]]]
```

], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec^{-1}(cx))^2}{x^5} dx &= c^4 \text{Subst} \left(\int (a + bx)^2 \cos^3(x) \sin(x) dx, x, \sec^{-1}(cx) \right) \\
 &= -\frac{(a + b \sec^{-1}(cx))^2}{4x^4} + \frac{1}{2}(bc^4) \text{Subst} \left(\int (a + bx) \cos^4(x) dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{b^2}{32x^4} + \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{8x^3} - \frac{(a + b \sec^{-1}(cx))^2}{4x^4} + \frac{1}{8}(3bc^4) \text{Subst} \left(\int \right) \\
 &= \frac{b^2}{32x^4} + \frac{3b^2 c^2}{32x^2} + \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{8x^3} + \frac{3bc^3 \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{16x} \\
 &= \frac{b^2}{32x^4} + \frac{3b^2 c^2}{32x^2} + \frac{3}{16} abc^4 \sec^{-1}(cx) + \frac{3}{32} b^2 c^4 \sec^{-1}(cx)^2 + \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{8x^3}
 \end{aligned}$$

Mathematica [A]

time = 0.12, size = 148, normalized size = 1.10

$$\frac{-8a^2 + b^2 + 4abc \sqrt{1 - \frac{1}{c^2 x^2}} x + 3b^2 c^2 x^2 + 6abc^3 \sqrt{1 - \frac{1}{c^2 x^2}} x^3 + 2b \left(-8a + bc \sqrt{1 - \frac{1}{c^2 x^2}} x(2 + 3c^2 x^2) \right) \sec^{-1}(cx) + b^2(-8 + 3c^4 x^4) \sec^{-1}(cx)^2 - 6abc^4 x^4 \text{ArcSin}\left(\frac{1}{cx}\right)}{32x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])^2/x^5, x]

[Out] (-8*a^2 + b^2 + 4*a*b*c*Sqrt[1 - 1/(c^2*x^2)]*x + 3*b^2*c^2*x^2 + 6*a*b*c^3*Sqrt[1 - 1/(c^2*x^2)]*x^3 + 2*b*(-8*a + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(2 + 3*c^2*x^2))*ArcSec[c*x] + b^2*(-8 + 3*c^4*x^4)*ArcSec[c*x]^2 - 6*a*b*c^4*x^4*ArcSin[1/(c*x)])/(32*x^4)

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 273 vs. 2(116) = 232.

time = 0.24, size = 274, normalized size = 2.04

| method | result |
|--------|--------|
|--------|--------|

| | |
|-------------------|--|
| derivativedivides | $c^4 \left(-\frac{a^2}{4c^4x^4} + b^2 \left(-\frac{\operatorname{arcsec}(cx)^2}{4c^4x^4} + \frac{\operatorname{arcsec}(cx) \left(3 \operatorname{arcsec}(cx)c^3x^3 + 3c^2x^2 \sqrt{\frac{c^2x^2-1}{c^2x^2}} + 2\sqrt{\frac{c^2x^2-1}{c^2x^2}} \right)}{16c^3x^3} \right) \right) - \frac{3 \operatorname{arcsec}(cx)}{4c^4x^4}$ |
| default | $c^4 \left(-\frac{a^2}{4c^4x^4} + b^2 \left(-\frac{\operatorname{arcsec}(cx)^2}{4c^4x^4} + \frac{\operatorname{arcsec}(cx) \left(3 \operatorname{arcsec}(cx)c^3x^3 + 3c^2x^2 \sqrt{\frac{c^2x^2-1}{c^2x^2}} + 2\sqrt{\frac{c^2x^2-1}{c^2x^2}} \right)}{16c^3x^3} \right) \right) - \frac{3 \operatorname{arcsec}(cx)}{4c^4x^4}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))^2/x^5,x,method=_RETURNVERBOSE)`

[Out] $c^4 * (-1/4 * a^2 / c^4 / x^4 + b^2 * (-1/4 * \operatorname{arcsec}(c*x)^2 / c^4 / x^4 + 1/16 * \operatorname{arcsec}(c*x) * (3 * a * \operatorname{arcsec}(c*x) * c^3 * x^3 + 3 * c^2 * x^2 * ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} + 2 * ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)}) / c^3 / x^3 - 3/32 * \operatorname{arcsec}(c*x)^2 + 1/128 * (3 * c^2 * x^2 + 2)^2 / c^4 / x^4) - 1/2 * a * b / c^4 / x^4 * \operatorname{arcsec}(c*x) - 3/16 * a * b * (c^2 * x^2 - 1)^{(1/2)} / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c / x * \arctan(1 / (c^2 * x^2 - 1)^{(1/2)}) + 3/16 * a * b * (c^2 * x^2 - 1) / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c^3 / x^3 + 1/8 * a * b * (c^2 * x^2 - 1) / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c^5 / x^5)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^2/x^5,x, algorithm="maxima")`

[Out] $1/16 * a * b * ((3 * c^5 * \arctan(c * x * \sqrt{-1 / (c^2 * x^2) + 1}) + (3 * c^8 * x^3 * (-1 / (c^2 * x^2) + 1)^{(3/2)} + 5 * c^6 * x * \sqrt{-1 / (c^2 * x^2) + 1})) / (c^4 * x^4 * (1 / (c^2 * x^2) - 1)^2 - 2 * c^2 * x^2 * (1 / (c^2 * x^2) - 1) + 1) / c - 8 * \operatorname{arcsec}(c * x) / x^4) - 1/16 * (4 * (2 * (c^2 * \log(c * x + 1) + c^2 * \log(c * x - 1) - 2 * c^2 * \log(x) + 1 / x^2) * c^2 * \log(c)^2 - 16 * c^2 * \int (1/4 * x^2 * \log(c^2 * x^2) / (c^2 * x^7 - x^5), x) * \log(c) + 32 * c^2 * \int (1/4 * x^2 * \log(x) / (c^2 * x^7 - x^5), x) * \log(c) - 16 * c^2 * \int (1/4 * x^2 * \log(c^2 * x^2) * \log(x) / (c^2 * x^7 - x^5), x) + 16 * c^2 * \int (1/4 * x^2 * \log(x)^2 / (c^2 * x^7 - x^5), x) + 4 * c^2 * \int (1/4 * x^2 * \log(c^2 * x^2) / (c^2 * x^7 - x^5), x) - (2 * c^4 * \log(c * x + 1) + 2 * c^4 * \log(c * x - 1) - 4 * c^4 * \log(x) + (2 * c^2 * x^2 + 1) / x^4) * \log(c)^2 + 16 * \int (1/4 * \log(c^2 * x^2) / (c^2 * x^7 - x^5), x) * \log(c) - 32 * \int (1/4 * \log(x) / (c^2 * x^7 - x^5), x) * \log(c) - 8 * \int (1/4 * \sqrt{c * x + 1} * \sqrt{c * x - 1} * \arctan(\sqrt{c * x + 1} * \sqrt{c * x - 1})) / (c^2 * x^7 - x^5), x) + 16 * \int (1/4 * \log(c^2 * x^2) * \log(x) / (c^2 * x^7 - x^5), x) - 16 * \int (1/4 * \log(x)^2 / (c^2 * x^7 - x^5), x) - 4 * \int (1/4 * \log(c^2 * x^2) / (c^2 * x^7 - x^5), x)) * x^4 + 4 * \arctan(\sqrt{c * x + 1} * \sqrt{c * x - 1})^2 - \log(c^2 * x^2)^2) * b^2 / x^4 - 1/4 * a^2 / x^4$

Fricas [A]

time = 1.25, size = 120, normalized size = 0.90

$$\frac{3b^2c^2x^2 + (3b^2c^4x^4 - 8b^2) \operatorname{arcsec}(cx)^2 - 8a^2 + b^2 + 2(3abc^4x^4 - 8ab) \operatorname{arcsec}(cx) + 2(3abc^2x^2 + 2ab + (3b^2c^2x^2 + 2b^2) \operatorname{arcsec}(cx))\sqrt{c^2x^2 - 1}}{32x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^2/x^5,x, algorithm="fricas")

[Out] 1/32*(3*b^2*c^2*x^2 + (3*b^2*c^4*x^4 - 8*b^2)*arcsec(c*x)^2 - 8*a^2 + b^2 + 2*(3*a*b*c^4*x^4 - 8*a*b)*arcsec(c*x) + 2*(3*a*b*c^2*x^2 + 2*a*b + (3*b^2*c^2*x^2 + 2*b^2)*arcsec(c*x))*sqrt(c^2*x^2 - 1))/x^4

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx))^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))^2/x**5,x)**[Out]** Integral((a + b*asec(c*x))^2/x**5, x)**Giac [A]**

time = 0.42, size = 215, normalized size = 1.60

$$\frac{1}{256} \left(24b^2c^3 \arccos\left(\frac{1}{cx}\right)^2 + 48abc^3 \arccos\left(\frac{1}{cx}\right) - 15b^2c^3 + \frac{48b^2c^2 \sqrt{\frac{1}{c^2x^2} + 1} \arccos\left(\frac{1}{cx}\right)}{x} + \frac{48abc^2 \sqrt{\frac{1}{c^2x^2} + 1}}{x} + \frac{24b^2c}{x^2} + \frac{32b^2 \sqrt{\frac{1}{c^2x^2} + 1} \arccos\left(\frac{1}{cx}\right)}{x^3} + \frac{32ab \sqrt{\frac{1}{c^2x^2} + 1}}{x^3} - \frac{64b^2 \arccos\left(\frac{1}{cx}\right)^2}{cx^4} - \frac{128ab \arccos\left(\frac{1}{cx}\right)}{cx^4} - \frac{64a^2}{cx^4} + \frac{8b^2}{cx^4} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^2/x^5,x, algorithm="giac")

[Out] 1/256*(24*b^2*c^3*arccos(1/(c*x))^2 + 48*a*b*c^3*arccos(1/(c*x)) - 15*b^2*c^3 + 48*b^2*c^2*sqrt(-1/(c^2*x^2) + 1)*arccos(1/(c*x))/x + 48*a*b*c^2*sqrt(-1/(c^2*x^2) + 1)/x + 24*b^2*c/x^2 + 32*b^2*sqrt(-1/(c^2*x^2) + 1)*arccos(1/(c*x))/x^3 + 32*a*b*sqrt(-1/(c^2*x^2) + 1)/x^3 - 64*b^2*arccos(1/(c*x))^2/(c*x^4) - 128*a*b*arccos(1/(c*x))/(c*x^4) - 64*a^2/(c*x^4) + 8*b^2/(c*x^4)) *c

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{acos}\left(\frac{1}{cx}\right))^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))^2/x^5,x)**[Out]** int((a + b*acos(1/(c*x)))^2/x^5, x)

3.24 $\int x^3(a + b \sec^{-1}(cx))^3 dx$

Optimal. Leaf size=207

$$-\frac{b^3 \sqrt{1 - \frac{1}{c^2 x^2}} x}{4c^3} + \frac{b^2 x^2 (a + b \sec^{-1}(cx))}{4c^2} + \frac{ib(a + b \sec^{-1}(cx))^2}{2c^4} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))^2}{2c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}}}{4c^3}$$

[Out] $\frac{1}{4} b^2 x^2 (a + b \operatorname{arcsec}(cx)) / c^2 + \frac{1}{2} I b (a + b \operatorname{arcsec}(cx))^2 / c^4 + \frac{1}{4} x^4 (a + b \operatorname{arcsec}(cx))^3 - b^2 (a + b \operatorname{arcsec}(cx)) \ln(1 + (1/c/x + I(1 - 1/c^2/x^2))^{1/2})^2 / c^4 + \frac{1}{2} I b^3 \operatorname{polylog}(2, -(1/c/x + I(1 - 1/c^2/x^2))^{1/2})^2 / c^4 - \frac{1}{4} b^3 x (1 - 1/c^2/x^2)^{1/2} / c^3 - \frac{1}{2} b x (a + b \operatorname{arcsec}(cx))^2 (1 - 1/c^2/x^2)^{1/2} / c^3 - \frac{1}{4} b x^3 (a + b \operatorname{arcsec}(cx))^2 (1 - 1/c^2/x^2)^{1/2} / c$

Rubi [A]

time = 0.16, antiderivative size = 207, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {5330, 4494, 4271, 3852, 8, 4269, 3800, 2221, 2317, 2438}

$$-\frac{b^2 \log(1 + e^{2i \operatorname{arcsec}(cx)}) (a + b \sec^{-1}(cx))}{c^4} + \frac{b^2 x^2 (a + b \sec^{-1}(cx))}{4c^2} + \frac{ib(a + b \sec^{-1}(cx))^2}{2c^4} - \frac{bx^3 \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2}{4c} - \frac{bx \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2}{2c^3} + \frac{1}{4} x^4 (a + b \sec^{-1}(cx))^3 + \frac{ib^2 \operatorname{Li}_2(-e^{2i \operatorname{arcsec}(cx)})}{2c^4} - \frac{b^2 x \sqrt{1 - \frac{1}{c^2 x^2}}}{4c^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^3(a + b \operatorname{ArcSec}[cx])^3, x]$

[Out] $-\frac{1}{4} b^3 \sqrt{1 - 1/(c^2 x^2)} x / c^3 + (b^2 x^2 (a + b \operatorname{ArcSec}[cx])) / (4 c^2) + ((I/2) b (a + b \operatorname{ArcSec}[cx])^2) / c^4 - (b \sqrt{1 - 1/(c^2 x^2)} x (a + b \operatorname{ArcSec}[cx])^2) / (2 c^3) - (b \sqrt{1 - 1/(c^2 x^2)} x^3 (a + b \operatorname{ArcSec}[cx])^2) / (4 c) + (x^4 (a + b \operatorname{ArcSec}[cx])^3) / 4 - (b^2 (a + b \operatorname{ArcSec}[cx]) \operatorname{Log}[1 + E^{((2 I) \operatorname{ArcSec}[cx])}]) / c^4 + ((I/2) b^3 \operatorname{PolyLog}[2, -E^{((2 I) \operatorname{ArcSec}[cx])}]) / c^4$

Rule 8

$\operatorname{Int}[a_, x_Symbol] := \operatorname{Simp}[a x, x] / ; \operatorname{FreeQ}[a, x]$

Rule 2221

$\operatorname{Int}[\frac{((F_)^{((g_) * ((e_) + (f_) * (x_)))})^{(n_)} * ((c_) + (d_) * (x_))^{(m_)}}{((a_) + (b_) * ((F_)^{((g_) * ((e_) + (f_) * (x_)))})^{(n_)})}, x_Symbol] := \operatorname{Simp}[\frac{(c + d x)^m / (b f g n \operatorname{Log}[F]) * \operatorname{Log}[1 + b * ((F^{(g * (e + f x)))})^n / a]}{((c + d x)^m / (b f g n \operatorname{Log}[F]))}, \operatorname{Int}[(c + d x)^{m-1} * \operatorname{Log}[1 + b * ((F^{(g * (e + f x)))})^n / a]]], x] / ; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \operatorname{IGTQ}[m, 0]$

Rule 2317

$\operatorname{Int}[\operatorname{Log}[(a_) + (b_) * ((F_)^{((e_) * ((c_) + (d_) * (x_)))})^{(n_)}], x_Symbol] := \operatorname{Dist}[1 / (d e n \operatorname{Log}[F]), \operatorname{Subst}[\operatorname{Int}[\operatorname{Log}[a + b x] / x, x], x, (F^{(e * (c + d x))})]$

)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3800

Int[((c_.) + (d_.)*(x_)^(m_.))*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 3852

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Dist[-d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 4269

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_)^(m_.)), x_Symbol] := Simp[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 4271

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_)^(m_)), x_Symbol] := Simp[(-b^2)*(c + d*x)^m*Cot[e + f*x]*((b*Csc[e + f*x])^(n - 2)/(f*(n - 1))), x] + (Dist[b^2*d^2*m*((m - 1)/(f^2*(n - 1)*(n - 2))), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[b^2*((n - 2)/(n - 1)), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[b^2*d*m*(c + d*x)^(m - 1)*((b*Csc[e + f*x])^(n - 2)/(f^2*(n - 1)*(n - 2))), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]

Rule 4494

Int[((c_.) + (d_.)*(x_)^(m_.))*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] := Simp[(c + d*x)^m*(Sec[a + b*x]^n/(b*n)), x] - Dist[d*(m/(b*n)), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 5330

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]

], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rubi steps

$$\begin{aligned}
 \int x^3 (a + b \sec^{-1}(cx))^3 dx &= \frac{\text{Subst}(\int (a + bx)^3 \sec^4(x) \tan(x) dx, x, \sec^{-1}(cx))}{c^4} \\
 &= \frac{1}{4} x^4 (a + b \sec^{-1}(cx))^3 - \frac{(3b) \text{Subst}(\int (a + bx)^2 \sec^4(x) dx, x, \sec^{-1}(cx))}{4c^4} \\
 &= \frac{b^2 x^2 (a + b \sec^{-1}(cx))}{4c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \sec^{-1}(cx))^2}{4c} + \frac{1}{4} x^4 (a + b \sec^{-1}(cx))^3 \\
 &= \frac{b^2 x^2 (a + b \sec^{-1}(cx))}{4c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))^2}{2c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \sec^{-1}(cx))^3}{4c^4} \\
 &= -\frac{b^3 \sqrt{1 - \frac{1}{c^2 x^2}} x}{4c^3} + \frac{b^2 x^2 (a + b \sec^{-1}(cx))}{4c^2} + \frac{ib(a + b \sec^{-1}(cx))^2}{2c^4} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \sec^{-1}(cx))^3}{4c^4} \\
 &= -\frac{b^3 \sqrt{1 - \frac{1}{c^2 x^2}} x}{4c^3} + \frac{b^2 x^2 (a + b \sec^{-1}(cx))}{4c^2} + \frac{ib(a + b \sec^{-1}(cx))^2}{2c^4} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \sec^{-1}(cx))^3}{4c^4} \\
 &= -\frac{b^3 \sqrt{1 - \frac{1}{c^2 x^2}} x}{4c^3} + \frac{b^2 x^2 (a + b \sec^{-1}(cx))}{4c^2} + \frac{ib(a + b \sec^{-1}(cx))^2}{2c^4} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \sec^{-1}(cx))^3}{4c^4} \\
 &= -\frac{b^3 \sqrt{1 - \frac{1}{c^2 x^2}} x}{4c^3} + \frac{b^2 x^2 (a + b \sec^{-1}(cx))}{4c^2} + \frac{ib(a + b \sec^{-1}(cx))^2}{2c^4} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \sec^{-1}(cx))^3}{4c^4}
 \end{aligned}$$

Mathematica [A]

time = 0.58, size = 288, normalized size = 1.39

$$\frac{-2a^2bc\sqrt{1-\frac{1}{c^2x^2}}x - b^3c\sqrt{1-\frac{1}{c^2x^2}}x + ab^2c^2x^2 - a^2bc^2\sqrt{1-\frac{1}{c^2x^2}}x^2 + a^2c^2x^4 - b^2(-3ac^2x^4 + b(-2i + 2c\sqrt{1-\frac{1}{c^2x^2}}x + c^2\sqrt{1-\frac{1}{c^2x^2}}x^2))\sec^{-1}(cx)^2 + b^2c^2x^2\sec^{-1}(cx)^3 + b\sec^{-1}(cx)(c(b^2cx + 3a^2c^2x^2 - 2ab\sqrt{1-\frac{1}{c^2x^2}}(2 + c^2x^2)) - 4b^2\log(1 + e^{2i\sec^{-1}(cx)}) - 4ab^2\log(\frac{x}{c})) + 2ib^2\text{PolyLog}(2, -e^{2i\sec^{-1}(cx)}))}{4c^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*ArcSec[c*x])^3,x]

[Out] (-2*a^2*b*c*Sqrt[1 - 1/(c^2*x^2)]*x - b^3*c*Sqrt[1 - 1/(c^2*x^2)]*x + a*b^2*c^2*x^2 - a^2*b*c^3*Sqrt[1 - 1/(c^2*x^2)]*x^3 + a^3*c^4*x^4 - b^2*(-3*a*c^4*x^4 + b*(-2*I + 2*c*Sqrt[1 - 1/(c^2*x^2)]*x + c^3*Sqrt[1 - 1/(c^2*x^2)]*x^2))*ArcSec[c*x]^2 + b^3*c^4*x^4*ArcSec[c*x]^3 + b*ArcSec[c*x]*(c*x*(b^2*c^2*x^2 + c^2*x^4) - 2*b^2*c^2*x^2*log(1 + e^{2i*ArcSec[c*x]}) - 2*b^2*c^2*x^2*log(c/x))

$$x + 3a^2c^3x^3 - 2ab\sqrt{1 - 1/(c^2x^2)}(2 + c^2x^2) - 4b^2\log[1 + E^((2I)\text{ArcSec}[c*x])] - 4ab^2\log[1/(c*x)] + (2I)b^3\text{PolyLog}[2, -E^((2I)\text{ArcSec}[c*x])]/(4c^4)$$

Maple [A]

time = 0.54, size = 401, normalized size = 1.94

| method | result |
|-------------------|---|
| derivativedivides | $\frac{c^4x^4a^3}{4} + \frac{b^3\text{arcsec}(cx)^3c^4x^4}{4} - \frac{b^3\text{arcsec}(cx)^2\sqrt{\frac{c^2x^2-1}{c^2x^2}}c^3x^3}{4} - \frac{b^3\text{arcsec}(cx)^2\sqrt{\frac{c^2x^2-1}{c^2x^2}}cx}{2} + \frac{ib^3\text{arcsec}(cx)^2}{2} + \frac{b^3\text{arcsec}(cx)c^2x^2}{4}$ |
| default | $\frac{c^4x^4a^3}{4} + \frac{b^3\text{arcsec}(cx)^3c^4x^4}{4} - \frac{b^3\text{arcsec}(cx)^2\sqrt{\frac{c^2x^2-1}{c^2x^2}}c^3x^3}{4} - \frac{b^3\text{arcsec}(cx)^2\sqrt{\frac{c^2x^2-1}{c^2x^2}}cx}{2} + \frac{ib^3\text{arcsec}(cx)^2}{2} + \frac{b^3\text{arcsec}(cx)c^2x^2}{4}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arcsec(c*x))^3,x,method=_RETURNVERBOSE)`

[Out] $1/c^4*(1/4*c^4*x^4*a^3+1/4*b^3*\text{arcsec}(c*x)^3*c^4*x^4-1/4*b^3*\text{arcsec}(c*x)^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*c^3*x^3-1/2*b^3*\text{arcsec}(c*x)^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*c*x+1/2*I*b^3*\text{arcsec}(c*x)^2+1/4*b^3*\text{arcsec}(c*x)*c^2*x^2-1/4*b^3*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*c*x+1/2*I*b^3*\text{polylog}(2,-(1/c/x+I*(1-1/c^2/x^2))^{(1/2)})^2)-b^3*\text{arcsec}(c*x)*\ln(1+(1/c/x+I*(1-1/c^2/x^2))^{(1/2)})^2-1/4*I*b^3+3/4*a*b^2*\text{arcsec}(c*x)^2*c^4*x^4-1/2*a*b^2*\text{arcsec}(c*x)*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*c^3*x^3+1/4*a*b^2*c^2*x^2-a*b^2*\text{arcsec}(c*x)*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*c*x-a*b^2*\ln(1/c/x)+3*a^2*b*(1/4*c^4*x^4*\text{arcsec}(c*x)-1/12*(c^2*x^2-1)*(c^2*x^2+2)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c/x))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsec(c*x))^3,x, algorithm="maxima")`

[Out] $3/4*a*b^2*x^4*\text{arcsec}(c*x)^2 + 1/4*a^3*x^4 + 1/4*(3*x^4*\text{arcsec}(c*x) - (c^2*x^3*(-1/(c^2*x^2) + 1))^{(3/2)} + 3*x*\sqrt{-1/(c^2*x^2) + 1})/c^3)*a^2*b + 1/16*(4*x^4*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^3 - 3*x^4*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})*\log(c^2*x^2)^2 - 16*\text{integrate}(3/16*((4*x^3*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^2 - x^3*\log(c^2*x^2)^2)*\sqrt{c*x + 1}*\sqrt{c*x - 1} + 4*(4*c^2*x^5*\log(c)^2 - 4*x^3*\log(c)^2 + 4*(c^2*x^5 - x^3)*\log(x)^2 - ((4*c^2$

```
*log(c) + c^2*x^5 - x^3*(4*log(c) + 1) + 4*(c^2*x^5 - x^3)*log(x))*log(c^2
*x^2) + 8*(c^2*x^5*log(c) - x^3*log(c))*log(x))*arctan(sqrt(c*x + 1)*sqrt(c
*x - 1))/(c^2*x^2 - 1), x))*b^3 + 1/4*((c^2*x^2 + 2*log(x^2))*sqrt(c*x + 1
)*sqrt(c*x - 1) - 2*(c^4*x^4 + c^2*x^2 - 2)*arctan(sqrt(c*x + 1)*sqrt(c*x -
1)))*a*b^2/(sqrt(c*x + 1)*sqrt(c*x - 1)*c^4)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))^3,x, algorithm="fricas")
```

```
[Out] integral(b^3*x^3*arcsec(c*x)^3 + 3*a*b^2*x^3*arcsec(c*x)^2 + 3*a^2*b*x^3*ar
csec(c*x) + a^3*x^3, x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 (a + b \operatorname{asec}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*asec(c*x))**3,x)
```

```
[Out] Integral(x**3*(a + b*asec(c*x))**3, x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))^3,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)^3*x^3, x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(a + b*acos(1/(c*x)))^3,x)
```

```
[Out] int(x^3*(a + b*acos(1/(c*x)))^3, x)
```

3.25 $\int x^2(a + b \sec^{-1}(cx))^3 dx$

Optimal. Leaf size=236

$$\frac{b^2 x(a + b \sec^{-1}(cx))}{c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^3 + \frac{ib(a + b \sec^{-1}(cx))^2 \operatorname{ArcTan}}{c^3}$$

```
[Out] b^2*x*(a+b*arcsec(c*x))/c^2+1/3*x^3*(a+b*arcsec(c*x))^3+I*b*(a+b*arcsec(c*x))^2*arctan(1/c/x+I*(1-1/c^2/x^2)^(1/2))/c^3-b^3*arctanh((1-1/c^2/x^2)^(1/2))/c^3-I*b^2*(a+b*arcsec(c*x))*polylog(2,-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/c^3+I*b^2*(a+b*arcsec(c*x))*polylog(2,I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/c^3+b^3*polylog(3,-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/c^3-b^3*polylog(3,I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/c^3-1/2*b*x^2*(a+b*arcsec(c*x))^2*(1-1/c^2/x^2)^(1/2)/c
```

Rubi [A]

time = 0.15, antiderivative size = 236, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$,

Rules used = {5330, 4494, 4271, 3855, 4266, 2611, 2320, 6724}

$$\frac{i b \operatorname{ArcTan}\left(\frac{e^{i \sec^{-1}(cx)}}{c}\right)(a+b \sec^{-1}(cx))^2}{c^3} - \frac{i b^2 \operatorname{Li}_2\left(-i e^{i \sec^{-1}(cx)}\right)(a+b \sec^{-1}(cx))}{c^3} + \frac{i b^2 \operatorname{Li}_2\left(i e^{i \sec^{-1}(cx)}\right)(a+b \sec^{-1}(cx))}{c^3} + \frac{b^2 x(a+b \sec^{-1}(cx))}{c^2} - \frac{b x^2 \sqrt{1-\frac{1}{c^2 x^2}}(a+b \sec^{-1}(cx))^2}{2c} + \frac{1}{3} x^3(a+b \sec^{-1}(cx))^3 + \frac{b^3 \operatorname{Li}_2\left(-i e^{i \sec^{-1}(cx)}\right)}{c^3} - \frac{b^3 \operatorname{Li}_2\left(i e^{i \sec^{-1}(cx)}\right)}{c^3} - \frac{b^3 \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2 x^2}}\right)}{c^3}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*ArcSec[c*x])^3,x]

```
[Out] (b^2*x*(a + b*ArcSec[c*x]))/c^2 - (b*Sqrt[1 - 1/(c^2*x^2)]*x^2*(a + b*ArcSec[c*x])^2)/(2*c) + (x^3*(a + b*ArcSec[c*x])^3)/3 + (I*b*(a + b*ArcSec[c*x])^2*ArcTan[E^(I*ArcSec[c*x])])/c^3 - (b^3*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/c^3 - (I*b^2*(a + b*ArcSec[c*x])*PolyLog[2, (-I)*E^(I*ArcSec[c*x])])/c^3 + (I*b^2*(a + b*ArcSec[c*x])*PolyLog[2, I*E^(I*ArcSec[c*x])])/c^3 + (b^3*PolyLog[3, (-I)*E^(I*ArcSec[c*x])])/c^3 - (b^3*PolyLog[3, I*E^(I*ArcSec[c*x])])/c^3
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
```


$b*x)))^n/(b*c*n*\text{Log}[F]), x] + \text{Dist}[g*(m/(b*c*n*\text{Log}[F])), \text{Int}[(f + g*x)^{(m-1)}*\text{PolyLog}[2, (-e)*(F^{(c*(a + b*x)))^n}], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \&\& \text{GtQ}[m, 0]$

Rule 3855

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[-\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 4266

$\text{Int}[\text{csc}[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[-2*(c + d*x)^m*(\text{ArcTanh}[E^{(I*k*Pi)}*E^{(I*(e + f*x))}]/f), x] + (-\text{Dist}[d*(m/f), \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 - E^{(I*k*Pi)}*E^{(I*(e + f*x))}], x], x] + \text{Dist}[d*(m/f), \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + E^{(I*k*Pi)}*E^{(I*(e + f*x))}], x], x]) /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{IntegerQ}[2*k] \&\& \text{IGtQ}[m, 0]$

Rule 4271

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(-b^2)*(c + d*x)^m*\text{Cot}[e + f*x]*((b*\text{Csc}[e + f*x])^{(n-2)})/(f*(n-1)), x] + (\text{Dist}[b^2*d^2*m*((m-1)/(f^2*(n-1)*(n-2))), \text{Int}[(c + d*x)^{(m-2)}*(b*\text{Csc}[e + f*x])^{(n-2)}, x], x] + \text{Dist}[b^2*((n-2)/(n-1)), \text{Int}[(c + d*x)^m*(b*\text{Csc}[e + f*x])^{(n-2)}, x], x] - \text{Simp}[b^2*d*m*(c + d*x)^{(m-1)}*((b*\text{Csc}[e + f*x])^{(n-2)})/(f^2*(n-1)*(n-2))), x]) /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{NeQ}[n, 2] \&\& \text{GtQ}[m, 1]$

Rule 4494

$\text{Int}[(c_.) + (d_.)*(x_.))^{(m_.)}*\text{Sec}[(a_.) + (b_.)*(x_.)]^{(n_.)}*\text{Tan}[(a_.) + (b_.)*(x_.)]^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m*(\text{Sec}[a + b*x]^n/(b^n)), x] - \text{Dist}[d*(m/(b^n)), \text{Int}[(c + d*x)^{(m-1)}*\text{Sec}[a + b*x]^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[p, 1] \&\& \text{GtQ}[m, 0]$

Rule 5330

$\text{Int}[(a_.) + \text{ArcSec}[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}, x_Symbol] \rightarrow \text{Dist}[1/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sec}[x]^{(m+1)}*\text{Tan}[x], x], x, \text{ArcSec}[c*x]], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IntegerQ}[n] \&\& \text{IntegerQ}[m] \&\& (\text{GtQ}[n, 0] || \text{LtQ}[m, -1])$

Rule 6724

$\text{Int}[\text{PolyLog}[n, (c_.)*((a_.) + (b_.)*(x_.))^{(p_.)}]/((d_.) + (e_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x] \&\& \text{EqQ}[b*d, a*e]$

Rubi steps

$$\begin{aligned}
\int x^2(a + b \sec^{-1}(cx))^3 dx &= \frac{\text{Subst}(\int (a + bx)^3 \sec^3(x) \tan(x) dx, x, \sec^{-1}(cx))}{c^3} \\
&= \frac{1}{3}x^3(a + b \sec^{-1}(cx))^3 - \frac{b \text{Subst}(\int (a + bx)^2 \sec^3(x) dx, x, \sec^{-1}(cx))}{c^3} \\
&= \frac{b^2 x(a + b \sec^{-1}(cx))}{c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{3}x^3(a + b \sec^{-1}(cx))^3 \\
&= \frac{b^2 x(a + b \sec^{-1}(cx))}{c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{3}x^3(a + b \sec^{-1}(cx))^3 \\
&= \frac{b^2 x(a + b \sec^{-1}(cx))}{c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{3}x^3(a + b \sec^{-1}(cx))^3 \\
&= \frac{b^2 x(a + b \sec^{-1}(cx))}{c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{3}x^3(a + b \sec^{-1}(cx))^3 \\
&= \frac{b^2 x(a + b \sec^{-1}(cx))}{c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{3}x^3(a + b \sec^{-1}(cx))^3
\end{aligned}$$

Mathematica [B] Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 767 vs. 2(236) = 472.

time = 1.45, size = 767, normalized size = 3.25

Warning: Unable to verify antiderivative.

[In] Integrate[x^2*(a + b*ArcSec[c*x])^3,x]

[Out] (6*a*b^2*c*x - 3*a^2*b*c^2*Sqrt[1 - 1/(c^2*x^2)]*x^2 + 2*a^3*c^3*x^3 + 6*b^3*c*x*ArcSec[c*x] - 6*a*b^2*c^2*Sqrt[1 - 1/(c^2*x^2)]*x^2*ArcSec[c*x] + 6*a^2*b*c^3*x^3*ArcSec[c*x] - 3*b^3*c^2*Sqrt[1 - 1/(c^2*x^2)]*x^2*ArcSec[c*x]^2 + 6*a*b^2*c^3*x^3*ArcSec[c*x]^2 + 2*b^3*c^3*x^3*ArcSec[c*x]^3 - 6*a*b^2*ArcSec[c*x]*Log[1 - I*E^(I*ArcSec[c*x])] - 3*b^3*ArcSec[c*x]^2*Log[1 - I*E^(I*ArcSec[c*x])] - 3*b^3*Pi*ArcSec[c*x]*Log[(-1)^(1/4)*(1 - I*E^(I*ArcSec[c*x]))])/(2*E^((I/2)*ArcSec[c*x])) + 6*a*b^2*ArcSec[c*x]*Log[1 + I*E^(I*ArcSec[c*x])] + 3*b^3*ArcSec[c*x]^2*Log[1 + I*E^(I*ArcSec[c*x])] + 3*b^3*ArcSec

$$\begin{aligned}
& [c*x]^2*\text{Log}[\left(\frac{1}{2} + \frac{I}{2}\right)*(-I + E^{(I*\text{ArcSec}[c*x])})]/E^{((I/2)*\text{ArcSec}[c*x])}] - \\
& 3*b^3*\text{Pi}*\text{ArcSec}[c*x]*\text{Log}[-1/2*((-1)^{(1/4)}*(-I + E^{(I*\text{ArcSec}[c*x])}))/E^{((I/2)*\text{ArcSec}[c*x])}] - \\
& 3*b^3*\text{ArcSec}[c*x]^2*\text{Log}[\left(\frac{1}{2} + \frac{I}{2}\right) + (1 - I)*E^{(I*\text{ArcSec}[c*x])}]/(2*E^{((I/2)*\text{ArcSec}[c*x])})] - \\
& 3*a^2*b*\text{Log}[(1 + \text{Sqrt}[1 - 1/(c^2*x^2)])*x] + 3*b^3*\text{Pi}*\text{ArcSec}[c*x]*\text{Log}[-\text{Cos}[(\text{Pi} + 2*\text{ArcSec}[c*x])/4]] + \\
& 6*b^3*\text{Log}[\text{Cos}[\text{ArcSec}[c*x]/2] - \text{Sin}[\text{ArcSec}[c*x]/2]] - 3*b^3*\text{ArcSec}[c*x]^2*\text{Log}[\text{Cos}[\text{ArcSec}[c*x]/2] - \\
& \text{Sin}[\text{ArcSec}[c*x]/2]] - 6*b^3*\text{Log}[\text{Cos}[\text{ArcSec}[c*x]/2] + \text{Sin}[\text{ArcSec}[c*x]/2]] + 3*b^3*\text{ArcSec}[c*x]^2*\text{Log}[\text{Cos}[\text{ArcSec}[c*x]/2] + \\
& \text{Sin}[\text{ArcSec}[c*x]/2]] + 3*b^3*\text{Pi}*\text{ArcSec}[c*x]*\text{Log}[\text{Sin}[(\text{Pi} + 2*\text{ArcSec}[c*x])/4]] - (6*I)*b^2*(a + b*\text{ArcSec}[c*x])* \\
& \text{PolyLog}[2, (-I)*E^{(I*\text{ArcSec}[c*x])}] + (6*I)*b^2*(a + b*\text{ArcSec}[c*x])* \\
& \text{PolyLog}[2, I*E^{(I*\text{ArcSec}[c*x])}] + 6*b^3*\text{PolyLog}[3, (-I)*E^{(I*\text{ArcSec}[c*x])}] - 6*b^3*\text{PolyLog}[3, I*E^{(I*\text{ArcSec}[c*x])}])]/(6*c^3)
\end{aligned}$$

Maple [B] Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 641 vs. 2(286) = 572.
time = 0.61, size = 642, normalized size = 2.72

| method | result |
|-------------------|--|
| derivativedivides | $ \frac{c^3 x^3 a^3}{3} + \frac{b^3 \text{arcsec}(cx)^3 c^3 x^3}{3} - \frac{b^3 \text{arcsec}(cx)^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} c^2 x^2}{2} + b^3 \text{arcsec}(cx) cx + \frac{b^3 \text{arcsec}(cx)^2 \ln\left(1 + i \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)}{2} $ |
| default | $ \frac{c^3 x^3 a^3}{3} + \frac{b^3 \text{arcsec}(cx)^3 c^3 x^3}{3} - \frac{b^3 \text{arcsec}(cx)^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} c^2 x^2}{2} + b^3 \text{arcsec}(cx) cx + \frac{b^3 \text{arcsec}(cx)^2 \ln\left(1 + i \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)}{2} $ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsec(c*x))^3,x,method=_RETURNVERBOSE)`

[Out] $1/c^3*(1/3*c^3*x^3*a^3+1/3*b^3*\text{arcsec}(c*x)^3*c^3*x^3-1/2*b^3*\text{arcsec}(c*x)^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*c^2*x^2+b^3*\text{arcsec}(c*x)*c*x+1/2*b^3*\text{arcsec}(c*x)^2*\ln(1+I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))-I*b^3*\text{arcsec}(c*x)*\text{polylog}(2,-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))+b^3*\text{polylog}(3,-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))-1/2*b^3*\text{arcsec}(c*x)^2*\ln(1-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))+2*I*b^3*\arctan(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})-b^3*\text{polylog}(3,I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))+I*a*b^2*\text{dilog}(1-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))+a*b^2*\text{arcsec}(c*x)^2*c^3*x^3-a*b^2*\text{arcsec}(c*x)*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*c^2*x^2-a*b^2*\text{arcsec}(c*x)*\ln(1-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))+a*b^2*\text{arcsec}(c*x)*\ln(1+I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))-I*a*b^2*\text{dilog}(1+I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))+I*b^3*\text{arcsec}(c*x)*\text{polylog}(2,I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))+a*b^2*c*x+a^2*b*c^3*x^3*\text{arcsec}(c*x)-1/2*a^2*b*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}-1/2*a^2*b*(c^2*x^2-1)^{(1/2)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c/x*\ln(c*x+(c^2*x^2-1)^{(1/2)})$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^2*(a+b*arcsec(c*x))^3,x, algorithm="maxima")`

```
[Out] 1/3*b^3*x^3*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^3 - 1/4*b^3*x^3*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)^2 - 1/2*a*b^2*c^2*(2*(c^2*x^3 + 3*x)/c^4 - 3*log(c*x + 1)/c^5 + 3*log(c*x - 1)/c^5)*log(c)^2 - 12*b^3*c^2*integrate(1/4*x^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^2 - 1), x)*log(c)^2 + 12*b^3*c^2*integrate(1/4*x^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^2 - 1), x)*log(c) - 24*b^3*c^2*integrate(1/4*x^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)/(c^2*x^2 - 1), x)*log(c) + 12*a*b^2*c^2*integrate(1/4*x^4*log(c^2*x^2)/(c^2*x^2 - 1), x)*log(c) - 24*a*b^2*c^2*integrate(1/4*x^4*log(x)/(c^2*x^2 - 1), x)*log(c) + 1/3*a^3*x^3 + 12*b^3*c^2*integrate(1/4*x^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)*log(x)/(c^2*x^2 - 1), x) - 12*b^3*c^2*integrate(1/4*x^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)^2/(c^2*x^2 - 1), x) + 12*a*b^2*c^2*integrate(1/4*x^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^2 - 1), x) + 4*b^3*c^2*integrate(1/4*x^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^2 - 1), x) - 3*a*b^2*c^2*integrate(1/4*x^4*log(c^2*x^2)^2/(c^2*x^2 - 1), x) + 12*a*b^2*c^2*integrate(1/4*x^4*log(c^2*x^2)*log(x)/(c^2*x^2 - 1), x) - 12*a*b^2*c^2*integrate(1/4*x^4*log(x)^2/(c^2*x^2 - 1), x) + 3/2*a*b^2*(2*x/c^2 - log(c*x + 1)/c^3 + log(c*x - 1)/c^3)*log(c)^2 + 12*b^3*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^2 - 1), x)*log(c)^2 - 12*b^3*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^2 - 1), x)*log(c) + 24*b^3*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)/(c^2*x^2 - 1), x)*log(c) - 12*a*b^2*integrate(1/4*x^2*log(c^2*x^2)/(c^2*x^2 - 1), x)*log(c) + 24*a*b^2*integrate(1/4*x^2*log(x)/(c^2*x^2 - 1), x)*log(c) + 1/4*(4*x^3*arcsec(c*x) - (2*sqrt(-1/(c^2*x^2) + 1))/(c^2*(1/(c^2*x^2) - 1) + c^2) + log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^2 - log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^2)/c)*a^2*b - 4*b^3*integrate(1/4*sqrt(c*x + 1)*sqrt(c*x - 1)*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^2 - 1), x) + b^3*integrate(1/4*sqrt(c*x + 1)*sqrt(c*x - 1)*x^2*log(c^2*x^2)^2/(c^2*x^2 - 1), x) - 12*b^3*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)*log(x)/(c^2*x^2 - 1), x) + 12*b^3*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)^2/(c^2*x^2 - 1), x) - 12*a*b^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^2 - 1), x) - 4*b^3*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^2 - 1), x) + 3*a*b^2*integrate(1/4*x^2*log(c^2*x^2)^2/(c^2*x^2 - 1), x) - 12*a*b^2*integrate(1/4*x^2*log(c^2*x^2)*log(x)/(c^2*x^2 - 1), x) + 12*a*b^2*integrate(1/4*x^2*log(x)^2/(c^2*x^2 - 1), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^2*(a+b*arcsec(c*x))^3,x, algorithm="fricas")``[Out] integral(b^3*x^2*arcsec(c*x)^3 + 3*a*b^2*x^2*arcsec(c*x)^2 + 3*a^2*b*x^2*arcsec(c*x) + a^3*x^2, x)`**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2(a + b \operatorname{asec}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x**2*(a+b*asec(c*x))**3,x)``[Out] Integral(x**2*(a + b*asec(c*x))**3, x)`**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^2*(a+b*arcsec(c*x))^3,x, algorithm="giac")``[Out] integrate((b*arcsec(c*x) + a)^3*x^2, x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^2*(a + b*acos(1/(c*x)))^3,x)``[Out] int(x^2*(a + b*acos(1/(c*x)))^3, x)`

3.26 $\int x(a + b \sec^{-1}(cx))^3 dx$

Optimal. Leaf size=126

$$\frac{3ib(a + b \sec^{-1}(cx))^2}{2c^2} - \frac{3b\sqrt{1 - \frac{1}{c^2x^2}} x(a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{2}x^2(a + b \sec^{-1}(cx))^3 - \frac{3b^2(a + b \sec^{-1}(cx)) \log\left(\frac{1 + \sqrt{1 - \frac{1}{c^2x^2}}}{1 - \sqrt{1 - \frac{1}{c^2x^2}}}\right)}{c^2}$$

[Out] $\frac{3}{2}I*b*(a+b*\text{arcsec}(c*x))^2/c^2 + \frac{1}{2}*x^2*(a+b*\text{arcsec}(c*x))^3 - 3*b^2*(a+b*\text{arcsec}(c*x))*\ln(1+(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2)/c^2 + \frac{3}{2}I*b^3*\text{polylog}(2, -(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2)/c^2 - \frac{3}{2}*b*x*(a+b*\text{arcsec}(c*x))^2*(1-1/c^2/x^2)^{(1/2)}/c$

Rubi [A]

time = 0.11, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {5330, 4494, 4269, 3800, 2221, 2317, 2438}

$$-\frac{3b^2 \log\left(1 + e^{2i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))}{c^2} - \frac{3bx\sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))^2}{2c} + \frac{3ib(a + b \sec^{-1}(cx))^2}{2c^2} + \frac{1}{2}x^2(a + b \sec^{-1}(cx))^3 + \frac{3ib^3 \text{Li}_2\left(-e^{2i \sec^{-1}(cx)}\right)}{2c^2}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*ArcSec[c*x])^3,x]

[Out] $\left(\frac{(3I)}{2}\right)*b*(a + b*\text{ArcSec}[c*x])^2/c^2 - (3*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(a + b*\text{ArcSec}[c*x])^2)/(2*c) + (x^2*(a + b*\text{ArcSec}[c*x])^3)/2 - (3*b^2*(a + b*\text{ArcSec}[c*x])*Log[1 + E^{((2*I)*\text{ArcSec}[c*x])}])/c^2 + \left(\frac{(3I)}{2}\right)*b^3*\text{PolyLog}[2, -E^{((2*I)*\text{ArcSec}[c*x])}])/c^2$

Rule 2221

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_)*((F_)^(e_)*((c_) + (d_)*(x_)))^(n_)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_)*((d_) + (e_)*(x_))^(n_)]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3800

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[
I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4269

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp
[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*
Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 4494

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b
_.)*(x_)]^(p_.), x_Symbol] := Simp[(c + d*x)^m*(Sec[a + b*x]^n/(b*n)), x] -
Dist[d*(m/(b*n)), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a
, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]
], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] ||
LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int x(a + b \sec^{-1}(cx))^3 dx &= \frac{\text{Subst}(\int (a + bx)^3 \sec^2(x) \tan(x) dx, x, \sec^{-1}(cx))}{c^2} \\
&= \frac{1}{2}x^2(a + b \sec^{-1}(cx))^3 - \frac{(3b)\text{Subst}(\int (a + bx)^2 \sec^2(x) dx, x, \sec^{-1}(cx))}{2c^2} \\
&= -\frac{3b\sqrt{1 - \frac{1}{c^2x^2}} x(a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{2}x^2(a + b \sec^{-1}(cx))^3 + \frac{(3b^2)\text{Subst}(\int (a + bx) \sec^2(x) dx, x, \sec^{-1}(cx))}{2c^2} \\
&= \frac{3ib(a + b \sec^{-1}(cx))^2}{2c^2} - \frac{3b\sqrt{1 - \frac{1}{c^2x^2}} x(a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{2}x^2(a + b \sec^{-1}(cx))^3 + \frac{3ib^2\text{Subst}(\int \sec^2(x) dx, x, \sec^{-1}(cx))}{2c^2} \\
&= \frac{3ib(a + b \sec^{-1}(cx))^2}{2c^2} - \frac{3b\sqrt{1 - \frac{1}{c^2x^2}} x(a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{2}x^2(a + b \sec^{-1}(cx))^3 + \frac{3ib^2 \log(1 + e^{2i \sec^{-1}(cx)})}{2c^2} \\
&= \frac{3ib(a + b \sec^{-1}(cx))^2}{2c^2} - \frac{3b\sqrt{1 - \frac{1}{c^2x^2}} x(a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{2}x^2(a + b \sec^{-1}(cx))^3 + \frac{3ib^2 \log(\frac{1}{cx})}{2c^2} + 3ib^2 \text{PolyLog}(2, -e^{2i \sec^{-1}(cx)}) \\
&= \frac{3ib(a + b \sec^{-1}(cx))^2}{2c^2} - \frac{3b\sqrt{1 - \frac{1}{c^2x^2}} x(a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{2}x^2(a + b \sec^{-1}(cx))^3 + \frac{3ib^2 \log(1 + e^{2i \sec^{-1}(cx)})}{2c^2}
\end{aligned}$$

Mathematica [A]

time = 0.40, size = 184, normalized size = 1.46

$$\frac{-3b^2 \left(-ac^2x^2 + b \left(-i + c\sqrt{1 - \frac{1}{c^2x^2}} x \right) \right) \sec^{-1}(cx)^2 + b^3c^2x^2 \sec^{-1}(cx)^3 - 3b \sec^{-1}(cx) \left(acx \left(2b\sqrt{1 - \frac{1}{c^2x^2}} - acx \right) + 2b^2 \log(1 + e^{2i \sec^{-1}(cx)}) \right) + a \left(acx \left(-3b\sqrt{1 - \frac{1}{c^2x^2}} + acx \right) - 6b^2 \log\left(\frac{1}{cx}\right) \right) + 3ib^2 \text{PolyLog}(2, -e^{2i \sec^{-1}(cx)})}{2c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*ArcSec[c*x])^3,x]

[Out] (-3*b^2*(-(a*c^2*x^2) + b*(-I + c*Sqrt[1 - 1/(c^2*x^2)]*x))*ArcSec[c*x]^2 + b^3*c^2*x^2*ArcSec[c*x]^3 - 3*b*ArcSec[c*x]*(a*c*x*(2*b*Sqrt[1 - 1/(c^2*x^2)] - a*c*x) + 2*b^2*Log[1 + E^((2*I)*ArcSec[c*x])]) + a*(a*c*x*(-3*b*Sqrt[1 - 1/(c^2*x^2)] + a*c*x) - 6*b^2*Log[1/(c*x)]) + (3*I)*b^3*PolyLog[2, -E^((2*I)*ArcSec[c*x])])/(2*c^2)

Maple [A]

time = 0.48, size = 265, normalized size = 2.10

| method | result |
|--------|--------|
|--------|--------|

| | |
|-------------------|---|
| derivativedivides | $\frac{c^2 x^2 a^3}{2} + \frac{b^3 \operatorname{arcsec}(cx)^3 c^2 x^2}{2} - \frac{3b^3 \operatorname{arcsec}(cx)^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} cx}{2} + \frac{3ib^3 \operatorname{arcsec}(cx)^2}{2} - 3b^3 \operatorname{arcsec}(cx) \ln \left(1 + \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right) \right)$ |
| default | $\frac{c^2 x^2 a^3}{2} + \frac{b^3 \operatorname{arcsec}(cx)^3 c^2 x^2}{2} - \frac{3b^3 \operatorname{arcsec}(cx)^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} cx}{2} + \frac{3ib^3 \operatorname{arcsec}(cx)^2}{2} - 3b^3 \operatorname{arcsec}(cx) \ln \left(1 + \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right) \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsec(c*x))^3,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^2} \left(\frac{1}{2} c^2 x^2 a^3 + \frac{1}{2} b^3 \operatorname{arcsec}(cx)^3 c^2 x^2 - \frac{3}{2} b^3 \operatorname{arcsec}(cx)^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} cx + \frac{3ib^3 \operatorname{arcsec}(cx)^2}{2} - 3b^3 \operatorname{arcsec}(cx) \ln \left(1 + \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right) \right) \right)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))^3,x, algorithm="maxima")`

[Out] $\frac{3}{2} a b^2 x^2 \operatorname{arcsec}(cx)^2 + \frac{1}{2} a^3 x^2 + \frac{3}{2} (x^2 \operatorname{arcsec}(cx) - x \sqrt{-1/(c^2 x^2) + 1}/c) a^2 b - 3(x \sqrt{-1/(c^2 x^2) + 1} \operatorname{arcsec}(cx)/c - \log(x/c^2) a b^2 + 1/8 (4x^2 \arctan(\sqrt{cx+1}) \sqrt{cx-1})^3 - 3x^2 \arctan(\sqrt{cx+1}) \sqrt{cx-1}) \log(c^2 x^2)^2 - 8 \int (3/8 ((4x \arctan(\sqrt{cx+1}) \sqrt{cx-1})^2 - x \log(c^2 x^2)^2) \sqrt{cx+1} \sqrt{cx-1} + 4(2c^2 x^3 \log(c)^2 - 2x \log(c)^2 + 2(c^2 x^3 - x) \log(x)^2 - ((2c^2 \log(c) + c^2) x^3 - x(2 \log(c) + 1) + 2(c^2 x^3 - x) \log(x)) \log(c^2 x^2) + 4(c^2 x^3 \log(c) - x \log(c)) \log(x)) \arctan(\sqrt{cx+1}) \sqrt{cx-1})) / (c^2 x^2 - 1), x) b^3$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))^3,x, algorithm="fricas")

[Out] integral(b^3*x*arcsec(c*x)^3 + 3*a*b^2*x*arcsec(c*x)^2 + 3*a^2*b*x*arcsec(c*x) + a^3*x, x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x(a + b \operatorname{asec}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asec(c*x))**3,x)

[Out] Integral(x*(a + b*asec(c*x))**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))^3,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^3*x, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x \left(a + b \operatorname{acos} \left(\frac{1}{cx} \right) \right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*acos(1/(c*x)))^3,x)

[Out] int(x*(a + b*acos(1/(c*x)))^3, x)

3.27 $\int (a + b \sec^{-1}(cx))^3 dx$

Optimal. Leaf size=158

$$x(a + b \sec^{-1}(cx))^3 + \frac{6ib(a + b \sec^{-1}(cx))^2 \operatorname{ArcTan}\left(e^{i \sec^{-1}(cx)}\right)}{c} - \frac{6ib^2(a + b \sec^{-1}(cx)) \operatorname{PolyLog}\left(2, -ie^{i \sec^{-1}(cx)}\right)}{c}$$

```
[Out] x*(a+b*arcsec(c*x))^3+6*I*b*(a+b*arcsec(c*x))^2*arctan(1/c/x+I*(1-1/c^2/x^2)^(1/2))/c-6*I*b^2*(a+b*arcsec(c*x))*polylog(2,-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/c+6*I*b^2*(a+b*arcsec(c*x))*polylog(2,I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/c+6*b^3*polylog(3,-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/c-6*b^3*polylog(3,I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/c
```

Rubi [A]

time = 0.09, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {5324, 4494, 4266, 2611, 2320, 6724}

$$\frac{6ib \operatorname{ArcTan}\left(e^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))^2}{c} - \frac{6ib^2 \operatorname{Li}_2\left(-ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))}{c} + \frac{6ib^2 \operatorname{Li}_2\left(ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))}{c} + x(a + b \sec^{-1}(cx))^3 + \frac{6b^2 \operatorname{Li}_3\left(-ie^{i \sec^{-1}(cx)}\right)}{c} - \frac{6b^2 \operatorname{Li}_3\left(ie^{i \sec^{-1}(cx)}\right)}{c}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSec[c*x])^3,x]
```

```
[Out] x*(a + b*ArcSec[c*x])^3 + ((6*I)*b*(a + b*ArcSec[c*x])^2*ArcTan[E^(I*ArcSec[c*x])])/c - ((6*I)*b^2*(a + b*ArcSec[c*x])*PolyLog[2, (-I)*E^(I*ArcSec[c*x])])/c + ((6*I)*b^2*(a + b*ArcSec[c*x])*PolyLog[2, I*E^(I*ArcSec[c*x])])/c + (6*b^3*PolyLog[3, (-I)*E^(I*ArcSec[c*x])])/c - (6*b^3*PolyLog[3, I*E^(I*ArcSec[c*x])])/c
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_)^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m-1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 4266

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol]
  := Simp[-2*(c + d*x)^m*(ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4494

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*Sec[(a_.) + (b_.)*(x_.)]^(n_.)*Tan[(a_.) + (b_.)*(x_.)]^(p_.), x_Symbol]
  := Simp[(c + d*x)^m*(Sec[a + b*x]^n/(b*n)), x] - Dist[d*(m/(b*n)), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 5324

```
Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))^(n_.), x_Symbol]
  := Dist[1/c, Subst[Int[(a + b*x)^n*Sec[x]*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[n, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol]
  := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
 \int (a + b \sec^{-1}(cx))^3 dx &= \frac{\text{Subst}(\int (a + bx)^3 \sec(x) \tan(x) dx, x, \sec^{-1}(cx))}{c} \\
 &= x(a + b \sec^{-1}(cx))^3 - \frac{(3b)\text{Subst}(\int (a + bx)^2 \sec(x) dx, x, \sec^{-1}(cx))}{c} \\
 &= x(a + b \sec^{-1}(cx))^3 + \frac{6ib(a + b \sec^{-1}(cx))^2 \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)}{c} + \frac{(6b^2)\text{Subst}(\int (a + bx) \sec(x) dx, x, \sec^{-1}(cx))}{c} \\
 &= x(a + b \sec^{-1}(cx))^3 + \frac{6ib(a + b \sec^{-1}(cx))^2 \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)}{c} - \frac{6ib^2(a + b \sec^{-1}(cx))}{c} \\
 &= x(a + b \sec^{-1}(cx))^3 + \frac{6ib(a + b \sec^{-1}(cx))^2 \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)}{c} - \frac{6ib^2(a + b \sec^{-1}(cx))}{c} \\
 &= x(a + b \sec^{-1}(cx))^3 + \frac{6ib(a + b \sec^{-1}(cx))^2 \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)}{c} - \frac{6ib^2(a + b \sec^{-1}(cx))}{c}
 \end{aligned}$$

Mathematica [A]

time = 0.19, size = 289, normalized size = 1.83

$$\frac{a^3cx + 3a^2b^2cx^2 + 3a^2b^2cx^2 \operatorname{ArcSec}[cx] - 6a^2b^2cx^2 \log(1 - \sqrt{1 - \frac{1}{c^2x^2}}) - 3b^3 \operatorname{ArcSec}[cx] \log(1 - \sqrt{1 - \frac{1}{c^2x^2}}) + 6a^2b^2cx^2 \log(1 + \sqrt{1 - \frac{1}{c^2x^2}}) + 3b^3 \operatorname{ArcSec}[cx] \log(1 + \sqrt{1 - \frac{1}{c^2x^2}}) - 3a^2b^2cx^2 \log\left(\frac{1 + \sqrt{1 - \frac{1}{c^2x^2}}}{1 - \sqrt{1 - \frac{1}{c^2x^2}}}\right) - 6b^3 \operatorname{ArcSec}[cx] \operatorname{PolyLog}\left[2, -\sqrt{1 - \frac{1}{c^2x^2}}\right] + 6b^3 \operatorname{ArcSec}[cx] \operatorname{PolyLog}\left[2, \sqrt{1 - \frac{1}{c^2x^2}}\right] + 6b^3 \operatorname{ArcSec}[cx] \operatorname{PolyLog}\left[3, -\sqrt{1 - \frac{1}{c^2x^2}}\right] - 6b^3 \operatorname{ArcSec}[cx] \operatorname{PolyLog}\left[3, \sqrt{1 - \frac{1}{c^2x^2}}\right]}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])^3, x]

[Out] (a^3*c*x + 3*a^2*b*c*x*ArcSec[c*x] + 3*a*b^2*c*x*ArcSec[c*x]^2 + b^3*c*x*ArcSec[c*x]^3 - 6*a*b^2*ArcSec[c*x]*Log[1 - I*E^(I*ArcSec[c*x])] - 3*b^3*ArcSec[c*x]^2*Log[1 - I*E^(I*ArcSec[c*x])] + 6*a*b^2*ArcSec[c*x]*Log[1 + I*E^(I*ArcSec[c*x])] + 3*b^3*ArcSec[c*x]^2*Log[1 + I*E^(I*ArcSec[c*x])] - 3*a^2*b*Log[c*(1 + Sqrt[1 - 1/(c^2*x^2)])]*x - (6*I)*b^2*(a + b*ArcSec[c*x])*PolyLog[2, (-I)*E^(I*ArcSec[c*x])] + (6*I)*b^2*(a + b*ArcSec[c*x])*PolyLog[2, I*E^(I*ArcSec[c*x])] + 6*b^3*PolyLog[3, (-I)*E^(I*ArcSec[c*x])] - 6*b^3*PolyLog[3, I*E^(I*ArcSec[c*x])])/c

Maple [F]

time = 0.01, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{arcsec}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))^3,x)**[Out]** int((a+b*arcsec(c*x))^3,x)**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3,x, algorithm="maxima")

[Out] -3/2*a*b^2*c^2*(2*x/c^2 - log(c*x + 1)/c^3 + log(c*x - 1)/c^3)*log(c)^2 - 12*b^3*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^2 - 1), x)*log(c)^2 + b^3*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^3 - 3/4*b^3*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)^2 + 12*b^3*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^2 - 1), x)*log(c) - 24*b^3*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)/(c^2*x^2 - 1), x)*log(c) + 12*a*b^2*c^2*integrate(1/4*x^2*log(c^2*x^2)/(c^2*x^2 - 1), x)*log(c) - 24*a*b^2*c^2*integrate(1/4*x^2*log(x)/(c^2*x^2 - 1), x)*log(c) + 12*b^3*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)*log(x)/(c^2*x^2 - 1), x) - 12*b^3*c^2*integrate(1/4*x^2

```

*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)^2/(c^2*x^2 - 1), x) + 12*a*b^2*
c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^2 - 1),
x) + 12*b^3*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c
^2*x^2)/(c^2*x^2 - 1), x) - 3*a*b^2*c^2*integrate(1/4*x^2*log(c^2*x^2)^2/(c
^2*x^2 - 1), x) + 12*a*b^2*c^2*integrate(1/4*x^2*log(c^2*x^2)*log(x)/(c^2*x
^2 - 1), x) - 12*a*b^2*c^2*integrate(1/4*x^2*log(x)^2/(c^2*x^2 - 1), x) - 3
/2*a*b^2*(log(c*x + 1)/c - log(c*x - 1)/c)*log(c)^2 + 12*b^3*integrate(1/4*
arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^2 - 1), x)*log(c)^2 - 12*b^3*int
egrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^2 - 1),
x)*log(c) + 24*b^3*integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)
/(c^2*x^2 - 1), x)*log(c) - 12*a*b^2*integrate(1/4*log(c^2*x^2)/(c^2*x^2 -
1), x)*log(c) + 24*a*b^2*integrate(1/4*log(x)/(c^2*x^2 - 1), x)*log(c) + a^
3*x - 12*b^3*integrate(1/4*sqrt(c*x + 1)*sqrt(c*x - 1)*arctan(sqrt(c*x + 1)
*sqrt(c*x - 1))^2/(c^2*x^2 - 1), x) + 3*b^3*integrate(1/4*sqrt(c*x + 1)*sq
rt(c*x - 1)*log(c^2*x^2)^2/(c^2*x^2 - 1), x) - 12*b^3*integrate(1/4*arctan(s
qrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)*log(x)/(c^2*x^2 - 1), x) + 12*b^3*
integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)^2/(c^2*x^2 - 1), x
) - 12*a*b^2*integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^2 -
1), x) - 12*b^3*integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*
x^2)/(c^2*x^2 - 1), x) + 3*a*b^2*integrate(1/4*log(c^2*x^2)^2/(c^2*x^2 - 1)
, x) - 12*a*b^2*integrate(1/4*log(c^2*x^2)*log(x)/(c^2*x^2 - 1), x) + 12*a*
b^2*integrate(1/4*log(x)^2/(c^2*x^2 - 1), x) + 3/2*(2*c*x*arcsec(c*x) - log
(sqrt(-1/(c^2*x^2) + 1) + 1) + log(-sqrt(-1/(c^2*x^2) + 1) + 1))*a^2*b/c

```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^3,x, algorithm="fricas")
```

```
[Out] integral(b^3*arcsec(c*x)^3 + 3*a*b^2*arcsec(c*x)^2 + 3*a^2*b*arcsec(c*x) +
a^3, x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asec}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))**3,x)
```

```
[Out] Integral((a + b*asec(c*x))**3, x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsec(c*x))^3,x, algorithm="giac")``[Out] integrate((b*arcsec(c*x) + a)^3, x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \left(a + b \operatorname{acos} \left(\frac{1}{cx} \right) \right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a + b*acos(1/(c*x)))^3,x)``[Out] int((a + b*acos(1/(c*x)))^3, x)`

$$3.28 \quad \int \frac{(a+b \sec^{-1}(cx))^3}{x} dx$$

Optimal. Leaf size=128

$$\frac{i(a+b \sec^{-1}(cx))^4}{4b} - (a+b \sec^{-1}(cx))^3 \log\left(1+e^{2i \sec^{-1}(cx)}\right) + \frac{3}{2}ib(a+b \sec^{-1}(cx))^2 \text{PolyLog}\left(2, -e^{2i \sec^{-1}(cx)}\right)$$

```
[Out] 1/4*I*(a+b*arcsec(c*x))^4/b-(a+b*arcsec(c*x))^3*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+3/2*I*b*(a+b*arcsec(c*x))^2*polylog(2,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)-3/2*b^2*(a+b*arcsec(c*x))*polylog(3,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)-3/4*I*b^3*polylog(4,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)
```

Rubi [A]

time = 0.10, antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5330, 3800, 2221, 2611, 6744, 2320, 6724}

$$-\frac{3}{2}b^2\text{Li}_3\left(-e^{2i \sec^{-1}(cx)}\right)(a+b \sec^{-1}(cx)) + \frac{3}{2}i\text{Li}_2\left(-e^{2i \sec^{-1}(cx)}\right)(a+b \sec^{-1}(cx))^2 + \frac{i(a+b \sec^{-1}(cx))^4}{4b} - \log\left(1+e^{2i \sec^{-1}(cx)}\right)(a+b \sec^{-1}(cx))^3 - \frac{3}{4}ib^3\text{Li}_4\left(-e^{2i \sec^{-1}(cx)}\right)$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSec[c*x])^3/x, x]
```

```
[Out] ((I/4)*(a + b*ArcSec[c*x])^4)/b - (a + b*ArcSec[c*x])^3*Log[1 + E^((2*I)*ArcSec[c*x])] + ((3*I)/2)*b*(a + b*ArcSec[c*x])^2*PolyLog[2, -E^((2*I)*ArcSec[c*x])] - (3*b^2*(a + b*ArcSec[c*x])*PolyLog[3, -E^((2*I)*ArcSec[c*x])])/2 - ((3*I)/4)*b^3*PolyLog[4, -E^((2*I)*ArcSec[c*x])]
```

Rule 2221

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)*(x_))^(m_), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a +
```



```
b*x)))^n)/(b*c*n*Log[F]), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 3800

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[I
*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]
], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] ||
LtQ[m, -1])
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6744

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_))))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec^{-1}(cx))^3}{x} dx &= \text{Subst} \left(\int (a + bx)^3 \tan(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{i(a + b \sec^{-1}(cx))^4}{4b} - 2i \text{Subst} \left(\int \frac{e^{2ix}(a + bx)^3}{1 + e^{2ix}} dx, x, \sec^{-1}(cx) \right) \\
&= \frac{i(a + b \sec^{-1}(cx))^4}{4b} - (a + b \sec^{-1}(cx))^3 \log \left(1 + e^{2i \sec^{-1}(cx)} \right) + (3b) \text{Subst} \left(\int (a - \right. \\
&= \frac{i(a + b \sec^{-1}(cx))^4}{4b} - (a + b \sec^{-1}(cx))^3 \log \left(1 + e^{2i \sec^{-1}(cx)} \right) + \frac{3}{2} ib(a + b \sec^{-1}(c \\
&= \frac{i(a + b \sec^{-1}(cx))^4}{4b} - (a + b \sec^{-1}(cx))^3 \log \left(1 + e^{2i \sec^{-1}(cx)} \right) + \frac{3}{2} ib(a + b \sec^{-1}(c \\
&= \frac{i(a + b \sec^{-1}(cx))^4}{4b} - (a + b \sec^{-1}(cx))^3 \log \left(1 + e^{2i \sec^{-1}(cx)} \right) + \frac{3}{2} ib(a + b \sec^{-1}(c \\
&= \frac{i(a + b \sec^{-1}(cx))^4}{4b} - (a + b \sec^{-1}(cx))^3 \log \left(1 + e^{2i \sec^{-1}(cx)} \right) + \frac{3}{2} ib(a + b \sec^{-1}(c \\
&= \frac{i(a + b \sec^{-1}(cx))^4}{4b} - (a + b \sec^{-1}(cx))^3 \log \left(1 + e^{2i \sec^{-1}(cx)} \right) + \frac{3}{2} ib(a + b \sec^{-1}(c
\end{aligned}$$

Mathematica [A]

time = 0.13, size = 204, normalized size = 1.59

$$\frac{1}{4} (6ia^3b \sec^{-1}(cx)^2 + 4iab^2 \sec^{-1}(cx)^2 + 16^2 \sec^{-1}(cx)^4 - 12a^2b \sec^{-1}(cx) \log(1 + e^{2i \sec^{-1}(cx)}) - 12ia^2b \sec^{-1}(cx)^2 \log(1 + e^{2i \sec^{-1}(cx)}) - 4b^3 \sec^{-1}(cx)^3 \log(1 + e^{2i \sec^{-1}(cx)}) + 4a^3 \log(cx) + 6ib(a + b \sec^{-1}(cx))^2 \text{PolyLog}(2, -e^{2i \sec^{-1}(cx)}) - 6b^2(a + b \sec^{-1}(cx)) \text{PolyLog}(3, -e^{2i \sec^{-1}(cx)}) - 3ib^2 \text{PolyLog}(4, -e^{2i \sec^{-1}(cx)})$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])^3/x,x]

[Out] ((6*I)*a^2*b*ArcSec[c*x]^2 + (4*I)*a*b^2*ArcSec[c*x]^3 + I*b^3*ArcSec[c*x]^4 - 12*a^2*b*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] - 12*a*b^2*ArcSec[c*x]^2*Log[1 + E^((2*I)*ArcSec[c*x])] - 4*b^3*ArcSec[c*x]^3*Log[1 + E^((2*I)*ArcSec[c*x])] + 4*a^3*Log[c*x] + (6*I)*b*(a + b*ArcSec[c*x])^2*PolyLog[2, -E^((2*I)*ArcSec[c*x])] - 6*b^2*(a + b*ArcSec[c*x])*PolyLog[3, -E^((2*I)*ArcSec[c*x])] - (3*I)*b^3*PolyLog[4, -E^((2*I)*ArcSec[c*x])])/4

Maple [B] Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 389 vs. 2(177) = 354.

time = 0.23, size = 390, normalized size = 3.05

| method | result |
|-------------------|---|
| derivativedivides | $a^3 \ln(cx) + \frac{ib^3 \text{arcsec}(cx)^4}{4} - b^3 \text{arcsec}(cx)^3 \ln \left(1 + \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right)^2 \right) + \frac{3ib^3 \text{arcsec}(cx)^2 \text{pol}}{\dots}$ |

| | |
|---------|--|
| default | $a^3 \ln(cx) + \frac{ib^3 \operatorname{arcsec}(cx)^4}{4} - b^3 \operatorname{arcsec}(cx)^3 \ln \left(1 + \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right)^2 \right) + \frac{3ib^3 \operatorname{arcsec}(cx)^2 p}{\dots}$ |
|---------|--|

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))^3/x,x,method=_RETURNVERBOSE)`

[Out] $a^3 \ln(cx) + 1/4 I b^3 \operatorname{arcsec}(cx)^4 - b^3 \operatorname{arcsec}(cx)^3 \ln(1 + (1/c/x + I(1 - 1/c^2/x^2)^{1/2})^2) + 3/2 I b^3 \operatorname{arcsec}(cx)^2 \operatorname{polylog}(2, -(1/c/x + I(1 - 1/c^2/x^2)^{1/2})^2) - 3/2 b^3 \operatorname{arcsec}(cx) \operatorname{polylog}(3, -(1/c/x + I(1 - 1/c^2/x^2)^{1/2})^2) - 3/4 I b^3 \operatorname{polylog}(4, -(1/c/x + I(1 - 1/c^2/x^2)^{1/2})^2) + I a b^2 \operatorname{arcsec}(cx)^3 - 3 a b^2 \operatorname{arcsec}(cx)^2 \ln(1 + (1/c/x + I(1 - 1/c^2/x^2)^{1/2})^2) + 3 I a b^2 \operatorname{arcsec}(cx) \operatorname{polylog}(2, -(1/c/x + I(1 - 1/c^2/x^2)^{1/2})^2) - 3/2 a b^2 \operatorname{polylog}(3, -(1/c/x + I(1 - 1/c^2/x^2)^{1/2})^2) + 3/2 I a^2 b \operatorname{arcsec}(cx)^2 - 3 a^2 b \operatorname{arcsec}(cx) \ln(1 + (1/c/x + I(1 - 1/c^2/x^2)^{1/2})^2) + 3/2 I a^2 b \operatorname{polylog}(2, -(1/c/x + I(1 - 1/c^2/x^2)^{1/2})^2)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^3/x,x, algorithm="maxima")`

[Out] $-3/2 a b^2 c^2 (\log(cx + 1)/c^2 + \log(cx - 1)/c^2) \log(c)^2 - 12 b^3 c^2 \int \int \int (1/4 x^2 \arctan(\sqrt{cx + 1}) \sqrt{cx - 1}) / (c^2 x^3 - x), x) \log(c)^2 + 12 b^3 c^2 \int \int \int (1/4 x^2 \arctan(\sqrt{cx + 1}) \sqrt{cx - 1}) \log(c^2 x^2) / (c^2 x^3 - x), x) \log(c) - 24 b^3 c^2 \int \int \int (1/4 x^2 \arctan(\sqrt{cx + 1}) \sqrt{cx - 1}) \log(x) / (c^2 x^3 - x), x) \log(c) + 12 a b^2 c^2 \int \int \int (1/4 x^2 \log(c^2 x^2) / (c^2 x^3 - x), x) \log(c) - 24 a b^2 c^2 \int \int \int (1/4 x^2 \log(x) / (c^2 x^3 - x), x) \log(c) + b^3 \arctan(\sqrt{cx + 1}) \sqrt{cx - 1}^3 \log(x) - 3/4 b^3 \arctan(\sqrt{cx + 1}) \sqrt{cx - 1} \log(c^2 x^2)^2 \log(x) + 24 b^3 c^2 \int \int \int (1/4 x^2 \arctan(\sqrt{cx + 1}) \sqrt{cx - 1}) \log(c^2 x^2) \log(x) / (c^2 x^3 - x), x) - 12 b^3 c^2 \int \int \int (1/4 x^2 \arctan(\sqrt{cx + 1}) \sqrt{cx - 1}) \log(x)^2 / (c^2 x^3 - x), x) + 12 a b^2 c^2 \int \int \int (1/4 x^2 \arctan(\sqrt{cx + 1}) \sqrt{cx - 1})^2 / (c^2 x^3 - x), x) - 3 a b^2 c^2 \int \int \int (1/4 x^2 \log(c^2 x^2)^2 / (c^2 x^3 - x), x) + 12 a b^2 c^2 \int \int \int (1/4 x^2 \log(c^2 x^2) \log(x) / (c^2 x^3 - x), x) - 12 a b^2 c^2 \int \int \int (1/4 x^2 \log(x)^2 / (c^2 x^3 - x), x) + 12 a^2 b c^2 \int \int \int (1/4 x^2 \arctan(\sqrt{cx + 1}) \sqrt{cx - 1}) / (c^2 x^3 - x), x) + 3/2 a b^2 (\log(cx + 1) + \log(cx - 1) - 2 \log(x)) \log(c)^2 + 12 b^3 \int \int \int (1/4 \arctan(\sqrt{cx + 1}) \sqrt{cx - 1}) / (c^2 x^3 - x), x) \log(c)^2 - 12 b^3 \int \int \int (1/4 \arctan(\sqrt{cx + 1}) \sqrt{cx - 1}) \log(c^2 x^2) / (c^2 x^3 - x), x) \log(c)^2$

```
og(c) + 24*b^3*integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)/(c^
2*x^3 - x), x)*log(c) - 12*a*b^2*integrate(1/4*log(c^2*x^2)/(c^2*x^3 - x),
x)*log(c) + 24*a*b^2*integrate(1/4*log(x)/(c^2*x^3 - x), x)*log(c) - 12*b^3
*integrate(1/4*sqrt(c*x + 1)*sqrt(c*x - 1)*arctan(sqrt(c*x + 1)*sqrt(c*x -
1))^2*log(x)/(c^2*x^3 - x), x) + 3*b^3*integrate(1/4*sqrt(c*x + 1)*sqrt(c*x
- 1)*log(c^2*x^2)^2*log(x)/(c^2*x^3 - x), x) - 24*b^3*integrate(1/4*arctan
(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)*log(x)/(c^2*x^3 - x), x) + 12*b^
3*integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)^2/(c^2*x^3 - x),
x) - 12*a*b^2*integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^3
- x), x) + 3*a*b^2*integrate(1/4*log(c^2*x^2)^2/(c^2*x^3 - x), x) - 12*a*b
^2*integrate(1/4*log(c^2*x^2)*log(x)/(c^2*x^3 - x), x) + 12*a*b^2*integrate
(1/4*log(x)^2/(c^2*x^3 - x), x) - 12*a^2*b*integrate(1/4*arctan(sqrt(c*x +
1)*sqrt(c*x - 1))/(c^2*x^3 - x), x) + a^3*log(x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^3/x,x, algorithm="fricas")
```

```
[Out] integral((b^3*arcsec(c*x)^3 + 3*a*b^2*arcsec(c*x)^2 + 3*a^2*b*arcsec(c*x) +
a^3)/x, x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx))^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))**3/x,x)
```

```
[Out] Integral((a + b*asec(c*x))**3/x, x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^3/x,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)^3/x, x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{acos}(\frac{1}{cx}))^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))^3/x, x)

[Out] int((a + b*acos(1/(c*x)))^3/x, x)

$$3.29 \quad \int \frac{(a+b \sec^{-1}(cx))^3}{x^2} dx$$

Optimal. Leaf size=80

$$-6b^3c\sqrt{1-\frac{1}{c^2x^2}} + \frac{6b^2(a+b \sec^{-1}(cx))}{x} + 3bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))^2 - \frac{(a+b \sec^{-1}(cx))^3}{x}$$

[Out] $6*b^2*(a+b*\text{arcsec}(c*x))/x-(a+b*\text{arcsec}(c*x))^3/x-6*b^3*c*(1-1/c^2/x^2)^{(1/2)}+3*b*c*(a+b*\text{arcsec}(c*x))^2*(1-1/c^2/x^2)^{(1/2)}$

Rubi [A]

time = 0.07, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {5330, 3377, 2717}

$$\frac{6b^2(a+b \sec^{-1}(cx))}{x} + 3bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))^2 - \frac{(a+b \sec^{-1}(cx))^3}{x} - 6b^3c\sqrt{1-\frac{1}{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^3/x^2,x]

[Out] $-6*b^3*c*\text{Sqrt}[1-1/(c^2*x^2)]+(6*b^2*(a+b*\text{ArcSec}[c*x]))/x+3*b*c*\text{Sqrt}[1-1/(c^2*x^2)]*(a+b*\text{ArcSec}[c*x])^2-(a+b*\text{ArcSec}[c*x])^3/x$

Rule 2717

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3377

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[(-(c + d*x)^m)*(Cos[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m-1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 5330

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Dist[1/c^(m+1), Subst[Int[(a + b*x)^n*Sec[x]^(m+1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec^{-1}(cx))^3}{x^2} dx &= c \text{Subst} \left(\int (a + bx)^3 \sin(x) dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{(a + b \sec^{-1}(cx))^3}{x} + (3bc) \text{Subst} \left(\int (a + bx)^2 \cos(x) dx, x, \sec^{-1}(cx) \right) \\
&= 3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2 - \frac{(a + b \sec^{-1}(cx))^3}{x} - (6b^2 c) \text{Subst} \left(\int (a + bx) \sin(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{6b^2(a + b \sec^{-1}(cx))}{x} + 3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2 - \frac{(a + b \sec^{-1}(cx))^3}{x} - 6b^2 c \sec^{-1}(cx) \\
&= -6b^3 c \sqrt{1 - \frac{1}{c^2 x^2}} + \frac{6b^2(a + b \sec^{-1}(cx))}{x} + 3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2 - 6b^2 c \sec^{-1}(cx)
\end{aligned}$$

Mathematica [A]

time = 0.12, size = 141, normalized size = 1.76

$$\frac{-a^3 + 6ab^2 + 3a^2bc\sqrt{1 - \frac{1}{c^2x^2}}x - 6b^3c\sqrt{1 - \frac{1}{c^2x^2}}x + 3b\left(-a^2 + 2b^2 + 2abc\sqrt{1 - \frac{1}{c^2x^2}}x\right)\sec^{-1}(cx) + 3b^2\left(-a + bc\sqrt{1 - \frac{1}{c^2x^2}}x\right)\sec^{-1}(cx)^2 - b^3\sec^{-1}(cx)^3}{x}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])^3/x^2,x]

[Out] $(-a^3 + 6a^2b + 3a^2b^2 + 3a^2bc\sqrt{1 - 1/(c^2x^2)})x - 6b^3c\sqrt{1 - 1/(c^2x^2)}x + 3b^2(-a^2 + 2b^2 + 2abc\sqrt{1 - 1/(c^2x^2)})x \text{ArcSec}[cx] + 3b^2(-a + bc\sqrt{1 - 1/(c^2x^2)})x \text{ArcSec}[cx]^2 - b^3\text{ArcSec}[cx]^3)/x$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 197 vs. 2(76) = 152.

time = 0.20, size = 198, normalized size = 2.48

| method | result |
|-------------------|---|
| derivativedivides | $c \left(-\frac{a^3}{cx} + b^3 \left(-\frac{\text{arcsec}(cx)^3}{cx} + 3\text{arcsec}(cx)^2 \sqrt{\frac{c^2x^2-1}{c^2x^2}} - 6\sqrt{\frac{c^2x^2-1}{c^2x^2}} + \frac{6\text{arcsec}(cx)}{cx} \right) + 3ab^2 \left(-\frac{a}{cx} + b \sqrt{\frac{c^2x^2-1}{c^2x^2}} \right) \right)$ |
| default | $c \left(-\frac{a^3}{cx} + b^3 \left(-\frac{\text{arcsec}(cx)^3}{cx} + 3\text{arcsec}(cx)^2 \sqrt{\frac{c^2x^2-1}{c^2x^2}} - 6\sqrt{\frac{c^2x^2-1}{c^2x^2}} + \frac{6\text{arcsec}(cx)}{cx} \right) + 3ab^2 \left(-\frac{a}{cx} + b \sqrt{\frac{c^2x^2-1}{c^2x^2}} \right) \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))^3/x^2,x,method=_RETURNVERBOSE)

[Out] $c*(-a^3/c/x+b^3*(-\operatorname{arcsec}(c*x))^3/c/x+3*\operatorname{arcsec}(c*x)^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)}-6*((c^2*x^2-1)/c^2/x^2)^{(1/2)}+6/c/x*\operatorname{arcsec}(c*x))+3*a*b^2*(-\operatorname{arcsec}(c*x))^2/c/x+2/c/x+2*\operatorname{arcsec}(c*x)*((c^2*x^2-1)/c^2/x^2)^{(1/2)}+3*a^2*b*(-1/c/x*\operatorname{arcsec}(c*x)+1/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c^2/x^2*(c^2*x^2-1))$

Maxima [A]

time = 0.29, size = 146, normalized size = 1.82

$$-\frac{b^3 \operatorname{arcsec}(cx)^3}{x} + 3 \left(c \sqrt{-\frac{1}{c^2 x^2} + 1} - \frac{\operatorname{arcsec}(cx)}{x} \right) a^2 b + 6 \left(c \sqrt{-\frac{1}{c^2 x^2} + 1} \operatorname{arcsec}(cx) + \frac{1}{x} \right) ab^2 + 3 \left(c \sqrt{-\frac{1}{c^2 x^2} + 1} \operatorname{arcsec}(cx)^2 - 2c \sqrt{-\frac{1}{c^2 x^2} + 1} + \frac{2 \operatorname{arcsec}(cx)}{x} \right) b^3 - \frac{3 ab^2 \operatorname{arcsec}(cx)^2}{x} - \frac{a^3}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^3/x^2,x, algorithm="maxima")`

[Out] $-b^3*\operatorname{arcsec}(c*x)^3/x + 3*(c*\sqrt{-1/(c^2*x^2)} + 1) - \operatorname{arcsec}(c*x)/x)*a^2*b + 6*(c*\sqrt{-1/(c^2*x^2)} + 1)*\operatorname{arcsec}(c*x) + 1/x)*a*b^2 + 3*(c*\sqrt{-1/(c^2*x^2)} + 1)*\operatorname{arcsec}(c*x)^2 - 2*c*\sqrt{-1/(c^2*x^2)} + 1) + 2*\operatorname{arcsec}(c*x)/x)*b^3 - 3*a*b^2*\operatorname{arcsec}(c*x)^2/x - a^3/x$

Fricas [A]

time = 2.81, size = 98, normalized size = 1.22

$$\frac{b^3 \operatorname{arcsec}(cx)^3 + 3 ab^2 \operatorname{arcsec}(cx)^2 + a^3 - 6 ab^2 + 3(a^2 b - 2 b^3) \operatorname{arcsec}(cx) - 3(b^3 \operatorname{arcsec}(cx)^2 + 2 ab^2 \operatorname{arcsec}(cx) + a^2 b - 2 b^3) \sqrt{c^2 x^2 - 1}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^3/x^2,x, algorithm="fricas")`

[Out] $-(b^3*\operatorname{arcsec}(c*x)^3 + 3*a*b^2*\operatorname{arcsec}(c*x)^2 + a^3 - 6*a*b^2 + 3*(a^2*b - 2*b^3)*\operatorname{arcsec}(c*x) - 3*(b^3*\operatorname{arcsec}(c*x)^2 + 2*a*b^2*\operatorname{arcsec}(c*x) + a^2*b - 2*b^3)*\sqrt{c^2*x^2 - 1})/x$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx))^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))*3/x**2,x)`

[Out] `Integral((a + b*asec(c*x))*3/x**2, x)`

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 196 vs. 2(76) = 152.

time = 0.44, size = 196, normalized size = 2.45

$$\left(3b^3 \sqrt{-\frac{1}{c^2 x^2} + 1} \arccos\left(\frac{1}{cx}\right) + 6ab^2 \sqrt{-\frac{1}{c^2 x^2} + 1} \arccos\left(\frac{1}{cx}\right) - \frac{b^3 \arccos\left(\frac{1}{cx}\right)^3}{cx} + 3a^2 b \sqrt{-\frac{1}{c^2 x^2} + 1} - 6b^3 \sqrt{-\frac{1}{c^2 x^2} + 1} - \frac{3ab^2 \arccos\left(\frac{1}{cx}\right)^2}{cx} - \frac{3a^2 b \arccos\left(\frac{1}{cx}\right)}{cx} + \frac{6b^3 \arccos\left(\frac{1}{cx}\right)}{cx} - \frac{a^3}{cx} + \frac{6ab^2}{cx} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3/x^2,x, algorithm="giac")

[Out] (3*b^3*sqrt(-1/(c^2*x^2) + 1)*arccos(1/(c*x))^2 + 6*a*b^2*sqrt(-1/(c^2*x^2) + 1)*arccos(1/(c*x)) - b^3*arccos(1/(c*x))^3/(c*x) + 3*a^2*b*sqrt(-1/(c^2*x^2) + 1) - 6*b^3*sqrt(-1/(c^2*x^2) + 1) - 3*a*b^2*arccos(1/(c*x))^2/(c*x) - 3*a^2*b*arccos(1/(c*x))/(c*x) + 6*b^3*arccos(1/(c*x))/(c*x) - a^3/(c*x) + 6*a*b^2/(c*x))*c

Mupad [B]

time = 0.80, size = 156, normalized size = 1.95

$$\frac{b^3 \left(6 \arccos\left(\frac{1}{cx}\right) - \arccos\left(\frac{1}{cx}\right)^3 \right)}{x} - \frac{a^3}{x} + 3a^2bc \left(\sqrt{1 - \frac{1}{c^2x^2}} - \frac{\arccos\left(\frac{1}{cx}\right)}{cx} \right) + b^3c \sqrt{1 - \frac{1}{c^2x^2}} \left(3 \arccos\left(\frac{1}{cx}\right) - 6 \right) + 3ab^2c \left(2 \arccos\left(\frac{1}{cx}\right) \sqrt{1 - \frac{1}{c^2x^2}} - \frac{\arccos\left(\frac{1}{cx}\right)^2 - 2}{cx} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))^3/x^2,x)

[Out] (b^3*(6*acos(1/(c*x)) - acos(1/(c*x))^3))/x - a^3/x + 3*a^2*b*c*((1 - 1/(c^2*x^2))^(1/2) - acos(1/(c*x))/(c*x)) + b^3*c*(1 - 1/(c^2*x^2))^(1/2)*(3*acos(1/(c*x))^2 - 6) + 3*a*b^2*c*(2*acos(1/(c*x))*(1 - 1/(c^2*x^2))^(1/2) - (acos(1/(c*x))^2 - 2)/(c*x))

$$3.30 \quad \int \frac{(a+b \sec^{-1}(cx))^3}{x^3} dx$$

Optimal. Leaf size=137

$$-\frac{3b^3c\sqrt{1-\frac{1}{c^2x^2}}}{8x} + \frac{3}{8}b^3c^2\sec^{-1}(cx) - \frac{3}{4}b^2\left(c^2 - \frac{1}{x^2}\right)(a+b\sec^{-1}(cx)) + \frac{3bc\sqrt{1-\frac{1}{c^2x^2}}(a+b\sec^{-1}(cx))^2}{4x} - \frac{1}{4}$$

[Out] $3/8*b^3*c^2*\text{arcsec}(c*x) - 3/4*b^2*(c^2-1/x^2)*(a+b*\text{arcsec}(c*x)) - 1/4*c^2*(a+b*\text{arcsec}(c*x))^3 + 1/2*(c^2-1/x^2)*(a+b*\text{arcsec}(c*x))^3 - 3/8*b^3*c*(1-1/c^2/x^2)^(1/2)/x + 3/4*b*c*(a+b*\text{arcsec}(c*x))^2*(1-1/c^2/x^2)^(1/2)/x$

Rubi [A]

time = 0.08, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5330, 4489, 3392, 32, 2715, 8}

$$-\frac{3}{4}b^2\left(c^2 - \frac{1}{x^2}\right)(a+b\sec^{-1}(cx)) + \frac{3bc\sqrt{1-\frac{1}{c^2x^2}}(a+b\sec^{-1}(cx))^2}{4x} + \frac{1}{2}\left(c^2 - \frac{1}{x^2}\right)(a+b\sec^{-1}(cx))^3 - \frac{1}{4}c^2(a+b\sec^{-1}(cx))^3 - \frac{3b^3c\sqrt{1-\frac{1}{c^2x^2}}}{8x} + \frac{3}{8}b^3c^2\sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^3/x^3, x]

[Out] $(-3*b^3*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(8*x) + (3*b^3*c^2*\text{ArcSec}[c*x])/8 - (3*b^2*(c^2 - x^(-2))*(a + b*\text{ArcSec}[c*x]))/4 + (3*b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcSec}[c*x])^2)/(4*x) - (c^2*(a + b*\text{ArcSec}[c*x])^3)/4 + ((c^2 - x^(-2))*(a + b*\text{ArcSec}[c*x])^3)/2$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2715

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(-b)*Cos[c + d*x]*((b*Sine[c + d*x])^(n - 1)/(d*n)), x] + Dist[b^2*((n - 1)/n), Int[(b*Sine[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3392

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:= Simp[d*m*(c + d*x)^(m - 1)*((b*Sine + f*x])^n/(f^2*n^2), x] + (Dist
[b^2*(n - 1)/n, Int[(c + d*x)^(m)*(b*Sine + f*x])^(n - 2), x], x] - Dist[d
^2*m*(m - 1)/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sine + f*x])^n, x], x]
- Simp[b*(c + d*x)^m*Cos[e + f*x]*((b*Sine + f*x])^(n - 1)/(f*n), x) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 4489

```
Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_)*Sin[(a_.) + (b_.)*(x_)]^(n_), x_Symbol]
:= Simp[(c + d*x)^(m)*(Sin[a + b*x])^(n + 1)/(b*(n + 1)), x] - Dist[d*(m/(b*(n + 1))), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec^{-1}(cx))^3}{x^3} dx &= c^2 \text{Subst} \left(\int (a + bx)^3 \cos(x) \sin(x) dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{1}{2} \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx))^3 - \frac{1}{2} (3bc^2) \text{Subst} \left(\int (a + bx)^2 \sin^2(x) dx, x, \sec^{-1}(cx) \right) \\
 &= -\frac{3}{4} b^2 \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx)) + \frac{3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2}{4x} + \frac{1}{2} \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx))^3 \\
 &= -\frac{3b^3 c \sqrt{1 - \frac{1}{c^2 x^2}}}{8x} - \frac{3}{4} b^2 \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx)) + \frac{3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2}{4x} + \frac{1}{2} \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx))^3 \\
 &= -\frac{3b^3 c \sqrt{1 - \frac{1}{c^2 x^2}}}{8x} + \frac{3}{8} b^3 c^2 \sec^{-1}(cx) - \frac{3}{4} b^2 \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx)) + \frac{3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2}{4x} + \frac{1}{2} \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx))^3
 \end{aligned}$$

Mathematica [A]

time = 0.14, size = 185, normalized size = 1.35

$$\frac{-4a^3 + 6ab^2 + 6a^2bc \sqrt{1 - \frac{1}{c^2 x^2}} x - 3b^3c \sqrt{1 - \frac{1}{c^2 x^2}} x + 6b \left(-2a^2 + b^2 + 2abc \sqrt{1 - \frac{1}{c^2 x^2}} x \right) \sec^{-1}(cx) + 6b^2 \left(bc \sqrt{1 - \frac{1}{c^2 x^2}} x + a(-2 + c^2 x^2) \right) \sec^{-1}(cx)^2 + 2b^3(-2 + c^2 x^2) \sec^{-1}(cx)^3 + 3b(-2a^2 + b^2) c^2 x^2 \text{ArcSin}\left(\frac{1}{cx}\right)}{8x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])^3/x^3,x]

[Out] $(-4a^3 + 6ab^2 + 6a^2b\sqrt{1 - 1/(c^2x^2)})x - 3b^3c\sqrt{1 - 1/(c^2x^2)}x + 6b(-2a^2 + b^2 + 2ab\sqrt{1 - 1/(c^2x^2)})x \operatorname{ArcSec}[cx] + 6b^2(b\sqrt{1 - 1/(c^2x^2)}x + a(-2 + c^2x^2))\operatorname{ArcSec}[cx]^2 + 2b^3(-2 + c^2x^2)\operatorname{ArcSec}[cx]^3 + 3b(-2a^2 + b^2)c^2x^2\operatorname{ArcSin}[1/(cx)])/(8x^2)$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 311 vs. $2(121) = 242$.

time = 0.22, size = 312, normalized size = 2.28

| method | result |
|-------------------|---|
| derivativedivides | $c^2 \left(-\frac{a^3}{2c^2x^2} + b^3 \left(-\frac{\operatorname{arcsec}(cx)^3}{2c^2x^2} + \frac{3\operatorname{arcsec}(cx)^2 \left(\operatorname{arcsec}(cx)cx + \sqrt{\frac{c^2x^2-1}{c^2x^2}} \right)}{4cx} + \frac{3\operatorname{arcsec}(cx)}{4c^2x^2} - \frac{3\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{8cx} \right) \right)$ |
| default | $c^2 \left(-\frac{a^3}{2c^2x^2} + b^3 \left(-\frac{\operatorname{arcsec}(cx)^3}{2c^2x^2} + \frac{3\operatorname{arcsec}(cx)^2 \left(\operatorname{arcsec}(cx)cx + \sqrt{\frac{c^2x^2-1}{c^2x^2}} \right)}{4cx} + \frac{3\operatorname{arcsec}(cx)}{4c^2x^2} - \frac{3\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{8cx} \right) \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))^3/x^3,x,method=_RETURNVERBOSE)

[Out] $c^2(-1/2a^3/c^2/x^2+b^3(-1/2\operatorname{arcsec}(c*x)^3/c^2/x^2+3/4\operatorname{arcsec}(c*x)^2(\operatorname{arcsec}(c*x)*c*x+((c^2*x^2-1)/c^2/x^2)^{(1/2)})/c/x+3/4/c^2/x^2\operatorname{arcsec}(c*x)-3/8/c/x*((c^2*x^2-1)/c^2/x^2)^{(1/2)}-3/8\operatorname{arcsec}(c*x)-1/2\operatorname{arcsec}(c*x)^3)+3a*b^2(-1/2\operatorname{arcsec}(c*x)^2/c^2/x^2+1/2\operatorname{arcsec}(c*x)(\operatorname{arcsec}(c*x)*c*x+((c^2*x^2-1)/c^2/x^2)^{(1/2)})/c/x-1/4\operatorname{arcsec}(c*x)^2-1/4+1/4/c^2/x^2)-3/2a^2*b/c^2/x^2\operatorname{arcsec}(c*x)-3/4a^2*b*(c^2*x^2-1)^{(1/2)}((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c/x*\arctan(1/(c^2*x^2-1)^{(1/2)}))+3/4a^2*b*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c^3/x^3)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3/x^3,x, algorithm="maxima")

[Out] $-3/4a^2*b*((c^4*x*\sqrt{-1/(c^2*x^2)} + 1)/(c^2*x^2*(1/(c^2*x^2) - 1) - 1) - c^3*\arctan(c*x*\sqrt{-1/(c^2*x^2)} + 1))/c + 2*\operatorname{arcsec}(c*x)/x^2 - 1/2a^3/x$

$$\begin{aligned} &^2 - 1/8*(4*b^3*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^3 - 3*b^3*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})*\log(c^2*x^2)^2 + 12*(a*b^2*c^2*(\log(c*x + 1) + \log(c*x - 1) - 2*\log(x))*\log(c)^2 + 16*b^3*c^2*\int_0^x (1/8*x^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})/(c^2*x^5 - x^3), x)*\log(c)^2 - 16*b^3*c^2*\int_0^x (1/8*x^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})*\log(c^2*x^2)/(c^2*x^5 - x^3), x)*\log(c) + 32*b^3*c^2*\int_0^x (1/8*x^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})*\log(x)/(c^2*x^5 - x^3), x)*\log(c) - 16*a*b^2*c^2*\int_0^x (1/8*x^2*\log(c^2*x^2)/(c^2*x^5 - x^3), x)*\log(c) + 32*a*b^2*c^2*\int_0^x (1/8*x^2*\log(x)/(c^2*x^5 - x^3), x)*\log(c) - 16*b^3*c^2*\int_0^x (1/8*x^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})*\log(c^2*x^2)*\log(x)/(c^2*x^5 - x^3), x) + 16*b^3*c^2*\int_0^x (1/8*x^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})*\log(x)^2/(c^2*x^5 - x^3), x) - 16*a*b^2*c^2*\int_0^x (1/8*x^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^2/(c^2*x^5 - x^3), x) + 8*b^3*c^2*\int_0^x (1/8*x^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})*\log(c^2*x^2)/(c^2*x^5 - x^3), x) + 4*a*b^2*c^2*\int_0^x (1/8*x^2*\log(c^2*x^2)^2/(c^2*x^5 - x^3), x) - 16*a*b^2*c^2*\int_0^x (1/8*x^2*\log(c^2*x^2)*\log(x)/(c^2*x^5 - x^3), x) + 16*a*b^2*c^2*\int_0^x (1/8*x^2*\log(x)^2/(c^2*x^5 - x^3), x) - (c^2*\log(c*x + 1) + c^2*\log(c*x - 1) - 2*c^2*\log(x) + 1/x^2)*a*b^2*\log(c)^2 - 16*b^3*\int_0^x (1/8*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})/(c^2*x^5 - x^3), x)*\log(c)^2 + 16*b^3*\int_0^x (1/8*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})*\log(c^2*x^2)/(c^2*x^5 - x^3), x)*\log(c) - 32*b^3*\int_0^x (1/8*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})*\log(x)/(c^2*x^5 - x^3), x)*\log(c) + 16*a*b^2*\int_0^x (1/8*\log(c^2*x^2)/(c^2*x^5 - x^3), x)*\log(c) - 32*a*b^2*\int_0^x (1/8*\log(x)/(c^2*x^5 - x^3), x)*\log(c) - 8*b^3*\int_0^x (1/8*\sqrt{c*x + 1})*\sqrt{c*x - 1})*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^2/(c^2*x^5 - x^3), x) + 2*b^3*\int_0^x (1/8*\sqrt{c*x + 1})*\sqrt{c*x - 1})*\log(c^2*x^2)^2/(c^2*x^5 - x^3), x) + 16*b^3*\int_0^x (1/8*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})*\log(c^2*x^2)*\log(x)/(c^2*x^5 - x^3), x) - 16*b^3*\int_0^x (1/8*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})*\log(x)^2/(c^2*x^5 - x^3), x) + 16*a*b^2*\int_0^x (1/8*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^2/(c^2*x^5 - x^3), x) - 8*b^3*\int_0^x (1/8*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})*\log(c^2*x^2)/(c^2*x^5 - x^3), x) - 4*a*b^2*\int_0^x (1/8*\log(c^2*x^2)^2/(c^2*x^5 - x^3), x) + 16*a*b^2*\int_0^x (1/8*\log(c^2*x^2)*\log(x)/(c^2*x^5 - x^3), x) - 16*a*b^2*\int_0^x (1/8*\log(x)^2/(c^2*x^5 - x^3), x))*x^2)/x^2 \end{aligned}$$

Fricas [A]

time = 2.94, size = 150, normalized size = 1.09

$$\frac{2(b^3c^2x^2 - 2b^3)\operatorname{arcsec}(cx)^3 - 4a^3 + 6ab^2 + 6(ab^2c^2x^2 - 2ab^2)\operatorname{arcsec}(cx)^2 + 3((2a^2b - b^3)c^2x^2 - 4a^2b + 2b^3)\operatorname{arcsec}(cx) + 3(2b^3\operatorname{arcsec}(cx)^2 + 4ab^2\operatorname{arcsec}(cx) + 2a^2b - b^3)\sqrt{c^2x^2 - 1}}{8x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3/x^3,x, algorithm="fricas")

[Out] 1/8*(2*(b^3*c^2*x^2 - 2*b^3)*arcsec(c*x)^3 - 4*a^3 + 6*a*b^2 + 6*(a*b^2*c^2*x^2 - 2*a*b^2)*arcsec(c*x)^2 + 3*((2*a^2*b - b^3)*c^2*x^2 - 4*a^2*b + 2*b^3)*arcsec(c*x) + 3*(2*b^3*arcsec(c*x)^2 + 4*a*b^2*arcsec(c*x) + 2*a^2*b - b^3)*sqrt(c^2*x^2 - 1))/x^2

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx))^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))**3/x**3,x)**[Out]** Integral((a + b*asec(c*x))**3/x**3, x)**Giac [B]** Leaf count of result is larger than twice the leaf count of optimal. 278 vs. 2(121) = 242.

time = 0.45, size = 278, normalized size = 2.03

$$\frac{1}{8} \left(2b^2c \arccos\left(\frac{1}{cx}\right)^3 + 6ab^2c \arccos\left(\frac{1}{cx}\right)^2 + 6a^2b^2c \arccos\left(\frac{1}{cx}\right) - 3b^2c \arccos\left(\frac{1}{cx}\right) + \frac{6b^3\sqrt{-\frac{1}{c^2x^2}+1} \arccos\left(\frac{1}{cx}\right)^2}{x} - 3ab^2c + \frac{12ab^2\sqrt{-\frac{1}{c^2x^2}+1} \arccos\left(\frac{1}{cx}\right)}{x} - \frac{4b^3 \arccos\left(\frac{1}{cx}\right)^3}{cx^2} + \frac{6a^2b\sqrt{-\frac{1}{c^2x^2}+1}}{x} - \frac{3b^3\sqrt{-\frac{1}{c^2x^2}+1}}{x} - \frac{12ab^2 \arccos\left(\frac{1}{cx}\right)^2}{cx^2} - \frac{12a^2b \arccos\left(\frac{1}{cx}\right)}{cx^2} + \frac{6b^3 \arccos\left(\frac{1}{cx}\right)}{cx^2} - \frac{4a^3}{cx^2} + \frac{6ab^2}{cx^2} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3/x^3,x, algorithm="giac")

[Out] $\frac{1}{8} * (2*b^3*c*\arccos(1/(c*x))^3 + 6*a*b^2*c*\arccos(1/(c*x))^2 + 6*a^2*b*c*\arccos(1/(c*x)) - 3*b^3*c*\arccos(1/(c*x)) + 6*b^3*\sqrt{-1/(c^2*x^2) + 1}*\arccos(1/(c*x))^2/x - 3*a*b^2*c + 12*a*b^2*\sqrt{-1/(c^2*x^2) + 1}*\arccos(1/(c*x))/x - 4*b^3*\arccos(1/(c*x))^3/(c*x^2) + 6*a^2*b*\sqrt{-1/(c^2*x^2) + 1}/x - 3*b^3*\sqrt{-1/(c^2*x^2) + 1}/x - 12*a*b^2*\arccos(1/(c*x))^2/(c*x^2) - 12*a^2*b*\arccos(1/(c*x))/(c*x^2) + 6*b^3*\arccos(1/(c*x))/(c*x^2) - 4*a^3/(c*x^2) + 6*a*b^2/(c*x^2))*c$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{acos}\left(\frac{1}{cx}\right))^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))^3/x^3,x)**[Out]** int((a + b*acos(1/(c*x)))^3/x^3, x)

$$3.31 \quad \int \frac{(a+b \sec^{-1}(cx))^3}{x^4} dx$$

Optimal. Leaf size=170

$$-\frac{14}{9}b^3c^3\sqrt{1-\frac{1}{c^2x^2}} + \frac{2}{27}b^3c^3\left(1-\frac{1}{c^2x^2}\right)^{3/2} + \frac{2b^2(a+b \sec^{-1}(cx))}{9x^3} + \frac{4b^2c^2(a+b \sec^{-1}(cx))}{3x} + \frac{2}{3}bc^3\sqrt{1-\frac{1}{c^2x^2}}$$

[Out] $2/27*b^3*c^3*(1-1/c^2/x^2)^{(3/2)}+2/9*b^2*(a+b*arcsec(c*x))/x^3+4/3*b^2*c^2*(a+b*arcsec(c*x))/x-1/3*(a+b*arcsec(c*x))^3/x^3-14/9*b^3*c^3*(1-1/c^2/x^2)^{(1/2)}+2/3*b*c^3*(a+b*arcsec(c*x))^2*(1-1/c^2/x^2)^{(1/2)}+1/3*b*c*(a+b*arcsec(c*x))^2*(1-1/c^2/x^2)^{(1/2)}/x^2$

Rubi [A]

time = 0.11, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5330, 4490, 3392, 3377, 2717, 2713}

$$\frac{4b^2c^2(a+b \sec^{-1}(cx))}{3x} + \frac{2b^2(a+b \sec^{-1}(cx))}{9x^3} + \frac{bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))^2}{3x^2} + \frac{2}{3}bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))^2 - \frac{(a+b \sec^{-1}(cx))^3}{3x^3} + \frac{2}{27}b^3c^3\left(1-\frac{1}{c^2x^2}\right)^{3/2} - \frac{14}{9}b^3c^3\sqrt{1-\frac{1}{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^3/x^4, x]

[Out] $(-14*b^3*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)]/9 + (2*b^3*c^3*(1 - 1/(c^2*x^2))^{(3/2)})/27 + (2*b^2*(a + b*\text{ArcSec}[c*x]))/(9*x^3) + (4*b^2*c^2*(a + b*\text{ArcSec}[c*x]))/(3*x) + (2*b*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcSec}[c*x])^2)/3 + (b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcSec}[c*x])^2)/(3*x^2) - (a + b*\text{ArcSec}[c*x])^3/(3*x^3)$

Rule 2713

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Dist[-d^(-1), Subst[Int[Expand[(1 - x^2)^(n-1)/2], x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2717

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3377

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(-(c + d*x)^m)*(Cos[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m-1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3392

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[d*m*(c + d*x)^(m - 1)*((b*Sine[e + f*x])^n/(f^2*n^2)), x] + (Dist
[b^2*((n - 1)/n), Int[(c + d*x)^m*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[d
^2*m*((m - 1)/(f^2*n^2)), Int[(c + d*x)^(m - 2)*(b*Sine[e + f*x])^n, x], x]
- Simp[b*(c + d*x)^m*Cos[e + f*x]*((b*Sine[e + f*x])^(n - 1)/(f*n)), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 4490

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)], x_Symbol] :> Simp[(-c + d*x)^m*(Cos[a + b*x]^(n + 1)/(b*(n + 1
))), x] + Dist[d*(m/(b*(n + 1))), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1
), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)^(n_)*(x_)^(m_.), x_Symbol] :> Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]
], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] ||
LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec^{-1}(cx))^3}{x^4} dx &= c^3 \text{Subst} \left(\int (a + bx)^3 \cos^2(x) \sin(x) dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{(a + b \sec^{-1}(cx))^3}{3x^3} + (bc^3) \text{Subst} \left(\int (a + bx)^2 \cos^3(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{2b^2(a + b \sec^{-1}(cx))}{9x^3} + \frac{bc \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))^2}{3x^2} - \frac{(a + b \sec^{-1}(cx))^3}{3x^3} + \frac{1}{3} \\
&= \frac{2b^2(a + b \sec^{-1}(cx))}{9x^3} + \frac{2}{3} bc^3 \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))^2 + \frac{bc \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{3x^2} \\
&= -\frac{2}{9} b^3 c^3 \sqrt{1 - \frac{1}{c^2x^2}} + \frac{2}{27} b^3 c^3 \left(1 - \frac{1}{c^2x^2}\right)^{3/2} + \frac{2b^2(a + b \sec^{-1}(cx))}{9x^3} + \frac{4b^2c^2(a + b \sec^{-1}(cx))}{3x^2} \\
&= -\frac{14}{9} b^3 c^3 \sqrt{1 - \frac{1}{c^2x^2}} + \frac{2}{27} b^3 c^3 \left(1 - \frac{1}{c^2x^2}\right)^{3/2} + \frac{2b^2(a + b \sec^{-1}(cx))}{9x^3} + \frac{4b^2c^2(a + b \sec^{-1}(cx))}{3x^2}
\end{aligned}$$

Mathematica [A]

time = 0.20, size = 204, normalized size = 1.20

$$\frac{-9a^3 + 9a^2bc\sqrt{1 - \frac{1}{c^2x^2}}x(1 + 2c^2x^2) + 6ab^2(1 + 6c^2x^2) - 2b^3c\sqrt{1 - \frac{1}{c^2x^2}}x(1 + 20c^2x^2) + 3b\left(-9a^2 + 6abc\sqrt{1 - \frac{1}{c^2x^2}}x(1 + 2c^2x^2) + 2b^2(1 + 6c^2x^2)\right)\sec^{-1}(cx) + 9b^2\left(-3a + bc\sqrt{1 - \frac{1}{c^2x^2}}x(1 + 2c^2x^2)\right)\sec^{-1}(cx)^2 - 9b^3\sec^{-1}(cx)^3}{27x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])^3/x^4,x]

[Out] $(-9a^3 + 9a^2bc\sqrt{1 - 1/(c^2x^2)})x(1 + 2c^2x^2) + 6a^2b^2(1 + 6c^2x^2) - 2b^3c\sqrt{1 - 1/(c^2x^2)}x(1 + 20c^2x^2) + 3b^2(-9a^2 + 6abc\sqrt{1 - 1/(c^2x^2)}x(1 + 2c^2x^2) + 2b^2(1 + 6c^2x^2))\text{ArcSec}[cx] + 9b^2(-3a + bc\sqrt{1 - 1/(c^2x^2)})x(1 + 2c^2x^2)\text{ArcSec}[cx]^2 - 9b^3\text{ArcSec}[cx]^3)/(27x^3)$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 298 vs. 2(148) = 296.

time = 0.25, size = 299, normalized size = 1.76

| method | result |
|-------------------|---|
| derivativedivides | $c^3 \left(-\frac{a^3}{3c^3x^3} + b^3 \left(-\frac{\text{arcsec}(cx)^3}{3c^3x^3} + \frac{\text{arcsec}(cx)^2(2c^2x^2+1)\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{3c^2x^2} - \frac{4\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{3} + \frac{4\text{arcsec}(cx)}{3cx} + \dots \right) \right)$ |
| default | $c^3 \left(-\frac{a^3}{3c^3x^3} + b^3 \left(-\frac{\text{arcsec}(cx)^3}{3c^3x^3} + \frac{\text{arcsec}(cx)^2(2c^2x^2+1)\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{3c^2x^2} - \frac{4\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{3} + \frac{4\text{arcsec}(cx)}{3cx} + \dots \right) \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))^3/x^4,x,method=_RETURNVERBOSE)

[Out] $c^3(-1/3a^3/c^3/x^3 + b^3(-1/3\text{arcsec}(c*x)^3/c^3/x^3 + 1/3\text{arcsec}(c*x)^2(2c^2x^2+1)/c^2/x^2((c^2x^2-1)/c^2/x^2)^{(1/2)} - 4/3((c^2x^2-1)/c^2/x^2)^{(1/2)} + 4/3/c/x\text{arcsec}(c*x) + 2/9/c^3/x^3\text{arcsec}(c*x) - 2/27(2c^2x^2+1)/c^2/x^2((c^2x^2-1)/c^2/x^2)^{(1/2)}) + 3a^2b^2(-1/3\text{arcsec}(c*x)^2/c^3/x^3 + 2/9\text{arcsec}(c*x)(2c^2x^2+1)/c^2/x^2((c^2x^2-1)/c^2/x^2)^{(1/2)} + 2/27/c^3/x^3 + 4/9/c/x) + 3a^2b(-1/3/c^3/x^3\text{arcsec}(c*x) + 1/9(c^2x^2-1)(2c^2x^2+1)/((c^2x^2-1)/c^2/x^2)^{(1/2)})/c^4/x^4)$

Maxima [B] Leaf count of result is larger than twice the leaf count of optimal. 575 vs. 2(148) = 296.

time = 0.86, size = 575, normalized size = 3.38

$$\frac{\left(\frac{1}{27} \left(-9a^3 + 9a^2bc\sqrt{1 - \frac{1}{c^2x^2}}x(1 + 2c^2x^2) + 6ab^2(1 + 6c^2x^2) - 2b^3c\sqrt{1 - \frac{1}{c^2x^2}}x(1 + 20c^2x^2) + 3b^2(-9a^2 + 6abc\sqrt{1 - \frac{1}{c^2x^2}}x(1 + 2c^2x^2) + 2b^2(1 + 6c^2x^2))\text{ArcSec}[cx] + 9b^2(-3a + bc\sqrt{1 - \frac{1}{c^2x^2}}x(1 + 2c^2x^2))\text{ArcSec}[cx]^2 - 9b^3\text{ArcSec}[cx]^3 \right) \right)}{27x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3/x^4,x, algorithm="maxima")

[Out] $-1/216*(72*(c^4*(-1/(c^2*x^2) + 1))^{3/2} - 3*c^4*\sqrt{-1/(c^2*x^2) + 1})*\arccsc(c*x)^2/c + (72*c^4*((c^2*\arcsin(1/(c*abs(x)))) + 2*\sqrt{c^2*x^2 - 1})*c/x - \sqrt{c^2*x^2 - 1}/x^2)/c - (c^2*\arcsin(1/(c*abs(x))) - 2*\sqrt{c^2*x^2 - 1})*c/x - \sqrt{c^2*x^2 - 1}/x^2)/c - 4*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})/x + c^2*((9*c^4*\arcsin(1/(c*abs(x)))) + 16*\sqrt{c^2*x^2 - 1}*c^3/x - 9*\sqrt{c^2*x^2 - 1}*c^2/x^2 + 8*\sqrt{c^2*x^2 - 1}*c/x^3 - 6*\sqrt{c^2*x^2 - 1}/x^4)/c - (9*c^4*\arcsin(1/(c*abs(x))) - 16*\sqrt{c^2*x^2 - 1}*c^3/x - 9*\sqrt{c^2*x^2 - 1}*c^2/x^2 - 8*\sqrt{c^2*x^2 - 1}*c/x^3 - 6*\sqrt{c^2*x^2 - 1}/x^4)/c - 48*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})/x^3)/c^2)*b^3 - 1/3*a^2*b*((c^4*(-1/(c^2*x^2) + 1))^{3/2} - 3*c^4*\sqrt{-1/(c^2*x^2) + 1})/c + 3*\arccsc(c*x)/x^3) - 1/3*b^3*\arccsc(c*x)^3/x^3 - a*b^2*\arccsc(c*x)^2/x^3 - 1/3*a^3/x^3 + 2/9*((6*c^3*x^2 + c)*\sqrt{c*x + 1}*\sqrt{c*x - 1} + 3*(2*c^5*x^4 - c^3*x^2 - c)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))*a*b^2/(\sqrt{c*x + 1}*\sqrt{c*x - 1})*c*x^3)$

Fricas [A]

time = 3.20, size = 172, normalized size = 1.01

$$\frac{36ab^2c^2x^2 - 9b^3\arccsc(cx)^3 - 27ab^2\arccsc(cx)^2 - 9a^3 + 6ab^2 + 3(12b^3c^2x^2 - 9a^2b + 2b^3)\arccsc(cx) + (2(9a^2b - 20b^3)c^2x^2 + 9a^2b - 2b^3 + 9(2b^3c^2x^2 + b^3)\arccsc(cx) + 18(2ab^2c^2x^2 + ab^2)\arccsc(cx))\sqrt{c^2x^2 - 1}}{27x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3/x^4,x, algorithm="fricas")

[Out] $1/27*(36*a*b^2*c^2*x^2 - 9*b^3*\arccsc(c*x)^3 - 27*a*b^2*\arccsc(c*x)^2 - 9*a^3 + 6*a*b^2 + 3*(12*b^3*c^2*x^2 - 9*a^2*b + 2*b^3)*\arccsc(c*x) + (2*(9*a^2*b - 20*b^3)*c^2*x^2 + 9*a^2*b - 2*b^3 + 9*(2*b^3*c^2*x^2 + b^3)*\arccsc(c*x))^2 + 18*(2*a*b^2*c^2*x^2 + a*b^2)*\arccsc(c*x))*\sqrt{c^2*x^2 - 1})/x^3$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx))^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))**3/x**4,x)

[Out] Integral((a + b*asec(c*x))**3/x**4, x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 336 vs. 2(148) = 296.

time = 0.45, size = 336, normalized size = 1.98

$$\frac{1}{27} \left(18a^3\sqrt{\frac{1}{2c^2}+1} \arccos\left(\frac{1}{ca}\right) + 36ab^2\sqrt{\frac{1}{2c^2}+1} \arccos\left(\frac{1}{ca}\right) + 18a^3\sqrt{\frac{1}{2c^2}+1} - 40b^3\sqrt{\frac{1}{2c^2}+1} + \frac{36b^3\arccos\left(\frac{1}{ca}\right)}{c} - \frac{9b^3\sqrt{-\frac{1}{2c^2}+1} \arccos\left(\frac{1}{ca}\right)}{c^2} + \frac{36ab^2c}{c^2} + \frac{18ab^2\sqrt{-\frac{1}{2c^2}+1} \arccos\left(\frac{1}{ca}\right)}{c^2} - \frac{9b^3\arccos\left(\frac{1}{ca}\right)}{c^2} + \frac{9a^3\sqrt{-\frac{1}{2c^2}+1}}{c^2} - \frac{2b^3\sqrt{-\frac{1}{2c^2}+1}}{c^2} - \frac{27ab^2\arccos\left(\frac{1}{ca}\right)}{c^2} - \frac{27a^3\arccos\left(\frac{1}{ca}\right)}{c^2} + \frac{6b^3\arccos\left(\frac{1}{ca}\right)}{c^2} + \frac{9a^3}{c^2} + \frac{6ab^2}{c^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3/x^4,x, algorithm="giac")

[Out] $\frac{1}{27}*(18*b^3*c^2*\sqrt{-1/(c^2*x^2)} + 1)*\arccos(1/(c*x))^2 + 36*a*b^2*c^2*\sqrt{-1/(c^2*x^2)} + 1)*\arccos(1/(c*x)) + 18*a^2*b*c^2*\sqrt{-1/(c^2*x^2)} + 1) - 40*b^3*c^2*\sqrt{-1/(c^2*x^2)} + 1) + 36*b^3*c*\arccos(1/(c*x))/x + 9*b^3*\sqrt{-1/(c^2*x^2)} + 1)*\arccos(1/(c*x))^2/x^2 + 36*a*b^2*c/x + 18*a*b^2*\sqrt{-1/(c^2*x^2)} + 1)*\arccos(1/(c*x))/x^2 - 9*b^3*\arccos(1/(c*x))^3/(c*x^3) + 9*a^2*b*\sqrt{-1/(c^2*x^2)} + 1)/x^2 - 2*b^3*\sqrt{-1/(c^2*x^2)} + 1)/x^2 - 27*a*b^2*\arccos(1/(c*x))^2/(c*x^3) - 27*a^2*b*\arccos(1/(c*x))/(c*x^3) + 6*b^3*\arccos(1/(c*x))/(c*x^3) - 9*a^3/(c*x^3) + 6*a*b^2/(c*x^3))*c$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \arccos(\frac{1}{cx}))^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))^3/x^4,x)

[Out] int((a + b*acos(1/(c*x)))^3/x^4, x)

$$3.32 \quad \int \frac{(a+b \sec^{-1}(cx))^3}{x^5} dx$$

Optimal. Leaf size=208

$$-\frac{3b^3c\sqrt{1-\frac{1}{c^2x^2}}}{128x^3} - \frac{45b^3c^3\sqrt{1-\frac{1}{c^2x^2}}}{256x} - \frac{45}{256}b^3c^4\sec^{-1}(cx) + \frac{3b^2(a+b\sec^{-1}(cx))}{32x^4} + \frac{9b^2c^2(a+b\sec^{-1}(cx))}{32x^2} + \dots$$

[Out] $-45/256*b^3*c^4*arcsec(c*x)+3/32*b^2*(a+b*arcsec(c*x))/x^4+9/32*b^2*c^2*(a+b*arcsec(c*x))/x^2+3/32*c^4*(a+b*arcsec(c*x))^3-1/4*(a+b*arcsec(c*x))^3/x^4-3/128*b^3*c*(1-1/c^2/x^2)^{(1/2)}/x^3-45/256*b^3*c^3*(1-1/c^2/x^2)^{(1/2)}/x^3+1/16*b*c*(a+b*arcsec(c*x))^2*(1-1/c^2/x^2)^{(1/2)}/x^3+9/32*b*c^3*(a+b*arcsec(c*x))^2*(1-1/c^2/x^2)^{(1/2)}/x$

Rubi [A]

time = 0.13, antiderivative size = 208, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5330, 4490, 3392, 32, 2715, 8}

$$\frac{9b^2c^2(a+b\sec^{-1}(cx))}{32x^2} + \frac{3b^2(a+b\sec^{-1}(cx))}{32x^4} + \frac{3}{32}c^4(a+b\sec^{-1}(cx))^3 + \frac{3bc\sqrt{1-\frac{1}{c^2x^2}}(a+b\sec^{-1}(cx))^2}{16x^3} + \frac{9bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b\sec^{-1}(cx))^2}{32x} - \frac{(a+b\sec^{-1}(cx))^3}{4x^4} - \frac{45}{256}b^3c^4\sec^{-1}(cx) - \frac{3b^3c\sqrt{1-\frac{1}{c^2x^2}}}{128x^3} - \frac{45b^3c^3\sqrt{1-\frac{1}{c^2x^2}}}{256x}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^3/x^5, x]

[Out] $(-3*b^3*c*sqrt[1-1/(c^2*x^2)])/(128*x^3) - (45*b^3*c^3*sqrt[1-1/(c^2*x^2)])/(256*x) - (45*b^3*c^4*ArcSec[c*x])/256 + (3*b^2*(a+b*ArcSec[c*x]))/(32*x^4) + (9*b^2*c^2*(a+b*ArcSec[c*x]))/(32*x^2) + (3*b*c*sqrt[1-1/(c^2*x^2)]*(a+b*ArcSec[c*x])^2)/(16*x^3) + (9*b*c^3*sqrt[1-1/(c^2*x^2)]*(a+b*ArcSec[c*x])^2)/(32*x) + (3*c^4*(a+b*ArcSec[c*x])^3)/32 - (a+b*ArcSec[c*x])^3/(4*x^4)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2715

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(-b)*Cos[c + d*x]*(b*Sine[c + d*x])^(n - 1)/(d*n), x] + Dist[b^2*((n - 1)/n), Int[(b*Sine[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2

*n]

Rule 3392

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[d*m*(c + d*x)^(m - 1)*((b*SIN[e + f*x])^n/(f^2*n^2)), x] + (Dist
[b^2*((n - 1)/n), Int[(c + d*x)^m*(b*SIN[e + f*x])^(n - 2), x], x] - Dist[d
^2*m*((m - 1)/(f^2*n^2)), Int[(c + d*x)^(m - 2)*(b*SIN[e + f*x])^n, x], x]
- Simp[b*(c + d*x)^m*Cos[e + f*x]*((b*SIN[e + f*x])^(n - 1)/(f*n)), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 4490

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)], x_Symbol] :> Simp[(-(c + d*x)^m)*(Cos[a + b*x]^(n + 1)/(b*(n + 1
))), x] + Dist[d*(m/(b*(n + 1))), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1
), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]
], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] ||
LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec^{-1}(cx))^3}{x^5} dx &= c^4 \text{Subst} \left(\int (a + bx)^3 \cos^3(x) \sin(x) dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{(a + b \sec^{-1}(cx))^3}{4x^4} + \frac{1}{4} (3bc^4) \text{Subst} \left(\int (a + bx)^2 \cos^4(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{3b^2(a + b \sec^{-1}(cx))}{32x^4} + \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))^2}{16x^3} - \frac{(a + b \sec^{-1}(cx))^3}{4x^4} + \\
&= -\frac{3b^3c\sqrt{1 - \frac{1}{c^2x^2}}}{128x^3} + \frac{3b^2(a + b \sec^{-1}(cx))}{32x^4} + \frac{9b^2c^2(a + b \sec^{-1}(cx))}{32x^2} + \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}}}{32x^2} \\
&= -\frac{3b^3c\sqrt{1 - \frac{1}{c^2x^2}}}{128x^3} - \frac{45b^3c^3\sqrt{1 - \frac{1}{c^2x^2}}}{256x} + \frac{3b^2(a + b \sec^{-1}(cx))}{32x^4} + \frac{9b^2c^2(a + b \sec^{-1}(cx))}{32x^2} \\
&= -\frac{3b^3c\sqrt{1 - \frac{1}{c^2x^2}}}{128x^3} - \frac{45b^3c^3\sqrt{1 - \frac{1}{c^2x^2}}}{256x} - \frac{45}{256} b^3c^4 \sec^{-1}(cx) + \frac{3b^2(a + b \sec^{-1}(cx))}{32x^4}
\end{aligned}$$

Mathematica [A]

time = 0.25, size = 283, normalized size = 1.36

$$\frac{-64a^3 + 24ab^2 + 48a^2bc\sqrt{1 - \frac{1}{c^2x^2}}x - 6b^3c\sqrt{1 - \frac{1}{c^2x^2}}x + 72ab^2c^2x^2 + 72a^2b^2c^3\sqrt{1 - \frac{1}{c^2x^2}}x^3 - 45b^3c^3\sqrt{1 - \frac{1}{c^2x^2}}x^3 + 24b^2(-8a^2 + b^2(1 + 3c^2x^2) + 2abc\sqrt{1 - \frac{1}{c^2x^2}}x(2 + 3c^2x^2))\sec^{-1}(cx) + 24b^2\left(bc\sqrt{1 - \frac{1}{c^2x^2}}x(2 + 3c^2x^2) + a(-8 + 3c^4x^4)\right)\sec^{-1}(cx)^2 + 8b^3(-8 + 3c^4x^4)\sec^{-1}(cx)^3 + 9b^2(-8a^2 + 5b^2)c^4x^4\text{ArcSin}\left(\frac{1}{cx}\right)}{256x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])^3/x^5,x]

[Out] $(-64a^3 + 24a^2b^2 + 48a^2bc\sqrt{1 - 1/(c^2x^2)})x - 6b^3c\sqrt{1 - 1/(c^2x^2)}x + 72a^2b^2c^2x^2 + 72a^2b^2c^3\sqrt{1 - 1/(c^2x^2)}x^3 - 45b^3c^3\sqrt{1 - 1/(c^2x^2)}x^3 + 24b^2(-8a^2 + b^2(1 + 3c^2x^2) + 2abc\sqrt{1 - 1/(c^2x^2)}x(2 + 3c^2x^2))\text{ArcSec}[cx] + 24b^2(bc\sqrt{1 - 1/(c^2x^2)}x(2 + 3c^2x^2) + a(-8 + 3c^4x^4))\text{ArcSec}[cx]^2 + 8b^3(-8 + 3c^4x^4)\text{ArcSec}[cx]^3 + 9b^2(-8a^2 + 5b^2)c^4x^4\text{ArcSin}[1/(cx)])/256x^4$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 475 vs. $2(182) = 364$.

time = 0.29, size = 476, normalized size = 2.29

| method | result |
|--------|--------|
|--------|--------|

| | |
|-------------------|--|
| derivativedivides | $c^4 \left(-\frac{a^3}{4c^4x^4} + b^3 \left(-\frac{\operatorname{arcsec}(cx)^3}{4c^4x^4} + \frac{3\operatorname{arcsec}(cx)^2 \left(3\operatorname{arcsec}(cx)c^3x^3 + 3c^2x^2 \sqrt{\frac{c^2x^2-1}{c^2x^2}} + 2\sqrt{\frac{c^2x^2-1}{c^2x^2}} \right)}{32c^3x^3} \right) + 3 \right)$ |
| default | $c^4 \left(-\frac{a^3}{4c^4x^4} + b^3 \left(-\frac{\operatorname{arcsec}(cx)^3}{4c^4x^4} + \frac{3\operatorname{arcsec}(cx)^2 \left(3\operatorname{arcsec}(cx)c^3x^3 + 3c^2x^2 \sqrt{\frac{c^2x^2-1}{c^2x^2}} + 2\sqrt{\frac{c^2x^2-1}{c^2x^2}} \right)}{32c^3x^3} \right) + 3 \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))^3/x^5,x,method=_RETURNVERBOSE)`

[Out]
$$c^4 * (-1/4 * a^3 / c^4 / x^4 + b^3 * (-1/4 * \operatorname{arcsec}(c*x)^3 / c^4 / x^4 + 3/32 * \operatorname{arcsec}(c*x)^2 * (3 * \operatorname{arcsec}(c*x) * c^3 * x^3 + 3 * c^2 * x^2 * ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} + 2 * ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)}) / c^3 / x^3 + 3/32 * \operatorname{arcsec}(c*x) / c^4 / x^4 - 3/256 * (3 * c^2 * x^2 + 2) / c^3 / x^3 * ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} - 45/256 * \operatorname{arcsec}(c*x) + 9/32 / c^2 / x^2 * \operatorname{arcsec}(c*x) - 9/64 / c / x * ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} - 3/16 * \operatorname{arcsec}(c*x)^3) + 3 * a * b^2 * (-1/4 * \operatorname{arcsec}(c*x)^2 / c^4 / x^4 + 1/16 * \operatorname{arcsec}(c*x) * (3 * \operatorname{arcsec}(c*x) * c^3 * x^3 + 3 * c^2 * x^2 * ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} + 2 * ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)}) / c^3 / x^3 - 3/32 * \operatorname{arcsec}(c*x)^2 + 1/128 * (3 * c^2 * x^2 + 2)^2 / c^4 / x^4) - 3/4 * a^2 * b * \operatorname{arcsec}(c*x) / c^4 / x^4 - 9/32 * a^2 * b * (c^2 * x^2 - 1)^{(1/2)} / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c / x * \arctan(1 / (c^2 * x^2 - 1)^{(1/2)}) + 9/32 * a^2 * b * (c^2 * x^2 - 1) / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c^3 / x^3 + 3/16 * a^2 * b * (c^2 * x^2 - 1) / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2)} / c^5 / x^5)$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^3/x^5,x, algorithm="maxima")`

[Out]
$$3/32 * a^2 * b * ((3 * c^5 * \arctan(c*x * \sqrt{-1/(c^2 * x^2) + 1}) + (3 * c^8 * x^3 * (-1/(c^2 * x^2) + 1)^{(3/2)} + 5 * c^6 * x * \sqrt{-1/(c^2 * x^2) + 1})) / (c^4 * x^4 * (1/(c^2 * x^2) - 1)^2 - 2 * c^2 * x^2 * (1/(c^2 * x^2) - 1) + 1)) / c - 8 * \operatorname{arcsec}(c*x) / x^4) - 1/4 * a^3 / x^4 - 1/16 * (4 * b^3 * \arctan(\sqrt{c*x + 1}) * \sqrt{c*x - 1})^3 - 3 * b^3 * \arctan(\sqrt{c*x + 1}) * \sqrt{c*x - 1}) * \log(c^2 * x^2)^2 + 12 * (2 * (c^2 * \log(c*x + 1) + c^2 * \log(c*x - 1) - 2 * c^2 * \log(x) + 1/x^2) * a * b^2 * c^2 * \log(c)^2 + 64 * b^3 * c^2 * \int (1/16 * x^2 * \arctan(\sqrt{c*x + 1}) * \sqrt{c*x - 1}) / (c^2 * x^7 - x^5), x) * \log(c)^2 - 64 * b^3 * c^2 * \int (1/16 * x^2 * \arctan(\sqrt{c*x + 1}) * \sqrt{c*x - 1}) * \log(c^2 * x^2) / (c^2 * x^7 - x^5), x) * \log(c) + 128 * b^3 * c^2 * \int (1/16 * x^2 * \arctan(\sqrt{c*x + 1}) * \sqrt{c*x - 1}) * \log(x) / (c^2 * x^7 - x^5), x) * \log(c) - 64 * a * b^2 * c^2 * \int (1/16 * x^2 * \log(c^2 * x^2) / (c^2 * x^7 - x^5), x) * \log(c) + 128 * a * b^2 * c^2 * \int (1/16 * x^2 * \log(x) / (c^2 * x^7 - x^5), x) * \log(c) - 64 * b^3 * c^2 * \int$$

```
(1/16*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)*log(x)/(c^2*x^7
- x^5), x) + 64*b^3*c^2*integrate(1/16*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x -
1))*log(x)^2/(c^2*x^7 - x^5), x) - 64*a*b^2*c^2*integrate(1/16*x^2*arctan(s
qrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^7 - x^5), x) + 16*b^3*c^2*integrate(1/
16*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^7 - x^5), x)
+ 16*a*b^2*c^2*integrate(1/16*x^2*log(c^2*x^2)^2/(c^2*x^7 - x^5), x) - 64*
a*b^2*c^2*integrate(1/16*x^2*log(c^2*x^2)*log(x)/(c^2*x^7 - x^5), x) + 64*a
*b^2*c^2*integrate(1/16*x^2*log(x)^2/(c^2*x^7 - x^5), x) - (2*c^4*log(c*x +
1) + 2*c^4*log(c*x - 1) - 4*c^4*log(x) + (2*c^2*x^2 + 1)/x^4)*a*b^2*log(c)
^2 - 64*b^3*integrate(1/16*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^7 - x
^5), x)*log(c)^2 + 64*b^3*integrate(1/16*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)
)*log(c^2*x^2)/(c^2*x^7 - x^5), x)*log(c) - 128*b^3*integrate(1/16*arctan(s
qrt(c*x + 1)*sqrt(c*x - 1))*log(x)/(c^2*x^7 - x^5), x)*log(c) + 64*a*b^2*in
tegrate(1/16*log(c^2*x^2)/(c^2*x^7 - x^5), x)*log(c) - 128*a*b^2*integrate(
1/16*log(x)/(c^2*x^7 - x^5), x)*log(c) - 16*b^3*integrate(1/16*sqrt(c*x + 1
)*sqrt(c*x - 1)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^7 - x^5), x) +
4*b^3*integrate(1/16*sqrt(c*x + 1)*sqrt(c*x - 1)*log(c^2*x^2)^2/(c^2*x^7 -
x^5), x) + 64*b^3*integrate(1/16*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c
^2*x^2)*log(x)/(c^2*x^7 - x^5), x) - 64*b^3*integrate(1/16*arctan(sqrt(c*x
+ 1)*sqrt(c*x - 1))*log(x)^2/(c^2*x^7 - x^5), x) + 64*a*b^2*integrate(1/16*
arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^7 - x^5), x) - 16*b^3*integrat
e(1/16*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^7 - x^5), x)
- 16*a*b^2*integrate(1/16*log(c^2*x^2)^2/(c^2*x^7 - x^5), x) + 64*a*b^2*in
tegrate(1/16*log(c^2*x^2)*log(x)/(c^2*x^7 - x^5), x) - 64*a*b^2*integrate(1
/16*log(x)^2/(c^2*x^7 - x^5), x))*x^4)/x^4
```

Fricas [A]

time = 2.71, size = 225, normalized size = 1.08

$\frac{72ab^2c^2x^2 + 8(3b^3c^4 - 8b^3) \operatorname{arcsec}(cx)^3 - 64a^3 + 24ab^2 + 24(3ab^2c^4 - 8ab^2) \operatorname{arcsec}(cx)^2 + 3(3(8a^2b - 5b^3)c^4x^4 + 24b^3c^2x^2 - 64a^2b + 8b^3) \operatorname{arcsec}(cx) + 3(3(8a^2b - 5b^3)c^2x^2 + 16a^2b - 2b^3 + 8(3b^3c^2x^2 + 2b^3) \operatorname{arcsec}(cx)^2 + 16(3ab^2c^2x^2 + 2ab^2) \operatorname{arcsec}(cx)) \sqrt{c^2x^2 - 1}}{256x^4}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3/x^5,x, algorithm="fricas")

[Out] $\frac{1}{256} \cdot (72 \cdot a \cdot b^2 \cdot c^2 \cdot x^2 + 8 \cdot (3 \cdot b^3 \cdot c^4 \cdot x^4 - 8 \cdot b^3) \cdot \operatorname{arcsec}(c \cdot x)^3 - 64 \cdot a^3 + 24 \cdot a \cdot b^2 + 24 \cdot (3 \cdot a \cdot b^2 \cdot c^4 \cdot x^4 - 8 \cdot a \cdot b^2) \cdot \operatorname{arcsec}(c \cdot x)^2 + 3 \cdot (3 \cdot (8 \cdot a^2 \cdot b - 5 \cdot b^3) \cdot c^4 \cdot x^4 + 24 \cdot b^3 \cdot c^2 \cdot x^2 - 64 \cdot a^2 \cdot b + 8 \cdot b^3) \cdot \operatorname{arcsec}(c \cdot x) + 3 \cdot (3 \cdot (8 \cdot a^2 \cdot b - 5 \cdot b^3) \cdot c^2 \cdot x^2 + 16 \cdot a^2 \cdot b - 2 \cdot b^3 + 8 \cdot (3 \cdot b^3 \cdot c^2 \cdot x^2 + 2 \cdot b^3) \cdot \operatorname{arcsec}(c \cdot x)^2 + 16 \cdot (3 \cdot a \cdot b^2 \cdot c^2 \cdot x^2 + 2 \cdot a \cdot b^2) \cdot \operatorname{arcsec}(c \cdot x)) \cdot \sqrt{c^2 \cdot x^2 - 1}) / x^4$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx))^3}{x^5} dx$$

3.33

$$\int \frac{x}{a+b \sec^{-1}(cx)} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{x}{a+b \sec^{-1}(cx)}, x\right)$$

[Out] Unintegrable(x/(a+b*arcsec(c*x)),x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x}{a+b \sec^{-1}(cx)} dx$$

Verification is not applicable to the result.

[In] Int[x/(a + b*ArcSec[c*x]),x]

[Out] Defer[Int][x/(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int \frac{x}{a+b \sec^{-1}(cx)} dx = \int \frac{x}{a+b \sec^{-1}(cx)} dx$$

Mathematica [A]

time = 2.46, size = 0, normalized size = 0.00

$$\int \frac{x}{a+b \sec^{-1}(cx)} dx$$

Verification is not applicable to the result.

[In] Integrate[x/(a + b*ArcSec[c*x]),x]

[Out] Integrate[x/(a + b*ArcSec[c*x]), x]

Maple [A]

time = 0.58, size = 0, normalized size = 0.00

$$\int \frac{x}{a+b \operatorname{arcsec}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a+b*arcsec(c*x)),x)`

[Out] `int(x/(a+b*arcsec(c*x)),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] `integrate(x/(b*arcsec(c*x) + a), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] `integral(x/(b*arcsec(c*x) + a), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{a + b \operatorname{asec}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*asec(c*x)),x)`

[Out] `Integral(x/(a + b*asec(c*x)), x)`

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] Exception raised: AttributeError >> type

Mupad [A]

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{x}{a + b \arccos\left(\frac{1}{cx}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a + b*acos(1/(c*x))),x)`

[Out] `int(x/(a + b*acos(1/(c*x))), x)`

$$3.34 \quad \int \frac{1}{a+b \sec^{-1}(cx)} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{a+b \sec^{-1}(cx)}, x\right)$$

[Out] Unintegrable(1/(a+b*arcsec(c*x)),x)

Rubi [A]

time = 0.00, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{a+b \sec^{-1}(cx)} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])^(-1),x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])^(-1), x]

Rubi steps

$$\int \frac{1}{a+b \sec^{-1}(cx)} dx = \int \frac{1}{a+b \sec^{-1}(cx)} dx$$

Mathematica [A]

time = 0.02, size = 0, normalized size = 0.00

$$\int \frac{1}{a+b \sec^{-1}(cx)} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])^(-1),x]

[Out] Integrate[(a + b*ArcSec[c*x])^(-1), x]

Maple [A]

time = 0.54, size = 0, normalized size = 0.00

$$\int \frac{1}{a+b \operatorname{arcsec}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*arcsec(c*x)),x)`

[Out] `int(1/(a+b*arcsec(c*x)),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] `integrate(1/(b*arcsec(c*x) + a), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] `integral(1/(b*arcsec(c*x) + a), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{a + b \operatorname{asec}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*asec(c*x)),x)`

[Out] `Integral(1/(a + b*asec(c*x)), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] `integrate(1/(b*arcsec(c*x) + a), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{a + b \operatorname{acos}\left(\frac{1}{cx}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a + b*acos(1/(c*x))),x)
```

```
[Out] int(1/(a + b*acos(1/(c*x))), x)
```

$$3.35 \quad \int \frac{1}{x(a+b \sec^{-1}(cx))} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{x(a+b \sec^{-1}(cx))}, x\right)$$

[Out] Unintegrable(1/x/(a+b*arcsec(c*x)), x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \sec^{-1}(cx))} dx$$

Verification is not applicable to the result.

[In] Int[1/(x*(a + b*ArcSec[c*x])), x]

[Out] Defer[Int][1/(x*(a + b*ArcSec[c*x])), x]

Rubi steps

$$\int \frac{1}{x(a+b \sec^{-1}(cx))} dx = \int \frac{1}{x(a+b \sec^{-1}(cx))} dx$$

Mathematica [A]

time = 0.23, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \sec^{-1}(cx))} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcSec[c*x])), x]

[Out] Integrate[1/(x*(a + b*ArcSec[c*x])), x]

Maple [A]

time = 0.41, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \operatorname{arcsec}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(a+b*arcsec(c*x)),x)`

[Out] `int(1/x/(a+b*arcsec(c*x)),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] `integrate(1/((b*arcsec(c*x) + a)*x), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] `integral(1/(b*x*arcsec(c*x) + a*x), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \operatorname{asec}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*asec(c*x)),x)`

[Out] `Integral(1/(x*(a + b*asec(c*x))), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] `integrate(1/((b*arcsec(c*x) + a)*x), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x(a + b \operatorname{acos}(\frac{1}{cx}))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x*(a + b*acos(1/(c*x))))),x)
```

```
[Out] int(1/(x*(a + b*acos(1/(c*x))))), x)
```

3.36 $\int \frac{1}{x^2(a+b \sec^{-1}(cx))} dx$

Optimal. Leaf size=46

$$-\frac{c \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right) \sin\left(\frac{a}{b}\right)}{b} + \frac{c \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b}$$

[Out] $c \cos(a/b) \operatorname{Si}(a/b + \operatorname{arcsec}(c*x))/b - c \operatorname{Ci}(a/b + \operatorname{arcsec}(c*x)) \sin(a/b)/b$

Rubi [A]

time = 0.08, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {5330, 3384, 3380, 3383}

$$\frac{c \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b} - \frac{c \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[1/(x^2*(a + b*\operatorname{ArcSec}[c*x])), x]$

[Out] $-((c*\operatorname{CosIntegral}[a/b + \operatorname{ArcSec}[c*x]]*\operatorname{Sin}[a/b])/b) + (c*\operatorname{Cos}[a/b]*\operatorname{SinIntegral}[a/b + \operatorname{ArcSec}[c*x]])/b$

Rule 3380

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f, x\} \ \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3383

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \pi/2 + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f, x\} \ \&\& \operatorname{EqQ}[d*(e - \pi/2) - c*f, 0]$

Rule 3384

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Dist}[\operatorname{Cos}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Sin}[c*(f/d) + f*x]/(c + d*x), x], x] + \operatorname{Dist}[\operatorname{Sin}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Cos}[c*(f/d) + f*x]/(c + d*x), x], x] /; \operatorname{FreeQ}\{c, d, e, f, x\} \ \&\& \operatorname{NeQ}[d*e - c*f, 0]$

Rule 5330

$\operatorname{Int}[(a_.) + \operatorname{ArcSec}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x_Symbol] \rightarrow \operatorname{Dist}[1/c^{(m+1)}, \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n*\operatorname{Sec}[x]^{(m+1)}*\operatorname{Tan}[x], x], x, \operatorname{ArcSec}[c*x]], x] /; \operatorname{FreeQ}\{a, b, c, x\} \ \&\& \operatorname{IntegerQ}[n] \ \&\& \operatorname{IntegerQ}[m] \ \&\& (\operatorname{GtQ}[n, 0] \ \&\& \operatorname{GtQ}[m, 0])$

LtQ[m, -1])

Rubi steps

$$\begin{aligned} \int \frac{1}{x^2 (a + b \sec^{-1}(cx))} dx &= c \text{Subst} \left(\int \frac{\sin(x)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\ &= \left(c \cos \left(\frac{a}{b} \right) \right) \text{Subst} \left(\int \frac{\sin \left(\frac{a}{b} + x \right)}{a + bx} dx, x, \sec^{-1}(cx) \right) - \left(c \sin \left(\frac{a}{b} \right) \right) \text{Subst} \left(\int \frac{\cos \left(\frac{a}{b} + x \right)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\ &= -\frac{c \text{Ci} \left(\frac{a}{b} + \sec^{-1}(cx) \right) \sin \left(\frac{a}{b} \right)}{b} + \frac{c \cos \left(\frac{a}{b} \right) \text{Si} \left(\frac{a}{b} + \sec^{-1}(cx) \right)}{b} \end{aligned}$$

Mathematica [A]

time = 0.06, size = 43, normalized size = 0.93

$$\frac{c(-\text{CosIntegral}(\frac{a}{b} + \sec^{-1}(cx)) \sin(\frac{a}{b}) + \cos(\frac{a}{b}) \text{Si}(\frac{a}{b} + \sec^{-1}(cx)))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2*(a + b*ArcSec[c*x])),x]

[Out] (c*(-(CosIntegral[a/b + ArcSec[c*x]]*Sin[a/b]) + Cos[a/b]*SinIntegral[a/b + ArcSec[c*x]]))/b

Maple [A]

time = 0.16, size = 47, normalized size = 1.02

| method | result | size |
|-------------------|---|------|
| derivativedivides | $c \left(\frac{\sin \text{Integral}(\frac{a}{b} + \text{arcsec}(cx)) \cos(\frac{a}{b})}{b} - \frac{\cosine \text{Integral}(\frac{a}{b} + \text{arcsec}(cx)) \sin(\frac{a}{b})}{b} \right)$ | 47 |
| default | $c \left(\frac{\sin \text{Integral}(\frac{a}{b} + \text{arcsec}(cx)) \cos(\frac{a}{b})}{b} - \frac{\cosine \text{Integral}(\frac{a}{b} + \text{arcsec}(cx)) \sin(\frac{a}{b})}{b} \right)$ | 47 |

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)

[Out] c*(Si(a/b+arcsec(c*x))*cos(a/b)/b-Ci(a/b+arcsec(c*x))*sin(a/b)/b)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] integrate(1/((b*arcsec(c*x) + a)*x^2), x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] integral(1/(b*x^2*arcsec(c*x) + a*x^2), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{asec}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(a+b*asec(c*x)),x)

[Out] Integral(1/(x**2*(a + b*asec(c*x))), x)

Giac [A]

time = 0.40, size = 55, normalized size = 1.20

$$-c \left(\frac{\operatorname{Ci}\left(\frac{a}{b} + \arccos\left(\frac{1}{cx}\right)\right) \sin\left(\frac{a}{b}\right)}{b} - \frac{\cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \arccos\left(\frac{1}{cx}\right)\right)}{b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] -c*(cos_integral(a/b + arccos(1/(c*x)))*sin(a/b)/b - cos(a/b)*sin_integral(a/b + arccos(1/(c*x)))/b)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{x^2 (a + b \operatorname{acos}\left(\frac{1}{cx}\right))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(a + b*acos(1/(c*x))))),x)

[Out] int(1/(x^2*(a + b*acos(1/(c*x))))), x)

$$3.37 \quad \int \frac{1}{x^3(a+b \sec^{-1}(cx))} dx$$

Optimal. Leaf size=63

$$-\frac{c^2 \operatorname{CosIntegral}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right) \sin\left(\frac{2a}{b}\right)}{2b} + \frac{c^2 \cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{2b}$$

[Out] 1/2*c^2*cos(2*a/b)*Si(2*a/b+2*arcsec(c*x))/b-1/2*c^2*Ci(2*a/b+2*arcsec(c*x))*sin(2*a/b)/b

Rubi [A]

time = 0.11, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5330, 4491, 12, 3384, 3380, 3383}

$$\frac{c^2 \cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{2b} - \frac{c^2 \sin\left(\frac{2a}{b}\right) \operatorname{CosIntegral}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{2b}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3*(a + b*ArcSec[c*x])),x]

[Out] -1/2*(c^2*CosIntegral[(2*a)/b + 2*ArcSec[c*x]]*Sin[(2*a)/b])/b + (c^2*Cos[(2*a)/b]*SinIntegral[(2*a)/b + 2*ArcSec[c*x]])/(2*b)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3380

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3383

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3384

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 4491

Int[Cos[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sin[(a_.) + (b_.)*(x_.)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 5330

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rubi steps

$$\begin{aligned}
 \int \frac{1}{x^3 (a + b \sec^{-1}(cx))} dx &= c^2 \text{Subst} \left(\int \frac{\cos(x) \sin(x)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\
 &= c^2 \text{Subst} \left(\int \frac{\sin(2x)}{2(a + bx)} dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{1}{2} c^2 \text{Subst} \left(\int \frac{\sin(2x)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{1}{2} \left(c^2 \cos \left(\frac{2a}{b} \right) \right) \text{Subst} \left(\int \frac{\sin \left(\frac{2a}{b} + 2x \right)}{a + bx} dx, x, \sec^{-1}(cx) \right) - \frac{1}{2} \left(c^2 \sin \left(\frac{2a}{b} \right) \right) \\
 &= -\frac{c^2 \text{Ci} \left(\frac{2a}{b} + 2 \sec^{-1}(cx) \right) \sin \left(\frac{2a}{b} \right)}{2b} + \frac{c^2 \cos \left(\frac{2a}{b} \right) \text{Si} \left(\frac{2a}{b} + 2 \sec^{-1}(cx) \right)}{2b}
 \end{aligned}$$

Mathematica [A]

time = 0.06, size = 56, normalized size = 0.89

$$\frac{c^2 \left(-\text{CosIntegral} \left(\frac{2a}{b} + 2 \sec^{-1}(cx) \right) \sin \left(\frac{2a}{b} \right) + \cos \left(\frac{2a}{b} \right) \text{Si} \left(\frac{2a}{b} + 2 \sec^{-1}(cx) \right) \right)}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3*(a + b*ArcSec[c*x])),x]

[Out] (c^2*(-(CosIntegral[(2*a)/b + 2*ArcSec[c*x]]*Sin[(2*a)/b]) + Cos[(2*a)/b]*SinIntegral[(2*a)/b + 2*ArcSec[c*x]]))/(2*b)

Maple [A]

time = 0.14, size = 58, normalized size = 0.92

| method | result | size |
|-------------------|---|------|
| derivativedivides | $c^2 \left(\frac{\sin \operatorname{Integral} \left(\frac{2a}{b} + 2 \operatorname{arcsec}(cx) \right) \cos \left(\frac{2a}{b} \right)}{2b} - \frac{\operatorname{cosineIntegral} \left(\frac{2a}{b} + 2 \operatorname{arcsec}(cx) \right) \sin \left(\frac{2a}{b} \right)}{2b} \right)$ | 58 |
| default | $c^2 \left(\frac{\sin \operatorname{Integral} \left(\frac{2a}{b} + 2 \operatorname{arcsec}(cx) \right) \cos \left(\frac{2a}{b} \right)}{2b} - \frac{\operatorname{cosineIntegral} \left(\frac{2a}{b} + 2 \operatorname{arcsec}(cx) \right) \sin \left(\frac{2a}{b} \right)}{2b} \right)$ | 58 |

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/x^3/(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)
```

```
[Out] c^2*(1/2*Si(2*a/b+2*arcsec(c*x))*cos(2*a/b)/b-1/2*Ci(2*a/b+2*arcsec(c*x))*sin(2*a/b)/b)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^3/(a+b*arcsec(c*x)),x, algorithm="maxima")
```

```
[Out] integrate(1/((b*arcsec(c*x) + a)*x^3), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^3/(a+b*asec(c*x)),x, algorithm="fricas")
```

```
[Out] integral(1/(b*x^3*asec(c*x) + a*x^3), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \operatorname{asec}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**3/(a+b*asec(c*x)),x)
```

```
[Out] Integral(1/(x**3*(a + b*asec(c*x))), x)
```

Giac [A]

time = 0.43, size = 95, normalized size = 1.51

$$-\frac{1}{2} \left(\frac{2c \cos \left(\frac{a}{b} \right) \operatorname{Ci} \left(\frac{2a}{b} + 2 \operatorname{arccos} \left(\frac{1}{cx} \right) \right) \sin \left(\frac{a}{b} \right)}{b} - \frac{2c \cos \left(\frac{a}{b} \right)^2 \operatorname{Si} \left(\frac{2a}{b} + 2 \operatorname{arccos} \left(\frac{1}{cx} \right) \right)}{b} + \frac{c \operatorname{Si} \left(\frac{2a}{b} + 2 \operatorname{arccos} \left(\frac{1}{cx} \right) \right)}{b} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] $-1/2*(2*c*\cos(a/b)*\cos_integral(2*a/b + 2*\arccos(1/(c*x)))*\sin(a/b)/b - 2*c*\cos(a/b)^2*\sin_integral(2*a/b + 2*\arccos(1/(c*x)))/b + c*\sin_integral(2*a/b + 2*\arccos(1/(c*x)))/b)*c$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{x^3 (a + b \arccos(\frac{1}{cx}))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^3*(a + b*acos(1/(c*x)))),x)

[Out] int(1/(x^3*(a + b*acos(1/(c*x)))), x)

3.38 $\int \frac{1}{x^4(a+b \sec^{-1}(cx))} dx$

Optimal. Leaf size=117

$$\frac{c^3 \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right) \sin\left(\frac{a}{b}\right)}{4b} - \frac{c^3 \operatorname{CosIntegral}\left(\frac{3a}{b} + 3 \sec^{-1}(cx)\right) \sin\left(\frac{3a}{b}\right)}{4b} + \frac{c^3 \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{4b}$$

[Out] 1/4*c^3*cos(a/b)*Si(a/b+arcsec(c*x))/b+1/4*c^3*cos(3*a/b)*Si(3*a/b+3*arcsec(c*x))/b-1/4*c^3*Ci(a/b+arcsec(c*x))*sin(a/b)/b-1/4*c^3*Ci(3*a/b+3*arcsec(c*x))*sin(3*a/b)/b

Rubi [A]

time = 0.18, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {5330, 4491, 3384, 3380, 3383}

$$-\frac{c^3 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{4b} - \frac{c^3 \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3 \sec^{-1}(cx)\right)}{4b} + \frac{c^3 \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{4b} + \frac{c^3 \cos\left(\frac{3a}{b}\right) \operatorname{Si}\left(\frac{3a}{b} + 3 \sec^{-1}(cx)\right)}{4b}$$

Antiderivative was successfully verified.

[In] Int[1/(x^4*(a + b*ArcSec[c*x])),x]

[Out] -1/4*(c^3*CosIntegral[a/b + ArcSec[c*x]]*Sin[a/b])/b - (c^3*CosIntegral[(3*a)/b + 3*ArcSec[c*x]]*Sin[(3*a)/b])/(4*b) + (c^3*Cos[a/b]*SinIntegral[a/b + ArcSec[c*x]])/(4*b) + (c^3*Cos[(3*a)/b]*SinIntegral[(3*a)/b + 3*ArcSec[c*x]])/(4*b)

Rule 3380

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3383

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3384

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 4491

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^(n)*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
 \int \frac{1}{x^4 (a + b \sec^{-1}(cx))} dx &= c^3 \text{Subst} \left(\int \frac{\cos^2(x) \sin(x)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\
 &= c^3 \text{Subst} \left(\int \left(\frac{\sin(x)}{4(a + bx)} + \frac{\sin(3x)}{4(a + bx)} \right) dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{1}{4} c^3 \text{Subst} \left(\int \frac{\sin(x)}{a + bx} dx, x, \sec^{-1}(cx) \right) + \frac{1}{4} c^3 \text{Subst} \left(\int \frac{\sin(3x)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{1}{4} \left(c^3 \cos \left(\frac{a}{b} \right) \right) \text{Subst} \left(\int \frac{\sin \left(\frac{a}{b} + x \right)}{a + bx} dx, x, \sec^{-1}(cx) \right) + \frac{1}{4} \left(c^3 \cos \left(\frac{3a}{b} \right) \right) \text{Subst} \left(\int \frac{\sin \left(\frac{3a}{b} + x \right)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\
 &= -\frac{c^3 \text{Ci} \left(\frac{a}{b} + \sec^{-1}(cx) \right) \sin \left(\frac{a}{b} \right)}{4b} - \frac{c^3 \text{Ci} \left(\frac{3a}{b} + 3 \sec^{-1}(cx) \right) \sin \left(\frac{3a}{b} \right)}{4b} + \frac{c^3 \cos \left(\frac{a}{b} \right) \text{Si} \left(\frac{a}{b} + \sec^{-1}(cx) \right)}{4b} + \frac{c^3 \cos \left(\frac{3a}{b} \right) \text{Si} \left(\frac{3a}{b} + 3 \sec^{-1}(cx) \right)}{4b}
 \end{aligned}$$

Mathematica [A]

time = 0.14, size = 91, normalized size = 0.78

$$\frac{c^3 \left(-\text{CosIntegral} \left(\frac{a}{b} + \sec^{-1}(cx) \right) \sin \left(\frac{a}{b} \right) - \text{CosIntegral} \left(3 \left(\frac{a}{b} + \sec^{-1}(cx) \right) \right) \sin \left(\frac{3a}{b} \right) + \cos \left(\frac{a}{b} \right) \text{Si} \left(\frac{a}{b} + \sec^{-1}(cx) \right) + \cos \left(\frac{3a}{b} \right) \text{Si} \left(3 \left(\frac{a}{b} + \sec^{-1}(cx) \right) \right) \right)}{4b}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(x^4*(a + b*ArcSec[c*x])),x]
```

```
[Out] (c^3*(-(CosIntegral[a/b + ArcSec[c*x]]*Sin[a/b]) - CosIntegral[3*(a/b + ArcSec[c*x]]*Sin[(3*a)/b] + Cos[a/b]*SinIntegral[a/b + ArcSec[c*x]] + Cos[(3*a)/b]*SinIntegral[3*(a/b + ArcSec[c*x])]))/(4*b)
```

Maple [A]

time = 0.15, size = 102, normalized size = 0.87

| method | result |
|-------------------|--|
| derivativedivides | $c^3 \left(\frac{\sin \operatorname{Integral}(\frac{3a}{b} + 3 \operatorname{arcsec}(cx)) \cos(\frac{3a}{b})}{4b} - \frac{\operatorname{cosineIntegral}(\frac{3a}{b} + 3 \operatorname{arcsec}(cx)) \sin(\frac{3a}{b})}{4b} + \frac{\sin \operatorname{Integral}(\frac{a}{b} + \operatorname{arcsec}(cx))}{4b} \right)$ |
| default | $c^3 \left(\frac{\sin \operatorname{Integral}(\frac{3a}{b} + 3 \operatorname{arcsec}(cx)) \cos(\frac{3a}{b})}{4b} - \frac{\operatorname{cosineIntegral}(\frac{3a}{b} + 3 \operatorname{arcsec}(cx)) \sin(\frac{3a}{b})}{4b} + \frac{\sin \operatorname{Integral}(\frac{a}{b} + \operatorname{arcsec}(cx))}{4b} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/x^4/(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)
```

```
[Out] c^3*(1/4*Si(3*a/b+3*arcsec(c*x))*cos(3*a/b)/b-1/4*Ci(3*a/b+3*arcsec(c*x))*sin(3*a/b)/b+1/4*Si(a/b+arcsec(c*x))*cos(a/b)/b-1/4*Ci(a/b+arcsec(c*x))*sin(a/b)/b)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^4/(a+b*arcsec(c*x)),x, algorithm="maxima")
```

```
[Out] integrate(1/((b*arcsec(c*x) + a)*x^4), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^4/(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] integral(1/(b*x^4*arcsec(c*x) + a*x^4), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4 (a + b \operatorname{asec}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**4/(a+b*asec(c*x)),x)
```

```
[Out] Integral(1/(x**4*(a + b*asec(c*x))), x)
```

Giac [A]

time = 0.42, size = 199, normalized size = 1.70

$$-\frac{1}{4} \left(\frac{4c^2 \cos\left(\frac{a}{b}\right)^3 \operatorname{Ci}\left(\frac{3a}{b} + 3 \arccos\left(\frac{1}{cx}\right)\right) \sin\left(\frac{a}{b}\right)}{b} - \frac{4c^2 \cos\left(\frac{a}{b}\right)^3 \operatorname{Si}\left(\frac{3a}{b} + 3 \arccos\left(\frac{1}{cx}\right)\right)}{b} - \frac{c^2 \operatorname{Ci}\left(\frac{3a}{b} + 3 \arccos\left(\frac{1}{cx}\right)\right) \sin\left(\frac{a}{b}\right)}{b} + \frac{c^2 \operatorname{Ci}\left(\frac{a}{b} + \arccos\left(\frac{1}{cx}\right)\right) \sin\left(\frac{a}{b}\right)}{b} + \frac{3c^2 \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{3a}{b} + 3 \arccos\left(\frac{1}{cx}\right)\right)}{b} - \frac{c^2 \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \arccos\left(\frac{1}{cx}\right)\right)}{b} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] $-1/4*(4*c^2*\cos(a/b)^2*\cos_integral(3*a/b + 3*\arccos(1/(c*x)))*\sin(a/b)/b - 4*c^2*\cos(a/b)^3*\sin_integral(3*a/b + 3*\arccos(1/(c*x)))/b - c^2*\cos_integral(3*a/b + 3*\arccos(1/(c*x)))*\sin(a/b)/b + c^2*\cos_integral(a/b + \arccos(1/(c*x)))*\sin(a/b)/b + 3*c^2*\cos(a/b)*\sin_integral(3*a/b + 3*\arccos(1/(c*x)))/b - c^2*\cos(a/b)*\sin_integral(a/b + \arccos(1/(c*x)))/b)*c$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^4 \left(a + b \arccos\left(\frac{1}{cx}\right) \right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4*(a + b*acos(1/(c*x)))),x)**[Out]** int(1/(x^4*(a + b*acos(1/(c*x)))), x)

$$3.39 \quad \int \frac{x}{(a+b \sec^{-1}(cx))^2} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{x}{(a+b \sec^{-1}(cx))^2}, x\right)$$

[Out] Unintegrable(x/(a+b*arcsec(c*x))^2, x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x}{(a+b \sec^{-1}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Int[x/(a + b*ArcSec[c*x])^2, x]

[Out] Defer[Int][x/(a + b*ArcSec[c*x])^2, x]

Rubi steps

$$\int \frac{x}{(a+b \sec^{-1}(cx))^2} dx = \int \frac{x}{(a+b \sec^{-1}(cx))^2} dx$$

Mathematica [A]

time = 8.05, size = 0, normalized size = 0.00

$$\int \frac{x}{(a+b \sec^{-1}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Integrate[x/(a + b*ArcSec[c*x])^2, x]

[Out] Integrate[x/(a + b*ArcSec[c*x])^2, x]

Maple [A]

time = 0.66, size = 0, normalized size = 0.00

$$\int \frac{x}{(a+b \operatorname{arcsec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*arcsec(c*x))^2,x)

[Out] int(x/(a+b*arcsec(c*x))^2,x)

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsec(c*x))^2,x, algorithm="maxima")

[Out] $-(4*(b*x^2*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + a*x^2)*\sqrt{c*x+1}*\sqrt{c*x-1} - (4*b^3*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1})^2 + b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2))*\int(-4*(3*a*c^2*x^3 - 2*a*x + (3*b*c^2*x^3 - 2*b*x)*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}))*\sqrt{c*x+1}*\sqrt{c*x-1}/(4*b^3*\log(c)^2 + 4*a^2*b - 4*(b^3*c^2*\log(c)^2 + a^2*b*c^2)*x^2 - 4*(b^3*c^2*x^2 - b^3)*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1})^2 - (b^3*c^2*x^2 - b^3)*\log(c^2*x^2)^2 - 4*(b^3*c^2*x^2 - b^3)*\log(x)^2 - 8*(a*b^2*c^2*x^2 - a*b^2)*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + 4*(b^3*c^2*x^2*\log(c) - b^3*\log(c) + (b^3*c^2*x^2 - b^3)*\log(x))*\log(c^2*x^2) - 8*(b^3*c^2*x^2*\log(c) - b^3*\log(c))*\log(x), x)/(4*b^3*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1})^2 + b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2)$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsec(c*x))^2,x, algorithm="fricas")

[Out] integral(x/(b^2*arcsec(c*x))^2 + 2*a*b*arcsec(c*x) + a^2), x)

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \operatorname{asec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*asec(c*x))**2,x)

[Out] Integral(x/(a + b*asec(c*x))**2, x)

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] integrate(x/(b*arcsec(c*x) + a)^2, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{x}{\left(a + b \arccos\left(\frac{1}{cx}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b*acos(1/(c*x)))^2,x)

[Out] int(x/(a + b*acos(1/(c*x)))^2, x)

$$3.40 \quad \int \frac{1}{(a+b \sec^{-1}(cx))^2} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{(a+b \sec^{-1}(cx))^2}, x\right)$$

[Out] Unintegrable(1/(a+b*arcsec(c*x))^2,x)

Rubi [A]

time = 0.00, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(a+b \sec^{-1}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])^(-2), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])^(-2), x]

Rubi steps

$$\int \frac{1}{(a+b \sec^{-1}(cx))^2} dx = \int \frac{1}{(a+b \sec^{-1}(cx))^2} dx$$

Mathematica [A]

time = 16.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+b \sec^{-1}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])^(-2), x]

[Out] Integrate[(a + b*ArcSec[c*x])^(-2), x]

Maple [A]

time = 0.46, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+b \operatorname{arcsec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*arcsec(c*x))^2,x)

[Out] int(1/(a+b*arcsec(c*x))^2,x)

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsec(c*x))^2,x, algorithm="maxima")

[Out]
$$-(4*(b*x*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1}) + a*x)*\sqrt{c*x + 1}*\sqrt{c*x - 1} - (4*b^3*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^2 + b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1} + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2)) * \int (-4*(2*a*c^2*x^2 + (2*b*c^2*x^2 - b)*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1}) - a)*\sqrt{c*x + 1}*\sqrt{c*x - 1} / (4*b^3*\log(c)^2 + 4*a^2*b - 4*(b^3*c^2*\log(c)^2 + a^2*b*c^2)*x^2 - 4*(b^3*c^2*x^2 - b^3)*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^2 - (b^3*c^2*x^2 - b^3)*\log(c^2*x^2)^2 - 4*(b^3*c^2*x^2 - b^3)*\log(x)^2 - 8*(a*b^2*c^2*x^2 - a*b^2)*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1}) + 4*(b^3*c^2*x^2*\log(c) - b^3*\log(c) + (b^3*c^2*x^2 - b^3)*\log(x))*\log(c^2*x^2) - 8*(b^3*c^2*x^2*\log(c) - b^3*\log(c))*\log(x)) , x) / (4*b^3*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^2 + b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1}) + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2))$$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsec(c*x))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*arcsec(c*x)^2 + 2*a*b*arcsec(c*x) + a^2), x)

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \operatorname{asec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*asec(c*x))**2,x)

[Out] Integral((a + b*asec(c*x))**(-2), x)

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^(-2), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{\left(a + b \arccos\left(\frac{1}{cx}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b*acos(1/(c*x)))^2,x)

[Out] int(1/(a + b*acos(1/(c*x)))^2, x)

$$3.41 \quad \int \frac{1}{x(a+b \sec^{-1}(cx))^2} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{x(a+b \sec^{-1}(cx))^2}, x\right)$$

[Out] Unintegrable(1/x/(a+b*arcsec(c*x))^2,x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \sec^{-1}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Int[1/(x*(a + b*ArcSec[c*x])^2),x]

[Out] Defer[Int][1/(x*(a + b*ArcSec[c*x])^2), x]

Rubi steps

$$\int \frac{1}{x(a+b \sec^{-1}(cx))^2} dx = \int \frac{1}{x(a+b \sec^{-1}(cx))^2} dx$$

Mathematica [A]

time = 2.60, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \sec^{-1}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcSec[c*x])^2),x]

[Out] Integrate[1/(x*(a + b*ArcSec[c*x])^2), x]

Maple [A]

time = 0.45, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \operatorname{arcsec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*arcsec(c*x))^2,x)

[Out] int(1/x/(a+b*arcsec(c*x))^2,x)

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x))^2,x, algorithm="maxima")

[Out] $-(4*\sqrt{c*x + 1}*\sqrt{c*x - 1}*(b*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})) + a) - (4*b^3*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^2 + b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})) + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2))*$
 $\text{integrate}(-4*(b*c^2*x*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})) + a*c^2*x)*\sqrt{c*x + 1}*\sqrt{c*x - 1}/(4*b^3*\log(c)^2 + 4*a^2*b - 4*(b^3*c^2*\log(c)^2 + a^2*b*c^2)*x^2 - 4*(b^3*c^2*x^2 - b^3)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^2 - (b^3*c^2*x^2 - b^3)*\log(c^2*x^2)^2 - 4*(b^3*c^2*x^2 - b^3)*\log(x)^2 - 8*(a*b^2*c^2*x^2 - a*b^2)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})) + 4*(b^3*c^2*x^2*\log(c) - b^3*\log(c) + (b^3*c^2*x^2 - b^3)*\log(x))*\log(c^2*x^2) - 8*(b^3*c^2*x^2*\log(c) - b^3*\log(c))*\log(x)), x)/(4*b^3*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^2 + b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})) + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2))$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*x*arcsec(c*x)^2 + 2*a*b*x*arcsec(c*x) + a^2*x), x)

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \operatorname{asec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*asec(c*x))**2,x)

[Out] Integral(1/(x*(a + b*asec(c*x))**2), x)

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] integrate(1/((b*arcsec(c*x) + a)^2*x), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x \left(a + b \arccos \left(\frac{1}{cx} \right) \right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(a + b*acos(1/(c*x)))^2),x)

[Out] int(1/(x*(a + b*acos(1/(c*x)))^2), x)

$$3.42 \quad \int \frac{1}{x^2(a+b \sec^{-1}(cx))^2} dx$$

Optimal. Leaf size=75

$$-\frac{c\sqrt{1-\frac{1}{c^2x^2}}}{b(a+b \sec^{-1}(cx))} + \frac{c \cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b^2} + \frac{c \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b^2}$$

[Out] c*Ci(a/b+arcsec(c*x))*cos(a/b)/b^2+c*Si(a/b+arcsec(c*x))*sin(a/b)/b^2-c*(1-1/c^2/x^2)^(1/2)/b/(a+b*arcsec(c*x))

Rubi [A]

time = 0.10, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {5330, 3378, 3384, 3380, 3383}

$$\frac{c \cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b^2} + \frac{c \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b^2} - \frac{c\sqrt{1-\frac{1}{c^2x^2}}}{b(a+b \sec^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2*(a + b*ArcSec[c*x])^2),x]

[Out] -((c*Sqrt[1 - 1/(c^2*x^2)])/(b*(a + b*ArcSec[c*x]))) + (c*Cos[a/b]*CosIntegral[a/b + ArcSec[c*x]])/b^2 + (c*Sin[a/b]*SinIntegral[a/b + ArcSec[c*x]])/b^2

Rule 3378

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(c + d*x)^(m + 1)*(Sin[e + f*x]/(d*(m + 1))), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3380

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3383

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3384

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^n*(x_)^m, x_Symbol] := Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]
], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] ||
LtQ[m, -1])
```

Rubi steps

$$\begin{aligned} \int \frac{1}{x^2 (a + b \sec^{-1}(cx))^2} dx &= c \operatorname{Subst} \left(\int \frac{\sin(x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right) \\ &= -\frac{c \sqrt{1 - \frac{1}{c^2 x^2}}}{b (a + b \sec^{-1}(cx))} + \frac{c \operatorname{Subst} \left(\int \frac{\cos(x)}{a + bx} dx, x, \sec^{-1}(cx) \right)}{b} \\ &= -\frac{c \sqrt{1 - \frac{1}{c^2 x^2}}}{b (a + b \sec^{-1}(cx))} + \frac{(c \cos(\frac{a}{b})) \operatorname{Subst} \left(\int \frac{\cos(\frac{a}{b} + x)}{a + bx} dx, x, \sec^{-1}(cx) \right)}{b} + \frac{(c \sin(\frac{a}{b})) \operatorname{Subst} \left(\int \frac{\sin(\frac{a}{b} + x)}{a + bx} dx, x, \sec^{-1}(cx) \right)}{b} \\ &= -\frac{c \sqrt{1 - \frac{1}{c^2 x^2}}}{b (a + b \sec^{-1}(cx))} + \frac{c \cos(\frac{a}{b}) \operatorname{Ci}(\frac{a}{b} + \sec^{-1}(cx))}{b^2} + \frac{c \sin(\frac{a}{b}) \operatorname{Si}(\frac{a}{b} + \sec^{-1}(cx))}{b^2} \end{aligned}$$

Mathematica [A]

time = 0.20, size = 69, normalized size = 0.92

$$c \left(-\frac{b \sqrt{1 - \frac{1}{c^2 x^2}}}{a + b \sec^{-1}(cx)} + \cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right) + \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right) \right) / b^2$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(x^2*(a + b*ArcSec[c*x])^2), x]
```

```
[Out] (c*(-((b*Sqrt[1 - 1/(c^2*x^2)]))/(a + b*ArcSec[c*x])) + Cos[a/b]*CosIntegral[a/b + ArcSec[c*x]] + Sin[a/b]*SinIntegral[a/b + ArcSec[c*x]])/b^2
```


Maple [A]

time = 0.15, size = 78, normalized size = 1.04

| method | result | size |
|-------------------|--|------|
| derivativedivides | $c \left(-\frac{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{(a+b \operatorname{arcsec}(cx))b} + \frac{\operatorname{sinIntegral}\left(\frac{a}{b} + \operatorname{arcsec}(cx)\right) \sin\left(\frac{a}{b}\right) + \operatorname{cosineIntegral}\left(\frac{a}{b} + \operatorname{arcsec}(cx)\right) \cos\left(\frac{a}{b}\right)}{b^2} \right)$ | 78 |
| default | $c \left(-\frac{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{(a+b \operatorname{arcsec}(cx))b} + \frac{\operatorname{sinIntegral}\left(\frac{a}{b} + \operatorname{arcsec}(cx)\right) \sin\left(\frac{a}{b}\right) + \operatorname{cosineIntegral}\left(\frac{a}{b} + \operatorname{arcsec}(cx)\right) \cos\left(\frac{a}{b}\right)}{b^2} \right)$ | 78 |

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/x^2/(a+b*arcsec(c*x))^2,x,method=_RETURNVERBOSE)
```

```
[Out] c*(-((c^2*x^2-1)/c^2/x^2)^(1/2)/(a+b*arcsec(c*x))/b+(Si(a/b+arcsec(c*x))*sin(a/b)+Ci(a/b+arcsec(c*x))*cos(a/b))/b^2)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(a+b*arcsec(c*x))^2,x, algorithm="maxima")
```

```
[Out] -(4*sqrt(c*x + 1)*sqrt(c*x - 1)*(b*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + a)
- (4*b^3*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + b^3*x*log(c^2*x^2)^2 +
8*b^3*x*log(c)*log(x) + 4*b^3*x*log(x)^2 + 8*a*b^2*x*arctan(sqrt(c*x + 1)*s
qrt(c*x - 1)) + 4*(b^3*log(c)^2 + a^2*b)*x - 4*(b^3*x*log(c) + b^3*x*log(x)
)*log(c^2*x^2))*integrate(4*sqrt(c*x + 1)*sqrt(c*x - 1)*(b*arctan(sqrt(c*x
+ 1)*sqrt(c*x - 1)) + a)/(4*(b^3*c^2*log(c)^2 + a^2*b*c^2)*x^4 - 4*(b^3*log
(c)^2 + a^2*b)*x^2 + 4*(b^3*c^2*x^4 - b^3*x^2)*arctan(sqrt(c*x + 1)*sqrt(c*
x - 1))^2 + (b^3*c^2*x^4 - b^3*x^2)*log(c^2*x^2)^2 + 4*(b^3*c^2*x^4 - b^3*x
^2)*log(x)^2 + 8*(a*b^2*c^2*x^4 - a*b^2*x^2)*arctan(sqrt(c*x + 1)*sqrt(c*x
- 1)) - 4*(b^3*c^2*x^4*log(c) - b^3*x^2*log(c) + (b^3*c^2*x^4 - b^3*x^2)*lo
g(x))*log(c^2*x^2) + 8*(b^3*c^2*x^4*log(c) - b^3*x^2*log(c))*log(x)), x)/(
4*b^3*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + b^3*x*log(c^2*x^2)^2 + 8*b^
3*x*log(c)*log(x) + 4*b^3*x*log(x)^2 + 8*a*b^2*x*arctan(sqrt(c*x + 1)*sqrt(
c*x - 1)) + 4*(b^3*log(c)^2 + a^2*b)*x - 4*(b^3*x*log(c) + b^3*x*log(x))*lo
g(c^2*x^2))
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsec(c*x))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*x^2*arcsec(c*x)^2 + 2*a*b*x^2*arcsec(c*x) + a^2*x^2), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{asec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(a+b*asec(c*x))**2,x)

[Out] Integral(1/(x**2*(a + b*asec(c*x))**2), x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 226 vs. 2(73) = 146.

time = 0.54, size = 226, normalized size = 3.01

$$\left(\frac{b \arccos\left(\frac{1}{cx}\right) \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \arccos\left(\frac{1}{cx}\right)\right)}{b^3 \arccos\left(\frac{1}{cx}\right) + ab^2} + \frac{b \arccos\left(\frac{1}{cx}\right) \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \arccos\left(\frac{1}{cx}\right)\right)}{b^3 \arccos\left(\frac{1}{cx}\right) + ab^2} + \frac{a \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \arccos\left(\frac{1}{cx}\right)\right)}{b^3 \arccos\left(\frac{1}{cx}\right) + ab^2} + \frac{a \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \arccos\left(\frac{1}{cx}\right)\right)}{b^3 \arccos\left(\frac{1}{cx}\right) + ab^2} - \frac{b \sqrt{-\frac{1}{c^2 x^2} + 1}}{b^3 \arccos\left(\frac{1}{cx}\right) + ab^2} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] (b*arccos(1/(c*x))*cos(a/b)*cos_integral(a/b + arccos(1/(c*x)))/(b^3*arccos(1/(c*x)) + a*b^2) + b*arccos(1/(c*x))*sin(a/b)*sin_integral(a/b + arccos(1/(c*x)))/(b^3*arccos(1/(c*x)) + a*b^2) + a*cos(a/b)*cos_integral(a/b + arccos(1/(c*x)))/(b^3*arccos(1/(c*x)) + a*b^2) + a*sin(a/b)*sin_integral(a/b + arccos(1/(c*x)))/(b^3*arccos(1/(c*x)) + a*b^2) - b*sqrt(-1/(c^2*x^2) + 1)/(b^3*arccos(1/(c*x)) + a*b^2))*c

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^2 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(a + b*acos(1/(c*x)))^2),x)

[Out] int(1/(x^2*(a + b*acos(1/(c*x)))^2), x)

$$3.43 \quad \int \frac{1}{x^3 (a + b \sec^{-1}(cx))^2} dx$$

Optimal. Leaf size=84

$$\frac{c^2 \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^2} - \frac{c^2 \sin(2 \sec^{-1}(cx))}{2b(a + b \sec^{-1}(cx))} + \frac{c^2 \sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^2}$$

[Out] $c^2 \text{Ci}(2*a/b + 2*\text{arcsec}(c*x)) * \cos(2*a/b) / b^2 + c^2 \text{Si}(2*a/b + 2*\text{arcsec}(c*x)) * \sin(2*a/b) / b^2 - 1/2 * c^2 * \sin(2*\text{arcsec}(c*x)) / b / (a + b*\text{arcsec}(c*x))$

Rubi [A]

time = 0.12, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5330, 4491, 12, 3378, 3384, 3380, 3383}

$$\frac{c^2 \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^2} + \frac{c^2 \sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^2} - \frac{c^2 \sin(2 \sec^{-1}(cx))}{2b(a + b \sec^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] `Int[1/(x^3*(a + b*ArcSec[c*x])^2),x]`

[Out] $(c^2 * \cos((2*a)/b) * \text{CosIntegral}[(2*a)/b + 2*\text{ArcSec}[c*x]]) / b^2 - (c^2 * \sin[2*\text{ArcSec}[c*x]]) / (2*b*(a + b*\text{ArcSec}[c*x])) + (c^2 * \sin[(2*a)/b] * \text{SinIntegral}[(2*a)/b + 2*\text{ArcSec}[c*x]]) / b^2$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

Rule 3378

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(c + d*x)^(m + 1)*(Sin[e + f*x]/(d*(m + 1))), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]`

Rule 3380

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3383

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -`

$c*f, 0]$

Rule 3384

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 4491

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^(n)*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]
], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] ||
LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
 \int \frac{1}{x^3 (a + b \sec^{-1}(cx))^2} dx &= c^2 \text{Subst} \left(\int \frac{\cos(x) \sin(x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right) \\
 &= c^2 \text{Subst} \left(\int \frac{\sin(2x)}{2(a + bx)^2} dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{1}{2} c^2 \text{Subst} \left(\int \frac{\sin(2x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right) \\
 &= -\frac{c^2 \sin(2 \sec^{-1}(cx))}{2b(a + b \sec^{-1}(cx))} + \frac{c^2 \text{Subst} \left(\int \frac{\cos(2x)}{a+bx} dx, x, \sec^{-1}(cx) \right)}{b} \\
 &= -\frac{c^2 \sin(2 \sec^{-1}(cx))}{2b(a + b \sec^{-1}(cx))} + \frac{(c^2 \cos(\frac{2a}{b})) \text{Subst} \left(\int \frac{\cos(\frac{2a}{b} + 2x)}{a+bx} dx, x, \sec^{-1}(cx) \right)}{b} + \dots \\
 &= \frac{c^2 \cos(\frac{2a}{b}) \text{Ci}(\frac{2a}{b} + 2 \sec^{-1}(cx))}{b^2} - \frac{c^2 \sin(2 \sec^{-1}(cx))}{2b(a + b \sec^{-1}(cx))} + \frac{c^2 \sin(\frac{2a}{b}) \text{Si}(\frac{2a}{b} + 2 \sec^{-1}(cx))}{b^2} + \dots
 \end{aligned}$$

Mathematica [A]


```

3*x^3)*log(c^2*x^2)^2 + 4*(b^3*c^2*x^5 - b^3*x^3)*log(x)^2 + 8*(a*b^2*c^2*x^
^5 - a*b^2*x^3)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 4*(b^3*c^2*x^5*log(c)
- b^3*x^3*log(c) + (b^3*c^2*x^5 - b^3*x^3)*log(x))*log(c^2*x^2) + 8*(b^3*c
^2*x^5*log(c) - b^3*x^3*log(c))*log(x)), x)/(4*b^3*x^2*arctan(sqrt(c*x + 1
)*sqrt(c*x - 1))^2 + b^3*x^2*log(c^2*x^2)^2 + 8*b^3*x^2*log(c)*log(x) + 4*b
^3*x^2*log(x)^2 + 8*a*b^2*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + 4*(b^3*
log(c)^2 + a^2*b)*x^2 - 4*(b^3*x^2*log(c) + b^3*x^2*log(x))*log(c^2*x^2))

```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^3/(a+b*arcsec(c*x))^2,x, algorithm="fricas")
```

```
[Out] integral(1/(b^2*x^3*arcsec(c*x)^2 + 2*a*b*x^3*arcsec(c*x) + a^2*x^3), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \operatorname{asec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**3/(a+b*asec(c*x))**2,x)
```

```
[Out] Integral(1/(x**3*(a + b*asec(c*x))**2), x)
```

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 357 vs. 2(82) = 164.

time = 0.41, size = 357, normalized size = 4.25

$$\left(\frac{2bc \arccos\left(\frac{a}{c}\right) \cos\left(\frac{a}{b}\right)^2 \operatorname{Ci}\left(\frac{2a}{b} + 2 \arccos\left(\frac{a}{c}\right)\right)}{b^2 \arccos\left(\frac{a}{c}\right) + ab^2} + \frac{2bc \arccos\left(\frac{a}{c}\right) \cos\left(\frac{a}{b}\right) \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{2a}{b} + 2 \arccos\left(\frac{a}{c}\right)\right)}{b^2 \arccos\left(\frac{a}{c}\right) + ab^2} + \frac{2 \arccos\left(\frac{a}{c}\right)^2 \operatorname{Ci}\left(\frac{2a}{b} + 2 \arccos\left(\frac{a}{c}\right)\right)}{b^2 \arccos\left(\frac{a}{c}\right) + ab^2} + \frac{2 \arccos\left(\frac{a}{c}\right) \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{2a}{b} + 2 \arccos\left(\frac{a}{c}\right)\right)}{b^2 \arccos\left(\frac{a}{c}\right) + ab^2} - \frac{bc \arccos\left(\frac{a}{c}\right) \operatorname{Ci}\left(\frac{2a}{b} + 2 \arccos\left(\frac{a}{c}\right)\right)}{b^2 \arccos\left(\frac{a}{c}\right) + ab^2} - \frac{ac \operatorname{Ci}\left(\frac{2a}{b} + 2 \arccos\left(\frac{a}{c}\right)\right)}{b^2 \arccos\left(\frac{a}{c}\right) + ab^2} - \frac{b\sqrt{-\frac{1}{c^2} + 1}}{(b^2 \arccos\left(\frac{a}{c}\right) + ab^2)x} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^3/(a+b*arcsec(c*x))^2,x, algorithm="giac")
```

```
[Out] (2*b*c*arccos(1/(c*x))*cos(a/b)^2*cos_integral(2*a/b + 2*arccos(1/(c*x)))/(
b^3*arccos(1/(c*x)) + a*b^2) + 2*b*c*arccos(1/(c*x))*cos(a/b)*sin(a/b)*sin_
integral(2*a/b + 2*arccos(1/(c*x)))/(b^3*arccos(1/(c*x)) + a*b^2) + 2*a*c*c
os(a/b)^2*cos_integral(2*a/b + 2*arccos(1/(c*x)))/(b^3*arccos(1/(c*x)) + a*
b^2) + 2*a*c*cos(a/b)*sin(a/b)*sin_integral(2*a/b + 2*arccos(1/(c*x)))/(b^3
*arccos(1/(c*x)) + a*b^2) - b*c*arccos(1/(c*x))*cos_integral(2*a/b + 2*arcc
os(1/(c*x)))/(b^3*arccos(1/(c*x)) + a*b^2) - a*c*cos_integral(2*a/b + 2*arc
```

$\cos(1/(c*x))/(b^3*\arccos(1/(c*x)) + a*b^2) - b*\sqrt{-1/(c^2*x^2) + 1}/((b^3*\arccos(1/(c*x)) + a*b^2)*x))*c$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^3 \left(a + b \arccos\left(\frac{1}{cx}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^3*(a + b*acos(1/(c*x)))^2), x)

[Out] int(1/(x^3*(a + b*acos(1/(c*x)))^2), x)

$$3.44 \quad \int \frac{1}{x^4(a+b \sec^{-1}(cx))^2} dx$$

Optimal. Leaf size=178

$$-\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{4b(a + b \sec^{-1}(cx))} + \frac{c^3 \cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{4b^2} + \frac{3c^3 \cos\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3 \sec^{-1}(cx)\right)}{4b^2}$$

[Out] $1/4*c^3*Ci(a/b+arcsec(c*x))*cos(a/b)/b^2+3/4*c^3*Ci(3*a/b+3*arcsec(c*x))*cos(3*a/b)/b^2+1/4*c^3*Si(a/b+arcsec(c*x))*sin(a/b)/b^2+3/4*c^3*Si(3*a/b+3*arcsec(c*x))*sin(3*a/b)/b^2-1/4*c^3*sin(3*arcsec(c*x))/b/(a+b*arcsec(c*x))-1/4*c^3*(1-1/c^2/x^2)^(1/2)/b/(a+b*arcsec(c*x))$

Rubi [A]

time = 0.22, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5330, 4491, 3378, 3384, 3380, 3383}

$$\frac{c^3 \cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{4b^2} + \frac{3c^3 \cos\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3 \sec^{-1}(cx)\right)}{4b^2} + \frac{c^3 \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{4b^2} + \frac{3c^3 \sin\left(\frac{3a}{b}\right) \operatorname{Si}\left(\frac{3a}{b} + 3 \sec^{-1}(cx)\right)}{4b^2} - \frac{c^3 \sin\left(3 \sec^{-1}(cx)\right)}{4b(a + b \sec^{-1}(cx))} - \frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{4b(a + b \sec^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] `Int[1/(x^4*(a + b*ArcSec[c*x])^2),x]`

[Out] $-1/4*(c^3*\sqrt{1 - 1/(c^2*x^2)})/(b*(a + b*ArcSec[c*x])) + (c^3*\cos[a/b]*\operatorname{CosIntegral}[a/b + ArcSec[c*x]])/(4*b^2) + (3*c^3*\cos[(3*a)/b]*\operatorname{CosIntegral}[(3*a)/b + 3*ArcSec[c*x]])/(4*b^2) - (c^3*\sin[3*ArcSec[c*x]])/(4*b*(a + b*ArcSec[c*x])) + (c^3*\sin[a/b]*\operatorname{SinIntegral}[a/b + ArcSec[c*x]])/(4*b^2) + (3*c^3*\sin[(3*a)/b]*\operatorname{SinIntegral}[(3*a)/b + 3*ArcSec[c*x]])/(4*b^2)$

Rule 3378

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(c + d*x)^(m + 1)*(Sin[e + f*x]/(d*(m + 1))), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]`

Rule 3380

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3383

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -`

$c*f, 0]$

Rule 3384

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[c*(f/d) + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[c*(f/d) + f*x]/(c + d*x), x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{NeQ}[d*e - c*f, 0]$

Rule 4491

$\text{Int}[\text{Cos}[(a_.) + (b_.)*(x_)]^{(p_.)}*((c_.) + (d_.)*(x_))^{(m_.)}*\text{Sin}[(a_.) + (b_.)*(x_)]^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[a + b*x]^{n*Cos[a + b*x]^p}, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

Rule 5330

$\text{Int}[(a_.) + \text{ArcSec}[(c_.)*(x_)]*(b_.)^{(n_.)}*(x_)^{(m_.)}, x_Symbol] \rightarrow \text{Dist}[1/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sec}[x]^{(m+1)}*\text{Tan}[x], x], x, \text{ArcSec}[c*x]], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IntegerQ}[n] \&\& \text{IntegerQ}[m] \&\& (\text{GtQ}[n, 0] \parallel \text{LtQ}[m, -1])$

Rubi steps

$$\begin{aligned} \int \frac{1}{x^4 (a + b \sec^{-1}(cx))^2} dx &= c^3 \text{Subst} \left(\int \frac{\cos^2(x) \sin(x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right) \\ &= c^3 \text{Subst} \left(\int \left(\frac{\sin(x)}{4(a + bx)^2} + \frac{\sin(3x)}{4(a + bx)^2} \right) dx, x, \sec^{-1}(cx) \right) \\ &= \frac{1}{4} c^3 \text{Subst} \left(\int \frac{\sin(x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right) + \frac{1}{4} c^3 \text{Subst} \left(\int \frac{\sin(3x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right) \\ &= -\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{4b(a + b \sec^{-1}(cx))} - \frac{c^3 \sin(3 \sec^{-1}(cx))}{4b(a + b \sec^{-1}(cx))} + \frac{c^3 \text{Subst} \left(\int \frac{\cos(x)}{a + bx} dx, x, \sec^{-1}(cx) \right)}{4b} \\ &= -\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{4b(a + b \sec^{-1}(cx))} - \frac{c^3 \sin(3 \sec^{-1}(cx))}{4b(a + b \sec^{-1}(cx))} + \frac{(c^3 \cos(\frac{a}{b})) \text{Subst} \left(\int \frac{\cos(\frac{a}{b} + x)}{a + bx} dx, x, \sec^{-1}(cx) \right)}{4b} \\ &= -\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{4b(a + b \sec^{-1}(cx))} + \frac{c^3 \cos(\frac{a}{b}) \text{Ci}(\frac{a}{b} + \sec^{-1}(cx))}{4b^2} + \frac{3c^3 \cos(\frac{3a}{b}) \text{Ci}(\frac{3a}{b} + \sec^{-1}(cx))}{4b^2} \end{aligned}$$

Mathematica [A]

time = 0.34, size = 223, normalized size = 1.25

$$\frac{-4c\sqrt{1-\frac{1}{c^2x^2}} + c^2x^2(a + b\operatorname{arcsec}(cx))\cos\left(\frac{3a}{b}\right)\operatorname{CosIntegral}\left(\frac{3a}{b} + \operatorname{arcsec}(cx)\right) + 3c^2x^2(a + b\operatorname{arcsec}(cx))\cos\left(\frac{3a}{b}\right)\operatorname{CosIntegral}\left(3\left(\frac{3a}{b} + \operatorname{arcsec}(cx)\right)\right) + ac^2x^2\sin\left(\frac{3a}{b}\right)\operatorname{Si}\left(\frac{3a}{b} + \operatorname{arcsec}(cx)\right) + bc^2x^2\operatorname{arcsec}(cx)\sin\left(\frac{3a}{b}\right)\operatorname{Si}\left(\frac{3a}{b} + \operatorname{arcsec}(cx)\right) + 3ac^2x^2\sin\left(\frac{3a}{b}\right)\operatorname{Si}\left(3\left(\frac{3a}{b} + \operatorname{arcsec}(cx)\right)\right) + 3bc^2x^2\operatorname{arcsec}(cx)\sin\left(\frac{3a}{b}\right)\operatorname{Si}\left(3\left(\frac{3a}{b} + \operatorname{arcsec}(cx)\right)\right)}{4b^2x^2(a + b\operatorname{arcsec}(cx))}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^4*(a + b*ArcSec[c*x])^2),x]

[Out] $(-4*b*c*\sqrt{1 - 1/(c^2*x^2)} + c^3*x^2*(a + b*\operatorname{ArcSec}[c*x])*Cos[a/b]*\operatorname{CosIntegral}[a/b + \operatorname{ArcSec}[c*x]] + 3*c^3*x^2*(a + b*\operatorname{ArcSec}[c*x])*Cos[(3*a)/b]*\operatorname{CosIntegral}[3*(a/b + \operatorname{ArcSec}[c*x])] + a*c^3*x^2*\sin[a/b]*\operatorname{SinIntegral}[a/b + \operatorname{ArcSec}[c*x]] + b*c^3*x^2*\operatorname{ArcSec}[c*x]*\sin[a/b]*\operatorname{SinIntegral}[a/b + \operatorname{ArcSec}[c*x]] + 3*a*c^3*x^2*\sin[(3*a)/b]*\operatorname{SinIntegral}[3*(a/b + \operatorname{ArcSec}[c*x])] + 3*b*c^3*x^2*\operatorname{ArcSec}[c*x]*\sin[(3*a)/b]*\operatorname{SinIntegral}[3*(a/b + \operatorname{ArcSec}[c*x])])/(4*b^2*x^2*(a + b*\operatorname{ArcSec}[c*x]))$

Maple [A]

time = 0.15, size = 153, normalized size = 0.86

| method | result |
|-------------------|--|
| derivativedivides | $c^3 \left(-\frac{\sin(3 \operatorname{arcsec}(cx))}{4(a+b \operatorname{arcsec}(cx))b} + \frac{3 \operatorname{sinIntegral}\left(\frac{3a}{b} + 3 \operatorname{arcsec}(cx)\right) \sin\left(\frac{3a}{b}\right)}{4b^2} + \frac{3 \operatorname{cosineIntegral}\left(\frac{3a}{b} + 3 \operatorname{arcsec}(cx)\right) \cos\left(\frac{3a}{b}\right)}{4} - \frac{\sqrt{1 - \frac{1}{c^2x^2}}}{4(a+b \operatorname{arcsec}(cx))} \right)$ |
| default | $c^3 \left(-\frac{\sin(3 \operatorname{arcsec}(cx))}{4(a+b \operatorname{arcsec}(cx))b} + \frac{3 \operatorname{sinIntegral}\left(\frac{3a}{b} + 3 \operatorname{arcsec}(cx)\right) \sin\left(\frac{3a}{b}\right)}{4b^2} + \frac{3 \operatorname{cosineIntegral}\left(\frac{3a}{b} + 3 \operatorname{arcsec}(cx)\right) \cos\left(\frac{3a}{b}\right)}{4} - \frac{\sqrt{1 - \frac{1}{c^2x^2}}}{4(a+b \operatorname{arcsec}(cx))} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^4/(a+b*arcsec(c*x))^2,x,method=_RETURNVERBOSE)

[Out] $c^3*(-1/4*\sin(3*\operatorname{arcsec}(c*x))/(a+b*\operatorname{arcsec}(c*x))/b+3/4*(\operatorname{Si}(3*a/b+3*\operatorname{arcsec}(c*x))*\sin(3*a/b)+\operatorname{Ci}(3*a/b+3*\operatorname{arcsec}(c*x))*\cos(3*a/b))/b^2-1/4*((c^2*x^2-1)/c^2/x^2)^(1/2)/(a+b*\operatorname{arcsec}(c*x))/b+1/4*(\operatorname{Si}(a/b+\operatorname{arcsec}(c*x))*\sin(a/b)+\operatorname{Ci}(a/b+\operatorname{arcsec}(c*x))*\cos(a/b))/b^2)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*arcsec(c*x))^2,x, algorithm="maxima")

[Out] $-(4*\sqrt{c*x + 1}*\sqrt{c*x - 1}*(b*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) + a) + (4*b^3*x^3*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^2 + b^3*x^3*\log(c^2*x^2))^-$

```

2 + 8*b^3*x^3*log(c)*log(x) + 4*b^3*x^3*log(x)^2 + 8*a*b^2*x^3*arctan(sqrt(
c*x + 1)*sqrt(c*x - 1)) + 4*(b^3*log(c)^2 + a^2*b)*x^3 - 4*(b^3*x^3*log(c)
+ b^3*x^3*log(x))*log(c^2*x^2))*integrate(4*(2*a*c^2*x^2 + (2*b*c^2*x^2 - 3
*b)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 3*a)*sqrt(c*x + 1)*sqrt(c*x - 1)/
(4*(b^3*c^2*log(c)^2 + a^2*b*c^2)*x^6 - 4*(b^3*log(c)^2 + a^2*b)*x^4 + 4*(b
^3*c^2*x^6 - b^3*x^4)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + (b^3*c^2*x^6
- b^3*x^4)*log(c^2*x^2)^2 + 4*(b^3*c^2*x^6 - b^3*x^4)*log(x)^2 + 8*(a*b^2*c
^2*x^6 - a*b^2*x^4)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 4*(b^3*c^2*x^6*lo
g(c) - b^3*x^4*log(c) + (b^3*c^2*x^6 - b^3*x^4)*log(x))*log(c^2*x^2) + 8*(b
^3*c^2*x^6*log(c) - b^3*x^4*log(c))*log(x)), x))/(4*b^3*x^3*arctan(sqrt(c*x
+ 1)*sqrt(c*x - 1))^2 + b^3*x^3*log(c^2*x^2)^2 + 8*b^3*x^3*log(c)*log(x) +
4*b^3*x^3*log(x)^2 + 8*a*b^2*x^3*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + 4*(
b^3*log(c)^2 + a^2*b)*x^3 - 4*(b^3*x^3*log(c) + b^3*x^3*log(x))*log(c^2*x^2
))

```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^4/(a+b*arcsec(c*x))^2,x, algorithm="fricas")
```

```
[Out] integral(1/(b^2*x^4*arcsec(c*x)^2 + 2*a*b*x^4*arcsec(c*x) + a^2*x^4), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4 (a + b \operatorname{asec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**4/(a+b*asec(c*x))**2,x)
```

```
[Out] Integral(1/(x**4*(a + b*asec(c*x))**2), x)
```

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 694 vs. 2(164) = 328.

time = 0.42, size = 694, normalized size = 3.90

($\frac{1}{4} \frac{(12 b^2 c^2 \arccos(1/(c x)) \cos(a/b) + 3 \arccos(1/(c x)))^2}{b^3 \arccos(1/(c x)) + a b^2} + 12 b^2 c^2 \arccos(1/(c x)) \cos(a/b) + 3 \arccos(1/(c x)))^2$)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^4/(a+b*arcsec(c*x))^2,x, algorithm="giac")
```

```
[Out] 1/4*(12*b*c^2*arccos(1/(c*x))*cos(a/b)^3*cos_integral(3*a/b + 3*arccos(1/(c
*x)))/(b^3*arccos(1/(c*x)) + a*b^2) + 12*b*c^2*arccos(1/(c*x))*cos(a/b)^2*s
```

```

in(a/b)*sin_integral(3*a/b + 3*arccos(1/(c*x)))/(b^3*arccos(1/(c*x)) + a*b^
2) + 12*a*c^2*cos(a/b)^3*cos_integral(3*a/b + 3*arccos(1/(c*x)))/(b^3*arcco
s(1/(c*x)) + a*b^2) + 12*a*c^2*cos(a/b)^2*sin(a/b)*sin_integral(3*a/b + 3*a
rccos(1/(c*x)))/(b^3*arccos(1/(c*x)) + a*b^2) - 9*b*c^2*arccos(1/(c*x))*cos
(a/b)*cos_integral(3*a/b + 3*arccos(1/(c*x)))/(b^3*arccos(1/(c*x)) + a*b^2)
+ b*c^2*arccos(1/(c*x))*cos(a/b)*cos_integral(a/b + arccos(1/(c*x)))/(b^3*
arccos(1/(c*x)) + a*b^2) - 3*b*c^2*arccos(1/(c*x))*sin(a/b)*sin_integral(3*
a/b + 3*arccos(1/(c*x)))/(b^3*arccos(1/(c*x)) + a*b^2) + b*c^2*arccos(1/(c*
x))*sin(a/b)*sin_integral(a/b + arccos(1/(c*x)))/(b^3*arccos(1/(c*x)) + a*b
^2) - 9*a*c^2*cos(a/b)*cos_integral(3*a/b + 3*arccos(1/(c*x)))/(b^3*arccos(
1/(c*x)) + a*b^2) + a*c^2*cos(a/b)*cos_integral(a/b + arccos(1/(c*x)))/(b^3
*arccos(1/(c*x)) + a*b^2) - 3*a*c^2*sin(a/b)*sin_integral(3*a/b + 3*arccos(
1/(c*x)))/(b^3*arccos(1/(c*x)) + a*b^2) + a*c^2*sin(a/b)*sin_integral(a/b +
arccos(1/(c*x)))/(b^3*arccos(1/(c*x)) + a*b^2) - 4*b*sqrt(-1/(c^2*x^2) + 1
)/(b^3*arccos(1/(c*x)) + a*b^2)*x^2)*c

```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^4 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4*(a + b*acos(1/(c*x)))^2),x)

[Out] int(1/(x^4*(a + b*acos(1/(c*x)))^2), x)

$$3.45 \quad \int \frac{x}{(a+b \sec^{-1}(cx))^3} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{x}{(a+b \sec^{-1}(cx))^3}, x\right)$$

[Out] Unintegrable(x/(a+b*arcsec(c*x))^3, x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x}{(a+b \sec^{-1}(cx))^3} dx$$

Verification is not applicable to the result.

[In] Int[x/(a + b*ArcSec[c*x])^3, x]

[Out] Defer[Int] [x/(a + b*ArcSec[c*x])^3, x]

Rubi steps

$$\int \frac{x}{(a+b \sec^{-1}(cx))^3} dx = \int \frac{x}{(a+b \sec^{-1}(cx))^3} dx$$

Mathematica [A]

time = 2.62, size = 0, normalized size = 0.00

$$\int \frac{x}{(a+b \sec^{-1}(cx))^3} dx$$

Verification is not applicable to the result.

[In] Integrate[x/(a + b*ArcSec[c*x])^3, x]

[Out] Integrate[x/(a + b*ArcSec[c*x])^3, x]

Maple [A]

time = 0.90, size = 0, normalized size = 0.00

$$\int \frac{x}{(a+b \operatorname{arcsec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*arcsec(c*x))^3,x)

[Out] int(x/(a+b*arcsec(c*x))^3,x)

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsec(c*x))^3,x, algorithm="maxima")

[Out]
$$-(24*(a*b^2*c^2*\log(c)^2 + a^3*c^2)*x^4 + 8*(3*b^3*c^2*x^4 - 2*b^3*x^2)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^3 - 16*(a*b^2*\log(c)^2 + a^3)*x^2 + 24*(3*a*b^2*c^2*x^4 - 2*a*b^2*x^2)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + 2*(3*a*b^2*c^2*x^4 - 2*a*b^2*x^2)*\log(c^2*x^2)^2 + 8*(3*a*b^2*c^2*x^4 - 2*a*b^2*x^2)*\log(x)^2 + 2*(4*b^3*x^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^2 - b^3*x^2*\log(c^2*x^2)^2 - 8*b^3*x^2*\log(c)*\log(x) - 4*b^3*x^2*\log(x)^2 + 8*a*b^2*x^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) - 4*(b^3*\log(c)^2 - a^2*b)*x^2 + 4*(b^3*x^2*\log(c) + b^3*x^2*\log(x))*\log(c^2*x^2)*\sqrt{c*x + 1}*\sqrt{c*x - 1} + 2*(12*(b^3*c^2*\log(c)^2 + 3*a^2*b*c^2)*x^4 - 8*(b^3*\log(c)^2 + 3*a^2*b)*x^2 + (3*b^3*c^2*x^4 - 2*b^3*x^2)*\log(c^2*x^2)^2 + 4*(3*b^3*c^2*x^4 - 2*b^3*x^2)*\log(x)^2 - 4*(3*b^3*c^2*x^4*\log(c) - 2*b^3*x^2*\log(c) + (3*b^3*c^2*x^4 - 2*b^3*x^2)*\log(x))*\log(c^2*x^2) + 8*(3*b^3*c^2*x^4*\log(c) - 2*b^3*x^2*\log(c))*\log(x))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) - (16*b^6*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^4 + b^6*\log(c^2*x^2)^4 + 16*b^6*\log(c)^4 + 64*b^6*\log(c)*\log(x)^3 + 16*b^6*\log(x)^4 + 64*a*b^5*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^3 + 32*a^2*b^4*\log(c)^2 + 16*a^4*b^2 - 8*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2)^3 + 8*(b^6*\log(c^2*x^2)^2 + 4*b^6*\log(c)^2 + 8*b^6*\log(c)*\log(x) + 4*b^6*\log(x)^2 + 12*a^2*b^4 - 4*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + 8*(3*b^6*\log(c)^2 + 6*b^6*\log(c)*\log(x) + 3*b^6*\log(x)^2 + a^2*b^4)*\log(c^2*x^2)^2 + 32*(3*b^6*\log(c)^2 + a^2*b^4)*\log(x)^2 + 16*(a*b^5*\log(c^2*x^2)^2 + 4*a*b^5*\log(c)^2 + 8*a*b^5*\log(c)*\log(x) + 4*a*b^5*\log(x)^2 + 4*a^3*b^3 - 4*(a*b^5*\log(c) + a*b^5*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) - 32*(b^6*\log(c)^3 + 3*b^6*\log(c)*\log(x)^2 + b^6*\log(x)^3 + a^2*b^4*\log(c) + (3*b^6*\log(c)^2 + a^2*b^4)*\log(x))*\log(c^2*x^2) + 64*(b^6*\log(c)^3 + a^2*b^4*\log(c))*\log(x))*\int(8*(3*a*c^2*x^3 - a*x + (3*b*c^2*x^3 - b*x))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))/((4*b^4*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + b^4*\log(c^2*x^2)^2 + 4*b^4*\log(c)^2 + 8*b^4*\log(c)*\log(x) + 4*b^4*\log(x)^2 + 8*a*b^3*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) + 4*a^2*b^2 - 4*(b^4*\log(c) + b^4*\log(x))*\log(c^2*x^2)), x) - 8*(3*a*b^2*c^2*x^4*\log(c) - 2*a*b^2*x^2*\log(c) + (3*a*b^2*c^2*x^4 - 2*a*b^2*x^2)*\log(x))*\log(c^2*x^2) + 16*(3*a*b^2*c^2*x^4*\log(c) - 2*a*b^2*x^2*\log(c))*\log(x))/(16*b^6*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^4 + b^6*\log(c^2*x^2)^4 + 16*b^6*\log(c)^4 + 64*b^6*\log(c)*\log(x)^3 + 16*b^6*\log(x)^4 + 64*a*b^5*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^3 + 32*a^2*b^4*\log(c)^2 + 16*a$$

$$\begin{aligned}
&^4b^2 - 8*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2)^3 + 8*(b^6*\log(c^2*x^2))^2 \\
&+ 4*b^6*\log(c)^2 + 8*b^6*\log(c)*\log(x) + 4*b^6*\log(x)^2 + 12*a^2*b^4 - 4*(\\
&b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1))^ \\
&2 + 8*(3*b^6*\log(c)^2 + 6*b^6*\log(c)*\log(x) + 3*b^6*\log(x)^2 + a^2*b^4)*\log \\
&(c^2*x^2)^2 + 32*(3*b^6*\log(c)^2 + a^2*b^4)*\log(x)^2 + 16*(a*b^5*\log(c^2*x^ \\
&2)^2 + 4*a*b^5*\log(c)^2 + 8*a*b^5*\log(c)*\log(x) + 4*a*b^5*\log(x)^2 + 4*a^3* \\
&b^3 - 4*(a*b^5*\log(c) + a*b^5*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*sq \\
&rt(c*x - 1)) - 32*(b^6*\log(c)^3 + 3*b^6*\log(c)*\log(x)^2 + b^6*\log(x)^3 + a^ \\
&2*b^4*\log(c) + (3*b^6*\log(c)^2 + a^2*b^4)*\log(x))*\log(c^2*x^2) + 64*(b^6*lo \\
&g(c)^3 + a^2*b^4*\log(c))*\log(x)
\end{aligned}$$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsec(c*x))^3,x, algorithm="fricas")

[Out] integral(x/(b^3*arcsec(c*x)^3 + 3*a*b^2*arcsec(c*x)^2 + 3*a^2*b*arcsec(c*x) + a^3), x)

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \operatorname{asec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*asec(c*x))**3,x)

[Out] Integral(x/(a + b*asec(c*x))**3, x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsec(c*x))^3,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
by intervals (correct if the argument is real):Check [abs(sageVARx)]Evalu
ation time

Mupad [A]

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{x}{\left(a + b \arccos\left(\frac{1}{cx}\right)\right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b*acos(1/(c*x)))^3,x)

[Out] int(x/(a + b*acos(1/(c*x)))^3, x)

$$3.46 \quad \int \frac{1}{(a+b \sec^{-1}(cx))^3} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{(a+b \sec^{-1}(cx))^3}, x\right)$$

[Out] Unintegrable(1/(a+b*arcsec(c*x))^3,x)

Rubi [A]

time = 0.00, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(a+b \sec^{-1}(cx))^3} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])^(-3), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])^(-3), x]

Rubi steps

$$\int \frac{1}{(a+b \sec^{-1}(cx))^3} dx = \int \frac{1}{(a+b \sec^{-1}(cx))^3} dx$$

Mathematica [A]

time = 8.81, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+b \sec^{-1}(cx))^3} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])^(-3), x]

[Out] Integrate[(a + b*ArcSec[c*x])^(-3), x]

Maple [A]

time = 0.59, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+b \operatorname{arcsec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*arcsec(c*x))^3,x)

[Out] int(1/(a+b*arcsec(c*x))^3,x)

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsec(c*x))^3,x, algorithm="maxima")

[Out]
$$-(16*(a*b^2*c^2*\log(c)^2 + a^3*c^2)*x^3 + 8*(2*b^3*c^2*x^3 - b^3*x)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^3 + 24*(2*a*b^2*c^2*x^3 - a*b^2*x)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + 2*(2*a*b^2*c^2*x^3 - a*b^2*x)*\log(c^2*x^2)^2 + 8*(2*a*b^2*c^2*x^3 - a*b^2*x)*\log(x)^2 + 2*(4*b^3*x*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 - b^3*x*\log(c^2*x^2)^2 - 8*b^3*x*\log(c)*\log(x) - 4*b^3*x*\log(x)^2 + 8*a*b^2*x*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})) - 4*(b^3*\log(c)^2 - a^2*b)*x + 4*(b^3*x*\log(c) + b^3*x*\log(x))*\log(c^2*x^2)*\sqrt{c*x + 1}*\sqrt{c*x - 1} - 8*(a*b^2*\log(c)^2 + a^3)*x + 2*(8*(b^3*c^2*\log(c)^2 + 3*a^2*b*c^2)*x^3 + (2*b^3*c^2*x^3 - b^3*x)*\log(c^2*x^2)^2 + 4*(2*b^3*c^2*x^3 - b^3*x)*\log(x)^2 - 4*(b^3*\log(c)^2 + 3*a^2*b)*x - 4*(2*b^3*c^2*x^3*\log(c) - b^3*x*\log(c) + (2*b^3*c^2*x^3 - b^3*x)*\log(x))*\log(c^2*x^2) + 8*(2*b^3*c^2*x^3*\log(c) - b^3*x*\log(c))*\log(x))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) - (16*b^6*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^4 + b^6*\log(c^2*x^2)^4 + 16*b^6*\log(c)^4 + 64*b^6*\log(c)*\log(x)^3 + 16*b^6*\log(x)^4 + 64*a*b^5*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^3 + 32*a^2*b^4*\log(c)^2 + 16*a^4*b^2 - 8*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2)^3 + 8*(b^6*\log(c^2*x^2)^2 + 4*b^6*\log(c)^2 + 8*b^6*\log(c)*\log(x) + 4*b^6*\log(x)^2 + 12*a^2*b^4 - 4*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + 8*(3*b^6*\log(c)^2 + 6*b^6*\log(c)*\log(x) + 3*b^6*\log(x)^2 + a^2*b^4)*\log(c^2*x^2)^2 + 32*(3*b^6*\log(c)^2 + a^2*b^4)*\log(x)^2 + 16*(a*b^5*\log(c^2*x^2)^2 + 4*a*b^5*\log(c)^2 + 8*a*b^5*\log(c)*\log(x) + 4*a*b^5*\log(x)^2 + 4*a^3*b^3 - 4*(a*b^5*\log(c) + a*b^5*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) - 32*(b^6*\log(c)^3 + 3*b^6*\log(c)*\log(x)^2 + b^6*\log(x)^3 + a^2*b^4*\log(c) + (3*b^6*\log(c)^2 + a^2*b^4)*\log(x))*\log(c^2*x^2) + 64*(b^6*\log(c)^3 + a^2*b^4*\log(c))*\log(x))*\integrate(2*(6*a*c^2*x^2 + (6*b*c^2*x^2 - b)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) - a)/(4*b^4*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + b^4*\log(c^2*x^2)^2 + 4*b^4*\log(c)^2 + 8*b^4*\log(c)*\log(x) + 4*b^4*\log(x)^2 + 8*a*b^3*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) + 4*a^2*b^2 - 4*(b^4*\log(c) + b^4*\log(x))*\log(c^2*x^2)), x) - 8*(2*a*b^2*c^2*x^3*\log(c) - a*b^2*x*\log(c) + (2*a*b^2*c^2*x^3 - a*b^2*x)*\log(x))*\log(c^2*x^2) + 16*(2*a*b^2*c^2*x^3*\log(c) - a*b^2*x*\log(c))*\log(x))/(16*b^6*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^4 + b^6*\log(c^2*x^2)^4 + 16*b^6*\log(c)^4 + 64*b^6*\log(c)*\log(x)^3 + 16*b^6*\log(x)^4 + 64*a*b^5*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^3 + 32*a^2*b^4*\log(c)^2 + 16*a^4*b^2 - 8*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2)^3 + 8*(b^6*\log(c^2*x^2)^2$$

$$2 + 4*b^6*\log(c)^2 + 8*b^6*\log(c)*\log(x) + 4*b^6*\log(x)^2 + 12*a^2*b^4 - 4*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1))^2 + 8*(3*b^6*\log(c)^2 + 6*b^6*\log(c)*\log(x) + 3*b^6*\log(x)^2 + a^2*b^4)*\log(c^2*x^2)^2 + 32*(3*b^6*\log(c)^2 + a^2*b^4)*\log(x)^2 + 16*(a*b^5*\log(c^2*x^2))^2 + 4*a*b^5*\log(c)^2 + 8*a*b^5*\log(c)*\log(x) + 4*a*b^5*\log(x)^2 + 4*a^3*b^3 - 4*(a*b^5*\log(c) + a*b^5*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1)) - 32*(b^6*\log(c)^3 + 3*b^6*\log(c)*\log(x)^2 + b^6*\log(x)^3 + a^2*b^4*\log(c) + (3*b^6*\log(c)^2 + a^2*b^4)*\log(x))*\log(c^2*x^2) + 64*(b^6*\log(c)^3 + a^2*b^4*\log(c))*\log(x)$$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsec(c*x))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*arcsec(c*x)^3 + 3*a*b^2*arcsec(c*x)^2 + 3*a^2*b*arcsec(c*x) + a^3), x)

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \operatorname{asec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*asec(c*x))**3,x)

[Out] Integral((a + b*asec(c*x))**(-3), x)

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsec(c*x))^3,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^(-3), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{(a + b \operatorname{acos}(\frac{1}{cx}))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b*acos(1/(c*x)))^3,x)

[Out] int(1/(a + b*acos(1/(c*x)))^3, x)

$$3.47 \quad \int \frac{1}{x(a+b \sec^{-1}(cx))^3} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{x(a+b \sec^{-1}(cx))^3}, x\right)$$

[Out] Unintegrable(1/x/(a+b*arcsec(c*x))^3,x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \sec^{-1}(cx))^3} dx$$

Verification is not applicable to the result.

[In] Int[1/(x*(a + b*ArcSec[c*x])^3),x]

[Out] Defer[Int][1/(x*(a + b*ArcSec[c*x])^3), x]

Rubi steps

$$\int \frac{1}{x(a+b \sec^{-1}(cx))^3} dx = \int \frac{1}{x(a+b \sec^{-1}(cx))^3} dx$$

Mathematica [A]

time = 1.35, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \sec^{-1}(cx))^3} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcSec[c*x])^3),x]

[Out] Integrate[1/(x*(a + b*ArcSec[c*x])^3), x]

Maple [A]

time = 0.36, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \operatorname{arcsec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*arcsec(c*x))^3,x)

[Out] int(1/x/(a+b*arcsec(c*x))^3,x)

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x))^3,x, algorithm="maxima")

[Out]
$$-(8*b^3*c^2*x^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^3 + 24*a*b^2*c^2*x^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + 2*a*b^2*c^2*x^2*\log(c^2*x^2)^2 + 16*a*b^2*c^2*x^2*\log(c)*\log(x) + 8*a*b^2*c^2*x^2*\log(x)^2 + 8*(a*b^2*c^2*\log(c)^2 + a^3*c^2)*x^2 + 2*(4*b^3*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 - b^3*\log(c^2*x^2)^2 - 4*b^3*\log(c)^2 - 8*b^3*\log(c)*\log(x) - 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) + 4*a^2*b + 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2))*\sqrt{c*x + 1}*\sqrt{c*x - 1} + 2*(b^3*c^2*x^2*\log(c^2*x^2)^2 + 8*b^3*c^2*x^2*\log(c)*\log(x) + 4*b^3*c^2*x^2*\log(x)^2 + 4*(b^3*c^2*\log(c)^2 + 3*a^2*b*c^2)*x^2 - 4*(b^3*c^2*x^2*\log(c) + b^3*c^2*x^2*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) - (16*b^6*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^4 + b^6*\log(c^2*x^2)^4 + 16*b^6*\log(c)^4 + 64*b^6*\log(c)*\log(x)^3 + 16*b^6*\log(x)^4 + 64*a*b^5*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^3 + 32*a^2*b^4*\log(c)^2 + 16*a^4*b^2 - 8*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2)^3 + 8*(b^6*\log(c^2*x^2)^2 + 4*b^6*\log(c)^2 + 8*b^6*\log(c)*\log(x) + 4*b^6*\log(x)^2 + 12*a^2*b^4 - 4*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + 8*(3*b^6*\log(c)^2 + 6*b^6*\log(c)*\log(x) + 3*b^6*\log(x)^2 + a^2*b^4)*\log(c^2*x^2)^2 + 32*(3*b^6*\log(c)^2 + a^2*b^4)*\log(x)^2 + 16*(a*b^5*\log(c^2*x^2)^2 + 4*a*b^5*\log(c)^2 + 8*a*b^5*\log(c)*\log(x) + 4*a*b^5*\log(x)^2 + 4*a^3*b^3 - 4*(a*b^5*\log(c) + a*b^5*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) - 32*(b^6*\log(c)^3 + 3*b^6*\log(c)*\log(x)^2 + b^6*\log(x)^3 + a^2*b^4*\log(c) + (3*b^6*\log(c)^2 + a^2*b^4)*\log(x))*\log(c^2*x^2) + 64*(b^6*\log(c)^3 + a^2*b^4*\log(c))*\log(x))*integrate(4*(b*c^2*x*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) + a*c^2*x)/(4*b^4*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + b^4*\log(c^2*x^2)^2 + 4*b^4*\log(c)^2 + 8*b^4*\log(c)*\log(x) + 4*b^4*\log(x)^2 + 8*a*b^3*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) + 4*a^2*b^2 - 4*(b^4*\log(c) + b^4*\log(x))*\log(c^2*x^2)), x) - 8*(a*b^2*c^2*x^2*\log(c) + a*b^2*c^2*x^2*\log(x))*\log(c^2*x^2)/(16*b^6*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^4 + b^6*\log(c^2*x^2)^4 + 16*b^6*\log(c)^4 + 64*b^6*\log(c)*\log(x)^3 + 16*b^6*\log(x)^4 + 64*a*b^5*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^3 + 32*a^2*b^4*\log(c)^2 + 16*a^4*b^2 - 8*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2)^3 + 8*(b^6*\log(c^2*x^2)^2 + 4*b^6*\log(c)^2 + 8*b^6*\log(c)*\log(x) + 4*b^6*\log(x)^2 + 12*a^2*b^4 - 4*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + 8*(3*b^6*\log(c)^2 + 6*b^6*\log(c)*\log(x) + 3*b^6*\log(x)^2 + a^2*b^4)*\log(c^2*x^2)^2 + 32*(3*b^6*\log(c)^2 + a^2*b^4)*\log(x)$$

)^2 + 16*(a*b^5*log(c^2*x^2)^2 + 4*a*b^5*log(c)^2 + 8*a*b^5*log(c)*log(x) + 4*a*b^5*log(x)^2 + 4*a^3*b^3 - 4*(a*b^5*log(c) + a*b^5*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 32*(b^6*log(c)^3 + 3*b^6*log(c)*log(x)^2 + b^6*log(x)^3 + a^2*b^4*log(c) + (3*b^6*log(c)^2 + a^2*b^4)*log(x))*log(c^2*x^2) + 64*(b^6*log(c)^3 + a^2*b^4*log(c))*log(x))

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*x*arcsec(c*x)^3 + 3*a*b^2*x*arcsec(c*x)^2 + 3*a^2*b*x*arcsec(c*x) + a^3*x), x)

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \operatorname{asec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*asec(c*x))**3,x)

[Out] Integral(1/(x*(a + b*asec(c*x))**3), x)

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x))^3,x, algorithm="giac")

[Out] integrate(1/((b*arcsec(c*x) + a)^3*x), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x(a + b \operatorname{acos}(\frac{1}{cx}))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(a + b*acos(1/(c*x))))^3,x)

[Out] int(1/(x*(a + b*acos(1/(c*x))))^3), x)

$$3.48 \quad \int \frac{1}{x^2(a+b \sec^{-1}(cx))^3} dx$$

Optimal. Leaf size=103

$$-\frac{c\sqrt{1-\frac{1}{c^2x^2}}}{2b(a+b \sec^{-1}(cx))^2} - \frac{1}{2b^2x(a+b \sec^{-1}(cx))} + \frac{c \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right) \sin\left(\frac{a}{b}\right)}{2b^3} - \frac{c \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{2b^3}$$

[Out] $-1/2/b^2/x/(a+b*\operatorname{arcsec}(c*x))-1/2*c*\cos(a/b)*\operatorname{Si}(a/b+\operatorname{arcsec}(c*x))/b^3+1/2*c*\operatorname{CosIntegral}(a/b+\operatorname{arcsec}(c*x))*\sin(a/b)/b^3-1/2*c*(1-1/c^2/x^2)^{(1/2)}/b/(a+b*\operatorname{arcsec}(c*x))^2$

Rubi [A]

time = 0.12, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {5330, 3378, 3384, 3380, 3383}

$$\frac{c \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{2b^3} - \frac{c \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{2b^3} - \frac{1}{2b^2x(a+b \sec^{-1}(cx))} - \frac{c\sqrt{1-\frac{1}{c^2x^2}}}{2b(a+b \sec^{-1}(cx))^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[1/(x^2*(a + b*\operatorname{ArcSec}[c*x])^3), x]$

[Out] $-1/2*(c*\operatorname{Sqrt}[1 - 1/(c^2*x^2)])/(b*(a + b*\operatorname{ArcSec}[c*x])^2) - 1/(2*b^2*x*(a + b*\operatorname{ArcSec}[c*x])) + (c*\operatorname{CosIntegral}[a/b + \operatorname{ArcSec}[c*x]]*\operatorname{Sin}[a/b])/(2*b^3) - (c*\operatorname{Cos}[a/b]*\operatorname{SinIntegral}[a/b + \operatorname{ArcSec}[c*x]])/(2*b^3)$

Rule 3378

$\operatorname{Int}[(c_. + (d_.)*(x_.))^{(m)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m+1)}*(\operatorname{Sin}[e + f*x]/(d*(m+1))), x] - \operatorname{Dist}[f/(d*(m+1)), \operatorname{Int}[(c + d*x)^{(m+1)}*\operatorname{Cos}[e + f*x], x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{LtQ}[m, -1]$

Rule 3380

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3383

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \operatorname{Pi}/2 + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{EqQ}[d*(e - \operatorname{Pi}/2) - c*f, 0]$

Rule 3384

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^n*(x_)^m, x_Symbol] := Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]
], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] ||
LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^2 (a + b \sec^{-1}(cx))^3} dx &= c \operatorname{Subst} \left(\int \frac{\sin(x)}{(a + bx)^3} dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{c \sqrt{1 - \frac{1}{c^2 x^2}}}{2b (a + b \sec^{-1}(cx))^2} + \frac{c \operatorname{Subst} \left(\int \frac{\cos(x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right)}{2b} \\
&= -\frac{c \sqrt{1 - \frac{1}{c^2 x^2}}}{2b (a + b \sec^{-1}(cx))^2} - \frac{1}{2b^2 x (a + b \sec^{-1}(cx))} - \frac{c \operatorname{Subst} \left(\int \frac{\sin(x)}{a + bx} dx, x, \sec^{-1}(cx) \right)}{2b^2} \\
&= -\frac{c \sqrt{1 - \frac{1}{c^2 x^2}}}{2b (a + b \sec^{-1}(cx))^2} - \frac{1}{2b^2 x (a + b \sec^{-1}(cx))} - \frac{(c \cos(\frac{a}{b})) \operatorname{Subst} \left(\int \frac{\sin(\frac{a}{b} + x)}{a + bx} dx, x, \sec^{-1}(cx) \right)}{2b^2} \\
&= -\frac{c \sqrt{1 - \frac{1}{c^2 x^2}}}{2b (a + b \sec^{-1}(cx))^2} - \frac{1}{2b^2 x (a + b \sec^{-1}(cx))} + \frac{c \operatorname{Ci}(\frac{a}{b} + \sec^{-1}(cx)) \sin(\frac{a}{b})}{2b^3}
\end{aligned}$$

Mathematica [A]

time = 0.29, size = 88, normalized size = 0.85

$$-\frac{b \left(a + bc \sqrt{1 - \frac{1}{c^2 x^2}} x + b \sec^{-1}(cx) \right)}{x(a + b \sec^{-1}(cx))^2} - \frac{c \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right) \sin\left(\frac{a}{b}\right) + c \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{2b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(x^2*(a + b*ArcSec[c*x])^3), x]
```


[Out] $-1/2*((b*(a + b*c*\text{Sqrt}[1 - 1/(c^2*x^2)])*x + b*\text{ArcSec}[c*x]))/(x*(a + b*\text{ArcSec}[c*x])^2) - c*\text{CosIntegral}[a/b + \text{ArcSec}[c*x]]*\text{Sin}[a/b] + c*\text{Cos}[a/b]*\text{SinIntegral}[a/b + \text{ArcSec}[c*x]]/b^3$

Maple [A]

time = 0.16, size = 154, normalized size = 1.50

| method | result |
|-------------------|---|
| derivativedivides | $c \left(-\frac{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{2(a+b\text{arcsec}(cx))^2b} - \frac{\text{arcsec}(cx) \cos\left(\frac{a}{b}\right) \text{sinIntegral}\left(\frac{a}{b} + \text{arcsec}(cx)\right)bcx - \text{arcsec}(cx) \sin\left(\frac{a}{b}\right) \text{cosineIntegral}\left(\frac{a}{b} + \text{arcsec}(cx)\right)}{2cx} \right)$ |
| default | $c \left(-\frac{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{2(a+b\text{arcsec}(cx))^2b} - \frac{\text{arcsec}(cx) \cos\left(\frac{a}{b}\right) \text{sinIntegral}\left(\frac{a}{b} + \text{arcsec}(cx)\right)bcx - \text{arcsec}(cx) \sin\left(\frac{a}{b}\right) \text{cosineIntegral}\left(\frac{a}{b} + \text{arcsec}(cx)\right)}{2cx} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/(a+b*arcsec(c*x))^3,x,method=_RETURNVERBOSE)`

[Out] $c*(-1/2*((c^2*x^2-1)/c^2/x^2)^(1/2)/(a+b*\text{arcsec}(c*x))^2/b-1/2*(\text{arcsec}(c*x)*\cos(a/b)*\text{Si}(a/b+\text{arcsec}(c*x))*b*c*x-\text{arcsec}(c*x)*\sin(a/b)*\text{Ci}(a/b+\text{arcsec}(c*x))*b*c*x+\cos(a/b)*\text{Si}(a/b+\text{arcsec}(c*x))*a*c*x-\sin(a/b)*\text{Ci}(a/b+\text{arcsec}(c*x))*a*c*x+b)/c/x/(a+b*\text{arcsec}(c*x))/b^3)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsec(c*x))^3,x, algorithm="maxima")`

[Out] $-(8*b^3*\arctan(\text{sqrt}(c*x + 1))*\text{sqrt}(c*x - 1))^3 + 24*a*b^2*\arctan(\text{sqrt}(c*x + 1))*\text{sqrt}(c*x - 1)^2 + 2*a*b^2*\log(c^2*x^2)^2 + 8*a*b^2*\log(c)^2 + 16*a*b^2*\log(c)*\log(x) + 8*a*b^2*\log(x)^2 + 8*a^3 + 2*(4*b^3*\arctan(\text{sqrt}(c*x + 1))*\text{sqrt}(c*x - 1))^2 - b^3*\log(c^2*x^2)^2 - 4*b^3*\log(c)^2 - 8*b^3*\log(c)*\log(x) - 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\text{sqrt}(c*x + 1))*\text{sqrt}(c*x - 1) + 4*a^2*b + 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2))*\text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1) + 2*(b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 12*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2))*\arctan(\text{sqrt}(c*x + 1))*\text{sqrt}(c*x - 1) + (16*b^6*x*\arctan(\text{sqrt}(c*x + 1))*\text{sqrt}(c*x - 1))^4 + b^6*x*\log(c^2*x^2)^4 + 64*b^6*x*\log(c)*\log(x)^3 + 16*b^6*x*\log(x)^4 + 64*a*b^5*x*\arctan(\text{sqrt}(c*x + 1))*\text{sqrt}(c*x - 1))^3 - 8*(b^6*x*\log(c) + b^6*x*\log(x))*\log(c^2*x^2)^3 + 32*(3*b^6*\log(c)^2 + a^2*b^4)*x*\log(x)^2 + 8*(b^6*x*\log(c^2*x^2)^2 + 8*b^6*x*\log(c)*\log(x) + 4*b^6*x*\log(x)^2 + 4*(b^6*\log(c)^2 + 3*a^2*b$

```

^4)*x - 4*(b^6*x*log(c) + b^6*x*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*
sqrt(c*x - 1))^2 + 8*(6*b^6*x*log(c)*log(x) + 3*b^6*x*log(x)^2 + (3*b^6*log
(c)^2 + a^2*b^4)*x)*log(c^2*x^2)^2 + 64*(b^6*log(c)^3 + a^2*b^4*log(c))*x*log
og(x) + 16*(b^6*log(c)^4 + 2*a^2*b^4*log(c)^2 + a^4*b^2)*x + 16*(a*b^5*x*log
(c^2*x^2)^2 + 8*a*b^5*x*log(c)*log(x) + 4*a*b^5*x*log(x)^2 + 4*(a*b^5*log(
c)^2 + a^3*b^3)*x - 4*(a*b^5*x*log(c) + a*b^5*x*log(x))*log(c^2*x^2))*arcta
n(sqrt(c*x + 1)*sqrt(c*x - 1)) - 32*(3*b^6*x*log(c)*log(x)^2 + b^6*x*log(x)
^3 + (3*b^6*log(c)^2 + a^2*b^4)*x*log(x) + (b^6*log(c)^3 + a^2*b^4*log(c))*
x)*log(c^2*x^2))*integrate(2*(b*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + a)/(4
*b^4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + b^4*x^2*log(c^2*x^2)^2 + 8
*b^4*x^2*log(c)*log(x) + 4*b^4*x^2*log(x)^2 + 8*a*b^3*x^2*arctan(sqrt(c*x +
1)*sqrt(c*x - 1)) + 4*(b^4*log(c)^2 + a^2*b^2)*x^2 - 4*(b^4*x^2*log(c) + b
^4*x^2*log(x))*log(c^2*x^2)), x) - 8*(a*b^2*log(c) + a*b^2*log(x))*log(c^2*
x^2))/(16*b^6*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^4 + b^6*x*log(c^2*x^2)^
4 + 64*b^6*x*log(c)*log(x)^3 + 16*b^6*x*log(x)^4 + 64*a*b^5*x*arctan(sqrt(c
*x + 1)*sqrt(c*x - 1))^3 - 8*(b^6*x*log(c) + b^6*x*log(x))*log(c^2*x^2)^3 +
32*(3*b^6*log(c)^2 + a^2*b^4)*x*log(x)^2 + 8*(b^6*x*log(c^2*x^2)^2 + 8*b^6
*x*log(c)*log(x) + 4*b^6*x*log(x)^2 + 4*(b^6*log(c)^2 + 3*a^2*b^4)*x - 4*(b
^6*x*log(c) + b^6*x*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1
))^2 + 8*(6*b^6*x*log(c)*log(x) + 3*b^6*x*log(x)^2 + (3*b^6*log(c)^2 + a^2*
b^4)*x)*log(c^2*x^2)^2 + 64*(b^6*log(c)^3 + a^2*b^4*log(c))*x*log(x) + 16*(
b^6*log(c)^4 + 2*a^2*b^4*log(c)^2 + a^4*b^2)*x + 16*(a*b^5*x*log(c^2*x^2)^2
+ 8*a*b^5*x*log(c)*log(x) + 4*a*b^5*x*log(x)^2 + 4*(a*b^5*log(c)^2 + a^3*b
^3)*x - 4*(a*b^5*x*log(c) + a*b^5*x*log(x))*log(c^2*x^2))*arctan(sqrt(c*x +
1)*sqrt(c*x - 1)) - 32*(3*b^6*x*log(c)*log(x)^2 + b^6*x*log(x)^3 + (3*b^6*
log(c)^2 + a^2*b^4)*x*log(x) + (b^6*log(c)^3 + a^2*b^4*log(c))*x)*log(c^2*x
^2))

```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsec(c*x))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*x^2*arcsec(c*x)^3 + 3*a*b^2*x^2*arcsec(c*x)^2 + 3*a^2*b*x^2*arcsec(c*x) + a^3*x^2), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{asec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(a+b*asec(c*x))**3,x)

[Out] Integral(1/(x**2*(a + b*asec(c*x))**3), x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 580 vs. 2(93) = 186.

time = 0.42, size = 580, normalized size = 5.63

$$\frac{\left(\frac{b^2 \arccos\left(\frac{1}{cx}\right) \cos\left(\frac{a}{b} + \arccos\left(\frac{1}{cx}\right)\right) \sin\left(\frac{a}{b}\right)}{b^5 \arccos\left(\frac{1}{cx}\right)^2 + 2ab^4 \arccos\left(\frac{1}{cx}\right) + a^2 b^3} - \frac{2ab \arccos\left(\frac{1}{cx}\right) \cos\left(\frac{a}{b} + \arccos\left(\frac{1}{cx}\right)\right) \sin\left(\frac{a}{b}\right)}{b^5 \arccos\left(\frac{1}{cx}\right)^2 + 2ab^4 \arccos\left(\frac{1}{cx}\right) + a^2 b^3} - \frac{a^2 \cos\left(\frac{a}{b} + \arccos\left(\frac{1}{cx}\right)\right) \sin\left(\frac{a}{b}\right)}{b^5 \arccos\left(\frac{1}{cx}\right)^2 + 2ab^4 \arccos\left(\frac{1}{cx}\right) + a^2 b^3} - \frac{a^2 \cos\left(\frac{a}{b} + \arccos\left(\frac{1}{cx}\right)\right) \sin\left(\frac{a}{b}\right)}{b^5 \arccos\left(\frac{1}{cx}\right)^2 + 2ab^4 \arccos\left(\frac{1}{cx}\right) + a^2 b^3} - \frac{b^2 \sqrt{-1/c^2 x^2 + 1}}{b^5 \arccos\left(\frac{1}{cx}\right)^2 + 2ab^4 \arccos\left(\frac{1}{cx}\right) + a^2 b^3} - \frac{ab}{b^5 \arccos\left(\frac{1}{cx}\right)^2 + 2ab^4 \arccos\left(\frac{1}{cx}\right) + a^2 b^3} - \frac{ab}{b^5 \arccos\left(\frac{1}{cx}\right)^2 + 2ab^4 \arccos\left(\frac{1}{cx}\right) + a^2 b^3} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsec(c*x))^3,x, algorithm="giac")

[Out] 1/2*(b^2*arccos(1/(c*x))^2*cos_integral(a/b + arccos(1/(c*x)))*sin(a/b)/(b^5*arccos(1/(c*x))^2 + 2*a*b^4*arccos(1/(c*x)) + a^2*b^3) - b^2*arccos(1/(c*x))^2*cos(a/b)*sin_integral(a/b + arccos(1/(c*x)))/(b^5*arccos(1/(c*x))^2 + 2*a*b^4*arccos(1/(c*x)) + a^2*b^3) + 2*a*b*arccos(1/(c*x))*cos_integral(a/b + arccos(1/(c*x)))*sin(a/b)/(b^5*arccos(1/(c*x))^2 + 2*a*b^4*arccos(1/(c*x)) + a^2*b^3) - 2*a*b*arccos(1/(c*x))*cos(a/b)*sin_integral(a/b + arccos(1/(c*x)))/(b^5*arccos(1/(c*x))^2 + 2*a*b^4*arccos(1/(c*x)) + a^2*b^3) + a^2*cos_integral(a/b + arccos(1/(c*x)))*sin(a/b)/(b^5*arccos(1/(c*x))^2 + 2*a*b^4*arccos(1/(c*x)) + a^2*b^3) - a^2*cos(a/b)*sin_integral(a/b + arccos(1/(c*x)))/(b^5*arccos(1/(c*x))^2 + 2*a*b^4*arccos(1/(c*x)) + a^2*b^3) - b^2*sqrt(-1/(c^2*x^2) + 1)/(b^5*arccos(1/(c*x))^2 + 2*a*b^4*arccos(1/(c*x)) + a^2*b^3) - b^2*arccos(1/(c*x))/(b^5*arccos(1/(c*x))^2 + 2*a*b^4*arccos(1/(c*x)) + a^2*b^3)*c*x - a*b/(b^5*arccos(1/(c*x))^2 + 2*a*b^4*arccos(1/(c*x)) + a^2*b^3)*c*x)*c

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^2 \left(a + b \arccos\left(\frac{1}{cx}\right)\right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(a + b*acos(1/(c*x)))^3),x)

[Out] int(1/(x^2*(a + b*acos(1/(c*x)))^3), x)

$$3.49 \quad \int \frac{1}{x^3(a+b \sec^{-1}(cx))^3} dx$$

Optimal. Leaf size=112

$$-\frac{c^2 \cos(2 \sec^{-1}(cx))}{2b^2(a+b \sec^{-1}(cx))} + \frac{c^2 \operatorname{CosIntegral}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right) \sin\left(\frac{2a}{b}\right)}{b^3} - \frac{c^2 \sin(2 \sec^{-1}(cx))}{4b(a+b \sec^{-1}(cx))^2} - \frac{c^2 \cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^3}$$

[Out] $-1/2*c^2*\cos(2*\operatorname{arcsec}(c*x))/b^2/(a+b*\operatorname{arcsec}(c*x))-c^2*\cos(2*a/b)*\operatorname{Si}(2*a/b+2*\operatorname{arcsec}(c*x))/b^3+c^2*\operatorname{Ci}(2*a/b+2*\operatorname{arcsec}(c*x))*\sin(2*a/b)/b^3-1/4*c^2*\sin(2*\operatorname{arcsec}(c*x))/b/(a+b*\operatorname{arcsec}(c*x))^2$

Rubi [A]

time = 0.14, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5330, 4491, 12, 3378, 3384, 3380, 3383}

$$\frac{c^2 \sin\left(\frac{2a}{b}\right) \operatorname{CosIntegral}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^3} - \frac{c^2 \cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^3} - \frac{c^2 \cos(2 \sec^{-1}(cx))}{2b^2(a+b \sec^{-1}(cx))} - \frac{c^2 \sin(2 \sec^{-1}(cx))}{4b(a+b \sec^{-1}(cx))^2}$$

Antiderivative was successfully verified.

[In] `Int[1/(x^3*(a + b*ArcSec[c*x])^3),x]`

[Out] $-1/2*(c^2*\operatorname{Cos}[2*\operatorname{ArcSec}[c*x]])/(b^2*(a + b*\operatorname{ArcSec}[c*x])) + (c^2*\operatorname{CosIntegral}[(2*a)/b + 2*\operatorname{ArcSec}[c*x]]*\operatorname{Sin}[(2*a)/b])/b^3 - (c^2*\operatorname{Sin}[2*\operatorname{ArcSec}[c*x]])/(4*b*(a + b*\operatorname{ArcSec}[c*x])^2) - (c^2*\operatorname{Cos}[(2*a)/b]*\operatorname{SinIntegral}[(2*a)/b + 2*\operatorname{ArcSec}[c*x]])/b^3$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 3378

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(c + d*x)^(m + 1)*(Sin[e + f*x]/(d*(m + 1))), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]`

Rule 3380

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3383

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3384

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 4491

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n * Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n * Sec[x]^(m + 1) * Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
 \int \frac{1}{x^3 (a + b \sec^{-1}(cx))^3} dx &= c^2 \text{Subst} \left(\int \frac{\cos(x) \sin(x)}{(a + bx)^3} dx, x, \sec^{-1}(cx) \right) \\
 &= c^2 \text{Subst} \left(\int \frac{\sin(2x)}{2(a + bx)^3} dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{1}{2} c^2 \text{Subst} \left(\int \frac{\sin(2x)}{(a + bx)^3} dx, x, \sec^{-1}(cx) \right) \\
 &= -\frac{c^2 \sin(2 \sec^{-1}(cx))}{4b (a + b \sec^{-1}(cx))^2} + \frac{c^2 \text{Subst} \left(\int \frac{\cos(2x)}{(a+bx)^2} dx, x, \sec^{-1}(cx) \right)}{2b} \\
 &= -\frac{c^2 \cos(2 \sec^{-1}(cx))}{2b^2 (a + b \sec^{-1}(cx))} - \frac{c^2 \sin(2 \sec^{-1}(cx))}{4b (a + b \sec^{-1}(cx))^2} - \frac{c^2 \text{Subst} \left(\int \frac{\sin(2x)}{a+bx} dx, x, \sec^{-1}(cx) \right)}{b^2} \\
 &= -\frac{c^2 \cos(2 \sec^{-1}(cx))}{2b^2 (a + b \sec^{-1}(cx))} - \frac{c^2 \sin(2 \sec^{-1}(cx))}{4b (a + b \sec^{-1}(cx))^2} - \frac{(c^2 \cos(\frac{2a}{b})) \text{Subst} \left(\int \frac{\sin(\frac{2x}{a+bx})}{a+bx} dx, x, \sec^{-1}(cx) \right)}{b^2} \\
 &= -\frac{c^2 \cos(2 \sec^{-1}(cx))}{2b^2 (a + b \sec^{-1}(cx))} + \frac{c^2 \text{Ci}(\frac{2a}{b} + 2 \sec^{-1}(cx)) \sin(\frac{2a}{b})}{b^3} - \frac{c^2 \sin(2 \sec^{-1}(cx))}{4b (a + b \sec^{-1}(cx))}
 \end{aligned}$$

Mathematica [A]

time = 0.31, size = 114, normalized size = 1.02

$$\frac{-\frac{b^2 c \sqrt{1 - \frac{1}{c^2 x^2}}}{x(a + b \sec^{-1}(cx))^2} + \frac{b(-2 + c^2 x^2)}{x^2(a + b \sec^{-1}(cx))} + 2c^2 (\text{CosIntegral}(2(\frac{a}{b} + \sec^{-1}(cx))) \sin(\frac{2a}{b}) - \cos(\frac{2a}{b}) \text{Si}(2(\frac{a}{b} + \sec^{-1}(cx))))}{2b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(x^3*(a + b*ArcSec[c*x])^3), x]
```

```
[Out] (-((b^2*c*Sqrt[1 - 1/(c^2*x^2)])/(x*(a + b*ArcSec[c*x])^2)) + (b*(-2 + c^2*x^2))/(x^2*(a + b*ArcSec[c*x])) + 2*c^2*(CosIntegral[2*(a/b + ArcSec[c*x]])*Sin[(2*a)/b] - Cos[(2*a)/b]*SinIntegral[2*(a/b + ArcSec[c*x])]))/(2*b^3)
```

Maple [A]

time = 0.15, size = 157, normalized size = 1.40

| method | result |
|-------------------|---|
| derivativedivides | $c^2 \left(-\frac{\sin(2 \operatorname{arcsec}(cx))}{4(a + b \operatorname{arcsec}(cx))^2 b} - \frac{2 \operatorname{arcsec}(cx) \cos(\frac{2a}{b}) \operatorname{sinIntegral}(\frac{2a}{b} + 2 \operatorname{arcsec}(cx)) b - 2 \operatorname{arcsec}(cx) \sin(\frac{2a}{b}) \operatorname{cosineIntegral}(\frac{2a}{b} + 2 \operatorname{arcsec}(cx))}{b^3} \right)$ |
| default | $c^2 \left(-\frac{\sin(2 \operatorname{arcsec}(cx))}{4(a + b \operatorname{arcsec}(cx))^2 b} - \frac{2 \operatorname{arcsec}(cx) \cos(\frac{2a}{b}) \operatorname{sinIntegral}(\frac{2a}{b} + 2 \operatorname{arcsec}(cx)) b - 2 \operatorname{arcsec}(cx) \sin(\frac{2a}{b}) \operatorname{cosineIntegral}(\frac{2a}{b} + 2 \operatorname{arcsec}(cx))}{b^3} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^3/(a+b*arcsec(c*x))^3,x,method=_RETURNVERBOSE)`

[Out] $c^2*(-1/4*\sin(2*\operatorname{arcsec}(c*x))/(a+b*\operatorname{arcsec}(c*x))^2/b-1/2*(2*\operatorname{arcsec}(c*x)*\cos(2*a/b)*\operatorname{Si}(2*a/b+2*\operatorname{arcsec}(c*x))*b-2*\operatorname{arcsec}(c*x)*\sin(2*a/b)*\operatorname{Ci}(2*a/b+2*\operatorname{arcsec}(c*x))*b+2*\cos(2*a/b)*\operatorname{Si}(2*a/b+2*\operatorname{arcsec}(c*x))*a-2*\sin(2*a/b)*\operatorname{Ci}(2*a/b+2*\operatorname{arcsec}(c*x))*a+\cos(2*\operatorname{arcsec}(c*x))*b)/(a+b*\operatorname{arcsec}(c*x))/b^3)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^3/(a+b*arcsec(c*x))^3,x, algorithm="maxima")`

[Out] $-(16*a*b^2*\log(c)^2 - 8*(b^3*c^2*x^2 - 2*b^3)*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^3 + 16*a^3 - 8*(a*b^2*c^2*\log(c)^2 + a^3*c^2)*x^2 - 24*(a*b^2*c^2*x^2 - 2*a*b^2)*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^2 - 2*(a*b^2*c^2*x^2 - 2*a*b^2)*\log(c^2*x^2)^2 - 8*(a*b^2*c^2*x^2 - 2*a*b^2)*\log(x)^2 + 2*(4*b^3*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^2 - b^3*\log(c^2*x^2)^2 - 4*b^3*\log(c)^2 - 8*b^3*\log(c)*\log(x) - 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1}) + 4*a^2*b + 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2))*\sqrt{c*x + 1}*\sqrt{c*x - 1} + 2*(8*b^3*\log(c)^2 + 24*a^2*b - 4*(b^3*c^2*\log(c)^2 + 3*a^2*b*c^2)*x^2 - (b^3*c^2*x^2 - 2*b^3)*\log(c^2*x^2)^2 - 4*(b^3*c^2*x^2 - 2*b^3)*\log(x)^2 + 4*(b^3*c^2*x^2*\log(c) - 2*b^3*\log(c) + (b^3*c^2*x^2 - 2*b^3)*\log(x))*\log(c^2*x^2) - 8*(b^3*c^2*x^2*\log(c) - 2*b^3*\log(c))*\log(x))*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1}) + (16*b^6*x^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^4 + b^6*x^2*\log(c^2*x^2)^4 + 64*b^6*x^2*\log(c)*\log(x)^3 + 16*b^6*x^2*\log(x)^4 + 64*a*b^5*x^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^3 + 32*(3*b^6*\log(c)^2 + a^2*b^4)*x^2*\log(x)^2 - 8*(b^6*x^2*\log(c) + b^6*x^2*\log(x))*\log(c^2*x^2)^3 + 64*(b^6*\log(c)^3 + a^2*b^4*\log(c))*x^2*\log(x) + 16*(b^6*\log(c)^4 + 2*a^2*b^4*\log(c)^2 + a^4*b^2)*x^2 + 8*(b^6*x^2*\log(c^2*x^2)^2 + 8*b^6*x^2*\log(c)*\log(x) + 4*b^6*x^2*\log(x)^2 + 4*(b^6*\log(c)^2 + 3*a^2*b^4)*x^2 - 4*(b^6*x^2*\log(c) + b^6*x^2*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^2 + 8*(6*b^6*x^2*\log(c)*\log(x) + 3*b^6*x^2*\log(x)^2 + (3*b^6*\log(c)^2 + a^2*b^4)*x^2)*\log(c^2*x^2)^2 + 16*(a*b^5*x^2*\log(c^2*x^2)^2 + 8*a*b^5*x^2*\log(c)*\log(x) + 4*a*b^5*x^2*\log(x)^2 + 4*(a*b^5*\log(c)^2 + a^3*b^3)*x^2 - 4*(a*b^5*x^2*\log(c) + a*b^5*x^2*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1}) - 32*(3*b^6*x^2*\log(c)*\log(x)^2 + b^6*x^2*\log(x)^3 + (3*b^6*\log(c)^2 + a^2*b^4)*x^2*\log(x) + (b^6*\log(c)^3 + a^2*b^4*\log(c))*x^2)*\log(c^2*x^2))*integrate(8*(b*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1}) + a)/(4*b^4*x^3*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^2 + b^4*x^3*\log(c^2*x^2)^2 + 8*b^4*$

$$x^3 \log(c) \log(x) + 4b^4 x^3 \log(x)^2 + 8a^2 b^3 x^3 \arctan(\sqrt{cx+1} \sqrt{cx-1}) + 4(b^4 \log(c)^2 + a^2 b^2) x^3 - 4(b^4 x^3 \log(c) + b^4 x^3 \log(x)) \log(c^2 x^2), x) + 8(a^2 b^2 c^2 x^2 \log(c) - 2a^2 b^2 \log(c) + (a^2 b^2 c^2 x^2 - 2a^2 b^2) \log(x)) \log(c^2 x^2) - 16(a^2 b^2 c^2 x^2 \log(c) - 2a^2 b^2 \log(c)) \log(x) / (16b^6 x^2 \arctan(\sqrt{cx+1} \sqrt{cx-1})^4 + b^6 x^2 \log(c^2 x^2)^4 + 64b^6 x^2 \log(c) \log(x)^3 + 16b^6 x^2 \log(x)^4 + 64a^2 b^5 x^2 \arctan(\sqrt{cx+1} \sqrt{cx-1})^3 + 32(3b^6 \log(c)^2 + a^2 b^4) x^2 \log(x)^2 - 8(b^6 x^2 \log(c) + b^6 x^2 \log(x)) \log(c^2 x^2)^3 + 64(b^6 \log(c)^3 + a^2 b^4 \log(c)) x^2 \log(x) + 16(b^6 \log(c)^4 + 2a^2 b^4 \log(c)^2 + a^4 b^2) x^2 + 8(b^6 x^2 \log(c^2 x^2)^2 + 8b^6 x^2 \log(c) \log(x) + 4b^6 x^2 \log(x)^2 + 4(b^6 \log(c)^2 + 3a^2 b^4) x^2 - 4(b^6 x^2 \log(c) + b^6 x^2 \log(x)) \log(c^2 x^2)) \arctan(\sqrt{cx+1} \sqrt{cx-1})^2 + 8(6b^6 x^2 \log(c) \log(x) + 3b^6 x^2 \log(x)^2 + (3b^6 \log(c)^2 + a^2 b^4) x^2) \log(c^2 x^2)^2 + 16(a^2 b^5 x^2 \log(c^2 x^2)^2 + 8a^2 b^5 x^2 \log(c) \log(x) + 4a^2 b^5 x^2 \log(x)^2 + 4(a^2 b^5 \log(c)^2 + a^3 b^3) x^2 - 4(a^2 b^5 x^2 \log(c) + a^2 b^5 x^2 \log(x)) \log(c^2 x^2)) \arctan(\sqrt{cx+1} \sqrt{cx-1}) - 32(3b^6 x^2 \log(c) \log(x)^2 + b^6 x^2 \log(x)^3 + (3b^6 \log(c)^2 + a^2 b^4) x^2 \log(x) + (b^6 \log(c)^3 + a^2 b^4 \log(c)) x^2) \log(c^2 x^2))$$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*arcsec(cx))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*x^3*arcsec(cx)^3 + 3*a*b^2*x^3*arcsec(cx)^2 + 3*a^2*b*x^3*arcsec(cx) + a^3*x^3), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \operatorname{asec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**3/(a+b*asec(cx))**3,x)

[Out] Integral(1/(x**3*(a + b*asec(cx))**3), x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 929 vs. 2(108) = 216.

time = 0.41, size = 929, normalized size = 8.29

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*arcsec(c*x))^3,x, algorithm="giac")

[Out] $\frac{1}{2} \cdot (4 \cdot b^2 \cdot c \cdot \arccos(1/(c \cdot x))^2 \cdot \cos(a/b) \cdot \cos_integral(2 \cdot a/b + 2 \cdot \arccos(1/(c \cdot x))) \cdot \sin(a/b) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) - 4 \cdot b^2 \cdot c \cdot \arccos(1/(c \cdot x))^2 \cdot \cos(a/b)^2 \cdot \sin_integral(2 \cdot a/b + 2 \cdot \arccos(1/(c \cdot x))) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + 8 \cdot a \cdot b \cdot c \cdot \arccos(1/(c \cdot x)) \cdot \cos(a/b) \cdot \cos_integral(2 \cdot a/b + 2 \cdot \arccos(1/(c \cdot x))) \cdot \sin(a/b) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) - 8 \cdot a \cdot b \cdot c \cdot \arccos(1/(c \cdot x)) \cdot \cos(a/b)^2 \cdot \sin_integral(2 \cdot a/b + 2 \cdot \arccos(1/(c \cdot x))) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + 4 \cdot a^2 \cdot c \cdot \cos(a/b) \cdot \cos_integral(2 \cdot a/b + 2 \cdot \arccos(1/(c \cdot x))) \cdot \sin(a/b) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + 2 \cdot b^2 \cdot c \cdot \arccos(1/(c \cdot x))^2 \cdot \sin_integral(2 \cdot a/b + 2 \cdot \arccos(1/(c \cdot x))) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) - 4 \cdot a^2 \cdot c \cdot \cos(a/b)^2 \cdot \sin_integral(2 \cdot a/b + 2 \cdot \arccos(1/(c \cdot x))) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + 4 \cdot a \cdot b \cdot c \cdot \arccos(1/(c \cdot x)) \cdot \sin_integral(2 \cdot a/b + 2 \cdot \arccos(1/(c \cdot x))) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + b^2 \cdot c \cdot \arccos(1/(c \cdot x)) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + 2 \cdot a^2 \cdot c \cdot \sin_integral(2 \cdot a/b + 2 \cdot \arccos(1/(c \cdot x))) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + a \cdot b \cdot c / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) - b^2 \cdot \sqrt{-1/(c^2 \cdot x^2) + 1} / ((b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) \cdot x) - 2 \cdot b^2 \cdot \arccos(1/(c \cdot x)) / ((b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) \cdot c \cdot x^2) - 2 \cdot a \cdot b / ((b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) \cdot c \cdot x^2)) \cdot c$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^3 \left(a + b \arccos\left(\frac{1}{cx}\right)\right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^3*(a + b*acos(1/(c*x)))^3),x)

[Out] int(1/(x^3*(a + b*acos(1/(c*x)))^3), x)

$$3.50 \quad \int \frac{1}{x^4 (a + b \sec^{-1}(cx))^3} dx$$

Optimal. Leaf size=228

$$-\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{8b (a + b \sec^{-1}(cx))^2} - \frac{c^2}{8b^2 x (a + b \sec^{-1}(cx))} - \frac{3c^3 \cos(3 \sec^{-1}(cx))}{8b^2 (a + b \sec^{-1}(cx))} + \frac{c^3 \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right) \sin\left(\frac{a}{b}\right)}{8b^3}$$

[Out] $-1/8*c^2/b^2/x/(a+b*\operatorname{arcsec}(c*x))-3/8*c^3*\cos(3*\operatorname{arcsec}(c*x))/b^2/(a+b*\operatorname{arcsec}(c*x))-1/8*c^3*\cos(a/b)*\operatorname{Si}(a/b+\operatorname{arcsec}(c*x))/b^3-9/8*c^3*\cos(3*a/b)*\operatorname{Si}(3*a/b+3*\operatorname{arcsec}(c*x))/b^3+1/8*c^3*\operatorname{Ci}(a/b+\operatorname{arcsec}(c*x))*\sin(a/b)/b^3+9/8*c^3*\operatorname{Ci}(3*a/b+3*\operatorname{arcsec}(c*x))*\sin(3*a/b)/b^3-1/8*c^3*\sin(3*\operatorname{arcsec}(c*x))/b/(a+b*\operatorname{arcsec}(c*x))^2-1/8*c^3*(1-1/c^2/x^2)^{(1/2)}/b/(a+b*\operatorname{arcsec}(c*x))^2$

Rubi [A]

time = 0.25, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5330, 4491, 3378, 3384, 3380, 3383}

$$\frac{c^3 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{8b^3} + \frac{9c^3 \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3 \sec^{-1}(cx)\right)}{8b^3} - \frac{c^2 \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{8b^2} - \frac{9c^2 \cos\left(\frac{3a}{b}\right) \operatorname{Si}\left(\frac{3a}{b} + 3 \sec^{-1}(cx)\right)}{8b^2} - \frac{3c^3 \cos(3 \sec^{-1}(cx))}{8b^2 (a + b \sec^{-1}(cx))} - \frac{c^2}{8b^2 x (a + b \sec^{-1}(cx))} - \frac{c^3 \sin(3 \sec^{-1}(cx))}{8b (a + b \sec^{-1}(cx))^2} - \frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{8b (a + b \sec^{-1}(cx))^2}$$

Antiderivative was successfully verified.

[In] `Int[1/(x^4*(a + b*ArcSec[c*x])^3),x]`

[Out] $-1/8*(c^3*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]/(b*(a + b*\operatorname{ArcSec}[c*x])^2) - c^2/(8*b^2*x*(a + b*\operatorname{ArcSec}[c*x])) - (3*c^3*\operatorname{Cos}[3*\operatorname{ArcSec}[c*x]])/(8*b^2*(a + b*\operatorname{ArcSec}[c*x])) + (c^3*\operatorname{CosIntegral}[a/b + \operatorname{ArcSec}[c*x]]*\operatorname{Sin}[a/b])/(8*b^3) + (9*c^3*\operatorname{CosIntegral}[(3*a)/b + 3*\operatorname{ArcSec}[c*x]]*\operatorname{Sin}[(3*a)/b])/(8*b^3) - (c^3*\operatorname{Sin}[3*\operatorname{ArcSec}[c*x]])/(8*b*(a + b*\operatorname{ArcSec}[c*x])^2) - (c^3*\operatorname{Cos}[a/b]*\operatorname{SinIntegral}[a/b + \operatorname{ArcSec}[c*x]])/(8*b^3) - (9*c^3*\operatorname{Cos}[(3*a)/b]*\operatorname{SinIntegral}[(3*a)/b + 3*\operatorname{ArcSec}[c*x]])/(8*b^3)$

Rule 3378

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(c + d*x)^(m + 1)*(Sin[e + f*x]/(d*(m + 1))), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]`

Rule 3380

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3383

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3384

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 4491

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n * Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 5330

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n * Sec[x]^(m + 1) * Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^4 (a + b \sec^{-1}(cx))^3} dx &= c^3 \text{Subst} \left(\int \frac{\cos^2(x) \sin(x)}{(a + bx)^3} dx, x, \sec^{-1}(cx) \right) \\
&= c^3 \text{Subst} \left(\int \left(\frac{\sin(x)}{4(a + bx)^3} + \frac{\sin(3x)}{4(a + bx)^3} \right) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{1}{4} c^3 \text{Subst} \left(\int \frac{\sin(x)}{(a + bx)^3} dx, x, \sec^{-1}(cx) \right) + \frac{1}{4} c^3 \text{Subst} \left(\int \frac{\sin(3x)}{(a + bx)^3} dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{8b (a + b \sec^{-1}(cx))^2} - \frac{c^3 \sin(3 \sec^{-1}(cx))}{8b (a + b \sec^{-1}(cx))^2} + \frac{c^3 \text{Subst} \left(\int \frac{\cos(x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right)}{8b} \\
&= -\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{8b (a + b \sec^{-1}(cx))^2} - \frac{c^2}{8b^2 x (a + b \sec^{-1}(cx))} - \frac{3c^3 \cos(3 \sec^{-1}(cx))}{8b^2 (a + b \sec^{-1}(cx))} - \frac{c^3 \text{Si} \left(\frac{3}{b} \sec^{-1}(cx) \right)}{8b^3} \\
&= -\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{8b (a + b \sec^{-1}(cx))^2} - \frac{c^2}{8b^2 x (a + b \sec^{-1}(cx))} - \frac{3c^3 \cos(3 \sec^{-1}(cx))}{8b^2 (a + b \sec^{-1}(cx))} - \frac{c^3 \text{Si} \left(\frac{3}{b} \sec^{-1}(cx) \right)}{8b^3} \\
&= -\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{8b (a + b \sec^{-1}(cx))^2} - \frac{c^2}{8b^2 x (a + b \sec^{-1}(cx))} - \frac{3c^3 \cos(3 \sec^{-1}(cx))}{8b^2 (a + b \sec^{-1}(cx))} + \frac{c^3 \text{Si} \left(\frac{3}{b} \sec^{-1}(cx) \right)}{8b^3}
\end{aligned}$$

Mathematica [A]

time = 0.37, size = 169, normalized size = 0.74

$$\frac{4b^2 c \sqrt{1 - \frac{1}{c^2 x^2}}}{x^2 (a + b \sec^{-1}(cx))^2} - \frac{12b}{x^2 (a + b \sec^{-1}(cx))} + \frac{8bc^2}{ax + bx \sec^{-1}(cx)} + c^3 \text{CosIntegral} \left(\frac{a}{b} + \sec^{-1}(cx) \right) \sin \left(\frac{a}{b} \right) + 9c^3 \text{CosIntegral} \left(3 \left(\frac{a}{b} + \sec^{-1}(cx) \right) \right) \sin \left(\frac{3a}{b} \right) - c^3 \cos \left(\frac{a}{b} \right) \text{Si} \left(\frac{a}{b} + \sec^{-1}(cx) \right) - 9c^3 \cos \left(\frac{3a}{b} \right) \text{Si} \left(3 \left(\frac{a}{b} + \sec^{-1}(cx) \right) \right)$$

Antiderivative was successfully verified.

`[In] Integrate[1/(x^4*(a + b*ArcSec[c*x])^3), x]`

```
[Out] ((-4*b^2*c*Sqrt[1 - 1/(c^2*x^2)])/(x^2*(a + b*ArcSec[c*x])^2) - (12*b)/(x^3*(a + b*ArcSec[c*x])) + (8*b*c^2)/(a*x + b*x*ArcSec[c*x]) + c^3*CosIntegral[a/b + ArcSec[c*x]]*Sin[a/b] + 9*c^3*CosIntegral[3*(a/b + ArcSec[c*x])] * Sin[(3*a)/b] - c^3*Cos[a/b]*SinIntegral[a/b + ArcSec[c*x]] - 9*c^3*Cos[(3*a)/b]*SinIntegral[3*(a/b + ArcSec[c*x])])/(8*b^3)
```

Maple [A]

time = 0.17, size = 307, normalized size = 1.35

| method | result |
|--------|--------|
|--------|--------|

| | |
|-------------------|---|
| derivativedivides | $c^3 \left(-\frac{\sin(3 \operatorname{arcsec}(cx))}{8(a+b \operatorname{arcsec}(cx))^2 b} - \frac{3(3 \operatorname{arcsec}(cx) \cos(\frac{3a}{b}) \operatorname{sinIntegral}(\frac{3a}{b} + 3 \operatorname{arcsec}(cx)) b - 3 \operatorname{arcsec}(cx) \sin(\frac{3a}{b}) \operatorname{cosineIntegral}(\frac{3a}{b} + 3 \operatorname{arcsec}(cx)))}{8(a+b \operatorname{arcsec}(cx))^2 b} \right)$ |
| default | $c^3 \left(-\frac{\sin(3 \operatorname{arcsec}(cx))}{8(a+b \operatorname{arcsec}(cx))^2 b} - \frac{3(3 \operatorname{arcsec}(cx) \cos(\frac{3a}{b}) \operatorname{sinIntegral}(\frac{3a}{b} + 3 \operatorname{arcsec}(cx)) b - 3 \operatorname{arcsec}(cx) \sin(\frac{3a}{b}) \operatorname{cosineIntegral}(\frac{3a}{b} + 3 \operatorname{arcsec}(cx)))}{8(a+b \operatorname{arcsec}(cx))^2 b} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^4/(a+b*arcsec(c*x))^3,x,method=_RETURNVERBOSE)`

[Out]
$$c^3 \cdot (-1/8 \cdot \sin(3 \operatorname{arcsec}(c \cdot x)) / (a + b \operatorname{arcsec}(c \cdot x))^2 / b - 3/8 \cdot (3 \operatorname{arcsec}(c \cdot x) \cdot \cos(3 \cdot a/b) \cdot \operatorname{Si}(3 \cdot a/b + 3 \operatorname{arcsec}(c \cdot x)) \cdot b - 3 \operatorname{arcsec}(c \cdot x) \cdot \sin(3 \cdot a/b) \cdot \operatorname{Ci}(3 \cdot a/b + 3 \operatorname{arcsec}(c \cdot x))) \cdot b + 3 \cdot \cos(3 \cdot a/b) \cdot \operatorname{Si}(3 \cdot a/b + 3 \operatorname{arcsec}(c \cdot x)) \cdot a - 3 \cdot \sin(3 \cdot a/b) \cdot \operatorname{Ci}(3 \cdot a/b + 3 \operatorname{arcsec}(c \cdot x))) \cdot a + \cos(3 \operatorname{arcsec}(c \cdot x)) \cdot b) / (a + b \operatorname{arcsec}(c \cdot x)) / b^3 - 1/8 \cdot ((c^2 \cdot x^2 - 1) / c^2 / x^2)^{(1/2)} / (a + b \operatorname{arcsec}(c \cdot x))^2 / b - 1/8 \cdot (\operatorname{arcsec}(c \cdot x) \cdot \cos(a/b) \cdot \operatorname{Si}(a/b + \operatorname{arcsec}(c \cdot x))) \cdot b \cdot c \cdot x - \operatorname{arcsec}(c \cdot x) \cdot \sin(a/b) \cdot \operatorname{Ci}(a/b + \operatorname{arcsec}(c \cdot x))) \cdot b \cdot c \cdot x + \cos(a/b) \cdot \operatorname{Si}(a/b + \operatorname{arcsec}(c \cdot x)) \cdot a \cdot c \cdot x - \sin(a/b) \cdot \operatorname{Ci}(a/b + \operatorname{arcsec}(c \cdot x)) \cdot a \cdot c \cdot x + b) / c / x / (a + b \operatorname{arcsec}(c \cdot x)) / b^3)$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^4/(a+b*arcsec(c*x))^3,x, algorithm="maxima")`

[Out]
$$-(24 \cdot a \cdot b^2 \cdot \log(c)^2 - 8 \cdot (2 \cdot b^3 \cdot c^2 \cdot x^2 - 3 \cdot b^3) \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1})^3 + 24 \cdot a^3 - 16 \cdot (a \cdot b^2 \cdot c^2 \cdot \log(c)^2 + a^3 \cdot c^2) \cdot x^2 - 24 \cdot (2 \cdot a \cdot b^2 \cdot c^2 \cdot x^2 - 3 \cdot a \cdot b^2) \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1})^2 - 2 \cdot (2 \cdot a \cdot b^2 \cdot c^2 \cdot x^2 - 3 \cdot a \cdot b^2) \cdot \log(c^2 \cdot x^2)^2 - 8 \cdot (2 \cdot a \cdot b^2 \cdot c^2 \cdot x^2 - 3 \cdot a \cdot b^2) \cdot \log(x)^2 + 2 \cdot (4 \cdot b^3 \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1})^2 - b^3 \cdot \log(c^2 \cdot x^2)^2 - 4 \cdot b^3 \cdot \log(c)^2 - 8 \cdot b^3 \cdot \log(c) \cdot \log(x) - 4 \cdot b^3 \cdot \log(x)^2 + 8 \cdot a \cdot b^2 \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1}) + 4 \cdot a^2 \cdot b + 4 \cdot (b^3 \cdot \log(c) + b^3 \cdot \log(x)) \cdot \log(c^2 \cdot x^2) \cdot \sqrt{c \cdot x + 1} \cdot \sqrt{c \cdot x - 1} + 2 \cdot (12 \cdot b^3 \cdot \log(c)^2 + 36 \cdot a^2 \cdot b - 8 \cdot (b^3 \cdot c^2 \cdot \log(c)^2 + 3 \cdot a^2 \cdot b \cdot c^2) \cdot x^2 - (2 \cdot b^3 \cdot c^2 \cdot x^2 - 3 \cdot b^3) \cdot \log(c^2 \cdot x^2)^2 - 4 \cdot (2 \cdot b^3 \cdot c^2 \cdot x^2 - 3 \cdot b^3) \cdot \log(x)^2 + 4 \cdot (2 \cdot b^3 \cdot c^2 \cdot x^2 \cdot \log(c) - 3 \cdot b^3 \cdot \log(c) + (2 \cdot b^3 \cdot c^2 \cdot x^2 - 3 \cdot b^3) \cdot \log(x)) \cdot \log(c^2 \cdot x^2) - 8 \cdot (2 \cdot b^3 \cdot c^2 \cdot x^2 \cdot \log(c) - 3 \cdot b^3 \cdot \log(c)) \cdot \log(x)) \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1}) - (16 \cdot b^6 \cdot x^3 \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1})^4 + b^6 \cdot x^3 \cdot \log(c^2 \cdot x^2)^4 + 64 \cdot b^6 \cdot x^3 \cdot \log(c) \cdot \log(x)^3 + 16 \cdot b^6 \cdot x^3 \cdot \log(x)^4 + 64 \cdot a \cdot b^5 \cdot x^3 \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1})^3 + 32 \cdot (3 \cdot b^6 \cdot \log(c)^2 + a^2 \cdot b^4) \cdot x^3 \cdot \log(x)^2 + 64 \cdot (b^6 \cdot \log(c)^3 + a^2 \cdot b^4 \cdot \log(c)) \cdot x^3 \cdot \log(x) + 16 \cdot (b^6 \cdot \log(c)^4 + 2 \cdot a^2 \cdot b^4 \cdot \log(c)^2 + a^4 \cdot b^2) \cdot x^3$$

```

3 - 8*(b^6*x^3*log(c) + b^6*x^3*log(x))*log(c^2*x^2)^3 + 8*(b^6*x^3*log(c^2
*x^2)^2 + 8*b^6*x^3*log(c)*log(x) + 4*b^6*x^3*log(x)^2 + 4*(b^6*log(c)^2 +
3*a^2*b^4)*x^3 - 4*(b^6*x^3*log(c) + b^6*x^3*log(x))*log(c^2*x^2))*arctan(s
qrt(c*x + 1)*sqrt(c*x - 1))^2 + 8*(6*b^6*x^3*log(c)*log(x) + 3*b^6*x^3*log(
x)^2 + (3*b^6*log(c)^2 + a^2*b^4)*x^3)*log(c^2*x^2)^2 + 16*(a*b^5*x^3*log(c
^2*x^2)^2 + 8*a*b^5*x^3*log(c)*log(x) + 4*a*b^5*x^3*log(x)^2 + 4*(a*b^5*log
(c)^2 + a^3*b^3)*x^3 - 4*(a*b^5*x^3*log(c) + a*b^5*x^3*log(x))*log(c^2*x^2)
)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 32*(3*b^6*x^3*log(c)*log(x)^2 + b^6
*x^3*log(x)^3 + (3*b^6*log(c)^2 + a^2*b^4)*x^3*log(x) + (b^6*log(c)^3 + a^2
*b^4*log(c))*x^3)*log(c^2*x^2))*integrate(2*(2*a*c^2*x^2 + (2*b*c^2*x^2 - 9
*b)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 9*a)/(4*b^4*x^4*arctan(sqrt(c*x +
1)*sqrt(c*x - 1))^2 + b^4*x^4*log(c^2*x^2)^2 + 8*b^4*x^4*log(c)*log(x) + 4
*b^4*x^4*log(x)^2 + 8*a*b^3*x^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + 4*(b^
4*log(c)^2 + a^2*b^2)*x^4 - 4*(b^4*x^4*log(c) + b^4*x^4*log(x))*log(c^2*x^2
)), x) + 8*(2*a*b^2*c^2*x^2*log(c) - 3*a*b^2*log(c) + (2*a*b^2*c^2*x^2 - 3*
a*b^2)*log(x))*log(c^2*x^2) - 16*(2*a*b^2*c^2*x^2*log(c) - 3*a*b^2*log(c))*
log(x))/(16*b^6*x^3*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^4 + b^6*x^3*log(c^2
*x^2)^4 + 64*b^6*x^3*log(c)*log(x)^3 + 16*b^6*x^3*log(x)^4 + 64*a*b^5*x^3*a
rctan(sqrt(c*x + 1)*sqrt(c*x - 1))^3 + 32*(3*b^6*log(c)^2 + a^2*b^4)*x^3*lo
g(x)^2 + 64*(b^6*log(c)^3 + a^2*b^4*log(c))*x^3*log(x) + 16*(b^6*log(c)^4 +
2*a^2*b^4*log(c)^2 + a^4*b^2)*x^3 - 8*(b^6*x^3*log(c) + b^6*x^3*log(x))*lo
g(c^2*x^2)^3 + 8*(b^6*x^3*log(c^2*x^2)^2 + 8*b^6*x^3*log(c)*log(x) + 4*b^6*
x^3*log(x)^2 + 4*(b^6*log(c)^2 + 3*a^2*b^4)*x^3 - 4*(b^6*x^3*log(c) + b^6*x
^3*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + 8*(6*b^6*x
^3*log(c)*log(x) + 3*b^6*x^3*log(x)^2 + (3*b^6*log(c)^2 + a^2*b^4)*x^3)*log
(c^2*x^2)^2 + 16*(a*b^5*x^3*log(c^2*x^2)^2 + 8*a*b^5*x^3*log(c)*log(x) + 4*
a*b^5*x^3*log(x)^2 + 4*(a*b^5*log(c)^2 + a^3*b^3)*x^3 - 4*(a*b^5*x^3*log(c)
+ a*b^5*x^3*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 32
*(3*b^6*x^3*log(c)*log(x)^2 + b^6*x^3*log(x)^3 + (3*b^6*log(c)^2 + a^2*b^4)
*x^3*log(x) + (b^6*log(c)^3 + a^2*b^4*log(c))*x^3)*log(c^2*x^2))

```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*arcsec(c*x))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*x^4*arcsec(c*x)^3 + 3*a*b^2*x^4*arcsec(c*x)^2 + 3*a^2*b*x^4
*arcsec(c*x) + a^3*x^4), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4 (a + b \operatorname{asec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**4/(a+b*asec(c*x))**3,x)

[Out] Integral(1/(x**4*(a + b*asec(c*x))**3), x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 1640 vs. $2(210) = 420$.

time = 0.54, size = 1640, normalized size = 7.19

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*arcsec(c*x))^3,x, algorithm="giac")

[Out]
$$\frac{1}{8} \cdot (36 \cdot b^2 \cdot c^2 \cdot \arccos(1/(c \cdot x))^2 \cdot \cos(a/b)^2 \cdot \cos_integral(3 \cdot a/b + 3 \cdot \arccos(1/(c \cdot x))) \cdot \sin(a/b) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) - 36 \cdot b^2 \cdot c^2 \cdot \arccos(1/(c \cdot x))^2 \cdot \cos(a/b)^3 \cdot \sin_integral(3 \cdot a/b + 3 \cdot \arccos(1/(c \cdot x))) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + 72 \cdot a \cdot b \cdot c^2 \cdot \arccos(1/(c \cdot x)) \cdot \cos(a/b)^2 \cdot \cos_integral(3 \cdot a/b + 3 \cdot \arccos(1/(c \cdot x))) \cdot \sin(a/b) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) - 72 \cdot a \cdot b \cdot c^2 \cdot \arccos(1/(c \cdot x)) \cdot \cos(a/b)^3 \cdot \sin_integral(3 \cdot a/b + 3 \cdot \arccos(1/(c \cdot x))) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) - 9 \cdot b^2 \cdot c^2 \cdot \arccos(1/(c \cdot x))^2 \cdot \cos_integral(3 \cdot a/b + 3 \cdot \arccos(1/(c \cdot x))) \cdot \sin(a/b) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + 36 \cdot a^2 \cdot c^2 \cdot \cos(a/b)^2 \cdot \cos_integral(3 \cdot a/b + 3 \cdot \arccos(1/(c \cdot x))) \cdot \sin(a/b) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + b^2 \cdot c^2 \cdot \arccos(1/(c \cdot x))^2 \cdot \cos_integral(a/b + \arccos(1/(c \cdot x))) \cdot \sin(a/b) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + 27 \cdot b^2 \cdot c^2 \cdot \arccos(1/(c \cdot x))^2 \cdot \cos(a/b) \cdot \sin_integral(3 \cdot a/b + 3 \cdot \arccos(1/(c \cdot x))) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) - 36 \cdot a^2 \cdot c^2 \cdot \cos(a/b)^3 \cdot \sin_integral(3 \cdot a/b + 3 \cdot \arccos(1/(c \cdot x))) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) - b^2 \cdot c^2 \cdot \arccos(1/(c \cdot x))^2 \cdot \cos(a/b) \cdot \sin_integral(a/b + \arccos(1/(c \cdot x))) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) - 18 \cdot a \cdot b \cdot c^2 \cdot \arccos(1/(c \cdot x)) \cdot \cos_integral(3 \cdot a/b + 3 \cdot \arccos(1/(c \cdot x))) \cdot \sin(a/b) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + 2 \cdot a \cdot b \cdot c^2 \cdot \arccos(1/(c \cdot x)) \cdot \cos_integral(a/b + \arccos(1/(c \cdot x))) \cdot \sin(a/b) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + 54 \cdot a \cdot b \cdot c^2 \cdot \arccos(1/(c \cdot x)) \cdot \cos(a/b) \cdot \sin_integral(3 \cdot a/b + 3 \cdot \arccos(1/(c \cdot x))) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) - 2 \cdot a \cdot b \cdot c^2 \cdot \arccos(1/(c \cdot x)) \cdot \cos(a/b) \cdot \sin_integral(a/b + \arccos(1/(c \cdot x))) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) - 9 \cdot a^2 \cdot c^2 \cdot \cos_integral(3 \cdot a/b + 3 \cdot \arccos(1/(c \cdot x))) \cdot \sin(a/b) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + a^2 \cdot c^2 \cdot \cos_integral(a/b + \arccos(1/(c \cdot x))) \cdot \sin(a/b) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) + 27 \cdot a^2 \cdot c^2 \cdot \cos(a/b) \cdot \sin_integral(3 \cdot a/b + 3 \cdot \arccos(1/(c \cdot x))) / (b^5 \cdot \arccos(1/(c \cdot x))^2 + 2 \cdot a \cdot b^4 \cdot \arccos(1/(c \cdot x)) + a^2 \cdot b^3) - a^2 \cdot c^2 \cdot \cos(a/b) \cdot \sin_integral(a/b +$$

```
arccos(1/(c*x)))/(b^5*arccos(1/(c*x))^2 + 2*a*b^4*arccos(1/(c*x)) + a^2*b^3
) + 8*b^2*c*arccos(1/(c*x))/((b^5*arccos(1/(c*x))^2 + 2*a*b^4*arccos(1/(c*x)
)) + a^2*b^3)*x) + 8*a*b*c/((b^5*arccos(1/(c*x))^2 + 2*a*b^4*arccos(1/(c*x)
) + a^2*b^3)*x) - 4*b^2*sqrt(-1/(c^2*x^2) + 1)/((b^5*arccos(1/(c*x))^2 + 2*
a*b^4*arccos(1/(c*x)) + a^2*b^3)*x^2) - 12*b^2*arccos(1/(c*x))/((b^5*arccos
(1/(c*x))^2 + 2*a*b^4*arccos(1/(c*x)) + a^2*b^3)*c*x^3) - 12*a*b/((b^5*arcc
os(1/(c*x))^2 + 2*a*b^4*arccos(1/(c*x)) + a^2*b^3)*c*x^3))*c
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^4 \left(a + b \arccos\left(\frac{1}{cx}\right)\right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4*(a + b*arccos(1/(c*x)))^3),x)

[Out] int(1/(x^4*(a + b*arccos(1/(c*x)))^3), x)

3.51 $\int (dx)^m (a + b \sec^{-1}(cx))^3 dx$

Optimal. Leaf size=19

$$\text{Int}\left((dx)^m (a + b \sec^{-1}(cx))^3, x\right)$$

[Out] Unintegrable((d*x)^m*(a+b*arcsec(c*x))^3,x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (dx)^m (a + b \sec^{-1}(cx))^3 dx$$

Verification is not applicable to the result.

[In] Int[(d*x)^m*(a + b*ArcSec[c*x])^3,x]

[Out] Defer[Int] [(d*x)^m*(a + b*ArcSec[c*x])^3, x]

Rubi steps

$$\int (dx)^m (a + b \sec^{-1}(cx))^3 dx = \int (dx)^m (a + b \sec^{-1}(cx))^3 dx$$

Mathematica [A]

time = 4.92, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \sec^{-1}(cx))^3 dx$$

Verification is not applicable to the result.

[In] Integrate[(d*x)^m*(a + b*ArcSec[c*x])^3,x]

[Out] Integrate[(d*x)^m*(a + b*ArcSec[c*x])^3, x]

Maple [A]

time = 0.77, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{arcsec}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^m*(a+b*arcsec(c*x))^3,x)`

[Out] `int((d*x)^m*(a+b*arcsec(c*x))^3,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arcsec(c*x))^3,x, algorithm="maxima")`

[Out] $(d*x)^{(m+1)}*a^3/(d*(m+1)) + 1/4*(4*b^3*d^m*x^m*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1})^3 - 3*b^3*d^m*x^m*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}*\log(c^2*x^2)^2 - 4*(m+1)*\int(3/4*(4*(a*b^2*d^m*m + a*b^2*d^m - (a*b^2*c^2*d^m*m + a*b^2*c^2*d^m)*x^2)*x^m*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1})^2 - (a*b^2*d^m*m + a*b^2*d^m - (a*b^2*c^2*d^m*m + a*b^2*c^2*d^m)*x^2)*x^m*\log(c^2*x^2)^2 - 4*(a*b^2*d^m*m + a*b^2*d^m - (a*b^2*c^2*d^m*m + a*b^2*c^2*d^m)*x^2)*x^m*\log(x)^2 - 8*(a*b^2*d^m*m*\log(c) + a*b^2*d^m*\log(c) - (a*b^2*c^2*d^m*m*\log(c) + a*b^2*c^2*d^m*\log(c))*x^2)*x^m*\log(x) + (4*b^3*d^m*x^m*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1})^2 - b^3*d^m*x^m*\log(c^2*x^2)^2)*\sqrt{c*x+1}*\sqrt{c*x-1} - 4*(a*b^2*d^m*m*\log(c)^2 + a*b^2*d^m*\log(c)^2 - (a*b^2*c^2*d^m*m*\log(c)^2 + a*b^2*c^2*d^m*\log(c)^2)*x^2)*x^m - 4*((b^3*d^m*m + b^3*d^m - (b^3*c^2*d^m*m + b^3*c^2*d^m)*x^2)*x^m*\log(x)^2 + 2*(b^3*d^m*m*\log(c) + b^3*d^m*\log(c) - (b^3*c^2*d^m*m*\log(c) + b^3*c^2*d^m*\log(c))*x^2)*x^m*\log(x) + ((b^3*\log(c)^2 - a^2*b)*d^m*m - ((b^3*c^2*\log(c)^2 - a^2*b*c^2)*d^m*m + (b^3*c^2*\log(c)^2 - a^2*b*c^2)*d^m)*x^2 + (b^3*\log(c)^2 - a^2*b)*d^m)*x^m - ((b^3*d^m*m + b^3*d^m - (b^3*c^2*d^m*m + b^3*c^2*d^m)*x^2)*x^m*\log(x) + (b^3*d^m*m*\log(c) - (b^3*c^2*d^m*m*\log(c) + (b^3*c^2*\log(c) + b^3*c^2)*d^m)*x^2 + (b^3*\log(c) + b^3)*d^m)*x^m)*\log(c^2*x^2))*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + 4*((a*b^2*d^m*m + a*b^2*d^m - (a*b^2*c^2*d^m*m + a*b^2*c^2*d^m)*x^2)*x^m*\log(x) + (a*b^2*d^m*m*\log(c) + a*b^2*d^m*\log(c) - (a*b^2*c^2*d^m*m*\log(c) + a*b^2*c^2*d^m*\log(c))*x^2)*x^m)*\log(c^2*x^2))/((c^2*m + c^2)*x^2 - m - 1), x))/(m+1)$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arcsec(c*x))^3,x, algorithm="fricas")`

[Out] `integral((b^3*arcsec(c*x))^3 + 3*a*b^2*arcsec(c*x)^2 + 3*a^2*b*arcsec(c*x) + a^3)*(d*x)^m, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{asec}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**m*(a+b*asec(c*x))**3,x)**[Out]** Integral((d*x)**m*(a + b*asec(c*x))**3, x)**Giac [A]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m*(a+b*arcsec(c*x))^3,x, algorithm="giac")**[Out]** integrate((b*arcsec(c*x) + a)^3*(d*x)^m, x)**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int (dx)^m \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m*(a + b*acos(1/(c*x)))^3,x)**[Out]** int((d*x)^m*(a + b*acos(1/(c*x)))^3, x)

3.52 $\int (dx)^m (a + b \sec^{-1}(cx))^2 dx$

Optimal. Leaf size=19

$$\text{Int}\left((dx)^m (a + b \sec^{-1}(cx))^2, x\right)$$

[Out] Unintegrable((d*x)^m*(a+b*arcsec(c*x))^2,x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (dx)^m (a + b \sec^{-1}(cx))^2 dx$$

Verification is not applicable to the result.

[In] Int[(d*x)^m*(a + b*ArcSec[c*x])^2,x]

[Out] Defer[Int] [(d*x)^m*(a + b*ArcSec[c*x])^2, x]

Rubi steps

$$\int (dx)^m (a + b \sec^{-1}(cx))^2 dx = \int (dx)^m (a + b \sec^{-1}(cx))^2 dx$$

Mathematica [A]

time = 3.21, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \sec^{-1}(cx))^2 dx$$

Verification is not applicable to the result.

[In] Integrate[(d*x)^m*(a + b*ArcSec[c*x])^2,x]

[Out] Integrate[(d*x)^m*(a + b*ArcSec[c*x])^2, x]

Maple [A]

time = 0.81, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \text{arcsec}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^m*(a+b*arcsec(c*x))^2,x)`

[Out] `int((d*x)^m*(a+b*arcsec(c*x))^2,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arcsec(c*x))^2,x, algorithm="maxima")`

[Out] $(d*x)^{m+1} * a^2 / (d*(m+1)) + 1/4 * (4*b^2*d^m*x*x^m*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1})^2 - b^2*d^m*x*x^m*\log(c^2*x^2)^2 - 4*(m+1)*\int (2*\sqrt{c*x+1}*\sqrt{c*x-1}*b^2*d^m*x^m*\arctan(\sqrt{c*x+1}*\sqrt{c*x-1}) - (b^2*d^m*m + b^2*d^m - (b^2*c^2*d^m*m + b^2*c^2*d^m)*x^2)*x^m*\log(x)^2 + 2*(a*b*d^m*m + a*b*d^m - (a*b*c^2*d^m*m + a*b*c^2*d^m)*x^2)*x^m*\arctan(\sqrt{c*x+1}*\sqrt{c*x-1}) - 2*(b^2*d^m*m*\log(c) + b^2*d^m*\log(c) - (b^2*c^2*d^m*m*\log(c) + b^2*c^2*d^m*\log(c))*x^2)*x^m*\log(x) - (b^2*d^m*m*\log(c)^2 + b^2*d^m*\log(c)^2 - (b^2*c^2*d^m*m*\log(c)^2 + b^2*c^2*d^m*\log(c)^2)*x^2)*x^m + ((b^2*d^m*m + b^2*d^m - (b^2*c^2*d^m*m + b^2*c^2*d^m)*x^2)*x^m*\log(x) + (b^2*d^m*m*\log(c) - (b^2*c^2*d^m*m*\log(c) + (b^2*c^2*\log(c) + b^2*c^2)*d^m)*x^2 + (b^2*\log(c) + b^2)*d^m)*x^m)*\log(c^2*x^2)) / ((c^2*m + c^2)*x^2 - m - 1), x) / (m + 1)$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arcsec(c*x))^2,x, algorithm="fricas")`

[Out] `integral((b^2*arcsec(c*x)^2 + 2*a*b*arcsec(c*x) + a^2)*(d*x)^m, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{asec}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m*(a+b*asec(c*x))**2,x)`

[Out] `Integral((d*x)**m*(a + b*asec(c*x))**2, x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m*(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^2*(d*x)^m, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.05

$$\int (dx)^m \left(a + b \operatorname{acos} \left(\frac{1}{cx} \right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m*(a + b*acos(1/(c*x)))^2,x)

[Out] int((d*x)^m*(a + b*acos(1/(c*x)))^2, x)

3.53 $\int (dx)^m (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=67

$$\frac{(dx)^{1+m} (a + b \sec^{-1}(cx))}{d(1+m)} - \frac{b(dx)^m {}_2F_1\left(\frac{1}{2}, -\frac{m}{2}; 1 - \frac{m}{2}; \frac{1}{c^2 x^2}\right)}{cm(1+m)}$$

[Out] $(d*x)^{(1+m)*(a+b*arcsec(c*x))/d/(1+m)-b*(d*x)^m*hypergeom([1/2, -1/2*m], [1-1/2*m], 1/c^2/x^2)/c/m/(1+m)$

Rubi [A]

time = 0.04, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {5328, 346, 371}

$$\frac{(dx)^{m+1} (a + b \sec^{-1}(cx))}{d(m+1)} - \frac{b(dx)^m {}_2F_1\left(\frac{1}{2}, -\frac{m}{2}; 1 - \frac{m}{2}; \frac{1}{c^2 x^2}\right)}{cm(m+1)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d*x)^m*(a + b*ArcSec[c*x]), x]$

[Out] $((d*x)^{(1+m)*(a + b*ArcSec[c*x])}/(d*(1+m)) - (b*(d*x)^m*Hypergeometric2F1[1/2, -1/2*m, 1 - m/2, 1/(c^2*x^2)])/(c*m*(1+m)))$

Rule 346

$\text{Int}[(c_*)*(x_)^{(m_*)}*((a_) + (b_*)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[(-c^{(-1)})*(c*x)^{(m+1)}*(1/x)^{(m+1)}, \text{Subst}[\text{Int}[(a + b/x^n)^p/x^{(m+2)}], x], x, 1/x], x] /;$ FreeQ[{a, b, c, m, p}, x] && ILtQ[n, 0] && !RationalQ[m]

Rule 371

$\text{Int}[(c_*)*(x_)^{(m_*)}*((a_) + (b_*)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[a^p*((c*x)^{(m+1)}/(c*(m+1)))*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, (-b)*(x^n/a)], x] /;$ FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 5328

$\text{Int}[(a_*) + \text{ArcSec}[(c_*)*(x_*)]* (b_*)*((d_*)*(x_*)^{(m_*)}), x_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*((a + b*ArcSec[c*x])/(d*(m+1))), x] - \text{Dist}[b*(d/(c*(m+1))), \text{Int}[(d*x)^{(m-1)}/\text{Sqrt}[1 - 1/(c^2*x^2)], x], x] /;$ FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int (dx)^m (a + b \sec^{-1}(cx)) dx &= \frac{(dx)^{1+m} (a + b \sec^{-1}(cx))}{d(1+m)} - \frac{(bd) \int \frac{(dx)^{-1+m}}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{c(1+m)} \\
&= \frac{(dx)^{1+m} (a + b \sec^{-1}(cx))}{d(1+m)} + \frac{(b(\frac{1}{x})^m (dx)^m) \text{Subst} \left(\int \frac{x^{-1-m}}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{c(1+m)} \\
&= \frac{(dx)^{1+m} (a + b \sec^{-1}(cx))}{d(1+m)} - \frac{b(dx)^m {}_2F_1\left(\frac{1}{2}, -\frac{m}{2}; 1 - \frac{m}{2}; \frac{1}{c^2 x^2}\right)}{cm(1+m)}
\end{aligned}$$

Mathematica [A]

time = 0.18, size = 82, normalized size = 1.22

$$\frac{x(dx)^m \left((1+m)(a + b \sec^{-1}(cx)) + \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}} {}_2F_1\left(\frac{1}{2}, \frac{1+m}{2}; \frac{3+m}{2}; c^2 x^2\right)}{\sqrt{1 - c^2 x^2}} \right)}{(1+m)^2}$$

Antiderivative was successfully verified.

`[In] Integrate[(d*x)^m*(a + b*ArcSec[c*x]),x]`

```
[Out] (x*(d*x)^m*((1+m)*(a + b*ArcSec[c*x]) + (b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/Sqrt[1 - c^2*x^2]))/(1+m)^2
```

Maple [F]

time = 1.24, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((d*x)^m*(a+b*arcsec(c*x)),x)``[Out] int((d*x)^m*(a+b*arcsec(c*x)),x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] (d^m*x*x^m*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - (c^2*d^m*m + c^2*d^m)*integrate(-sqrt(c*x + 1)*sqrt(c*x - 1)*x^m/(c^2*m - (c^4*m + c^4)*x^2 + c^2), x)))*b/(m + 1) + (d*x)^(m + 1)*a/(d*(m + 1))

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)*(d*x)^m, x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{asec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**m*(a+b*asec(c*x)),x)

[Out] Integral((d*x)**m*(a + b*asec(c*x)), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*(d*x)^m, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int (dx)^m \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m*(a + b*acos(1/(c*x))),x)

[Out] int((d*x)^m*(a + b*acos(1/(c*x))), x)

$$3.54 \quad \int \frac{(dx)^m}{a + b \sec^{-1}(cx)} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{(dx)^m}{a + b \sec^{-1}(cx)}, x\right)$$

[Out] Unintegrable((d*x)^m/(a+b*arcsec(c*x)), x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(dx)^m}{a + b \sec^{-1}(cx)} dx$$

Verification is not applicable to the result.

[In] Int[(d*x)^m/(a + b*ArcSec[c*x]), x]

[Out] Defer[Int] [(d*x)^m/(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int \frac{(dx)^m}{a + b \sec^{-1}(cx)} dx = \int \frac{(dx)^m}{a + b \sec^{-1}(cx)} dx$$

Mathematica [A]

time = 0.62, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{a + b \sec^{-1}(cx)} dx$$

Verification is not applicable to the result.

[In] Integrate[(d*x)^m/(a + b*ArcSec[c*x]), x]

[Out] Integrate[(d*x)^m/(a + b*ArcSec[c*x]), x]

Maple [A]

time = 1.42, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{a + b \operatorname{arcsec}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^m/(a+b*arcsec(c*x)),x)`

[Out] `int((d*x)^m/(a+b*arcsec(c*x)),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] `integrate((d*x)^m/(b*arcsec(c*x) + a), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] `integral((d*x)^m/(b*arcsec(c*x) + a), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{a + b \operatorname{asec}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m/(a+b*asec(c*x)),x)`

[Out] `Integral((d*x)**m/(a + b*asec(c*x)), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] `integrate((d*x)^m/(b*arcsec(c*x) + a), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(dx)^m}{a + b \operatorname{acos}\left(\frac{1}{cx}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^m/(a + b*acos(1/(c*x))),x)
```

```
[Out] int((d*x)^m/(a + b*acos(1/(c*x))), x)
```

$$3.55 \quad \int \frac{(dx)^m}{(a+b \sec^{-1}(cx))^2} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{(dx)^m}{(a+b \sec^{-1}(cx))^2}, x\right)$$

[Out] Unintegrable((d*x)^m/(a+b*arcsec(c*x))^2,x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$,

Rules used = {}

$$\int \frac{(dx)^m}{(a+b \sec^{-1}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Int[(d*x)^m/(a + b*ArcSec[c*x])^2,x]

[Out] Defer[Int] [(d*x)^m/(a + b*ArcSec[c*x])^2, x]

Rubi steps

$$\int \frac{(dx)^m}{(a+b \sec^{-1}(cx))^2} dx = \int \frac{(dx)^m}{(a+b \sec^{-1}(cx))^2} dx$$

Mathematica [A]

time = 1.28, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{(a+b \sec^{-1}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(d*x)^m/(a + b*ArcSec[c*x])^2,x]

[Out] Integrate[(d*x)^m/(a + b*ArcSec[c*x])^2, x]

Maple [A]

time = 0.86, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{(a+b \operatorname{arcsec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^m/(a+b*arcsec(c*x))^2,x)`

[Out] `int((d*x)^m/(a+b*arcsec(c*x))^2,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arcsec(c*x))^2,x, algorithm="maxima")`

[Out]
$$-(4*(b*d^m*x^m*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + a*d^m*x^m)*\sqrt{c*x+1}*\sqrt{c*x-1} - (4*b^3*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1})^2 + b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2))*\int(4*((b*d^m*m - (b*c^2*d^m*m + 2*b*c^2*d^m)*x^2 + b*d^m)*x^m*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + (a*d^m*m - (a*c^2*d^m*m + 2*a*c^2*d^m)*x^2 + a*d^m)*x^m)*\sqrt{c*x+1}*\sqrt{c*x-1}/(4*b^3*\log(c)^2 + 4*a^2*b - 4*(b^3*c^2*\log(c)^2 + a^2*b*c^2)*x^2 - 4*(b^3*c^2*x^2 - b^3)*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1})^2 - (b^3*c^2*x^2 - b^3)*\log(c^2*x^2)^2 - 4*(b^3*c^2*x^2 - b^3)*\log(x)^2 - 8*(a*b^2*c^2*x^2 - a*b^2)*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + 4*(b^3*c^2*x^2*\log(c) - b^3*\log(c) + (b^3*c^2*x^2 - b^3)*\log(x))*\log(c^2*x^2) - 8*(b^3*c^2*x^2*\log(c) - b^3*\log(c))*\log(x)), x)/(4*b^3*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1})^2 + b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2))$$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arcsec(c*x))^2,x, algorithm="fricas")`

[Out] `integral((d*x)^m/(b^2*arcsec(c*x)^2 + 2*a*b*arcsec(c*x) + a^2), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{(a + b \operatorname{asec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**m/(a+b*asec(c*x))**2,x)

[Out] Integral((d*x)**m/(a + b*asec(c*x))**2, x)

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m/(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] integrate((d*x)^m/(b*arcsec(c*x) + a)^2, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(dx)^m}{\left(a + b \operatorname{acos}\left(\frac{1}{cx}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m/(a + b*acos(1/(c*x)))^2,x)

[Out] int((d*x)^m/(a + b*acos(1/(c*x)))^2, x)

3.56 $\int (d + ex)^3 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=167

$$\frac{be(9c^2d^2 + e^2) \sqrt{1 - \frac{1}{c^2x^2}} x}{6c^3} - \frac{bde^2 \sqrt{1 - \frac{1}{c^2x^2}} x^2}{2c} - \frac{be^3 \sqrt{1 - \frac{1}{c^2x^2}} x^3}{12c} + \frac{bd^4 \csc^{-1}(cx)}{4e} + \frac{(d + ex)^4 (a + b \sec^{-1}(cx))}{4e}$$

[Out] $\frac{1}{4} b d^4 \operatorname{arccsc}(c x) / e + \frac{1}{4} (e x + d)^4 (a + b \operatorname{arcsec}(c x)) / e - \frac{1}{2} b d (2 c^2 d^2 + e^2) \operatorname{arctanh}\left(\frac{(1 - 1/c^2/x^2)^{1/2}}{c}\right) / c^3 - \frac{1}{6} b e (9 c^2 d^2 + e^2) x (1 - 1/c^2/x^2)^{1/2} / c^3 - \frac{1}{2} b d e^2 x^2 (1 - 1/c^2/x^2)^{1/2} / c - \frac{1}{12} b e^3 x^3 (1 - 1/c^2/x^2)^{1/2} / c$

Rubi [A]

time = 0.28, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$, Rules used = {5334, 1582, 1489, 1821, 858, 222, 272, 65, 214}

$$\frac{(d + ex)^4 (a + b \sec^{-1}(cx))}{4e} - \frac{bde^2x^2 \sqrt{1 - \frac{1}{c^2x^2}}}{2c} - \frac{be^3x^3 \sqrt{1 - \frac{1}{c^2x^2}}}{12c} - \frac{bex \sqrt{1 - \frac{1}{c^2x^2}} (9c^2d^2 + e^2)}{6c^3} - \frac{bd(2c^2d^2 + e^2) \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2x^2}}\right)}{2c^3} + \frac{bd^4 \csc^{-1}(cx)}{4e}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x)^3*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-\frac{1}{6} b e (9 c^2 d^2 + e^2) \sqrt{1 - 1/(c^2 x^2)} x / c^3 - (b d e^2 \sqrt{1 - 1/(c^2 x^2)} x^2) / (2 c) - (b e^3 \sqrt{1 - 1/(c^2 x^2)} x^3) / (12 c) + (b d^4 \operatorname{ArcCsc}[c x]) / (4 e) + ((d + e x)^4 (a + b \operatorname{ArcSec}[c x])) / (4 e) - (b d (2 c^2 d^2 + e^2) \operatorname{ArcTanh}[\sqrt{1 - 1/(c^2 x^2)}]) / (2 c^3)$

Rule 65

$\text{Int}[(a + b x)^m ((c + d x)^n), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{p(m+1)-1} (c - a(d/b) + d(x^p/b))^n], x], x, (a + b x)^{1/p}], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b c - a d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 214

$\text{Int}[(a + b x^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-a/b, 2]/a) \operatorname{ArcTanh}[x/\text{Rt}[-a/b, 2]], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 222

$\text{Int}[1/\sqrt{(a + b x^2)}, x_Symbol] \rightarrow \text{Simp}[\operatorname{ArcSin}[\text{Rt}[-b, 2] x/\sqrt{a}]]/\text{Rt}[-b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{NegQ}[b]$

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :=> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 858

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :=> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1489

```
Int[(x_)^(m_.)*((a_) + (c_.)*(x_)^(n2_.))^(p_.)*((d_) + (e_.)*(x_)^(n_))^(q
_.), x_Symbol] :=> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(d + e*x)
^q*(a + c*x^2)^p, x], x, x^n], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] &&
EqQ[n2, 2*n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1582

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^(mn_.))^(q_.)*((a_) + (c_.)*(x_)^(n2_.))^(
p_.), x_Symbol] :=> Int[x^(m + mn*q)*(e + d/x^mn)^q*(a + c*x^n2)^p, x] /; F
reeQ[{a, c, d, e, m, mn, p}, x] && EqQ[n2, -2*mn] && IntegerQ[q] && (PosQ[n
2] || !IntegerQ[p])
```

Rule 1821

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] :=> With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[R*(c*x)^(m + 1)*((a + b*x^2)^(p + 1)/(a*c*(m + 1))), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rule 5334

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_))^(m_.), x_Symbol
] :=> Simp[(d + e*x)^(m + 1)*((a + b*ArcSec[c*x])/(e*(m + 1))), x] - Dist[b/
(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)^3 (a+b\sec^{-1}(cx)) dx &= \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e} - \frac{b \int \frac{(d+ex)^4}{\sqrt{1-\frac{1}{c^2x^2}} x^2} dx}{4ce} \\
&= \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e} - \frac{b \int \frac{(e+\frac{d}{x})^4 x^2}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{4ce} \\
&= \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e} + \frac{b \text{Subst} \left(\int \frac{(e+dx)^4}{x^4 \sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{4ce} \\
&= -\frac{be^3 \sqrt{1-\frac{1}{c^2x^2}} x^3}{12c} + \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e} - \frac{b \text{Subst} \left(\int \frac{-12de^3-2e}{\dots} \right)}{\dots} \\
&= -\frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{2c} - \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}} x^3}{12c} + \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e} \\
&= -\frac{be(9c^2d^2+e^2) \sqrt{1-\frac{1}{c^2x^2}} x}{6c^3} - \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{2c} - \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}} x^3}{12c} \\
&= -\frac{be(9c^2d^2+e^2) \sqrt{1-\frac{1}{c^2x^2}} x}{6c^3} - \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{2c} - \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}} x^3}{12c} \\
&= -\frac{be(9c^2d^2+e^2) \sqrt{1-\frac{1}{c^2x^2}} x}{6c^3} - \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{2c} - \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}} x^3}{12c} \\
&= -\frac{be(9c^2d^2+e^2) \sqrt{1-\frac{1}{c^2x^2}} x}{6c^3} - \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{2c} - \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}} x^3}{12c} \\
&= -\frac{be(9c^2d^2+e^2) \sqrt{1-\frac{1}{c^2x^2}} x}{6c^3} - \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{2c} - \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}} x^3}{12c}
\end{aligned}$$

Mathematica [A]

time = 0.17, size = 166, normalized size = 0.99

$$\frac{3ac^3x(4d^3 + 6d^2ex + 4de^2x^2 + e^3x^3) - be\sqrt{1 - \frac{1}{c^2x^2}}x(2e^2 + c^2(18d^2 + 6dex + e^2x^2)) + 3bc^3x(4d^3 + 6d^2ex + 4de^2x^2 + e^3x^3)\sec^{-1}(cx) - 6bd(2c^2d^2 + e^2)\log\left(\left(1 + \sqrt{1 - \frac{1}{c^2x^2}}\right)x\right)}{12c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)^3*(a + b*ArcSec[c*x]), x]

[Out] (3*a*c^3*x*(4*d^3 + 6*d^2*e*x + 4*d*e^2*x^2 + e^3*x^3) - b*e*Sqrt[1 - 1/(c^2*x^2)])*x*(2*e^2 + c^2*(18*d^2 + 6*d*e*x + e^2*x^2)) + 3*b*c^3*x*(4*d^3 + 6*d^2*e*x + 4*d*e^2*x^2 + e^3*x^3)*ArcSec[c*x] - 6*b*d*(2*c^2*d^2 + e^2)*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x]/(12*c^3)

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 413 vs. 2(147) = 294.

time = 0.15, size = 414, normalized size = 2.48

| method | result |
|-------------------|--|
| derivativedivides | $\frac{(cex+cd)^4 a}{4c^3 e} + \frac{bc \operatorname{arcsec}(cx)d^4}{4e} + b \operatorname{arcsec}(cx)d^3 cx + \frac{3bce \operatorname{arcsec}(cx)d^2 x^2}{2} + bc e^2 \operatorname{arcsec}(cx)d x^3 + \frac{bc e^3 \operatorname{arcsec}(cx)x^4}{4} + \frac{b\sqrt{c^2 x^2 - 1}}{c^2}$ |
| default | $\frac{(cex+cd)^4 a}{4c^3 e} + \frac{bc \operatorname{arcsec}(cx)d^4}{4e} + b \operatorname{arcsec}(cx)d^3 cx + \frac{3bce \operatorname{arcsec}(cx)d^2 x^2}{2} + bc e^2 \operatorname{arcsec}(cx)d x^3 + \frac{bc e^3 \operatorname{arcsec}(cx)x^4}{4} + \frac{b\sqrt{c^2 x^2 - 1}}{c^2}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^3*(a+b*arcsec(c*x)), x, method=_RETURNVERBOSE)

[Out] 1/c*(1/4*(c*e*x+c*d)^4*a/c^3/e+1/4*b*c/e*arcsec(c*x)*d^4+b*arcsec(c*x)*d^3*c*x+3/2*b*c*e*arcsec(c*x)*d^2*x^2+b*c*e^2*arcsec(c*x)*d*x^3+1/4*b*c*e^3*arcsec(c*x)*x^4+1/4*b/e*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d^4*arctan(1/(c^2*x^2-1)^(1/2))-b*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x*d^3*ln(c*x+(c^2*x^2-1)^(1/2))-3/2*b/c^2*e*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d^2-1/2*b/c^2*e^2*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)*d-1/12*b/c^2*e^3*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)*x-1/2*b/c^3*e^2*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d*ln(c*x+(c^2*x^2-1)^(1/2))-1/6*b/c^4*e^3*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x)

Maxima [A]

time = 0.26, size = 270, normalized size = 1.62

$$\frac{1}{4}ax^4 + adx^3 + \frac{3}{2}ae^2x^2 + ad^2x + \frac{3}{2}\left(x^2 \operatorname{arccsc}\left(\frac{cx}{c}\right) - \frac{x\sqrt{1 - \frac{1}{c^2x^2}}}{c}\right) \ln^2\left(\frac{2cx \operatorname{arccsc}(cx) - \log\left(\sqrt{1 - \frac{1}{c^2x^2}} + 1\right) + \log\left(-\sqrt{1 - \frac{1}{c^2x^2}} + 1\right)}{2c}\right) \ln^2\left(\frac{2cx \operatorname{arccsc}(cx) - \log\left(\sqrt{1 - \frac{1}{c^2x^2}} + 1\right) + \log\left(-\sqrt{1 - \frac{1}{c^2x^2}} + 1\right)}{2c}\right) + \frac{1}{4}\left(4x^3 \operatorname{arccsc}(cx) - \frac{x\sqrt{1 - \frac{1}{c^2x^2}}}{c} + \frac{\log\left(\sqrt{1 - \frac{1}{c^2x^2}} + 1\right)}{c} - \frac{\log\left(-\sqrt{1 - \frac{1}{c^2x^2}} + 1\right)}{c}\right) \ln^2\left(\frac{2cx \operatorname{arccsc}(cx) - \log\left(\sqrt{1 - \frac{1}{c^2x^2}} + 1\right) + \log\left(-\sqrt{1 - \frac{1}{c^2x^2}} + 1\right)}{2c}\right) + \frac{1}{12}\left(3x^4 \operatorname{arccsc}(cx) - \frac{c^2x^3(-2cx + 1)^2 + 3x^2\sqrt{1 - \frac{1}{c^2x^2}}}{c^2}\right) \ln^2\left(\frac{2cx \operatorname{arccsc}(cx) - \log\left(\sqrt{1 - \frac{1}{c^2x^2}} + 1\right) + \log\left(-\sqrt{1 - \frac{1}{c^2x^2}} + 1\right)}{2c}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] $\frac{1}{4}ax^4e^3 + adx^3e^2 + \frac{3}{2}a^2d^2x^2e + a^2d^3x + \frac{3}{2}(x^2\text{arcsec}(cx) - x\sqrt{-1/(c^2x^2) + 1}/c)*bd^2e + \frac{1}{2}(2cx\text{arcsec}(cx) - \log(\sqrt{-1/(c^2x^2) + 1} + 1) + \log(-\sqrt{-1/(c^2x^2) + 1} + 1))*bd^3/c + \frac{1}{4}(4x^3\text{arcsec}(cx) - (2\sqrt{-1/(c^2x^2) + 1}/(c^2(1/(c^2x^2) - 1) + c^2) + \log(\sqrt{-1/(c^2x^2) + 1} + 1)/c^2 - \log(\sqrt{-1/(c^2x^2) + 1} - 1)/c^2)/c)*bd^2e^2 + \frac{1}{12}(3x^4\text{arcsec}(cx) - (c^2x^3(-1/(c^2x^2) + 1)^{(3/2)} + 3x\sqrt{-1/(c^2x^2) + 1}))/c^3)*b^2e^3$

Fricas [A]

time = 1.17, size = 284, normalized size = 1.70

$$\frac{3ac^4x^4 + 12ac^4d^2x^2 + 18ac^4d^2x^2 + 12ac^4d^2x + 3(4bc^4d^2x - 4bc^4d^2 + (bc^4x^2 - bc^4)^2 + 4(bc^4d^2 - bc^4d)^2 + 6(bc^4d^2 - bc^4d)^2)\text{arcsec}(cx) + 6(4bc^4d^2 + 6bc^4d^2e + 4bc^4d^2 + bc^4e^2)\text{arctan}(-cx + \sqrt{c^2x^2 - 1}) + 6(2bc^4d^2 + bcd^2)\log(-cx + \sqrt{c^2x^2 - 1}) - (6bc^4d^2x^2 + 18bc^4d^2e + (bc^4x^2 + 2b)^2)\sqrt{c^2x^2 - 1}}{12c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] $\frac{1}{12}(3a^3c^4x^4e^3 + 12a^3c^4d^2x^3e^2 + 18a^3c^4d^2x^2e + 12a^3c^4d^3x + 3(4b^3c^4d^3x - 4b^3c^4d^3 + (b^3c^4x^4 - b^3c^4)e^3 + 4(b^3c^4d^3x - b^3c^4d^3)e^2 + 6(b^3c^4d^2x^2 - b^3c^4d^2)e)\text{arcsec}(cx) + 6(4b^3c^4d^3 + 6b^3c^4d^2e + 4b^3c^4d^2e^2 + b^3c^4e^3)\text{arctan}(-cx + \sqrt{c^2x^2 - 1}) + 6(2b^3c^3d^3 + b^3cd^3e^2)\log(-cx + \sqrt{c^2x^2 - 1}) - (6b^3c^2d^3x^2e^2 + 18b^3c^2d^3e + (b^3c^2x^2 + 2b^3)e^3)\sqrt{c^2x^2 - 1})/c^4$

Sympy [A]

time = 6.18, size = 362, normalized size = 2.17

$$ad^2x + \frac{3ad^2x^2}{2} + ad^2x^3 + \frac{ad^2x^4}{4} + bd^2x\text{asec}(cx) + \frac{3bd^2x^2\text{asec}(cx)}{2} + bd^2x^3\text{asec}(cx) + \frac{bd^2x^4\text{asec}(cx)}{4} - \frac{bd^2\left(\begin{matrix} \text{acosh}(cx) & \text{for } |c^2x^2| > 1 \\ -i\sin(cx) & \text{otherwise} \end{matrix}\right)}{c} - \frac{3bd^2\left(\begin{matrix} \frac{\sqrt{c^2x^2-1}}{2c} & \text{for } |c^2x^2| > 1 \\ \frac{\sqrt{c^2x^2+1}}{2c} & \text{otherwise} \end{matrix}\right)}{2c} - \frac{bd^2\left(\begin{matrix} \frac{\sqrt{c^2x^2-1}}{2} + \frac{\text{atan}(cx)}{c} & \text{for } |c^2x^2| > 1 \\ -\frac{\sqrt{c^2x^2+1}}{2} + \frac{\text{atan}(cx)}{c} & \text{otherwise} \end{matrix}\right)}{c} - \frac{bd^2\left(\begin{matrix} \frac{\sqrt{c^2x^2-1}}{2} + \frac{\sqrt{c^2x^2-1}}{4c} & \text{for } |c^2x^2| > 1 \\ \frac{\sqrt{c^2x^2+1}}{2} + \frac{\sqrt{c^2x^2+1}}{4c} & \text{otherwise} \end{matrix}\right)}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**3*(a+b*asec(c*x)),x)

[Out] $a^3d^3x + 3a^2d^2e^2x^2/2 + a^2d^2e^2x^3 + a^2d^2e^2x^4/4 + b^3d^3x\text{asec}(cx) + 3b^3d^3e^2x^2\text{asec}(cx)/2 + b^3d^3e^2x^3\text{asec}(cx) + b^3d^3e^2x^4\text{asec}(cx)/4 - b^3d^3\text{Piecewise}(\text{acosh}(cx), \text{Abs}(c^2x^2) > 1), (-I\text{asin}(cx), \text{True}))/c - 3b^3d^3e^2\text{Piecewise}(\sqrt{c^2x^2 - 1}/c, \text{Abs}(c^2x^2) > 1), (I\sqrt{-c^2x^2 + 1}/c, \text{True}))/2c - b^3d^3e^2\text{Piecewise}(x\sqrt{c^2x^2 - 1}/2c + \text{acosh}(cx)/2c^2, \text{Abs}(c^2x^2) > 1), (-Ic^3x^3/2\sqrt{-c^2x^2 + 1}) + Ix/2c\sqrt{-c^2x^2 + 1} - I\text{asin}(cx)/2c^2, \text{True}))/c - b^3d^3e^2\text{Piecewise}(x^2\sqrt{c^2x^2 - 1}/3c + 2\sqrt{c^2x^2 - 1}/3c^3, \text{Abs}(c^2x^2) > 1), (Ix^2\sqrt{-c^2x^2 + 1}/3c + 2I\sqrt{-c^2x^2 + 1}/3c^3, \text{True}))/4c$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 9430 vs. 2(147) = 294.

time = 3.17, size = 9430, normalized size = 56.47

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out]
$$\begin{aligned} & 1/12*(12*b*c^3*d^3*\arccos(1/(c*x))/(c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) \\ & + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1 \\ &)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) - 12*b*c^3*d \\ & ^3*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/(c^5 + 4*c^5*(1/(c^2*x^2) \\ & - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(\\ & 1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^ \\ & 8) + 12*b*c^3*d^3*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/(c^5 + 4*c \\ & ^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + \\ & 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4 \\ & /(1/(c*x) + 1)^8) + 12*a*c^3*d^3/(c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + \\ & 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^ \\ & 3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) + 18*b*c^2*d^2 \\ & *e*\arccos(1/(c*x))/(c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(\\ & 1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1 \\ &)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) + 24*b*c^3*d^3*(1/(c^2*x^2) \\ & - 1)*\arccos(1/(c*x))/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^ \\ & 5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) \\ & + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^2) - 48*b*c \\ & ^3*d^3*(1/(c^2*x^2) - 1)*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/((c \\ & ^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1 \\ & /(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) \\ &) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^2) + 48*b*c^3*d^3*(1/(c^2*x^2) - 1) \\ & *\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/((c^5 + 4*c^5*(1/(c^2*x^2) \\ & - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1 \\ & /(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 \\ &)*(1/(c*x) + 1)^2) + 18*a*c^2*d^2*e/(c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) \\ & + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - \\ & 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) + 24*a*c^3 \\ & d^3*(1/(c^2*x^2) - 1)/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c \\ & ^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) \\ & + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^2) + 12*b* \\ & c*d*e^2*\arccos(1/(c*x))/(c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6* \\ & c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) \\ &) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) - 6*b*c*d*e^2*\log(\text{abs}(s \\ & \text{qrt}(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/(c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c* \\ & x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) \end{aligned}$$

$$\begin{aligned}
& - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) - 72*b*c^3*d^3*(1/(c^2*x^2) - 1)^2*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^4) + 6*b*c*d*e^2*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/(c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) + 72*b*c^3*d^3*(1/(c^2*x^2) - 1)^2*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^4) - 36*b*c^2*d^2*e*\text{sqrt}(-1/(c^2*x^2) + 1)/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)) + 12*a*c*d*e^2/(c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) + 3*b*e^3*\arccos(1/(c*x))/(c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) - 24*b*c*d*e^2*(1/(c^2*x^2) - 1)*\arccos(1/(c*x))/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^2) - 36*b*c^2*d^2*e*(1/(c^2*x^2) - 1)^2*\arccos(1/(c*x))/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^2) - 24*b*c^3*d^3*(1/(c^2*x^2) - 1)^3*\arccos(1/(c*x))/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^6) - 24*b*c*d*e^2*(1/(c^2*x^2) - 1)*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) ...
\end{aligned}$$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \left(a + b \arccos\left(\frac{1}{cx}\right) \right) (d + ex)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))*(d + e*x)^3,x)

[Out] int((a + b*acos(1/(c*x)))*(d + e*x)^3, x)

3.57 $\int (d + ex)^2 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=124

$$-\frac{bde\sqrt{1-\frac{1}{c^2x^2}}}{c} - \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^2}{6c} + \frac{bd^3\csc^{-1}(cx)}{3e} + \frac{(d+ex)^3(a+b\sec^{-1}(cx))}{3e} - \frac{b(6c^2d^2+e^2)\tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{6c^3}$$

[Out] $1/3*b*d^3*arccsc(c*x)/e+1/3*(e*x+d)^3*(a+b*arcsec(c*x))/e-1/6*b*(6*c^2*d^2+e^2)*arctanh((1-1/c^2/x^2)^(1/2))/c^3-b*d*e*x*(1-1/c^2/x^2)^(1/2)/c-1/6*b*e^2*x^2*(1-1/c^2/x^2)^(1/2)/c$

Rubi [A]

time = 0.19, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$, Rules used = {5334, 1582, 1489, 1821, 858, 222, 272, 65, 214}

$$\frac{(d+ex)^3(a+b\sec^{-1}(cx))}{3e} - \frac{bde\sqrt{1-\frac{1}{c^2x^2}}}{c} - \frac{be^2x^2\sqrt{1-\frac{1}{c^2x^2}}}{6c} - \frac{b(6c^2d^2+e^2)\tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{6c^3} + \frac{bd^3\csc^{-1}(cx)}{3e}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x)^2*(a + b*ArcSec[c*x]), x]$

[Out] $-((b*d*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/c) - (b*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(6*c) + (b*d^3*ArcCsc[c*x])/(3*e) + ((d + e*x)^3*(a + b*ArcSec[c*x]))/(3*e) - (b*(6*c^2*d^2 + e^2)*ArcTanh[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(6*c^3)$

Rule 65

$\text{Int}[(a_. + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^(p*(m+1)-1)*(c - a*(d/b) + d*(x^p/b))^(n), x], x, (a + b*x)^(1/p)], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 214

$\text{Int}[(a_. + (b_.)*(x_.)^2)^(-1), x_Symbol] \rightarrow \text{Simp}[\text{Rt}[-a/b, 2]/a*\text{ArcTanh}[x/\text{Rt}[-a/b, 2]], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 222

$\text{Int}[1/\text{Sqrt}[(a_. + (b_.)*(x_.)^2], x_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[\text{Rt}[-b, 2]*(x/\text{Sqrt}[a])]/\text{Rt}[-b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{NegQ}[b]$

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 858

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1489

```
Int[(x_)^(m_.)*((a_) + (c_.)*(x_)^(n2_.))^(p_.)*((d_) + (e_.)*(x_)^(n_))^(q
_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(d + e*x)
^q*(a + c*x^2)^p, x], x, x^n], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] &&
EqQ[n2, 2*n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1582

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^(mn_.))^(q_.)*((a_) + (c_.)*(x_)^(n2_.))^(
p_.), x_Symbol] := Int[x^(m + mn*q)*(e + d/x^mn)^q*(a + c*x^n2)^p, x] /; F
reeQ[{a, c, d, e, m, mn, p}, x] && EqQ[n2, -2*mn] && IntegerQ[q] && (PosQ[n
2] || !IntegerQ[p])
```

Rule 1821

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[R*(c*x)^(m + 1)*((a + b*x^2)^(p + 1)/(a*c*(m + 1))), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rule 5334

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_))^(m_.), x_Symbol
] := Simp[(d + e*x)^(m + 1)*((a + b*ArcSec[c*x])/(e*(m + 1))), x] - Dist[b/
(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)^2 (a+b\sec^{-1}(cx)) dx &= \frac{(d+ex)^3 (a+b\sec^{-1}(cx))}{3e} - \frac{b \int \frac{(d+ex)^3}{\sqrt{1-\frac{1}{c^2x^2}} x^2} dx}{3ce} \\
&= \frac{(d+ex)^3 (a+b\sec^{-1}(cx))}{3e} - \frac{b \int \frac{\left(\frac{e+d}{x}\right)^3 x}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{3ce} \\
&= \frac{(d+ex)^3 (a+b\sec^{-1}(cx))}{3e} + \frac{b \text{Subst} \left(\int \frac{(e+dx)^3}{x^3 \sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{3ce} \\
&= -\frac{be^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{6c} + \frac{(d+ex)^3 (a+b\sec^{-1}(cx))}{3e} - \frac{b \text{Subst} \left(\int \frac{-6de^2-e}{x^2} dx, x, \frac{1}{x} \right)}{3ce} \\
&= -\frac{bde \sqrt{1-\frac{1}{c^2x^2}} x}{c} - \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{6c} + \frac{(d+ex)^3 (a+b\sec^{-1}(cx))}{3e} \\
&= -\frac{bde \sqrt{1-\frac{1}{c^2x^2}} x}{c} - \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{6c} + \frac{(d+ex)^3 (a+b\sec^{-1}(cx))}{3e} \\
&= -\frac{bde \sqrt{1-\frac{1}{c^2x^2}} x}{c} - \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{6c} + \frac{bd^3 \csc^{-1}(cx)}{3e} + \frac{(d+ex)^3 (a+b\sec^{-1}(cx))}{3e} \\
&= -\frac{bde \sqrt{1-\frac{1}{c^2x^2}} x}{c} - \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{6c} + \frac{bd^3 \csc^{-1}(cx)}{3e} + \frac{(d+ex)^3 (a+b\sec^{-1}(cx))}{3e} \\
&= -\frac{bde \sqrt{1-\frac{1}{c^2x^2}} x}{c} - \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{6c} + \frac{bd^3 \csc^{-1}(cx)}{3e} + \frac{(d+ex)^3 (a+b\sec^{-1}(cx))}{3e}
\end{aligned}$$

Mathematica [A]

time = 0.11, size = 124, normalized size = 1.00

$$\frac{c^2 x \left(-be \sqrt{1 - \frac{1}{c^2 x^2}} (6d + ex) + 2ac(3d^2 + 3dex + e^2 x^2) \right) + 2bc^3 x(3d^2 + 3dex + e^2 x^2) \sec^{-1}(cx) - b(6c^2 d^2 + e^2) \log \left(\left(1 + \sqrt{1 - \frac{1}{c^2 x^2}} \right) x \right)}{6c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)^2*(a + b*ArcSec[c*x]),x]

[Out] (c^2*x*(-(b*e*sqrt[1 - 1/(c^2*x^2)]*(6*d + e*x)) + 2*a*c*(3*d^2 + 3*d*e*x + e^2*x^2)) + 2*b*c^3*x*(3*d^2 + 3*d*e*x + e^2*x^2)*ArcSec[c*x] - b*(6*c^2*d^2 + e^2)*Log[(1 + sqrt[1 - 1/(c^2*x^2)])*x])/(6*c^3)

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 316 vs. 2(110) = 220.

time = 0.15, size = 317, normalized size = 2.56

| method | result |
|-------------------|---|
| derivativedivides | $\frac{(cex+cd)^3 a}{3c^2 e} + \frac{bc \operatorname{arcsec}(cx) d^3}{3e} + b \operatorname{arcsec}(cx) d^2 cx + bce \operatorname{arcsec}(cx) d x^2 + \frac{bc e^2 \operatorname{arcsec}(cx) x^3}{3} + \frac{b \sqrt{c^2 x^2 - 1} d^3 \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right)}{3e \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} x}$ |
| default | $\frac{(cex+cd)^3 a}{3c^2 e} + \frac{bc \operatorname{arcsec}(cx) d^3}{3e} + b \operatorname{arcsec}(cx) d^2 cx + bce \operatorname{arcsec}(cx) d x^2 + \frac{bc e^2 \operatorname{arcsec}(cx) x^3}{3} + \frac{b \sqrt{c^2 x^2 - 1} d^3 \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right)}{3e \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} x}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^2*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)

[Out] 1/c*(1/3*(c*e*x+c*d)^3*a/c^2/e+1/3*b*c/e*arcsec(c*x)*d^3+b*arcsec(c*x)*d^2*c*x+b*c*e*arcsec(c*x)*d*x^2+1/3*b*c*e^2*arcsec(c*x)*x^3+1/3*b/e*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d^3*arctan(1/(c^2*x^2-1)^(1/2))-b*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x*d^2*ln(c*x+(c^2*x^2-1)^(1/2))-b/c^2*e*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d-1/6*b/c^2*e^2*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)-1/6*b/c^3*e^2*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*ln(c*x+(c^2*x^2-1)^(1/2)))

Maxima [A]

time = 0.26, size = 200, normalized size = 1.61

$$\frac{1}{3} ax^3 e^2 + adx^2 e + ad^2 x + \left(x^2 \operatorname{arcsec}(cx) - \frac{x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} \right) bde + \frac{\left(2cx \operatorname{arcsec}(cx) - \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1 \right) + \log \left(-\sqrt{-\frac{1}{c^2 x^2} + 1} + 1 \right) \right) bd^2}{2c} + \frac{1}{12} \left(4x^3 \operatorname{arcsec}(cx) - \frac{2 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^2 (\frac{1}{c^2 x^2} - 1) + c^2} + \frac{\log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1 \right)}{c} - \frac{\log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} - 1 \right)}{c} \right) be^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^2*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] $\frac{1}{3}ax^3e^2 + ad^2x^2e + ad^2x + (x^2\text{arcsec}(cx) - x\sqrt{-1/(c^2x^2 + 1)})/c * bde + \frac{1}{2}(2cx\text{arcsec}(cx) - \log(\sqrt{-1/(c^2x^2 + 1)} + 1) + \log(-\sqrt{-1/(c^2x^2 + 1)} + 1)) * bd^2/c + \frac{1}{12}(4x^3\text{arcsec}(cx) - (2\sqrt{-1/(c^2x^2 + 1)})/(c^2(1/(c^2x^2) - 1) + c^2) + \log(\sqrt{-1/(c^2x^2 + 1)} + 1) + 1)/c^2 - \log(\sqrt{-1/(c^2x^2 + 1)} - 1)/c^2)/c * be^2$

Fricas [A]

time = 0.64, size = 208, normalized size = 1.68

$$\frac{2ac^2x^3e^2 + 6acd^2e + 6ac^2d^2x + 2(3bc^2dx - 3bc^2d^2 + (bc^3x^3 - bc^3)e^2 + 3(bc^3dx^2 - bc^3d)e)\text{arcsec}(cx) + 4(3bc^2d^2 + 3bc^2de + bc^2e^2)\arctan\left(\frac{-cx + \sqrt{c^2x^2 - 1}}{c}\right) + (6bc^2d^2 + bc^2)\log\left(\frac{-cx + \sqrt{c^2x^2 - 1}}{c}\right) - \sqrt{c^2x^2 - 1}(bcxe^2 + 6bcde)}{6c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^2*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] $\frac{1}{6}(2a^3c^3x^3e^2 + 6a^3c^3d^2x^2e + 6a^3c^3d^2x + 2(3b^3c^3d^2x - 3b^3c^3d^2 + (b^3c^3x^3 - b^3c^3)e^2 + 3(b^3c^3d^2x - b^3c^3d)e)\text{arcsec}(cx) + 4(3b^3c^3d^2 + 3b^3c^3d^2e + b^3c^3e^2)\arctan(-cx + \sqrt{c^2x^2 - 1}) + (6b^3c^3d^2 + b^3e^2)\log(-cx + \sqrt{c^2x^2 - 1}) - \sqrt{c^2x^2 - 1}(b^3c^3x^3e^2 + 6b^3c^3d^2e))/c^3$

Sympy [A]

time = 4.88, size = 228, normalized size = 1.84

$$ad^2x + ade^2x^2 + \frac{ae^2x^3}{3} + bd^2x\text{asec}(cx) + bde^2x\text{asec}(cx) + \frac{be^2x^3\text{asec}(cx)}{3} - \frac{bd^2\left(\begin{cases} \text{acosh}(cx) & \text{for } |c^2x^2| > 1 \\ -i\text{asin}(cx) & \text{otherwise} \end{cases}\right)}{c} - \frac{bde\left(\begin{cases} \frac{\sqrt{c^2x^2 - 1}}{c} & \text{for } |c^2x^2| > 1 \\ \frac{1 - \sqrt{-c^2x^2 + 1}}{c} & \text{otherwise} \end{cases}\right)}{c} - \frac{be^2\left(\begin{cases} \frac{\pm\sqrt{c^2x^2 - 1}}{2c} + \frac{\text{acosh}(cx)}{2c^2} & \text{for } |c^2x^2| > 1 \\ -\frac{\log^2}{2\sqrt{-c^2x^2 + 1}} + \frac{1}{2c\sqrt{-c^2x^2 + 1}} - \frac{i\text{asin}(cx)}{2c^2} & \text{otherwise} \end{cases}\right)}{3c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**2*(a+b*asec(c*x)),x)

[Out] $ad^2x^2 + ad^2e^2x^2 + a^3e^2x^3/3 + b^2d^2x\text{asec}(cx) + b^2de^2x^2\text{asec}(cx) + b^2e^2x^3\text{asec}(cx)/3 - b^2d^2\text{Piecewise}(\text{acosh}(cx), \text{Abs}(c^2x^2) > 1), (-I*\text{asin}(cx), \text{True}))/c - b^2de^2\text{Piecewise}(\sqrt{c^2x^2 - 1}/c, \text{Abs}(c^2x^2) > 1), (I*\sqrt{-c^2x^2 + 1}/c, \text{True}))/c - b^2e^2\text{Piecewise}((x*\sqrt{c^2x^2 - 1})/(2c) + \text{acosh}(cx)/(2c^2), \text{Abs}(c^2x^2) > 1), (-I*c^3/(2*\sqrt{-c^2x^2 + 1}) + I*x/(2*c*\sqrt{-c^2x^2 + 1}) - I*\text{asin}(cx)/(2*c^2), \text{True}))/3c$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 6416 vs. 2(110) = 220.

time = 3.44, size = 6416, normalized size = 51.74

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^2*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out]
$$-1/6*(6*b*c^3*d*e*x^2*(1/(c^2*x^2) - 1)*\arccos(1/(c*x))/(c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 6*a*c^3*d*e*x^2*(1/(c^2*x^2) - 1)/(c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 18*b*c^3*d*e*x^2*(1/(c^2*x^2) - 1)^2*\arccos(1/(c*x))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^2) + 18*a*c^3*d*e*x^2*(1/(c^2*x^2) - 1)^2/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^2) + 18*b*c^3*d*e*x^2*(1/(c^2*x^2) - 1)^3*\arccos(1/(c*x))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^4) + 18*a*c^3*d*e*x^2*(1/(c^2*x^2) - 1)^3/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^4) + 6*b*c^3*d*e*x^2*(1/(c^2*x^2) - 1)^4*\arccos(1/(c*x))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^6) + 6*b*c^2*d*e*x*\sqrt{-1/(c^2*x^2) + 1}/(c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 6*a*c^3*d*e*x^2*(1/(c^2*x^2) - 1)^4/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^6) - 6*b*c^2*d^2*\arccos(1/(c*x))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 6*b*c^2*d^2*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1))/(c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) - 6*b*c^2*d^2*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1))/(c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) - 18*b*c^2*d*e*x*(-1/(c^2*x^2) + 1)^(3/2)/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^2) - 6*a*c^2*d^2/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) - 6*b*c*d*e*\arccos(1/(c*x))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) - 6*b*c^2*d^2*(1/(c^2*x^2) - 1)*\arccos(1/(c*x))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^2) + 18*b*c^2*d^2*(1/(c^2*x^2) - 1)*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^2) - 18*b*c^2$$

```

*d^2*(1/(c^2*x^2) - 1)*log(abs(sqrt(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/((c^4
+ 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(
c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^2) + 1
8*b*c^2*d*e*x*(1/(c^2*x^2) - 1)^2*sqrt(-1/(c^2*x^2) + 1)/((c^4 + 3*c^4*(1/(
c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 +
c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^4 - 6*a*c*d*e/(c^4
+ 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(
c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) - 6*a*c^2*d^2*(1/(c^
2*x^2) - 1)/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2
*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/
(c*x) + 1)^2) - 2*b*e^2*arccos(1/(c*x))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(
c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2)
- 1)^3/(1/(c*x) + 1)^6) - 18*b*c*d*e*(1/(c^2*x^2) - 1)*arccos(1/(c*x))/((c^
4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/
(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^2) +
6*b*c^2*d^2*(1/(c^2*x^2) - 1)^2*arccos(1/(c*x))/((c^4 + 3*c^4*(1/(c^2*x^2)
- 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(
c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^4) + b*e^2*log(abs(sqrt(-1/(
c^2*x^2) + 1) + 1/(c*x) + 1))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^
2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/
(c*x) + 1)^6) + 18*b*c^2*d^2*(1/(c^2*x^2) - 1)^2*log(abs(sqrt(-1/(c^2*x^2)
+ 1) + 1/(c*x) + 1))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^
4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) +
1)^6)*(1/(c*x) + 1)^4) - b*e^2*log(abs(sqrt(-1/...

```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \left(a + b \operatorname{acos} \left(\frac{1}{cx} \right) \right) (d + ex)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))*(d + e*x)^2,x)

[Out] int((a + b*acos(1/(c*x)))*(d + e*x)^2, x)

3.58 $\int (d + ex) (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=84

$$-\frac{be\sqrt{1-\frac{1}{c^2x^2}}}{2c} + \frac{bd^2 \csc^{-1}(cx)}{2e} + \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} - \frac{bd \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{c}$$

[Out] $1/2*b*d^2*arccsc(c*x)/e+1/2*(e*x+d)^2*(a+b*arcsec(c*x))/e-b*d*arctanh((1-1/c^2/x^2)^(1/2))/c-1/2*b*e*x*(1-1/c^2/x^2)^(1/2)/c$

Rubi [A]

time = 0.11, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.643$, Rules used = {5334, 1582, 1410, 1821, 858, 222, 272, 65, 214}

$$\frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} - \frac{bd \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{c} - \frac{be\sqrt{1-\frac{1}{c^2x^2}}}{2c} + \frac{bd^2 \csc^{-1}(cx)}{2e}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x)*(a + b*ArcSec[c*x]),x]

[Out] $-1/2*(b*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/c + (b*d^2*\text{ArcCsc}[c*x])/(2*e) + ((d + e*x)^2*(a + b*\text{ArcSec}[c*x]))/(2*e) - (b*d*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/c$

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 214

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 222

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 272

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 858

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1410

```
Int[((d_) + (e_)*(x_)^(n_))^(q_)*((a_) + (c_)*(x_)^(n2_))^(p_), x_Symbol
] := -Subst[Int[(d + e/x^n)^q*(a + c/x^(2*n))^p/x^2, x], x, 1/x] /; FreeQ
[{a, c, d, e, p, q}, x] && EqQ[n2, 2*n] && ILtQ[n, 0]
```

Rule 1582

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^(mn_))^(q_)*((a_) + (c_)*(x_)^(n2_))^(
p_), x_Symbol] := Int[x^(m + mn*q)*(e + d/x^mn)^q*(a + c*x^n2)^p, x] /; F
reeQ[{a, c, d, e, m, mn, p}, x] && EqQ[n2, -2*mn] && IntegerQ[q] && (PosQ[n
2] || !IntegerQ[p])
```

Rule 1821

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[R*(c*x)^(m + 1)*((a + b*x^2)^(p + 1)/(a*c*(m + 1))), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rule 5334

```
Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*((d_) + (e_)*(x_))^(m_), x_Symbol
] := Simp[(d + e*x)^(m + 1)*((a + b*ArcSec[c*x])/(e*(m + 1))), x] - Dist[b/
(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*sqrt[1 - 1/(c^2*x^2)]), x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)(a+b\sec^{-1}(cx)) dx &= \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} - \frac{b \int \frac{(d+ex)^2}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{2ce} \\
&= \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} - \frac{b \int \frac{(e+\frac{d}{x})^2}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{2ce} \\
&= \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} + \frac{b \text{Subst} \left(\int \frac{(e+dx)^2}{x^2 \sqrt{1-\frac{1}{c^2}}} dx, x, \frac{1}{x} \right)}{2ce} \\
&= -\frac{be \sqrt{1-\frac{1}{c^2x^2}} x}{2c} + \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} - \frac{b \text{Subst} \left(\int \frac{-2de-d^2x}{x \sqrt{1-\frac{1}{c^2}}} dx, x, \frac{1}{x} \right)}{2ce} \\
&= -\frac{be \sqrt{1-\frac{1}{c^2x^2}} x}{2c} + \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} + \frac{(bd) \text{Subst} \left(\int \frac{1}{x \sqrt{1-\frac{1}{c^2}}} dx, x, \frac{1}{x} \right)}{c} \\
&= -\frac{be \sqrt{1-\frac{1}{c^2x^2}} x}{2c} + \frac{bd^2 \csc^{-1}(cx)}{2e} + \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} + \frac{(bd) \text{Subst} \left(\int \frac{1}{x \sqrt{1-\frac{1}{c^2}}} dx, x, \frac{1}{x} \right)}{c} \\
&= -\frac{be \sqrt{1-\frac{1}{c^2x^2}} x}{2c} + \frac{bd^2 \csc^{-1}(cx)}{2e} + \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} - (bcd) \text{Subst} \left(\int \frac{1}{x \sqrt{1-\frac{1}{c^2}}} dx, x, \frac{1}{x} \right) \\
&= -\frac{be \sqrt{1-\frac{1}{c^2x^2}} x}{2c} + \frac{bd^2 \csc^{-1}(cx)}{2e} + \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} - \frac{bd \tan^{-1} \left(\frac{cx}{\sqrt{-1+c^2x^2}} \right)}{c}
\end{aligned}$$

Mathematica [A]

time = 0.16, size = 114, normalized size = 1.36

$$adx + \frac{1}{2}aex^2 - \frac{bex \sqrt{-1+c^2x^2}}{2c} + bdx \sec^{-1}(cx) + \frac{1}{2}bex^2 \sec^{-1}(cx) - \frac{bd \sqrt{1-\frac{1}{c^2x^2}} x \tanh^{-1} \left(\frac{cx}{\sqrt{-1+c^2x^2}} \right)}{\sqrt{-1+c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)*(a + b*ArcSec[c*x]),x]

[Out] a*d*x + (a*e*x^2)/2 - (b*e*x*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)])/(2*c) + b*d*x*ArcSec[c*x] + (b*e*x^2*ArcSec[c*x])/2 - (b*d*Sqrt[1 - 1/(c^2*x^2)]*x*ArcTan[h[(c*x)/Sqrt[-1 + c^2*x^2]]]/Sqrt[-1 + c^2*x^2])

Maple [A]

time = 0.10, size = 140, normalized size = 1.67

| method | result |
|-------------------|--|
| derivativedivides | $\frac{a(d c^2 x + \frac{1}{2} e c^2 x^2)}{c} + b \operatorname{arcsec}(c x) d c x + \frac{b c \operatorname{arcsec}(c x) e x^2}{2} - \frac{b \sqrt{c^2 x^2 - 1} d \ln(c x + \sqrt{c^2 x^2 - 1})}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} c x} - \frac{b(c^2 x^2 - 1) e}{2 c^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} x}$ |
| default | $\frac{a(d c^2 x + \frac{1}{2} e c^2 x^2)}{c} + b \operatorname{arcsec}(c x) d c x + \frac{b c \operatorname{arcsec}(c x) e x^2}{2} - \frac{b \sqrt{c^2 x^2 - 1} d \ln(c x + \sqrt{c^2 x^2 - 1})}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} c x} - \frac{b(c^2 x^2 - 1) e}{2 c^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} x}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)

[Out] 1/c*(a/c*(d*c^2*x+1/2*e*c^2*x^2)+b*arcsec(c*x)*d*c*x+1/2*b*c*arcsec(c*x)*e*x^2-b/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x*(c^2*x^2-1)^(1/2)*d*ln(c*x+(c^2*x^2-1)^(1/2))-1/2*b/c^2/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*(c^2*x^2-1)*e)

Maxima [A]

time = 0.25, size = 95, normalized size = 1.13

$$\frac{1}{2} a x^2 e + a d x + \frac{1}{2} \left(x^2 \operatorname{arcsec}(c x) - \frac{x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} \right) b e + \frac{\left(2 c x \operatorname{arcsec}(c x) - \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1 \right) + \log \left(-\sqrt{-\frac{1}{c^2 x^2} + 1} + 1 \right) \right) b d}{2 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] 1/2*a*x^2*e + a*d*x + 1/2*(x^2*arcsec(c*x) - x*sqrt(-1/(c^2*x^2) + 1)/c)*b*e + 1/2*(2*c*x*arcsec(c*x) - log(sqrt(-1/(c^2*x^2) + 1) + 1) + log(-sqrt(-1/(c^2*x^2) + 1) + 1))*b*d/c

Fricas [A]

time = 1.52, size = 135, normalized size = 1.61

$$\frac{a c^2 x^2 e + 2 a c^2 d x + 2 b c d \log(-c x + \sqrt{c^2 x^2 - 1}) - \sqrt{c^2 x^2 - 1} b e + (2 b c^2 d x - 2 b c^2 d + (b c^2 x^2 - b c^2) e) \operatorname{arcsec}(c x) + 2(2 b c^2 d + b c^2 e) \arctan(-c x + \sqrt{c^2 x^2 - 1})}{2 c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] $\frac{1}{2}*(a*c^2*x^2*e + 2*a*c^2*d*x + 2*b*c*d*\log(-c*x + \sqrt{c^2*x^2 - 1}) - \sqrt{c^2*x^2 - 1}*b*e + (2*b*c^2*d*x - 2*b*c^2*d + (b*c^2*x^2 - b*c^2)*e)*\text{arcsec}(c*x) + 2*(2*b*c^2*d + b*c^2*e)*\arctan(-c*x + \sqrt{c^2*x^2 - 1}))/c^2$

Sympy [A]

time = 3.46, size = 104, normalized size = 1.24

$$adx + \frac{ae x^2}{2} + bdx \operatorname{asec}(cx) + \frac{be x^2 \operatorname{asec}(cx)}{2} - \frac{bd \left(\begin{cases} \operatorname{acosh}(cx) & \text{for } |c^2 x^2| > 1 \\ -i \operatorname{asin}(cx) & \text{otherwise} \end{cases} \right)}{c} - \frac{be \left(\begin{cases} \frac{\sqrt{c^2 x^2 - 1}}{c} & \text{for } |c^2 x^2| > 1 \\ \frac{i \sqrt{-c^2 x^2 + 1}}{c} & \text{otherwise} \end{cases} \right)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*asec(c*x)),x)

[Out] $a*d*x + a*e*x**2/2 + b*d*x*asec(c*x) + b*e*x**2*asec(c*x)/2 - b*d*\text{Piecewise}((\operatorname{acosh}(c*x), \operatorname{Abs}(c**2*x**2) > 1), (-I*\operatorname{asin}(c*x), \operatorname{True}))/c - b*e*\text{Piecewise}(\sqrt{c**2*x**2 - 1}/c, \operatorname{Abs}(c**2*x**2) > 1), (I*\sqrt{-c**2*x**2 + 1}/c, \operatorname{True}))/2*c$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 1547 vs. 2(74) = 148.

time = 0.75, size = 1547, normalized size = 18.42

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] $\frac{1}{2}*(2*b*c*d*\arccos(1/(c*x)))/(c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4) - 2*b*c*d*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1))/(c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4) + 2*b*c*d*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1))/(c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4) + 2*a*c*d/(c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4) + b*e*\arccos(1/(c*x))/(c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4) - 4*b*c*d*(1/(c^2*x^2) - 1)*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1))/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^2) + 4*b*c*d*(1/(c^2*x^2) - 1)*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1))/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^2) + a*e/(c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*$

```

(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 - 2*b*e*(1/(c^2*x^2) - 1)*arccos(1/(c*x))/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^2 - 2*b*c*d*(1/(c^2*x^2) - 1)^2*arccos(1/(c*x))/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^4 - 2*b*c*d*(1/(c^2*x^2) - 1)^2*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^4) + 2*b*c*d*(1/(c^2*x^2) - 1)^2*log(abs(sqrt(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^4) - 2*b*e*sqrt(-1/(c^2*x^2) + 1)/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)) - 2*a*e*(1/(c^2*x^2) - 1)/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^2) - 2*a*c*d*(1/(c^2*x^2) - 1)^2/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^4) + b*e*(1/(c^2*x^2) - 1)^2*arccos(1/(c*x))/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^4) + 2*b*e*(-1/(c^2*x^2) + 1)^(3/2)/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^3) + a*e*(1/(c^2*x^2) - 1)^2/((c^3 + 2*c^3*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + c^3*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^4))*c

```

Mupad [B]

time = 0.90, size = 77, normalized size = 0.92

$$\frac{ax(2d+ex)}{2} - \frac{bd \operatorname{atanh}\left(\frac{1}{\sqrt{1-\frac{1}{c^2x^2}}}\right)}{c} + bdx \operatorname{acos}\left(\frac{1}{cx}\right) - \frac{bex\left(\sqrt{1-\frac{1}{c^2x^2}} - cx \operatorname{acos}\left(\frac{1}{cx}\right)\right)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))*(d + e*x),x)

[Out] (a*x*(2*d + e*x))/2 - (b*d*atanh(1/(1 - 1/(c^2*x^2))^(1/2)))/c + b*d*x*acos(1/(c*x)) - (b*e*x*((1 - 1/(c^2*x^2))^(1/2) - c*x*acos(1/(c*x))))/(2*c)

3.59 $\int (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=32

$$ax + bx \sec^{-1}(cx) - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{c}$$

[Out] a*x+b*x*arcsec(c*x)-b*arctanh((1-1/c^2/x^2)^(1/2))/c

Rubi [A]

time = 0.02, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5322, 272, 65, 214}

$$ax - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{c} + bx \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[a + b*ArcSec[c*x], x]

[Out] a*x + b*x*ArcSec[c*x] - (b*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/c

Rule 65

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 214

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 5322

```
Int[ArcSec[(c_.)*(x_)], x_Symbol] := Simp[x*ArcSec[c*x], x] - Dist[1/c, Int
[1/(x*Sqrt[1 - 1/(c^2*x^2)]), x], x] /; FreeQ[c, x]
```

Rubi steps

$$\begin{aligned}
 \int (a + b \sec^{-1}(cx)) dx &= ax + b \int \sec^{-1}(cx) dx \\
 &= ax + bx \sec^{-1}(cx) - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{c} \\
 &= ax + bx \sec^{-1}(cx) + \frac{b \text{Subst} \left(\int \frac{1}{x \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{2c} \\
 &= ax + bx \sec^{-1}(cx) - (bc) \text{Subst} \left(\int \frac{1}{c^2 - c^2 x^2} dx, x, \sqrt{1 - \frac{1}{c^2 x^2}} \right) \\
 &= ax + bx \sec^{-1}(cx) - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{c}
 \end{aligned}$$

Mathematica [A]

time = 0.04, size = 59, normalized size = 1.84

$$ax + bx \sec^{-1}(cx) - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x \tanh^{-1} \left(\frac{cx}{\sqrt{-1 + c^2 x^2}} \right)}{\sqrt{-1 + c^2 x^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[a + b*ArcSec[c*x], x]
```

```
[Out] a*x + b*x*ArcSec[c*x] - (b*Sqrt[1 - 1/(c^2*x^2)]*x*ArcTanh[(c*x)/Sqrt[-1 +
c^2*x^2]])/Sqrt[-1 + c^2*x^2]
```

Maple [A]

time = 0.05, size = 38, normalized size = 1.19

| method | result | size |
|--------|--------|------|
|--------|--------|------|

| | | |
|-------------------|---|----|
| default | $ax + bx \operatorname{arcsec}(cx) - \frac{b \ln\left(cx + cx \sqrt{1 - \frac{1}{c^2 x^2}}\right)}{c}$ | 38 |
| derivativedivides | $\frac{acx + cx b \operatorname{arcsec}(cx) - \ln\left(cx + cx \sqrt{1 - \frac{1}{c^2 x^2}}\right) b}{c}$ | 41 |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a+b*arcsec(c*x),x,method=_RETURNVERBOSE)`

[Out] `a*x+b*x*arcsec(c*x)-b/c*ln(c*x+c*x*(1-1/c^2/x^2)^(1/2))`

Maxima [A]

time = 0.26, size = 53, normalized size = 1.66

$$ax + \frac{\left(2cx \operatorname{arcsec}(cx) - \log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right) + \log\left(-\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right)\right)b}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arcsec(c*x),x, algorithm="maxima")`

[Out] `a*x + 1/2*(2*c*x*arcsec(c*x) - log(sqrt(-1/(c^2*x^2) + 1) + 1) + log(-sqrt(-1/(c^2*x^2) + 1) + 1))*b/c`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 63 vs. 2(30) = 60.

time = 0.89, size = 63, normalized size = 1.97

$$\frac{acx + 2bc \arctan\left(-cx + \sqrt{c^2 x^2 - 1}\right) + (bcx - bc) \operatorname{arcsec}(cx) + b \log\left(-cx + \sqrt{c^2 x^2 - 1}\right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arcsec(c*x),x, algorithm="fricas")`

[Out] `(a*c*x + 2*b*c*arctan(-c*x + sqrt(c^2*x^2 - 1)) + (b*c*x - b*c)*arcsec(c*x) + b*log(-c*x + sqrt(c^2*x^2 - 1)))/c`

Sympy [A]

time = 1.86, size = 32, normalized size = 1.00

$$ax + b \left(x \operatorname{asec}(cx) - \frac{\begin{cases} \operatorname{acosh}(cx) & \text{for } |c^2 x^2| > 1 \\ -i \operatorname{asin}(cx) & \text{otherwise} \end{cases}}{c} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*asec(c*x),x)`

[Out] `a*x + b*(x*asec(c*x) - Piecewise((acosh(c*x), Abs(c**2*x**2) > 1), (-I*asin(c*x), True))/c)`

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 63 vs. $2(30) = 60$.
time = 0.40, size = 63, normalized size = 1.97

$$\frac{1}{2}bc \left(\frac{2x \arccos\left(\frac{1}{cx}\right)}{c} - \frac{\log\left(\sqrt{-\frac{1}{c^2x^2} + 1} + 1\right) - \log\left(-\sqrt{-\frac{1}{c^2x^2} + 1} + 1\right)}{c^2} \right) + ax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arcsec(c*x),x, algorithm="giac")`

[Out] `1/2*b*c*(2*x*arccos(1/(c*x))/c - (log(sqrt(-1/(c^2*x^2) + 1) + 1) - log(-sqrt(-1/(c^2*x^2) + 1) + 1))/c^2) + a*x`

Mupad [B]

time = 0.85, size = 34, normalized size = 1.06

$$ax + bx \arccos\left(\frac{1}{cx}\right) - \frac{b \operatorname{atanh}\left(\frac{1}{\sqrt{1 - \frac{1}{c^2x^2}}}\right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a + b*acos(1/(c*x)),x)`

[Out] `a*x + b*x*acos(1/(c*x)) - (b*atanh(1/(1 - 1/(c^2*x^2))^(1/2)))/c`

$$3.60 \quad \int \frac{a+b \sec^{-1}(cx)}{d+ex} dx$$

Optimal. Leaf size=247

$$\frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{(e - \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd} \right)}{e} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{(e + \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd} \right)}{e}$$

[Out] $-(a+b*\text{arcsec}(c*x))*\ln(1+(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2)/e+(a+b*\text{arcsec}(c*x))*\ln(1+(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(e-(-c^2*d^2+e^2)^{(1/2)})/c/d)/e+(a+b*\text{arcsec}(c*x))*\ln(1+(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(e+(-c^2*d^2+e^2)^{(1/2)})/c/d)/e+1/2*I*b*\text{polylog}(2,-(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2)/e-I*b*\text{polylog}(2,-(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(e-(-c^2*d^2+e^2)^{(1/2)})/c/d)/e-I*b*\text{polylog}(2,-(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(e+(-c^2*d^2+e^2)^{(1/2)})/c/d)/e$

Rubi [A]

time = 0.27, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {5332, 2598}

$$\frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{(e - \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd} \right)}{e} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{(\sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd} \right)}{e} - \frac{\log \left(1 + e^{2i \sec^{-1}(cx)} \right) (a + b \sec^{-1}(cx))}{e} - \frac{i \text{Li}_2 \left(-\frac{(e - \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd} \right)}{e} - \frac{i \text{Li}_2 \left(-\frac{(e + \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd} \right)}{e} + \frac{i \text{Li}_2 \left(-e^{2i \sec^{-1}(cx)} \right)}{2e}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x), x]

[Out] $((a + b*\text{ArcSec}[c*x])*Log[1 + ((e - \text{Sqrt}[-(c^2*d^2) + e^2])*E^{(I*\text{ArcSec}[c*x])})/(c*d))]/e + ((a + b*\text{ArcSec}[c*x])*Log[1 + ((e + \text{Sqrt}[-(c^2*d^2) + e^2])*E^{(I*\text{ArcSec}[c*x])})/(c*d))]/e - ((a + b*\text{ArcSec}[c*x])*Log[1 + E^{((2*I)*\text{ArcSec}[c*x])})]/e - (I*b*\text{PolyLog}[2, -(((e - \text{Sqrt}[-(c^2*d^2) + e^2])*E^{(I*\text{ArcSec}[c*x])})/(c*d))])/e - (I*b*\text{PolyLog}[2, -(((e + \text{Sqrt}[-(c^2*d^2) + e^2])*E^{(I*\text{ArcSec}[c*x])})/(c*d))])/e + ((I/2)*b*\text{PolyLog}[2, -E^{((2*I)*\text{ArcSec}[c*x])})])/e$

Rule 2598

Int[Log[v_]*(u_), x_Symbol] := With[{w = DerivativeDivides[v, u*(1 - v), x]}, Simp[w*PolyLog[2, 1 - v], x] /; !FalseQ[w]]

Rule 5332

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[(a + b*ArcSec[c*x])*(Log[1 + (e - Sqrt[(-c^2)*d^2 + e^2])*(E^(I*ArcSec[c*x])/(c*d))]/e), x] + (-Dist[b/(c*e), Int[Log[1 + (e - Sqrt[(-c^2)*d^2 + e^2])*(E^(I*ArcSec[c*x])/(c*d))]/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] - Dist[b/(c*e), Int[Log[1 + (e + Sqrt[(-c^2)*d^2 + e^2])*(E^(I*ArcSec[c*x])/(c*d))]/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] + Dist[b/(c*e), Int[Log[1 + E^(2*I*Ar

cSec[c*x]]/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] + Simp[(a + b*ArcSec[c*x])*
(Log[1 + (e + Sqrt[(-c^2)*d^2 + e^2])*(E^(I*ArcSec[c*x])/(c*d))]/e), x] - S
imp[(a + b*ArcSec[c*x])*(Log[1 + E^(2*I*ArcSec[c*x])]/e), x] /; FreeQ[{a,
b, c, d, e}, x]

Rubi steps

$$\int \frac{a + b \sec^{-1}(cx)}{d + ex} dx = \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{(e - \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd} \right)}{e} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{(e + \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd} \right)}{e}$$

$$= \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{(e - \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd} \right)}{e} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{(e + \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd} \right)}{e}$$

Mathematica [A]

time = 0.44, size = 333, normalized size = 1.35

$$\frac{b \left(4 \operatorname{ArcSin} \left(\frac{\sqrt{1 + \frac{e}{c*d}}}{\sqrt{2}} \right) \operatorname{ArcTan} \left(\frac{\sqrt{1 + \frac{e}{c*d}} \operatorname{ArcTan} \left(\frac{\sqrt{1 + \frac{e}{c*d}}}{\sqrt{2}} \right)}{\sqrt{-c^2 d^2 + e^2}} \right) + \operatorname{ArcTan} \left(\frac{\sqrt{1 + \frac{e}{c*d}}}{\sqrt{2}} \right) \log \left(1 + \frac{(e - \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd} \right) + \operatorname{ArcTan} \left(\frac{\sqrt{1 + \frac{e}{c*d}}}{\sqrt{2}} \right) \log \left(1 + \frac{(e + \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd} \right) - \operatorname{ArcTan} \left(\frac{\sqrt{1 + \frac{e}{c*d}}}{\sqrt{2}} \right) \log \left(1 + \frac{(e - \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd} \right) - \operatorname{ArcTan} \left(\frac{\sqrt{1 + \frac{e}{c*d}}}{\sqrt{2}} \right) \log \left(1 + \frac{(e + \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd} \right) \right)}{e \log(d + ex)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x), x]

[Out] (a*Log[d + e*x])/e + (b*((4*I)*ArcSin[Sqrt[1 + e/(c*d)]/Sqrt[2]]*ArcTan[(-
(c*d) + e)*Tan[ArcSec[c*x]/2]]/Sqrt[-(c^2*d^2) + e^2]] + (ArcSec[c*x] + 2*A
rcSin[Sqrt[1 + e/(c*d)]/Sqrt[2]])*Log[1 + ((e - Sqrt[-(c^2*d^2) + e^2])*E^(
I*ArcSec[c*x]))/(c*d)] + (ArcSec[c*x] - 2*ArcSin[Sqrt[1 + e/(c*d)]/Sqrt[2]]
)*Log[1 + ((e + Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d)] - ArcSec[
c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] - I*(PolyLog[2, ((-e + Sqrt[-(c^2*d^2)
+ e^2])*E^(I*ArcSec[c*x]))/(c*d)] + PolyLog[2, -(((e + Sqrt[-(c^2*d^2) + e
^2])*E^(I*ArcSec[c*x]))/(c*d))]) + (I/2)*PolyLog[2, -E^((2*I)*ArcSec[c*x])])
)/e

Maple [A]

time = 0.64, size = 469, normalized size = 1.90

| method | result |
|--------|--------|
|--------|--------|

| | |
|-------------------|---|
| derivativedivides | $\frac{\frac{ac \ln(cx+cd)}{e} - \frac{bc \operatorname{arcsec}(cx) \ln\left(1+i\left(\frac{1}{cx}+i\sqrt{1-\frac{1}{c^2x^2}}\right)\right)}{e} - \frac{bc \operatorname{arcsec}(cx) \ln\left(1-i\left(\frac{1}{cx}+i\sqrt{1-\frac{1}{c^2x^2}}\right)\right)}{e} + \frac{ibc \operatorname{dilog}\left(1+i\left(\frac{1}{cx}+i\sqrt{1-\frac{1}{c^2x^2}}\right)\right)}{e}}{\frac{ac \ln(cx+cd)}{e} - \frac{bc \operatorname{arcsec}(cx) \ln\left(1+i\left(\frac{1}{cx}+i\sqrt{1-\frac{1}{c^2x^2}}\right)\right)}{e} - \frac{bc \operatorname{arcsec}(cx) \ln\left(1-i\left(\frac{1}{cx}+i\sqrt{1-\frac{1}{c^2x^2}}\right)\right)}{e} + \frac{ibc \operatorname{dilog}\left(1+i\left(\frac{1}{cx}+i\sqrt{1-\frac{1}{c^2x^2}}\right)\right)}{e}}$ |
| default | $\frac{\frac{ac \ln(cx+cd)}{e} - \frac{bc \operatorname{arcsec}(cx) \ln\left(1+i\left(\frac{1}{cx}+i\sqrt{1-\frac{1}{c^2x^2}}\right)\right)}{e} - \frac{bc \operatorname{arcsec}(cx) \ln\left(1-i\left(\frac{1}{cx}+i\sqrt{1-\frac{1}{c^2x^2}}\right)\right)}{e} + \frac{ibc \operatorname{dilog}\left(1+i\left(\frac{1}{cx}+i\sqrt{1-\frac{1}{c^2x^2}}\right)\right)}{e}}{\frac{ac \ln(cx+cd)}{e} - \frac{bc \operatorname{arcsec}(cx) \ln\left(1+i\left(\frac{1}{cx}+i\sqrt{1-\frac{1}{c^2x^2}}\right)\right)}{e} - \frac{bc \operatorname{arcsec}(cx) \ln\left(1-i\left(\frac{1}{cx}+i\sqrt{1-\frac{1}{c^2x^2}}\right)\right)}{e} + \frac{ibc \operatorname{dilog}\left(1+i\left(\frac{1}{cx}+i\sqrt{1-\frac{1}{c^2x^2}}\right)\right)}{e}}$ |

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsec(c*x))/(e*x+d),x,method=_RETURNVERBOSE)
```

```
[Out] 1/c*(a*c*ln(c*e*x+c*d)/e-b*c/e*arcsec(c*x)*ln(1+I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))-b*c/e*arcsec(c*x)*ln(1-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))+I*b*c/e*dilog(1+I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))+I*b*c/e*dilog(1-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))+b*c/e*arcsec(c*x)*ln((-c*d*(1/c/x+I*(1-1/c^2/x^2)^(1/2))+(-c^2*d^2+e^2)^(1/2))-e)/(-e+(-c^2*d^2+e^2)^(1/2))+b*c/e*arcsec(c*x)*ln((c*d*(1/c/x+I*(1-1/c^2/x^2)^(1/2))+(-c^2*d^2+e^2)^(1/2)+e)/(e+(-c^2*d^2+e^2)^(1/2)))-I*b*c/e*dilog((-c*d*(1/c/x+I*(1-1/c^2/x^2)^(1/2))+(-c^2*d^2+e^2)^(1/2))-e)/(-e+(-c^2*d^2+e^2)^(1/2))-I*b*c/e*dilog((c*d*(1/c/x+I*(1-1/c^2/x^2)^(1/2))+(-c^2*d^2+e^2)^(1/2)+e)/(e+(-c^2*d^2+e^2)^(1/2)))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x+d),x, algorithm="maxima")
```

```
[Out] a*e^(-1)*log(x*e + d) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(x*e + d), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x+d),x, algorithm="fricas")
```

```
[Out] integral((b*arcsec(c*x) + a)/(x*e + d), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*asec(c*x))/(e*x+d),x)``[Out] Integral((a + b*asec(c*x))/(d + e*x), x)`**Giac [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsec(c*x))/(e*x+d),x, algorithm="giac")`

`[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
 INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
 by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a + b*acos(1/(c*x)))/(d + e*x),x)``[Out] int((a + b*acos(1/(c*x)))/(d + e*x), x)`

$$3.61 \quad \int \frac{a+b \sec^{-1}(cx)}{(d+ex)^2} dx$$

Optimal. Leaf size=104

$$\frac{b \csc^{-1}(cx)}{de} - \frac{a + b \sec^{-1}(cx)}{e(d+ex)} - \frac{b \tanh^{-1} \left(\frac{c^2 d + \frac{e}{x}}{c \sqrt{c^2 d^2 - e^2} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{d \sqrt{c^2 d^2 - e^2}}$$

[Out] $-b \operatorname{arccsc}(c x) / d / e + (-a - b \operatorname{arcsec}(c x)) / e / (e x + d) - b \operatorname{arctanh}((c^2 d + e / x) / c / (c^2 d^2 - e^2)^{(1/2)} / (1 - 1 / c^2 / x^2)^{(1/2)}) / d / (c^2 d^2 - e^2)^{(1/2)}$

Rubi [A]

time = 0.11, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {5334, 1582, 1489, 858, 222, 739, 212}

$$\frac{a + b \sec^{-1}(cx)}{e(d+ex)} - \frac{b \tanh^{-1} \left(\frac{c^2 d + \frac{e}{x}}{c \sqrt{1 - \frac{1}{c^2 x^2}} \sqrt{c^2 d^2 - e^2}} \right)}{d \sqrt{c^2 d^2 - e^2}} - \frac{b \csc^{-1}(cx)}{de}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*ArcSec[c*x])/(d + e*x)^2, x]`

[Out] $-((b \operatorname{ArcCsc}[c x]) / (d e)) - (a + b \operatorname{ArcSec}[c x]) / (e (d + e x)) - (b \operatorname{ArcTanh}[(c^2 d + e / x) / (c \operatorname{Sqrt}[c^2 d^2 - e^2] \operatorname{Sqrt}[1 - 1 / (c^2 x^2)])]) / (d \operatorname{Sqrt}[c^2 d^2 - e^2])$

Rule 212

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 222

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

Rule 739

`Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ`

[{a, c, d, e}, x]

Rule 858

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1489

Int[(x_)^(m_.)*((a_) + (c_.)*(x_)^(n2_.))^(p_.)*((d_) + (e_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^n], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[n2, 2*n] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1582

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^(mn_.))^(q_.)*((a_) + (c_.)*(x_)^(n2_.))^(p_.), x_Symbol] :> Int[x^(m + mn*q)*(e + d/x^mn)^q*(a + c*x^n2)^p, x] /; FreeQ[{a, c, d, e, m, mn, p}, x] && EqQ[n2, -2*mn] && IntegerQ[q] && (PosQ[n2] || !IntegerQ[p])

Rule 5334

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))*((d_.) + (e_.)*(x_))^(m_.), x_Symbol] :> Simp[(d + e*x)^(m + 1)*((a + b*ArcSec[c*x])/(e*(m + 1))), x] - Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex)^2} dx &= -\frac{a + b \sec^{-1}(cx)}{e(d + ex)} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^2 (d + ex)} dx}{ce} \\
&= -\frac{a + b \sec^{-1}(cx)}{e(d + ex)} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} (e + \frac{d}{x}) x^3} dx}{ce} \\
&= -\frac{a + b \sec^{-1}(cx)}{e(d + ex)} - \frac{b \operatorname{Subst} \left(\int \frac{x}{(e + dx) \sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{ce} \\
&= -\frac{a + b \sec^{-1}(cx)}{e(d + ex)} + \frac{b \operatorname{Subst} \left(\int \frac{1}{(e + dx) \sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{cd} - \frac{b \operatorname{Subst} \left(\int \frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{cde} \\
&= -\frac{b \csc^{-1}(cx)}{de} - \frac{a + b \sec^{-1}(cx)}{e(d + ex)} - \frac{b \operatorname{Subst} \left(\int \frac{1}{d^2 - \frac{e^2}{c^2} - x^2} dx, x, \frac{d + \frac{e}{c^2 x}}{\sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{cd} \\
&= -\frac{b \csc^{-1}(cx)}{de} - \frac{a + b \sec^{-1}(cx)}{e(d + ex)} - \frac{b \tanh^{-1} \left(\frac{c^2 d + \frac{e}{x}}{c \sqrt{c^2 d^2 - e^2} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{d \sqrt{c^2 d^2 - e^2}}
\end{aligned}$$

Mathematica [A]

time = 0.15, size = 142, normalized size = 1.37

$$-\frac{a}{e(d + ex)} - \frac{b \sec^{-1}(cx)}{e(d + ex)} - \frac{b \operatorname{ArcSin}\left(\frac{1}{cx}\right)}{de} - \frac{b \log(d + ex)}{d \sqrt{c^2 d^2 - e^2}} + \frac{b \log \left(e + c \left(cd - \sqrt{c^2 d^2 - e^2} \sqrt{1 - \frac{1}{c^2 x^2}} \right) x \right)}{d \sqrt{c^2 d^2 - e^2}}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x)^2,x]`

```
[Out] -(a/(e*(d + e*x))) - (b*ArcSec[c*x])/(e*(d + e*x)) - (b*ArcSin[1/(c*x)])/(d
*e) - (b*Log[d + e*x])/(d*Sqrt[c^2*d^2 - e^2]) + (b*Log[e + c*(c*d - Sqrt[c
^2*d^2 - e^2]*Sqrt[1 - 1/(c^2*x^2)])*x])/(d*Sqrt[c^2*d^2 - e^2])
```

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 215 vs. 2(100) = 200.
time = 0.91, size = 216, normalized size = 2.08

| method | result |
|-------------------|---|
| derivativedivides | $-\frac{a c^2}{(c e x+c d) e}-\frac{b c^2 \operatorname{arcsec}(c x)}{(c e x+c d) e}-\frac{b \sqrt{c^2 x^2-1} \arctan\left(\frac{1}{\sqrt{c^2 x^2-1}}\right)}{e \sqrt{\frac{c^2 x^2-1}{c^2 x^2}} x d}+\frac{b \sqrt{c^2 x^2-1} \ln\left(\frac{2 \sqrt{c^2 x^2-1} \sqrt{\frac{c^2 d^2-e^2}{c e x+c d}}}{e \sqrt{\frac{c^2 x^2-1}{c^2 x^2}} x d \sqrt{\frac{c^2 d^2-e^2}{e^2}}}\right)}{c}$ |
| default | $-\frac{a c^2}{(c e x+c d) e}-\frac{b c^2 \operatorname{arcsec}(c x)}{(c e x+c d) e}-\frac{b \sqrt{c^2 x^2-1} \arctan\left(\frac{1}{\sqrt{c^2 x^2-1}}\right)}{e \sqrt{\frac{c^2 x^2-1}{c^2 x^2}} x d}+\frac{b \sqrt{c^2 x^2-1} \ln\left(\frac{2 \sqrt{c^2 x^2-1} \sqrt{\frac{c^2 d^2-e^2}{c e x+c d}}}{e \sqrt{\frac{c^2 x^2-1}{c^2 x^2}} x d \sqrt{\frac{c^2 d^2-e^2}{e^2}}}\right)}{c}$ |

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsec(c*x))/(e*x+d)^2,x,method=_RETURNVERBOSE)
```

```
[Out] 1/c*(-a*c^2/(c*e*x+c*d)/e-b*c^2/(c*e*x+c*d)/e*arcsec(c*x)-b/e*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x/d*arctan(1/(c^2*x^2-1)^(1/2))+b/e*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x/d/((c^2*d^2-e^2)/e^2)^(1/2)*ln(2*((c^2*x^2-1)^(1/2)*((c^2*d^2-e^2)/e^2)^(1/2)*e-d*c^2*x-e)/(c*e*x+c*d))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x+d)^2,x, algorithm="maxima")
```

```
[Out] ((c^2*x*e^2 + c^2*d*e)*integrate(x*e^(1/2*log(c*x + 1) + 1/2*log(c*x - 1))/(c^2*x^3*e^2 + c^2*d*x^2*e - x*e^2 - d*e + (c^2*x^3*e^2 + c^2*d*x^2*e - x*e^2 - d*e)*e^(log(c*x + 1) + log(c*x - 1))), x) - arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*b/(x*e^2 + d*e) - a/(x*e^2 + d*e)
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 202 vs. 2(96) = 192.

time = 1.10, size = 444, normalized size = 4.27

$$\frac{a c^2 d^2 - a d^2 - \sqrt{c^2 d^2 - e^2} (b e x^2 + b d) \log\left(\frac{2 b^2 x e - \sqrt{c^2 d^2 - e^2} (c x + d) \sqrt{c^2 x^2 - 1}}{c^2 d^2 x^2 + c^2 d x^2 e - d x^2 - d^2 e}\right) + (b^2 d^2 - b d^2) \operatorname{arccos}(c x) - 2 (b^2 d^2 x e + b^2 d^2 - b e c^2) \operatorname{arctan}\left(\frac{-c x + \sqrt{c^2 d^2 - e^2}}{c^2 d^2 x^2 + c^2 d x^2 e - d x^2 - d^2 e}\right) - a c^2 d^2 - a d^2 - 2 \sqrt{c^2 d^2 - e^2} (b e x^2 + b d) \operatorname{arctan}\left(\frac{\sqrt{c^2 d^2 - e^2} (c x + d) \sqrt{c^2 x^2 - 1}}{c^2 d^2 x^2 + c^2 d x^2 e - d x^2 - d^2 e}\right) + (b^2 d^2 - b d^2) \operatorname{arccos}(c x) - 2 (b^2 d^2 x e + b^2 d^2 - b e c^2) \operatorname{arctan}\left(\frac{-c x + \sqrt{c^2 d^2 - e^2}}{c^2 d^2 x^2 + c^2 d x^2 e - d x^2 - d^2 e}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} &[-(a*c^2*d^3 - a*d*e^2 - \sqrt{c^2*d^2 - e^2})*(b*x*e^2 + b*d*e)*\log((c^3*d^2*x + c*d*e - \sqrt{c^2*d^2 - e^2})*(c^2*d*x + e) + (c^2*d^2 - \sqrt{c^2*d^2 - e^2})*c*d - e^2)*\sqrt{c^2*x^2 - 1})/(x*e + d) + (b*c^2*d^3 - b*d*e^2)*\operatorname{arccsc}(c*x) - 2*(b*c^2*d^2*x*e + b*c^2*d^3 - b*x*e^3 - b*d*e^2)*\arctan(-c*x + \sqrt{c^2*x^2 - 1})]/(c^2*d^3*x*e^2 + c^2*d^4*e - d*x*e^4 - d^2*e^3), \\ &-(a*c^2*d^3 - a*d*e^2 - 2*\sqrt{-c^2*d^2 + e^2})*(b*x*e^2 + b*d*e)*\arctan(\sqrt{-c^2*d^2 + e^2}*(c*x*e + c*d - \sqrt{c^2*x^2 - 1})*e)/(c^2*d^2 - e^2) + (b*c^2*d^3 - b*d*e^2)*\operatorname{arccsc}(c*x) - 2*(b*c^2*d^2*x*e + b*c^2*d^3 - b*x*e^3 - b*d*e^2)*\arctan(-c*x + \sqrt{c^2*x^2 - 1})]/(c^2*d^3*x*e^2 + c^2*d^4*e - d*x*e^4 - d^2*e^3)] \end{aligned}$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x+d)**2,x)

[Out] Integral((a + b*asec(c*x))/(d + e*x)**2, x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^2,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(d + e*x)^2,x)

[Out] int((a + b*acos(1/(c*x)))/(d + e*x)^2, x)

$$3.62 \quad \int \frac{a+b \sec^{-1}(cx)}{(d+ex)^3} dx$$

Optimal. Leaf size=172

$$\frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{2d(c^2 d^2 - e^2) \left(e + \frac{d}{x}\right)} - \frac{b \csc^{-1}(cx)}{2d^2 e} - \frac{a + b \sec^{-1}(cx)}{2e(d+ex)^2} - \frac{b(2c^2 d^2 - e^2) \tanh^{-1} \left(\frac{c^2 d + \frac{e}{x}}{c \sqrt{c^2 d^2 - e^2} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{2d^2 (c^2 d^2 - e^2)^{3/2}}$$

[Out] $-1/2*b*\text{arccsc}(c*x)/d^2/e+1/2*(-a-b*\text{arcsec}(c*x))/e/(e*x+d)^2-1/2*b*(2*c^2*d^2-e^2)*\text{arctanh}((c^2*d+e/x)/c/(c^2*d^2-e^2)^{(1/2)/(1-1/c^2/x^2)^{(1/2)})}/d^2/(c^2*d^2-e^2)^{(3/2)}+1/2*b*c*e*(1-1/c^2/x^2)^{(1/2)}/d/(c^2*d^2-e^2)/(e+d/x)$

Rubi [A]

time = 0.22, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5334, 1582, 1489, 1665, 858, 222, 739, 212}

$$\frac{a + b \sec^{-1}(cx)}{2e(d+ex)^2} + \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{2d(c^2 d^2 - e^2) \left(\frac{d}{x} + e\right)} - \frac{b(2c^2 d^2 - e^2) \tanh^{-1} \left(\frac{c^2 d + \frac{e}{x}}{c \sqrt{1 - \frac{1}{c^2 x^2}} \sqrt{c^2 d^2 - e^2}} \right)}{2d^2 (c^2 d^2 - e^2)^{3/2}} - \frac{b \csc^{-1}(cx)}{2d^2 e}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x)^3,x]

[Out] $(b*c*e*\text{Sqrt}[1 - 1/(c^2*x^2)])/(2*d*(c^2*d^2 - e^2)*(e + d/x)) - (b*\text{ArcCsc}[c*x])/(2*d^2*e) - (a + b*\text{ArcSec}[c*x])/(2*e*(d + e*x)^2) - (b*(2*c^2*d^2 - e^2)*\text{ArcTanh}[(c^2*d + e/x)/(c*\text{Sqrt}[c^2*d^2 - e^2]*\text{Sqrt}[1 - 1/(c^2*x^2)])]/(2*d^2*(c^2*d^2 - e^2)^{(3/2)})$

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 222

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 739

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 858

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1489

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q
_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(d + e*x)
^q*(a + c*x^2)^p, x], x, x^n], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] &&
EqQ[n2, 2*n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1582

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^(mn_))^(q_)*((a_) + (c_)*(x_)^(n2_))^(
p_), x_Symbol] := Int[x^(m + mn*q)*(e + d/x^mn)^q*(a + c*x^n2)^p, x] /; F
reeQ[{a, c, d, e, m, mn, p}, x] && EqQ[n2, -2*mn] && IntegerQ[q] && (PosQ[n
2] || !IntegerQ[p])
```

Rule 1665

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :=
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
&& NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rule 5334

```
Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*((d_) + (e_)*(x_))^(m_), x_Symbol
] := Simp[(d + e*x)^(m + 1)*((a + b*ArcSec[c*x])/(e*(m + 1))), x] - Dist[b/
(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex)^3} dx &= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex)^2} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^2 (d+ex)^2} dx}{2ce} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex)^2} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} \left(e + \frac{d}{x}\right)^2 x^4} dx}{2ce} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex)^2} - \frac{b \text{Subst} \left(\int \frac{x^2}{(e+dx)^2 \sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{2ce} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{2d(c^2 d^2 - e^2) \left(e + \frac{d}{x}\right)} - \frac{a + b \sec^{-1}(cx)}{2e(d + ex)^2} + \frac{(bc) \text{Subst} \left(\int \frac{e - \left(d - \frac{e^2}{c^2 d}\right)x}{(e+dx) \sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{2e(c^2 d^2 - e^2)} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{2d(c^2 d^2 - e^2) \left(e + \frac{d}{x}\right)} - \frac{a + b \sec^{-1}(cx)}{2e(d + ex)^2} - \frac{b \text{Subst} \left(\int \frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{2cd^2 e} + \frac{(bc)}{2d(c^2 d^2 - e^2)} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{2d(c^2 d^2 - e^2) \left(e + \frac{d}{x}\right)} - \frac{b \csc^{-1}(cx)}{2d^2 e} - \frac{a + b \sec^{-1}(cx)}{2e(d + ex)^2} - \frac{(bc \left(2 - \frac{e^2}{c^2 d^2}\right)) \text{Subst} \left(\int \frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{2d(c^2 d^2 - e^2)} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{2d(c^2 d^2 - e^2) \left(e + \frac{d}{x}\right)} - \frac{b \csc^{-1}(cx)}{2d^2 e} - \frac{a + b \sec^{-1}(cx)}{2e(d + ex)^2} - \frac{b(2c^2 d^2 - e^2) \tanh^{-1} \left(\frac{cd - \sqrt{c^2 d^2 - e^2} \sqrt{1 - \frac{1}{c^2 x^2}}}{cd + e} \right)}{2d^2 (c^2 d^2 - e^2)}
\end{aligned}$$

Mathematica [A]

time = 0.35, size = 247, normalized size = 1.44

$$\frac{1}{2} \left(-\frac{a}{e(d + ex)^2} + \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}} x}{d(c^2 d^2 - e^2)(d + ex)} - \frac{b \sec^{-1}(cx)}{e(d + ex)^2} - \frac{b \text{ArcSin}\left(\frac{1}{cx}\right)}{d^2 e} + \frac{b(-2c^2 d^2 + e^2) \log(d + ex)}{d^2 (cd - e)(cd + e) \sqrt{c^2 d^2 - e^2}} + \frac{b(2c^2 d^2 - e^2) \log\left(e + c \left(cd - \sqrt{c^2 d^2 - e^2} \sqrt{1 - \frac{1}{c^2 x^2}} \right) x\right)}{d^2 (cd - e)(cd + e) \sqrt{c^2 d^2 - e^2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x)^3,x]

[Out]
$$\begin{aligned} & \left(-\frac{a}{e(d+ex)^2} + \frac{bc^3 \sqrt{1 - 1/(c^2 x^2)}}{d(c^2 d^2 - e^2)(d+ex)} - \frac{b \operatorname{ArcSec}[cx]}{e(d+ex)^2} - \frac{b \operatorname{ArcSin}[1/(cx)]}{d^2 e} \right. \\ & + \frac{b(-2c^2 d^2 + e^2) \operatorname{Log}[d+ex]}{d^2(c^2 d - e)(c^2 d + e) \sqrt{c^2 d^2 - e^2}} + \frac{b(2c^2 d^2 - e^2) \operatorname{Log}[e + c(c^2 d - \sqrt{c^2 d^2 - e^2}) \sqrt{1 - 1/(c^2 x^2)}]}{d^2(c^2 d - e)(c^2 d + e) \sqrt{c^2 d^2 - e^2}} \Big) / 2 \end{aligned}$$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 968 vs. 2(159) = 318.

time = 0.90, size = 969, normalized size = 5.63

| method | result |
|-------------------|--|
| derivativedivides | $\frac{\frac{a c^3}{2(cex+cd)^2 e} - \frac{b c^3 \operatorname{arcsec}(cx)}{2(cex+cd)^2 e} - \frac{b c^3 \sqrt{c^2 x^2 - 1}}{2e \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} x (c^2 d^2 - e^2) (cex+cd)} d \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right) - \frac{b c^3 \sqrt{c^2 x^2 - 1}}{2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} (c^2 d^2 - e^2) (cex+cd)} \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right)}{\dots}$ |
| default | $\frac{\frac{a c^3}{2(cex+cd)^2 e} - \frac{b c^3 \operatorname{arcsec}(cx)}{2(cex+cd)^2 e} - \frac{b c^3 \sqrt{c^2 x^2 - 1}}{2e \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} x (c^2 d^2 - e^2) (cex+cd)} d \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right) - \frac{b c^3 \sqrt{c^2 x^2 - 1}}{2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} (c^2 d^2 - e^2) (cex+cd)} \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right)}{\dots}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/(e*x+d)^3,x,method=_RETURNVERBOSE)

[Out]
$$\begin{aligned} & \frac{1}{c} \left(-\frac{1}{2} a c^3 / (c^2 x^2 + d)^2 / e - \frac{1}{2} b c^3 / (c^2 x^2 + d)^2 / e \operatorname{arcsec}(c x) - \frac{1}{2} b c^3 / e \sqrt{c^2 x^2 - 1} / \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{1/2} / x d / (c^2 d^2 - e^2) / (c^2 x^2 + d) \right. \\ & \left. \operatorname{arctan}\left(1 / \sqrt{c^2 x^2 - 1}\right) - \frac{1}{2} b c^3 (c^2 x^2 - 1)^{1/2} / \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{1/2} / (c^2 d^2 - e^2) / (c^2 x^2 + d) \right. \\ & \left. \operatorname{arctan}\left(1 / \sqrt{c^2 x^2 - 1}\right) + b c^3 / e \sqrt{c^2 x^2 - 1} / \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{1/2} / x d / (c^2 d^2 - e^2) / (c^2 x^2 + d) \right. \\ & \left. / \left((c^2 d^2 - e^2) / e^2 \right)^{1/2} * \ln\left(2 * \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{1/2} * \left((c^2 d^2 - e^2) / e^2 \right)^{1/2} * e - d * c^2 x - e \right) / (c^2 x^2 + d) \right. \\ & \left. + b c^3 (c^2 x^2 - 1)^{1/2} / \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{1/2} / (c^2 d^2 - e^2) / (c^2 x^2 + d) / \left((c^2 d^2 - e^2) / e^2 \right)^{1/2} * \ln\left(2 * \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{1/2} * \left((c^2 d^2 - e^2) / e^2 \right)^{1/2} * e - d * c^2 x - e \right) / (c^2 x^2 + d) \right. \\ & \left. + \frac{1}{2} b c^3 e \sqrt{c^2 x^2 - 1} / \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{1/2} / x d / (c^2 d^2 - e^2) / (c^2 x^2 + d) \operatorname{arctan}\left(1 / \sqrt{c^2 x^2 - 1}\right) \right. \\ & \left. + \frac{1}{2} b c^3 e \sqrt{c^2 x^2 - 1} / \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{1/2} / x d / (c^2 d^2 - e^2) / (c^2 x^2 + d) - \frac{1}{2} b c^3 e \sqrt{c^2 x^2 - 1} / \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{1/2} / x d / (c^2 d^2 - e^2) / (c^2 x^2 + d) \right. \\ & \left. / \left((c^2 d^2 - e^2) / e^2 \right)^{1/2} * \ln\left(2 * \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{1/2} * \left((c^2 d^2 - e^2) / e^2 \right)^{1/2} * e - d * c^2 x - e \right) / (c^2 x^2 + d) - \frac{1}{2} b c^3 e^2 (c^2 x^2 - 1)^{1/2} / \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{1/2} \right) \end{aligned}$$

$1)/c^2/x^2)^{(1/2)}/d^2/(c^2*d^2-e^2)/(c*e*x+c*d)/((c^2*d^2-e^2)/e^2)^{(1/2)*1}$
 $n(2*((c^2*x^2-1)^{(1/2))*((c^2*d^2-e^2)/e^2)^{(1/2)*e-d*c^2*x-e)/(c*e*x+c*d))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^3,x, algorithm="maxima")

[Out] $1/2*(2*(c^2*x^2*e^3 + 2*c^2*d*x*e^2 + c^2*d^2*e)*integrate(1/2*x*e^{(1/2)*\log(c*x + 1) + 1/2*\log(c*x - 1)})/(c^2*x^4*e^3 + 2*c^2*d*x^3*e^2 + (c^2*d^2*e - e^3)*x^2 - 2*d*x*e^2 - d^2*e + (c^2*x^4*e^3 + 2*c^2*d*x^3*e^2 + (c^2*d^2*e - e^3)*x^2 - 2*d*x*e^2 - d^2*e)*e^{(\log(c*x + 1) + \log(c*x - 1))}, x) - \arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))/b/(x^2*e^3 + 2*d*x*e^2 + d^2*e) - 1/2*a/(x^2*e^3 + 2*d*x*e^2 + d^2*e)$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 511 vs. 2(154) = 308.

time = 1.31, size = 1062, normalized size = 6.17

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^3,x, algorithm="fricas")

[Out] $[-1/2*(a*c^4*d^6 - b*c^3*d^5*e + b*c*d*x^2*e^5 - (4*b*c^2*d^3*x*e^2 + 2*b*c^2*d^4*e - b*x^2*e^5 - 2*b*d*x*e^4 + (2*b*c^2*d^2*x^2 - b*d^2)*e^3)*\sqrt{c^2*d^2 - e^2}*\log((c^3*d^2*x + c*d*e - \sqrt{c^2*d^2 - e^2}*(c^2*d*x + e) + (c^2*d^2 - \sqrt{c^2*d^2 - e^2})*c*d - e^2)*\sqrt{c^2*x^2 - 1}))/x*e + d) + (b*c^4*d^6 - 2*b*c^2*d^4*e^2 + b*d^2*e^4)*\arccsc(c*x) - 2*(2*b*c^4*d^5*x*e + b*c^4*d^6 - 4*b*c^2*d^3*x*e^3 + b*x^2*e^6 + 2*b*d*x*e^5 - (2*b*c^2*d^2*x^2 - b*d^2)*e^4 + (b*c^4*d^4*x^2 - 2*b*c^2*d^4)*e^2)*\arctan(-c*x + \sqrt{c^2*x^2 - 1}) + (2*b*c*d^2*x + a*d^2)*e^4 - (b*c^3*d^3*x^2 - b*c*d^3)*e^3 - 2*(b*c^3*d^4*x + a*c^2*d^4)*e^2 - (b*c^2*d^3*x*e^3 + b*c^2*d^4*e^2 - b*d*x*e^5 - b*d^2*e^4)*\sqrt{c^2*x^2 - 1}]/(2*c^4*d^7*x*e^2 + c^4*d^8*e - 4*c^2*d^5*x*e^4 + d^2*x^2*e^7 + 2*d^3*x*e^6 - (2*c^2*d^4*x^2 - d^4)*e^5 + (c^4*d^6*x^2 - 2*c^2*d^6)*e^3), -1/2*(a*c^4*d^6 - b*c^3*d^5*e + b*c*d*x^2*e^5 - 2*(4*b*c^2*d^3*x*e^2 + 2*b*c^2*d^4*e - b*x^2*e^5 - 2*b*d*x*e^4 + (2*b*c^2*d^2*x^2 - b*d^2)*e^3)*\sqrt{-c^2*d^2 + e^2})*\arctan(\sqrt{-c^2*d^2 + e^2}*(c*x*e + c*d - \sqrt{c^2*x^2 - 1})*e)/(c^2*d^2 - e^2) + (b*c^4*d^6 - 2*b*c^2*d^4*e^2 + b*d^2*e^4)*\arccsc(c*x) - 2*(2*b*c^4*d^5*x*e + b*c^4*d^6 - 4*b*c^2*d^3*x*e^3 + b*x^2*e^6 + 2*b*d*x*e^5 - (2*b*c^2*d^2*x^2 - b*d^2)*e^4 + (b*c^4*d^4*x^2 - 2*b*c^2*d^4)*e^2)*\arctan(-c*x + \sqrt{c^2*x^2 - 1}) + (2*b*c*d^2*x + a*d^2)*e^4 - (b*c^3*d^3*x^2 - b*c*d^3)*e^3 - 2*(b*c^3*d^4*x + a*c^2*d^4)*e^2 - (b*$

$$c^2d^3xe^3 + bc^2d^4e^2 - bdx^5e - bd^2e^4)\sqrt{c^2x^2 - 1})/(2c^4d^7xe^2 + c^4d^8e - 4c^2d^5xe^4 + d^2x^2e^7 + 2d^3xe^6 - (2c^2d^4x^2 - d^4)e^5 + (c^4d^6x^2 - 2c^2d^6)e^3)]$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{(d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x+d)**3,x)

[Out] Integral((a + b*asec(c*x))/(d + e*x)**3, x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^3,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{(d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(d + e*x)^3,x)

[Out] int((a + b*acos(1/(c*x)))/(d + e*x)^3, x)

3.63 $\int (d + ex)^{3/2} (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=372

$$\frac{4be\sqrt{d+ex}(1-c^2x^2)}{15c^3\sqrt{1-\frac{1}{c^2x^2}}x} + \frac{2(d+ex)^{5/2}(a+b\sec^{-1}(cx))}{5e} + \frac{28bd\sqrt{d+ex}\sqrt{1-c^2x^2}E\left(\text{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\right)}{15c^2\sqrt{1-\frac{1}{c^2x^2}}x\sqrt{\frac{c(d+ex)}{cd+e}}}$$

[Out] $2/5*(e*x+d)^{(5/2)}*(a+b*\text{arcsec}(c*x))/e+4/15*b*e*(-c^2*x^2+1)*(e*x+d)^{(1/2)}/c^3/x/(1-1/c^2/x^2)^{(1/2)}+28/15*b*d*\text{EllipticE}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(e*x+d)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2/x/(1-1/c^2/x^2)^{(1/2)})/(c*(e*x+d)/(c*d+e))^{(1/2)}+4/15*b*(2*c^2*d^2+e^2)*\text{EllipticF}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^4/x/(1-1/c^2/x^2)^{(1/2)})/(e*x+d)^{(1/2)}+4/5*b*d^3*\text{EllipticPi}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c/e/x/(1-1/c^2/x^2)^{(1/2)})/(e*x+d)^{(1/2)}$

Rubi [A]

time = 0.54, antiderivative size = 372, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 13, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.722$, Rules used = {5334, 1588, 972, 733, 430, 947, 174, 552, 551, 858, 435, 945, 1598}

$$\frac{2(d+ex)^{5/2}(a+b\sec^{-1}(cx))}{5e} + \frac{4bd^2\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2,\text{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\right)\frac{2e}{cd+e}}{5cx\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} + \frac{28bd\sqrt{1-c^2x^2}\sqrt{d+ex}E\left(\text{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\right)\frac{2e}{cd+e}}{15c^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{\frac{c(d+ex)}{cd+e}}} + \frac{4b\sqrt{1-c^2x^2}(2c^2d^2+e^2)\sqrt{\frac{c(d+ex)}{cd+e}}F\left(\text{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\right)\frac{2e}{cd+e}}{15c^4x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} + \frac{4be(1-c^2x^2)\sqrt{d+ex}}{15c^2x\sqrt{1-\frac{1}{c^2x^2}}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x)^{(3/2)}*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $(4*b*e*\text{Sqrt}[d + e*x]*(1 - c^2*x^2))/(15*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) + (2*(d + e*x)^{(5/2)}*(a + b*\text{ArcSec}[c*x]))/(5*e) + (28*b*d*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)))/(15*c^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (4*b*(2*c^2*d^2 + e^2)*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)))/(15*c^4*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (4*b*d^3*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)))/(5*c*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rule 174

$\text{Int}[1/(((a_.) + (b_.)*(x_.))*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(g_.) + (h_.)*(x_.)]], x_Symbol] := \text{Dist}[-2, \text{Subst}[\text{Int}[1/(\text{Simp}[b*c - a*d - b*x^2, x]*\text{Sqrt}[\text{Simp}[(d*e - c*f)/d + f*(x^2/d), x]]*\text{Sqrt}[\text{Simp}[(d*g - c*h)/d + h*(x^2/d), x]]), x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h\}, x] \&\& \text{GtQ}[(d*e - c*f)/d, 0]$

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c
/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a,
0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 551

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Simp[(1/(a*Sqrt[c]*Sqrt[e]*Rt[-d/c, 2]))*EllipticPi[b*
(c/(a*d)), ArcSin[Rt[-d/c, 2]*x], c*(f/(d*e))], x] /; FreeQ[{a, b, c, d, e,
f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && S
implerSqrtQ[-f/e, -d/c])
```

Rule 552

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/((a +
b*x^2)*Sqrt[1 + (d/c)*x^2]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e
, f}, x] && !GtQ[c, 0]
```

Rule 733

```
Int[((d_) + (e_.)*(x_)^(m_))/Sqrt[(a_) + (c_.)*(x_)^2], x_Symbol] := Dist[2
*a*Rt[-c/a, 2]*(d + e*x)^m*(Sqrt[1 + c*(x^2/a)]/(c*Sqrt[a + c*x^2]*(c*((d +
e*x)/(c*d - a*e*Rt[-c/a, 2]))))^m), Subst[Int[(1 + 2*a*e*Rt[-c/a, 2]*(x^2/
(c*d - a*e*Rt[-c/a, 2])))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-c/a, 2]*x)/
2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 858

```
Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 945

```
Int[((d_.) + (e_.)*(x_)^(m_))/(Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(
x_)^2]), x_Symbol] := Simp[2*e^2*(d + e*x)^(m - 2)*Sqrt[f + g*x]*(Sqrt[a +
```



```
c*x^2/(c*g*(2*m - 1))), x] - Dist[1/(c*g*(2*m - 1)), Int[((d + e*x)^(m - 3)
)/(Sqrt[f + g*x]*Sqrt[a + c*x^2]))*Simp[a*e^2*(d*g + 2*e*f*(m - 2)) - c*d^3
*g*(2*m - 1) + e*(e*(a*e*g*(2*m - 3)) + c*d*(2*e*f - 3*d*g*(2*m - 1)))*x +
2*e^2*(c*e*f - 3*c*d*g)*(m - 1)*x^2, x], x] /; FreeQ[{a, c, d, e, f, g}
, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[2*m] && GeQ[
m, 2]
```

Rule 947

```
Int[1/(((d_.) + (e_.)*(x_.))*Sqrt[(f_.) + (g_.)*(x_.)]*Sqrt[(a_.) + (c_.)*(x_.)
^2]), x_Symbol] := With[{q = Rt[-c/a, 2]}, Dist[Sqrt[1 + c*(x^2/a)]/Sqrt[a
+ c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x],
x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e
^2, 0] && !GtQ[a, 0]
```

Rule 972

```
Int[((f_.) + (g_.)*(x_.))^(n_.)/(((d_.) + (e_.)*(x_.))*Sqrt[(a_.) + (c_.)*(x_.)
^2]), x_Symbol] := Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), (f
+ g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[
e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 1588

```
Int[(x_)^(m_.)*((a_.) + (c_.)*(x_)^(mn2_.))^(p_.)*((d_.) + (e_.)*(x_)^(n_.))^(
q_.), x_Symbol] := Dist[x^(2*n*FracPart[p])*((a + c/x^(2*n))^(FracPart[p]/(
c + a*x^(2*n))^(FracPart[p])), Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n)
)^p, x], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !In
tegerQ[p] && !IntegerQ[q] && PosQ[n]
```

Rule 1598

```
Int[(u_.)*(x_)^(m_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol]
:= Int[u*x^(m + n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, m, p, q}, x]
&& IntegerQ[n] && PosQ[q - p]
```

Rule 5334

```
Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_.))^(m_.), x_Symbol]
:= Simp[(d + e*x)^(m + 1)*((a + b*ArcSec[c*x])/(e*(m + 1))), x] - Dist[b/
(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)^{3/2} (a+b\sec^{-1}(cx)) dx &= \frac{2(d+ex)^{5/2} (a+b\sec^{-1}(cx))}{5e} - \frac{(2b) \int \frac{(d+ex)^{5/2}}{\sqrt{1-\frac{1}{c^2x^2}} x^2} dx}{5ce} \\
&= \frac{2(d+ex)^{5/2} (a+b\sec^{-1}(cx))}{5e} - \frac{\left(2b\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{(d+ex)^{5/2}}{x\sqrt{-\frac{1}{c^2}+x^2}} dx}{5ce\sqrt{1-\frac{1}{c^2x^2}} x} \\
&= \frac{2(d+ex)^{5/2} (a+b\sec^{-1}(cx))}{5e} - \frac{\left(2b\sqrt{-\frac{1}{c^2}+x^2}\right) \int \left(\frac{3d^2e}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}}\right) dx}{5e} \\
&= \frac{2(d+ex)^{5/2} (a+b\sec^{-1}(cx))}{5e} - \frac{\left(6bd^2\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{1}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} dx}{5c\sqrt{1-\frac{1}{c^2x^2}} x} \\
&= \frac{4be\sqrt{d+ex} (1-c^2x^2)}{15c^3\sqrt{1-\frac{1}{c^2x^2}} x} + \frac{2(d+ex)^{5/2} (a+b\sec^{-1}(cx))}{5e} - \frac{\left(6bd\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{1}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} dx}{5e} \\
&= \frac{4be\sqrt{d+ex} (1-c^2x^2)}{15c^3\sqrt{1-\frac{1}{c^2x^2}} x} + \frac{2(d+ex)^{5/2} (a+b\sec^{-1}(cx))}{5e} + \frac{12bd^2\sqrt{\frac{c(d+ex)}{c^2x^2}}}{5e} \\
&= \frac{4be\sqrt{d+ex} (1-c^2x^2)}{15c^3\sqrt{1-\frac{1}{c^2x^2}} x} + \frac{2(d+ex)^{5/2} (a+b\sec^{-1}(cx))}{5e} + \frac{12bd\sqrt{d+ex}}{5e}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 10.90, size = 333, normalized size = 0.90

$$\frac{1}{15} \left(\frac{4bc\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}{c} + \frac{6a(d+ex)^{3/2}}{e} + \frac{6b(d+ex)^{3/2}\operatorname{arcsec}\left(\frac{cx}{d+ex}\right)}{e} + \frac{4ab\sqrt{\frac{e(1+cx)}{-cd+e}}\sqrt{\frac{e-cx^2}{cd+e}}(-7cd(cd-e)E\left(\operatorname{arcsinh}\left(\sqrt{\frac{c}{cd+e}}\sqrt{d+ex}\right)\right)\sqrt{\frac{cd+e}{cd+e}})}{cd+e} + (9c^2d^2-7cde+e^2)F\left(\operatorname{arcsinh}\left(\sqrt{\frac{c}{cd+e}}\sqrt{d+ex}\right)\right)\sqrt{\frac{cd+e}{cd+e}} - 3c^2d^2\pi\left(1+\frac{e}{cd}\right)\sqrt{\frac{c}{cd+e}}\sqrt{d+ex}\sqrt{\frac{cd+e}{cd+e}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)^(3/2)*(a + b*ArcSec[c*x]), x]

[Out] ((-4*b*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])/c + (6*a*(d + e*x)^(5/2))/e + (6*b*(d + e*x)^(5/2)*ArcSec[c*x])/e + ((4*I)*b*Sqrt[(e*(1 + c*x))/(-c*d + e)]*Sqrt[(e - c*e*x)/(c*d + e)]*(-7*c*d*(c*d - e)*EllipticE[I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] + (9*c^2*d^2 - 7*c*d*e + e^2)*EllipticF[I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] - 3*c^2*d^2*EllipticPi[1 + e/(c*d), I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)))/c^3*e*Sqrt[-(c/(c*d + e))]*Sqrt[1 - 1/(c^2*x^2)]*x))/15

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 797 vs. 2(335) = 670.

time = 0.41, size = 798, normalized size = 2.15

| method | result |
|-------------------|---|
| derivativedivides | $\frac{2(ex+d)^{\frac{5}{2}}a}{5} + 2b \left(\frac{(ex+d)^{\frac{5}{2}}\operatorname{arcsec}(cx)}{5} - \frac{2 \left(\sqrt{\frac{c}{cd-e}} c^2(ex+d)^{\frac{5}{2}} + 9d^2 \sqrt{\frac{-c(ex+d)+cd-e}{cd-e}} \sqrt{\frac{-c(ex+d)+cd+e}{cd+e}} \right)}{5} \right) \operatorname{EllipticF}$ |
| default | $\frac{2(ex+d)^{\frac{5}{2}}a}{5} + 2b \left(\frac{(ex+d)^{\frac{5}{2}}\operatorname{arcsec}(cx)}{5} - \frac{2 \left(\sqrt{\frac{c}{cd-e}} c^2(ex+d)^{\frac{5}{2}} + 9d^2 \sqrt{\frac{-c(ex+d)+cd-e}{cd-e}} \sqrt{\frac{-c(ex+d)+cd+e}{cd+e}} \right)}{5} \right) \operatorname{EllipticF}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^(3/2)*(a+b*arcsec(c*x)), x, method=_RETURNVERBOSE)

[Out] 2/e*(1/5*(e*x+d)^(5/2)*a+b*(1/5*(e*x+d)^(5/2)*arcsec(c*x)-2/15/c^3*((c/(c*d - e))^(1/2)*c^2*(e*x+d)^(5/2)+9*d^2*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2))*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c^2-7*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2))*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c^2*d^2-3*d^2*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2))*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d - e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*c^2-2*(c/(c*d-e))^(1/2)*c^2*d*(e

```
*x+d)^(3/2)+7*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c*d*e-7*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c*d*e+(c/(c*d-e))^(1/2)*c^2*d^2*(e*x+d)^(1/2)+((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*e^2-(c/(c*d-e))^(1/2)*e^2*(e*x+d)^(1/2))/(c/(c*d-e))^(1/2)/x/((c^2*(e*x+d)^2-2*c^2*d*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2)))
```

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(%e-c*d>0)', see 'assume?' for more details
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] integral((a*x*e + a*d + (b*x*e + b*d)*arcsec(c*x))*sqrt(x*e + d), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asec}(cx)) (d + ex)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(3/2)*(a+b*asec(c*x)),x)
```

```
[Out] Integral((a + b*asec(c*x))*(d + e*x)**(3/2), x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate((e*x + d)^(3/2)*(b*arcsec(c*x) + a), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \left(a + b \operatorname{acos} \left(\frac{1}{c x} \right) \right) (d + e x)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))*(d + e*x)^(3/2),x)

[Out] int((a + b*acos(1/(c*x)))*(d + e*x)^(3/2), x)

3.64 $\int \sqrt{d+ex} (a+b\sec^{-1}(cx)) dx$

Optimal. Leaf size=315

$$\frac{2(d+ex)^{3/2}(a+b\sec^{-1}(cx))}{3e} + \frac{4b\sqrt{d+ex}\sqrt{1-c^2x^2}E\left(\operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{3c^2\sqrt{1-\frac{1}{c^2x^2}}x\sqrt{\frac{c(d+ex)}{cd+e}}} + \frac{4bd\sqrt{\frac{c(d+ex)}{cd+e}}\sqrt{1-c^2x^2}}{3c^2}$$

[Out] $2/3*(e*x+d)^{(3/2)}*(a+b*\operatorname{arcsec}(c*x))/e+4/3*b*\operatorname{EllipticE}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(e*x+d)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2/x/(1-1/c^2/x^2)^{(1/2)}/(c*(e*x+d)/(c*d+e))^{(1/2)}+4/3*b*d*\operatorname{EllipticF}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2/x/(1-1/c^2/x^2)^{(1/2)}/(e*x+d)^{(1/2)}+4/3*b*d^2*\operatorname{EllipticPi}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c/e/x/(1-1/c^2/x^2)^{(1/2)}/(e*x+d)^{(1/2)}$

Rubi [A]

time = 0.34, antiderivative size = 315, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.611$, Rules used = {5334, 1588, 972, 733, 430, 947, 174, 552, 551, 858, 435}

$$\frac{2(d+ex)^{3/2}(a+b\sec^{-1}(cx))}{3e} + \frac{4bd^2\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\operatorname{Pi}\left(2;\operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{3cex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} + \frac{4bd\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}F\left(\operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{3c^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} + \frac{4b\sqrt{1-c^2x^2}\sqrt{d+ex}E\left(\operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{3c^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{\frac{c(d+ex)}{cd+e}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sqrt}[d+e*x]*(a+b*\operatorname{ArcSec}[c*x]),x]$

[Out] $(2*(d+e*x)^{(3/2)}*(a+b*\operatorname{ArcSec}[c*x]))/(3*e) + (4*b*\operatorname{Sqrt}[d+e*x]*\operatorname{Sqrt}[1-c^2*x^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[1-c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d+e)))/(3*c^2*\operatorname{Sqrt}[1-1/(c^2*x^2)]*x*\operatorname{Sqrt}[(c*(d+e*x))/(c*d+e)]) + (4*b*d*\operatorname{Sqrt}[(c*(d+e*x))/(c*d+e)]*\operatorname{Sqrt}[1-c^2*x^2]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[1-c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d+e)))/(3*c^2*\operatorname{Sqrt}[1-1/(c^2*x^2)]*x*\operatorname{Sqrt}[d+e*x]) + (4*b*d^2*\operatorname{Sqrt}[(c*(d+e*x))/(c*d+e)]*\operatorname{Sqrt}[1-c^2*x^2]*\operatorname{EllipticPi}[2, \operatorname{ArcSin}[\operatorname{Sqrt}[1-c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d+e)))/(3*c*e*\operatorname{Sqrt}[1-1/(c^2*x^2)]*x*\operatorname{Sqrt}[d+e*x])$

Rule 174

$\operatorname{Int}[1/(((a_.)+(b_.)*(x_))*\operatorname{Sqrt}[(c_.)+(d_.)*(x_)]*\operatorname{Sqrt}[(e_.)+(f_.)*(x_)]*\operatorname{Sqrt}[(g_.)+(h_.)*(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/(\operatorname{Simp}[b*c-a*d-b*x^2, x]*\operatorname{Sqrt}[\operatorname{Simp}[(d*e-c*f)/d+f*(x^2/d), x]]*\operatorname{Sqrt}[\operatorname{Simp}[(d*g-c*h)/d+h*(x^2/d), x]]), x], x, \operatorname{Sqrt}[c+d*x]], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, g, h\}, x] \&\& \operatorname{GtQ}[(d*e-c*f)/d, 0]$

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c
/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a,
0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 551

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Simp[(1/(a*Sqrt[c]*Sqrt[e]*Rt[-d/c, 2]))*EllipticPi[b*
(c/(a*d)), ArcSin[Rt[-d/c, 2]*x], c*(f/(d*e))], x] /; FreeQ[{a, b, c, d, e,
f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && S
implerSqrtQ[-f/e, -d/c])
```

Rule 552

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/((a +
b*x^2)*Sqrt[1 + (d/c)*x^2]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e
, f}, x] && !GtQ[c, 0]
```

Rule 733

```
Int[((d_) + (e_.)*(x_))^(m_)/Sqrt[(a_) + (c_.)*(x_)^2], x_Symbol] := Dist[2
*a*Rt[-c/a, 2]*(d + e*x)^m*(Sqrt[1 + c*(x^2/a)]/(c*Sqrt[a + c*x^2]*(c*((d +
e*x)/(c*d - a*e*Rt[-c/a, 2]))))^m), Subst[Int[(1 + 2*a*e*Rt[-c/a, 2]*(x^2/
(c*d - a*e*Rt[-c/a, 2])))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-c/a, 2]*x)/
2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 858

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 947

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)
^2]), x_Symbol] := With[{q = Rt[-c/a, 2]}, Dist[Sqrt[1 + c*(x^2/a)]/Sqrt[a
+ c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x],
```

x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]

Rule 972

Int[((f_.) + (g_.)*(x_))^(n_)/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (c_.)*(x_)^2]), x_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), (f + g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]

Rule 1588

Int[(x_)^(m_.)*((a_.) + (c_.)*(x_)^(mn2_.))^(p_.)*((d_.) + (e_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[x^(2*n*FracPart[p])*((a + c/x^(2*n))^FracPart[p]/(c + a*x^(2*n))^FracPart[p]), Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n))^p, x], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !IntegerQ[p] && !IntegerQ[q] && PosQ[n]

Rule 5334

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_)^(m_.)), x_Symbol] :> Simp[(d + e*x)^(m + 1)*((a + b*ArcSec[c*x])/(e*(m + 1))), x] - Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \sqrt{d+ex} (a+b\sec^{-1}(cx)) dx &= \frac{2(d+ex)^{3/2} (a+b\sec^{-1}(cx))}{3e} - \frac{(2b) \int \frac{(d+ex)^{3/2}}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{3ce} \\
&= \frac{2(d+ex)^{3/2} (a+b\sec^{-1}(cx))}{3e} - \frac{\left(2b\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{(d+ex)^{3/2}}{x\sqrt{-\frac{1}{c^2}+x^2}} dx}{3ce\sqrt{1-\frac{1}{c^2x^2}} x} \\
&= \frac{2(d+ex)^{3/2} (a+b\sec^{-1}(cx))}{3e} - \frac{\left(2b\sqrt{-\frac{1}{c^2}+x^2}\right) \int \left(\frac{2de}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}}\right) dx}{3ce\sqrt{1-\frac{1}{c^2x^2}} x} \\
&= \frac{2(d+ex)^{3/2} (a+b\sec^{-1}(cx))}{3e} - \frac{\left(4bd\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{1}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} dx}{3c\sqrt{1-\frac{1}{c^2x^2}} x} \\
&= \frac{2(d+ex)^{3/2} (a+b\sec^{-1}(cx))}{3e} - \frac{\left(2b\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{\sqrt{d+ex}}{\sqrt{-\frac{1}{c^2}+x^2}} dx}{3c\sqrt{1-\frac{1}{c^2x^2}} x} \\
&= \frac{2(d+ex)^{3/2} (a+b\sec^{-1}(cx))}{3e} + \frac{8bd\sqrt{\frac{c(d+ex)}{cd+e}} \sqrt{1-c^2x^2} E\left(\sin^{-1}\left(\frac{\sqrt{1-c^2x^2}}{\sqrt{1-\frac{1}{c^2x^2}}}\right)\right)}{3c^2\sqrt{1-\frac{1}{c^2x^2}} x\sqrt{d+ex}} \\
&= \frac{2(d+ex)^{3/2} (a+b\sec^{-1}(cx))}{3e} + \frac{4b\sqrt{d+ex} \sqrt{1-c^2x^2} E\left(\sin^{-1}\left(\frac{\sqrt{1-c^2x^2}}{\sqrt{1-\frac{1}{c^2x^2}}}\right)\right)}{3c^2\sqrt{1-\frac{1}{c^2x^2}} x\sqrt{\frac{c(d+ex)}{cd+e}}} \\
&= \frac{2(d+ex)^{3/2} (a+b\sec^{-1}(cx))}{3e} + \frac{4b\sqrt{d+ex} \sqrt{1-c^2x^2} E\left(\sin^{-1}\left(\frac{\sqrt{1-c^2x^2}}{\sqrt{1-\frac{1}{c^2x^2}}}\right)\right)}{3c^2\sqrt{1-\frac{1}{c^2x^2}} x\sqrt{\frac{c(d+ex)}{cd+e}}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 27.21, size = 277, normalized size = 0.88

$$2 \left(\frac{a(d+ex)^{3/2} + b(d+ex)^{3/2} \sec^{-1}(cx) + \frac{2ib \sqrt{\frac{e(1+cx)}{-cd+e}} \sqrt{\frac{e-cex}{cd+e}} \left((-cd+e)E \left(\operatorname{arcsinh}^{-1} \left(\sqrt{-\frac{c}{cd+e}} \sqrt{d+ex} \right) \right) \right) + (2cd-e)F \left(\operatorname{arcsinh}^{-1} \left(\sqrt{-\frac{c}{cd+e}} \sqrt{d+ex} \right) \right) - \operatorname{cd}E \left(1 + \frac{2}{c} \operatorname{arcsinh}^{-1} \left(\sqrt{-\frac{c}{cd+e}} \sqrt{d+ex} \right) \right)}{c^2 \sqrt{-\frac{c}{cd+e}} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{3e}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e*x]*(a + b*ArcSec[c*x]),x]

[Out] (2*(a*(d + e*x)^(3/2) + b*(d + e*x)^(3/2)*ArcSec[c*x] + ((2*I)*b*Sqrt[(e*(1 + c*x))/(-c*d) + e])*Sqrt[(e - c*e*x)/(c*d + e)]*(-(c*d) + e)*EllipticE[I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] + (2*c*d - e)*EllipticF[I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] - c*d*EllipticPi[1 + e/(c*d), I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)))/(c^2*Sqrt[-(c/(c*d + e))]*Sqrt[1 - 1/(c^2*x^2)]*x))/(3*e)

Maple [A]

time = 0.39, size = 386, normalized size = 1.23

| method | result |
|-------------------|--|
| derivativedivides | $\frac{2(ex+d)^{\frac{3}{2}}a}{3} + 2b \left(\frac{(ex+d)^{\frac{3}{2}} \operatorname{arcsec}(cx)}{3} - \frac{2 \left(2d \operatorname{EllipticF} \left(\sqrt{ex+d}, \sqrt{\frac{c}{cd-e}}, \sqrt{\frac{cd-e}{cd+e}} \right) {}_c\text{-EllipticE} \left(\sqrt{ex+d}, \sqrt{\frac{c}{cd-e}} \right) \right)}{3} \right)$ |
| default | $\frac{2(ex+d)^{\frac{3}{2}}a}{3} + 2b \left(\frac{(ex+d)^{\frac{3}{2}} \operatorname{arcsec}(cx)}{3} - \frac{2 \left(2d \operatorname{EllipticF} \left(\sqrt{ex+d}, \sqrt{\frac{c}{cd-e}}, \sqrt{\frac{cd-e}{cd+e}} \right) {}_c\text{-EllipticE} \left(\sqrt{ex+d}, \sqrt{\frac{c}{cd-e}} \right) \right)}{3} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^(1/2)*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)

[Out] 2/e*(1/3*(e*x+d)^(3/2)*a+b*(1/3*(e*x+d)^(3/2)*arcsec(c*x)-2/3/c^2*(2*d*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c-EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c*d-d*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),1/c*(c*d-e)/d,(c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*c+EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*e-EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*e)*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)/(c/(c*d-e))^(1/2)/x/((c^2*(e*x+d)^2-2*c^2*d*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2)))

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((e*x+d)^(1/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(%e-c*d>0)', see 'assume?' for more details

Fricas [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((e*x+d)^(1/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asec}(cx)) \sqrt{d + ex} \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((e*x+d)**(1/2)*(a+b*asec(c*x)),x)`

[Out] Integral((a + b*asec(c*x))*sqrt(d + e*x), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((e*x+d)^(1/2)*(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] integrate(sqrt(e*x + d)*(b*arcsec(c*x) + a), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right) \sqrt{d + ex} \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(1/(c*x)))*(d + e*x)^(1/2),x)
```

```
[Out] int((a + b*acos(1/(c*x)))*(d + e*x)^(1/2), x)
```

3.65 $\int \frac{a+b \sec^{-1}(cx)}{\sqrt{d+ex}} dx$

Optimal. Leaf size=212

$$\frac{2\sqrt{d+ex} (a+b \sec^{-1}(cx))}{e} + \frac{4b\sqrt{\frac{c(d+ex)}{cd+e}} \sqrt{1-c^2x^2} F\left(\text{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{c^2\sqrt{1-\frac{1}{c^2x^2}} x\sqrt{d+ex}} + \frac{4bd\sqrt{\frac{c(d+ex)}{cd+e}}}{c^2\sqrt{1-\frac{1}{c^2x^2}} x\sqrt{d+ex}}$$

[Out] 2*(a+b*arcsec(c*x))*(e*x+d)^(1/2)/e+4*b*EllipticF(1/2*(-c*x+1)^(1/2)*2^(1/2), 2^(1/2)*(e/(c*d+e))^(1/2))*(c*(e*x+d)/(c*d+e))^(1/2)*(-c^2*x^2+1)^(1/2)/c^2/x/(1-1/c^2/x^2)^(1/2)/(e*x+d)^(1/2)+4*b*d*EllipticPi(1/2*(-c*x+1)^(1/2)*2^(1/2), 2, 2^(1/2)*(e/(c*d+e))^(1/2))*(c*(e*x+d)/(c*d+e))^(1/2)*(-c^2*x^2+1)^(1/2)/c/e/x/(1-1/c^2/x^2)^(1/2)/(e*x+d)^(1/2)

Rubi [A]

time = 0.22, antiderivative size = 212, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5334, 1588, 958, 733, 430, 947, 174, 552, 551}

$$\frac{2\sqrt{d+ex} (a+b \sec^{-1}(cx))}{e} + \frac{4b\sqrt{1-c^2x^2} \sqrt{\frac{c(d+ex)}{cd+e}} F\left(\text{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{c^2x\sqrt{1-\frac{1}{c^2x^2}} \sqrt{d+ex}} + \frac{4bd\sqrt{1-c^2x^2} \sqrt{\frac{c(d+ex)}{cd+e}} \Pi\left(2; \text{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{cex\sqrt{1-\frac{1}{c^2x^2}} \sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/Sqrt[d + e*x], x]

[Out] (2*Sqrt[d + e*x]*(a + b*ArcSec[c*x]))/e + (4*b*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(c^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) + (4*b*d*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(c*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])

Rule 174

Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol] := Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + f*(x^2/d), x]]*Sqrt[Simp[(d*g - c*h)/d + h*(x^2/d), x]]), x], x, Sqrt[c + d*x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]

Rule 430

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c

```
/(a*d)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 551

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] := Simp[(1/(a*Sqrt[c]*Sqrt[e]*Rt[-d/c, 2]))*EllipticPi[b*(c/(a*d)), ArcSin[Rt[-d/c, 2]*x], c*(f/(d*e))], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-f/e, -d/c])
```

Rule 552

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d/c)*x^2]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 733

```
Int[((d_) + (e_)*(x_)^m)/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] := Dist[2*a*Rt[-c/a, 2]*(d + e*x)^m*(Sqrt[1 + c*(x^2/a)]/(c*Sqrt[a + c*x^2]*(c*((d + e*x)/(c*d - a*e*Rt[-c/a, 2]))))^m), Subst[Int[(1 + 2*a*e*Rt[-c/a, 2]*(x^2/(c*d - a*e*Rt[-c/a, 2])))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-c/a, 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 947

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(f_) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := With[{q = Rt[-c/a, 2]}, Dist[Sqrt[1 + c*(x^2/a)]/Sqrt[a + c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]
```

Rule 958

```
Int[Sqrt[(f_) + (g_)*(x_)]/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := Dist[g/e, Int[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] + Dist[(e*f - d*g)/e, Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 1588

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(mn2_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Dist[x^(2*n*FracPart[p])*((a + c/x^(2*n))^FracPart[p]/(
```

```

c + a*x^(2*n))^FracPart[p]), Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n)
)^p, x], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !In
tegerQ[p] && !IntegerQ[q] && PosQ[n]

```

Rule 5334

```

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((d_.) + (e_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d + e*x)^(m + 1)*((a + b*ArcSec[c*x])/(e*(m + 1))), x] - Dist[b/
(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{\sqrt{d+ex}} dx &= \frac{2\sqrt{d+ex} (a + b \sec^{-1}(cx))}{e} - \frac{(2b) \int \frac{\sqrt{d+ex}}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{ce} \\
&= \frac{2\sqrt{d+ex} (a + b \sec^{-1}(cx))}{e} - \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{\sqrt{d+ex}}{x \sqrt{-\frac{1}{c^2} + x^2}} dx}{ce \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= \frac{2\sqrt{d+ex} (a + b \sec^{-1}(cx))}{e} - \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{\sqrt{d+ex} \sqrt{-\frac{1}{c^2} + x^2}} dx}{c \sqrt{1 - \frac{1}{c^2 x^2}} x} \quad \left(2\right) \\
&= \frac{2\sqrt{d+ex} (a + b \sec^{-1}(cx))}{e} - \frac{\left(2bd\sqrt{1 - c^2 x^2}\right) \int \frac{1}{x \sqrt{1 - cx} \sqrt{1 + cx} \sqrt{d+ex}} dx}{ce \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= \frac{2\sqrt{d+ex} (a + b \sec^{-1}(cx))}{e} + \frac{4b \sqrt{\frac{c(d+ex)}{cd+e}} \sqrt{1 - c^2 x^2} F\left(\sin^{-1}\left(\frac{\sqrt{1 - cx}}{\sqrt{2}}\right) \mid \frac{2}{cd+e}\right)}{c^2 \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d+ex}} \\
&= \frac{2\sqrt{d+ex} (a + b \sec^{-1}(cx))}{e} + \frac{4b \sqrt{\frac{c(d+ex)}{cd+e}} \sqrt{1 - c^2 x^2} F\left(\sin^{-1}\left(\frac{\sqrt{1 - cx}}{\sqrt{2}}\right) \mid \frac{2}{cd+e}\right)}{c^2 \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d+ex}} \\
&= \frac{2\sqrt{d+ex} (a + b \sec^{-1}(cx))}{e} + \frac{4b \sqrt{\frac{c(d+ex)}{cd+e}} \sqrt{1 - c^2 x^2} F\left(\sin^{-1}\left(\frac{\sqrt{1 - cx}}{\sqrt{2}}\right) \mid \frac{2}{cd+e}\right)}{c^2 \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d+ex}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 13.73, size = 212, normalized size = 1.00

$$2 \left(a\sqrt{d+ex} + b\sqrt{d+ex} \operatorname{sec}^{-1}(cx) + \frac{{}_2F_1\left(\sqrt{\frac{e(1+cx)}{-cd+e}} \sqrt{\frac{e-cex}{cd+e}} \left(F\left(i \sinh^{-1}\left(\sqrt{\frac{c}{cd+e}} \sqrt{d+ex}\right) \middle| \frac{cd+e}{cd-e}\right) - \Pi\left(1 + \frac{e}{cd}; i \sinh^{-1}\left(\sqrt{\frac{c}{cd+e}} \sqrt{d+ex}\right) \middle| \frac{cd+e}{cd-e}\right)\right)}{c\sqrt{\frac{c}{cd+e}} \sqrt{1 - \frac{1}{c^2 x^2}}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/Sqrt[d + e*x], x]

[Out] (2*(a*Sqrt[d + e*x] + b*Sqrt[d + e*x]*ArcSec[c*x] + ((2*I)*b*Sqrt[(e*(1 + c*x))/(-c*d) + e])*Sqrt[(e - c*e*x)/(c*d + e)]*(EllipticF[I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] - EllipticPi[1 + e/(c*d), I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)])))/(c*Sqrt[-(c/(c*d + e))]*Sqrt[1 - 1/(c^2*x^2)]*x))/e

Maple [A]

time = 0.36, size = 252, normalized size = 1.19

| method | result |
|-------------------|---|
| derivativedivides | $2\sqrt{ex+d} a+2b \left(\sqrt{ex+d} \operatorname{arcsec}(cx) - \frac{{}_2F_1\left(\sqrt{\frac{-c(ex+d)+cd-e}{cd-e}} \sqrt{\frac{-c(ex+d)+cd+e}{cd+e}} \left(\operatorname{EllipticF}\left(\sqrt{ex+d}\right) \right)}{c\sqrt{\frac{c^2(ex+d)^2-2c^2d}{c^2e}}}\right)}{e}$ |
| default | $2\sqrt{ex+d} a+2b \left(\sqrt{ex+d} \operatorname{arcsec}(cx) - \frac{{}_2F_1\left(\sqrt{\frac{-c(ex+d)+cd-e}{cd-e}} \sqrt{\frac{-c(ex+d)+cd+e}{cd+e}} \left(\operatorname{EllipticF}\left(\sqrt{ex+d}\right) \right)}{c\sqrt{\frac{c^2(ex+d)^2-2c^2d}{c^2e}}}\right)}{e}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/(e*x+d)^(1/2), x, method=_RETURNVERBOSE)

[Out] 2/e*((e*x+d)^(1/2)*a+b*((e*x+d)^(1/2)*arcsec(c*x)-2/c*((-c*(e*x+d)+c*d-e)/((c*d-e))^(1/2)*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*(EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))-EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2)))/((c^2*(e*x+d)^2-2*c^2*d*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2)/x/(c/(c*d-e))^(1/2)))

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(%e-c*d>0)', see 'assume?' for more details)

Fricas [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x+d)^(1/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{\sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/(e*x+d)**(1/2),x)`

[Out] `Integral((a + b*asec(c*x))/sqrt(d + e*x), x)`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)/sqrt(e*x + d), x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{\sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acos(1/(c*x)))/(d + e*x)^(1/2),x)`

[Out] `int((a + b*acos(1/(c*x)))/(d + e*x)^(1/2), x)`

3.66 $\int \frac{a+b \sec^{-1}(cx)}{(d+ex)^{3/2}} dx$

Optimal. Leaf size=119

$$\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d+ex}} - \frac{4b\sqrt{\frac{c(d+ex)}{cd+e}} \sqrt{1-c^2x^2} \Pi\left(2; \text{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{ce\sqrt{1-\frac{1}{c^2x^2}} x\sqrt{d+ex}}$$

[Out] $-2*(a+b*\text{arcsec}(c*x))/e/(e*x+d)^{(1/2)}-4*b*\text{EllipticPi}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c/e/x/(1-1/c^2/x^2)^{(1/2)}/(e*x+d)^{(1/2)}$

Rubi [A]

time = 0.16, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5334, 1588, 947, 174, 552, 551}

$$\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d+ex}} - \frac{4b\sqrt{1-c^2x^2} \sqrt{\frac{c(d+ex)}{cd+e}} \Pi\left(2; \text{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{cex\sqrt{1-\frac{1}{c^2x^2}} \sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcSec}[c*x])/(d + e*x)^{(3/2)}, x]$

[Out] $(-2*(a + b*\text{ArcSec}[c*x]))/(e*\text{Sqrt}[d + e*x]) - (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(c*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rule 174

$\text{Int}[1/(((a_.) + (b_.)*(x_.))*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)]*\text{Sqrt}[(g_.) + (h_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[-2, \text{Subst}[\text{Int}[1/(\text{Simp}[b*c - a*d - b*x^2, x]*\text{Sqrt}[\text{Simp}[(d*e - c*f)/d + f*(x^2/d), x]]*\text{Sqrt}[\text{Simp}[(d*g - c*h)/d + h*(x^2/d), x]]), x], x, \text{Sqrt}[c + d*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h\}, x] \&\& \text{GtQ}[(d*e - c*f)/d, 0]$

Rule 551

$\text{Int}[1/(((a_.) + (b_.)*(x_.)^2)*\text{Sqrt}[(c_.) + (d_.)*(x_.)^2]*\text{Sqrt}[(e_.) + (f_.)*(x_.)^2]), x_Symbol] \rightarrow \text{Simp}[(1/(a*\text{Sqrt}[c]*\text{Sqrt}[e]*\text{Rt}[-d/c, 2]))*\text{EllipticPi}[b*(c/(a*d)), \text{ArcSin}[\text{Rt}[-d/c, 2]*x], c*(f/(d*e))], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& !\text{GtQ}[d/c, 0] \&\& \text{GtQ}[c, 0] \&\& \text{GtQ}[e, 0] \&\& !(!\text{GtQ}[f/e, 0] \&\& S$

implerSqrtQ[-f/e, -d/c]

Rule 552

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d/c)*x^2]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 947

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(f_) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := With[{q = Rt[-c/a, 2]}, Dist[Sqrt[1 + c*(x^2/a)]/Sqrt[a + c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]
```

Rule 1588

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(mn2_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Dist[x^(2*n*FracPart[p])*((a + c/x^(2*n))^FracPart[p]/(c + a*x^(2*n))^FracPart[p]), Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n))^p, x], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !IntegerQ[p] && !IntegerQ[q] && PosQ[n]
```

Rule 5334

```
Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*((d_) + (e_)*(x_)^(m_)), x_Symbol] := Simp[(d + e*x)^(m + 1)*((a + b*ArcSec[c*x])/(e*(m + 1))), x] - Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex)^{3/2}} dx &= -\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d + ex}} + \frac{(2b) \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^2 \sqrt{d + ex}} dx}{ce} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d + ex}} + \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x \sqrt{d + ex} \sqrt{-\frac{1}{c^2} + x^2}} dx}{ce \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d + ex}} + \frac{\left(2b \sqrt{1 - c^2 x^2}\right) \int \frac{1}{x \sqrt{1 - cx} \sqrt{1 + cx} \sqrt{d + ex}} dx}{ce \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d + ex}} - \frac{\left(4b \sqrt{1 - c^2 x^2}\right) \text{Subst} \left(\int \frac{1}{(1-x^2) \sqrt{2-x^2} \sqrt{d + \frac{e}{c} - \frac{ex^2}{c}}} dx \right)}{ce \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d + ex}} - \frac{\left(4b \sqrt{\frac{c(d+ex)}{cd+e}} \sqrt{1 - c^2 x^2}\right) \text{Subst} \left(\int \frac{1}{(1-x^2) \sqrt{2-x^2} \sqrt{1 - \frac{cx}{d+ex}}} dx \right)}{ce \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d + ex}} - \frac{4b \sqrt{\frac{c(d+ex)}{cd+e}} \sqrt{1 - c^2 x^2} \Pi \left(2; \sin^{-1} \left(\frac{\sqrt{1 - cx}}{\sqrt{2}} \right) \Big|_{\frac{2e}{cd+e}} \right)}{ce \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}}
\end{aligned}$$

Mathematica [A]

time = 0.19, size = 124, normalized size = 1.04

$$\frac{2 \left((-1 + c^2 x^2) (a + b \sec^{-1}(cx)) + 2bc \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{\frac{c(d+ex)}{cd+e}} \sqrt{1 - c^2 x^2} \Pi \left(2; \text{ArcSin} \left(\frac{\sqrt{1 - cx}}{\sqrt{2}} \right) \Big|_{\frac{2e}{cd+e}} \right) \right)}{e \sqrt{d + ex} (-1 + c^2 x^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x)^(3/2),x]

[Out]
$$\frac{-2*((-1 + c^2*x^2)*(a + b*\text{ArcSec}[c*x]) + 2*b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])}{(e*\text{Sqrt}[d + e*x]*(-1 + c^2*x^2))}$$

Maple [A]

time = 0.32, size = 215, normalized size = 1.81

| method | result |
|-------------------|---|
| derivativedivides | $-\frac{\frac{2a}{\sqrt{ex+d}} + 2b}{\sqrt{ex+d}} \left(-\frac{\text{arcsec}(cx)}{\sqrt{ex+d}} - \frac{2\sqrt{\frac{-c(ex+d)+cd-e}{cd-e}} \sqrt{\frac{-c(ex+d)+cd+e}{cd+e}} \text{EllipticPi}\left(\sqrt{ex+d}, \sqrt{\frac{c}{cd-e}}\right)}{c\sqrt{\frac{c^2(ex+d)^2-2c^2d(ex+d)+c^2d^2-e^2}{c^2e^2x^2}}} x d \sqrt{\frac{c}{cd-e}} \right)$ |
| default | $-\frac{\frac{2a}{\sqrt{ex+d}} + 2b}{\sqrt{ex+d}} \left(-\frac{\text{arcsec}(cx)}{\sqrt{ex+d}} - \frac{2\sqrt{\frac{-c(ex+d)+cd-e}{cd-e}} \sqrt{\frac{-c(ex+d)+cd+e}{cd+e}} \text{EllipticPi}\left(\sqrt{ex+d}, \sqrt{\frac{c}{cd-e}}\right)}{c\sqrt{\frac{c^2(ex+d)^2-2c^2d(ex+d)+c^2d^2-e^2}{c^2e^2x^2}}} x d \sqrt{\frac{c}{cd-e}} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/(e*x+d)^(3/2),x,method=_RETURNVERBOSE)

[Out]
$$\frac{2/e*(-a/(e*x+d)^{(1/2)}+b*(-1/(e*x+d)^{(1/2)}*\text{arcsec}(c*x)-2/c/((c^2*(e*x+d)^2-2*c^2*d*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^{(1/2)}/x/d/(c/(c*d-e))^{(1/2)}*((-c*(e*x+d)+c*d-e)/(c*d-e))^{(1/2)}*((-c*(e*x+d)+c*d+e)/(c*d+e))^{(1/2)}*\text{EllipticPi}((e*x+d)^{(1/2)}*(c/(c*d-e))^{(1/2)},1/c*(c*d-e)/d,(c/(c*d+e))^{(1/2)}/(c/(c*d-e))^{(1/2)}))}{e}$$

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(%e-c*d>0)', see 'assume?' for more details)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((b*arcsec(c*x) + a)*sqrt(x*e + d)/(x^2*e^2 + 2*d*x*e + d^2), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{(d + ex)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))/(e*x+d)**(3/2),x)
```

```
[Out] Integral((a + b*asec(c*x))/(d + e*x)**(3/2), x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)/(e*x + d)^(3/2), x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{(d + ex)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(1/(c*x)))/(d + e*x)^(3/2),x)
```

```
[Out] int((a + b*acos(1/(c*x)))/(d + e*x)^(3/2), x)
```

$$3.67 \quad \int \frac{a+b \sec^{-1}(cx)}{(d+ex)^{5/2}} dx$$

Optimal. Leaf size=298

$$-\frac{4be(1-c^2x^2)}{3cd(c^2d^2-e^2)\sqrt{1-\frac{1}{c^2x^2}}x\sqrt{d+ex}} - \frac{2(a+b\sec^{-1}(cx))}{3e(d+ex)^{3/2}} + \frac{4b\sqrt{d+ex}\sqrt{1-c^2x^2}E\left(\text{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\right)}{3d(c^2d^2-e^2)\sqrt{1-\frac{1}{c^2x^2}}x\sqrt{\frac{c(d+ex)}{cd+e}}}$$

[Out] $-2/3*(a+b*\text{arcsec}(c*x))/e/(e*x+d)^{(3/2)}-4/3*b*e*(-c^2*x^2+1)/c/d/(c^2*d^2-e^2)/x/(1-1/c^2/x^2)^{(1/2)}/(e*x+d)^{(1/2)}+4/3*b*\text{EllipticE}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)})*(e*x+d)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/d/(c^2*d^2-e^2)/x/(1-1/c^2/x^2)^{(1/2)}/(c*(e*x+d)/(c*d+e))^{(1/2)}-4/3*b*\text{EllipticPi}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2, 2^{(1/2)}*(e/(c*d+e))^{(1/2)})*(c*(e*x+d)/(c*d+e))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c/d/e/x/(1-1/c^2/x^2)^{(1/2)}/(e*x+d)^{(1/2)}$

Rubi [A]

time = 0.30, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.611$, Rules used = {5334, 1588, 972, 759, 21, 733, 435, 947, 174, 552, 551}

$$-\frac{2(a+b\sec^{-1}(cx))}{3e(d+ex)^{3/2}} + \frac{4b\sqrt{1-c^2x^2}\sqrt{d+ex}E\left(\text{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{3dx\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{\frac{c(d+ex)}{cd+e}}} - \frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2;\text{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{3cdex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} - \frac{4be(1-c^2x^2)}{3cdx\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x)^(5/2), x]

[Out] $(-4*b*e*(1-c^2*x^2))/(3*c*d*(c^2*d^2-e^2)*\text{Sqrt}[1-1/(c^2*x^2)]*x*\text{Sqrt}[d+e*x]) - (2*(a+b*\text{ArcSec}[c*x]))/(3*e*(d+e*x)^{(3/2)}) + (4*b*\text{Sqrt}[d+e*x]*\text{Sqrt}[1-c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1-c*x]/\text{Sqrt}[2]], (2*e)/(c*d+e)))/(3*d*(c^2*d^2-e^2)*\text{Sqrt}[1-1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d+e*x))/(c*d+e)]) - (4*b*\text{Sqrt}[(c*(d+e*x))/(c*d+e)]*\text{Sqrt}[1-c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1-c*x]/\text{Sqrt}[2]], (2*e)/(c*d+e)))/(3*c*d*e*\text{Sqrt}[1-1/(c^2*x^2)]*x*\text{Sqrt}[d+e*x])$

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_))^(m_.)*((c_.) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 174

Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol] := Dist[-2, Subst[Int[1/(Simp[b*c -


```
a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + f*(x^2/d), x]]*Sqrt[Simp[(d*g -
c*h)/d + h*(x^2/d), x]], x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e
, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 435

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 551

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x
_)^2]), x_Symbol] := Simp[(1/(a*Sqrt[c]*Sqrt[e]*Rt[-d/c, 2]))*EllipticPi[b*
(c/(a*d)), ArcSin[Rt[-d/c, 2]*x], c*(f/(d*e))], x] /; FreeQ[{a, b, c, d, e,
f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && S
implerSqrtQ[-f/e, -d/c])
```

Rule 552

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x
_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/((a +
b*x^2)*Sqrt[1 + (d/c)*x^2]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e
, f}, x] && !GtQ[c, 0]
```

Rule 733

```
Int[((d_) + (e_)*(x_)^m)/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] := Dist[2
*a*Rt[-c/a, 2]*(d + e*x)^m*(Sqrt[1 + c*(x^2/a)]/(c*Sqrt[a + c*x^2]*(c*((d +
e*x)/(c*d - a*e*Rt[-c/a, 2]))))^m), Subst[Int[(1 + 2*a*e*Rt[-c/a, 2]*(x^2/
(c*d - a*e*Rt[-c/a, 2])))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-c/a, 2]*x)/
2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 759

```
Int[((d_) + (e_)*(x_)^m)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[
e*(d + e*x)^(m + 1)*((a + c*x^2)^(p + 1)/((m + 1)*(c*d^2 + a*e^2))), x] + D
ist[c/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*Simp[d*(m + 1) - e*(
m + 2*p + 3)*x, x]*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] &&
NeQ[c*d^2 + a*e^2, 0] && NeQ[m, -1] && ((LtQ[m, -1] && IntQuadraticQ[a, 0,
c, d, e, m, p, x]) || (SumSimplerQ[m, 1] && IntegerQ[p]) || ILtQ[Simplify[
m + 2*p + 3], 0])
```

Rule 947

```
Int[1/(((d_) + (e_)*(x_)^m)*Sqrt[(f_) + (g_)*(x_)^n]*Sqrt[(a_) + (c_)*(x_)
^2]), x_Symbol] := With[{q = Rt[-c/a, 2]}, Dist[Sqrt[1 + c*(x^2/a)]/Sqrt[a
```

```
+ c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x],
x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e
^2, 0] && !GtQ[a, 0]
```

Rule 972

```
Int[((f_.) + (g_.)*(x_)^(n_)/(((d_.) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^
2]), x_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), (f
+ g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[
e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 1588

```
Int[(x_)^(m_.)*((a_.) + (c_.)*(x_)^(mn2_.))^p)*((d_) + (e_.)*(x_)^(n_.))^
(q_.), x_Symbol] :> Dist[x^(2*n*FracPart[p])*((a + c/x^(2*n))^FracPart[p]/(
c + a*x^(2*n))^FracPart[p]), Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n)
)^p, x], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !In
tegerQ[p] && !IntegerQ[q] && PosQ[n]
```

Rule 5334

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))*((d_.) + (e_.)*(x_)^(m_.), x_Symbol
] :> Simp[(d + e*x)^(m + 1)*((a + b*ArcSec[c*x])/(e*(m + 1))), x] - Dist[b/
(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex)^{5/2}} dx &= -\frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{(2b) \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^2 (d+ex)^{3/2}} dx}{3ce} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x(d+ex)^{3/2} \sqrt{-\frac{1}{c^2} + x^2}} dx}{3ce \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \left(-\frac{e}{d(d+ex)^{3/2} \sqrt{-\frac{1}{c^2} + x^2}} + \frac{1}{dx \sqrt{d + ex}} \right) dx}{3ce \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} - \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{(d+ex)^{3/2} \sqrt{-\frac{1}{c^2} + x^2}} dx}{3cd \sqrt{1 - \frac{1}{c^2 x^2}} x} + \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x \sqrt{d + ex}} dx}{3cd \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= -\frac{4be(1 - c^2 x^2)}{3cd(c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} - \frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{\left(4b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x \sqrt{d + ex}} dx}{3cd(d^2 - \frac{e^2}{c^2})} \\
&= -\frac{4be(1 - c^2 x^2)}{3cd(c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} - \frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} - \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x \sqrt{d + ex}} dx}{3cd(d^2 - \frac{e^2}{c^2})} \\
&= -\frac{4be(1 - c^2 x^2)}{3cd(c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} - \frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} - \frac{\left(4b \sqrt{\frac{c(d + ex)}{cd + e}}\right) \int \frac{1}{x \sqrt{d + ex}} dx}{3cd(d^2 - \frac{e^2}{c^2})} \\
&= -\frac{4be(1 - c^2 x^2)}{3cd(c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} - \frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{4b \sqrt{d + ex} \sqrt{1 - \frac{1}{c^2 x^2}}}{3d(c^2 d^2 - e^2)}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 25.56, size = 326, normalized size = 1.09

$$2 \left(\frac{-\frac{a}{(d+ex)^{3/2}} + \frac{2bx^2 \sqrt{1-\frac{1}{c^2x^2}}}{(c^2d^3-d^2e^2)\sqrt{d+ex}} - \frac{b \operatorname{arcsec}\left(\frac{cx}{d+ex}\right)}{(d+ex)^{3/2}} - \frac{2ib \sqrt{\frac{e(1+cx)}{-cd+e}} \sqrt{\frac{e-cex}{cd+e}} \left(-cdE\left(\operatorname{arcsinh}^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right)\right) \Big|_{\frac{cd+e}{cd-e}} \right) + cdF\left(\operatorname{arcsinh}^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right)\right) \Big|_{\frac{cd+e}{cd-e}} \right) + (cd+e)E\left(1+\frac{1}{2}i \operatorname{arcsinh}^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right)\right) \Big|_{\frac{cd+e}{cd-e}} \right)}{d^2 \left(-\frac{c}{cd+e}\right)^{3/2} (cd+e)^2 \sqrt{1-\frac{1}{c^2x^2}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x)^(5/2), x]
```

```
[Out] (2*(-(a/(d + e*x)^(3/2)) + (2*b*c*e^2*sqrt[1 - 1/(c^2*x^2)]*x)/((c^2*d^3 - d*e^2)*sqrt[d + e*x]) - (b*ArcSec[c*x])/(d + e*x)^(3/2) - ((2*I)*b*sqrt[(e*(1 + c*x))/(-c*d + e)]*sqrt[(e - c*e*x)/(c*d + e)]*(-c*d*EllipticE[I*ArcSinh[Sqrt[-c/(c*d + e)]]*sqrt[d + e*x]], (c*d + e)/(c*d - e)]) + c*d*EllipticF[I*ArcSinh[Sqrt[-c/(c*d + e)]]*sqrt[d + e*x]], (c*d + e)/(c*d - e)] + (c*d + e)*EllipticPi[1 + e/(c*d), I*ArcSinh[Sqrt[-c/(c*d + e)]]*sqrt[d + e*x]], (c*d + e)/(c*d - e)))/(d^2*(-c/(c*d + e))^(3/2)*(c*d + e)^2*sqrt[1 - 1/(c^2*x^2)]*x))/(3*e)
```

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 874 vs. 2(270) = 540.

time = 0.35, size = 875, normalized size = 2.94

| method | result |
|------------------|---|
| derivativdivides | $-\frac{2a}{3(ex+d)^{\frac{3}{2}}} + 2b \left(-\frac{\operatorname{arcsec}\left(\frac{cx}{d+ex}\right)}{3(ex+d)^{\frac{3}{2}}} - \frac{2 \left(\sqrt{\frac{-c(ex+d)+cd-e}{cd-e}} \sqrt{\frac{-c(ex+d)+cd+e}{cd+e}} \operatorname{EllipticF}\left(\sqrt{ex+d}, \sqrt{\frac{c}{cd-e}}, \sqrt{\frac{cd-e}{cd+e}}\right) \right)}{3(ex+d)^{\frac{3}{2}}}$ |
| default | $-\frac{2a}{3(ex+d)^{\frac{3}{2}}} + 2b \left(-\frac{\operatorname{arcsec}\left(\frac{cx}{d+ex}\right)}{3(ex+d)^{\frac{3}{2}}} - \frac{2 \left(\sqrt{\frac{-c(ex+d)+cd-e}{cd-e}} \sqrt{\frac{-c(ex+d)+cd+e}{cd+e}} \operatorname{EllipticF}\left(\sqrt{ex+d}, \sqrt{\frac{c}{cd-e}}, \sqrt{\frac{cd-e}{cd+e}}\right) \right)}{3(ex+d)^{\frac{3}{2}}}$ |

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsec(c*x))/(e*x+d)^(5/2), x, method=_RETURNVERBOSE)
```

```
[Out] 2/e*(-1/3*a/(e*x+d)^(3/2)+b*(-1/3/(e*x+d)^(3/2)*arcsec(c*x)-2/3/c*(((c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*((c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c^2*d^2*(e*x+d)^(1/2)-((c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*((c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c^2*d^2*(e*x+d)^(1/2)+((c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*((c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2))
```

$$\frac{1}{2} / \left(\frac{c}{c*d-e} \right)^{1/2} * c^2 * d^2 * (e*x+d)^{1/2} - \left(\frac{c}{c*d-e} \right)^{1/2} * c^2 * d * (e*x+d)^2 + \left(\frac{-c*(e*x+d)+c*d-e}{c*d-e} \right)^{1/2} * \left(\frac{-c*(e*x+d)+c*d+e}{c*d+e} \right)^{1/2} * \text{EllipticF} \left((e*x+d)^{1/2} * \left(\frac{c}{c*d-e} \right)^{1/2}, \left(\frac{c*d-e}{c*d+e} \right)^{1/2} \right) * c*d * e * (e*x+d)^{1/2} - \left(\frac{-c*(e*x+d)+c*d-e}{c*d-e} \right)^{1/2} * \left(\frac{-c*(e*x+d)+c*d+e}{c*d+e} \right)^{1/2} * \text{EllipticE} \left((e*x+d)^{1/2} * \left(\frac{c}{c*d-e} \right)^{1/2}, \left(\frac{c*d-e}{c*d+e} \right)^{1/2} \right) * c*d * e * (e*x+d)^{1/2} + 2 * \left(\frac{c}{c*d-e} \right)^{1/2} * c^2 * d^2 * (e*x+d) - \left(\frac{-c*(e*x+d)+c*d-e}{c*d-e} \right)^{1/2} * \left(\frac{-c*(e*x+d)+c*d+e}{c*d+e} \right)^{1/2} * \text{EllipticPi} \left((e*x+d)^{1/2} * \left(\frac{c}{c*d-e} \right)^{1/2}, 1/c * (c*d-e)/d, \left(\frac{c}{c*d+e} \right)^{1/2} / \left(\frac{c}{c*d-e} \right)^{1/2} \right) * e^2 * (e*x+d)^{1/2} - \left(\frac{c}{c*d-e} \right)^{1/2} * c^2 * d^3 + \left(\frac{c}{c*d-e} \right)^{1/2} * d * e^2 / \left(\frac{c}{c*d-e} \right)^{1/2} / (e*x+d)^{1/2} / (c*d+e) / d^2 / x / \left(\left(c^2 * (e*x+d)^2 - 2 * c^2 * d * (e*x+d) + c^2 * d^2 - e^2 \right) / c^2 / e^2 / x^2 \right)^{1/2} \right)$$

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(%e-c*d>0)', see 'assume?' for more details

Fricas [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(5/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{(d + ex)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x+d)**(5/2),x)

[Out] Integral((a + b*asec(c*x))/(d + e*x)**(5/2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(5/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(e*x + d)^(5/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{(d + ex)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(d + e*x)^(5/2),x)

[Out] int((a + b*acos(1/(c*x)))/(d + e*x)^(5/2), x)

$$3.68 \quad \int \frac{a+b \sec^{-1}(cx)}{(d+ex)^{7/2}} dx$$

Optimal. Leaf size=540

$$\frac{4be(1-c^2x^2)}{15cd(c^2d^2-e^2)\sqrt{1-\frac{1}{c^2x^2}}x(d+ex)^{3/2}} - \frac{16bce(1-c^2x^2)}{15(c^2d^2-e^2)^2\sqrt{1-\frac{1}{c^2x^2}}x\sqrt{d+ex}} - \frac{4be(1-c^2x^2)}{5cd^2(c^2d^2-e^2)\sqrt{1-\frac{1}{c^2x^2}}}$$

[Out] $-2/5*(a+b*\operatorname{arcsec}(c*x))/e/(e*x+d)^{(5/2)}-4/15*b*e*(-c^2*x^2+1)/c/d/(c^2*d^2-e^2)/x/(e*x+d)^{(3/2)}/(1-1/c^2/x^2)^{(1/2)}-16/15*b*c*e*(-c^2*x^2+1)/(c^2*d^2-e^2)^2/x/(1-1/c^2/x^2)^{(1/2)}/(e*x+d)^{(1/2)}-4/5*b*e*(-c^2*x^2+1)/c/d^2/(c^2*d^2-e^2)/x/(1-1/c^2/x^2)^{(1/2)}/(e*x+d)^{(1/2)}+4/15*b*(7*c^2*d^2-3*e^2)*\operatorname{EllipticE}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)})*(e*x+d)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*d^3-d*e^2)^2/x/(1-1/c^2/x^2)^{(1/2)}/(c*(e*x+d)/(c*d+e))^{(1/2)}-4/15*b*\operatorname{EllipticF}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)})*(c*(e*x+d)/(c*d+e))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/d/(c^2*d^2-e^2)/x/(1-1/c^2/x^2)^{(1/2)}/(e*x+d)^{(1/2)}-4/5*b*\operatorname{EllipticPi}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)})*(c*(e*x+d)/(c*d+e))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c/d^2/e/x/(1-1/c^2/x^2)^{(1/2)}/(e*x+d)^{(1/2)}$

Rubi [A]

time = 0.53, antiderivative size = 637, normalized size of antiderivative = 1.18, number of steps used = 19, number of rules used = 14, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.778$, Rules used = {5334, 1588, 972, 759, 849, 858, 733, 435, 430, 21, 947, 174, 552, 551}

$$\frac{2(a+b \operatorname{arcsec}(cx))}{5d(d+ex)^{3/2}} - \frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{d+ex}{d+e}} \operatorname{F}\left(\operatorname{ArcSin}\left(\frac{\sqrt{d+ex}}{\sqrt{d+e}}\right)\right)}{15d\sqrt{1-\frac{1}{c^2x^2}}(d^2-e^2)\sqrt{d+ex}} - \frac{16b^2\sqrt{1-c^2x^2}\sqrt{d+ex} \operatorname{E}\left(\operatorname{ArcSin}\left(\frac{\sqrt{d+ex}}{\sqrt{d+e}}\right)\right)}{15e\sqrt{1-\frac{1}{c^2x^2}}(d^2-e^2)^2\sqrt{\frac{d+ex}{d+e}}} - \frac{4b\sqrt{1-c^2x^2}\sqrt{d+ex} \operatorname{E}\left(\operatorname{ArcSin}\left(\frac{\sqrt{d+ex}}{\sqrt{d+e}}\right)\right)}{5d^2\sqrt{1-\frac{1}{c^2x^2}}(d^2-e^2)\sqrt{d+ex}} - \frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{d+ex}{d+e}} \operatorname{E}\left(2 \operatorname{ArcSin}\left(\frac{\sqrt{d+ex}}{\sqrt{d+e}}\right)\right)}{5d^2\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} - \frac{16bce(1-c^2x^2)}{15e\sqrt{1-\frac{1}{c^2x^2}}(d^2-e^2)^2\sqrt{d+ex}} - \frac{4be(1-c^2x^2)}{5d^2\sqrt{1-\frac{1}{c^2x^2}}(d^2-e^2)\sqrt{d+ex}} - \frac{4be(1-c^2x^2)}{15d^2\sqrt{1-\frac{1}{c^2x^2}}(d^2-e^2)(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSec}[c*x])/(d + e*x)^{(7/2)}, x]$

[Out] $(-4*b*e*(1-c^2*x^2))/(15*c*d*(c^2*d^2-e^2)*\operatorname{Sqrt}[1-1/(c^2*x^2)]*x*(d+e*x)^{(3/2)} - (16*b*c*e*(1-c^2*x^2))/(15*(c^2*d^2-e^2)^2*\operatorname{Sqrt}[1-1/(c^2*x^2)]*x*\operatorname{Sqrt}[d+e*x] - (4*b*e*(1-c^2*x^2))/(5*c*d^2*(c^2*d^2-e^2)*\operatorname{Sqrt}[1-1/(c^2*x^2)]*x*\operatorname{Sqrt}[d+e*x] - (2*(a+b*\operatorname{ArcSec}[c*x]))/(5*e*(d+e*x)^{(5/2)}) + (16*b*c^2*\operatorname{Sqrt}[d+e*x]*\operatorname{Sqrt}[1-c^2*x^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[1-c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d+e)])/(15*(c^2*d^2-e^2)^2*\operatorname{Sqrt}[1-1/(c^2*x^2)]*x*\operatorname{Sqrt}[(c*(d+e*x))/(c*d+e]) + (4*b*\operatorname{Sqrt}[d+e*x]*\operatorname{Sqrt}[1-c^2*x^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[1-c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d+e)])/(5*d^2*(c^2*d^2-e^2)*\operatorname{Sqrt}[1-1/(c^2*x^2)]*x*\operatorname{Sqrt}[(c*(d+e*x))/(c*d+e]) - (4*b*\operatorname{Sqrt}[(c*(d+e*x))/(c*d+e)]*\operatorname{Sqrt}[1-c^2*x^2]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[1-c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d+e)])/(15*d*(c^2*d^2-e^2)*\operatorname{Sqrt}[1-1/(c^2*x^2)]*x*\operatorname{Sqrt}[d+e*x] - (4*b*\operatorname{Sqrt}[(c*(d+e*x))/(c*d+e)]*\operatorname{Sqrt}[1-c^2*x^2]*\operatorname{El}$

lipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]/(5*c*d^2*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :>
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

Rule 174

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]
)*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c -
a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + f*(x^2/d), x]]*Sqrt[Simp[(d*g -
c*h)/d + h*(x^2/d), x]]), x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e,
f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(
c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a,
0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 551

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] :> Simp[(1/(a*Sqrt[c]*Sqrt[e]*Rt[-d/c, 2]))*EllipticPi[b*
(c/(a*d)), ArcSin[Rt[-d/c, 2]*x], c*(f/(d*e))], x] /; FreeQ[{a, b, c, d, e,
f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && S
implerSqrtQ[-f/e, -d/c])
```

Rule 552

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/((a +
b*x^2)*Sqrt[1 + (d/c)*x^2]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e,
f}, x] && !GtQ[c, 0]
```

Rule 733


```
Int[((d_) + (e_)*(x_))^(m_)/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] := Dist[2
*a*Rt[-c/a, 2]*(d + e*x)^m*(Sqrt[1 + c*(x^2/a)]/(c*Sqrt[a + c*x^2]*(c*((d +
e*x)/(c*d - a*e*Rt[-c/a, 2]))))^m), Subst[Int[(1 + 2*a*e*Rt[-c/a, 2]*(x^2/
(c*d - a*e*Rt[-c/a, 2])))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-c/a, 2]*x)/
2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 759

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[
e*(d + e*x)^(m + 1)*((a + c*x^2)^(p + 1)/((m + 1)*(c*d^2 + a*e^2))), x] + D
ist[c/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*Simp[d*(m + 1) - e*(
m + 2*p + 3)*x, x]*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] &&
NeQ[c*d^2 + a*e^2, 0] && NeQ[m, -1] && ((LtQ[m, -1] && IntQuadraticQ[a, 0,
c, d, e, m, p, x]) || (SumSimplerQ[m, 1] && IntegerQ[p]) || ILtQ[Simplify[
m + 2*p + 3], 0])
```

Rule 849

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[(e*f - d*g)*(d + e*x)^(m + 1)*((a + c*x^2)^(p + 1)/
(m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

Rule 858

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 947

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(f_) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)
^2]), x_Symbol] := With[{q = Rt[-c/a, 2]}, Dist[Sqrt[1 + c*(x^2/a)]/Sqrt[a
+ c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x],
x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e
^2, 0] && !GtQ[a, 0]
```

Rule 972

```
Int[((f_) + (g_)*(x_))^(n_)/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^
2]), x_Symbol] := Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), (f
+ g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[
```

$e*f - d*g, 0] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{IntegerQ}[n + 1/2]$

Rule 1588

$\text{Int}[(x_)^{(m_.)}*((a_.) + (c_.)*(x_)^{(mn2_.)})^{(p_.)}*((d_.) + (e_.)*(x_)^{(n_.)})^{(q_.)}, x_Symbol] \rightarrow \text{Dist}[x^{(2*n*FracPart[p])}*(a + c/x^{(2*n)})^{FracPart[p]}/(c + a*x^{(2*n)})^{FracPart[p]}, \text{Int}[x^{(m - 2*n*p)}*(d + e*x^n)^q*(c + a*x^{(2*n)})^p, x], x] /;$ $\text{FreeQ}\{a, c, d, e, m, n, p, q\}, x] \&\& \text{EqQ}[mn2, -2*n] \&\& \text{!IntegerQ}[p] \&\& \text{!IntegerQ}[q] \&\& \text{PosQ}[n]$

Rule 5334

$\text{Int}[(a_.) + \text{ArcSec}[(c_.)*(x_)]*(b_.)]*((d_.) + (e_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(d + e*x)^{(m + 1)}*((a + b*\text{ArcSec}[c*x])/(e*(m + 1))), x] - \text{Dist}[b/(c*e*(m + 1)), \text{Int}[(d + e*x)^{(m + 1)}/(x^2*\text{Sqrt}[1 - 1/(c^2*x^2)]), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, m\}, x] \&\& \text{NeQ}[m, -1]$

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex)^{7/2}} dx &= -\frac{2(a + b \sec^{-1}(cx))}{5e(d + ex)^{5/2}} + \frac{(2b) \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^2 (d+ex)^{5/2}} dx}{5ce} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{5e(d + ex)^{5/2}} + \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x(d+ex)^{5/2} \sqrt{-\frac{1}{c^2} + x^2}} dx}{5ce \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{5e(d + ex)^{5/2}} + \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \left(-\frac{e}{d(d+ex)^{5/2} \sqrt{-\frac{1}{c^2} + x^2}} - \frac{1}{d^2(d+ex)^{3/2}} \right) dx}{5ce \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{5e(d + ex)^{5/2}} - \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{(d+ex)^{3/2} \sqrt{-\frac{1}{c^2} + x^2}} dx}{5cd^2 \sqrt{1 - \frac{1}{c^2 x^2}} x} - \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x \sqrt{d + ex}} dx}{5cd^2 \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= -\frac{4be(1 - c^2 x^2)}{15cd(c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x(d + ex)^{3/2}} - \frac{4be(1 - c^2 x^2)}{5cd^2(c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} \\
&= -\frac{4be(1 - c^2 x^2)}{15cd(c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x(d + ex)^{3/2}} - \frac{16bce(1 - c^2 x^2)}{15(c^2 d^2 - e^2)^2 \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} \\
&= -\frac{4be(1 - c^2 x^2)}{15cd(c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x(d + ex)^{3/2}} - \frac{16bce(1 - c^2 x^2)}{15(c^2 d^2 - e^2)^2 \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} \\
&= -\frac{4be(1 - c^2 x^2)}{15cd(c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x(d + ex)^{3/2}} - \frac{16bce(1 - c^2 x^2)}{15(c^2 d^2 - e^2)^2 \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 28.90, size = 407, normalized size = 0.75

$$2 \left(\frac{3a}{(d+e)^{3/2}} + \frac{2bc\sqrt{1-\frac{1}{c^2x^2}}}{c^2d^2-4d^2(d+e)^2} x^{(-d^2(4d+3e)+c^2d^2(8d+7e))} - \frac{3b\operatorname{arc}\sec\left(\frac{cx}{d+e}\right)}{(d+e)^{3/2}} + \frac{2b\sqrt{\frac{e(1+cx)}{-cd+e}}\sqrt{\frac{e-cex}{cd+e}}}{\left(\operatorname{cd}(7c^2d^2-3e^2)E\left(\operatorname{sinh}^{-1}\left(\sqrt{\frac{c}{cd+e}}\sqrt{d+ex}\right)\right)\right)^2} - \operatorname{cd}(6c^2d^2-cde-3e^2)E\left(\operatorname{sinh}^{-1}\left(\sqrt{\frac{c}{cd+e}}\sqrt{d+ex}\right)\right)}{\left(\operatorname{cd}(7c^2d^2-3e^2)E\left(\operatorname{sinh}^{-1}\left(\sqrt{\frac{c}{cd+e}}\sqrt{d+ex}\right)\right)\right)^2} - 3\operatorname{cd}(d+e)^2E\left(1+\frac{1}{2}i\operatorname{sinh}^{-1}\left(\sqrt{\frac{c}{cd+e}}\sqrt{d+ex}\right)\right)}{\left(\operatorname{cd}(7c^2d^2-3e^2)E\left(\operatorname{sinh}^{-1}\left(\sqrt{\frac{c}{cd+e}}\sqrt{d+ex}\right)\right)\right)^2} \right) \sqrt{\frac{1}{c^2x^2}}$$

15e

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x)^(7/2), x]

[Out] (2*((-3*a)/(d + e*x)^(5/2) + (2*b*c*e^2*Sqrt[1 - 1/(c^2*x^2)]*x*(-(e^2*(4*d + 3*e*x)) + c^2*d^2*(8*d + 7*e*x)))/((c^2*d^3 - d*e^2)^2*(d + e*x)^(3/2)) - (3*b*ArcSec[c*x])/(d + e*x)^(5/2) + ((2*I)*b*Sqrt[(e*(1 + c*x))/(-c*d) + e])*Sqrt[(e - c*e*x)/(c*d + e)]*(c*d*(7*c^2*d^2 - 3*e^2)*EllipticE[I*ArcSinh[Sqrt[-c/(c*d + e)]]*Sqrt[d + e*x]], (c*d + e)/(c*d - e) - c*d*(6*c^2*d^2 - c*d*e - 3*e^2)*EllipticF[I*ArcSinh[Sqrt[-c/(c*d + e)]]*Sqrt[d + e*x]], (c*d + e)/(c*d - e) - 3*(c*d - e)*(c*d + e)^2*EllipticPi[1 + e/(c*d), I*ArcSinh[Sqrt[-c/(c*d + e)]]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)))/(d^3*(c*d - e)*(-c/(c*d + e))^(3/2)*(c*d + e)^3*Sqrt[1 - 1/(c^2*x^2)]*x))/(15*e)

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 1619 vs. 2(491) = 982.

time = 0.40, size = 1620, normalized size = 3.00

| method | result | size |
|-------------------|---------------------------------|------|
| derivativedivides | Expression too large to display | 1620 |
| default | Expression too large to display | 1620 |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/(e*x+d)^(7/2), x, method=_RETURNVERBOSE)

[Out] 2/e*(-1/5*a/(e*x+d)^(5/2)+b*(-1/5/(e*x+d)^(5/2)*arcsec(c*x)-2/15/c*(6*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c^4*d^4*(e*x+d)^(3/2)-7*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c^4*d^4*(e*x+d)^(3/2)+3*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*c^4*d^4*(e*x+d)^(3/2)-7*(c/(c*d-e))^(1/2)*c^4*d^3*(e*x+d)^3+7*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c^3*d^3*e*(e*x+d)^(3/2)-7*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c^3*d^3*e*(e*x+d)^(3/2)+13*(c/(c*d-e))^(1/2)*c^4*d^4*(e*x

$$+d)^{-2} \cdot 2 \cdot \left(\frac{-c \cdot (e \cdot x + d) + c \cdot d - e}{c \cdot d - e} \right)^{1/2} \cdot \left(\frac{-c \cdot (e \cdot x + d) + c \cdot d + e}{c \cdot d + e} \right)^{1/2} \cdot \text{EllipticF} \left(\frac{(e \cdot x + d)^{1/2} \cdot (c / (c \cdot d - e))^{1/2}}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}}, \left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2} \right) \cdot c^2 \cdot d^2 \cdot e^2 \cdot (e \cdot x + d)^{3/2} + 3 \cdot \left(\frac{-c \cdot (e \cdot x + d) + c \cdot d - e}{c \cdot d - e} \right)^{1/2} \cdot \left(\frac{-c \cdot (e \cdot x + d) + c \cdot d + e}{c \cdot d + e} \right)^{1/2} \cdot \text{EllipticE} \left(\frac{(e \cdot x + d)^{1/2} \cdot (c / (c \cdot d - e))^{1/2}}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}}, \left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2} \right) \cdot c^2 \cdot d^2 \cdot e^2 \cdot (e \cdot x + d)^{3/2} - 6 \cdot \left(\frac{-c \cdot (e \cdot x + d) + c \cdot d - e}{c \cdot d - e} \right)^{1/2} \cdot \left(\frac{-c \cdot (e \cdot x + d) + c \cdot d + e}{c \cdot d + e} \right)^{1/2} \cdot \text{EllipticPi} \left(\frac{(e \cdot x + d)^{1/2} \cdot (c / (c \cdot d - e))^{1/2}}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}}, \frac{1}{c \cdot (c \cdot d - e) / d}, \frac{c / (c \cdot d + e)}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}} \right) \cdot c^2 \cdot d^2 \cdot e^2 \cdot (e \cdot x + d)^{3/2} - 5 \cdot \left(\frac{c / (c \cdot d - e)}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}} \right) \cdot c^4 \cdot d^5 \cdot (e \cdot x + d) + 3 \cdot \left(\frac{c / (c \cdot d - e)}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}} \right) \cdot c^2 \cdot d \cdot e^2 \cdot (e \cdot x + d)^3 - 3 \cdot \left(\frac{-c \cdot (e \cdot x + d) + c \cdot d - e}{c \cdot d - e} \right)^{1/2} \cdot \left(\frac{-c \cdot (e \cdot x + d) + c \cdot d + e}{c \cdot d + e} \right)^{1/2} \cdot \text{EllipticF} \left(\frac{(e \cdot x + d)^{1/2} \cdot (c / (c \cdot d - e))^{1/2}}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}}, \left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2} \right) \cdot c \cdot d \cdot e^3 \cdot (e \cdot x + d)^{3/2} + 3 \cdot \left(\frac{-c \cdot (e \cdot x + d) + c \cdot d - e}{c \cdot d - e} \right)^{1/2} \cdot \left(\frac{-c \cdot (e \cdot x + d) + c \cdot d + e}{c \cdot d + e} \right)^{1/2} \cdot \text{EllipticE} \left(\frac{(e \cdot x + d)^{1/2} \cdot (c / (c \cdot d - e))^{1/2}}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}}, \left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2} \right) \cdot c \cdot d \cdot e^3 \cdot (e \cdot x + d)^{3/2} - \left(\frac{c / (c \cdot d - e)}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}} \right) \cdot c^4 \cdot d^6 - 5 \cdot \left(\frac{c / (c \cdot d - e)}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}} \right) \cdot c^2 \cdot d^2 \cdot e^2 \cdot (e \cdot x + d)^2 + 3 \cdot \left(\frac{-c \cdot (e \cdot x + d) + c \cdot d - e}{c \cdot d - e} \right)^{1/2} \cdot \left(\frac{-c \cdot (e \cdot x + d) + c \cdot d + e}{c \cdot d + e} \right)^{1/2} \cdot \text{EllipticPi} \left(\frac{(e \cdot x + d)^{1/2} \cdot (c / (c \cdot d - e))^{1/2}}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}}, \frac{1}{c \cdot (c \cdot d - e) / d}, \frac{c / (c \cdot d + e)}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}} \right) \cdot e^4 \cdot (e \cdot x + d)^{3/2} + 8 \cdot \left(\frac{c / (c \cdot d - e)}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}} \right) \cdot c^2 \cdot d^3 \cdot e^2 \cdot (e \cdot x + d) + 2 \cdot \left(\frac{c / (c \cdot d - e)}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}} \right) \cdot c^2 \cdot d^4 \cdot e^2 - 3 \cdot \left(\frac{c / (c \cdot d - e)}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}} \right) \cdot d \cdot e^4 \cdot (e \cdot x + d) - \left(\frac{c / (c \cdot d - e)}{\left(\frac{c \cdot d - e}{c \cdot d + e} \right)^{1/2}} \right) \cdot d^2 \cdot e^4 \cdot (e \cdot x + d)^{3/2} / \left(\frac{c \cdot d + e}{c^2 \cdot d^2 - e^2} \right) / d^3 / x / \left(\frac{c^2 \cdot (e \cdot x + d)^2 - 2 \cdot c^2 \cdot d \cdot (e \cdot x + d) + c^2 \cdot d^2 - e^2}{c^2 \cdot e^2 / x^2} \right)^{1/2} \right)$$

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(7/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(%e-c*d>0)', see 'assume?' for more details

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(7/2),x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)*sqrt(x*e + d)/(x^4*e^4 + 4*d*x^3*e^3 + 6*d^2*x^2*e^2 + 4*d^3*x*e + d^4), x)

Sympy [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: SystemError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x+d)**(7/2),x)

[Out] Exception raised: SystemError >> excessive stack use: stack is 3062 deep

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(7/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(e*x + d)^(7/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{(d + ex)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(d + e*x)^(7/2),x)

[Out] int((a + b*acos(1/(c*x)))/(d + e*x)^(7/2), x)

3.69 $\int x^4(d + ex^2)(a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=206

$$\frac{b(42c^2d + 25e)x^2\sqrt{-1 + c^2x^2}}{560c^5\sqrt{c^2x^2}} - \frac{b(42c^2d + 25e)x^4\sqrt{-1 + c^2x^2}}{840c^3\sqrt{c^2x^2}} - \frac{bex^6\sqrt{-1 + c^2x^2}}{42c\sqrt{c^2x^2}} + \frac{1}{5}dx^5(a + b \sec^{-1}(cx))$$

[Out] $\frac{1}{5}d*x^5*(a+b*\text{arcsec}(c*x))+\frac{1}{7}e*x^7*(a+b*\text{arcsec}(c*x))-1/560*b*(42*c^2*d+25*e)*x*\text{arctanh}(c*x/(c^2*x^2-1)^{(1/2)})/c^6/(c^2*x^2)^{(1/2)}-1/560*b*(42*c^2*d+25*e)*x^2*(c^2*x^2-1)^{(1/2)}/c^5/(c^2*x^2)^{(1/2)}-1/840*b*(42*c^2*d+25*e)*x^4*(c^2*x^2-1)^{(1/2)}/c^3/(c^2*x^2)^{(1/2)}-1/42*b*e*x^6*(c^2*x^2-1)^{(1/2)}/c/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.09, antiderivative size = 206, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {14, 5346, 12, 470, 327, 223, 212}

$$\frac{1}{5}dx^5(a + b \sec^{-1}(cx)) + \frac{1}{7}ex^7(a + b \sec^{-1}(cx)) - \frac{bex^6\sqrt{c^2x^2-1}}{42c\sqrt{c^2x^2}} - \frac{bx(42c^2d + 25e) \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{560c^6\sqrt{c^2x^2}} - \frac{bx^2\sqrt{c^2x^2-1}(42c^2d + 25e)}{560c^5\sqrt{c^2x^2}} - \frac{bx^4\sqrt{c^2x^2-1}(42c^2d + 25e)}{840c^3\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4*(d + e*x^2)*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-1/560*(b*(42*c^2*d + 25*e)*x^2*\text{Sqrt}[-1 + c^2*x^2])/(c^5*\text{Sqrt}[c^2*x^2]) - (b*(42*c^2*d + 25*e)*x^4*\text{Sqrt}[-1 + c^2*x^2])/(840*c^3*\text{Sqrt}[c^2*x^2]) - (b*e*x^6*\text{Sqrt}[-1 + c^2*x^2])/(42*c*\text{Sqrt}[c^2*x^2]) + (d*x^5*(a + b*\text{ArcSec}[c*x]))/5 + (e*x^7*(a + b*\text{ArcSec}[c*x]))/7 - (b*(42*c^2*d + 25*e)*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1 + c^2*x^2]])/(560*c^6*\text{Sqrt}[c^2*x^2])$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 14

$\text{Int}[(u_*)((c_*)(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}\{c, m\}, x \ \&\& \ \text{SumQ}[u] \ \&\& \ !\text{LinearQ}[u, x] \ \&\& \ !\text{MatchQ}[u, (a_*) + (b_*)(v_)] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{InverseFunctionQ}[v]$

Rule 212

$\text{Int}[((a_*) + (b_*)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]))*\text{ArcTanh}[\text{Rt}[-b, 2]*(x/\text{Rt}[a, 2])], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{Gt}$

$Q[a, 0] \parallel LtQ[b, 0]$

Rule 223

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}\{a, b\}, x] \&\& \text{!GtQ}[a, 0]$

Rule 327

$\text{Int}[(c_)*(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[c^{(n-1)}*(c*x)^{(m-n+1)}*((a + b*x^n)^{(p+1)}/(b*(m+n*p+1))), x] - \text{Dist}[a*c^n*((m-n+1)/(b*(m+n*p+1))), \text{Int}[(c*x)^{(m-n)}*(a + b*x^n)^p, x], x] \text{ /; FreeQ}\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[m, n-1] \&\& \text{NeQ}[m+n*p+1, 0] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 470

$\text{Int}[(e_)*(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}*((c_) + (d_)*(x_)^{(n_)})], x_Symbol] \rightarrow \text{Simp}[d*(e*x)^{(m+1)}*((a + b*x^n)^{(p+1)}/(b*e*(m+n*(p+1)+1))), x] - \text{Dist}[(a*d*(m+1) - b*c*(m+n*(p+1)+1))/(b*(m+n*(p+1)+1)), \text{Int}[(e*x)^m*(a + b*x^n)^p, x], x] \text{ /; FreeQ}\{a, b, c, d, e, m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[m+n*(p+1)+1, 0]$

Rule 5346

$\text{Int}[(a_) + \text{ArcSec}[c_)*(x_)]*(b_)*((f_)*(x_)^{(m_)}*((d_) + (e_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \text{With}\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSec}[c*x], u, x] - \text{Dist}[b*c*(x/\text{Sqrt}[c^2*x^2]), \text{Int}[\text{SimplifyIntegr and}[u/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x], x]] \text{ /; FreeQ}\{a, b, c, d, e, f, m, p\}, x] \&\& ((\text{IGtQ}[p, 0] \&\& \text{!(ILtQ}[(m-1)/2, 0] \&\& \text{GtQ}[m+2*p+3, 0])) \parallel (\text{IGtQ}[(m+1)/2, 0] \&\& \text{!(ILtQ}[p, 0] \&\& \text{GtQ}[m+2*p+3, 0])) \parallel (\text{ILtQ}[(m+2*p+1)/2, 0] \&\& \text{!ILtQ}[(m-1)/2, 0]))$

Rubi steps

$$\begin{aligned}
\int x^4(d + ex^2)(a + b \sec^{-1}(cx)) dx &= \frac{1}{5}dx^5(a + b \sec^{-1}(cx)) + \frac{1}{7}ex^7(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^4(7d+5e)}{35\sqrt{-1 + \frac{1}{c^2x^2}}} dx}{\sqrt{c^2x^2}} \\
&= \frac{1}{5}dx^5(a + b \sec^{-1}(cx)) + \frac{1}{7}ex^7(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^4(7d+5e)}{\sqrt{-1 + \frac{1}{c^2x^2}}} dx}{35\sqrt{c^2x^2}} \\
&= -\frac{bex^6\sqrt{-1 + c^2x^2}}{42c\sqrt{c^2x^2}} + \frac{1}{5}dx^5(a + b \sec^{-1}(cx)) + \frac{1}{7}ex^7(a + b \sec^{-1}(cx)) \\
&= -\frac{b(42c^2d + 25e)x^4\sqrt{-1 + c^2x^2}}{840c^3\sqrt{c^2x^2}} - \frac{bex^6\sqrt{-1 + c^2x^2}}{42c\sqrt{c^2x^2}} + \frac{1}{5}dx^5(a + b \sec^{-1}(cx)) \\
&= -\frac{b(42c^2d + 25e)x^2\sqrt{-1 + c^2x^2}}{560c^5\sqrt{c^2x^2}} - \frac{b(42c^2d + 25e)x^4\sqrt{-1 + c^2x^2}}{840c^3\sqrt{c^2x^2}} \\
&= -\frac{b(42c^2d + 25e)x^2\sqrt{-1 + c^2x^2}}{560c^5\sqrt{c^2x^2}} - \frac{b(42c^2d + 25e)x^4\sqrt{-1 + c^2x^2}}{840c^3\sqrt{c^2x^2}} \\
&= -\frac{b(42c^2d + 25e)x^2\sqrt{-1 + c^2x^2}}{560c^5\sqrt{c^2x^2}} - \frac{b(42c^2d + 25e)x^4\sqrt{-1 + c^2x^2}}{840c^3\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A]

time = 0.17, size = 141, normalized size = 0.68

$$\frac{48ac^7x^5(7d + 5ex^2) - bc^2\sqrt{1 - \frac{1}{c^2x^2}}x^2(75e + 2c^2(63d + 25ex^2) + c^4(84dx^2 + 40ex^4)) + 48bc^7x^5(7d + 5ex^2)\sec^{-1}(cx) - 3b(42c^2d + 25e)\log\left(\left(1 + \sqrt{1 - \frac{1}{c^2x^2}}\right)x\right)}{1680c^7}$$

Antiderivative was successfully verified.

`[In] Integrate[x^4*(d + e*x^2)*(a + b*ArcSec[c*x]), x]`

```
[Out] (48*a*c^7*x^5*(7*d + 5*e*x^2) - b*c^2*Sqrt[1 - 1/(c^2*x^2)]*x^2*(75*e + 2*c^2*(63*d + 25*e*x^2) + c^4*(84*d*x^2 + 40*e*x^4)) + 48*b*c^7*x^5*(7*d + 5*e*x^2)*ArcSec[c*x] - 3*b*(42*c^2*d + 25*e)*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x])/ (1680*c^7)
```

Maple [A]

time = 0.22, size = 341, normalized size = 1.66

| method | result |
|--------|--------|
|--------|--------|

| | |
|-------------------|---|
| derivativedivides | $\frac{a\left(\frac{1}{5}d c^7 x^5 + \frac{1}{7}e c^7 x^7\right)}{c^2} + \frac{b \operatorname{arcsec}(cx) d c^5 x^5}{5} + \frac{b c^5 \operatorname{arcsec}(cx) e x^7}{7} - \frac{b(c^2 x^2 - 1) c^2 x^2 d}{20 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{b c^2 (c^2 x^2 - 1) x^4 e}{42 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{3b(c^2 x^2 - 1) d}{40 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{5b(c^2 x^2 - 1) e}{168 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}$ |
| default | $\frac{a\left(\frac{1}{5}d c^7 x^5 + \frac{1}{7}e c^7 x^7\right)}{c^2} + \frac{b \operatorname{arcsec}(cx) d c^5 x^5}{5} + \frac{b c^5 \operatorname{arcsec}(cx) e x^7}{7} - \frac{b(c^2 x^2 - 1) c^2 x^2 d}{20 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{b c^2 (c^2 x^2 - 1) x^4 e}{42 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{3b(c^2 x^2 - 1) d}{40 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{5b(c^2 x^2 - 1) e}{168 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(e*x^2+d)*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^5} \left(\frac{a}{c^2} \left(\frac{1}{5} d c^7 x^5 + \frac{1}{7} e c^7 x^7 \right) + \frac{1}{5} b \operatorname{arcsec}(c x) d c^5 x^5 + \frac{1}{7} b c^5 \operatorname{arcsec}(c x) e x^7 - \frac{1}{20} b \frac{(c^2 x^2 - 1) c^2 x^2 d}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{1}{42} b \frac{(c^2 x^2 - 1) x^4 e}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{3}{40} b \frac{(c^2 x^2 - 1) d}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{5}{168} b \frac{(c^2 x^2 - 1) e}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} \right)$

Maxima [A]

time = 0.27, size = 298, normalized size = 1.45

$$\frac{1}{7} a x^7 e + \frac{1}{5} a d x^5 + \frac{1}{80} \left(16 x^5 \operatorname{arcsec}(c x) + \frac{2 \left(3 \left(-\frac{1}{2 c^2 x^2} + 1 \right)^3 - 5 \sqrt{-\frac{1}{2 c^2 x^2} + 1} \right)}{c^4 \left(\frac{1}{2 c^2 x^2} - 1 \right)^2 + 3 a^2 \left(\frac{1}{2 c^2 x^2} - 1 \right) + a^4} - \frac{3 \log \left(\sqrt{-\frac{1}{2 c^2 x^2} + 1} + 1 \right)}{c} + \frac{3 \log \left(\sqrt{-\frac{1}{2 c^2 x^2} + 1} - 1 \right)}{c} \right) b d + \frac{1}{672} \left(96 x^7 \operatorname{arcsec}(c x) - \frac{2 \left(15 \left(-\frac{1}{2 c^2 x^2} + 1 \right)^3 - 40 \left(-\frac{1}{2 c^2 x^2} + 1 \right) \sqrt{-\frac{1}{2 c^2 x^2} + 1} \right)}{c^4 \left(\frac{1}{2 c^2 x^2} - 1 \right)^3 + 3 a^2 \left(\frac{1}{2 c^2 x^2} - 1 \right)^2 + 3 a^4 \left(\frac{1}{2 c^2 x^2} - 1 \right) + a^6} + \frac{15 \log \left(\sqrt{-\frac{1}{2 c^2 x^2} + 1} + 1 \right)}{c} - \frac{15 \log \left(\sqrt{-\frac{1}{2 c^2 x^2} + 1} - 1 \right)}{c} \right) b c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{7} a x^7 e + \frac{1}{5} a d x^5 + \frac{1}{80} \left(16 x^5 \operatorname{arcsec}(c x) + \frac{2 \left(3 \left(-\frac{1}{c^2 x^2} + 1 \right)^3 - 5 \sqrt{-\frac{1}{c^2 x^2} + 1} \right)}{c^4 \left(\frac{1}{c^2 x^2} - 1 \right)^2 + 2 c^4 \left(\frac{1}{c^2 x^2} - 1 \right) + c^4} - 3 \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1 \right) / c^4 + 3 \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} - 1 \right) / c^4 \right) b d + \frac{1}{672} \left(96 x^7 \operatorname{arcsec}(c x) - \frac{2 \left(15 \left(-\frac{1}{c^2 x^2} + 1 \right)^3 - 40 \left(-\frac{1}{c^2 x^2} + 1 \right) \sqrt{-\frac{1}{c^2 x^2} + 1} \right)}{c^6 \left(\frac{1}{c^2 x^2} - 1 \right)^3 + 3 c^6 \left(\frac{1}{c^2 x^2} - 1 \right)^2 + 3 c^6 \left(\frac{1}{c^2 x^2} - 1 \right) + c^6} + 15 \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1 \right) / c^6 - 15 \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} - 1 \right) / c^6 \right) b c e$

Fricas [A]

time = 4.56, size = 197, normalized size = 0.96

$$\frac{240 a^2 x^7 e + 336 a^2 d x^5 + 48 (7 b c^2 d x^3 - 7 b c^2 d + 5 (b c^2 x^7 - b c^2) e) \operatorname{arcsec}(c x) + 96 (7 b c^2 d + 5 b c^2 e) \arctan \left(-c x + \sqrt{c^2 x^2 - 1} \right) + 3 (42 b c^2 d + 25 b c^2 e) \log \left(-c x + \sqrt{c^2 x^2 - 1} \right) - (84 b c^2 d x^3 + 126 b c^2 d x + 5 (8 b c^3 x^3 + 10 b c^3 x^2 + 15 b c x) e) \sqrt{c^2 x^2 - 1}}{1680 c^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] 1/1680*(240*a*c^7*x^7*e + 336*a*c^7*d*x^5 + 48*(7*b*c^7*d*x^5 - 7*b*c^7*d + 5*(b*c^7*x^7 - b*c^7)*e)*arcsec(c*x) + 96*(7*b*c^7*d + 5*b*c^7*e)*arctan(-c*x + sqrt(c^2*x^2 - 1)) + 3*(42*b*c^2*d + 25*b*e)*log(-c*x + sqrt(c^2*x^2 - 1)) - (84*b*c^5*d*x^3 + 126*b*c^3*d*x + 5*(8*b*c^5*x^5 + 10*b*c^3*x^3 + 15*b*c*x)*e)*sqrt(c^2*x^2 - 1))/c^7

Sympy [A]

time = 13.35, size = 408, normalized size = 1.98

$$\frac{adx^5}{5} + \frac{ax^7}{7} + \frac{bdx^5 \operatorname{asec}(cx)}{5} + \frac{bdx^7 \operatorname{asec}(cx)}{7} - \frac{bd \left(\left(\frac{cx^2}{4\sqrt{c^2x^2-1}} + \frac{x^2}{8c\sqrt{c^2x^2-1}} - \frac{3x}{8c^2\sqrt{c^2x^2-1}} + \frac{3\operatorname{acosh}(cx)}{8c^2} \right) \text{ for } |c^2x^2| > 1 \right)}{5c} - \frac{bc \left(\left(\frac{cx^2}{4\sqrt{c^2x^2-1}} + \frac{x^2}{24c\sqrt{c^2x^2-1}} + \frac{cx^2}{48c^2\sqrt{c^2x^2-1}} - \frac{3x}{16c^2\sqrt{c^2x^2-1}} + \frac{3\operatorname{acosh}(cx)}{16c^2} \right) \text{ for } |c^2x^2| > 1 \right)}{7c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(e*x**2+d)*(a+b*asec(c*x)),x)

[Out] a*d*x**5/5 + a*e*x**7/7 + b*d*x**5*asec(c*x)/5 + b*e*x**7*asec(c*x)/7 - b*d*Piecewise((c*x**5/(4*sqrt(c**2*x**2 - 1)) + x**3/(8*c*sqrt(c**2*x**2 - 1)) - 3*x/(8*c**3*sqrt(c**2*x**2 - 1)) + 3*acosh(c*x)/(8*c**4), Abs(c**2*x**2) > 1), (-I*c*x**5/(4*sqrt(-c**2*x**2 + 1)) - I*x**3/(8*c*sqrt(-c**2*x**2 + 1)) + 3*I*x/(8*c**3*sqrt(-c**2*x**2 + 1)) - 3*I*asin(c*x)/(8*c**4), True))/ (5*c) - b*e*Piecewise((c*x**7/(6*sqrt(c**2*x**2 - 1)) + x**5/(24*c*sqrt(c**2*x**2 - 1)) + 5*x**3/(48*c**3*sqrt(c**2*x**2 - 1)) - 5*x/(16*c**5*sqrt(c**2*x**2 - 1)) + 5*acosh(c*x)/(16*c**6), Abs(c**2*x**2) > 1), (-I*c*x**7/(6*sqrt(-c**2*x**2 + 1)) - I*x**5/(24*c*sqrt(-c**2*x**2 + 1)) - 5*I*x**3/(48*c**3*sqrt(-c**2*x**2 + 1)) + 5*I*x/(16*c**5*sqrt(-c**2*x**2 + 1)) - 5*I*asin(c*x)/(16*c**6), True))/(7*c)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 17474 vs. 2(178) = 356.

time = 2.81, size = 17474, normalized size = 84.83

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] 1/1680*(336*b*c^2*d*arccos(1/(c*x))/(c^8 + 7*c^8*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 21*c^8*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 35*c^8*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 35*c^8*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 21*c^8*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10 + 7*c^8*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^12 + c^8*(1/(c^2*x^2) - 1)^7/(1/(c*x) + 1)^14) - 126*b*c^2*d*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/(c^8 + 7*c^8*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 21*c^8*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 35*c^8*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 35*c^8*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 21


```
(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10 + 7*c^8*(1/(c^2*x^2) - 1)^6/(1/(c*x) +
1)^12 + c^8*(1/(c^2*x^2) - 1)^7/(1/(c*x) + 1)^14*(1/(c*x) + 1)^4 - 75*b*
e*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/(c^8 + 7*c^8*(1/(c^2*x^2)
- 1)/(1/(c*x) + 1)^2 + 21*c^8*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 35*c^8*
(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 35*c^8*(1/(c^2*x^2) - 1)^4/(1/(c*x) +
1)^8 + 21*c^8*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10 + 7*c^8*(1/(c^2*x^2) -
1)^6/(1/(c*x) + 1)^12 + c^8*(1/(c^2*x^2) - 1)^7/(1/(c*x) + 1)^14) - 2646*b*
c^2*d*(1/(c^2*x^2) - 1)^2*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/((
c^8 + 7*c^8*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 21*c^8*(1/(c^2*x^2) - 1)^2/
(1/(c*x) + 1)^4 + 35*c^8*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 35*c^8*(1/(c
^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 21*c^8*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^1
0 + 7*c^8*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^12 + c^8*(1/(c^2*x^2) - 1)^7/(1
/(c*x) + 1)^14)*(1/(c*x) + 1)^4) + 75*b*e*log(abs(sqrt(-1/(c^2*x^2) + 1) -
1/(c*x) - 1))/(c^8 + 7*c^8*(1/(c^2*x^2) - 1)/(1...
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 (e x^2 + d) \left(a + b \operatorname{acos} \left(\frac{1}{c x} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(d + e*x^2)*(a + b*acos(1/(c*x))), x)

[Out] int(x^4*(d + e*x^2)*(a + b*acos(1/(c*x))), x)

3.70 $\int x^2(d + ex^2)(a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=161

$$-\frac{b(20c^2d + 9e)x^2\sqrt{-1 + c^2x^2}}{120c^3\sqrt{c^2x^2}} - \frac{bex^4\sqrt{-1 + c^2x^2}}{20c\sqrt{c^2x^2}} + \frac{1}{3}dx^3(a + b \sec^{-1}(cx)) + \frac{1}{5}ex^5(a + b \sec^{-1}(cx)) - \frac{b(20c^2d + 9e)x^2\sqrt{-1 + c^2x^2}}{120c^3\sqrt{c^2x^2}}$$

[Out] $\frac{1}{3}d*x^3*(a+b*\operatorname{arcsec}(c*x)) + \frac{1}{5}e*x^5*(a+b*\operatorname{arcsec}(c*x)) - \frac{1}{120}*b*(20*c^2*d+9*e)*x*\operatorname{arctanh}(c*x/(c^2*x^2-1)^{(1/2)})/c^4/(c^2*x^2)^{(1/2)} - \frac{1}{120}*b*(20*c^2*d+9*e)*x^2*(c^2*x^2-1)^{(1/2)}/c^3/(c^2*x^2)^{(1/2)} - \frac{1}{20}*b*e*x^4*(c^2*x^2-1)^{(1/2)}/c/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.07, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {14, 5346, 12, 470, 327, 223, 212}

$$\frac{1}{3}dx^3(a + b \sec^{-1}(cx)) + \frac{1}{5}ex^5(a + b \sec^{-1}(cx)) - \frac{bex^4\sqrt{c^2x^2 - 1}}{20c\sqrt{c^2x^2}} - \frac{bx(20c^2d + 9e) \operatorname{tanh}^{-1}\left(\frac{cx}{\sqrt{c^2x^2 - 1}}\right)}{120c^4\sqrt{c^2x^2}} - \frac{bx^2\sqrt{c^2x^2 - 1}(20c^2d + 9e)}{120c^3\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2*(d + e*x^2)*(a + b*\operatorname{ArcSec}[c*x]), x]$

[Out] $-\frac{1}{120}*(b*(20*c^2*d + 9*e)*x^2*\operatorname{Sqrt}[-1 + c^2*x^2])/(c^3*\operatorname{Sqrt}[c^2*x^2]) - (b*e*x^4*\operatorname{Sqrt}[-1 + c^2*x^2])/(20*c*\operatorname{Sqrt}[c^2*x^2]) + (d*x^3*(a + b*\operatorname{ArcSec}[c*x]))/3 + (e*x^5*(a + b*\operatorname{ArcSec}[c*x]))/5 - (b*(20*c^2*d + 9*e)*x*\operatorname{ArcTanh}[(c*x)/\operatorname{Sqrt}[-1 + c^2*x^2]])/(120*c^4*\operatorname{Sqrt}[c^2*x^2])$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] := \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& !\operatorname{MatchQ}[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 14

$\operatorname{Int}[(u_*)((c_*)(x_))^{(m_.)}], x_Symbol] := \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /; \operatorname{FreeQ}[\{c, m\}, x] \&\& \operatorname{SumQ}[u] \&\& !\operatorname{LinearQ}[u, x] \&\& !\operatorname{MatchQ}[u, (a_*) + (b_*)(v_)] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{InverseFunctionQ}[v]$

Rule 212

$\operatorname{Int}[(a_*) + (b_*)(x_)^2)^{-1}, x_Symbol] := \operatorname{Simp}[(1/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]))*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*(x/\operatorname{Rt}[a, 2])], x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{GtQ}[a, 0] \parallel \operatorname{LtQ}[b, 0])$

Rule 223

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 327

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[c^(n
- 1)*(c*x)^(m - n + 1)*((a + b*x^n)^(p + 1)/(b*(m + n*p + 1))), x] - Dist[
a*c^n*((m - n + 1)/(b*(m + n*p + 1))), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 470

```
Int[((e_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n
_)), x_Symbol] := Simp[d*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(b*e*(m + n*(p
+ 1) + 1))), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p
+ 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m,
n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_)*((d_.) + (e_.)*(x
_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int x^2(d + ex^2)(a + b \sec^{-1}(cx)) dx &= \frac{1}{3} dx^3(a + b \sec^{-1}(cx)) + \frac{1}{5} ex^5(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^2(5d+3ex^2)}{15\sqrt{-1+c^2x^2}}}{\sqrt{c^2x^2}} \\
&= \frac{1}{3} dx^3(a + b \sec^{-1}(cx)) + \frac{1}{5} ex^5(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^2(5d+3ex^2)}{\sqrt{-1+c^2x^2}}}{15\sqrt{c^2x^2}} \\
&= -\frac{bex^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + \frac{1}{3} dx^3(a + b \sec^{-1}(cx)) + \frac{1}{5} ex^5(a + b \sec^{-1}(cx)) \\
&= -\frac{b(20c^2d + 9e)x^2\sqrt{-1+c^2x^2}}{120c^3\sqrt{c^2x^2}} - \frac{bex^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + \frac{1}{3} dx^3(a + b \sec^{-1}(cx)) \\
&= -\frac{b(20c^2d + 9e)x^2\sqrt{-1+c^2x^2}}{120c^3\sqrt{c^2x^2}} - \frac{bex^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + \frac{1}{3} dx^3(a + b \sec^{-1}(cx)) \\
&= -\frac{b(20c^2d + 9e)x^2\sqrt{-1+c^2x^2}}{120c^3\sqrt{c^2x^2}} - \frac{bex^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + \frac{1}{3} dx^3(a + b \sec^{-1}(cx))
\end{aligned}$$

Mathematica [A]

time = 0.12, size = 123, normalized size = 0.76

$$\frac{c^2x^2 \left(8ac^3x(5d + 3ex^2) - b\sqrt{1 - \frac{1}{c^2x^2}}(9e + c^2(20d + 6ex^2)) \right) + 8bc^5x^3(5d + 3ex^2) \sec^{-1}(cx) - b(20c^2d + 9e) \log \left(\left(1 + \sqrt{1 - \frac{1}{c^2x^2}} \right) x \right)}{120c^5}$$

Antiderivative was successfully verified.

`[In] Integrate[x^2*(d + e*x^2)*(a + b*ArcSec[c*x]), x]`

```
[Out] (c^2*x^2*(8*a*c^3*x*(5*d + 3*e*x^2) - b*Sqrt[1 - 1/(c^2*x^2)]*(9*e + c^2*(2
0*d + 6*e*x^2))) + 8*b*c^5*x^3*(5*d + 3*e*x^2)*ArcSec[c*x] - b*(20*c^2*d +
9*e)*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x])/(120*c^5)
```

Maple [A]

time = 0.22, size = 267, normalized size = 1.66

| method | result |
|-------------------|--|
| derivativedivides | $ \frac{a\left(\frac{1}{3}d c^5 x^3 + \frac{1}{5}e c^5 x^5\right)}{c^2} + \frac{b \operatorname{arcsec}(cx) d c^3 x^3}{3} + \frac{b c^3 \operatorname{arcsec}(cx) e x^5}{5} - \frac{b(c^2 x^2 - 1) d}{6 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{b(c^2 x^2 - 1) x^2 e}{20 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{b \sqrt{c^2 x^2 - 1} d \ln\left(\frac{cx + \sqrt{c^2 x^2 - 1}}{c}\right)}{6 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} $ |

| | |
|---------|--|
| default | $\frac{a\left(\frac{1}{3}dc^5x^3 + \frac{1}{5}ec^5x^5\right) + b\operatorname{arcsec}(cx)d c^3x^3 + \frac{b c^3 \operatorname{arcsec}(cx) e x^5}{5} - \frac{b(c^2x^2-1)d}{6\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{b(c^2x^2-1)x^2e}{20\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{b\sqrt{c^2x^2-1}d\ln(cx + \sqrt{\frac{c^2x^2-1}{c^2x^2}})}{6\sqrt{\frac{c^2x^2-1}{c^2x^2}}}}{c^3}$ |
|---------|--|

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x^2+d)*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^3} \left(\frac{a}{c^2} \left(\frac{1}{3} d c^5 x^3 + \frac{1}{5} e c^5 x^5 \right) + \frac{1}{3} b \operatorname{arcsec}(c x) d c^3 x^3 + \frac{1}{5} b c^3 \operatorname{arcsec}(c x) e x^5 - \frac{1}{6} b \frac{c^2 x^2 - 1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} d - \frac{1}{20} b \frac{c^2 x^2 - 1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} x^2 e - \frac{b \sqrt{c^2 x^2 - 1} d \ln\left(cx + \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}\right)}{6 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} \right)$

Maxima [A]

time = 0.29, size = 234, normalized size = 1.45

$$\frac{1}{5} a x^5 e + \frac{1}{3} a d x^3 + \frac{1}{12} \left(4 x^3 \operatorname{arcsec}(c x) - \frac{2 \sqrt{\frac{1}{c^2 x^2} + 1} \log\left(\sqrt{\frac{1}{c^2 x^2} + 1} + 1\right) - \log\left(\sqrt{\frac{1}{c^2 x^2} + 1} - 1\right)}{c} \right) b d + \frac{1}{80} \left(16 x^5 \operatorname{arcsec}(c x) + \frac{2 \left(3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{3/2} - 5 \sqrt{\frac{1}{c^2 x^2} + 1} \right) - 3 \log\left(\sqrt{\frac{1}{c^2 x^2} + 1} + 1\right) + 3 \log\left(\sqrt{\frac{1}{c^2 x^2} + 1} - 1\right)}{c} \right) b e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{5} a x^5 e + \frac{1}{3} a d x^3 + \frac{1}{12} \left(4 x^3 \operatorname{arcsec}(c x) - \frac{2 \sqrt{-1/(c^2 x^2) + 1}}{(c^2(1/(c^2 x^2) - 1) + c^2) + \log(\sqrt{-1/(c^2 x^2) + 1} + 1)/c^2 - \log(\sqrt{-1/(c^2 x^2) + 1} - 1)/c^2) / c \right) b d + \frac{1}{80} \left(16 x^5 \operatorname{arcsec}(c x) + \frac{2 \left(3 \left(-1/(c^2 x^2) + 1 \right)^{3/2} - 5 \sqrt{-1/(c^2 x^2) + 1} \right) / (c^4(1/(c^2 x^2) - 1)^2 + 2 c^4(1/(c^2 x^2) - 1) + c^4) - 3 \log(\sqrt{-1/(c^2 x^2) + 1} + 1) / c^4 + 3 \log(\sqrt{-1/(c^2 x^2) + 1} - 1) / c^4) / c \right) b e$

Fricas [A]

time = 2.05, size = 177, normalized size = 1.10

$$\frac{24 a c^5 x^5 e + 40 a c^5 d x^3 + 8 (5 b c^5 d x^3 - 5 b c^5 d + 3 (b c^5 x^5 - b c^5 e) \operatorname{arcsec}(c x) + 16 (5 b c^5 d + 3 b c^5 e) \arctan\left(\frac{-c x + \sqrt{c^2 x^2 - 1}}{c}\right) + (20 b c^5 d + 9 b e) \log\left(\frac{-c x + \sqrt{c^2 x^2 - 1}}{c}\right) - (20 b c^5 d x + 3 (2 b c^5 x^3 + 3 b c^5 e) \sqrt{c^2 x^2 - 1})}{120 c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{120} \left(24 a c^5 x^5 e + 40 a c^5 d x^3 + 8 (5 b c^5 d x^3 - 5 b c^5 d + 3 (b c^5 x^5 - b c^5 e) \operatorname{arcsec}(c x) + 16 (5 b c^5 d + 3 b c^5 e) \arctan\left(\frac{-c x + \sqrt{c^2 x^2 - 1}}{c}\right) + (20 b c^5 d + 9 b e) \log\left(\frac{-c x + \sqrt{c^2 x^2 - 1}}{c}\right) - (20 b c^5 d x + 3 (2 b c^5 x^3 + 3 b c^5 e) \sqrt{c^2 x^2 - 1}) \right) / c^5$

Sympy [A]

time = 5.53, size = 294, normalized size = 1.83

$$\frac{adx^3}{3} + \frac{aex^5}{5} + \frac{bdx^3 \operatorname{asec}(cx)}{3} + \frac{bex^5 \operatorname{asec}(cx)}{5} - \frac{bd \left(\begin{cases} \frac{x\sqrt{c^2x^2-1}}{2c} + \frac{\operatorname{acosh}(cx)}{2c^2} & \text{for } |c^2x^2| > 1 \\ -\frac{ix^3}{2\sqrt{-c^2x^2+1}} + \frac{ix}{2c\sqrt{-c^2x^2+1}} - \frac{i\operatorname{asin}(cx)}{2c^2} & \text{otherwise} \end{cases} \right)}{3c} - \frac{be \left(\begin{cases} \frac{cx^5}{4\sqrt{c^2x^2-1}} + \frac{x^3}{8c\sqrt{c^2x^2-1}} - \frac{3x}{8c^3\sqrt{c^2x^2-1}} + \frac{3\operatorname{acosh}(cx)}{8c^4} & \text{for } |c^2x^2| > 1 \\ -\frac{icx^5}{4\sqrt{-c^2x^2+1}} - \frac{ix^3}{8c\sqrt{-c^2x^2+1}} + \frac{3ix}{8c^3\sqrt{-c^2x^2+1}} - \frac{3i\operatorname{asin}(cx)}{8c^4} & \text{otherwise} \end{cases} \right)}{5c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d)*(a+b*asec(c*x)),x)

[Out] a*d*x**3/3 + a*e*x**5/5 + b*d*x**3*asec(c*x)/3 + b*e*x**5*asec(c*x)/5 - b*d *Piecewise((x*sqrt(c**2*x**2 - 1)/(2*c) + acosh(c*x)/(2*c**2), Abs(c**2*x**2) > 1), (-I*c*x**3/(2*sqrt(-c**2*x**2 + 1)) + I*x/(2*c*sqrt(-c**2*x**2 + 1)) - I*asin(c*x)/(2*c**2), True))/(3*c) - b*e*Piecewise((c*x**5/(4*sqrt(c**2*x**2 - 1)) + x**3/(8*c*sqrt(c**2*x**2 - 1)) - 3*x/(8*c**3*sqrt(c**2*x**2 - 1)) + 3*acosh(c*x)/(8*c**4), Abs(c**2*x**2) > 1), (-I*c*x**5/(4*sqrt(-c**2*x**2 + 1)) - I*x**3/(8*c*sqrt(-c**2*x**2 + 1)) + 3*I*x/(8*c**3*sqrt(-c**2*x**2 + 1)) - 3*I*asin(c*x)/(8*c**4), True))/(5*c)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 9792 vs. 2(139) = 278.

time = 1.98, size = 9792, normalized size = 60.82

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] 1/120*(40*b*c^2*d*arccos(1/(c*x))/(c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10) - 20*b*c^2*d*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/(c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10) + 20*b*c^2*d*log(abs(sqrt(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/(c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10) + 40*a*c^2*d/(c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10) - 40*b*c^2*d*(1/(c^2*x^2) - 1)*arccos(1/(c*x))/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10)*(1/(c*x) + 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10)

)⁶ + 5*c⁶*(1/(c²*x²) - 1)⁴/(1/(c*x) + 1)⁸ + c⁶*(1/(c²*x²) - 1)⁵/(1/(c*x) + 1)¹⁰ - 80*a*c²*d*(1/(c²*x²) - 1)²/((c⁶ + 5*c⁶*(1/(c²*x²) - 1)/(1/(c*x) + 1)² + 10*c⁶*(1/(c²*x²) - 1)²/(1/(c*x) + 1)⁴ + 10*c⁶*(1/(c²*x²) - 1)³/(1/(c*x) + 1)⁶ + 5*c⁶(...

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (e x^2 + d) \left(a + b \operatorname{acos}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x²*(d + e*x²)*(a + b*acos(1/(c*x))),x)

[Out] int(x²*(d + e*x²)*(a + b*acos(1/(c*x))), x)

3.71 $\int (d + ex^2) (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=109

$$-\frac{be x^2 \sqrt{-1 + c^2 x^2}}{6c \sqrt{c^2 x^2}} + dx(a + b \sec^{-1}(cx)) + \frac{1}{3} e x^3 (a + b \sec^{-1}(cx)) - \frac{b(6c^2 d + e) x \tanh^{-1}\left(\frac{cx}{\sqrt{-1 + c^2 x^2}}\right)}{6c^2 \sqrt{c^2 x^2}}$$

[Out] d*x*(a+b*arcsec(c*x))+1/3*e*x^3*(a+b*arcsec(c*x))-1/6*b*(6*c^2*d+e)*x*arctanh(c*x/(c^2*x^2-1)^(1/2))/c^2/(c^2*x^2)^(1/2)-1/6*b*e*x^2*(c^2*x^2-1)^(1/2)/c/(c^2*x^2)^(1/2)

Rubi [A]

time = 0.04, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {5336, 12, 396, 223, 212}

$$dx(a + b \sec^{-1}(cx)) + \frac{1}{3} e x^3 (a + b \sec^{-1}(cx)) - \frac{bx(6c^2 d + e) \tanh^{-1}\left(\frac{cx}{\sqrt{c^2 x^2 - 1}}\right)}{6c^2 \sqrt{c^2 x^2}} - \frac{be x^2 \sqrt{c^2 x^2 - 1}}{6c \sqrt{c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)*(a + b*ArcSec[c*x]),x]

[Out] -1/6*(b*e*x^2*Sqrt[-1 + c^2*x^2])/(c*Sqrt[c^2*x^2]) + d*x*(a + b*ArcSec[c*x]) + (e*x^3*(a + b*ArcSec[c*x]))/3 - (b*(6*c^2*d + e)*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(6*c^2*Sqrt[c^2*x^2])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 223

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 396

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[d*x*((a + b*x^n)^(p + 1)/(b*(n*(p + 1) + 1))), x] - Dist[(a*d - b*c*(n*(

$p + 1) + 1)) / (b * (n * (p + 1) + 1))$, Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 5336

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])

Rubi steps

$$\begin{aligned} \int (d + ex^2) (a + b \sec^{-1}(cx)) dx &= dx(a + b \sec^{-1}(cx)) + \frac{1}{3}ex^3(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{3d+ex^2}{3\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\ &= dx(a + b \sec^{-1}(cx)) + \frac{1}{3}ex^3(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{3d+ex^2}{\sqrt{-1+c^2x^2}} dx}{3\sqrt{c^2x^2}} \\ &= -\frac{bex^2\sqrt{-1+c^2x^2}}{6c\sqrt{c^2x^2}} + dx(a + b \sec^{-1}(cx)) + \frac{1}{3}ex^3(a + b \sec^{-1}(cx)) + \dots \\ &= -\frac{bex^2\sqrt{-1+c^2x^2}}{6c\sqrt{c^2x^2}} + dx(a + b \sec^{-1}(cx)) + \frac{1}{3}ex^3(a + b \sec^{-1}(cx)) + \dots \\ &= -\frac{bex^2\sqrt{-1+c^2x^2}}{6c\sqrt{c^2x^2}} + dx(a + b \sec^{-1}(cx)) + \frac{1}{3}ex^3(a + b \sec^{-1}(cx)) - \dots \end{aligned}$$

Mathematica [A]

time = 0.20, size = 150, normalized size = 1.38

$$adx + \frac{1}{3}aex^3 - \frac{bex^2\sqrt{-1+c^2x^2}}{6c} + bdx \sec^{-1}(cx) + \frac{1}{3}bex^3 \sec^{-1}(cx) - \frac{bd\sqrt{1-\frac{1}{c^2x^2}} x \tanh^{-1}\left(\frac{cx}{\sqrt{-1+c^2x^2}}\right)}{\sqrt{-1+c^2x^2}} - \frac{be \log\left(x\left(1 + \sqrt{\frac{-1+c^2x^2}{c^2x^2}}\right)\right)}{6c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)*(a + b*ArcSec[c*x]),x]

[Out] a*d*x + (a*e*x^3)/3 - (b*e*x^2*sqrt[(-1 + c^2*x^2)/(c^2*x^2)])/(6*c) + b*d*x*ArcSec[c*x] + (b*e*x^3*ArcSec[c*x])/3 - (b*d*sqrt[1 - 1/(c^2*x^2)]*x*ArcTanh[(c*x)/sqrt[-1 + c^2*x^2]]/sqrt[-1 + c^2*x^2] - (b*e*Log[x*(1 + sqrt[(-1 + c^2*x^2)/(c^2*x^2)])])/(6*c^3)

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 191 vs. 2(95) = 190.

time = 0.12, size = 192, normalized size = 1.76

| method | result |
|-------------------|---|
| derivativedivides | $\frac{a\left(\frac{dc^3x+\frac{1}{3}ec^3x^3}{c^2}\right)+b\operatorname{arcsec}(cx)dcx+\frac{bc\operatorname{arcsec}(cx)e}{3}x^3}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}cx} - \frac{b\sqrt{c^2x^2-1}d\ln\left(\frac{cx+\sqrt{c^2x^2-1}}{c}\right)}{c} - \frac{b(c^2x^2-1)e}{6c^2\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$ |
| default | $\frac{a\left(\frac{dc^3x+\frac{1}{3}ec^3x^3}{c^2}\right)+b\operatorname{arcsec}(cx)dcx+\frac{bc\operatorname{arcsec}(cx)e}{3}x^3}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}cx} - \frac{b\sqrt{c^2x^2-1}d\ln\left(\frac{cx+\sqrt{c^2x^2-1}}{c}\right)}{c} - \frac{b(c^2x^2-1)e}{6c^2\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c}\left(\frac{a}{c^2}\left(\frac{dc^3x+\frac{1}{3}ec^3x^3}{c^2}\right)+b\operatorname{arcsec}(cx)\right)dcx+\frac{bc\operatorname{arcsec}(cx)e}{3}x^3 - \frac{b\sqrt{c^2x^2-1}d\ln\left(\frac{cx+\sqrt{c^2x^2-1}}{c}\right)}{c} - \frac{b(c^2x^2-1)e}{6c^2\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$

Maxima [A]

time = 0.28, size = 156, normalized size = 1.43

$$\frac{1}{3}ax^3e+adx+\frac{1}{12}\left(4x^3\operatorname{arcsec}(cx)-\frac{2\sqrt{-\frac{1}{c^2x^2}+1}\log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right)}{c^2\left(\frac{1}{2x^2}-1\right)+c^2}+\frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right)}{c^2}\right)be+\frac{\left(2cx\operatorname{arcsec}(cx)-\log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right)+\log\left(-\sqrt{-\frac{1}{c^2x^2}+1}\right)\right)bd}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{3}ax^3e+adx+\frac{1}{12}\left(4x^3\operatorname{arcsec}(cx)-\frac{2\sqrt{-\frac{1}{c^2x^2}+1}\log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right)}{c^2\left(\frac{1}{2x^2}-1\right)+c^2}+\frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right)}{c^2}\right)be+\frac{\left(2cx\operatorname{arcsec}(cx)-\log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right)+\log\left(-\sqrt{-\frac{1}{c^2x^2}+1}\right)\right)bd}{2c}$

Fricas [A]

time = 4.81, size = 147, normalized size = 1.35

$$\frac{2ac^3x^3e+6ac^2dx-\sqrt{c^2x^2-1}bcxe+2(3bc^2dx-3bc^2d+(bc^3x^3-bc^3)e)\operatorname{arcsec}(cx)+4(3bc^2d+bc^2e)\arctan\left(\frac{-cx+\sqrt{c^2x^2-1}}{c}\right)+(6bc^2d+be)\log\left(\frac{-cx+\sqrt{c^2x^2-1}}{c}\right)}{6c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{6}*(2*a*c^3*x^3*e + 6*a*c^3*d*x - \sqrt{c^2*x^2 - 1}*b*c*x*e + 2*(3*b*c^3*d*x - 3*b*c^3*d + (b*c^3*x^3 - b*c^3)*e)*\text{arcsec}(c*x) + 4*(3*b*c^3*d + b*c^3*e)*\text{arctan}(-c*x + \sqrt{c^2*x^2 - 1}) + (6*b*c^2*d + b*e)*\log(-c*x + \sqrt{c^2*x^2 - 1}))/c^3$

Sympy [A]

time = 4.35, size = 153, normalized size = 1.40

$$adx + \frac{aex^3}{3} + bdx \operatorname{asec}(cx) + \frac{be x^3 \operatorname{asec}(cx)}{3} - \frac{bd \left(\begin{cases} \operatorname{acosh}(cx) & \text{for } |c^2 x^2| > 1 \\ -i \operatorname{asin}(cx) & \text{otherwise} \end{cases} \right)}{c} - \frac{be \left(\begin{cases} \frac{x\sqrt{c^2 x^2 - 1}}{2c} + \frac{\operatorname{acosh}(cx)}{2c^2} & \text{for } |c^2 x^2| > 1 \\ -\frac{icx^3}{2\sqrt{-c^2 x^2 + 1}} + \frac{ix}{2c\sqrt{-c^2 x^2 + 1}} - \frac{i \operatorname{asin}(cx)}{2c^2} & \text{otherwise} \end{cases} \right)}{3c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(a+b*asec(c*x)),x)`

[Out] $a*d*x + a*e*x**3/3 + b*d*x*\operatorname{asec}(c*x) + b*e*x**3*\operatorname{asec}(c*x)/3 - b*d*\operatorname{Piecewise}((\operatorname{acosh}(c*x), \operatorname{Abs}(c**2*x**2) > 1), (-I*\operatorname{asin}(c*x), \operatorname{True}))/c - b*e*\operatorname{Piecewise}(x*\sqrt{c**2*x**2 - 1}/(2*c) + \operatorname{acosh}(c*x)/(2*c**2), \operatorname{Abs}(c**2*x**2) > 1), (-I*c*x**3/(2*\sqrt{-c**2*x**2 + 1}) + I*x/(2*c*\sqrt{-c**2*x**2 + 1}) - I*\operatorname{asin}(c*x)/(2*c**2), \operatorname{True}))/3*c$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 4051 vs. 2(95) = 190.

time = 1.27, size = 4051, normalized size = 37.17

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] $\frac{1}{6}*(6*b*c^2*d*\arccos(1/(c*x))/(c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) - 6*b*c^2*d*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1))/(c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 6*b*c^2*d*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1))/(c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 6*a*c^2*d/(c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 6*a*c^2*d/(c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 6*b*c^2*d*(1/(c^2*x^2) - 1)*\arccos(1/(c*x))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 6*b*c^2*d*(1/(c^2*x^2) - 1)*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 6*b*c^2*d*(1/(c^2*x^2) - 1)*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 6*b*c^2*d*(1/(c^2*x^2) - 1)*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 6*b*c^2*d*(1/(c^2*x^2) - 1)*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 6*b*c^2*d*(1/(c^2*x^2) - 1)*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) + 6*b*c^2*d*(1/(c^2*x^2) - 1)*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1))/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)$

$$\begin{aligned}
&))/((c^4 + 3c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3c^4*(1/(c^2*x^2) - 1) \\
&)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1 \\
&)^2) + 6*a*c^2*d*(1/(c^2*x^2) - 1)/((c^4 + 3c^4*(1/(c^2*x^2) - 1)/(1/(c*x) \\
& + 1)^2 + 3c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1) \\
& ^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^2) + 2*b*e*arccos(1/(c*x))/(c^4 + 3c^4*(\\
& 1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^ \\
& 4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) - 6*b*c^2*d*(1/(c^2*x^2) - 1)^ \\
& 2*arccos(1/(c*x))/((c^4 + 3c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3c^4*(\\
& 1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^ \\
& 6)*(1/(c*x) + 1)^4) - b*e*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/(c \\
& ^4 + 3c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3c^4*(1/(c^2*x^2) - 1)^2/(1/ \\
& /((c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6) - 18*b*c^2*d*(1/(c \\
& ^2*x^2) - 1)^2*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/((c^4 + 3c^4 \\
& *(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1) \\
&)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^4) + b*e*log(a \\
& bs(sqrt(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/(c^4 + 3c^4*(1/(c^2*x^2) - 1)/(1/ \\
& /((c*x) + 1)^2 + 3c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) \\
&) - 1)^3/(1/(c*x) + 1)^6) + 18*b*c^2*d*(1/(c^2*x^2) - 1)^2*log(abs(sqrt(-1/ \\
& (c^2*x^2) + 1) - 1/(c*x) - 1))/((c^4 + 3c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1) \\
&)^2 + 3c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(\\
& 1/(c*x) + 1)^6)*(1/(c*x) + 1)^4) + 2*a*e/(c^4 + 3c^4*(1/(c^2*x^2) - 1)/(1/ \\
& (c*x) + 1)^2 + 3c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) \\
& - 1)^3/(1/(c*x) + 1)^6) - 6*a*c^2*d*(1/(c^2*x^2) - 1)^2/((c^4 + 3c^4*(1/(c \\
& ^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + \\
& c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^4) - 6*b*e*(1/(c^2* \\
& x^2) - 1)*arccos(1/(c*x))/((c^4 + 3c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + \\
& 3c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c* \\
& x) + 1)^6)*(1/(c*x) + 1)^2) - 6*b*c^2*d*(1/(c^2*x^2) - 1)^3*arccos(1/(c*x)) \\
& /((c^4 + 3c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3c^4*(1/(c^2*x^2) - 1)^ \\
& 2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^ \\
& 6) - 3*b*e*(1/(c^2*x^2) - 1)*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1)) \\
& /((c^4 + 3c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3c^4*(1/(c^2*x^2) - 1)^ \\
& 2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)^ \\
& 2) - 6*b*c^2*d*(1/(c^2*x^2) - 1)^3*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) \\
& + 1))/((c^4 + 3c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3c^4*(1/(c^2*x^2) \\
& - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) \\
& + 1)^6) + 3*b*e*(1/(c^2*x^2) - 1)*log(abs(sqrt(-1/(c^2*x^2) + 1) - 1/(c*x) \\
& - 1))/((c^4 + 3c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3c^4*(1/(c^2*x^2) \\
& - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) \\
& + 1)^2) + 6*b*c^2*d*(1/(c^2*x^2) - 1)^3*log(abs(sqrt(-1/(c^2*x^2) + 1) - 1 \\
& /((c*x) - 1))/((c^4 + 3c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3c^4*(1/(c^ \\
& 2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1 \\
& /((c*x) + 1)^6) - 2*b*e*sqrt(-1/(c^2*x^2) + 1)/((c^4 + 3c^4*(1/(c^2*x^2) - \\
& 1)/(1/(c*x) + 1)^2 + 3c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^ \\
& 2*x^2) - 1)^3/(1/(c*x) + 1)^6)*(1/(c*x) + 1)) - 6*a*e*(1/(c^2*x^2) - 1)/((c
\end{aligned}$$

$$\begin{aligned} &^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1 \\ &/ (c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6*(1/(c*x) + 1)^2) - \\ &6*a*c^2*d*(1/(c^2*x^2) - 1)^3/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1 \\ &)^2 + 3*c^4*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + c^4*(1/(c^2*x^2) - 1)^3/(\\ &1/(c*x) + 1)^6)*(1/(c*x) + 1)^6) + 6*b*e*(1/(c^2*x^2) - 1)^2*\arccos(1/(c*x) \\ &)/((c^4 + 3*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1))\dots \end{aligned}$$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int (e x^2 + d) \left(a + b \arccos\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)*(a + b*acos(1/(c*x))),x)

[Out] int((d + e*x^2)*(a + b*acos(1/(c*x))), x)

$$3.72 \quad \int \frac{(d+ex^2)(a+b\sec^{-1}(cx))}{x^2} dx$$

Optimal. Leaf size=87

$$\frac{bcd\sqrt{-1+c^2x^2}}{\sqrt{c^2x^2}} - \frac{d(a+b\sec^{-1}(cx))}{x} + ex(a+b\sec^{-1}(cx)) - \frac{bex \tanh^{-1}\left(\frac{cx}{\sqrt{-1+c^2x^2}}\right)}{\sqrt{c^2x^2}}$$

[Out] $-d*(a+b*\text{arcsec}(c*x))/x+e*x*(a+b*\text{arcsec}(c*x))-b*e*x*\text{arctanh}(c*x/(c^2*x^2-1)^{(1/2)})/(c^2*x^2)^{(1/2)}+b*c*d*(c^2*x^2-1)^{(1/2)}/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.05, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {14, 5346, 462, 223, 212}

$$-\frac{d(a+b\sec^{-1}(cx))}{x} + ex(a+b\sec^{-1}(cx)) + \frac{bcd\sqrt{c^2x^2-1}}{\sqrt{c^2x^2}} - \frac{bex \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^2,x]

[Out] $(b*c*d*\text{Sqrt}[-1+c^2*x^2])/ \text{Sqrt}[c^2*x^2] - (d*(a+b*\text{ArcSec}[c*x]))/x + e*x*(a+b*\text{ArcSec}[c*x]) - (b*e*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1+c^2*x^2]])/\text{Sqrt}[c^2*x^2]$

Rule 14

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 223

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 462

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[c*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*e*(m + 1))), x] + Dist[d/e^n, Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n*(p + 1) + 1, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1]))
```

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)(a + b \sec^{-1}(cx))}{x^2} dx &= -\frac{d(a + b \sec^{-1}(cx))}{x} + ex(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{-d+ex^2}{x^2 \sqrt{-1 + c^2 x^2}} dx}{\sqrt{c^2 x^2}} \\ &= \frac{bcd \sqrt{-1 + c^2 x^2}}{\sqrt{c^2 x^2}} - \frac{d(a + b \sec^{-1}(cx))}{x} + ex(a + b \sec^{-1}(cx)) - \frac{(bcx) \int}{\sqrt{c^2 x^2}} \\ &= \frac{bcd \sqrt{-1 + c^2 x^2}}{\sqrt{c^2 x^2}} - \frac{d(a + b \sec^{-1}(cx))}{x} + ex(a + b \sec^{-1}(cx)) - \frac{(bcx) \text{Su}}{\sqrt{c^2 x^2}} \\ &= \frac{bcd \sqrt{-1 + c^2 x^2}}{\sqrt{c^2 x^2}} - \frac{d(a + b \sec^{-1}(cx))}{x} + ex(a + b \sec^{-1}(cx)) - \frac{bcx \tanh}{\sqrt{-1 + c^2 x^2}} \end{aligned}$$

Mathematica [A]

time = 0.09, size = 104, normalized size = 1.20

$$-\frac{ad}{x} + aex + bcd \sqrt{\frac{-1 + c^2 x^2}{c^2 x^2}} - \frac{bd \sec^{-1}(cx)}{x} + bcx \sec^{-1}(cx) - \frac{be \sqrt{1 - \frac{1}{c^2 x^2}} x \tanh^{-1}\left(\frac{cx}{\sqrt{-1 + c^2 x^2}}\right)}{\sqrt{-1 + c^2 x^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^2,x]
```

[Out] $-\left(\frac{a*d}{x}\right) + a*e*x + b*c*d*\text{Sqrt}\left[\frac{-1 + c^2*x^2}{c^2*x^2}\right] - (b*d*\text{ArcSec}[c*x]) / x + b*e*x*\text{ArcSec}[c*x] - (b*e*\text{Sqrt}\left[1 - 1/(c^2*x^2)\right]*x*\text{ArcTanh}\left[\frac{c*x}{\text{Sqrt}\left[-1 + c^2*x^2\right]}\right]) / \text{Sqrt}\left[-1 + c^2*x^2\right]$

Maple [A]

time = 0.11, size = 137, normalized size = 1.57

| method | result |
|-------------------|--|
| derivativedivides | $c \left(\frac{a \left(\frac{ecx - dc}{x} \right)}{c^2} + \frac{b \operatorname{arcsec}(cx) ex}{c} - \frac{b \operatorname{arcsec}(cx) d}{cx} + \frac{b(c^2 x^2 - 1) d}{c^2 x^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{b \sqrt{c^2 x^2 - 1} e \ln\left(cx + \sqrt{c^2 x^2 - 1}\right)}{c^3 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} x} \right)$ |
| default | $c \left(\frac{a \left(\frac{ecx - dc}{x} \right)}{c^2} + \frac{b \operatorname{arcsec}(cx) ex}{c} - \frac{b \operatorname{arcsec}(cx) d}{cx} + \frac{b(c^2 x^2 - 1) d}{c^2 x^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{b \sqrt{c^2 x^2 - 1} e \ln\left(cx + \sqrt{c^2 x^2 - 1}\right)}{c^3 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} x} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(a+b*arcsec(c*x))/x^2,x,method=_RETURNVERBOSE)`

[Out] $c*(a/c^2*(e*c*x-d*c/x)+b/c*arcsec(c*x)*e*x-b*arcsec(c*x)*d/c/x+b*(c^2*x^2-1)/c^2/x^2/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*d-b/c^3*(c^2*x^2-1)^{(1/2)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*e*\ln(c*x+(c^2*x^2-1)^{(1/2))}$

Maxima [A]

time = 0.29, size = 91, normalized size = 1.05

$$\left(c \sqrt{-\frac{1}{c^2 x^2} + 1} - \frac{\operatorname{arcsec}(cx)}{x} \right) bd + axe + \frac{\left(2 cx \operatorname{arcsec}(cx) - \log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right) + \log\left(-\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right) \right) be}{2c} - \frac{ad}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^2,x, algorithm="maxima")`

[Out] $(c*\text{sqrt}(-1/(c^2*x^2) + 1) - \text{arcsec}(c*x)/x)*b*d + a*x*e + 1/2*(2*c*x*\text{arcsec}(c*x) - \log(\text{sqrt}(-1/(c^2*x^2) + 1) + 1) + \log(-\text{sqrt}(-1/(c^2*x^2) + 1) + 1))*b*e/c - a*d/x$

Fricas [A]

time = 5.01, size = 128, normalized size = 1.47

$$\frac{b^2 dx + ac^2 e + bxe \log(-cx + \sqrt{c^2 x^2 - 1}) + \sqrt{c^2 x^2 - 1} bcd - acd + (bcdx - bcd + (bcx^2 - bcx)e) \operatorname{arcsec}(cx) - 2(bcdx - bcxe) \arctan\left(\frac{-cx + \sqrt{c^2 x^2 - 1}}{cx}\right)}{cx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^2,x, algorithm="fricas")`

[Out] $(b*c^2*d*x + a*c*x^2*e + b*x*e*\log(-c*x + \sqrt{c^2*x^2 - 1}) + \sqrt{c^2*x^2 - 1}*b*c*d - a*c*d + (b*c*d*x - b*c*d + (b*c*x^2 - b*c*x)*e)*\operatorname{arcsec}(c*x) - 2*(b*c*d*x - b*c*x*e)*\arctan(-c*x + \sqrt{c^2*x^2 - 1}))/c*x$

Sympy [A]

time = 4.01, size = 73, normalized size = 0.84

$$-\frac{ad}{x} + aex + bcd\sqrt{1 - \frac{1}{c^2x^2}} - \frac{bd \operatorname{asec}(cx)}{x} + bex \operatorname{asec}(cx) - \frac{be \left(\begin{cases} \operatorname{acosh}(cx) & \text{for } |c^2x^2| > 1 \\ -i \operatorname{asin}(cx) & \text{otherwise} \end{cases} \right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(a+b*asec(c*x))/x**2,x)`

[Out] $-a*d/x + a*e*x + b*c*d*\sqrt{1 - 1/(c**2*x**2)} - b*d*\operatorname{asec}(c*x)/x + b*e*x*\operatorname{asec}(c*x) - b*e*\operatorname{Piecewise}(\operatorname{acosh}(c*x), \operatorname{Abs}(c**2*x**2) > 1), (-I*\operatorname{asin}(c*x), \operatorname{True}))/c$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 1088 vs. 2(79) = 158.

time = 0.81, size = 1088, normalized size = 12.51

$$\left(\frac{d \operatorname{arccos}\left(\frac{1}{c x}\right)}{c^2 x^2} + \frac{a e x^2}{c^2 x^2} + \frac{b c d \sqrt{1 - \frac{1}{c^2 x^2}}}{c^2 x^2} - \frac{b d \operatorname{asec}(c x)}{c^2 x^2} + \frac{b e x \operatorname{asec}(c x)}{c^2 x^2} - \frac{b e \operatorname{Piecewise}\left(\operatorname{acosh}(c x), \operatorname{Abs}(c^2 x^2) > 1\right)}{c^2 x^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccos(1/(c*x)))/x^2,x, algorithm="giac")`

[Out] $-(b*c^2*d*\arccos(1/(c*x)))/(c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4) + a*c^2*d/(c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4) + 2*b*c^2*d*(1/(c^2*x^2) - 1)*\arccos(1/(c*x))/((c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^2) - 2*b*c^2*d*\sqrt{-1/(c^2*x^2) + 1}/((c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)) + 2*a*c^2*d*(1/(c^2*x^2) - 1)/((c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^2) - b*e*\arccos(1/(c*x))/(c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4) + b*c^2*d*(1/(c^2*x^2) - 1)^2*\arccos(1/(c*x))/((c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^4) + b*e*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1))/(c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4) - b*e*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1))/(c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4) + 2*b*c^2*d*(-1/(c^2*x^2) + 1)^(3/2)/((c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^3) - a*e/(c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4) + a*c^2*d*(1/(c^2*x^2) - 1)^2/((c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^4) + 2*b*e*(1/(c^2*x^2) - 1)*\arccos(1/(c*x))/((c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^2) + 2*a*e*(1/(c^2*x^2) - 1)/((c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^2) - b*e*(1/(c^2*x^2) - 1)^2*\arccos(1/(c*x))/((c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c*x) + 1)^4)$

```
(1/(c*x) + 1)^4*(1/(c*x) + 1)^4) - b*e*(1/(c^2*x^2) - 1)^2*log(abs(sqrt(-1
/(c^2*x^2) + 1) + 1/(c*x) + 1))/((c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) +
1)^4)*(1/(c*x) + 1)^4) + b*e*(1/(c^2*x^2) - 1)^2*log(abs(sqrt(-1/(c^2*x^2)
+ 1) - 1/(c*x) - 1))/((c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4)*(1/(c
*x) + 1)^4) - a*e*(1/(c^2*x^2) - 1)^2/((c^2 - c^2*(1/(c^2*x^2) - 1)^2/(1/(c
*x) + 1)^4)*(1/(c*x) + 1)^4))*c
```

Mupad [B]

time = 0.79, size = 72, normalized size = 0.83

$$a e x - \frac{d \left(a + b \operatorname{acos}\left(\frac{1}{c x}\right) - b c x \sqrt{1 - \frac{1}{c^2 x^2}} \right)}{x} - \frac{b e \operatorname{atanh}\left(\frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}}\right)}{c} + b e x \operatorname{acos}\left(\frac{1}{c x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)*(a + b*acos(1/(c*x))))/x^2,x)

[Out] a*e*x - (d*(a + b*acos(1/(c*x)) - b*c*x*(1 - 1/(c^2*x^2))^(1/2)))/x - (b*e*atanh(1/(1 - 1/(c^2*x^2))^(1/2)))/c + b*e*x*acos(1/(c*x))

$$3.73 \quad \int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^4} dx$$

Optimal. Leaf size=105

$$\frac{bc(2c^2d+9e)\sqrt{-1+c^2x^2}}{9\sqrt{c^2x^2}} + \frac{bcd\sqrt{-1+c^2x^2}}{9x^2\sqrt{c^2x^2}} - \frac{d(a+b \sec^{-1}(cx))}{3x^3} - \frac{e(a+b \sec^{-1}(cx))}{x}$$

[Out] $-1/3*d*(a+b*\text{arcsec}(c*x))/x^3-e*(a+b*\text{arcsec}(c*x))/x+1/9*b*c*(2*c^2*d+9*e)*(c^2*x^2-1)^{(1/2)}/(c^2*x^2)^{(1/2)}+1/9*b*c*d*(c^2*x^2-1)^{(1/2)}/x^2/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.06, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {14, 5346, 12, 464, 270}

$$-\frac{d(a+b \sec^{-1}(cx))}{3x^3} - \frac{e(a+b \sec^{-1}(cx))}{x} + \frac{bc\sqrt{c^2x^2-1}(2c^2d+9e)}{9\sqrt{c^2x^2}} + \frac{bcd\sqrt{c^2x^2-1}}{9x^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d+e*x^2)*(a+b*\text{ArcSec}[c*x])/x^4,x]$

[Out] $(b*c*(2*c^2*d+9*e)*\text{Sqrt}[-1+c^2*x^2])/(9*\text{Sqrt}[c^2*x^2])+(b*c*d*\text{Sqrt}[-1+c^2*x^2])/(9*x^2*\text{Sqrt}[c^2*x^2])-(d*(a+b*\text{ArcSec}[c*x]))/(3*x^3)-(e*(a+b*\text{ArcSec}[c*x]))/x$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 14

$\text{Int}[(u_*)((c_*)(x_))^{(m_)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}[\{c, m\}, x] \ \&\& \ \text{SumQ}[u] \ \&\& \ !\text{LinearQ}[u, x] \ \&\& \ !\text{MatchQ}[u, (a_)+(b_*)(v_)] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{InverseFunctionQ}[v]$

Rule 270

$\text{Int}[(c_*)(x_))^{(m_)}*(a_)+(b_*)(x_)^{(n_))^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(c*x)^{(m+1)}*((a+b*x^n)^{(p+1)}/(a*c*(m+1))), x] /; \text{FreeQ}[\{a, b, c, m, n, p\}, x] \ \&\& \ \text{EqQ}[(m+1)/n+p+1, 0] \ \&\& \ \text{NeQ}[m, -1]$

Rule 464

$\text{Int}[(e_*)(x_))^{(m_)}*(a_)+(b_*)(x_)^{(n_))^{(p_)}*(c_)+(d_*)(x_)^{(n_)}), x_Symbol] \rightarrow \text{Simp}[c*(e*x)^{(m+1)}*((a+b*x^n)^{(p+1)}/(a*e*(m+1))),$


```
x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)(a + b \sec^{-1}(cx))}{x^4} dx &= -\frac{d(a + b \sec^{-1}(cx))}{3x^3} - \frac{e(a + b \sec^{-1}(cx))}{x} - \frac{(bcx) \int \frac{-d-3ex^2}{3x^4 \sqrt{-1 + c^2x^2}} dx}{\sqrt{c^2x^2}} \\ &= -\frac{d(a + b \sec^{-1}(cx))}{3x^3} - \frac{e(a + b \sec^{-1}(cx))}{x} - \frac{(bcx) \int \frac{-d-3ex^2}{x^4 \sqrt{-1 + c^2x^2}} dx}{3\sqrt{c^2x^2}} \\ &= \frac{bcd\sqrt{-1 + c^2x^2}}{9x^2\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{3x^3} - \frac{e(a + b \sec^{-1}(cx))}{x} - \frac{(bc(-2cx^2))}{3\sqrt{c^2x^2}} \\ &= \frac{bc(2c^2d + 9e)\sqrt{-1 + c^2x^2}}{9\sqrt{c^2x^2}} + \frac{bcd\sqrt{-1 + c^2x^2}}{9x^2\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{3x^3} \end{aligned}$$

Mathematica [A]

time = 0.06, size = 69, normalized size = 0.66

$$\frac{-3a(d + 3ex^2) + bc\sqrt{1 - \frac{1}{c^2x^2}} x(d + 2c^2dx^2 + 9ex^2) - 3b(d + 3ex^2) \sec^{-1}(cx)}{9x^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^4, x]
```

```
[Out] (-3*a*(d + 3*e*x^2) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(d + 2*c^2*d*x^2 + 9*e*x^2) - 3*b*(d + 3*e*x^2)*ArcSec[c*x])/(9*x^3)
```

Maple [A]

time = 0.13, size = 121, normalized size = 1.15

| method | result | size |
|-------------------|---|------|
| derivativedivides | $c^3 \left(\frac{a \left(-\frac{d}{3cx^3} - \frac{e}{cx} \right)}{c^2} + \frac{b \left(-\frac{\operatorname{arcsec}(cx)d}{3cx^3} - \frac{\operatorname{arcsec}(cx)e}{cx} + \frac{(c^2x^2-1)(2c^4dx^2+9c^2ex^2+c^2d)}{9\sqrt{\frac{c^2x^2-1}{c^2x^2}}c^4x^4} \right)}{c^2} \right)$ | 121 |
| default | $c^3 \left(\frac{a \left(-\frac{d}{3cx^3} - \frac{e}{cx} \right)}{c^2} + \frac{b \left(-\frac{\operatorname{arcsec}(cx)d}{3cx^3} - \frac{\operatorname{arcsec}(cx)e}{cx} + \frac{(c^2x^2-1)(2c^4dx^2+9c^2ex^2+c^2d)}{9\sqrt{\frac{c^2x^2-1}{c^2x^2}}c^4x^4} \right)}{c^2} \right)$ | 121 |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(a+b*arcsec(c*x))/x^4,x,method=_RETURNVERBOSE)`

[Out] $c^3 \left(\frac{a}{c^2} \left(-\frac{1}{3} \frac{d}{c} \frac{1}{x^3} - \frac{e}{c} \frac{1}{x} \right) + \frac{b}{c^2} \left(-\frac{1}{3} \operatorname{arcsec}(cx) \frac{d}{c} \frac{1}{x^3} - \operatorname{arcsec}(cx) \frac{e}{c} \frac{1}{x} + \frac{1}{9} (c^2x^2-1) \frac{(2c^4dx^2+9c^2ex^2+c^2d)}{(c^2x^2-1)/c^2/x^2} \right)^{\frac{1}{2}} \frac{1}{c^4/x^4} \right)$

Maxima [A]

time = 0.27, size = 96, normalized size = 0.91

$$-\frac{1}{9}bd \left(\frac{c^4 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} - 3c^4 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} + \frac{3 \operatorname{arcsec}(cx)}{x^3} \right) + \left(c \sqrt{-\frac{1}{c^2x^2} + 1} - \frac{\operatorname{arcsec}(cx)}{x} \right) be - \frac{ae}{x} - \frac{ad}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^4,x, algorithm="maxima")`

[Out] $-\frac{1}{9}bd \left(\left(\frac{c^4}{c^2x^2} - 1 \right)^{\frac{3}{2}} - 3c^4 \sqrt{-\frac{1}{c^2x^2} + 1} \right) / c + 3 \operatorname{arcsec}(cx) / x^3 + \left(c \sqrt{-\frac{1}{c^2x^2} + 1} - \operatorname{arcsec}(cx) / x \right) b e - a e / x - 1/3 a d / x^3$

Fricas [A]

time = 2.48, size = 71, normalized size = 0.68

$$\frac{9ax^2e + 3ad + 3(3bx^2e + bd) \operatorname{arcsec}(cx) - (2bc^2dx^2 + 9bx^2e + bd) \sqrt{c^2x^2 - 1}}{9x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^4,x, algorithm="fricas")`

[Out] $-1/9*(9*a*x^2*e + 3*a*d + 3*(3*b*x^2*e + b*d)*\operatorname{arcsec}(c*x) - (2*b*c^2*d*x^2 + 9*b*x^2*e + b*d)*\sqrt{c^2*x^2 - 1})/x^3$

Sympy [A]

time = 3.32, size = 150, normalized size = 1.43

$$-\frac{ad}{3x^3} - \frac{ae}{x} + bce\sqrt{1 - \frac{1}{c^2x^2}} - \frac{bd \operatorname{asec}(cx)}{3x^3} - \frac{be \operatorname{asec}(cx)}{x} + \frac{bd \left(\begin{cases} \frac{2c^3\sqrt{c^2x^2-1}}{3x} + \frac{c\sqrt{c^2x^2-1}}{3x^3} & \text{for } |c^2x^2| > 1 \\ \frac{2ic^3\sqrt{-c^2x^2+1}}{3x} + \frac{ic\sqrt{-c^2x^2+1}}{3x^3} & \text{otherwise} \end{cases} \right)}{3c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(a+b*asec(c*x))/x**4,x)`

[Out] $-a*d/(3*x**3) - a*e/x + b*c*e*\sqrt{1 - 1/(c**2*x**2)} - b*d*asec(c*x)/(3*x**3) - b*e*asec(c*x)/x + b*d*\operatorname{Piecewise}((2*c**3*\sqrt{c**2*x**2 - 1})/(3*x) + c*\sqrt{c**2*x**2 - 1}/(3*x**3), \operatorname{Abs}(c**2*x**2) > 1), (2*I*c**3*\sqrt{-c**2*x**2 + 1})/(3*x) + I*c*\sqrt{-c**2*x**2 + 1}/(3*x**3), \operatorname{True}))/ (3*c)$

Giac [A]

time = 0.42, size = 113, normalized size = 1.08

$$\frac{1}{9} \left(2bc^2d\sqrt{-\frac{1}{c^2x^2}+1} + 9be\sqrt{-\frac{1}{c^2x^2}+1} - \frac{9be \arccos\left(\frac{1}{cx}\right)}{cx} + \frac{bd\sqrt{-\frac{1}{c^2x^2}+1}}{x^2} - \frac{9ae}{cx} - \frac{3bd \arccos\left(\frac{1}{cx}\right)}{cx^3} - \frac{3ad}{cx^3} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^4,x, algorithm="giac")`

[Out] $1/9*(2*b*c^2*d*\sqrt{-1/(c^2*x^2) + 1} + 9*b*e*\sqrt{-1/(c^2*x^2) + 1} - 9*b*e*\arccos(1/(c*x))/(c*x) + b*d*\sqrt{-1/(c^2*x^2) + 1}/x^2 - 9*a*e/(c*x) - 3*b*d*\arccos(1/(c*x))/(c*x^3) - 3*a*d/(c*x^3))*c$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(ex^2 + d) \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((d + e*x^2)*(a + b*acos(1/(c*x))))/x^4,x)`

[Out] `int(((d + e*x^2)*(a + b*acos(1/(c*x))))/x^4, x)`

$$3.74 \quad \int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^6} dx$$

Optimal. Leaf size=152

$$\frac{2bc^3(12c^2d+25e)\sqrt{-1+c^2x^2}}{225\sqrt{c^2x^2}} + \frac{bcd\sqrt{-1+c^2x^2}}{25x^4\sqrt{c^2x^2}} + \frac{bc(12c^2d+25e)\sqrt{-1+c^2x^2}}{225x^2\sqrt{c^2x^2}} - \frac{d(a+b \sec^{-1}(cx))}{5x^5} - \frac{e(a}{$$

[Out] $-1/5*d*(a+b*\text{arcsec}(c*x))/x^5-1/3*e*(a+b*\text{arcsec}(c*x))/x^3+2/225*b*c^3*(12*c^2*d+25*e)*(c^2*x^2-1)^{(1/2)}/(c^2*x^2)^{(1/2)}+1/25*b*c*d*(c^2*x^2-1)^{(1/2)}/x^4/(c^2*x^2)^{(1/2)}+1/225*b*c*(12*c^2*d+25*e)*(c^2*x^2-1)^{(1/2)}/x^2/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.07, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {14, 5346, 12, 464, 277, 270}

$$-\frac{d(a+b \sec^{-1}(cx))}{5x^5} - \frac{e(a+b \sec^{-1}(cx))}{3x^3} + \frac{bc\sqrt{c^2x^2-1}(12c^2d+25e)}{225x^2\sqrt{c^2x^2}} + \frac{bcd\sqrt{c^2x^2-1}}{25x^4\sqrt{c^2x^2}} + \frac{2bc^3\sqrt{c^2x^2-1}(12c^2d+25e)}{225\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d+e*x^2)*(a+b*\text{ArcSec}[c*x])/x^6,x]$

[Out] $(2*b*c^3*(12*c^2*d+25*e)*\text{Sqrt}[-1+c^2*x^2])/(225*\text{Sqrt}[c^2*x^2]) + (b*c*d*\text{Sqrt}[-1+c^2*x^2])/(25*x^4*\text{Sqrt}[c^2*x^2]) + (b*c*(12*c^2*d+25*e)*\text{Sqrt}[-1+c^2*x^2])/(225*x^2*\text{Sqrt}[c^2*x^2]) - (d*(a+b*\text{ArcSec}[c*x]))/(5*x^5) - (e*(a+b*\text{ArcSec}[c*x]))/(3*x^3)$

Rule 12

$\text{Int}[(a_)*(u_), x_Symbol] := \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& !\text{MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

Rule 14

$\text{Int}[(u_)*((c_)*(x_))^{(m_)}, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}[\{c, m\}, x] \&\& \text{SumQ}[u] \&\& !\text{LinearQ}[u, x] \&\& !\text{MatchQ}[u, (a_)+(b_)*(v_)] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{InverseFunctionQ}[v]$

Rule 270

$\text{Int}[(c_)*(x_)^{(m_)*((a_)+(b_)*(x_)^{(n_))^{(p_)}}, x_Symbol] := \text{Simp}[(c*x)^{(m+1)*((a+b*x^n)^{(p+1)/(a*c*(m+1))}, x] /; \text{FreeQ}[\{a, b, c, m, n, p\}, x] \&\& \text{EqQ}[(m+1)/n+p+1, 0] \&\& \text{NeQ}[m, -1]$

Rule 277

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((
a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1
))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 464

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n
_)), x_Symbol] := Simp[c*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*e*(m + 1))),
x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*
x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c
- a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (
LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)(a + b \sec^{-1}(cx))}{x^6} dx &= -\frac{d(a + b \sec^{-1}(cx))}{5x^5} - \frac{e(a + b \sec^{-1}(cx))}{3x^3} - \frac{(bcx) \int \frac{-3d-5ex^2}{15x^6 \sqrt{-1 + c^2x^2}} dx}{\sqrt{c^2x^2}} \\ &= -\frac{d(a + b \sec^{-1}(cx))}{5x^5} - \frac{e(a + b \sec^{-1}(cx))}{3x^3} - \frac{(bcx) \int \frac{-3d-5ex^2}{x^6 \sqrt{-1 + c^2x^2}} dx}{15\sqrt{c^2x^2}} \\ &= \frac{bcd\sqrt{-1 + c^2x^2}}{25x^4\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{5x^5} - \frac{e(a + b \sec^{-1}(cx))}{3x^3} - \frac{(bc(-12d - 5ex^2))}{25x^4\sqrt{c^2x^2}} \\ &= \frac{bcd\sqrt{-1 + c^2x^2}}{25x^4\sqrt{c^2x^2}} + \frac{bc(12c^2d + 25e)\sqrt{-1 + c^2x^2}}{225x^2\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{5x^5} \\ &= \frac{2bc^3(12c^2d + 25e)\sqrt{-1 + c^2x^2}}{225\sqrt{c^2x^2}} + \frac{bcd\sqrt{-1 + c^2x^2}}{25x^4\sqrt{c^2x^2}} + \frac{bc(12c^2d + 25e)}{225x^2\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [A]

time = 0.10, size = 94, normalized size = 0.62

$$\frac{-15a(3d + 5ex^2) + bc\sqrt{1 - \frac{1}{c^2x^2}} x(25ex^2(1 + 2c^2x^2) + 3d(3 + 4c^2x^2 + 8c^4x^4)) - 15b(3d + 5ex^2) \sec^{-1}(cx)}{225x^5}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^6,x]

[Out] (-15*a*(3*d + 5*e*x^2) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(25*e*x^2*(1 + 2*c^2*x^2) + 3*d*(3 + 4*c^2*x^2 + 8*c^4*x^4)) - 15*b*(3*d + 5*e*x^2)*ArcSec[c*x])/ (225*x^5)

Maple [A]

time = 0.11, size = 140, normalized size = 0.92

| method | result |
|-------------------|--|
| derivativedivides | $c^5 \left(\frac{a \left(-\frac{e}{3c^3x^3} - \frac{d}{5c^3x^5} \right)}{c^2} + \frac{b \left(-\frac{\operatorname{arcsec}(cx)e}{3c^3x^3} - \frac{\operatorname{arcsec}(cx)d}{5c^3x^5} + \frac{(c^2x^2-1)(24c^6dx^4+50c^4ex^4+12c^4dx^2+25c^2ex^2+9c^2d)}{225\sqrt{\frac{c^2x^2-1}{c^2x^2}}c^6x^6} \right)}{c^2} \right)$ |
| default | $c^5 \left(\frac{a \left(-\frac{e}{3c^3x^3} - \frac{d}{5c^3x^5} \right)}{c^2} + \frac{b \left(-\frac{\operatorname{arcsec}(cx)e}{3c^3x^3} - \frac{\operatorname{arcsec}(cx)d}{5c^3x^5} + \frac{(c^2x^2-1)(24c^6dx^4+50c^4ex^4+12c^4dx^2+25c^2ex^2+9c^2d)}{225\sqrt{\frac{c^2x^2-1}{c^2x^2}}c^6x^6} \right)}{c^2} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(a+b*arcsec(c*x))/x^6,x,method=_RETURNVERBOSE)

[Out] c^5*(a/c^2*(-1/3*e/c^3/x^3-1/5*d/c^3/x^5)+b/c^2*(-1/3*arcsec(c*x)*e/c^3/x^3-1/5*arcsec(c*x)*d/c^3/x^5+1/225*(c^2*x^2-1)*(24*c^6*d*x^4+50*c^4*e*x^4+12*c^4*d*x^2+25*c^2*e*x^2+9*c^2*d)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^6/x^6))

Maxima [A]

time = 0.27, size = 139, normalized size = 0.91

$$\frac{1}{75}bd \left(\frac{3c^6 \left(-\frac{1}{c^2x^2} + 1\right)^{\frac{3}{2}} - 10c^6 \left(-\frac{1}{c^2x^2} + 1\right)^{\frac{3}{2}} + 15c^6 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} - \frac{15 \operatorname{arcsec}(cx)}{x^5} \right) - \frac{1}{9}b \left(\frac{c^4 \left(-\frac{1}{c^2x^2} + 1\right)^{\frac{3}{2}} - 3c^4 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} + \frac{3 \operatorname{arcsec}(cx)}{x^3} \right) e - \frac{ae}{3x^3} - \frac{ad}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^6,x, algorithm="maxima")

[Out] $\frac{1}{75}bd\left(\frac{3c^6(-1/(c^2x^2)+1)^{5/2}-10c^6(-1/(c^2x^2)+1)^{3/2}+15c^6\sqrt{-1/(c^2x^2)+1}}{c}-15\operatorname{arcsec}(cx)/x^5\right)-\frac{1}{9}b\left(\frac{c^4(-1/(c^2x^2)+1)^{3/2}-3c^4\sqrt{-1/(c^2x^2)+1}}{c}+3\operatorname{arcsec}(cx)/x^3\right)e-\frac{1}{3}ae/x^3-\frac{1}{5}ad/x^5$

Fricas [A]

time = 4.35, size = 94, normalized size = 0.62

$$\frac{75ax^2e + 45ad + 15(5bx^2e + 3bd)\operatorname{arcsec}(cx) - (24bc^4dx^4 + 12bc^2dx^2 + 9bd + 25(2bc^2x^4 + bx^2)e)\sqrt{c^2x^2 - 1}}{225x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^6,x, algorithm="fricas")

[Out] $-\frac{1}{225}(75ax^2e + 45ad + 15(5bx^2e + 3bd)\operatorname{arcsec}(cx) - (24bc^4dx^4 + 12bc^2dx^2 + 9bd + 25(2bc^2x^4 + bx^2)e)\sqrt{c^2x^2 - 1})/x^5$

Sympy [A]

time = 6.05, size = 279, normalized size = 1.84

$$\frac{ad}{5x^5} - \frac{ae}{3x^3} - \frac{bd\operatorname{asec}(cx)}{5x^5} - \frac{be\operatorname{asec}(cx)}{3x^3} + \frac{bd\left(\begin{cases} \frac{8c^3\sqrt{c^2x^2-1}}{15x} + \frac{4c^3\sqrt{c^2x^2-1}}{15x^3} + \frac{c\sqrt{c^2x^2-1}}{5x^5} & \text{for } |c^2x^2| > 1 \\ \frac{8ic^3\sqrt{-c^2x^2+1}}{15x} + \frac{4ic^3\sqrt{-c^2x^2+1}}{15x^3} + \frac{ic\sqrt{-c^2x^2+1}}{5x^5} & \text{otherwise} \end{cases}\right)}{5c} + \frac{be\left(\begin{cases} \frac{2c^3\sqrt{c^2x^2-1}}{3x} + \frac{c\sqrt{c^2x^2-1}}{3x^3} & \text{for } |c^2x^2| > 1 \\ \frac{2ic^3\sqrt{-c^2x^2+1}}{3x} + \frac{ic\sqrt{-c^2x^2+1}}{3x^3} & \text{otherwise} \end{cases}\right)}{3c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(a+b*asec(c*x))/x**6,x)

[Out] $-a*d/(5*x**5) - a*e/(3*x**3) - b*d*asec(c*x)/(5*x**5) - b*e*asec(c*x)/(3*x**3) + b*d*\operatorname{Piecewise}((8*c**5*\sqrt{c**2*x**2 - 1})/(15*x) + 4*c**3*\sqrt{c**2*x**2 - 1})/(15*x**3) + c*\sqrt{c**2*x**2 - 1})/(5*x**5), \operatorname{Abs}(c**2*x**2) > 1), (8*I*c**5*\sqrt{-c**2*x**2 + 1})/(15*x) + 4*I*c**3*\sqrt{-c**2*x**2 + 1})/(15*x**3) + I*c*\sqrt{-c**2*x**2 + 1})/(5*x**5), \operatorname{True}))/5*c) + b*e*\operatorname{Piecewise}((2*c**3*\sqrt{c**2*x**2 - 1})/(3*x) + c*\sqrt{c**2*x**2 - 1})/(3*x**3), \operatorname{Abs}(c**2*x**2) > 1), (2*I*c**3*\sqrt{-c**2*x**2 + 1})/(3*x) + I*c*\sqrt{-c**2*x**2 + 1})/(3*x**3), \operatorname{True}))/3*c)$

Giac [A]

time = 0.41, size = 158, normalized size = 1.04

$$\frac{1}{225}\left(24bc^4d\sqrt{-\frac{1}{c^2x^2}+1} + 50bc^2e\sqrt{-\frac{1}{c^2x^2}+1} + \frac{12bc^2d\sqrt{-\frac{1}{c^2x^2}+1}}{x^2} + \frac{25be\sqrt{-\frac{1}{c^2x^2}+1}}{x^2} - \frac{75be\arccos\left(\frac{1}{cx}\right)}{cx^3} + \frac{9bd\sqrt{-\frac{1}{c^2x^2}+1}}{x^4} - \frac{75ae}{cx^3} - \frac{45bd\arccos\left(\frac{1}{cx}\right)}{cx^5} - \frac{45ad}{cx^5}\right)c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^6,x, algorithm="giac")

```
[Out] 1/225*(24*b*c^4*d*sqrt(-1/(c^2*x^2) + 1) + 50*b*c^2*e*sqrt(-1/(c^2*x^2) + 1)
) + 12*b*c^2*d*sqrt(-1/(c^2*x^2) + 1)/x^2 + 25*b*e*sqrt(-1/(c^2*x^2) + 1)/x
^2 - 75*b*e*arccos(1/(c*x))/(c*x^3) + 9*b*d*sqrt(-1/(c^2*x^2) + 1)/x^4 - 75
*a*e/(c*x^3) - 45*b*d*arccos(1/(c*x))/(c*x^5) - 45*a*d/(c*x^5))*c
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(e x^2 + d) \left(a + b \operatorname{acos}\left(\frac{1}{c x}\right) \right)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d + e*x^2)*(a + b*acos(1/(c*x))))/x^6, x)
```

```
[Out] int(((d + e*x^2)*(a + b*acos(1/(c*x))))/x^6, x)
```


$$3.75 \quad \int \frac{(d+ex^2)(a+b\sec^{-1}(cx))}{x^8} dx$$

Optimal. Leaf size=197

$$\frac{8bc^5(30c^2d+49e)\sqrt{-1+c^2x^2}}{3675\sqrt{c^2x^2}} + \frac{bcd\sqrt{-1+c^2x^2}}{49x^6\sqrt{c^2x^2}} + \frac{bc(30c^2d+49e)\sqrt{-1+c^2x^2}}{1225x^4\sqrt{c^2x^2}} + \frac{4bc^3(30c^2d+49e)\sqrt{-1+c^2x^2}}{3675x^2\sqrt{c^2x^2}}$$

[Out] $-1/7*d*(a+b*\text{arcsec}(c*x))/x^7-1/5*e*(a+b*\text{arcsec}(c*x))/x^5+8/3675*b*c^5*(30*c^2*d+49*e)*(c^2*x^2-1)^{(1/2)}/(c^2*x^2)^{(1/2)}+1/49*b*c*d*(c^2*x^2-1)^{(1/2)}/x^6/(c^2*x^2)^{(1/2)}+1/1225*b*c*(30*c^2*d+49*e)*(c^2*x^2-1)^{(1/2)}/x^4/(c^2*x^2)^{(1/2)}+4/3675*b*c^3*(30*c^2*d+49*e)*(c^2*x^2-1)^{(1/2)}/x^2/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.09, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {14, 5346, 12, 464, 277, 270}

$$-\frac{d(a+b\sec^{-1}(cx))}{7x^7} - \frac{e(a+b\sec^{-1}(cx))}{5x^5} + \frac{bc\sqrt{c^2x^2-1}(30c^2d+49e)}{1225x^4\sqrt{c^2x^2}} + \frac{bcd\sqrt{c^2x^2-1}}{49x^6\sqrt{c^2x^2}} + \frac{8bc^5\sqrt{c^2x^2-1}(30c^2d+49e)}{3675\sqrt{c^2x^2}} + \frac{4bc^3\sqrt{c^2x^2-1}(30c^2d+49e)}{3675x^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^8,x]

[Out] $(8*b*c^5*(30*c^2*d+49*e)*\text{Sqrt}[-1+c^2*x^2])/(3675*\text{Sqrt}[c^2*x^2]) + (b*c*d*\text{Sqrt}[-1+c^2*x^2])/(49*x^6*\text{Sqrt}[c^2*x^2]) + (b*c*(30*c^2*d+49*e)*\text{Sqrt}[-1+c^2*x^2])/(1225*x^4*\text{Sqrt}[c^2*x^2]) + (4*b*c^3*(30*c^2*d+49*e)*\text{Sqrt}[-1+c^2*x^2])/(3675*x^2*\text{Sqrt}[c^2*x^2]) - (d*(a+b*\text{ArcSec}[c*x]))/(7*x^7) - (e*(a+b*\text{ArcSec}[c*x]))/(5*x^5)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 14

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)+(b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

Rule 270

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m+1)*((a+b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n+p+1, 0] && NeQ[m, -1]

Rule 277

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((
a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1
))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 464

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n
_)), x_Symbol] := Simp[c*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*e*(m + 1))),
x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*
x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c
- a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (
LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 5346

```
Int[((a_) + ArcSec[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x
_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)(a + b \sec^{-1}(cx))}{x^8} dx &= -\frac{d(a + b \sec^{-1}(cx))}{7x^7} - \frac{e(a + b \sec^{-1}(cx))}{5x^5} - \frac{(bcx) \int \frac{-5d-7ex^2}{35x^8 \sqrt{-1 + c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{d(a + b \sec^{-1}(cx))}{7x^7} - \frac{e(a + b \sec^{-1}(cx))}{5x^5} - \frac{(bcx) \int \frac{-5d-7ex^2}{x^8 \sqrt{-1 + c^2x^2}} dx}{35\sqrt{c^2x^2}} \\
&= \frac{bcd\sqrt{-1 + c^2x^2}}{49x^6\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{7x^7} - \frac{e(a + b \sec^{-1}(cx))}{5x^5} - \frac{bc(-30c^2)}{3675x^2\sqrt{c^2x^2}} \\
&= \frac{bcd\sqrt{-1 + c^2x^2}}{49x^6\sqrt{c^2x^2}} + \frac{bc(30c^2d + 49e)\sqrt{-1 + c^2x^2}}{1225x^4\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{7x^7} \\
&= \frac{bcd\sqrt{-1 + c^2x^2}}{49x^6\sqrt{c^2x^2}} + \frac{bc(30c^2d + 49e)\sqrt{-1 + c^2x^2}}{1225x^4\sqrt{c^2x^2}} + \frac{4bc^3(30c^2d + 49e)\sqrt{-1 + c^2x^2}}{3675x^2\sqrt{c^2x^2}} \\
&= \frac{8bc^5(30c^2d + 49e)\sqrt{-1 + c^2x^2}}{3675\sqrt{c^2x^2}} + \frac{bcd\sqrt{-1 + c^2x^2}}{49x^6\sqrt{c^2x^2}} + \frac{bc(30c^2d + 49e)\sqrt{-1 + c^2x^2}}{1225x^4\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A]

time = 0.10, size = 110, normalized size = 0.56

$$\frac{-105a(5d + 7ex^2) + bc\sqrt{1 - \frac{1}{c^2x^2}} x(49ex^2(3 + 4c^2x^2 + 8c^4x^4) + 15d(5 + 6c^2x^2 + 8c^4x^4 + 16c^6x^6)) - 105b(5d + 7ex^2)\sec^{-1}(cx)}{3675x^7}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^8, x]

[Out] (-105*a*(5*d + 7*e*x^2) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(49*e*x^2*(3 + 4*c^2*x^2 + 8*c^4*x^4) + 15*d*(5 + 6*c^2*x^2 + 8*c^4*x^4 + 16*c^6*x^6)) - 105*b*(5*d + 7*e*x^2)*ArcSec[c*x])/(3675*x^7)

Maple [A]

time = 0.11, size = 158, normalized size = 0.80

| method | result |
|-------------------|---|
| derivativedivides | $c^7 \left(\frac{a \left(-\frac{d}{7c^5x^7} - \frac{e}{5c^5x^5} \right)}{c^2} + \frac{b \left(-\frac{\operatorname{arcsec}(cx)d}{7c^5x^7} - \frac{\operatorname{arcsec}(cx)e}{5c^5x^5} + \frac{(c^2x^2-1)(240c^8dx^6+392c^6ex^6+120c^6dx^4+196c^4ex^4+90c^4dx^2+8c^4x^4) + 15d(5+6c^2x^2+8c^4x^4+16c^6x^6)}{3675\sqrt{\frac{c^2x^2-1}{c^2x^2}}c^8x^8}}{c^2} \right)$ |
| default | $c^7 \left(\frac{a \left(-\frac{d}{7c^5x^7} - \frac{e}{5c^5x^5} \right)}{c^2} + \frac{b \left(-\frac{\operatorname{arcsec}(cx)d}{7c^5x^7} - \frac{\operatorname{arcsec}(cx)e}{5c^5x^5} + \frac{(c^2x^2-1)(240c^8dx^6+392c^6ex^6+120c^6dx^4+196c^4ex^4+90c^4dx^2+8c^4x^4) + 15d(5+6c^2x^2+8c^4x^4+16c^6x^6)}{3675\sqrt{\frac{c^2x^2-1}{c^2x^2}}c^8x^8}}{c^2} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(a+b*arcsec(c*x))/x^8, x, method=_RETURNVERBOSE)

[Out] c^7*(a/c^2*(-1/7*d/c^5/x^7-1/5*e/c^5/x^5)+b/c^2*(-1/7*arcsec(c*x)*d/c^5/x^7-1/5*arcsec(c*x)*e/c^5/x^5+1/3675*(c^2*x^2-1)*(240*c^8*d*x^6+392*c^6*e*x^6+120*c^6*d*x^4+196*c^4*e*x^4+90*c^4*d*x^2+147*c^2*e*x^2+75*c^2*d)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^8/x^8)

Maxima [A]

time = 0.28, size = 174, normalized size = 0.88

$$-\frac{1}{245}bd \left(\frac{5c^8 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} - 21c^8 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{5}{2}} + 35c^8 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{7}{2}} - 35c^8 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} + \frac{35 \operatorname{arcsec}(cx)}{x^7} \right) + \frac{1}{75}b \left(\frac{3c^8 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} - 10c^8 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{5}{2}} + 15c^8 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} - \frac{15 \operatorname{arcsec}(cx)}{x^5} \right) e - \frac{ae}{5x^5} - \frac{ad}{7x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^8,x, algorithm="maxima")

[Out] $-1/245*b*d*((5*c^8*(-1/(c^2*x^2) + 1)^{(7/2)} - 21*c^8*(-1/(c^2*x^2) + 1)^{(5/2)} + 35*c^8*(-1/(c^2*x^2) + 1)^{(3/2)} - 35*c^8*\sqrt{-1/(c^2*x^2) + 1})/c + 35*arcsec(c*x)/x^7) + 1/75*b*((3*c^6*(-1/(c^2*x^2) + 1)^{(5/2)} - 10*c^6*(-1/(c^2*x^2) + 1)^{(3/2)} + 15*c^6*\sqrt{-1/(c^2*x^2) + 1})/c - 15*arcsec(c*x)/x^5)*e - 1/5*a*e/x^5 - 1/7*a*d/x^7$

Fricas [A]

time = 2.83, size = 114, normalized size = 0.58

$$\frac{735 ax^2e + 525 ad + 105(7bx^2e + 5bd) \operatorname{arcsec}(cx) - (240bc^5dx^6 + 120bc^4dx^4 + 90bc^2dx^2 + 75bd + 49(8bc^4x^6 + 4bc^2x^4 + 3bx^2)e)\sqrt{c^2x^2 - 1}}{3675x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^8,x, algorithm="fricas")

[Out] $-1/3675*(735*a*x^2*e + 525*a*d + 105*(7*b*x^2*e + 5*b*d)*\operatorname{arcsec}(c*x) - (240*b*c^6*d*x^6 + 120*b*c^4*d*x^4 + 90*b*c^2*d*x^2 + 75*b*d + 49*(8*b*c^4*x^6 + 4*b*c^2*x^4 + 3*b*x^2)*e)*\sqrt{c^2*x^2 - 1})/x^7$

Sympy [A]

time = 36.60, size = 371, normalized size = 1.88

$$\frac{ad}{7x^7} - \frac{ae}{5x^5} - \frac{bd \operatorname{asec}(cx)}{7x^7} - \frac{be \operatorname{asec}(cx)}{5x^5} + \frac{bd \left(\begin{array}{l} \frac{16c^2\sqrt{c^2x^2-1}}{35c} + \frac{8c^2\sqrt{c^2x^2-1}}{35x^2} + \frac{6c^2\sqrt{c^2x^2-1}}{35x^2} + \frac{c\sqrt{c^2x^2-1}}{7x} \\ \frac{16ic^2\sqrt{-c^2x^2+1}}{35x} + \frac{8ic^2\sqrt{-c^2x^2+1}}{35x^2} + \frac{6ic^2\sqrt{-c^2x^2+1}}{35x^2} + \frac{ic\sqrt{-c^2x^2+1}}{7x^2} \end{array} \right)}{7c} + \frac{bc \left(\begin{array}{l} \frac{8c^4\sqrt{c^2x^2-1}}{15c} + \frac{8c^4\sqrt{c^2x^2-1}}{15x^2} + \frac{c\sqrt{c^2x^2-1}}{5x^3} \\ \frac{8ic^4\sqrt{-c^2x^2+1}}{15x} + \frac{4ic^4\sqrt{-c^2x^2+1}}{15x^3} + \frac{ic\sqrt{-c^2x^2+1}}{5x^3} \end{array} \right)}{5c}}{\text{for } |c^2x^2| > 1 \text{ otherwise}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(a+b*asec(c*x))/x**8,x)

[Out] $-a*d/(7*x**7) - a*e/(5*x**5) - b*d*asec(c*x)/(7*x**7) - b*e*asec(c*x)/(5*x**5) + b*d*\operatorname{Piecewise}((16*c**7*\sqrt{c**2*x**2 - 1})/(35*x) + 8*c**5*\sqrt{c**2*x**2 - 1})/(35*x**3) + 6*c**3*\sqrt{c**2*x**2 - 1})/(35*x**5) + c*\sqrt{c**2*x**2 - 1})/(7*x**7), \operatorname{Abs}(c**2*x**2) > 1), (16*I*c**7*\sqrt{-c**2*x**2 + 1})/(35*x) + 8*I*c**5*\sqrt{-c**2*x**2 + 1})/(35*x**3) + 6*I*c**3*\sqrt{-c**2*x**2 + 1})/(35*x**5) + I*c*\sqrt{-c**2*x**2 + 1})/(7*x**7), \operatorname{True}))/7*c) + b*e*\operatorname{Piecewise}((8*c**5*\sqrt{c**2*x**2 - 1})/(15*x) + 4*c**3*\sqrt{c**2*x**2 - 1})/(15*x**3) + c*\sqrt{c**2*x**2 - 1})/(5*x**5), \operatorname{Abs}(c**2*x**2) > 1), (8*I*c**5*\sqrt{-c**2*x**2 + 1})/(15*x) + 4*I*c**3*\sqrt{-c**2*x**2 + 1})/(15*x**3) + I*c*\sqrt{-c**2*x**2 + 1})/(5*x**5), \operatorname{True}))/5*c)$

Giac [A]

time = 0.42, size = 202, normalized size = 1.03

$$\frac{1}{3675} \left(240bc^4d\sqrt{-\frac{1}{c^2x^2}+1} + 392bc^4e\sqrt{-\frac{1}{c^2x^2}+1} + \frac{120bc^4d\sqrt{-\frac{1}{c^2x^2}+1}}{x^2} + \frac{196bc^2e\sqrt{-\frac{1}{c^2x^2}+1}}{x^2} + \frac{90bc^2d\sqrt{-\frac{1}{c^2x^2}+1}}{x^4} + \frac{147be\sqrt{-\frac{1}{c^2x^2}+1}}{x^4} - \frac{735be \arccos(\frac{1}{cx})}{cx^5} + \frac{75bd\sqrt{-\frac{1}{c^2x^2}+1}}{x^5} - \frac{735ae}{cx^5} - \frac{525bd \arccos(\frac{1}{cx})}{cx^7} - \frac{525ad}{cx^7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^8,x, algorithm="giac")

[Out] 1/3675*(240*b*c^6*d*sqrt(-1/(c^2*x^2) + 1) + 392*b*c^4*e*sqrt(-1/(c^2*x^2) + 1) + 120*b*c^4*d*sqrt(-1/(c^2*x^2) + 1)/x^2 + 196*b*c^2*e*sqrt(-1/(c^2*x^2) + 1)/x^2 + 90*b*c^2*d*sqrt(-1/(c^2*x^2) + 1)/x^4 + 147*b*e*sqrt(-1/(c^2*x^2) + 1)/x^4 - 735*b*e*arccos(1/(c*x))/(c*x^5) + 75*b*d*sqrt(-1/(c^2*x^2) + 1)/x^6 - 735*a*e/(c*x^5) - 525*b*d*arccos(1/(c*x))/(c*x^7) - 525*a*d/(c*x^7))*c

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(ex^2 + d) \left(a + b \operatorname{arccos}\left(\frac{1}{cx}\right) \right)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)*(a + b*acos(1/(c*x))))/x^8,x)

[Out] int(((d + e*x^2)*(a + b*acos(1/(c*x))))/x^8, x)

3.76 $\int x^5(d + ex^2)(a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=196

$$\frac{b(4c^2d + 3e)x\sqrt{-1 + c^2x^2}}{24c^7\sqrt{c^2x^2}} - \frac{b(8c^2d + 9e)x(-1 + c^2x^2)^{3/2}}{72c^7\sqrt{c^2x^2}} - \frac{b(4c^2d + 9e)x(-1 + c^2x^2)^{5/2}}{120c^7\sqrt{c^2x^2}} - \frac{bex(-1 + c^2x^2)^{7/2}}{56c^7\sqrt{c^2x^2}}$$

[Out] $\frac{1}{6}dx^6(a+b\operatorname{arcsec}(cx))+\frac{1}{8}ex^8(a+b\operatorname{arcsec}(cx))-\frac{1}{72}b(8c^2d+9e)x^2(c^2x^2-1)^{3/2}/c^7/(c^2x^2)^{1/2}-\frac{1}{120}b(4c^2d+9e)x^2(c^2x^2-1)^{5/2}/c^7/(c^2x^2)^{1/2}-\frac{1}{56}bex(c^2x^2-1)^{7/2}/c^7/(c^2x^2)^{1/2}-\frac{1}{24}b(4c^2d+3e)x^2(c^2x^2-1)^{1/2}/c^7/(c^2x^2)^{1/2}$

Rubi [A]

time = 0.11, antiderivative size = 196, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {14, 5346, 12, 457, 78}

$$\frac{1}{6}dx^6(a+b\sec^{-1}(cx))+\frac{1}{8}ex^8(a+b\sec^{-1}(cx))-\frac{bx(c^2x^2-1)^{5/2}(4c^2d+9e)}{120c^7\sqrt{c^2x^2}}-\frac{bx(c^2x^2-1)^{3/2}(8c^2d+9e)}{72c^7\sqrt{c^2x^2}}-\frac{bx\sqrt{c^2x^2-1}(4c^2d+3e)}{24c^7\sqrt{c^2x^2}}-\frac{bex(c^2x^2-1)^{7/2}}{56c^7\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^5(d + e*x^2)*(a + b*\operatorname{ArcSec}[c*x]),x]$

[Out] $-\frac{1}{24}*(b*(4*c^2*d + 3*e)*x*\operatorname{Sqrt}[-1 + c^2*x^2])/(c^7*\operatorname{Sqrt}[c^2*x^2]) - (b*(8*c^2*d + 9*e)*x*(-1 + c^2*x^2)^{3/2})/(72*c^7*\operatorname{Sqrt}[c^2*x^2]) - (b*(4*c^2*d + 9*e)*x*(-1 + c^2*x^2)^{5/2})/(120*c^7*\operatorname{Sqrt}[c^2*x^2]) - (b*e*x*(-1 + c^2*x^2)^{7/2})/(56*c^7*\operatorname{Sqrt}[c^2*x^2]) + (d*x^6*(a + b*\operatorname{ArcSec}[c*x]))/6 + (e*x^8*(a + b*\operatorname{ArcSec}[c*x]))/8$

Rule 12

$\operatorname{Int}[(a_*)*(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!MatchQ}[u, (b_*)*(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 14

$\operatorname{Int}[(u_*)((c_*)*(x_))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /; \operatorname{FreeQ}[\{c, m\}, x] \&\& \operatorname{SumQ}[u] \&\& \operatorname{!LinearQ}[u, x] \&\& \operatorname{!MatchQ}[u, (a_*) + (b_*)*(v_)] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{InverseFunctionQ}[v]$

Rule 78

$\operatorname{Int}[(a_*) + (b_*)*(x_)*((c_*) + (d_*)*(x_))^{(n_*)}*((e_*) + (f_*)*(x_))^{(p_.)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; \operatorname{FreeQ}[\{a, b, c, d, e, f, n\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& ((\operatorname{ILtQ}[n, 0] \&\& \operatorname{ILtQ}[p, 0]) \operatorname{||} \operatorname{EqQ}[p, 1] \operatorname{||} (\operatorname{IGtQ}[p, 0] \&\& (\operatorname{!IntegerQ}[n] \operatorname{||} \operatorname{LeQ}[9*p + 5*(n + 2), 0] \operatorname{||} \operatorname{GeQ}[n + p + 1, 0] \operatorname{||} (\operatorname{GeQ}[n + p + 2, 0] \&\& \operatorname{RationalQ}[a, b,$

c, d, e, f])))

Rule 457

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p *(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 5346

Int[((a_) + ArcSec[(c_)*(x_)])*(b_))*((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rubi steps

$$\begin{aligned}
 \int x^5(d + ex^2)(a + b \sec^{-1}(cx)) dx &= \frac{1}{6} dx^6(a + b \sec^{-1}(cx)) + \frac{1}{8} ex^8(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^5(4d+3e)}{24\sqrt{-1+c^2x^2}}}{\sqrt{c^2x^2}} \\
 &= \frac{1}{6} dx^6(a + b \sec^{-1}(cx)) + \frac{1}{8} ex^8(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^5(4d+3e)}{\sqrt{-1+c^2x^2}}}{24\sqrt{c^2x^2}} \\
 &= \frac{1}{6} dx^6(a + b \sec^{-1}(cx)) + \frac{1}{8} ex^8(a + b \sec^{-1}(cx)) - \frac{(bcx) \text{Subst}\left(\int \frac{x}{\sqrt{-1+c^2x^2}}\right)}{48\sqrt{c^2x^2}} \\
 &= \frac{1}{6} dx^6(a + b \sec^{-1}(cx)) + \frac{1}{8} ex^8(a + b \sec^{-1}(cx)) - \frac{(bcx) \text{Subst}\left(\int \left(\frac{x}{\sqrt{-1+c^2x^2}}\right)\right)}{48\sqrt{c^2x^2}} \\
 &= -\frac{b(4c^2d + 3e)x\sqrt{-1+c^2x^2}}{24c^7\sqrt{c^2x^2}} - \frac{b(8c^2d + 9e)x(-1+c^2x^2)^{3/2}}{72c^7\sqrt{c^2x^2}} - \frac{b(4c^2d + 3e)}{24c^7}
 \end{aligned}$$

Mathematica [A]

time = 0.17, size = 118, normalized size = 0.60

$$\frac{1}{24} ax^6(4d + 3ex^2) - \frac{b\sqrt{1 - \frac{1}{c^2x^2}} x(144e + 8c^2(28d + 9ex^2) + 2c^4(56dx^2 + 27ex^4) + c^6(84dx^4 + 45ex^6))}{2520c^7} + \frac{1}{24} bx^6(4d + 3ex^2) \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x^5*(d + e*x^2)*(a + b*ArcSec[c*x]),x]

[Out] (a*x^6*(4*d + 3*e*x^2))/24 - (b*sqrt[1 - 1/(c^2*x^2)]*x*(144*e + 8*c^2*(28*d + 9*e*x^2) + 2*c^4*(56*d*x^2 + 27*e*x^4) + c^6*(84*d*x^4 + 45*e*x^6)))/(2520*c^7) + (b*x^6*(4*d + 3*e*x^2)*ArcSec[c*x])/24

Maple [A]

time = 0.21, size = 152, normalized size = 0.78

| method | result |
|-------------------|---|
| derivativedivides | $\frac{a\left(\frac{1}{6}c^8dx^6 + \frac{1}{8}ec^8x^8\right)}{c^2} + \frac{b\left(\frac{\operatorname{arcsec}(cx)dc^8x^6}{6} + \frac{\operatorname{arcsec}(cx)ec^8x^8}{8} - \frac{(c^2x^2-1)(45c^6ex^6+84c^6dx^4+54c^4ex^4+112c^4dx^2+72c^2ex^2+224)}{(c^2x^2-1)^{3/2}}\right)}{c^6}$ |
| default | $\frac{a\left(\frac{1}{6}c^8dx^6 + \frac{1}{8}ec^8x^8\right)}{c^2} + \frac{b\left(\frac{\operatorname{arcsec}(cx)dc^8x^6}{6} + \frac{\operatorname{arcsec}(cx)ec^8x^8}{8} - \frac{(c^2x^2-1)(45c^6ex^6+84c^6dx^4+54c^4ex^4+112c^4dx^2+72c^2ex^2+224)}{(c^2x^2-1)^{3/2}}\right)}{c^6}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(e*x^2+d)*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)

[Out] 1/c^6*(a/c^2*(1/6*c^8*d*x^6+1/8*e*c^8*x^8)+b/c^2*(1/6*arcsec(c*x)*d*c^8*x^6+1/8*arcsec(c*x)*e*c^8*x^8-1/2520*(c^2*x^2-1)*(45*c^6*e*x^6+84*c^6*d*x^4+54*c^4*e*x^4+112*c^4*d*x^2+72*c^2*e*x^2+224*c^2*d+144*e)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x)

Maxima [A]

time = 0.27, size = 187, normalized size = 0.95

$$\frac{1}{8}dx^8e + \frac{1}{6}adx^6 + \frac{1}{90}\left(15x^6\operatorname{arcsec}(cx) - \frac{3c^4x^5(-\frac{1}{c^2x^2}+1)^{5/2} + 10c^2x^3(-\frac{1}{c^2x^2}+1)^{3/2} + 15x\sqrt{-\frac{1}{c^2x^2}+1}}{c^5}\right)bd + \frac{1}{280}\left(35x^8\operatorname{arcsec}(cx) - \frac{5c^6x^7(-\frac{1}{c^2x^2}+1)^{7/2} + 21c^4x^5(-\frac{1}{c^2x^2}+1)^{5/2} + 35c^2x^3(-\frac{1}{c^2x^2}+1)^{3/2} + 35x\sqrt{-\frac{1}{c^2x^2}+1}}{c^7}\right)be$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] 1/8*a*x^8*e + 1/6*a*d*x^6 + 1/90*(15*x^6*arcsec(c*x) - (3*c^4*x^5*(-1/(c^2*x^2) + 1)^(5/2) + 10*c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 15*x*sqrt(-1/(c^2*x^2) + 1))/c^5)*b*d + 1/280*(35*x^8*arcsec(c*x) - (5*c^6*x^7*(-1/(c^2*x^2) + 1)^(7/2) + 21*c^4*x^5*(-1/(c^2*x^2) + 1)^(5/2) + 35*c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 35*x*sqrt(-1/(c^2*x^2) + 1))/c^7)*b*e

Fricas [A]

time = 3.40, size = 131, normalized size = 0.67

$$\frac{315ac^8x^8e + 420ac^8dx^6 + 105(3bc^8x^8e + 4bc^8dx^6)\operatorname{arcsec}(cx) - (84bc^6dx^4 + 112bc^4dx^2 + 224bc^2d + 9(5bc^6x^6 + 6bc^4x^4 + 8bc^2x^2 + 16b)e)\sqrt{c^2x^2-1}}{2520c^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁵*(e*x²+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] 1/2520*(315*a*c⁸*x⁸*e + 420*a*c⁸*d*x⁶ + 105*(3*b*c⁸*x⁸*e + 4*b*c⁸*d*x⁶)*arcsec(c*x) - (84*b*c⁶*d*x⁴ + 112*b*c⁴*d*x² + 224*b*c²*d + 9*(5*b*c⁶*x⁶ + 6*b*c⁴*x⁴ + 8*b*c²*x² + 16*b)*e)*sqrt(c²*x² - 1)/c⁸

Sympy [A]

time = 5.89, size = 364, normalized size = 1.86

$$\frac{adx^6}{6} + \frac{aex^8}{8} + \frac{bdx^6 \operatorname{asec}(cx)}{6} + \frac{bcx^8 \operatorname{asec}(cx)}{8} - \frac{bd \left(\begin{cases} \frac{x^4 \sqrt{c^2 x^2 - 1}}{5c} + \frac{4x^2 \sqrt{c^2 x^2 - 1}}{15c^3} + \frac{8 \sqrt{c^2 x^2 - 1}}{15c^5} & \text{for } |c^2 x^2| > 1 \\ \frac{4x^4 \sqrt{-c^2 x^2 + 1}}{5c} + \frac{4x^2 \sqrt{-c^2 x^2 + 1}}{15c^3} + \frac{8 \sqrt{-c^2 x^2 + 1}}{15c^5} & \text{otherwise} \end{cases} \right)}{6c} - \frac{bc \left(\begin{cases} \frac{x^6 \sqrt{c^2 x^2 - 1}}{7c} + \frac{6x^4 \sqrt{c^2 x^2 - 1}}{35c^3} + \frac{8x^2 \sqrt{c^2 x^2 - 1}}{35c^5} + \frac{16 \sqrt{c^2 x^2 - 1}}{35c^7} & \text{for } |c^2 x^2| > 1 \\ \frac{4x^6 \sqrt{-c^2 x^2 + 1}}{7c} + \frac{6x^4 \sqrt{-c^2 x^2 + 1}}{35c^3} + \frac{8x^2 \sqrt{-c^2 x^2 + 1}}{35c^5} + \frac{16 \sqrt{-c^2 x^2 + 1}}{35c^7} & \text{otherwise} \end{cases} \right)}{8c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(e*x**2+d)*(a+b*asec(c*x)),x)

[Out] a*d*x**6/6 + a*e*x**8/8 + b*d*x**6*asec(c*x)/6 + b*e*x**8*asec(c*x)/8 - b*d*Piecewise((x**4*sqrt(c**2*x**2 - 1)/(5*c) + 4*x**2*sqrt(c**2*x**2 - 1)/(15*c**3) + 8*sqrt(c**2*x**2 - 1)/(15*c**5), Abs(c**2*x**2) > 1), (I*x**4*sqrt(-c**2*x**2 + 1)/(5*c) + 4*I*x**2*sqrt(-c**2*x**2 + 1)/(15*c**3) + 8*I*sqrt(-c**2*x**2 + 1)/(15*c**5), True))/(6*c) - b*e*Piecewise((x**6*sqrt(c**2*x**2 - 1)/(7*c) + 6*x**4*sqrt(c**2*x**2 - 1)/(35*c**3) + 8*x**2*sqrt(c**2*x**2 - 1)/(35*c**5) + 16*sqrt(c**2*x**2 - 1)/(35*c**7), Abs(c**2*x**2) > 1), (I*x**6*sqrt(-c**2*x**2 + 1)/(7*c) + 6*I*x**4*sqrt(-c**2*x**2 + 1)/(35*c**3) + 8*I*x**2*sqrt(-c**2*x**2 + 1)/(35*c**5) + 16*I*sqrt(-c**2*x**2 + 1)/(35*c**7), True))/(8*c)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 13018 vs. 2(168) = 336.

time = 0.72, size = 13018, normalized size = 66.42

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁵*(e*x²+d)*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] 1/2520*(420*b*c²*d*arccos(1/(c*x))/(c⁹ + 8*c⁹*(1/(c²*x²) - 1)/(1/(c*x) + 1)² + 28*c⁹*(1/(c²*x²) - 1)²/(1/(c*x) + 1)⁴ + 56*c⁹*(1/(c²*x²) - 1)³/(1/(c*x) + 1)⁶ + 70*c⁹*(1/(c²*x²) - 1)⁴/(1/(c*x) + 1)⁸ + 56*c⁹*(1/(c²*x²) - 1)⁵/(1/(c*x) + 1)¹⁰ + 28*c⁹*(1/(c²*x²) - 1)⁶/(1/(c*x) + 1)¹² + 8*c⁹*(1/(c²*x²) - 1)⁷/(1/(c*x) + 1)¹⁴ + c⁹*(1/(c²*x²) - 1)⁸/(1/(c*x) + 1)¹⁶) + 420*a*c²*d/(c⁹ + 8*c⁹*(1/(c²*x²) - 1)/(1/(c*x) + 1)² + 28*c⁹*(1/(c²*x²) - 1)²/(1/(c*x) + 1)⁴ + 56*c⁹*(1/(c²*x²) - 1)³/(1/(c*x) + 1)⁶ + 70*c⁹*(1/(c²*x²) - 1)⁴/(1/(c*x) + 1)⁸ + 56*c⁹*(1/(c²*x²) - 1)⁵/(1/(c*x) + 1)¹⁰ + 28*c⁹*(1/(c²*x²) - 1)⁶/(1/(c

$$\begin{aligned} & (1/(c*x) + 1)^4 - 2520*b*e*(1/(c^2*x^2) - 1)*\arccos(1/(c*x))/((c^9 + 8*c^9 \\ & *(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 28*c^9*(1/(c^2*x^2) - 1)^2/(1/(c*x) + \\ & 1)^4 + 56*c^9*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 70*c^9*(1/(c^2*x^2) - 1 \\ &)^4/(1/(c*x) + 1)^8 + 56*c^9*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + 28*c^9* \\ & (1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12} + 8*c^9*(1/(c^2*x^2) - 1)^7/(1/(c*x) + \\ & 1)^{14} + c^9*(1/(c^2*x^2) - 1)^8/(1/(c*x) + 1)^{16})*(1/(c*x) + 1)^2 + 1680* \\ & b*c^2*d*(1/(c^2*x^2) - 1)^3*\arccos(1/(c*x))/((c^9 + 8*c^9*(1/(c^2*x^2) - 1) \\ & /((1/(c*x) + 1)^2 + 28*c^9*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 56*c^9*(1/(\\ & c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 70*c^9*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^ \\ & 8 + 56*c^9*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + 28*c^9*(1/(c^2*x^2) - 1)^ \\ & 6/(1/(c*x) + 1)^{12} + 8*c^9*(1/(c^2*x^2) - 1)^7/(1/(c*x) + 1)^{14} + c^9*(1/(c \\ & ^2*x^2) - 1)^8/(1/(c*x) + 1)^{16})*(1/(c*x) + 1)^6) - 630*b*e*\sqrt{-1/(c^2*x^ \\ & 2) + 1}/((c^9 + 8*c^9*(1/(c^2*x^2) - 1)/(1/(c*x)... \end{aligned}$$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^5 (e x^2 + d) \left(a + b \arccos\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(d + e*x^2)*(a + b*acos(1/(c*x))),x)

[Out] int(x^5*(d + e*x^2)*(a + b*acos(1/(c*x))), x)

3.77 $\int x^3(d + ex^2)(a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=153

$$\frac{b(3c^2d + 2e)x\sqrt{-1 + c^2x^2}}{12c^5\sqrt{c^2x^2}} - \frac{b(3c^2d + 4e)x(-1 + c^2x^2)^{3/2}}{36c^5\sqrt{c^2x^2}} - \frac{bex(-1 + c^2x^2)^{5/2}}{30c^5\sqrt{c^2x^2}} + \frac{1}{4}dx^4(a + b \sec^{-1}(cx)) + \frac{1}{6}$$

[Out] 1/4*d*x^4*(a+b*arcsec(c*x))+1/6*e*x^6*(a+b*arcsec(c*x))-1/36*b*(3*c^2*d+4*e)*x*(c^2*x^2-1)^(3/2)/c^5/(c^2*x^2)^(1/2)-1/30*b*e*x*(c^2*x^2-1)^(5/2)/c^5/(c^2*x^2)^(1/2)-1/12*b*(3*c^2*d+2*e)*x*(c^2*x^2-1)^(1/2)/c^5/(c^2*x^2)^(1/2)

Rubi [A]

time = 0.09, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {14, 5346, 12, 457, 78}

$$\frac{1}{4}dx^4(a + b \sec^{-1}(cx)) + \frac{1}{6}ex^6(a + b \sec^{-1}(cx)) - \frac{bx(c^2x^2 - 1)^{3/2}(3c^2d + 4e)}{36c^5\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2 - 1}(3c^2d + 2e)}{12c^5\sqrt{c^2x^2}} - \frac{bex(c^2x^2 - 1)^{5/2}}{30c^5\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^3*(d + e*x^2)*(a + b*ArcSec[c*x]),x]

[Out] -1/12*(b*(3*c^2*d + 2*e)*x*sqrt[-1 + c^2*x^2])/(c^5*sqrt[c^2*x^2]) - (b*(3*c^2*d + 4*e)*x*(-1 + c^2*x^2)^(3/2))/(36*c^5*sqrt[c^2*x^2]) - (b*e*x*(-1 + c^2*x^2)^(5/2))/(30*c^5*sqrt[c^2*x^2]) + (d*x^4*(a + b*ArcSec[c*x]))/4 + (e*x^6*(a + b*ArcSec[c*x]))/6

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 14

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 78

Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0]) || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b,

c, d, e, f])))

Rule 457

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p *(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 5346

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((f_.)*(x_)^(m_))*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2 *p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rubi steps

$$\begin{aligned}
 \int x^3(d + ex^2)(a + b \sec^{-1}(cx)) dx &= \frac{1}{4}dx^4(a + b \sec^{-1}(cx)) + \frac{1}{6}ex^6(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^3(3d+2ex)}{12\sqrt{-1+c^2x^2}}}{\sqrt{c^2x^2}} \\
 &= \frac{1}{4}dx^4(a + b \sec^{-1}(cx)) + \frac{1}{6}ex^6(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^3(3d+2ex)}{\sqrt{-1+c^2x^2}}}{12\sqrt{c^2x^2}} \\
 &= \frac{1}{4}dx^4(a + b \sec^{-1}(cx)) + \frac{1}{6}ex^6(a + b \sec^{-1}(cx)) - \frac{(bcx) \text{Subst}\left(\int \frac{x^3}{\sqrt{-1+c^2x^2}}\right)}{24\sqrt{c^2x^2}} \\
 &= \frac{1}{4}dx^4(a + b \sec^{-1}(cx)) + \frac{1}{6}ex^6(a + b \sec^{-1}(cx)) - \frac{(bcx) \text{Subst}\left(\int \frac{x^3}{\sqrt{-1+c^2x^2}}\right)}{24\sqrt{c^2x^2}} \\
 &= -\frac{b(3c^2d + 2e)x\sqrt{-1+c^2x^2}}{12c^5\sqrt{c^2x^2}} - \frac{b(3c^2d + 4e)x(-1+c^2x^2)^{3/2}}{36c^5\sqrt{c^2x^2}} - \frac{bcx}{24\sqrt{c^2x^2}}
 \end{aligned}$$

Mathematica [A]

time = 0.18, size = 98, normalized size = 0.64

$$\frac{1}{180}x \left(15ax^3(3d + 2ex^2) - \frac{b\sqrt{1 - \frac{1}{c^2x^2}}(16e + c^2(30d + 8ex^2) + 3c^4(5dx^2 + 2ex^4))}{c^5} + 15bx^3(3d + 2ex^2) \sec^{-1}(cx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(d + e*x^2)*(a + b*ArcSec[c*x]),x]

[Out] (x*(15*a*x^3*(3*d + 2*e*x^2) - (b*Sqrt[1 - 1/(c^2*x^2)]*(16*e + c^2*(30*d + 8*e*x^2) + 3*c^4*(5*d*x^2 + 2*e*x^4)))/c^5 + 15*b*x^3*(3*d + 2*e*x^2)*ArcSec[c*x])/180

Maple [A]

time = 0.20, size = 134, normalized size = 0.88

| method | result | size |
|-------------------|---|------|
| derivativedivides | $\frac{a\left(\frac{1}{4}c^6dx^4 + \frac{1}{8}c^6ex^6\right)}{c^2} + \frac{b\left(\frac{\operatorname{arcsec}(cx)dc^6x^4 + \operatorname{arcsec}(cx)ec^6x^6 - (c^2x^2-1)(6c^4ex^4+15c^4dx^2+8c^2ex^2+30c^2d+16e)}{180\sqrt{\frac{c^2x^2-1}{c^2x^2}}cx}\right)}{c^4c^2}$ | 134 |
| default | $\frac{a\left(\frac{1}{4}c^6dx^4 + \frac{1}{8}c^6ex^6\right)}{c^2} + \frac{b\left(\frac{\operatorname{arcsec}(cx)dc^6x^4 + \operatorname{arcsec}(cx)ec^6x^6 - (c^2x^2-1)(6c^4ex^4+15c^4dx^2+8c^2ex^2+30c^2d+16e)}{180\sqrt{\frac{c^2x^2-1}{c^2x^2}}cx}\right)}{c^4c^2}$ | 134 |

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d)*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)

[Out] 1/c^4*(a/c^2*(1/4*c^6*d*x^4+1/6*c^6*e*x^6)+b/c^2*(1/4*arcsec(c*x)*d*c^6*x^4+1/6*arcsec(c*x)*e*c^6*x^6-1/180*(c^2*x^2-1)*(6*c^4*e*x^4+15*c^4*d*x^2+8*c^2*e*x^2+30*c^2*d+16*e)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x)

Maxima [A]

time = 0.29, size = 146, normalized size = 0.95

$$\frac{1}{6}ax^6e + \frac{1}{4}adx^4 + \frac{1}{12}\left(3x^4\operatorname{arcsec}(cx) - \frac{c^2x^3\left(-\frac{1}{c^2x^2}+1\right)^{\frac{3}{2}}+3x\sqrt{-\frac{1}{c^2x^2}+1}}{c^3}\right)bd + \frac{1}{90}\left(15x^6\operatorname{arcsec}(cx) - \frac{3c^4x^5\left(-\frac{1}{c^2x^2}+1\right)^{\frac{3}{2}}+10c^2x^3\left(-\frac{1}{c^2x^2}+1\right)^{\frac{3}{2}}+15x\sqrt{-\frac{1}{c^2x^2}+1}}{c^5}\right)be$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] 1/6*a*x^6*e + 1/4*a*d*x^4 + 1/12*(3*x^4*arcsec(c*x) - (c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 3*x*sqrt(-1/(c^2*x^2) + 1))/c^3)*b*d + 1/90*(15*x^6*arcsec(c*x) - (3*c^4*x^5*(-1/(c^2*x^2) + 1)^(5/2) + 10*c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 15*x*sqrt(-1/(c^2*x^2) + 1))/c^5)*b*e

Fricas [A]

time = 1.90, size = 112, normalized size = 0.73

$$\frac{30ac^6x^6e + 45ac^6dx^4 + 15(2bc^6x^6e + 3bc^6dx^4)\operatorname{arcsec}(cx) - (15bc^4dx^2 + 30bc^2d + 2(3bc^4x^4 + 4bc^2x^2 + 8b)e)\sqrt{c^2x^2 - 1}}{180c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{180}*(30*a*c^6*x^6*e + 45*a*c^6*d*x^4 + 15*(2*b*c^6*x^6*e + 3*b*c^6*d*x^4)*\text{arcsec}(c*x) - (15*b*c^4*d*x^2 + 30*b*c^2*d + 2*(3*b*c^4*x^4 + 4*b*c^2*x^2 + 8*b)*e)*\text{sqrt}(c^2*x^2 - 1))/c^6$

Sympy [A]

time = 3.49, size = 272, normalized size = 1.78

$$\frac{adx^4}{4} + \frac{aex^6}{6} + \frac{bdx^4 \operatorname{asec}(cx)}{4} + \frac{bex^6 \operatorname{asec}(cx)}{6} - \frac{bd \left(\begin{cases} \frac{x^2\sqrt{c^2x^2-1}}{3c} + \frac{2\sqrt{c^2x^2-1}}{3c^3} & \text{for } |c^2x^2| > 1 \\ \frac{ix^2\sqrt{-c^2x^2+1}}{3c} + \frac{2i\sqrt{-c^2x^2+1}}{3c^3} & \text{otherwise} \end{cases} \right)}{4c} - \frac{be \left(\begin{cases} \frac{x^4\sqrt{c^2x^2-1}}{5c} + \frac{4x^2\sqrt{c^2x^2-1}}{15c^3} + \frac{8\sqrt{c^2x^2-1}}{15c^5} & \text{for } |c^2x^2| > 1 \\ \frac{ix^4\sqrt{-c^2x^2+1}}{5c} + \frac{4ix^2\sqrt{-c^2x^2+1}}{15c^3} + \frac{8i\sqrt{-c^2x^2+1}}{15c^5} & \text{otherwise} \end{cases} \right)}{6c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(e*x**2+d)*(a+b*asec(c*x)),x)`

[Out] $a*d*x**4/4 + a*e*x**6/6 + b*d*x**4*asec(c*x)/4 + b*e*x**6*asec(c*x)/6 - b*d*\text{Piecewise}((x**2*\text{sqrt}(c**2*x**2 - 1)/(3*c) + 2*\text{sqrt}(c**2*x**2 - 1)/(3*c**3), \text{Abs}(c**2*x**2) > 1), (I*x**2*\text{sqrt}(-c**2*x**2 + 1)/(3*c) + 2*I*\text{sqrt}(-c**2*x**2 + 1)/(3*c**3), \text{True}))/ (4*c) - b*e*\text{Piecewise}((x**4*\text{sqrt}(c**2*x**2 - 1)/(5*c) + 4*x**2*\text{sqrt}(c**2*x**2 - 1)/(15*c**3) + 8*\text{sqrt}(c**2*x**2 - 1)/(15*c**5), \text{Abs}(c**2*x**2) > 1), (I*x**4*\text{sqrt}(-c**2*x**2 + 1)/(5*c) + 4*I*x**2*\text{sqrt}(-c**2*x**2 + 1)/(15*c**3) + 8*I*\text{sqrt}(-c**2*x**2 + 1)/(15*c**5), \text{True}))/ (6*c)$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 7820 vs. $2(131) = 262$.

time = 0.49, size = 7820, normalized size = 51.11

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] $\frac{1}{180}*(45*b*c^2*d*\arccos(1/(c*x))/(c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 6*c^7*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + c^7*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12}) + 45*a*c^2*d/(c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 6*c^7*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + c^7*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12}) - 90*b*c^2*d*(1/(c^2*x^2) - 1)*\arccos(1/(c*x))/((c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 6*c^7*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + c^7*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12}))$

$2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 +$
 $20*c^7*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4/(1/$
 $(c*x) + 1)^8 + 6*c^7*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + c^7*(1/(c^2*x^2$
 $) - 1)^6/(1/(c*x) + 1)^{12}*(1/(c*x) + 1)^5) - 180*a*e*(1/(c^2*x^2) - 1)/((c$
 $^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^7*(1/(c^2*x^2) - 1)^2/($
 $1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 15*c^7*(1/(c^$
 $2*x^2) - 1)^4/(1/(c*x) + 1)^8 + 6*c^7*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}$
 $+ c^7*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^{12}*(1/(c*x) + 1)^2) + 180*a*c^2*d*$
 $(1/(c^2*x^2) - 1)^3/((c^7 + 6*c^7*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 15*c^$
 $7*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 20*c^7*(1/(c^2*x^2) - 1)^3/(1/(c*x)$
 $+ 1)^6 + 15*c^7*(1/(c^2*x^2) - 1)^4/(1/(c*x) + \dots$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 (e x^2 + d) \left(a + b \operatorname{acos} \left(\frac{1}{c x} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(d + e*x^2)*(a + b*acos(1/(c*x))), x)

[Out] int(x^3*(d + e*x^2)*(a + b*acos(1/(c*x))), x)

3.78 $\int x(d + ex^2)(a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=138

$$\frac{b(2c^2d + e)x\sqrt{-1 + c^2x^2}}{4c^3\sqrt{c^2x^2}} - \frac{bex(-1 + c^2x^2)^{3/2}}{12c^3\sqrt{c^2x^2}} + \frac{(d + ex^2)^2(a + b \sec^{-1}(cx))}{4e} - \frac{bcd^2x \operatorname{ArcTan}\left(\sqrt{-1 + c^2x^2}\right)}{4e\sqrt{c^2x^2}}$$

[Out] $1/4*(e*x^2+d)^2*(a+b*\operatorname{arcsec}(c*x))/e-1/12*b*e*x*(c^2*x^2-1)^{(3/2)}/c^3/(c^2*x^2)^{(1/2)}-1/4*b*c*d^2*x*\operatorname{arctan}((c^2*x^2-1)^{(1/2)})/e/(c^2*x^2)^{(1/2)}-1/4*b*(2*c^2*d+e)*x*(c^2*x^2-1)^{(1/2)}/c^3/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.07, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {5344, 457, 90, 65, 211}

$$\frac{(d + ex^2)^2(a + b \sec^{-1}(cx))}{4e} - \frac{bcd^2x \operatorname{ArcTan}\left(\sqrt{c^2x^2 - 1}\right)}{4e\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2 - 1}(2c^2d + e)}{4c^3\sqrt{c^2x^2}} - \frac{bex(c^2x^2 - 1)^{3/2}}{12c^3\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*(d + e*x^2)*(a + b*\operatorname{ArcSec}[c*x]), x]$

[Out] $-1/4*(b*(2*c^2*d + e)*x*\operatorname{Sqrt}[-1 + c^2*x^2])/(c^3*\operatorname{Sqrt}[c^2*x^2]) - (b*e*x*(-1 + c^2*x^2)^{(3/2)})/(12*c^3*\operatorname{Sqrt}[c^2*x^2]) + ((d + e*x^2)^2*(a + b*\operatorname{ArcSec}[c*x]))/(4*e) - (b*c*d^2*x*\operatorname{ArcTan}[\operatorname{Sqrt}[-1 + c^2*x^2]])/(4*e*\operatorname{Sqrt}[c^2*x^2])$

Rule 65

$\operatorname{Int}[(a_.) + (b_.)*(x_)^m*((c_.) + (d_.)*(x_)^n), x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{p*(m+1)-1}*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 90

$\operatorname{Int}[(a_.) + (b_.)*(x_)^m*((c_.) + (d_.)*(x_)^n)*((e_.) + (f_.)*(x_)^p), x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, p\}, x] \&\& \operatorname{IntegersQ}[m, n] \&\& (\operatorname{IntegerQ}[p] \mid\mid (\operatorname{GtQ}[m, 0] \&\& \operatorname{GeQ}[n, -1]))$

Rule 211

$\operatorname{Int}[(a_.) + (b_.)*(x_)^2]^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]/a)*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]], x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{PosQ}[a/b]$

Rule 457

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 5344

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSec[c*x])/(2*e*(p + 1))), x] - Dist[b*c*(x/(2*e*(p + 1)*Sqrt[c^2*x^2])), Int[(d + e*x^2)^(p + 1)/(x*Sqrt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int x(d + ex^2)(a + b \sec^{-1}(cx)) dx &= \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} - \frac{(bcx) \int \frac{(d+ex^2)^2}{x\sqrt{-1+c^2x^2}} dx}{4e\sqrt{c^2x^2}} \\
 &= \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} - \frac{(bcx) \text{Subst}\left(\int \frac{(d+ex)^2}{x\sqrt{-1+c^2x}} dx, x, x^2\right)}{8e\sqrt{c^2x^2}} \\
 &= \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} - \frac{(bcx) \text{Subst}\left(\int \left(\frac{e(2c^2d+e)}{c^2\sqrt{-1+c^2x}} + \frac{1}{x\sqrt{-1+c^2x}}\right) dx, x, x^2\right)}{8e\sqrt{c^2x^2}} \\
 &= -\frac{b(2c^2d + e)x\sqrt{-1+c^2x^2}}{4c^3\sqrt{c^2x^2}} - \frac{bex(-1+c^2x^2)^{3/2}}{12c^3\sqrt{c^2x^2}} + \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} \\
 &= -\frac{b(2c^2d + e)x\sqrt{-1+c^2x^2}}{4c^3\sqrt{c^2x^2}} - \frac{bex(-1+c^2x^2)^{3/2}}{12c^3\sqrt{c^2x^2}} + \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} \\
 &= -\frac{b(2c^2d + e)x\sqrt{-1+c^2x^2}}{4c^3\sqrt{c^2x^2}} - \frac{bex(-1+c^2x^2)^{3/2}}{12c^3\sqrt{c^2x^2}} + \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e}
 \end{aligned}$$

Mathematica [A]

time = 0.08, size = 79, normalized size = 0.57

$$\frac{x \left(3ac^3x(2d + ex^2) - b\sqrt{1 - \frac{1}{c^2x^2}} (2e + c^2(6d + ex^2)) + 3bc^3x(2d + ex^2) \sec^{-1}(cx) \right)}{12c^3}$$

Antiderivative was successfully verified.

[In] Integrate[x*(d + e*x^2)*(a + b*ArcSec[c*x]),x]

[Out] (x*(3*a*c^3*x*(2*d + e*x^2) - b*Sqrt[1 - 1/(c^2*x^2)]*(2*e + c^2*(6*d + e*x^2)) + 3*b*c^3*x*(2*d + e*x^2)*ArcSec[c*x]))/(12*c^3)

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 237 vs. 2(118) = 236.

time = 0.24, size = 238, normalized size = 1.72

| method | result |
|-------------------|---|
| derivativedivides | $\frac{(c^2 e x^2 + c^2 d)^2 a}{4 c^2 e} + \frac{b c^2 \operatorname{arcsec}(c x) d^2}{4 e} + \frac{b \operatorname{arcsec}(c x) d c^2 x^2}{2} + \frac{b c^2 e \operatorname{arcsec}(c x) x^4}{4} + \frac{b c \sqrt{c^2 x^2 - 1} d^2 \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right)}{4 e \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} x} - \frac{b c \sqrt{c^2 x^2 - 1} d^2 \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right)}{c^2}$ |
| default | $\frac{(c^2 e x^2 + c^2 d)^2 a}{4 c^2 e} + \frac{b c^2 \operatorname{arcsec}(c x) d^2}{4 e} + \frac{b \operatorname{arcsec}(c x) d c^2 x^2}{2} + \frac{b c^2 e \operatorname{arcsec}(c x) x^4}{4} + \frac{b c \sqrt{c^2 x^2 - 1} d^2 \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right)}{4 e \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} x} - \frac{b c \sqrt{c^2 x^2 - 1} d^2 \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right)}{c^2}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d)*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)

[Out] 1/c^2*(1/4*(c^2*e*x^2+c^2*d)^2*a/c^2/e+1/4*b*c^2/e*arcsec(c*x)*d^2+1/2*b*arcsec(c*x)*d*c^2*x^2+1/4*b*c^2*e*arcsec(c*x)*x^4+1/4*b*c/e*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d^2*arctan(1/(c^2*x^2-1)^(1/2))-1/2*b*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x*d-1/12*b/c*e*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)*x-1/6*b/c^3*e*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x)

Maxima [A]

time = 0.26, size = 102, normalized size = 0.74

$$\frac{1}{4} a x^4 e + \frac{1}{2} a d x^2 + \frac{1}{2} \left(x^2 \operatorname{arcsec}(c x) - \frac{x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} \right) b d + \frac{1}{12} \left(3 x^4 \operatorname{arcsec}(c x) - \frac{c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{3}{2}} + 3 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^3} \right) b e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] 1/4*a*x^4*e + 1/2*a*d*x^2 + 1/2*(x^2*arcsec(c*x) - x*sqrt(-1/(c^2*x^2) + 1)/c)*b*d + 1/12*(3*x^4*arcsec(c*x) - (c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 3*x*sqrt(-1/(c^2*x^2) + 1))/c^3)*b*e

Fricas [A]

time = 3.21, size = 90, normalized size = 0.65

$$\frac{3 a c^4 x^4 e + 6 a c^4 d x^2 + 3 (b c^4 x^4 e + 2 b c^4 d x^2) \operatorname{arcsec}(c x) - (6 b c^2 d + (b c^2 x^2 + 2 b) e) \sqrt{c^2 x^2 - 1}}{12 c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] $\frac{1}{12}*(3*a*c^4*x^4*e + 6*a*c^4*d*x^2 + 3*(b*c^4*x^4*e + 2*b*c^4*d*x^2)*arcsec(c*x) - (6*b*c^2*d + (b*c^2*x^2 + 2*b)*e)*sqrt(c^2*x^2 - 1))/c^4$

Sympy [A]

time = 2.40, size = 177, normalized size = 1.28

$$\frac{adx^2}{2} + \frac{ae x^4}{4} + \frac{bdx^2 \operatorname{asec}(cx)}{2} + \frac{be x^4 \operatorname{asec}(cx)}{4} - \frac{bd \left(\begin{cases} \frac{\sqrt{c^2 x^2 - 1}}{c} & \text{for } |c^2 x^2| > 1 \\ \frac{i\sqrt{-c^2 x^2 + 1}}{c} & \text{otherwise} \end{cases} \right)}{2c} - \frac{be \left(\begin{cases} \frac{x^2 \sqrt{c^2 x^2 - 1}}{3c} + \frac{2\sqrt{c^2 x^2 - 1}}{3c^3} & \text{for } |c^2 x^2| > 1 \\ \frac{ix^2 \sqrt{-c^2 x^2 + 1}}{3c} + \frac{2i\sqrt{-c^2 x^2 + 1}}{3c^3} & \text{otherwise} \end{cases} \right)}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d)*(a+b*asec(c*x)),x)

[Out] $a*d*x**2/2 + a*e*x**4/4 + b*d*x**2*asec(c*x)/2 + b*e*x**4*asec(c*x)/4 - b*d*Piecewise((sqrt(c**2*x**2 - 1)/c, Abs(c**2*x**2) > 1), (I*sqrt(-c**2*x**2 + 1)/c, True))/(2*c) - b*e*Piecewise((x**2*sqrt(c**2*x**2 - 1)/(3*c) + 2*sqrt(c**2*x**2 - 1)/(3*c**3), Abs(c**2*x**2) > 1), (I*x**2*sqrt(-c**2*x**2 + 1)/(3*c) + 2*I*sqrt(-c**2*x**2 + 1)/(3*c**3), True))/(4*c)$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 3346 vs. 2(118) = 236.

time = 0.45, size = 3346, normalized size = 24.25

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] $\frac{1}{12}*(6*b*c^2*d*arccos(1/(c*x)))/(c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) + 6*a*c^2*d/(c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) - 12*b*c^2*d*sqrt(-1/(c^2*x^2) + 1)/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)) + 3*b*e*arccos(1/(c*x)))/(c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) - 12*b*c^2*d*(1/(c^2*x^2) - 1)^2*arccos(1/(c*x)))/((c^5 + 4*c^5*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 6*c^5*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 4*c^5*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + c^5*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^4) + 36*b*c^2*d*(-1/(c^2*x^2) + 1)^(3/2)/((c^5 + 4*$

$$\begin{aligned} & /(\text{c*x} + 1)^6 + \text{c}^5*(1/(\text{c}^2*\text{x}^2) - 1)^4/(1/(\text{c*x} + 1)^8)*(1/(\text{c*x} + 1)^5) - \\ & 12*a*e*(1/(\text{c}^2*\text{x}^2) - 1)^3/((\text{c}^5 + 4*\text{c}^5*(1/(\text{c}^2*\text{x}^2) - 1))/(1/(\text{c*x} + 1)^2 \\ & + 6*\text{c}^5*(1/(\text{c}^2*\text{x}^2) - 1)^2/(1/(\text{c*x} + 1)^4 + 4*\text{c}^5*(1/(\text{c}^2*\text{x}^2) - 1)^3/(1 \\ & /(\text{c*x} + 1)^6 + \text{c}^5*(1/(\text{c}^2*\text{x}^2) - 1)^4/(1/(\text{c*x} + 1)^8)*(1/(\text{c*x} + 1)^6) + \\ & 3*b*e*(1/(\text{c}^2*\text{x}^2) - 1)^4*\arccos(1/(\text{c*x}))/((\text{c}^5 + 4*\text{c}^5*(1/(\text{c}^2*\text{x}^2) - 1)/ \\ & (1/(\text{c*x} + 1)^2 + 6*\text{c}^5*(1/(\text{c}^2*\text{x}^2) - 1)^2/(1/(\text{c*x} + 1)^4 + 4*\text{c}^5*(1/(\text{c}^2 \\ & *\text{x}^2) - 1)^3/(1/(\text{c*x} + 1)^6 + \text{c}^5*(1/(\text{c}^2*\text{x}^2) \dots \end{aligned}$$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x (e x^2 + d) \left(a + b \arccos\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(d + e*x^2)*(a + b*acos(1/(c*x))),x)

[Out] int(x*(d + e*x^2)*(a + b*acos(1/(c*x))), x)

$$3.79 \quad \int \frac{(d+ex^2)(a+b\sec^{-1}(cx))}{x} dx$$

Optimal. Leaf size=124

$$-\frac{be\sqrt{1-\frac{1}{c^2x^2}}}{2c}x - \frac{1}{2}ibd\csc^{-1}(cx)^2 + \frac{1}{2}ex^2(a+b\sec^{-1}(cx)) + bd\csc^{-1}(cx)\log\left(1-e^{2i\csc^{-1}(cx)}\right) - bd\csc^{-1}(cx)$$

[Out] $-1/2*I*b*d*\arccsc(c*x)^2 + 1/2*e*x^2*(a+b*\arccsc(c*x)) + b*d*\arccsc(c*x)*\ln(1-(I/c/x+(1-1/c^2/x^2)^{(1/2)})^2) - b*d*\arccsc(c*x)*\ln(1/x) - d*(a+b*\arccsc(c*x))*\ln(1/x) - 1/2*I*b*d*\text{polylog}(2, (I/c/x+(1-1/c^2/x^2)^{(1/2)})^2) - 1/2*b*e*x*(1-1/c^2/x^2)^{(1/2)}/c$

Rubi [A]

time = 0.22, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.579$, Rules used = {5348, 14, 4816, 6874, 270, 2363, 4721, 3798, 2221, 2317, 2438}

$$-d\log\left(\frac{1}{x}\right)(a+b\sec^{-1}(cx)) + \frac{1}{2}ex^2(a+b\sec^{-1}(cx)) - \frac{be\sqrt{1-\frac{1}{c^2x^2}}}{2c} - \frac{1}{2}ibd\text{Li}_2(e^{2i\csc^{-1}(cx)}) - \frac{1}{2}ibd\csc^{-1}(cx)^2 + bd\csc^{-1}(cx)\log\left(1-e^{2i\csc^{-1}(cx)}\right) - bd\log\left(\frac{1}{x}\right)\csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(a + b*ArcSec[c*x]))/x,x]

[Out] $-1/2*(b*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/c - (I/2)*b*d*\text{ArcCsc}[c*x]^2 + (e*x^2*(a + b*\text{ArcSec}[c*x]))/2 + b*d*\text{ArcCsc}[c*x]*\text{Log}[1 - E^{((2*I)*\text{ArcCsc}[c*x])}] - b*d*\text{ArcCsc}[c*x]*\text{Log}[x^{-1}] - d*(a + b*\text{ArcSec}[c*x])*\text{Log}[x^{-1}] - (I/2)*b*d*\text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}]$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 270

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m+1)*((a + b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n + p + 1, 0] && NeQ[m, -1]

Rule 2221

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di

st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2363

Int[((a_) + Log[(c_.)*(x_)^(n_.)]*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]*(a + b*Log[c*x^n])/Rt[-e, 2]], x] - Dist[b*(n/Rt[-e, 2]), Int[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3798

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m * E^(2*I*k*Pi)*(E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 4721

Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)/(x_), x_Symbol] :> Subst[Int[(a + b*x)^n*Cot[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 4816

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCos[c*x], u, x] + Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

Rule 5348

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]

`&& IntegerQ[m] && IntegerQ[p]`

Rule 6874

```
Int[u_, x_Symbol] :=> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]  
]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)(a + b \sec^{-1}(cx))}{x} dx &= -\text{Subst} \left(\int \frac{(e + dx^2)(a + b \cos^{-1}(\frac{x}{c}))}{x^3} dx, x, \frac{1}{x} \right) \\
&= \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) - d(a + b \sec^{-1}(cx)) \log \left(\frac{1}{x} \right) - \frac{b \text{Subst} \left(\int \frac{-\frac{e}{2x^2}}{\sqrt{1 - \frac{e}{2x^2}}} \right)}{\sqrt{1 - \frac{e}{2x^2}}} \\
&= \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) - d(a + b \sec^{-1}(cx)) \log \left(\frac{1}{x} \right) - \frac{b \text{Subst} \left(\int \left(-\frac{e}{2x^2} \right) \right)}{\sqrt{1 - \frac{e}{2x^2}}} \\
&= \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) - d(a + b \sec^{-1}(cx)) \log \left(\frac{1}{x} \right) - \frac{(bd) \text{Subst} \left(\int -\frac{e}{2x^2} \right)}{\sqrt{1 - \frac{e}{2x^2}}} \\
&= -\frac{be \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} x + \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) - bd \csc^{-1}(cx) \log \left(\frac{1}{x} \right) - a \\
&= -\frac{be \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} x + \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) - bd \csc^{-1}(cx) \log \left(\frac{1}{x} \right) - a \\
&= -\frac{be \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} - \frac{1}{2} ibd \csc^{-1}(cx)^2 + \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) - bd \csc^{-1}(cx) \\
&= -\frac{be \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} - \frac{1}{2} ibd \csc^{-1}(cx)^2 + \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) + bd \csc^{-1}(cx) \\
&= -\frac{be \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} - \frac{1}{2} ibd \csc^{-1}(cx)^2 + \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) + bd \csc^{-1}(cx) \\
&= -\frac{be \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} - \frac{1}{2} ibd \csc^{-1}(cx)^2 + \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) + bd \csc^{-1}(cx)
\end{aligned}$$

Mathematica [A]

time = 0.08, size = 104, normalized size = 0.84

$$\frac{-be\sqrt{1-\frac{1}{c^2x^2}}x + acex^2 + ibcd\sec^{-1}(cx)^2 + bc\sec^{-1}(cx)\left(ex^2 - 2d\log\left(1 + e^{2i\sec^{-1}(cx)}\right)\right) + 2acd\log(x) + ibcd\text{PolyLog}\left(2, -e^{2i\sec^{-1}(cx)}\right)}{2c}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + b*ArcSec[c*x]))/x,x]

[Out] $(-(b*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) + a*c*e*x^2 + I*b*c*d*\text{ArcSec}[c*x]^2 + b*c*\text{ArcSec}[c*x]*(e*x^2 - 2*d*\text{Log}[1 + E^((2*I)*\text{ArcSec}[c*x])])) + 2*a*c*d*\text{Log}[x] + I*b*c*d*\text{PolyLog}[2, -E^((2*I)*\text{ArcSec}[c*x])])/(2*c)$

Maple [A]

time = 0.99, size = 142, normalized size = 1.15

| method | result |
|-------------------|---|
| derivativedivides | $\frac{ae x^2}{2} + ad \ln(cx) + \frac{ibd \text{arcsec}(cx)^2}{2} + \frac{b \text{arcsec}(cx) e x^2}{2} - \frac{b \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} e x}{2c} - \frac{ibe}{2c^2} - bd \text{arcsec}(cx) \ln(1 + \frac{1}{c/x + I(1 - 1/c^2/x^2)^{1/2}})$ |
| default | $\frac{ae x^2}{2} + ad \ln(cx) + \frac{ibd \text{arcsec}(cx)^2}{2} + \frac{b \text{arcsec}(cx) e x^2}{2} - \frac{b \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} e x}{2c} - \frac{ibe}{2c^2} - bd \text{arcsec}(cx) \ln(1 + \frac{1}{c/x + I(1 - 1/c^2/x^2)^{1/2}})$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(a+b*arcsec(c*x))/x,x,method=_RETURNVERBOSE)

[Out] $1/2*a*e*x^2+a*d*\ln(c*x)+1/2*I*b*d*\text{arcsec}(c*x)^2+1/2*b*\text{arcsec}(c*x)*e*x^2-1/2*b/c*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*e*x-1/2*I*b/c^2*e-b*d*\text{arcsec}(c*x)*\ln(1+(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2)+1/2*I*b*d*\text{polylog}(2,-(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x,x, algorithm="maxima")

[Out] $1/2*a*x^2*e + a*d*\log(x) - 1/4*(-2*I*b*c^2*x^2*e*\log(c) - 2*I*b*c^2*d*\log(-c*x + 1)*\log(x) - 2*I*b*c^2*d*\log(x)^2 - 2*I*b*c^2*d*dilog(c*x) - 2*I*b*c^2*d*dilog(-c*x) + I*(b*(\log(c*x + 1)/c^2 + \log(c*x - 1)/c^2)*e + 8*b*d*\text{integrate}(1/2*\log(x)/(c^2*x^3 - x), x))*c^2 + 4*c^2*\text{integrate}(1/2*(b*x^2*e + 2*b*d*\log(x))*\text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1)/(c^2*x^3 - x), x) - I*b*e*\log(c*x -$

1) $- 2*(b*c^2*x^2*e + 2*b*c^2*d*log(x))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))$
 $+ (I*b*c^2*x^2*e + 2*I*b*c^2*d*log(x))*log(c^2*x^2) + (-2*I*b*c^2*d*log(x)$
 $- I*b*e)*log(c*x + 1) - 2*(I*b*c^2*x^2*e + 2*I*b*c^2*d*log(c))*log(x))/c^2$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsec(c*x))/x,x, algorithm="fricas")`

[Out] `integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsec(c*x))/x, x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx))(d + ex^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(a+b*asec(c*x))/x,x)`

[Out] `Integral((a + b*asec(c*x))*(d + e*x**2)/x, x)`

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsec(c*x))/x,x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
 INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
 by intervals (correct if the argument is real):Check [abs(sageVARx)]Undef/
 Unsigned

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(ex^2 + d) (a + b \operatorname{acos}(\frac{1}{cx}))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((((d + e*x^2)*(a + b*acos(1/(c*x)))))/x,x)`

[Out] `int((((d + e*x^2)*(a + b*acos(1/(c*x)))))/x, x)`

$$3.80 \quad \int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^3} dx$$

Optimal. Leaf size=137

$$\frac{bcd\sqrt{1-\frac{1}{c^2x^2}}}{4x} - \frac{1}{4}bc^2d \csc^{-1}(cx) - \frac{1}{2}ibe \csc^{-1}(cx)^2 - \frac{d(a+b \sec^{-1}(cx))}{2x^2} + be \csc^{-1}(cx) \log\left(1 - e^{2i \csc^{-1}(cx)}\right) - b$$

[Out] $-1/4*b*c^2*d*arccsc(c*x)-1/2*I*b*e*arccsc(c*x)^2-1/2*d*(a+b*arcsec(c*x))/x^2+b*e*arccsc(c*x)*\ln(1-(1/c/x+(1-1/c^2/x^2)^{1/2})^2)-b*e*arccsc(c*x)*\ln(1/x)-e*(a+b*arcsec(c*x))*\ln(1/x)-1/2*I*b*e*polylog(2,(1/c/x+(1-1/c^2/x^2)^{1/2})^2)+1/4*b*c*d*(1-1/c^2/x^2)^{1/2}/x$

Rubi [A]

time = 0.22, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 13, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.684$, Rules used = {5348, 14, 4816, 12, 6874, 327, 222, 2363, 4721, 3798, 2221, 2317, 2438}

$$-\frac{d(a+b \sec^{-1}(cx))}{2x^2} - e \log\left(\frac{1}{x}\right) (a+b \sec^{-1}(cx)) + \frac{bcd\sqrt{1-\frac{1}{c^2x^2}}}{4x} - \frac{1}{4}bc^2d \csc^{-1}(cx) - \frac{1}{2}ibe \operatorname{Li}_2\left(e^{2i \csc^{-1}(cx)}\right) - \frac{1}{2}ibe \csc^{-1}(cx)^2 + be \csc^{-1}(cx) \log\left(1 - e^{2i \csc^{-1}(cx)}\right) - be \log\left(\frac{1}{x}\right) \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] `Int[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^3,x]`

[Out] $(b*c*d*\sqrt{1-1/(c^2*x^2)})/(4*x) - (b*c^2*d*\operatorname{ArcCsc}[c*x])/4 - (I/2)*b*e*\operatorname{ArcCsc}[c*x]^2 - (d*(a + b*\operatorname{ArcSec}[c*x]))/(2*x^2) + b*e*\operatorname{ArcCsc}[c*x]*\operatorname{Log}[1 - E^{((2*I)*\operatorname{ArcCsc}[c*x])}] - b*e*\operatorname{ArcCsc}[c*x]*\operatorname{Log}[x^{-1}] - e*(a + b*\operatorname{ArcSec}[c*x])* \operatorname{Log}[x^{-1}] - (I/2)*b*e*\operatorname{PolyLog}[2, E^{((2*I)*\operatorname{ArcCsc}[c*x])}]$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 14

`Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)+(b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]`

Rule 222

`Int[1/Sqrt[(a_)+(b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

Rule 327

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[c^(n
- 1)*(c*x)^(m - n + 1)*((a + b*x^n)^(p + 1)/(b*(m + n*p + 1))), x] - Dist[
a*c^n*((m - n + 1)/(b*(m + n*p + 1))), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 2221

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2363

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symb
ol] := Simp[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]*(a + b*Log[c*x^n])/Rt[-e, 2]], x
] - Dist[b*(n/Rt[-e, 2]), Int[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]/x, x], x] /; Fr
eeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]
```

Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3798

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m
*E^(2*I*k*Pi)*(E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x)))]], x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 4721

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(
a + b*x)^n*Cot[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 4816

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_
)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist
[a + b*ArcCos[c*x], u, x] + Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*
x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] &
& IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

Rule 5348

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^n*(x_)^m*((d_.) + (e_.)*(x_)
^2)^(p_.), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(
m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rule 6874

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)(a + b \sec^{-1}(cx))}{x^3} dx &= -\text{Subst} \left(\int \frac{(e + dx^2)(a + b \cos^{-1}(\frac{x}{c}))}{x} dx, x, \frac{1}{x} \right) \\
&= -\frac{d(a + b \sec^{-1}(cx))}{2x^2} - e(a + b \sec^{-1}(cx)) \log \left(\frac{1}{x} \right) - \frac{b \text{Subst} \left(\int \frac{dx^2 + 2e}{2\sqrt{1 - \frac{x^2}{c^2}}} \right)}{c} \\
&= -\frac{d(a + b \sec^{-1}(cx))}{2x^2} - e(a + b \sec^{-1}(cx)) \log \left(\frac{1}{x} \right) - \frac{b \text{Subst} \left(\int \frac{dx^2 + 2e}{\sqrt{1 - \frac{x^2}{c^2}}} \right)}{2c} \\
&= -\frac{d(a + b \sec^{-1}(cx))}{2x^2} - e(a + b \sec^{-1}(cx)) \log \left(\frac{1}{x} \right) - \frac{b \text{Subst} \left(\int \left(\frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} \right) \right)}{2} \\
&= -\frac{d(a + b \sec^{-1}(cx))}{2x^2} - e(a + b \sec^{-1}(cx)) \log \left(\frac{1}{x} \right) - \frac{(bd) \text{Subst} \left(\int \frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} \right)}{2} \\
&= \frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{d(a + b \sec^{-1}(cx))}{2x^2} - be \csc^{-1}(cx) \log \left(\frac{1}{x} \right) - e(a + b \sec^{-1}(cx)) \\
&= \frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{1}{4} bc^2 d \csc^{-1}(cx) - \frac{d(a + b \sec^{-1}(cx))}{2x^2} - be \csc^{-1}(cx) \\
&= \frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{1}{4} bc^2 d \csc^{-1}(cx) - \frac{1}{2} ibe \csc^{-1}(cx)^2 - \frac{d(a + b \sec^{-1}(cx))}{2x^2} \\
&= \frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{1}{4} bc^2 d \csc^{-1}(cx) - \frac{1}{2} ibe \csc^{-1}(cx)^2 - \frac{d(a + b \sec^{-1}(cx))}{2x^2} \\
&= \frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{1}{4} bc^2 d \csc^{-1}(cx) - \frac{1}{2} ibe \csc^{-1}(cx)^2 - \frac{d(a + b \sec^{-1}(cx))}{2x^2} \\
&= \frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{1}{4} bc^2 d \csc^{-1}(cx) - \frac{1}{2} ibe \csc^{-1}(cx)^2 - \frac{d(a + b \sec^{-1}(cx))}{2x^2}
\end{aligned}$$

Mathematica [A]

time = 0.39, size = 143, normalized size = 1.04

$$\frac{1}{4} \left(-\frac{2ad}{x^2} - \frac{2bd \sec^{-1}(cx)}{x^2} + \frac{bd(-1 + c^2x^2 + c^2x^2\sqrt{-1 + c^2x^2}) \operatorname{ArcTan}(\sqrt{-1 + c^2x^2})}{c\sqrt{1 - \frac{1}{c^2x^2}}x^3} + 4ae \log(x) + 2ibe(\sec^{-1}(cx))(\sec^{-1}(cx) + 2i \log(1 + e^{2i \sec^{-1}(cx)})) + \operatorname{PolyLog}(2, -e^{2i \sec^{-1}(cx)})) \right)$$

Antiderivative was successfully verified.

`[In] Integrate[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^3,x]`

```
[Out] ((-2*a*d)/x^2 - (2*b*d*ArcSec[c*x])/x^2 + (b*d*(-1 + c^2*x^2 + c^2*x^2*Sqrt[-1 + c^2*x^2]*ArcTan[Sqrt[-1 + c^2*x^2]]))/(c*Sqrt[1 - 1/(c^2*x^2)]*x^3) + 4*a*e*Log[x] + (2*I)*b*e*(ArcSec[c*x]*(ArcSec[c*x] + (2*I)*Log[1 + E^((2*I)*ArcSec[c*x])])) + PolyLog[2, -E^((2*I)*ArcSec[c*x])])/4
```

Maple [A]

time = 0.50, size = 166, normalized size = 1.21

| method | result |
|-------------------|---|
| derivativedivides | $c^2 \left(-\frac{ad}{2c^2x^2} + \frac{ae \ln(cx)}{c^2} + \frac{ibarcsec(cx)^2e}{2c^2} + \frac{bd \sqrt{\frac{c^2x^2-1}{c^2x^2}}}{4cx} + \frac{bd \operatorname{arcsec}(cx)}{4} - \frac{b \operatorname{arcsec}(cx)d}{2c^2x^2} - \frac{be \operatorname{arcsec}(cx) \ln(1 + (1/cx + I(1 - 1/c^2x^2)^{1/2}))^2}{4} \right)$ |
| default | $c^2 \left(-\frac{ad}{2c^2x^2} + \frac{ae \ln(cx)}{c^2} + \frac{ibarcsec(cx)^2e}{2c^2} + \frac{bd \sqrt{\frac{c^2x^2-1}{c^2x^2}}}{4cx} + \frac{bd \operatorname{arcsec}(cx)}{4} - \frac{b \operatorname{arcsec}(cx)d}{2c^2x^2} - \frac{be \operatorname{arcsec}(cx) \ln(1 + (1/cx + I(1 - 1/c^2x^2)^{1/2}))^2}{4} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((e*x^2+d)*(a+b*arcsec(c*x))/x^3,x,method=_RETURNVERBOSE)`

```
[Out] c^2*(-1/2*a*d/c^2/x^2+a/c^2*e*ln(c*x)+1/2*I*b/c^2*arcsec(c*x)^2*e+1/4*b*d/c/x*((c^2*x^2-1)/c^2/x^2)^(1/2)+1/4*b*d*arcsec(c*x)-1/2*b*arcsec(c*x)*d/c^2/x^2-b/c^2*e*arcsec(c*x)*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+1/2*I*b/c^2*e*polylog(2,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^3,x, algorithm="maxima")`

```
[Out] -1/4*b*d*((c^4*x*sqrt(-1/(c^2*x^2) + 1))/(c^2*x^2*(1/(c^2*x^2) - 1) - 1) - c^3*arctan(c*x*sqrt(-1/(c^2*x^2) + 1)))/c + 2*arcsec(c*x)/x^2 - (c^2*integr
```

ate(sqrt(c*x + 1)*sqrt(c*x - 1)*log(x)/(c^4*x^3 - c^2*x), x) - arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)*b*e + a*e*log(x) - 1/2*a*d/x^2

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^3,x, algorithm="fricas")

[Out] integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsec(c*x))/x^3, x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx))(d + ex^2)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(a+b*asec(c*x))/x**3,x)

[Out] Integral((a + b*asec(c*x))*(d + e*x**2)/x**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^3,x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsec(c*x) + a)/x^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(ex^2 + d) \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right)\right)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)*(a + b*acos(1/(c*x))))/x^3,x)

[Out] int(((d + e*x^2)*(a + b*acos(1/(c*x))))/x^3, x)

3.81 $\int x^2(d + ex^2)^2 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=252

$$\frac{b(280c^4d^2 + 252c^2de + 75e^2)x^2\sqrt{-1 + c^2x^2}}{1680c^5\sqrt{c^2x^2}} - \frac{be(84c^2d + 25e)x^4\sqrt{-1 + c^2x^2}}{840c^3\sqrt{c^2x^2}} - \frac{be^2x^6\sqrt{-1 + c^2x^2}}{42c\sqrt{c^2x^2}} + \frac{1}{3}d^2x$$

[Out] $\frac{1}{3}d^2x^3(a + b \operatorname{arcsec}(cx)) + \frac{2}{5}d^2ex^5(a + b \operatorname{arcsec}(cx)) + \frac{1}{7}e^2x^7(a + b \operatorname{arcsec}(cx)) - \frac{1}{1680}b(280c^4d^2 + 252c^2de + 75e^2)x^2 \operatorname{arctanh}(cx/\sqrt{c^2x^2 - 1})/\sqrt{c^2x^2} - \frac{1}{1680}b(280c^4d^2 + 252c^2de + 75e^2)x^2(c^2x^2 - 1)^{1/2}/c^5/\sqrt{c^2x^2} - \frac{1}{840}b^2e(84c^2d + 25e)x^4(c^2x^2 - 1)^{1/2}/c^3/\sqrt{c^2x^2} - \frac{1}{42}b^2e^2x^6(c^2x^2 - 1)^{1/2}/c/\sqrt{c^2x^2}$

Rubi [A]

time = 0.17, antiderivative size = 252, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {276, 5346, 12, 1281, 470, 327, 223, 212}

$$\frac{1}{3}d^2x^3(a + b \sec^{-1}(cx)) + \frac{2}{5}dex^5(a + b \sec^{-1}(cx)) + \frac{1}{7}e^2x^7(a + b \sec^{-1}(cx)) - \frac{be^2x^6\sqrt{c^2x^2 - 1}}{42c\sqrt{c^2x^2}} - \frac{bx^4\sqrt{c^2x^2 - 1}(84c^2d + 25e)}{840c^3\sqrt{c^2x^2}} - \frac{bx(280c^4d^2 + 252c^2de + 75e^2)\tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2 - 1}}\right)}{1680c^5\sqrt{c^2x^2}} - \frac{bx^2\sqrt{c^2x^2 - 1}(280c^4d^2 + 252c^2de + 75e^2)}{1680c^3\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2(d + ex^2)^2(a + b \operatorname{ArcSec}[cx]), x]$

[Out] $-\frac{1}{1680}(b(280c^4d^2 + 252c^2de + 75e^2)x^2\sqrt{-1 + c^2x^2})/(\sqrt{c^2x^2}) - \frac{b^2e(84c^2d + 25e)x^4\sqrt{-1 + c^2x^2}}{840c^3\sqrt{c^2x^2}} - \frac{b^2e^2x^6\sqrt{-1 + c^2x^2}}{42c\sqrt{c^2x^2}} + \frac{d^2x^3(a + b \operatorname{ArcSec}[cx])}{3} + \frac{2d^2ex^5(a + b \operatorname{ArcSec}[cx])}{5} + \frac{e^2x^7(a + b \operatorname{ArcSec}[cx])}{7} - \frac{b(280c^4d^2 + 252c^2de + 75e^2)x \operatorname{ArcTanh}(cx/\sqrt{-1 + c^2x^2})}{1680c^5\sqrt{c^2x^2}}$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 212

$\text{Int}[(a_*) + (b_.)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]))*\text{ArcTanh}[\text{Rt}[-b, 2]*(x/\text{Rt}[a, 2])], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 223

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 276

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 327

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Simp[c^(n - 1)*(c*x)^(m - n + 1)*((a + b*x^n)^(p + 1)/(b*(m + n*p + 1))), x] - Dist[a*c^n*((m - n + 1)/(b*(m + n*p + 1))), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 470

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[d*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(b*e*(m + n*(p + 1) + 1))), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^(m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rule 1281

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[c^p*(f*x)^(m + 4*p - 1)*((d + e*x^2)^(q + 1)/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1))), x] + Dist[1/(e*(m + 4*p + 2*q + 1)), Int[(f*x)^(m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]

Rule 5346

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rubi steps

$$\begin{aligned}
\int x^2(d+ex^2)^2(a+b\sec^{-1}(cx))dx &= \frac{1}{3}d^2x^3(a+b\sec^{-1}(cx)) + \frac{2}{5}dex^5(a+b\sec^{-1}(cx)) + \frac{1}{7}e^2x^7(a+b\sec^{-1}(cx)) \\
&= \frac{1}{3}d^2x^3(a+b\sec^{-1}(cx)) + \frac{2}{5}dex^5(a+b\sec^{-1}(cx)) + \frac{1}{7}e^2x^7(a+b\sec^{-1}(cx)) \\
&= -\frac{be^2x^6\sqrt{-1+c^2x^2}}{42c\sqrt{c^2x^2}} + \frac{1}{3}d^2x^3(a+b\sec^{-1}(cx)) + \frac{2}{5}dex^5(a+b\sec^{-1}(cx)) \\
&= -\frac{be(84c^2d+25e)x^4\sqrt{-1+c^2x^2}}{840c^3\sqrt{c^2x^2}} - \frac{be^2x^6\sqrt{-1+c^2x^2}}{42c\sqrt{c^2x^2}} + \frac{1}{3}d^2x^3(a+b\sec^{-1}(cx)) \\
&= -\frac{b(280c^4d^2+252c^2de+75e^2)x^2\sqrt{-1+c^2x^2}}{1680c^5\sqrt{c^2x^2}} - \frac{be(84c^2d+25e)x^4}{840c^3\sqrt{c^2x^2}} \\
&= -\frac{b(280c^4d^2+252c^2de+75e^2)x^2\sqrt{-1+c^2x^2}}{1680c^5\sqrt{c^2x^2}} - \frac{be(84c^2d+25e)x^4}{840c^3\sqrt{c^2x^2}} \\
&= -\frac{b(280c^4d^2+252c^2de+75e^2)x^2\sqrt{-1+c^2x^2}}{1680c^5\sqrt{c^2x^2}} - \frac{be(84c^2d+25e)x^4}{840c^3\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A]

time = 0.23, size = 186, normalized size = 0.74

$$\frac{c^2x^2\left(16ac^5x(35d^2+42dex^2+15e^2x^4)-b\sqrt{1-\frac{1}{c^2x^2}}(75e^2+2c^2e(126d+25ex^2))+8c^4(35d^2+21dex^2+5e^2x^4)\right)+16bc^7x^3(35d^2+42dex^2+15e^2x^4)\sec^{-1}(cx)-b(280c^4d^2+252c^2de+75e^2)\log\left(\left(1+\sqrt{1-\frac{1}{c^2x^2}}\right)x\right)}{1680c^7}$$

Antiderivative was successfully verified.

`[In] Integrate[x^2*(d + e*x^2)^2*(a + b*ArcSec[c*x]), x]`

```

[Out] (c^2*x^2*(16*a*c^5*x*(35*d^2 + 42*d*e*x^2 + 15*e^2*x^4) - b*Sqrt[1 - 1/(c^2*x^2)]*(75*e^2 + 2*c^2*e*(126*d + 25*e*x^2) + 8*c^4*(35*d^2 + 21*d*e*x^2 + 5*e^2*x^4))) + 16*b*c^7*x^3*(35*d^2 + 42*d*e*x^2 + 15*e^2*x^4)*ArcSec[c*x] - b*(280*c^4*d^2 + 252*c^2*d*e + 75*e^2)*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x])/(1680*c^7)

```

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 474 vs. 2(222) = 444.

time = 0.25, size = 475, normalized size = 1.88

| method | result |
|--------|--------|
|--------|--------|

| | |
|-------------------|---|
| derivativedivides | $\frac{a\left(\frac{1}{3}d^2c^7x^3+\frac{2}{5}dc^7ex^5+\frac{1}{7}e^2c^7x^7\right)}{c^4}+\frac{b\operatorname{arcsec}(cx)d^2c^3x^3}{3}+\frac{2bc^3\operatorname{arcsec}(cx)dex^5}{5}+\frac{bc^3\operatorname{arcsec}(cx)e^2x^7}{7}-\frac{b(c^2x^2-1)d^2}{6\sqrt{\frac{c^2x^2-1}{c^2x^2}}}-\frac{b(c^2x^2-1)}{10\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$ |
| default | $\frac{a\left(\frac{1}{3}d^2c^7x^3+\frac{2}{5}dc^7ex^5+\frac{1}{7}e^2c^7x^7\right)}{c^4}+\frac{b\operatorname{arcsec}(cx)d^2c^3x^3}{3}+\frac{2bc^3\operatorname{arcsec}(cx)dex^5}{5}+\frac{bc^3\operatorname{arcsec}(cx)e^2x^7}{7}-\frac{b(c^2x^2-1)d^2}{6\sqrt{\frac{c^2x^2-1}{c^2x^2}}}-\frac{b(c^2x^2-1)}{10\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$ |

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(e*x^2+d)^2*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)
```

```
[Out] 1/c^3*(a/c^4*(1/3*d^2*c^7*x^3+2/5*d*c^7*e*x^5+1/7*e^2*c^7*x^7)+1/3*b*arcsec
(c*x)*d^2*c^3*x^3+2/5*b*c^3*arcsec(c*x)*d*e*x^5+1/7*b*c^3*arcsec(c*x)*e^2*x
^7-1/6*b*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)*d^2-1/10*b*(c^2*x^2-1)/((c
^2*x^2-1)/c^2/x^2)^(1/2)*x^2*d*e-1/42*b*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(
1/2)*x^4*e^2-1/6*b*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x*d^2*ln
(c*x+(c^2*x^2-1)^(1/2))-3/20*b/c^2*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)*
d*e-5/168*b/c^2*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)*x^2*e^2-3/20*b/c^3*
(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d*e*ln(c*x+(c^2*x^2-1)^(1/2
))-5/112*b/c^4*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^(1/2)*e^2-5/112*b/c^5*(c^2
*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*e^2*ln(c*x+(c^2*x^2-1)^(1/2))
```

Maxima [A]

time = 0.27, size = 405, normalized size = 1.61

$$\frac{1}{7}ax^7e^2 + \frac{2}{5}adx^5e + \frac{1}{3}ad^2x^3 + \frac{1}{12}(4x^3\operatorname{arcsec}(cx) - (2\sqrt{-1/(c^2x^2) + 1})/(c^2(1/(c^2x^2) - 1) + c^2) + \log(\sqrt{-1/(c^2x^2) + 1}) + 1)/c^2 - \log(\sqrt{-1/(c^2x^2) + 1}) - 1)/c^2)/c)*b*d^2 + 1/40*(16x^5\operatorname{arcsec}(cx) + (2*(3*(-1/(c^2x^2) + 1))^(3/2) - 5*\sqrt{-1/(c^2x^2) + 1}))/c^4*(1/(c^2x^2) - 1)^2 + 2*c^4*(1/(c^2x^2) - 1) + c^4) - 3*\log(\sqrt{-1/(c^2x^2) + 1}) + 1)/c^4 + 3*\log(\sqrt{-1/(c^2x^2) + 1}) - 1)/c^4)/c)*b*d*e + 1/672*(96x^7\operatorname{arcsec}(cx) - (2*(15*(-1/(c^2x^2) + 1))^(5/2) - 40*(-1/(c^2x^2) + 1))^(3/2) + 33*\sqrt{-1/(c^2x^2) + 1}))/c^6*(1/(c^2x^2) - 1)^3 + 3*c^6*(1/(c^2x^2) - 1)^2 + 3*c^6*(1/(c^2x^2) - 1) + c^6) + 15*\log(\sqrt{-1/(c^2x^2) + 1}) + 1)/c^6 - 15*\log(\sqrt{-1/(c^2x^2) + 1}) - 1)/c^6)/c)*b*e^2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="maxima")
```

```
[Out] 1/7*a*x^7*e^2 + 2/5*a*d*x^5*e + 1/3*a*d^2*x^3 + 1/12*(4*x^3*arcsec(c*x) - (
2*sqrt(-1/(c^2*x^2) + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + log(sqrt(-1/(c^2*x
^2) + 1) + 1)/c^2 - log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^2)/c)*b*d^2 + 1/40*(1
6*x^5*arcsec(c*x) + (2*(3*(-1/(c^2*x^2) + 1))^(3/2) - 5*sqrt(-1/(c^2*x^2) +
1)))/(c^4*(1/(c^2*x^2) - 1)^2 + 2*c^4*(1/(c^2*x^2) - 1) + c^4) - 3*log(sqrt(
-1/(c^2*x^2) + 1) + 1)/c^4 + 3*log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^4)/c)*b*d*
e + 1/672*(96*x^7*arcsec(c*x) - (2*(15*(-1/(c^2*x^2) + 1))^(5/2) - 40*(-1/(c
^2*x^2) + 1))^(3/2) + 33*sqrt(-1/(c^2*x^2) + 1))/c^6*(1/(c^2*x^2) - 1)^3 +
3*c^6*(1/(c^2*x^2) - 1)^2 + 3*c^6*(1/(c^2*x^2) - 1) + c^6) + 15*log(sqrt(-1
/(c^2*x^2) + 1) + 1)/c^6 - 15*log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^6)/c)*b*e^2
```

Fricas [A]

time = 3.51, size = 272, normalized size = 1.08

$\frac{240a^2d^2e^2 + 672ad^2de^2e + 560ad^2d^2e^3 + 16(35b^2d^2e^3 - 35b^2de^5 + 15(b^2e^2 - b^2d^2) + 42(b^2de^4 - b^2d^2e))\operatorname{arcsin}(cx) + 32(35b^2d^2 + 42b^2de + 15b^2e^2)\operatorname{arctan}\left(\frac{-cx + \sqrt{c^2x^2 - 1}}{c}\right) + (280b^2d^2 + 252b^2de + 75b^2e^2)\log\left(\frac{-cx + \sqrt{c^2x^2 - 1}}{c}\right) - (280b^2d^2e + 5(8b^2d^2 + 10b^2de + 15b^2e^2) + 84(2b^2de^2 + 3b^2d^2e))\sqrt{c^2x^2 - 1}}{168b^2c^2}\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] 1/1680*(240*a*c^7*x^7*e^2 + 672*a*c^7*d*x^5*e + 560*a*c^7*d^2*x^3 + 16*(35*b*c^7*d^2*x^3 - 35*b*c^7*d^2 + 15*(b*c^7*x^7 - b*c^7)*e^2 + 42*(b*c^7*d*x^5 - b*c^7*d)*e)*arcsec(c*x) + 32*(35*b*c^7*d^2 + 42*b*c^7*d*e + 15*b*c^7*e^2)*arctan(-c*x + sqrt(c^2*x^2 - 1)) + (280*b*c^4*d^2 + 252*b*c^2*d*e + 75*b*e^2)*log(-c*x + sqrt(c^2*x^2 - 1)) - (280*b*c^5*d^2*x + 5*(8*b*c^5*x^5 + 10*b*c^3*x^3 + 15*b*c*x)*e^2 + 84*(2*b*c^5*d*x^3 + 3*b*c^3*d*x)*e)*sqrt(c^2*x^2 - 1))/c^7

Sympy [A]

time = 16.98, size = 542, normalized size = 2.15

$$\frac{a^2 c^7 x^7 e^2 + 2 a d c^7 x^5 e + 560 a c^7 d^2 x^3 + 16 (35 b c^7 d^2 x^3 - 35 b c^7 d^2 + 15 (b c^7 x^7 - b c^7) e^2 + 42 (b c^7 d x^5 - b c^7 d) e) \operatorname{arcsec}(c x) + 32 (35 b c^7 d^2 + 42 b c^7 d e + 15 b c^7 e^2) \arctan(-c x + \sqrt{c^2 x^2 - 1}) + (280 b c^4 d^2 + 252 b c^2 d e + 75 b e^2) \log(-c x + \sqrt{c^2 x^2 - 1}) - (280 b c^5 d^2 x + 5 (8 b c^5 x^5 + 10 b c^3 x^3 + 15 b c x) e^2 + 84 (2 b c^5 d x^3 + 3 b c^3 d x) e) \sqrt{c^2 x^2 - 1}}{c^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d)**2*(a+b*asec(c*x)),x)

[Out] a*d**2*x**3/3 + 2*a*d*e*x**5/5 + a*e**2*x**7/7 + b*d**2*x**3*asec(c*x)/3 + 2*b*d*e*x**5*asec(c*x)/5 + b*e**2*x**7*asec(c*x)/7 - b*d**2*Piecewise((x*sqrt(c**2*x**2 - 1)/(2*c) + acosh(c*x)/(2*c**2), Abs(c**2*x**2) > 1), (-I*c*x**3/(2*sqrt(-c**2*x**2 + 1)) + I*x/(2*c*sqrt(-c**2*x**2 + 1)) - I*asin(c*x)/(2*c**2), True))/(3*c) - 2*b*d*e*Piecewise((c*x**5/(4*sqrt(c**2*x**2 - 1)) + x**3/(8*c*sqrt(c**2*x**2 - 1)) - 3*x/(8*c**3*sqrt(c**2*x**2 - 1)) + 3*acosh(c*x)/(8*c**4), Abs(c**2*x**2) > 1), (-I*c*x**5/(4*sqrt(-c**2*x**2 + 1)) - I*x**3/(8*c*sqrt(-c**2*x**2 + 1)) + 3*I*x/(8*c**3*sqrt(-c**2*x**2 + 1)) - 3*I*asin(c*x)/(8*c**4), True))/(5*c) - b*e**2*Piecewise((c*x**7/(6*sqrt(c**2*x**2 - 1)) + x**5/(24*c*sqrt(c**2*x**2 - 1)) + 5*x**3/(48*c**3*sqrt(c**2*x**2 - 1)) - 5*x/(16*c**5*sqrt(c**2*x**2 - 1)) + 5*acosh(c*x)/(16*c**6), Abs(c**2*x**2) > 1), (-I*c*x**7/(6*sqrt(-c**2*x**2 + 1)) - I*x**5/(24*c*sqrt(-c**2*x**2 + 1)) - 5*I*x**3/(48*c**3*sqrt(-c**2*x**2 + 1)) + 5*I*x/(16*c**5*sqrt(-c**2*x**2 + 1)) - 5*I*asin(c*x)/(16*c**6), True))/(7*c)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 4760 vs. 2(222) = 444.

time = 5.95, size = 4760, normalized size = 18.89

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] 1/1680*(560*b*c^4*d^2*arccos(1/(c*x)) - 280*b*c^4*d^2*log(abs(sqrt(-1/(c^2*x^2) + 1)) + 1/(c*x) + 1)) + 280*b*c^4*d^2*log(abs(sqrt(-1/(c^2*x^2) + 1)) -

$$\begin{aligned}
& 1/(c*x) - 1)) + 560*a*c^4*d^2 + 560*b*c^4*d^2*(1/(c^2*x^2) - 1)*arccos(1/(c*x)) / (1/(c*x) + 1)^2 - 1960*b*c^4*d^2*(1/(c^2*x^2) - 1)*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1)) / (1/(c*x) + 1)^2 + 1960*b*c^4*d^2*(1/(c^2*x^2) - 1)*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1)) / (1/(c*x) + 1)^2 - 560*b*c^4*d^2*\sqrt{-1/(c^2*x^2) + 1} / (1/(c*x) + 1) + 560*a*c^4*d^2*(1/(c^2*x^2) - 1) / (1/(c*x) + 1)^2 + 672*b*c^2*d*e*arccos(1/(c*x)) - 1680*b*c^4*d^2*(1/(c^2*x^2) - 1)^2*arccos(1/(c*x)) / (1/(c*x) + 1)^4 - 252*b*c^2*d*e*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1)) - 5880*b*c^4*d^2*(1/(c^2*x^2) - 1)^2*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1)) / (1/(c*x) + 1)^4 + 252*b*c^2*d*e*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1)) + 5880*b*c^4*d^2*(1/(c^2*x^2) - 1)^2*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1)) / (1/(c*x) + 1)^4 + 240*b*c^4*d^2*(-1/(c^2*x^2) + 1)^(3/2) / (1/(c*x) + 1)^3 + 672*a*c^2*d*e - 1680*a*c^4*d^2*(1/(c^2*x^2) - 1)^2 / (1/(c*x) + 1)^4 - 2016*b*c^2*d*e*(1/(c^2*x^2) - 1)*arccos(1/(c*x)) / (1/(c*x) + 1)^2 - 1680*b*c^4*d^2*(1/(c^2*x^2) - 1)^3*arccos(1/(c*x)) / (1/(c*x) + 1)^6 - 1764*b*c^2*d*e*(1/(c^2*x^2) - 1)*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1)) / (1/(c*x) + 1)^2 - 9800*b*c^4*d^2*(1/(c^2*x^2) - 1)^3*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1)) / (1/(c*x) + 1)^6 + 1764*b*c^2*d*e*(1/(c^2*x^2) - 1)*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1)) / (1/(c*x) + 1)^2 + 9800*b*c^4*d^2*(1/(c^2*x^2) - 1)^3*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1)) / (1/(c*x) + 1)^6 - 840*b*c^2*d*e*\sqrt{-1/(c^2*x^2) + 1} / (1/(c*x) + 1) - 2800*b*c^4*d^2*(1/(c^2*x^2) - 1)^2*\sqrt{-1/(c^2*x^2) + 1} / (1/(c*x) + 1)^5 - 2016*a*c^2*d*e*(1/(c^2*x^2) - 1) / (1/(c*x) + 1)^2 - 1680*a*c^4*d^2*(1/(c^2*x^2) - 1)^3 / (1/(c*x) + 1)^6 + 240*b*e^2*arccos(1/(c*x)) + 672*b*c^2*d*e*(1/(c^2*x^2) - 1)^2*arccos(1/(c*x)) / (1/(c*x) + 1)^4 + 1680*b*c^4*d^2*(1/(c^2*x^2) - 1)^4*arccos(1/(c*x)) / (1/(c*x) + 1)^8 - 75*b*e^2*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1)) - 5292*b*c^2*d*e*(1/(c^2*x^2) - 1)^2*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1)) / (1/(c*x) + 1)^4 - 9800*b*c^4*d^2*(1/(c^2*x^2) - 1)^4*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1)) / (1/(c*x) + 1)^8 + 75*b*e^2*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1)) + 5292*b*c^2*d*e*(1/(c^2*x^2) - 1)^2*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1)) / (1/(c*x) + 1)^4 + 9800*b*c^4*d^2*(1/(c^2*x^2) - 1)^4*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1)) / (1/(c*x) + 1)^8 + 2016*b*c^2*d*e*(-1/(c^2*x^2) + 1)^(3/2) / (1/(c*x) + 1)^3 + 240*a*e^2 + 672*a*c^2*d*e*(1/(c^2*x^2) - 1)^2 / (1/(c*x) + 1)^4 + 1680*a*c^4*d^2*(1/(c^2*x^2) - 1)^4 / (1/(c*x) + 1)^8 - 1680*b*e^2*(1/(c^2*x^2) - 1)*arccos(1/(c*x)) / (1/(c*x) + 1)^2 + 3360*b*c^2*d*e*(1/(c^2*x^2) - 1)^3*arccos(1/(c*x)) / (1/(c*x) + 1)^6 + 1680*b*c^4*d^2*(1/(c^2*x^2) - 1)^5*arccos(1/(c*x)) / (1/(c*x) + 1)^10 - 525*b*e^2*(1/(c^2*x^2) - 1)*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1)) / (1/(c*x) + 1)^2 - 8820*b*c^2*d*e*(1/(c^2*x^2) - 1)^3*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1)) / (1/(c*x) + 1)^6 - 5880*b*c^4*d^2*(1/(c^2*x^2) - 1)^5*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1)) / (1/(c*x) + 1)^10 + 525*b*e^2*(1/(c^2*x^2) - 1)*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1)) / (1/(c*x) + 1)^2 + 8820*b*c^2*d*e*(1/(c^2*x^2) - 1)^3*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1)) / (1/(c*x) + 1)^6 + 5880*b*c^4*d^2*(1/(c^2*x^2) - 1)^5*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1)) / (1/(c*x) + 1)^10 - 330*b*e^2*\sqrt{-1/(c^2*x^2) + 1} / (1/(c*x) + 1)
\end{aligned}$$

```

t(-1/(c^2*x^2) + 1)/(1/(c*x) + 1) - 1512*b*c^2*d*e*(1/(c^2*x^2) - 1)^2*sqrt
(-1/(c^2*x^2) + 1)/(1/(c*x) + 1)^5 + 2800*b*c^4*d^2*(1/(c^2*x^2) - 1)^4*sqrt
t(-1/(c^2*x^2) + 1)/(1/(c*x) + 1)^9 - 1680*a*e^2*(1/(c^2*x^2) - 1)/(1/(c*x)
+ 1)^2 + 3360*a*c^2*d*e*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 1680*a*c^4*d
^2*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10 + 5040*b*e^2*(1/(c^2*x^2) - 1)^2*ar
ccos(1/(c*x))/(1/(c*x) + 1)^4 - 3360*b*c^2*d*e*(1/(c^2*x^2) - 1)^4*arccos(1
/(c*x))/(1/(c*x) + 1)^8 - 560*b*c^4*d^2*(1/(c^2*x^2) - 1)^6*arccos(1/(c*x))
/(1/(c*x) + 1)^12 - 1575*b*e^2*(1/(c^2*x^2) - 1)^2*log(abs(sqrt(-1/(c^2*x^2)
) + 1) + 1/(c*x) + 1))/(1/(c*x) + 1)^4 - 8820*b*c^2*d*e*(1/(c^2*x^2) - 1)^4
*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/(1/(c*x) + 1)^8 - 1960*b*c^
4*d^2*(1/(c^2*x^2) - 1)^6*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/(1
/(c*x) + 1)^12 + 1575*b*e^2*(1/(c^2*x^2) - 1)^2*log(abs(sqrt(-1/(c^2*x^2) +
1) - 1/(c*x) - 1))/(1/(c*x) + 1)^4 + 8820*b*c^2*d*e*(1/(c^2*x^2) - 1)^4*lo
g(abs(sqrt(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/(1/(c*x) + 1)^8 + 1960*b*c^4*d
^2*(1/(c^2*x^2) - 1)^6*log(abs(sqrt(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/(1/(c
*x) + 1)^12 + 2240*b*c^4*d^2*(1/(c^2*x^2) - 1)^5*sqrt(-1/(c^2*x^2) + 1)/(1/
(c*x) + 1)^11 + 280*b*e^2*(-1/(c^2*x^2) + 1)^(3/2)/(1/(c*x) + 1)^3 + 5040*a
*e^2*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 - 3360*a*c^2*d*e*(1/(c^2*x^2) - 1)
^4/(1/(c*x) + 1)^8 - 560*a*c^4*d^2*(1/(c^2*x^2) - 1)^6/(1/(c*x) + 1)^12 - 8
400*b*e^2*(1/(c^2*x^2) - 1)^3*arccos(1/(c*x))/(...

```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (ex^2 + d)^2 \left(a + b \operatorname{acos} \left(\frac{1}{cx} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(d + e*x^2)^2*(a + b*acos(1/(c*x))),x)

[Out] int(x^2*(d + e*x^2)^2*(a + b*acos(1/(c*x))), x)

3.82 $\int (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=191

$$-\frac{be(40c^2d + 9e)x^2\sqrt{-1 + c^2x^2}}{120c^3\sqrt{c^2x^2}} - \frac{be^2x^4\sqrt{-1 + c^2x^2}}{20c\sqrt{c^2x^2}} + d^2x(a + b \sec^{-1}(cx)) + \frac{2}{3}dex^3(a + b \sec^{-1}(cx)) + \frac{1}{5}e^2$$

[Out] $d^2x*(a+b*\text{arcsec}(c*x))+2/3*d*e*x^3*(a+b*\text{arcsec}(c*x))+1/5*e^2*x^5*(a+b*\text{arcsec}(c*x))-1/120*b*(120*c^4*d^2+40*c^2*d*e+9*e^2)*x*\text{arctanh}(c*x/(c^2*x^2-1)^(1/2))/c^4/(c^2*x^2)^(1/2)-1/120*b*e*(40*c^2*d+9*e)*x^2*(c^2*x^2-1)^(1/2)/c^3/(c^2*x^2)^(1/2)-1/20*b*e^2*x^4*(c^2*x^2-1)^(1/2)/c/(c^2*x^2)^(1/2)$

Rubi [A]

time = 0.09, antiderivative size = 191, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {200, 5336, 12, 1173, 396, 223, 212}

$$d^2x(a + b \sec^{-1}(cx)) + \frac{2}{3}dex^3(a + b \sec^{-1}(cx)) + \frac{1}{5}e^2x^5(a + b \sec^{-1}(cx)) - \frac{be^2x^4\sqrt{c^2x^2-1}}{20c\sqrt{c^2x^2}} - \frac{bx(120c^4d^2 + 40c^2de + 9e^2)\tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{120c^4\sqrt{c^2x^2}} - \frac{be^2x^2\sqrt{c^2x^2-1}(40c^2d + 9e)}{120c^3\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] `Int[(d + e*x^2)^2*(a + b*ArcSec[c*x]), x]`

[Out] $-1/120*(b*e*(40*c^2*d + 9*e)*x^2*\text{Sqrt}[-1 + c^2*x^2])/(c^3*\text{Sqrt}[c^2*x^2]) - (b*e^2*x^4*\text{Sqrt}[-1 + c^2*x^2])/(20*c*\text{Sqrt}[c^2*x^2]) + d^2*x*(a + b*\text{ArcSec}[c*x]) + (2*d*e*x^3*(a + b*\text{ArcSec}[c*x]))/3 + (e^2*x^5*(a + b*\text{ArcSec}[c*x]))/5 - (b*(120*c^4*d^2 + 40*c^2*d*e + 9*e^2)*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1 + c^2*x^2]])/(120*c^4*\text{Sqrt}[c^2*x^2])$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 200

`Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]`

Rule 212

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 223

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 396

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Si
mp[d*x*((a + b*x^n)^(p + 1)/(b*(n*(p + 1) + 1))), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 1173

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := Simp[c^p*x^(4*p - 1)*((d + e*x^2)^(q + 1)/(e*(4*p + 2*q + 1)))
, x] + Dist[1/(e*(4*p + 2*q + 1)), Int[(d + e*x^2)^q*ExpandToSum[e*(4*p + 2
*q + 1)*(a + b*x^2 + c*x^4)^p - d*c^p*(4*p - 1)*x^(4*p - 2) - e*c^p*(4*p +
2*q + 1)*x^(4*p), x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4
*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && !LtQ[q, -1]
```

Rule 5336

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symb
ol] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x]
- Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1])
, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IGtQ[p, 0] || ILtQ[p + 1/2,
0])
```

Rubi steps

$$\begin{aligned}
\int (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx &= d^2x(a + b \sec^{-1}(cx)) + \frac{2}{3}dex^3(a + b \sec^{-1}(cx)) + \frac{1}{5}e^2x^5(a + b \sec^{-1}(cx)) \\
&= d^2x(a + b \sec^{-1}(cx)) + \frac{2}{3}dex^3(a + b \sec^{-1}(cx)) + \frac{1}{5}e^2x^5(a + b \sec^{-1}(cx)) \\
&= -\frac{be^2x^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + d^2x(a + b \sec^{-1}(cx)) + \frac{2}{3}dex^3(a + b \sec^{-1}(cx)) \\
&= -\frac{be(40c^2d + 9e)x^2\sqrt{-1+c^2x^2}}{120c^3\sqrt{c^2x^2}} - \frac{be^2x^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + d^2x(a + b \sec^{-1}(cx)) \\
&= -\frac{be(40c^2d + 9e)x^2\sqrt{-1+c^2x^2}}{120c^3\sqrt{c^2x^2}} - \frac{be^2x^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + d^2x(a + b \sec^{-1}(cx)) \\
&= -\frac{be(40c^2d + 9e)x^2\sqrt{-1+c^2x^2}}{120c^3\sqrt{c^2x^2}} - \frac{be^2x^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + d^2x(a + b \sec^{-1}(cx))
\end{aligned}$$

Mathematica [A]

time = 0.14, size = 153, normalized size = 0.80

$$\frac{c^2x \left(8ac^3(15d^2 + 10dex^2 + 3e^2x^4) - be\sqrt{1 - \frac{1}{c^2x^2}}x(9e + c^2(40d + 6ex^2)) \right) + 8bc^5x(15d^2 + 10dex^2 + 3e^2x^4)\sec^{-1}(cx) - b(120c^4d^2 + 40c^2de + 9e^2)\log\left(\left(1 + \sqrt{1 - \frac{1}{c^2x^2}}\right)x\right)}{120c^5}$$

Antiderivative was successfully verified.

`[In] Integrate[(d + e*x^2)^2*(a + b*ArcSec[c*x]), x]`

```
[Out] (c^2*x*(8*a*c^3*(15*d^2 + 10*d*e*x^2 + 3*e^2*x^4) - b*e*Sqrt[1 - 1/(c^2*x^2)
])*x*(9*e + c^2*(40*d + 6*e*x^2))) + 8*b*c^5*x*(15*d^2 + 10*d*e*x^2 + 3*e^2
*x^4)*ArcSec[c*x] - b*(120*c^4*d^2 + 40*c^2*d*e + 9*e^2)*Log[(1 + Sqrt[1 -
1/(c^2*x^2)])*x]/(120*c^5)
```

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 358 vs. 2(169) = 338.

time = 0.14, size = 359, normalized size = 1.88

| method | result |
|-------------------|--|
| derivativedivides | $ \frac{a\left(\frac{d^2c^5x + \frac{2}{3}dc^5ex^3 + \frac{1}{5}e^2c^5x^5}{c^4}\right) + b \operatorname{arcsec}(cx)d^2cx + \frac{2bc \operatorname{arcsec}(cx)de x^3}{3} + \frac{bc \operatorname{arcsec}(cx)e^2x^5}{5} - \frac{b\sqrt{c^2x^2 - 1}}{\sqrt{\frac{c^2x^2 - 1}{c^2x^2}}} d^2 \ln\left(\frac{cx + \sqrt{c^2x^2 - 1}}{cx}\right)}{c^5} $ |

| | |
|---------|--|
| default | $\frac{a(d^2c^5x + \frac{2}{3}dc^5ex^3 + \frac{1}{5}e^2c^5x^5)}{c^4} + b \operatorname{arcsec}(cx)d^2cx + \frac{2bc \operatorname{arcsec}(cx)de x^3}{3} + \frac{bc \operatorname{arcsec}(cx)e^2x^5}{5} - \frac{b\sqrt{c^2x^2-1}d^2 \ln\left(cx + \sqrt{c^2x^2-1}\right)}{\sqrt{\frac{c^2x^2-1}{c^2x^2}} cx}$ |
|---------|--|

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arcsec(c*x)),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c} \left(\frac{a}{c^4} (d^2c^5x + \frac{2}{3}dc^5ex^3 + \frac{1}{5}e^2c^5x^5) + b \operatorname{arcsec}(cx) d^2cx + \frac{2bc \operatorname{arcsec}(cx)de x^3}{3} + \frac{bc \operatorname{arcsec}(cx)e^2x^5}{5} - \frac{b\sqrt{c^2x^2-1}d^2 \ln\left(cx + \sqrt{c^2x^2-1}\right)}{\sqrt{\frac{c^2x^2-1}{c^2x^2}} cx} \right)$

Maxima [A]

time = 0.28, size = 296, normalized size = 1.55

$$\frac{1}{5}ax^5 + \frac{2}{3}adx^3 + a^2x + \frac{1}{5} \left(4x^2 \operatorname{arccsc}(cx) - \frac{1}{c^2} \frac{\sqrt{\frac{1}{c^2x^2} + 1}}{\sqrt{\frac{1}{c^2x^2} + 1}} \ln \left(\frac{\sqrt{\frac{1}{c^2x^2} + 1}}{\sqrt{\frac{1}{c^2x^2} + 1}} + 1 \right) - \frac{\ln \left(\frac{\sqrt{\frac{1}{c^2x^2} + 1}}{\sqrt{\frac{1}{c^2x^2} + 1}} + 1 \right)}{c} \right) bde + \frac{\left(2cx \operatorname{arccsc}(cx) - \log \left(\frac{\sqrt{\frac{1}{c^2x^2} + 1}}{\sqrt{\frac{1}{c^2x^2} + 1}} + 1 \right) + \log \left(-\sqrt{\frac{1}{c^2x^2} + 1} + 1 \right) \right) bde}{2c} + \frac{1}{80} \left(16x^2 \operatorname{arccsc}(cx) + \frac{3 \left(\frac{1}{c^2x^2} + 1 \right)^{3/2} \sqrt{\frac{1}{c^2x^2} + 1}}{\sqrt{\frac{1}{c^2x^2} + 1}} - \frac{3 \ln \left(\frac{\sqrt{\frac{1}{c^2x^2} + 1}}{\sqrt{\frac{1}{c^2x^2} + 1}} + 1 \right)}{c} + \frac{3 \ln \left(\frac{\sqrt{\frac{1}{c^2x^2} + 1}}{\sqrt{\frac{1}{c^2x^2} + 1}} + 1 \right)}{c} \right) bde$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{5}ax^5e^2 + \frac{2}{3}a*d*x^3*e + a*d^2*x + \frac{1}{6} \left(4x^3 \operatorname{arcsec}(cx) - (2\sqrt{-1/(c^2x^2) + 1}) / (c^2(1/(c^2x^2) - 1) + c^2) + \log(\sqrt{-1/(c^2x^2) + 1}) + 1 \right) / c^2 - \log(\sqrt{-1/(c^2x^2) + 1} - 1) / c^2 / c * b*d*e + \frac{1}{2} \left(2cx \operatorname{arcsec}(cx) - \log(\sqrt{-1/(c^2x^2) + 1}) + 1 + \log(-\sqrt{-1/(c^2x^2) + 1}) + 1 \right) * b*d^2/c + \frac{1}{80} \left(16x^2 \operatorname{arccsc}(cx) + (2 * (3 * (-1/(c^2x^2) + 1)^{3/2} - 5 * \sqrt{-1/(c^2x^2) + 1})) / (c^4(1/(c^2x^2) - 1)^2 + 2c^4(1/(c^2x^2) - 1) + c^4) - 3 * \log(\sqrt{-1/(c^2x^2) + 1}) + 1 / c^4 + 3 * \log(\sqrt{-1/(c^2x^2) + 1} - 1) / c^4 \right) / c * b * e^2$

Fricas [A]

time = 3.49, size = 236, normalized size = 1.24

$$\frac{24a^2c^5e^2 + 80ac^5dx^5 + 120ac^5d^2x + 8(15bc^5d^2x - 15bc^5d^2 + 3(bc^5x^5 - bc^5d^2) \operatorname{arccsc}(cx) + 16(15bc^5d^2 + 10bc^5de + 3bc^5e^2) \arctan\left(-cx + \sqrt{c^2x^2-1}\right) + (120bc^5d^2 + 40bc^5de + 9bc^5e^2) \log\left(-cx + \sqrt{c^2x^2-1}\right) - (40bc^5d^2x + 3(2bc^5x^3 + 3bc^5d^2) \sqrt{c^2x^2-1})}{120c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{120} \left(24a^2c^5x^5e^2 + 80a^2c^5d^2x^3e + 120a^2c^5d^2x + 8(15bc^5d^2x - 15bc^5d^2 + 3(bc^5x^5 - bc^5d^2) \operatorname{arccsc}(cx) + 16(15bc^5d^2 + 10bc^5de + 3bc^5e^2) \arctan\left(-cx + \sqrt{c^2x^2-1}\right) + (120bc^5d^2 + 40bc^5de + 9bc^5e^2) \log\left(-cx + \sqrt{c^2x^2-1}\right) - (40bc^5d^2x + 3(2bc^5x^3 + 3bc^5d^2) \sqrt{c^2x^2-1}) \right)$

d)*e)*arcsec(c*x) + 16*(15*b*c^5*d^2 + 10*b*c^5*d*e + 3*b*c^5*e^2)*arctan(-c*x + sqrt(c^2*x^2 - 1)) + (120*b*c^4*d^2 + 40*b*c^2*d*e + 9*b*e^2)*log(-c*x + sqrt(c^2*x^2 - 1)) - (40*b*c^3*d*x*e + 3*(2*b*c^3*x^3 + 3*b*c*x)*e^2)*sqrt(c^2*x^2 - 1)/c^5

Sympy [A]

time = 7.88, size = 355, normalized size = 1.86

$$a^2 x + \frac{2adex^3}{3} + \frac{ae^2x^5}{5} + b^2 x \operatorname{asec}(cx) + \frac{2bdex^3 \operatorname{asec}(cx)}{3} + \frac{be^2x^5 \operatorname{asec}(cx)}{5} - \frac{b^2 c \left(\begin{cases} \operatorname{acosh}(cx) & \text{for } |c^2x^2| > 1 \\ -i \operatorname{asin}(cx) & \text{otherwise} \end{cases} \right)}{c} - \frac{2bde \left(\begin{cases} \frac{e\sqrt{c^2x^2-1}}{2c} + \frac{\operatorname{acosh}(cx)}{2c} & \text{for } |c^2x^2| > 1 \\ \frac{ix^2}{2\sqrt{-c^2x^2+1}} + \frac{ix}{2i\sqrt{-c^2x^2+1}} - \frac{i \operatorname{asin}(cx)}{2c} & \text{otherwise} \end{cases} \right)}{3c} - \frac{be^2 \left(\begin{cases} \frac{cx^2}{4\sqrt{-c^2x^2+1}} + \frac{x^2}{4\sqrt{-c^2x^2+1}} - \frac{ix}{4i\sqrt{-c^2x^2+1}} + \frac{3 \operatorname{asin}(cx)}{8c} & \text{for } |c^2x^2| > 1 \\ \frac{ix^2}{4\sqrt{-c^2x^2+1}} - \frac{ix}{4i\sqrt{-c^2x^2+1}} + \frac{ix}{8c\sqrt{-c^2x^2+1}} - \frac{3 \operatorname{asin}(cx)}{8c} & \text{otherwise} \end{cases} \right)}{5c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asec(c*x)),x)

[Out] a*d**2*x + 2*a*d*e*x**3/3 + a*e**2*x**5/5 + b*d**2*x*asec(c*x) + 2*b*d*e*x**3*asec(c*x)/3 + b*e**2*x**5*asec(c*x)/5 - b*d**2*Piecewise((acosh(c*x), Abs(c**2*x**2) > 1), (-I*asin(c*x), True))/c - 2*b*d*e*Piecewise((x*sqrt(c**2*x**2 - 1)/(2*c) + acosh(c*x)/(2*c**2), Abs(c**2*x**2) > 1), (-I*c*x**3/(2*sqrt(-c**2*x**2 + 1)) + I*x/(2*c*sqrt(-c**2*x**2 + 1)) - I*asin(c*x)/(2*c**2), True))/(3*c) - b*e**2*Piecewise((c*x**5/(4*sqrt(c**2*x**2 - 1)) + x**3/(8*c*sqrt(c**2*x**2 - 1)) - 3*x/(8*c**3*sqrt(c**2*x**2 - 1)) + 3*acosh(c*x)/(8*c**4), Abs(c**2*x**2) > 1), (-I*c*x**5/(4*sqrt(-c**2*x**2 + 1)) - I*x**3/(8*c*sqrt(-c**2*x**2 + 1)) + 3*I*x/(8*c**3*sqrt(-c**2*x**2 + 1)) - 3*I*asin(c*x)/(8*c**4), True))/(5*c)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 14166 vs. 2(169) = 338.

time = 4.82, size = 14166, normalized size = 74.17

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] 1/120*(120*b*c^4*d^2*arccos(1/(c*x))/(c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10 - 120*b*c^4*d^2*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/(c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10) + 120*b*c^4*d^2*log(abs(sqrt(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/(c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^10) + 120*a*c^4*d^2/(c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2

$$\begin{aligned}
& + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/ \\
& (1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x \\
& ^2) - 1)^5/(1/(c*x) + 1)^{10} + 360*b*c^4*d^2*(1/(c^2*x^2) - 1)*\arccos(1/(c* \\
& x))/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - \\
& 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6* \\
& (1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1) \\
& ^{10})*(1/(c*x) + 1)^2) - 600*b*c^4*d^2*(1/(c^2*x^2) - 1)*\log(\text{abs}(\text{sqrt}(-1/(c^ \\
& 2*x^2) + 1) + 1/(c*x) + 1))/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 \\
& + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/ \\
& (1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x \\
& ^2) - 1)^5/(1/(c*x) + 1)^{10})*(1/(c*x) + 1)^2) + 600*b*c^4*d^2*(1/(c^2*x^2) \\
& - 1)*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/((c^6 + 5*c^6*(1/(c^2*x \\
& ^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10* \\
& c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x \\
&) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10})*(1/(c*x) + 1)^2) + 360 \\
& *a*c^4*d^2*(1/(c^2*x^2) - 1)/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 \\
& + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3 \\
& /((1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2* \\
& x^2) - 1)^5/(1/(c*x) + 1)^{10})*(1/(c*x) + 1)^2) + 80*b*c^2*d*e*\arccos(1/(c*x \\
&))/(c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1) \\
&)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1 \\
& /((c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{1 \\
& 0}) + 240*b*c^4*d^2*(1/(c^2*x^2) - 1)^2*\arccos(1/(c*x))/((c^6 + 5*c^6*(1/(c^ \\
& 2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + \\
& 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(\\
& c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10})*(1/(c*x) + 1)^4) - \\
& 40*b*c^2*d*e*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/(c^6 + 5*c^6*(1 \\
& /((c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^ \\
& 4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/ \\
& (1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}) - 1200*b*c^4*d^ \\
& 2*(1/(c^2*x^2) - 1)^2*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/((c^6 \\
& + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(\\
& c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^ \\
& 2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10})*(1/(c \\
& *x) + 1)^4) + 40*b*c^2*d*e*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/ \\
& (c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/ \\
& (1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^ \\
& 2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}) + \\
& 1200*b*c^4*d^2*(1/(c^2*x^2) - 1)^2*\log(\text{abs}(\text{sqrt}(-1/(c^2*x^2) + 1) - 1/(c*x \\
&) - 1))/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^ \\
& 2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5* \\
& c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) \\
& + 1)^{10})*(1/(c*x) + 1)^4) + 80*a*c^2*d*e/(c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/ \\
& (c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2* \\
& x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c
\end{aligned}$$

$$\begin{aligned}
 & ^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10} + 240*a*c^4*d^2*(1/(c^2*x^2) - 1)^2/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}) \\
 & *(1/(c*x) + 1)^4) - 80*b*c^2*d*e*(1/(c^2*x^2) - 1)*\arccos(1/(c*x))/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(1/(c^2*x^2) - 1)^2/(1/(c*x) + 1)^4 + 10*c^6*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 + 5*c^6*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 + c^6*(1/(c^2*x^2) - 1)^5/(1/(c*x) + 1)^{10}) \\
 & *(1/(c*x) + 1)^2) - 240*b*c^4*d^2*(1/(c^2*x^2) - 1)^3*\arccos(1/(c*x))/((c^6 + 5*c^6*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 10*c^6*(...
 \end{aligned}$$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int (ex^2 + d)^2 \left(a + b \arccos\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^2*(a + b*acos(1/(c*x))),x)

[Out] int((d + e*x^2)^2*(a + b*acos(1/(c*x))), x)

$$3.83 \quad \int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^2} dx$$

Optimal. Leaf size=162

$$\frac{bcd^2 \sqrt{-1+c^2x^2}}{\sqrt{c^2x^2}} - \frac{be^2x^2 \sqrt{-1+c^2x^2}}{6c\sqrt{c^2x^2}} - \frac{d^2(a+b \sec^{-1}(cx))}{x} + 2dex(a+b \sec^{-1}(cx)) + \frac{1}{3}e^2x^3(a+b \sec^{-1}(cx))$$

[Out] $-d^2*(a+b*\text{arcsec}(c*x))/x+2*d*e*x*(a+b*\text{arcsec}(c*x))+1/3*e^2*x^3*(a+b*\text{arcsec}(c*x))-1/6*b*e*(12*c^2*d+e)*x*\text{arctanh}(c*x/(c^2*x^2-1)^{(1/2)})/c^2/(c^2*x^2)^{(1/2)}+b*c*d^2*(c^2*x^2-1)^{(1/2)/(c^2*x^2)^{(1/2)}-1/6*b*e^2*x^2*(c^2*x^2-1)^{(1/2)/c/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.09, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {276, 5346, 12, 1279, 396, 223, 212}

$$-\frac{d^2(a+b \sec^{-1}(cx))}{x} + 2dex(a+b \sec^{-1}(cx)) + \frac{1}{3}e^2x^3(a+b \sec^{-1}(cx)) + \frac{bcd^2 \sqrt{c^2x^2-1}}{\sqrt{c^2x^2}} - \frac{be^2x^2 \sqrt{c^2x^2-1}}{6c^2 \sqrt{c^2x^2}} - \frac{bcx(12c^2d+e) \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{6c^2 \sqrt{c^2x^2}} - \frac{be^2x^2 \sqrt{c^2x^2-1}}{6c \sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^2,x]

[Out] $(b*c*d^2*\text{Sqrt}[-1+c^2*x^2])/ \text{Sqrt}[c^2*x^2] - (b*e^2*x^2*\text{Sqrt}[-1+c^2*x^2])/(6*c*\text{Sqrt}[c^2*x^2]) - (d^2*(a+b*\text{ArcSec}[c*x]))/x + 2*d*e*x*(a+b*\text{ArcSec}[c*x]) + (e^2*x^3*(a+b*\text{ArcSec}[c*x]))/3 - (b*e*(12*c^2*d+e)*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1+c^2*x^2]])/(6*c^2*\text{Sqrt}[c^2*x^2])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 223

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 276

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[Exp
andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&
IGtQ[p, 0]
```

Rule 396

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Si
mp[d*x*((a + b*x^n)^(p + 1)/(b*(n*(p + 1) + 1))), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 1279

```
Int[((f_.)*(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c
_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 +
c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]},
Simp[R*(f*x)^(m + 1)*((d + e*x^2)^(q + 1)/(d*f*(m + 1))), x] + Dist[1/(d*f
^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[d*f*(m + 1)*(Qx/x)
- e*R*(m + 2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ
[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_)^(m_.)*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{x^2} dx &= -\frac{d^2(a + b \sec^{-1}(cx))}{x} + 2dex(a + b \sec^{-1}(cx)) + \frac{1}{3}e^2x^3(a + b \sec^{-1}(cx)) \\
&= -\frac{d^2(a + b \sec^{-1}(cx))}{x} + 2dex(a + b \sec^{-1}(cx)) + \frac{1}{3}e^2x^3(a + b \sec^{-1}(cx)) \\
&= \frac{bcd^2\sqrt{-1 + c^2x^2}}{\sqrt{c^2x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{x} + 2dex(a + b \sec^{-1}(cx)) + \frac{1}{3}e^2x^3(a + b \sec^{-1}(cx)) \\
&= \frac{bcd^2\sqrt{-1 + c^2x^2}}{\sqrt{c^2x^2}} - \frac{be^2x^2\sqrt{-1 + c^2x^2}}{6c\sqrt{c^2x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{x} + 2dex(a + b \sec^{-1}(cx)) \\
&= \frac{bcd^2\sqrt{-1 + c^2x^2}}{\sqrt{c^2x^2}} - \frac{be^2x^2\sqrt{-1 + c^2x^2}}{6c\sqrt{c^2x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{x} + 2dex(a + b \sec^{-1}(cx)) \\
&= \frac{bcd^2\sqrt{-1 + c^2x^2}}{\sqrt{c^2x^2}} - \frac{be^2x^2\sqrt{-1 + c^2x^2}}{6c\sqrt{c^2x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{x} + 2dex(a + b \sec^{-1}(cx))
\end{aligned}$$

Mathematica [A]

time = 0.13, size = 136, normalized size = 0.84

$$\frac{c^2 \left(b \sqrt{1 - \frac{1}{c^2x^2}} x (6c^2d^2 - e^2x^2) + 2ac(-3d^2 + 6dex^2 + e^2x^4) \right) + 2bc^3(-3d^2 + 6dex^2 + e^2x^4) \sec^{-1}(cx) - be(12c^2d + e)x \log \left(\left(1 + \sqrt{1 - \frac{1}{c^2x^2}} \right) x \right)}{6c^3x}$$

Antiderivative was successfully verified.

`[In] Integrate[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^2,x]`

```
[Out] (c^2*(b*Sqrt[1 - 1/(c^2*x^2)]*x*(6*c^2*d^2 - e^2*x^2) + 2*a*c*(-3*d^2 + 6*d
*e*x^2 + e^2*x^4)) + 2*b*c^3*(-3*d^2 + 6*d*e*x^2 + e^2*x^4)*ArcSec[c*x] - b
*e*(12*c^2*d + e)*x*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x])/(6*c^3*x)
```

Maple [A]

time = 0.15, size = 272, normalized size = 1.68

| method | result |
|-------------------|--|
| derivativedivides | $ c \left(\frac{a(2c^3dex + \frac{e^2c^3x^3}{3} - \frac{c^3d^2}{x})}{c^4} + \frac{2b \operatorname{arcsec}(cx)dex}{c} + \frac{b \operatorname{arcsec}(cx)e^2x^3}{3c} - \frac{b \operatorname{arcsec}(cx)d^2}{cx} + \frac{b(c^2x^2-1)d^2}{c^2x^2\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{2}{3}e^2x^3(a + b \sec^{-1}(cx)) \right) $ |

| | |
|---------|---|
| default | $c \left(\frac{a(2c^3 dx + \frac{e^2 c^3 x^3}{3} - \frac{c^3 d^2}{x})}{c^4} + \frac{2b \operatorname{arcsec}(cx) dx}{c} + \frac{b \operatorname{arcsec}(cx) e^2 x^3}{3c} - \frac{b \operatorname{arcsec}(cx) d^2}{cx} + \frac{b(c^2 x^2 - 1) d^2}{c^2 x^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \right.$ |
|---------|---|

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arcsec(c*x))/x^2,x,method=_RETURNVERBOSE)`

[Out] $c*(a/c^4*(2*c^3*d*e*x+1/3*e^2*c^3*x^3-c^3*d^2/x)+2*b/c*arcsec(c*x)*d*e*x+1/3*b/c*arcsec(c*x)*e^2*x^3-b*arcsec(c*x)*d^2/c/x+b*(c^2*x^2-1)/c^2/x^2/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*d^2-2*b/c^3*(c^2*x^2-1)^{(1/2)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*d*e*\ln(c*x+(c^2*x^2-1)^{(1/2)})-1/6*b/c^4*(c^2*x^2-1)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*e^2-1/6*b/c^5*(c^2*x^2-1)^{(1/2)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*e^2*\ln(c*x+(c^2*x^2-1)^{(1/2)})$

Maxima [A]

time = 0.27, size = 198, normalized size = 1.22

$$\frac{1}{3} a x^3 e^2 + \left(c \sqrt{-\frac{1}{c^2 x^2} + 1} - \frac{\operatorname{arcsec}(cx)}{x} \right) b d^2 + 2 a d x e + \frac{1}{12} \left(4 x^3 \operatorname{arcsec}(cx) - \frac{2 \sqrt{-\frac{1}{c^2 x^2} + 1} \log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right) - \log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} - 1\right)}{c} \right) b e^2 + \frac{(2 c x \operatorname{arcsec}(cx) - \log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right) + \log\left(-\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right)) b d e}{c} - \frac{a d^2}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^2,x, algorithm="maxima")`

[Out] $1/3*a*x^3*e^2 + (c*\sqrt{-1/(c^2*x^2)} + 1) - \operatorname{arcsec}(c*x)/x)*b*d^2 + 2*a*d*x*e + 1/12*(4*x^3*\operatorname{arcsec}(c*x) - (2*\sqrt{-1/(c^2*x^2)} + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + \log(\sqrt{-1/(c^2*x^2)} + 1) + 1)/c^2 - \log(\sqrt{-1/(c^2*x^2)} + 1) - 1)/c^2)/c)*b*e^2 + (2*c*x*\operatorname{arcsec}(c*x) - \log(\sqrt{-1/(c^2*x^2)} + 1) + 1) + \log(-\sqrt{-1/(c^2*x^2)} + 1) + 1))*b*d*e/c - a*d^2/x$

Fricas [A]

time = 3.17, size = 232, normalized size = 1.43

$$\frac{2 a c^3 x^4 e^2 + 6 b c^4 d^2 x + 12 a c^3 d^2 x - 6 a c^3 d^2 + 2(3 b c^3 d^2 x - 3 b c^3 d^2 + (b c^3 x^4 - b c^3 x) e^2 + 6(b c^3 d^2 - b c^3 d x) e) \operatorname{arcsec}(cx) - 4(3 b c^3 d^2 x - 6 b c^3 d x e - b c^3 x e^2) \arctan\left(\frac{-cx + \sqrt{c^2 x^2 - 1}}{c}\right) + (12 b c^2 d x e + b x e^2) \log\left(\frac{-cx + \sqrt{c^2 x^2 - 1}}{c}\right) + (6 b c^3 d^2 - b c^3 x e^2) \sqrt{c^2 x^2 - 1}}{6 c^2 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^2,x, algorithm="fricas")`

[Out] $1/6*(2*a*c^3*x^4*e^2 + 6*b*c^4*d^2*x + 12*a*c^3*d*x^2*e - 6*a*c^3*d^2 + 2*(3*b*c^3*d^2*x - 3*b*c^3*d^2 + (b*c^3*x^4 - b*c^3*x)*e^2 + 6*(b*c^3*d*x^2 - b*c^3*d*x)*e)*arcsec(c*x) - 4*(3*b*c^3*d^2*x - 6*b*c^3*d*x*e - b*c^3*x*e^2)*arctan(-c*x + \sqrt{c^2*x^2 - 1}) + (12*b*c^2*d*x*e + b*x*e^2)*\log(-c*x + \sqrt{c^2*x^2 - 1}) + (6*b*c^3*d^2 - b*c*x^2*e^2)*\sqrt{c^2*x^2 - 1}/(c^3*x)$

Sympy [A]

time = 7.07, size = 207, normalized size = 1.28

$$-\frac{ad^2}{x} + 2adex + \frac{ae^2x^3}{3} + bcd^2\sqrt{1-\frac{1}{c^2x^2}} - \frac{bd^2\operatorname{asec}(cx)}{x} + 2bdex\operatorname{asec}(cx) + \frac{be^2x^3\operatorname{asec}(cx)}{3} - \frac{2bde\left(\begin{cases} \operatorname{acosh}(cx) & \text{for } |c^2x^2| > 1 \\ -i\operatorname{asin}(cx) & \text{otherwise} \end{cases}\right)}{c} - \frac{be^2\left(\begin{cases} \frac{x\sqrt{c^2x^2-1}}{2c} + \frac{\operatorname{acosh}(cx)}{2c} & \text{for } |c^2x^2| > 1 \\ \frac{ix^3}{2\sqrt{-c^2x^2+1}} + \frac{ix}{2c\sqrt{-c^2x^2+1}} - \frac{i\operatorname{asin}(cx)}{2c^2} & \text{otherwise} \end{cases}\right)}{3c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asec(c*x))/x**2,x)

[Out] $-a*d**2/x + 2*a*d*e*x + a*e**2*x**3/3 + b*c*d**2*\sqrt{1 - 1/(c**2*x**2)} - b*d**2*asec(c*x)/x + 2*b*d*e*x*asec(c*x) + b*e**2*x**3*asec(c*x)/3 - 2*b*d*e*\operatorname{Piecewise}(\operatorname{acosh}(c*x), \operatorname{Abs}(c**2*x**2) > 1), (-I*\operatorname{asin}(c*x), \operatorname{True}))/c - b*e**2*\operatorname{Piecewise}((x*\sqrt{c**2*x**2 - 1})/(2*c) + \operatorname{acosh}(c*x)/(2*c**2), \operatorname{Abs}(c**2*x**2) > 1), (-I*c*x**3/(2*\sqrt{-c**2*x**2 + 1})) + I*x/(2*c*\sqrt{-c**2*x**2 + 1}) - I*\operatorname{asin}(c*x)/(2*c**2), \operatorname{True}))(3*c)$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 6018 vs. 2(144) = 288.

time = 2.73, size = 6018, normalized size = 37.15

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^2,x, algorithm="giac")

[Out] $-1/6*(6*b*c^4*d^2*\arccos(1/(c*x))/(c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) + 6*a*c^4*d^2/(c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) + 24*b*c^4*d^2*(1/(c^2*x^2) - 1)*\arccos(1/(c*x))/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^2 - 12*b*c^4*d^2*\sqrt{-1/(c^2*x^2) + 1}/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)) + 24*a*c^4*d^2*(1/(c^2*x^2) - 1)/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^2 - 12*b*c^4*d*e*\arccos(1/(c*x))/(c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) + 36*b*c^4*d^2*(1/(c^2*x^2) - 1)^2*\arccos(1/(c*x))/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^4) + 12*b*c^2*d*e*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1))/(c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) - 12*b*c^2*d*e*\log(\operatorname{abs}(\sqrt{-1/(c^2*x^2) + 1}))$

$$\begin{aligned}
& - 1/(c*x - 1)/(c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) \\
& + 36*b*c^4*d^2*(-1/(c^2*x^2) + 1)^{(3/2)}/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^3 - 12*a*c^2*d*e/(c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) + 36*a*c^4*d^2*(1/(c^2*x^2) - 1)^2/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^4) + 24*b*c^4*d^2*(1/(c^2*x^2) - 1)^3*arccos(1/(c*x))/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^6) + 24*b*c^2*d*e*(1/(c^2*x^2) - 1)*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^2) - 24*b*c^2*d*e*(1/(c^2*x^2) - 1)*log(abs(sqrt(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^2) - 36*b*c^4*d^2*(1/(c^2*x^2) - 1)^2*sqrt(-1/(c^2*x^2) + 1)/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^5) + 24*a*c^4*d^2*(1/(c^2*x^2) - 1)^3/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^6) - 2*b*e^2*arccos(1/(c*x))/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) + 24*b*c^2*d*e*(1/(c^2*x^2) - 1)^2*arccos(1/(c*x))/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^4) + 6*b*c^4*d^2*(1/(c^2*x^2) - 1)^4*arccos(1/(c*x))/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^8) + b*e^2*log(abs(sqrt(-1/(c^2*x^2) + 1) + 1/(c*x) + 1))/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) - b*e^2*log(abs(sqrt(-1/(c^2*x^2) + 1) - 1/(c*x) - 1))/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) - 12*b*c^4*d^2*(1/(c^2*x^2) - 1)^3*sqrt(-1/(c^2*x^2) + 1)/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^7) - 2*a*e^2/(c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) + 24*a*c^2*d*e*(1/(c^2*x^2) - 1)^2/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^4) + 6*a*c^4*d^2*(1/(c^2*x^2) - 1)^4/((c^4 + 2*c^4*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) + 1)^2 - 2*c^4*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^4*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)
\end{aligned}$$

$\frac{1}{c^4} \frac{1}{(cx + 1)^8} \frac{1}{(cx + 1)^8} + 8b e^2 \frac{1}{(c^2 x^2 - 1)} \arccos\left(\frac{1}{cx}\right) / \left(\frac{1}{c^4} + 2c^4 \frac{1}{(c^2 x^2 - 1)} \frac{1}{(cx)} \dots \right)$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(e x^2 + d)^2 (a + b \arccos(\frac{1}{cx}))}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^2*(a + b*acos(1/(c*x))))/x^2,x)

[Out] int(((d + e*x^2)^2*(a + b*acos(1/(c*x))))/x^2, x)

$$3.84 \quad \int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^4} dx$$

Optimal. Leaf size=158

$$\frac{2bcd(c^2d+9e)\sqrt{-1+c^2x^2}}{9\sqrt{c^2x^2}} + \frac{bcd^2\sqrt{-1+c^2x^2}}{9x^2\sqrt{c^2x^2}} - \frac{d^2(a+b \sec^{-1}(cx))}{3x^3} - \frac{2de(a+b \sec^{-1}(cx))}{x} + e^2x(a+b \sec^{-1}(cx))$$

[Out] $-1/3*d^2*(a+b*arcsec(c*x))/x^3-2*d*e*(a+b*arcsec(c*x))/x+e^2*x*(a+b*arcsec(c*x))-b*e^2*x*arctanh(c*x/(c^2*x^2-1)^{(1/2)})/(c^2*x^2)^{(1/2)}+2/9*b*c*d*(c^2*d+9*e)*(c^2*x^2-1)^{(1/2)}/(c^2*x^2)^{(1/2)}+1/9*b*c*d^2*(c^2*x^2-1)^{(1/2)}/x^2/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.10, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {276, 5346, 12, 1279, 462, 223, 212}

$$-\frac{d^2(a+b \sec^{-1}(cx))}{3x^3} - \frac{2de(a+b \sec^{-1}(cx))}{x} + e^2x(a+b \sec^{-1}(cx)) + \frac{bcd^2\sqrt{c^2x^2-1}}{9x^2\sqrt{c^2x^2}} + \frac{2bcd\sqrt{c^2x^2-1}(c^2d+9e)}{9\sqrt{c^2x^2}} - \frac{be^2x \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^4,x]

[Out] $(2*b*c*d*(c^2*d+9*e)*\text{Sqrt}[-1+c^2*x^2])/(9*\text{Sqrt}[c^2*x^2]) + (b*c*d^2*\text{Sqrt}[-1+c^2*x^2])/(9*x^2*\text{Sqrt}[c^2*x^2]) - (d^2*(a+b*\text{ArcSec}[c*x]))/(3*x^3) - (2*d*e*(a+b*\text{ArcSec}[c*x]))/x + e^2*x*(a+b*\text{ArcSec}[c*x]) - (b*e^2*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1+c^2*x^2]])/\text{Sqrt}[c^2*x^2]$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 223

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 276

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[Exp
andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&
IGtQ[p, 0]
```

Rule 462

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n
_)), x_Symbol] := Simp[c*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*e*(m + 1))),
x] + Dist[d/e^n, Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c
, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n*(p + 1) + 1, 0] && (
IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && Gt
Q[m + n, -1]))
```

Rule 1279

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c
_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 +
c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]},
Simp[R*(f*x)^(m + 1)*((d + e*x^2)^(q + 1)/(d*f*(m + 1))), x] + Dist[1/(d*f
^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[d*f*(m + 1)*(Qx/x)
- e*R*(m + 2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ
[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{x^4} dx &= -\frac{d^2(a + b \sec^{-1}(cx))}{3x^3} - \frac{2de(a + b \sec^{-1}(cx))}{x} + e^2x(a + b \sec^{-1}(cx)) - \\
&= -\frac{d^2(a + b \sec^{-1}(cx))}{3x^3} - \frac{2de(a + b \sec^{-1}(cx))}{x} + e^2x(a + b \sec^{-1}(cx)) - \\
&= \frac{bcd^2 \sqrt{-1 + c^2x^2}}{9x^2 \sqrt{c^2x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{3x^3} - \frac{2de(a + b \sec^{-1}(cx))}{x} + e^2x \\
&= \frac{2bcd(c^2d + 9e) \sqrt{-1 + c^2x^2}}{9\sqrt{c^2x^2}} + \frac{bcd^2 \sqrt{-1 + c^2x^2}}{9x^2 \sqrt{c^2x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{3x^3} \\
&= \frac{2bcd(c^2d + 9e) \sqrt{-1 + c^2x^2}}{9\sqrt{c^2x^2}} + \frac{bcd^2 \sqrt{-1 + c^2x^2}}{9x^2 \sqrt{c^2x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{3x^3} \\
&= \frac{2bcd(c^2d + 9e) \sqrt{-1 + c^2x^2}}{9\sqrt{c^2x^2}} + \frac{bcd^2 \sqrt{-1 + c^2x^2}}{9x^2 \sqrt{c^2x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{3x^3}
\end{aligned}$$

Mathematica [A]

time = 0.14, size = 127, normalized size = 0.80

$$\frac{c \left(bcd \sqrt{1 - \frac{1}{c^2x^2}} x(d + 2c^2dx^2 + 18ex^2) - 3a(d^2 + 6dex^2 - 3e^2x^4) \right) - 3bc(d^2 + 6dex^2 - 3e^2x^4) \sec^{-1}(cx) - 9be^2x^3 \log \left(\left(1 + \sqrt{1 - \frac{1}{c^2x^2}} \right) x \right)}{9cx^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^4,x]

[Out] (c*(b*c*d*sqrt[1 - 1/(c^2*x^2)])*x*(d + 2*c^2*d*x^2 + 18*e*x^2) - 3*a*(d^2 + 6*d*e*x^2 - 3*e^2*x^4) - 3*b*c*(d^2 + 6*d*e*x^2 - 3*e^2*x^4)*ArcSec[c*x] - 9*b*e^2*x^3*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x])/(9*c*x^3)

Maple [A]

time = 0.15, size = 252, normalized size = 1.59

| method | result |
|-------------------|---|
| derivativedivides | $ c^3 \left(\frac{a \left(e^2cx - \frac{c}{3x^3} - \frac{2cde}{x} \right)}{c^4} + \frac{b \operatorname{arcsec}(cx)e^2x}{c^3} - \frac{b \operatorname{arcsec}(cx)d^2}{3c^3x^3} - \frac{2b \operatorname{arcsec}(cx)de}{c^3x} + \frac{2b(c^2x^2 - 1)d^2}{9c^2x^2 \sqrt{\frac{c^2x^2 - 1}{c^2x^2}}} + \frac{b}{9\sqrt{\dots}} \right) $ |

| | |
|---------|--|
| default | $c^3 \left(\frac{a \left(e^{2cx} - \frac{c d^2}{3x^3} - \frac{2cde}{x} \right)}{c^4} + \frac{b \operatorname{arcsec}(cx) e^2 x}{c^3} - \frac{b \operatorname{arcsec}(cx) d^2}{3c^3 x^3} - \frac{2b \operatorname{arcsec}(cx) de}{c^3 x} + \frac{2b(c^2 x^2 - 1) d^2}{9c^2 x^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + \frac{b(c^2 x^2 - 1) d^2}{9 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} \right)$ |
|---------|--|

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arcsec(c*x))/x^4,x,method=_RETURNVERBOSE)`

[Out] $c^3 \left(\frac{a}{c^4} \left(e^{2cx} - \frac{1}{3} \frac{c d^2}{x^3} - 2 \frac{c d e}{x} \right) + \frac{b}{c^3} \operatorname{arcsec}(cx) e^{2x} - \frac{1}{3} \frac{b}{c^3} \operatorname{arcsec}(cx) d^2 / c^3 / x^3 - 2 \frac{b}{c^3} \operatorname{arcsec}(cx) d e / x + \frac{2}{9} \frac{b}{c^3} \frac{(c^2 x^2 - 1)}{c^2 x^2} / \left(\frac{(c^2 x^2 - 1)}{c^2 x^2} \right)^{1/2} d^2 + \frac{1}{9} \frac{b}{c^3} \frac{(c^2 x^2 - 1)}{\left(\frac{(c^2 x^2 - 1)}{c^2 x^2} \right)^{1/2}} / \left(\frac{(c^2 x^2 - 1)}{c^2 x^2} \right)^{1/2} / x^4 d^2 + 2 \frac{b}{c^4} \frac{(c^2 x^2 - 1)}{\left(\frac{(c^2 x^2 - 1)}{c^2 x^2} \right)^{1/2}} / x^2 d e - \frac{b}{c^5} \frac{(c^2 x^2 - 1)^{1/2}}{\left(\frac{(c^2 x^2 - 1)}{c^2 x^2} \right)^{1/2}} / x e^{2x} \ln(c x + \left(\frac{(c^2 x^2 - 1)}{c^2 x^2} \right)^{1/2}) \right)$

Maxima [A]

time = 0.26, size = 159, normalized size = 1.01

$$-\frac{1}{9} b d^2 \left(\frac{c^4 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} - 3 c^4 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} + \frac{3 \operatorname{arcsec}(cx)}{x^3} \right) + 2 \left(c \sqrt{-\frac{1}{c^2 x^2} + 1} - \frac{\operatorname{arcsec}(cx)}{x} \right) b d e + a x e^2 + \frac{\left(2 c x \operatorname{arcsec}(cx) - \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1 \right) + \log \left(-\sqrt{-\frac{1}{c^2 x^2} + 1} + 1 \right) \right) b e^2}{2c} - \frac{2 a d e}{x} - \frac{a d^2}{3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^4,x, algorithm="maxima")`

[Out] $-1/9 * b * d^2 * \left(\left(c^4 * \left(-1 / \left(c^2 * x^2 \right) + 1 \right)^{3/2} - 3 * c^4 * \sqrt{-1 / \left(c^2 * x^2 \right) + 1} \right) / c + 3 * \operatorname{arcsec}(c * x) / x^3 \right) + 2 * \left(c * \sqrt{-1 / \left(c^2 * x^2 \right) + 1} - \operatorname{arcsec}(c * x) / x \right) * b * d * e + a * x * e^2 + 1/2 * \left(2 * c * x * \operatorname{arcsec}(c * x) - \log \left(\sqrt{-1 / \left(c^2 * x^2 \right) + 1} + 1 \right) + \log \left(-\sqrt{-1 / \left(c^2 * x^2 \right) + 1} + 1 \right) \right) * b * e^2 / c - 2 * a * d * e / x - 1/3 * a * d^2 / x^3$

Fricas [A]

time = 3.72, size = 234, normalized size = 1.48

$$\frac{2 b c^4 d^2 x^3 + 9 a c x^4 e^2 + 9 b x^4 e^2 \log(-c x + \sqrt{c^2 x^2 - 1}) - 3 a c d^2 + 3 (b e d^2 x^3 - b a d^2 + 3 (b c x^4 - b c x^3) e^2 + 6 (b d x^3 - b d x^2) e) \operatorname{arcsec}(c x) - 6 (b d^2 x^3 + 6 b d x^2 e - 3 b c x^3 e^2) \arctan(-c x + \sqrt{c^2 x^2 - 1}) + 18 (b c^2 d x^3 - a c d x^2) e + (2 b c^3 d^2 x^2 + 18 b d x^2 e + b c d^2) \sqrt{c^2 x^2 - 1}}{9 c x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^4,x, algorithm="fricas")`

[Out] $1/9 * \left(2 * b * c^4 * d^2 * x^3 + 9 * a * c * x^4 * e^2 + 9 * b * x^4 * e^2 * \log(-c * x + \sqrt{c^2 * x^2 - 1}) - 3 * a * c * d^2 + 3 * \left(b * c * d^2 * x^3 - b * c * d^2 + 3 * \left(b * c * x^4 - b * c * x^3 \right) * e^2 + 6 * \left(b * c * d * x^3 - b * c * d * x^2 \right) * e \right) * \operatorname{arcsec}(c * x) - 6 * \left(b * c * d^2 * x^3 + 6 * b * c * d * x^3 * e - 3 * b * c * x^3 * e^2 \right) * \arctan(-c * x + \sqrt{c^2 * x^2 - 1}) + 18 * \left(b * c^2 * d * x^3 - a * c * d * x^2 \right) * e + \left(2 * b * c^3 * d^2 * x^2 + 18 * b * c * d * x^2 * e + b * c * d^2 \right) * \sqrt{c^2 * x^2 - 1} \right) / \left(c * x^3 \right)$

Sympy [A]

time = 5.38, size = 211, normalized size = 1.34

$$\frac{a d^2}{3 x^3} - \frac{2 a d e}{x} + a e^2 x + 2 b c d e \sqrt{1 - \frac{1}{c^2 x^2}} - \frac{b d^2 \operatorname{asec}(c x)}{3 x^3} - \frac{2 b d e \operatorname{asec}(c x)}{x} + b e^2 x \operatorname{asec}(c x) + \frac{b d^2 \left(\begin{cases} \frac{2 c^3 \sqrt{c^2 x^2 - 1} + c \sqrt{c^2 x^2 - 1}}{3 x} & \text{for } |c^2 x^2| > 1 \\ \frac{2 i c^3 \sqrt{-c^2 x^2 + 1} + i c \sqrt{-c^2 x^2 + 1}}{3 x^3} & \text{otherwise} \end{cases} \right)}{3 c} - \frac{b e^2 \left(\begin{cases} \operatorname{acosh}(c x) & \text{for } |c^2 x^2| > 1 \\ -i \operatorname{asin}(c x) & \text{otherwise} \end{cases} \right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asec(c*x))/x**4,x)

[Out] $-a*d**2/(3*x**3) - 2*a*d*e/x + a*e**2*x + 2*b*c*d*e*\sqrt{1 - 1/(c**2*x**2)}$
 $- b*d**2*asec(c*x)/(3*x**3) - 2*b*d*e*asec(c*x)/x + b*e**2*x*asec(c*x) + b$
 $*d**2*Piecewise((2*c**3*\sqrt{c**2*x**2 - 1}/(3*x) + c*\sqrt{c**2*x**2 - 1}/($
 $3*x**3), Abs(c**2*x**2) > 1), (2*I*c**3*\sqrt{-c**2*x**2 + 1}/(3*x) + I*c*\sqrt{$
 $-c**2*x**2 + 1}/(3*x**3), True))/(3*c) - b*e**2*Piecewise((acosh(c*x), A$
 $bs(c**2*x**2) > 1), (-I*asin(c*x), True))/c$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 4968 vs. 2(140) = 280.

time = 97.64, size = 4968, normalized size = 31.44

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^4,x, algorithm="giac")

[Out] $-1/9*(3*b*c^4*d^2*\arccos(1/(c*x)))/(c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*x) +$
 $1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^2*x^2) - 1)^4$
 $/(1/(c*x) + 1)^8) + 3*a*c^4*d^2/(c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*x) + 1$
 $)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^2*x^2) - 1)^4/($
 $1/(c*x) + 1)^8) + 12*b*c^4*d^2*(1/(c^2*x^2) - 1)*\arccos(1/(c*x))/((c^2 - 2*$
 $c^2*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x)$
 $+ 1)^6 - c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^2) - 6*b*c^$
 $4*d^2*\sqrt{-1/(c^2*x^2) + 1}/((c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^$
 $2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^2*x^2) - 1)^4/(1/$
 $(c*x) + 1)^8)*(1/(c*x) + 1)) + 12*a*c^4*d^2*(1/(c^2*x^2) - 1)/((c^2 - 2*c^2$
 $*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1$
 $)^6 - c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^2) + 18*b*c^2*$
 $d*e*\arccos(1/(c*x))/(c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*$
 $(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)$
 $)^8) + 18*b*c^4*d^2*(1/(c^2*x^2) - 1)^2*\arccos(1/(c*x))/((c^2 - 2*c^2*(1/(c^$
 $2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c$
 $^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^4) + 2*b*c^4*d^2*(-1/$
 $(c^2*x^2) + 1)^(3/2)/((c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^$
 $2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) +$
 $1)^8)*(1/(c*x) + 1)^3) + 18*a*c^2*d*e/(c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*$
 $x) + 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^2*x^2) -$
 $1)^4/(1/(c*x) + 1)^8) + 18*a*c^4*d^2*(1/(c^2*x^2) - 1)^2/((c^2 - 2*c^2*(1/($
 $c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 -$
 $c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^4) + 12*b*c^4*d^2*($
 $1/(c^2*x^2) - 1)^3*\arccos(1/(c*x))/((c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*x)$
 $+ 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^2*x^2) - 1)$

$$\begin{aligned}
&^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^6 - 36*b*c^2*d*e*\sqrt{-1/(c^2*x^2) + 1}/ \\
&((c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3 \\
&/ (1/(c*x) + 1)^6 - c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)) \\
&- 2*b*c^4*d^2*(1/(c^2*x^2) - 1)^2*\sqrt{-1/(c^2*x^2) + 1}/((c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - \\
&c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^5) + 12*a*c^4*d^2*(\\
&1/(c^2*x^2) - 1)^3/((c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2* \\
&(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1) \\
&^8)*(1/(c*x) + 1)^6) - 9*b*e^2*\arccos(1/(c*x))/(c^2 - 2*c^2*(1/(c^2*x^2) - \\
&1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^ \\
&2*x^2) - 1)^4/(1/(c*x) + 1)^8) - 36*b*c^2*d*e*(1/(c^2*x^2) - 1)^2*\arccos(1/ \\
&(c*x))/(c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2) \\
&- 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) \\
&+ 1)^4) + 3*b*c^4*d^2*(1/(c^2*x^2) - 1)^4*\arccos(1/(c*x))/(c^2 - 2*c^2*(1 \\
&/ (c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 \\
&- c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^8) + 9*b*e^2*\log(\\
&\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1))/(c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(\\
&1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^2*x^ \\
&2) - 1)^4/(1/(c*x) + 1)^8) - 9*b*e^2*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c* \\
&x) - 1))/(c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2 \\
&) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8) - 6*b*c \\
&^4*d^2*(1/(c^2*x^2) - 1)^3*\sqrt{-1/(c^2*x^2) + 1}/((c^2 - 2*c^2*(1/(c^2*x^2) \\
&) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1 \\
&/ (c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^7) - 36*b*c^2*d*e*(-1/(c^2 \\
&*x^2) + 1)^(3/2)/((c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1 \\
&/ (c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8 \\
&)*(1/(c*x) + 1)^3) - 9*a*e^2/(c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 \\
&+ 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^2*x^2) - 1)^4/(1/(c \\
&x) + 1)^8) - 36*a*c^2*d*e*(1/(c^2*x^2) - 1)^2/((c^2 - 2*c^2*(1/(c^2*x^2) \\
&- 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c \\
&^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^4) + 3*a*c^4*d^2*(1/(c^2*x^2 \\
&) - 1)^4/((c^2 - 2*c^2*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^ \\
&2) - 1)^3/(1/(c*x) + 1)^6 - c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c* \\
&x) + 1)^8) + 36*b*e^2*(1/(c^2*x^2) - 1)*\arccos(1/(c*x))/(c^2 - 2*c^2*(1/(c \\
&^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 - \\
&c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^2) - 18*b*e^2*(1/(c^ \\
&2*x^2) - 1)*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} + 1/(c*x) + 1))/((c^2 - 2*c^2*(1 \\
&/ (c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(c^2*x^2) - 1)^3/(1/(c*x) + 1)^6 \\
&- c^2*(1/(c^2*x^2) - 1)^4/(1/(c*x) + 1)^8)*(1/(c*x) + 1)^2) + 18*b*e^2*(1/ \\
&(c^2*x^2) - 1)*\log(\text{abs}(\sqrt{-1/(c^2*x^2) + 1} - 1/(c*x) - 1))/((c^2 - 2*c^2 \\
&*(1/(c^2*x^2) - 1)/(1/(c*x) + 1)^2 + 2*c^2*(1/(...
\end{aligned}$$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(e x^2 + d)^2 (a + b \arccos(\frac{1}{c x}))}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d + e*x^2)^2*(a + b*acos(1/(c*x))))/x^4, x)
```

```
[Out] int(((d + e*x^2)^2*(a + b*acos(1/(c*x))))/x^4, x)
```

$$3.85 \quad \int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^6} dx$$

Optimal. Leaf size=183

$$\frac{bc(24c^4d^2 + 100c^2de + 225e^2) \sqrt{-1 + c^2x^2}}{225\sqrt{c^2x^2}} + \frac{bcd^2\sqrt{-1 + c^2x^2}}{25x^4\sqrt{c^2x^2}} + \frac{2bcd(6c^2d + 25e) \sqrt{-1 + c^2x^2}}{225x^2\sqrt{c^2x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{5x^5}$$

[Out] $-1/5*d^2*(a+b*\text{arcsec}(c*x))/x^5-2/3*d*e*(a+b*\text{arcsec}(c*x))/x^3-e^2*(a+b*\text{arcsec}(c*x))/x+1/225*b*c*(24*c^4*d^2+100*c^2*d*e+225*e^2)*(c^2*x^2-1)^{(1/2)}/(c^2*x^2)^{(1/2)}+1/25*b*c*d^2*(c^2*x^2-1)^{(1/2)}/x^4/(c^2*x^2)^{(1/2)}+2/225*b*c*d*(6*c^2*d+25*e)*(c^2*x^2-1)^{(1/2)}/x^2/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.11, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {276, 5346, 12, 1279, 464, 270}

$$-\frac{d^2(a+b \sec^{-1}(cx))}{5x^5} - \frac{2de(a+b \sec^{-1}(cx))}{3x^3} - \frac{e^2(a+b \sec^{-1}(cx))}{x} + \frac{bcd^2\sqrt{c^2x^2-1}}{25x^4\sqrt{c^2x^2}} + \frac{2bcd\sqrt{c^2x^2-1}(6c^2d+25e)}{225x^2\sqrt{c^2x^2}} + \frac{bc\sqrt{c^2x^2-1}(24c^4d^2+100c^2de+225e^2)}{225\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^6,x]

[Out] $(b*c*(24*c^4*d^2 + 100*c^2*d*e + 225*e^2)*\text{Sqrt}[-1 + c^2*x^2])/(225*\text{Sqrt}[c^2*x^2]) + (b*c*d^2*\text{Sqrt}[-1 + c^2*x^2])/(25*x^4*\text{Sqrt}[c^2*x^2]) + (2*b*c*d*(6*c^2*d + 25*e)*\text{Sqrt}[-1 + c^2*x^2])/(225*x^2*\text{Sqrt}[c^2*x^2]) - (d^2*(a + b*\text{ArcSec}[c*x]))/(5*x^5) - (2*d*e*(a + b*\text{ArcSec}[c*x]))/(3*x^3) - (e^2*(a + b*\text{ArcSec}[c*x]))/x$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 270

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m+1)*((a + b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n + p + 1, 0] && NeQ[m, -1]

Rule 276

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 464

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[c*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*e*(m + 1))), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 1279

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]}, Simp[R*(f*x)^(m + 1)*((d + e*x^2)^(q + 1)/(d*f*(m + 1))), x] + Dist[1/(d*f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[d*f*(m + 1)*(Qx/x) - e*R*(m + 2*q + 3), x], x], x]] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{x^6} dx &= -\frac{d^2(a + b \sec^{-1}(cx))}{5x^5} - \frac{2de(a + b \sec^{-1}(cx))}{3x^3} - \frac{e^2(a + b \sec^{-1}(cx))}{x} \\ &= -\frac{d^2(a + b \sec^{-1}(cx))}{5x^5} - \frac{2de(a + b \sec^{-1}(cx))}{3x^3} - \frac{e^2(a + b \sec^{-1}(cx))}{x} \\ &= \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{25x^4 \sqrt{c^2 x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{5x^5} - \frac{2de(a + b \sec^{-1}(cx))}{3x^3} - \frac{e^2(a + b \sec^{-1}(cx))}{x} \\ &= \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{25x^4 \sqrt{c^2 x^2}} + \frac{2bcd(6c^2 d + 25e) \sqrt{-1 + c^2 x^2}}{225x^2 \sqrt{c^2 x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{5x^5} \\ &= \frac{bc(225e^2 + 4c^2 d(6c^2 d + 25e)) \sqrt{-1 + c^2 x^2}}{225 \sqrt{c^2 x^2}} + \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{25x^4 \sqrt{c^2 x^2}} + \frac{2bcd(6c^2 d + 25e) \sqrt{-1 + c^2 x^2}}{225x^2 \sqrt{c^2 x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{5x^5} - \frac{e^2(a + b \sec^{-1}(cx))}{x} \end{aligned}$$

Mathematica [A]

time = 0.13, size = 127, normalized size = 0.69

$$\frac{-15a(3d^2 + 10dex^2 + 15e^2x^4) + bc\sqrt{1 - \frac{1}{c^2x^2}} x(225e^2x^4 + 50dex^2(1 + 2c^2x^2) + 3d^2(3 + 4c^2x^2 + 8c^4x^4)) - 15b(3d^2 + 10dex^2 + 15e^2x^4) \sec^{-1}(cx)}{225x^5}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^6,x]

[Out] (-15*a*(3*d^2 + 10*d*e*x^2 + 15*e^2*x^4) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(225*e^2*x^4 + 50*d*e*x^2*(1 + 2*c^2*x^2) + 3*d^2*(3 + 4*c^2*x^2 + 8*c^4*x^4)) - 15*b*(3*d^2 + 10*d*e*x^2 + 15*e^2*x^4)*ArcSec[c*x])/(225*x^5)

Maple [A]

time = 0.16, size = 191, normalized size = 1.04

| method | result |
|-------------------|--|
| derivativedivides | $c^5 \left(\frac{a \left(-\frac{2de}{3cx^3} - \frac{d^2}{5cx^5} - \frac{e^2}{cx} \right)}{c^4} + \frac{b \left(-\frac{2 \operatorname{arcsec}(cx)de}{3cx^3} - \frac{\operatorname{arcsec}(cx)d^2}{5cx^5} - \frac{\operatorname{arcsec}(cx)e^2}{cx} + \frac{(c^2x^2-1)(24c^8d^2x^4+100c^6dex^4+12c^6d^2x^2)}{225\sqrt{\frac{c^2x^2-1}{c^2x^2}}} \right)}{c^4} \right)$ |
| default | $c^5 \left(\frac{a \left(-\frac{2de}{3cx^3} - \frac{d^2}{5cx^5} - \frac{e^2}{cx} \right)}{c^4} + \frac{b \left(-\frac{2 \operatorname{arcsec}(cx)de}{3cx^3} - \frac{\operatorname{arcsec}(cx)d^2}{5cx^5} - \frac{\operatorname{arcsec}(cx)e^2}{cx} + \frac{(c^2x^2-1)(24c^8d^2x^4+100c^6dex^4+12c^6d^2x^2)}{225\sqrt{\frac{c^2x^2-1}{c^2x^2}}} \right)}{c^4} \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(a+b*arcsec(c*x))/x^6,x,method=_RETURNVERBOSE)

[Out] c^5*(a/c^4*(-2/3*c*d*e/x^3-1/5*c*d^2/x^5-e^2/c/x)+b/c^4*(-2/3*arcsec(c*x)/c*d*e/x^3-1/5*arcsec(c*x)/c*d^2/x^5-arcsec(c*x)*e^2/c/x+1/225*(c^2*x^2-1)*(2*4*c^8*d^2*x^4+100*c^6*d*e*x^4+12*c^6*d^2*x^2+225*c^4*e^2*x^4+50*c^4*d*e*x^2+9*c^4*d^2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^6/x^6))

Maxima [A]

time = 0.30, size = 181, normalized size = 0.99

$$\frac{1}{75}bd^2 \left(\frac{3c^6 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} - 10c^6 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} + 15c^6 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} - \frac{15 \operatorname{arcsec}(cx)}{x^5} \right) - \frac{2}{9}bd \left(\frac{c^4 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} - 3c^4 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} + \frac{3 \operatorname{arcsec}(cx)}{x^3} \right) e + \left(c \sqrt{-\frac{1}{c^2x^2} + 1} - \frac{\operatorname{arcsec}(cx)}{x} \right) be^2 - \frac{ae^2}{x} - \frac{2ade}{3x^3} - \frac{ad^2}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^6,x, algorithm="maxima")

[Out] $\frac{1}{75}bd^2\left(\frac{3c^6(-1/(c^2x^2)+1)^{5/2}-10c^6(-1/(c^2x^2)+1)^{3/2}+15c^6\sqrt{-1/(c^2x^2)+1}}{c}-15\operatorname{arcsec}(cx)/x^5\right)-\frac{2}{9}bd\left(\frac{c^4(-1/(c^2x^2)+1)^{3/2}-3c^4\sqrt{-1/(c^2x^2)+1}}{c}+3\operatorname{arcsec}(cx)/x^3\right)e+\frac{c\sqrt{-1/(c^2x^2)+1}-\operatorname{arcsec}(cx)/x}{b}e^2-\frac{ae^2}{x}-\frac{2}{3}ad^2e/x^3-\frac{1}{5}ad^2/x^5$

Fricas [A]

time = 3.97, size = 132, normalized size = 0.72

$$\frac{225ax^4e^2 + 150adx^2e + 45ad^2 + 15(15bx^4e^2 + 10bdx^2e + 3bd^2)\operatorname{arcsec}(cx) - (24bc^4d^2x^4 + 12bc^2d^2x^2 + 225bx^4e^2 + 9bd^2 + 50(2bc^2dx^4 + bdx^2)e)\sqrt{c^2x^2 - 1}}{225x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^6,x, algorithm="fricas")

[Out] $-\frac{1}{225}(225ax^4e^2 + 150ad^2x^2e + 45ad^2 + 15(15bx^4e^2 + 10bd^2x^2e + 3bd^2)\operatorname{arcsec}(cx) - (24b^2c^4d^2x^4 + 12b^2c^2d^2x^2 + 225b^2x^4e^2 + 9b^2d^2 + 50(2b^2c^2d^2x^4 + b^2d^2x^2)e)\sqrt{c^2x^2 - 1})/x^5$

Sympy [A]

time = 8.14, size = 333, normalized size = 1.82

$$\frac{ad^2}{5x^5} - \frac{2ade}{3x^3} - \frac{ae^2}{x} + bce^2\sqrt{1-\frac{1}{c^2x^2}} - \frac{bd^2\operatorname{asec}(cx)}{5x^5} - \frac{2bde\operatorname{asec}(cx)}{3x^3} - \frac{be^2\operatorname{asec}(cx)}{x} + \frac{bd^2\left(\begin{cases} \frac{8c^2\sqrt{c^2x^2-1}}{15x} + \frac{4c^2\sqrt{c^2x^2-1}}{15c^2} + \frac{c\sqrt{c^2x^2-1}}{3c} & \text{for } |c^2x^2| > 1 \\ \frac{8c^2\sqrt{-c^2x^2+1}}{15x} + \frac{4c^2\sqrt{-c^2x^2+1}}{15c^2} + \frac{c\sqrt{-c^2x^2+1}}{3c} & \text{otherwise} \end{cases}\right)}{5c} + \frac{2bde\left(\begin{cases} \frac{2c^2\sqrt{c^2x^2-1}}{3x} + \frac{c\sqrt{c^2x^2-1}}{3c^2} & \text{for } |c^2x^2| > 1 \\ \frac{2c^2\sqrt{-c^2x^2+1}}{3x} + \frac{c\sqrt{-c^2x^2+1}}{3c^2} & \text{otherwise} \end{cases}\right)}{3c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asec(c*x))/x**6,x)

[Out] $-ad^2/(5x^5) - 2ad^2e/(3x^3) - ae^2/x + b^2c^2e^2\sqrt{1-1/(c^2x^2)} - b^2d^2\operatorname{asec}(cx)/(5x^5) - 2b^2d^2e\operatorname{asec}(cx)/(3x^3) - b^2e^2\operatorname{asec}(cx)/x + b^2d^2\operatorname{Piecewise}\left(\frac{8c^2\sqrt{c^2x^2-1}}{15x} + \frac{4c^2\sqrt{c^2x^2-1}}{15c^2}, \operatorname{Abs}(c^2x^2) > 1\right), \frac{8c^2\sqrt{-c^2x^2+1}}{15x} + \frac{4c^2\sqrt{-c^2x^2+1}}{15c^2}, \operatorname{True})/(5c) + 2b^2d^2e\operatorname{Piecewise}\left(\frac{2c^2\sqrt{c^2x^2-1}}{3x} + \frac{c\sqrt{c^2x^2-1}}{3c^2}, \operatorname{Abs}(c^2x^2) > 1\right), \frac{2c^2\sqrt{-c^2x^2+1}}{3x} + \frac{c\sqrt{-c^2x^2+1}}{3c^2}, \operatorname{True})/(3c)$

Giac [A]

time = 0.42, size = 222, normalized size = 1.21

$$\frac{1}{225}\left(24bc^4d^2\sqrt{-\frac{1}{c^2x^2}+1} + 100bc^2de\sqrt{-\frac{1}{c^2x^2}+1} + 225bc^2\sqrt{\frac{1}{c^2x^2}+1} + \frac{12bc^2d^2\sqrt{-\frac{1}{c^2x^2}+1}}{x^2} - \frac{225bc^2\arccos\left(\frac{1}{c}\right)}{cx} + \frac{50bde\sqrt{-\frac{1}{c^2x^2}+1}}{x^2} - \frac{225ae^2}{cx} - \frac{150bde\arccos\left(\frac{1}{c}\right)}{cx^3} + \frac{9bd^2\sqrt{-\frac{1}{c^2x^2}+1}}{x^4} - \frac{150ade}{cx^3} - \frac{45bd^2\arccos\left(\frac{1}{c}\right)}{cx^5} - \frac{45ad^2}{cx^5}\right)e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^6,x, algorithm="giac")

[Out] 1/225*(24*b*c^4*d^2*sqrt(-1/(c^2*x^2) + 1) + 100*b*c^2*d*e*sqrt(-1/(c^2*x^2) + 1) + 225*b*e^2*sqrt(-1/(c^2*x^2) + 1) + 12*b*c^2*d^2*sqrt(-1/(c^2*x^2) + 1)/x^2 - 225*b*e^2*arccos(1/(c*x))/(c*x) + 50*b*d*e*sqrt(-1/(c^2*x^2) + 1)/x^2 - 225*a*e^2/(c*x) - 150*b*d*e*arccos(1/(c*x))/(c*x^3) + 9*b*d^2*sqrt(-1/(c^2*x^2) + 1)/x^4 - 150*a*d*e/(c*x^3) - 45*b*d^2*arccos(1/(c*x))/(c*x^5) - 45*a*d^2/(c*x^5))*c

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(ex^2 + d)^2 (a + b \operatorname{arccos}(\frac{1}{cx}))}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^2*(a + b*acos(1/(c*x))))/x^6,x)

[Out] int(((d + e*x^2)^2*(a + b*acos(1/(c*x))))/x^6, x)

$$3.86 \quad \int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^8} dx$$

Optimal. Leaf size=241

$$\frac{2bc^3(360c^4d^2 + 1176c^2de + 1225e^2) \sqrt{-1 + c^2x^2}}{11025\sqrt{c^2x^2}} + \frac{bcd^2 \sqrt{-1 + c^2x^2}}{49x^6 \sqrt{c^2x^2}} + \frac{2bcd(15c^2d + 49e) \sqrt{-1 + c^2x^2}}{1225x^4 \sqrt{c^2x^2}} + \frac{bc}{11025\sqrt{c^2x^2}}$$

[Out] $-1/7*d^2*(a+b*\text{arcsec}(c*x))/x^7-2/5*d*e*(a+b*\text{arcsec}(c*x))/x^5-1/3*e^2*(a+b*\text{arcsec}(c*x))/x^3+2/11025*b*c^3*(360*c^4*d^2+1176*c^2*d*e+1225*e^2)*(c^2*x^2-1)^{(1/2)}/(c^2*x^2)^{(1/2)}+1/49*b*c*d^2*(c^2*x^2-1)^{(1/2)}/x^6/(c^2*x^2)^{(1/2)}+2/1225*b*c*d*(15*c^2*d+49*e)*(c^2*x^2-1)^{(1/2)}/x^4/(c^2*x^2)^{(1/2)}+1/11025*b*c*(360*c^4*d^2+1176*c^2*d*e+1225*e^2)*(c^2*x^2-1)^{(1/2)}/x^2/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.14, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {276, 5346, 12, 1279, 464, 277, 270}

$$-\frac{d^2(a+b \sec^{-1}(cx))}{7x^7} - \frac{2de(a+b \sec^{-1}(cx))}{5x^5} - \frac{e^2(a+b \sec^{-1}(cx))}{3x^3} + \frac{bcd^2 \sqrt{c^2x^2-1}}{49x^6 \sqrt{c^2x^2}} + \frac{2bcd \sqrt{c^2x^2-1} (15c^2d+49e)}{1225x^4 \sqrt{c^2x^2}} + \frac{bc \sqrt{c^2x^2-1} (360c^4d^2+1176c^2de+1225e^2)}{11025x^2 \sqrt{c^2x^2}} + \frac{2bc^3 \sqrt{c^2x^2-1} (360c^4d^2+1176c^2de+1225e^2)}{11025 \sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^8,x]

[Out] $(2*b*c^3*(360*c^4*d^2 + 1176*c^2*d*e + 1225*e^2)*\text{Sqrt}[-1 + c^2*x^2])/((11025*\text{Sqrt}[c^2*x^2]) + (b*c*d^2*\text{Sqrt}[-1 + c^2*x^2]))/(49*x^6*\text{Sqrt}[c^2*x^2]) + (2*b*c*d*(15*c^2*d + 49*e)*\text{Sqrt}[-1 + c^2*x^2])/((1225*x^4*\text{Sqrt}[c^2*x^2]) + (b*c*(360*c^4*d^2 + 1176*c^2*d*e + 1225*e^2)*\text{Sqrt}[-1 + c^2*x^2]))/(11025*x^2*\text{Sqrt}[c^2*x^2]) - (d^2*(a + b*\text{ArcSec}[c*x]))/(7*x^7) - (2*d*e*(a + b*\text{ArcSec}[c*x]))/(5*x^5) - (e^2*(a + b*\text{ArcSec}[c*x]))/(3*x^3)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 270

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m+1)*((a + b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n + p + 1, 0] && NeQ[m, -1]

Rule 276

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&

IGtQ[p, 0]

Rule 277

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((
a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1
))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 464

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n
_)), x_Symbol] := Simp[c*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*e*(m + 1))),
x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*
x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c
- a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (
LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 1279

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c
_)*(x_)^4)^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 +
c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]},
Simp[R*(f*x)^(m + 1)*((d + e*x^2)^(q + 1)/(d*f*(m + 1))), x] + Dist[1/(d*f
^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[d*f*(m + 1)*(Qx/x)
- e*R*(m + 2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ
[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 5346

```
Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*((f_)*(x_))^(m_)*((d_) + (e_)*(x
_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{x^8} dx &= -\frac{d^2(a + b \sec^{-1}(cx))}{7x^7} - \frac{2de(a + b \sec^{-1}(cx))}{5x^5} - \frac{e^2(a + b \sec^{-1}(cx))}{3x^3} \\
&= -\frac{d^2(a + b \sec^{-1}(cx))}{7x^7} - \frac{2de(a + b \sec^{-1}(cx))}{5x^5} - \frac{e^2(a + b \sec^{-1}(cx))}{3x^3} \\
&= \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{49x^6 \sqrt{c^2 x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{7x^7} - \frac{2de(a + b \sec^{-1}(cx))}{5x^5} - \frac{e^2(a + b \sec^{-1}(cx))}{3x^3} \\
&= \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{49x^6 \sqrt{c^2 x^2}} + \frac{2bcd(15c^2 d + 49e) \sqrt{-1 + c^2 x^2}}{1225x^4 \sqrt{c^2 x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{7x^7} \\
&= \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{49x^6 \sqrt{c^2 x^2}} + \frac{2bcd(15c^2 d + 49e) \sqrt{-1 + c^2 x^2}}{1225x^4 \sqrt{c^2 x^2}} + \frac{bc(1225e^2 + 24c^2 d(15c^2 d + 49e)) \sqrt{-1 + c^2 x^2}}{11025 \sqrt{c^2 x^2}} + \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{49x^6 \sqrt{c^2 x^2}}
\end{aligned}$$

Mathematica [A]

time = 0.15, size = 153, normalized size = 0.63

$$\frac{-105a(15d^2 + 42dex^2 + 35e^2x^4) + bc\sqrt{1 - \frac{1}{c^2x^2}}x(1225e^2x^4(1 + 2c^2x^2) + 294dex^2(3 + 4c^2x^2 + 8c^4x^4) + 45d^2(5 + 6c^2x^2 + 8c^4x^4 + 16c^6x^6)) - 105b(15d^2 + 42dex^2 + 35e^2x^4)\sec^{-1}(cx)}{11025x^7}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^8,x]

[Out] $(-105*a*(15*d^2 + 42*d*e*x^2 + 35*e^2*x^4) + b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(1225*e^2*x^4*(1 + 2*c^2*x^2) + 294*d*e*x^2*(3 + 4*c^2*x^2 + 8*c^4*x^4) + 45*d^2*(5 + 6*c^2*x^2 + 8*c^4*x^4 + 16*c^6*x^6)) - 105*b*(15*d^2 + 42*d*e*x^2 + 35*e^2*x^4)*\text{ArcSec}[c*x])/(11025*x^7)$

Maple [A]

time = 0.16, size = 223, normalized size = 0.93

| method | result |
|-------------------|--|
| derivativedivides | $c^7 \left(\frac{a \left(-\frac{d^2}{7c^3x^7} - \frac{e^2}{3c^3x^3} - \frac{2de}{5c^3x^5} \right)}{c^4} + b \left(-\frac{\text{arcsec}(cx)d^2}{7c^3x^7} - \frac{\text{arcsec}(cx)e^2}{3c^3x^3} - \frac{2\text{arcsec}(cx)de}{5c^3x^5} + \frac{(c^2x^2 - 1)(720c^{10}d^2x^6 + 2352c^8dex^4 + 1225e^2x^4)}{11025x^7} \right) \right)$ |

| | |
|---------|--|
| default | $c^7 \left(\frac{a \left(-\frac{d^2}{7c^3 x^7} - \frac{e^2}{3c^3 x^3} - \frac{2de}{5c^3 x^5} \right)}{c^4} + \frac{b \left(-\frac{\operatorname{arcsec}(cx)d^2}{7c^3 x^7} - \frac{\operatorname{arcsec}(cx)e^2}{3c^3 x^3} - \frac{2 \operatorname{arcsec}(cx)de}{5c^3 x^5} + \frac{(c^2 x^2 - 1)(720c^{10}d^2 x^6 + 2352c^8 de x^6 + \dots}{c^4} \right)}{c^4} \right)$ |
|---------|--|

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arcsec(c*x))/x^8,x,method=_RETURNVERBOSE)`

[Out] $c^7 * (a/c^4 * (-1/7/c^3 * d^2/x^7 - 1/3 * e^2/c^3/x^3 - 2/5/c^3 * d * e/x^5) + b/c^4 * (-1/7 * a \operatorname{rcsec}(c*x)/c^3 * d^2/x^7 - 1/3 * \operatorname{arcsec}(c*x) * e^2/c^3/x^3 - 2/5 * \operatorname{arcsec}(c*x)/c^3 * d * e/x^5 + 1/11025 * (c^2 * x^2 - 1) * (720 * c^{10} * d^2 * x^6 + 2352 * c^8 * d * e * x^6 + 360 * c^8 * d^2 * x^4 + 2450 * c^6 * e^2 * x^6 + 1176 * c^6 * d * e * x^4 + 270 * c^6 * d^2 * x^2 + 1225 * c^4 * e^2 * x^4 + 882 * c^4 * d * e * x^2 + 225 * c^4 * d^2) / ((c^2 * x^2 - 1)/c^2/x^2)^{(1/2)}/c^8/x^8)$

Maxima [A]

time = 0.28, size = 241, normalized size = 1.00

$$-\frac{1}{245} b d^2 \left(\frac{5c^8(-\frac{1}{c^2x^2} + 1)^{5/2} - 21c^8(-\frac{1}{c^2x^2} + 1)^{3/2} + 35c^8 \sqrt{-\frac{1}{c^2x^2} + 1} + 35 \operatorname{arcsec}(cx)}{c} \right) + \frac{2}{75} b d \left(\frac{3c^6(-\frac{1}{c^2x^2} + 1)^{5/2} - 10c^6(-\frac{1}{c^2x^2} + 1)^{3/2} + 15c^6 \sqrt{-\frac{1}{c^2x^2} + 1} - 15 \operatorname{arcsec}(cx)}{c} \right) - \frac{1}{9} b \left(\frac{c^4(-\frac{1}{c^2x^2} + 1)^{3/2} - 3c^4 \sqrt{-\frac{1}{c^2x^2} + 1} + 3 \operatorname{arcsec}(cx)}{c} \right) e^2 - \frac{a e^2}{3x^3} - \frac{2 a d e}{5x^5} - \frac{a d^2}{7x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^8,x, algorithm="maxima")`

[Out] $-1/245 * b * d^2 * ((5 * c^8 * (-1/(c^2 * x^2) + 1)^{(7/2)} - 21 * c^8 * (-1/(c^2 * x^2) + 1)^{(5/2)} + 35 * c^8 * (-1/(c^2 * x^2) + 1)^{(3/2)} - 35 * c^8 * \operatorname{sqrt}(-1/(c^2 * x^2) + 1)) / c + 35 * \operatorname{arcsec}(c * x) / x^7) + 2/75 * b * d * ((3 * c^6 * (-1/(c^2 * x^2) + 1)^{(5/2)} - 10 * c^6 * (-1/(c^2 * x^2) + 1)^{(3/2)} + 15 * c^6 * \operatorname{sqrt}(-1/(c^2 * x^2) + 1)) / c - 15 * \operatorname{arcsec}(c * x) / x^5) * e - 1/9 * b * ((c^4 * (-1/(c^2 * x^2) + 1)^{(3/2)} - 3 * c^4 * \operatorname{sqrt}(-1/(c^2 * x^2) + 1)) / c + 3 * \operatorname{arcsec}(c * x) / x^3) * e^2 - 1/3 * a * e^2 / x^3 - 2/5 * a * d * e / x^5 - 1/7 * a * d^2 / x^7$

Fricas [A]

time = 3.15, size = 166, normalized size = 0.69

$$\frac{3675 a x^4 e^2 + 4410 a d x^2 e + 1575 a d^2 + 105 (35 b x^4 e^2 + 42 b d x^2 e + 15 b d^2) \operatorname{arcsec}(c x) - (720 b c^6 d^2 x^6 + 360 b c^4 d^2 x^4 + 270 b c^2 d^2 x^2 + 225 b d^2 + 1225 (2 b c^2 x^6 + b x^4) e^2 + 294 (8 b c^4 d x^6 + 4 b c^2 d x^4 + 3 b d x^2) e) \sqrt{c^2 x^2 - 1}}{11025 x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^8,x, algorithm="fricas")`

[Out] $-1/11025 * (3675 * a * x^4 * e^2 + 4410 * a * d * x^2 * e + 1575 * a * d^2 + 105 * (35 * b * x^4 * e^2 + 42 * b * d * x^2 * e + 15 * b * d^2) * \operatorname{arcsec}(c * x) - (720 * b * c^6 * d^2 * x^6 + 360 * b * c^4 * d^2 * x^4 + 270 * b * c^2 * d^2 * x^2 + 225 * b * d^2 + 1225 * (2 * b * c^2 * x^6 + b * x^4) * e^2 + 294 * (8 * b * c^4 * d * x^6 + 4 * b * c^2 * d * x^4 + 3 * b * d * x^2) * e) * \operatorname{sqrt}(c^2 * x^2 - 1)) / x^7$

Sympy [A]

time = 41.26, size = 508, normalized size = 2.11

$$\frac{ad^2}{7c^2} - \frac{2bde}{5c^2} - \frac{ae^2}{3c^2} - \frac{bd^2 \operatorname{asec}(cx)}{7c^2} - \frac{2bde \operatorname{asec}(cx)}{5c^2} - \frac{be^2 \operatorname{asec}(cx)}{3c^2} + \frac{bd^2 \left(\left(\frac{bc\sqrt{c^2x^2-1}}{3c} + \frac{bc\sqrt{c^2x^2-1}}{3c} + \frac{bc\sqrt{c^2x^2-1}}{3c} + \frac{bc\sqrt{c^2x^2-1}}{3c} \right) \text{ for } |c^2x^2| > 1 \right)}{\left(\frac{bc\sqrt{-c^2x^2+1}}{3c} + \frac{bc\sqrt{-c^2x^2+1}}{3c} + \frac{bc\sqrt{-c^2x^2+1}}{3c} + \frac{bc\sqrt{-c^2x^2+1}}{3c} \right)} + \frac{2bde \left(\left(\frac{bc\sqrt{c^2x^2-1}}{3c} + \frac{bc\sqrt{c^2x^2-1}}{3c} + \frac{bc\sqrt{c^2x^2-1}}{3c} \right) \text{ for } |c^2x^2| > 1 \right)}{\left(\frac{bc\sqrt{-c^2x^2+1}}{3c} + \frac{bc\sqrt{-c^2x^2+1}}{3c} + \frac{bc\sqrt{-c^2x^2+1}}{3c} \right)} + \frac{bd^2 \left(\left(\frac{bc\sqrt{c^2x^2-1}}{3c} + \frac{bc\sqrt{c^2x^2-1}}{3c} \right) \text{ for } |c^2x^2| > 1 \right)}{\left(\frac{bc\sqrt{-c^2x^2+1}}{3c} + \frac{bc\sqrt{-c^2x^2+1}}{3c} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asec(c*x))/x**8,x)

[Out] $-a*d**2/(7*x**7) - 2*a*d*e/(5*x**5) - a*e**2/(3*x**3) - b*d**2*asec(c*x)/(7*x**7) - 2*b*d*e*asec(c*x)/(5*x**5) - b*e**2*asec(c*x)/(3*x**3) + b*d**2*Piecewise((16*c**7*sqrt(c**2*x**2 - 1)/(35*x) + 8*c**5*sqrt(c**2*x**2 - 1)/(35*x**3) + 6*c**3*sqrt(c**2*x**2 - 1)/(35*x**5) + c*sqrt(c**2*x**2 - 1)/(7*x**7), Abs(c**2*x**2) > 1), (16*I*c**7*sqrt(-c**2*x**2 + 1)/(35*x) + 8*I*c**5*sqrt(-c**2*x**2 + 1)/(35*x**3) + 6*I*c**3*sqrt(-c**2*x**2 + 1)/(35*x**5) + I*c*sqrt(-c**2*x**2 + 1)/(7*x**7), True))/(7*c) + 2*b*d*e*Piecewise((8*c**5*sqrt(c**2*x**2 - 1)/(15*x) + 4*c**3*sqrt(c**2*x**2 - 1)/(15*x**3) + c*sqrt(c**2*x**2 - 1)/(5*x**5), Abs(c**2*x**2) > 1), (8*I*c**5*sqrt(-c**2*x**2 + 1)/(15*x) + 4*I*c**3*sqrt(-c**2*x**2 + 1)/(15*x**3) + I*c*sqrt(-c**2*x**2 + 1)/(5*x**5), True))/(5*c) + b*e**2*Piecewise((2*c**3*sqrt(c**2*x**2 - 1)/(3*x) + c*sqrt(c**2*x**2 - 1)/(3*x**3), Abs(c**2*x**2) > 1), (2*I*c**3*sqrt(-c**2*x**2 + 1)/(3*x) + I*c*sqrt(-c**2*x**2 + 1)/(3*x**3), True))/(3*c)$

Giac [A]

time = 0.45, size = 293, normalized size = 1.22

$$\frac{1}{11025} \left(720 b^6 d^6 \sqrt{-\frac{1}{c^2 x^2} + 1} + 2352 b^6 d^4 \sqrt{-\frac{1}{c^2 x^2} + 1} + 2450 b^6 d^2 \sqrt{-\frac{1}{c^2 x^2} + 1} + \frac{360 b^6 d^6 \sqrt{-\frac{1}{c^2 x^2} + 1}}{x^2} + \frac{1176 b^6 d^4 \sqrt{-\frac{1}{c^2 x^2} + 1}}{x^2} + \frac{270 b^6 d^2 \sqrt{-\frac{1}{c^2 x^2} + 1}}{x^2} + \frac{1225 b^6 \sqrt{-\frac{1}{c^2 x^2} + 1}}{x^2} - \frac{3675 b^6 \arccos\left(\frac{1}{c x}\right)}{c x^2} + \frac{882 b^6 d^6 \sqrt{-\frac{1}{c^2 x^2} + 1}}{x^2} - \frac{3675 a e^2}{c x^2} - \frac{4410 b d^6 \arccos\left(\frac{1}{c x}\right)}{c x^2} + \frac{225 b^6 d^2 \sqrt{-\frac{1}{c^2 x^2} + 1}}{x^2} - \frac{4410 a d^6}{c x^2} - \frac{1575 b^6 \arccos\left(\frac{1}{c x}\right)}{c x^2} - \frac{1575 a d^6}{c x^2} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^8,x, algorithm="giac")

[Out] $1/11025*(720*b*c^6*d^2*sqrt(-1/(c^2*x^2) + 1) + 2352*b*c^4*d*e*sqrt(-1/(c^2*x^2) + 1) + 2450*b*c^2*e^2*sqrt(-1/(c^2*x^2) + 1) + 360*b*c^4*d^2*sqrt(-1/(c^2*x^2) + 1)/x^2 + 1176*b*c^2*d*e*sqrt(-1/(c^2*x^2) + 1)/x^2 + 270*b*c^2*d^2*sqrt(-1/(c^2*x^2) + 1)/x^4 + 1225*b*e^2*sqrt(-1/(c^2*x^2) + 1)/x^2 - 3675*b*e^2*arccos(1/(c*x))/(c*x^3) + 882*b*d*e*sqrt(-1/(c^2*x^2) + 1)/x^4 - 3675*a*e^2/(c*x^3) - 4410*b*d*e*arccos(1/(c*x))/(c*x^5) + 225*b*d^2*sqrt(-1/(c^2*x^2) + 1)/x^6 - 4410*a*d*e/(c*x^5) - 1575*b*d^2*arccos(1/(c*x))/(c*x^7) - 1575*a*d^2/(c*x^7))*c$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e x^2 + d)^2 \left(a + b \operatorname{acos}\left(\frac{1}{c x}\right) \right)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d + e*x^2)^2*(a + b*acos(1/(c*x))))/x^8,x)
```

```
[Out] int(((d + e*x^2)^2*(a + b*acos(1/(c*x))))/x^8, x)
```

3.87 $\int x^3(d + ex^2)^2 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=242

$$\frac{b(6c^4d^2 + 8c^2de + 3e^2)x\sqrt{-1 + c^2x^2}}{24c^7\sqrt{c^2x^2}} - \frac{b(6c^4d^2 + 16c^2de + 9e^2)x(-1 + c^2x^2)^{3/2}}{72c^7\sqrt{c^2x^2}} - \frac{be(8c^2d + 9e)x(-1 + c^2x^2)^{5/2}}{120c^7\sqrt{c^2x^2}}$$

[Out] $\frac{1}{4}d^2x^4(a + b \operatorname{arcsec}(cx)) + \frac{1}{3}d^2ex^6(a + b \operatorname{arcsec}(cx)) + \frac{1}{8}e^2x^8(a + b \operatorname{arcsec}(cx)) - \frac{1}{72}b(6c^4d^2 + 16c^2de + 9e^2)x(c^2x^2 - 1)^{3/2}/c^7 - \frac{1}{120}b(8c^2d + 9e)x(c^2x^2 - 1)^{5/2}/c^7 - \frac{1}{56}b^2e^2x^2(c^2x^2 - 1)^{7/2}/c^7 - \frac{1}{24}b(6c^4d^2 + 8c^2de + 3e^2)x(c^2x^2 - 1)^{1/2}/c^7 - \frac{1}{24}b(6c^4d^2 + 8c^2de + 3e^2)x(c^2x^2 - 1)^{1/2}/c^7 - \frac{1}{24}b(6c^4d^2 + 8c^2de + 3e^2)x(c^2x^2 - 1)^{1/2}/c^7$

Rubi [A]

time = 0.16, antiderivative size = 242, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {272, 45, 5346, 12, 1265, 785}

$$\frac{1}{4}d^2x^4(a + b \sec^{-1}(cx)) + \frac{1}{3}dex^6(a + b \sec^{-1}(cx)) + \frac{1}{8}e^2x^8(a + b \sec^{-1}(cx)) - \frac{bx(c^2x^2 - 1)^{5/2}(8c^2d + 9e)}{120c^7\sqrt{c^2x^2}} - \frac{b^2e^2x^2(c^2x^2 - 1)^{7/2}}{56c^7\sqrt{c^2x^2}} - \frac{bx(c^2x^2 - 1)^{3/2}(6c^4d^2 + 16c^2de + 9e^2)}{72c^7\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2 - 1}(6c^4d^2 + 8c^2de + 3e^2)}{24c^7\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] `Int[x^3*(d + e*x^2)^2*(a + b*ArcSec[c*x]),x]`

[Out] $-\frac{1}{24}b(6c^4d^2 + 8c^2de + 3e^2)x\sqrt{-1 + c^2x^2}/(c^7\sqrt{c^2x^2}) - \frac{b(6c^4d^2 + 16c^2de + 9e^2)x(-1 + c^2x^2)^{3/2}}{72c^7\sqrt{c^2x^2}} - \frac{b^2e^2x^2(-1 + c^2x^2)^{7/2}}{56c^7\sqrt{c^2x^2}} - \frac{bx(c^2x^2 - 1)^{3/2}(6c^4d^2 + 16c^2de + 9e^2)}{72c^7\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2 - 1}(6c^4d^2 + 8c^2de + 3e^2)}{24c^7\sqrt{c^2x^2}} + \frac{d^2x^4(a + b \operatorname{ArcSec}[c*x])}{4} + \frac{d^2ex^6(a + b \operatorname{ArcSec}[c*x])}{3} + \frac{e^2x^8(a + b \operatorname{ArcSec}[c*x])}{8}$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 45

`Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])`

Rule 272

`Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b`

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 785

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rule 1265

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rule 5346

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rubi steps

$$\begin{aligned}
 \int x^3(d + ex^2)^2(a + b \sec^{-1}(cx)) dx &= \frac{1}{4}d^2x^4(a + b \sec^{-1}(cx)) + \frac{1}{3}dex^6(a + b \sec^{-1}(cx)) + \frac{1}{8}e^2x^8(a + b \sec^{-1}(cx)) \\
 &= \frac{1}{4}d^2x^4(a + b \sec^{-1}(cx)) + \frac{1}{3}dex^6(a + b \sec^{-1}(cx)) + \frac{1}{8}e^2x^8(a + b \sec^{-1}(cx)) \\
 &= \frac{1}{4}d^2x^4(a + b \sec^{-1}(cx)) + \frac{1}{3}dex^6(a + b \sec^{-1}(cx)) + \frac{1}{8}e^2x^8(a + b \sec^{-1}(cx)) \\
 &= \frac{1}{4}d^2x^4(a + b \sec^{-1}(cx)) + \frac{1}{3}dex^6(a + b \sec^{-1}(cx)) + \frac{1}{8}e^2x^8(a + b \sec^{-1}(cx)) \\
 &= \frac{b(6c^4d^2 + 8c^2de + 3e^2)x\sqrt{-1 + c^2x^2}}{24c^7\sqrt{c^2x^2}} - \frac{b(6c^4d^2 + 16c^2de + 9e^2)x}{72c^7\sqrt{c^2x^2}}
 \end{aligned}$$

Mathematica [A]

time = 0.22, size = 162, normalized size = 0.67

$$\frac{1}{24}ax^4(6d^2 + 8dex^2 + 3e^2x^4) - \frac{b\sqrt{1 - \frac{1}{c^2x^2}}x(144e^2 + 8c^2e(56d + 9ex^2) + c^4(420d^2 + 224dex^2 + 54e^2x^4) + 3c^6(70d^2x^2 + 56dex^4 + 15e^2x^6))}{2520c^7} + \frac{1}{24}bx^4(6d^2 + 8dex^2 + 3e^2x^4) \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(d + e*x^2)^2*(a + b*ArcSec[c*x]), x]

[Out] (a*x^4*(6*d^2 + 8*d*e*x^2 + 3*e^2*x^4))/24 - (b*sqrt[1 - 1/(c^2*x^2)]*x*(14*4*e^2 + 8*c^2*e*(56*d + 9*e*x^2) + c^4*(420*d^2 + 224*d*e*x^2 + 54*e^2*x^4) + 3*c^6*(70*d^2*x^2 + 56*d*e*x^4 + 15*e^2*x^6)))/(2520*c^7) + (b*x^4*(6*d^2 + 8*d*e*x^2 + 3*e^2*x^4)*ArcSec[c*x])/24

Maple [A]

time = 0.24, size = 214, normalized size = 0.88

| method | result |
|-------------------|--|
| derivativedivides | $\frac{a\left(\frac{1}{4}c^8d^2x^4 + \frac{1}{3}c^8dex^6 + \frac{1}{8}e^2c^8x^8\right)}{c^4} + \frac{b\left(\frac{\operatorname{arcsec}(cx)d^2c^8x^4}{4} + \frac{\operatorname{arcsec}(cx)dc^8ex^6}{3} + \frac{\operatorname{arcsec}(cx)e^2c^8x^8}{8} - \frac{(c^2x^2-1)(45c^6e^2x^6+168c^6dex^4+210c^6d^2x^2+54c^6e^2x^4+224c^4d^2ex^2+420c^4d^2+72c^2e^2x^2+448c^2de+144e^2)}{c^4}\right)}{c^4}$ |
| default | $\frac{a\left(\frac{1}{4}c^8d^2x^4 + \frac{1}{3}c^8dex^6 + \frac{1}{8}e^2c^8x^8\right)}{c^4} + \frac{b\left(\frac{\operatorname{arcsec}(cx)d^2c^8x^4}{4} + \frac{\operatorname{arcsec}(cx)dc^8ex^6}{3} + \frac{\operatorname{arcsec}(cx)e^2c^8x^8}{8} - \frac{(c^2x^2-1)(45c^6e^2x^6+168c^6dex^4+210c^6d^2x^2+54c^6e^2x^4+224c^4d^2ex^2+420c^4d^2+72c^2e^2x^2+448c^2de+144e^2)}{c^4}\right)}{c^4}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d)^2*(a+b*arcsec(c*x)), x, method=_RETURNVERBOSE)

[Out] 1/c^4*(a/c^4*(1/4*c^8*d^2*x^4+1/3*c^8*d*e*x^6+1/8*e^2*c^8*x^8)+b/c^4*(1/4*a*rcsec(c*x)*d^2*c^8*x^4+1/3*arcsec(c*x)*d*c^8*e*x^6+1/8*arcsec(c*x)*e^2*c^8*x^8-1/2520*(c^2*x^2-1)*(45*c^6*e^2*x^6+168*c^6*d*e*x^4+210*c^6*d^2*x^2+54*c^6*e^2*x^4+224*c^4*d^2*e*x^2+420*c^4*d^2+72*c^2*e^2*x^2+448*c^2*d*e+144*e^2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x))

Maxima [A]

time = 0.27, size = 256, normalized size = 1.06

$$\frac{1}{8}ax^4e^2 + \frac{1}{3}ade^2e + \frac{1}{4}af^2e^4 + \frac{1}{12}\left(3x^3\operatorname{arccsc}(cx) - \frac{c^2x^2(-\frac{1}{2bx}+1)^2+3x\sqrt{\frac{1}{c^2x^2}+1}}{c}\right)bx^2 + \frac{1}{35}\left(15x^3\operatorname{arccsc}(cx) - \frac{3c^2x^2(-\frac{1}{2bx}+1)^2+10c^2x^2(-\frac{1}{2bx}+1)^2+15x\sqrt{\frac{1}{c^2x^2}+1}}{c}\right)bx^2 + \frac{1}{280}\left(35x^3\operatorname{arccsc}(cx) - \frac{5c^2x^2(-\frac{1}{2bx}+1)^2+21c^2x^2(-\frac{1}{2bx}+1)^2+35x\sqrt{\frac{1}{c^2x^2}+1}}{c}\right)bx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^2*(a+b*arcsec(c*x)), x, algorithm="maxima")

[Out] $\frac{1}{8}ax^8e^2 + \frac{1}{3}ad^2x^6e + \frac{1}{4}a^2d^2x^4 + \frac{1}{12}(3x^4\operatorname{arcsec}(cx) - (c^2x^3(-1/(c^2x^2) + 1)^{3/2} + 3x\sqrt{-1/(c^2x^2) + 1})/c^3)bd^2 + \frac{1}{45}(15x^6\operatorname{arcsec}(cx) - (3c^4x^5(-1/(c^2x^2) + 1)^{5/2} + 10c^2x^3(-1/(c^2x^2) + 1)^{3/2} + 15x\sqrt{-1/(c^2x^2) + 1})/c^5)bd^2e + \frac{1}{280}(35x^8\operatorname{arcsec}(cx) - (5c^6x^7(-1/(c^2x^2) + 1)^{7/2} + 21c^4x^5(-1/(c^2x^2) + 1)^{5/2} + 35c^2x^3(-1/(c^2x^2) + 1)^{3/2} + 35x\sqrt{-1/(c^2x^2) + 1})/c^7)be^2$

Fricas [A]

time = 3.03, size = 185, normalized size = 0.76

$$\frac{315ac^8x^8e^2 + 840ac^8dx^6e + 630ac^8d^2x^4 + 105(3bc^8x^8e^2 + 8bc^8dx^6e + 6bc^8d^2x^4)\operatorname{arcsec}(cx) - (210bc^6d^2x^2 + 420bc^4d^2 + 9(5bc^6x^6 + 6bc^4x^4 + 8bc^2x^2 + 16b)e^2 + 56(3bc^6dx^4 + 4bc^4dx^2 + 8bc^2d)e)\sqrt{c^2x^2 - 1}}{2520c^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{2520}(315ac^8x^8e^2 + 840ac^8d^2x^6e + 630ac^8d^2x^4 + 105(3bc^8x^8e^2 + 8bc^8dx^6e + 6bc^8d^2x^4)\operatorname{arcsec}(cx) - (210bc^6d^2x^2 + 420bc^4d^2 + 9(5bc^6x^6 + 6bc^4x^4 + 8bc^2x^2 + 16b)e^2 + 56(3bc^6dx^4 + 4bc^4dx^2 + 8bc^2d)e)\sqrt{c^2x^2 - 1})/c^8$

Sympy [A]

time = 6.74, size = 493, normalized size = 2.04

$$\frac{ad^2x^4}{4} + \frac{ad^2x^4}{3} + \frac{ad^2x^4}{8} + \frac{bd^2x^4\operatorname{asec}(cx)}{4} + \frac{bd^2x^4\operatorname{asec}(cx)}{3} + \frac{bd^2x^4\operatorname{asec}(cx)}{8} - \frac{\operatorname{atan}\left(\frac{x\sqrt{c^2x^2-1} + \sqrt{c^2x^2-1}}{3c}\right)}{4c} - \frac{\operatorname{atan}\left(\frac{x\sqrt{c^2x^2-1} + \frac{x\sqrt{c^2x^2-1} + \sqrt{c^2x^2-1}}{3c}}{\frac{x\sqrt{-c^2x^2+1} + \sqrt{-c^2x^2+1}}{3c}}\right)}{4c} - \frac{\operatorname{atan}\left(\frac{x\sqrt{c^2x^2-1} + \frac{x\sqrt{c^2x^2-1} + \sqrt{c^2x^2-1}}{3c}}{\frac{x\sqrt{-c^2x^2+1} + \frac{x\sqrt{-c^2x^2+1} + \sqrt{-c^2x^2+1}}{3c}}\right)}{8c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(e*x**2+d)**2*(a+b*asec(c*x)),x)`

[Out] $a*d**2*x**4/4 + a*d*e*x**6/3 + a*e**2*x**8/8 + b*d**2*x**4*asec(c*x)/4 + b*d*e*x**6*asec(c*x)/3 + b*e**2*x**8*asec(c*x)/8 - b*d**2*Piecewise((x**2*\sqrt{c**2*x**2 - 1}/(3*c) + 2*\sqrt{c**2*x**2 - 1}/(3*c**3), \operatorname{Abs}(c**2*x**2) > 1), (I*x**2*\sqrt{-c**2*x**2 + 1}/(3*c) + 2*I*\sqrt{-c**2*x**2 + 1}/(3*c**3), \operatorname{True}))/ (4*c) - b*d*e*Piecewise((x**4*\sqrt{c**2*x**2 - 1}/(5*c) + 4*x**2*\sqrt{c**2*x**2 - 1}/(15*c**3) + 8*\sqrt{c**2*x**2 - 1}/(15*c**5), \operatorname{Abs}(c**2*x**2) > 1), (I*x**4*\sqrt{-c**2*x**2 + 1}/(5*c) + 4*I*x**2*\sqrt{-c**2*x**2 + 1}/(15*c**3) + 8*I*\sqrt{-c**2*x**2 + 1}/(15*c**5), \operatorname{True}))/ (3*c) - b*e**2*Piecewise((x**6*\sqrt{c**2*x**2 - 1}/(7*c) + 6*x**4*\sqrt{c**2*x**2 - 1}/(35*c**3) + 8*x**2*\sqrt{c**2*x**2 - 1}/(35*c**5) + 16*\sqrt{c**2*x**2 - 1}/(35*c**7), \operatorname{Abs}(c**2*x**2) > 1), (I*x**6*\sqrt{-c**2*x**2 + 1}/(7*c) + 6*I*x**4*\sqrt{-c**2*x**2 + 1}/(35*c**3) + 8*I*x**2*\sqrt{-c**2*x**2 + 1}/(35*c**5) + 16*I*\sqrt{-c**2*x**2 + 1}/(35*c**7), \operatorname{True}))/ (8*c)$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 17666 vs. 2(212) = 424.

time = 0.64, size = 17666, normalized size = 73.00

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out]
$$\frac{1}{2520} \cdot (630 \cdot b \cdot c^4 \cdot d^2 \cdot \arccos(1/(c \cdot x)) / (c^9 + 8 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)) / (1/(c \cdot x) + 1)^2 + 28 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^2 / (1/(c \cdot x) + 1)^4 + 56 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^3 / (1/(c \cdot x) + 1)^6 + 70 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^4 / (1/(c \cdot x) + 1)^8 + 56 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^5 / (1/(c \cdot x) + 1)^{10} + 28 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^6 / (1/(c \cdot x) + 1)^{12} + 8 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^7 / (1/(c \cdot x) + 1)^{14} + c^9 \cdot (1/(c^2 \cdot x^2) - 1)^8 / (1/(c \cdot x) + 1)^{16}) + 630 \cdot a \cdot c^4 \cdot d^2 / (c^9 + 8 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)) / (1/(c \cdot x) + 1)^2 + 28 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^2 / (1/(c \cdot x) + 1)^4 + 56 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^3 / (1/(c \cdot x) + 1)^6 + 70 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^4 / (1/(c \cdot x) + 1)^8 + 56 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^5 / (1/(c \cdot x) + 1)^{10} + 28 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^6 / (1/(c \cdot x) + 1)^{12} + 8 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^7 / (1/(c \cdot x) + 1)^{14} + c^9 \cdot (1/(c^2 \cdot x^2) - 1)^8 / (1/(c \cdot x) + 1)^{16}) - 1260 \cdot b \cdot c^4 \cdot d^2 \cdot \sqrt{-1/(c^2 \cdot x^2) + 1} / ((c^9 + 8 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)) / (1/(c \cdot x) + 1)^2 + 28 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^2 / (1/(c \cdot x) + 1)^4 + 56 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^3 / (1/(c \cdot x) + 1)^6 + 70 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^4 / (1/(c \cdot x) + 1)^8 + 56 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^5 / (1/(c \cdot x) + 1)^{10} + 28 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^6 / (1/(c \cdot x) + 1)^{12} + 8 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^7 / (1/(c \cdot x) + 1)^{14} + c^9 \cdot (1/(c^2 \cdot x^2) - 1)^8 / (1/(c \cdot x) + 1)^{16}) \cdot (1/(c \cdot x) + 1) + 840 \cdot b \cdot c^2 \cdot d \cdot e \cdot \arccos(1/(c \cdot x)) / (c^9 + 8 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)) / (1/(c \cdot x) + 1)^2 + 28 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^2 / (1/(c \cdot x) + 1)^4 + 56 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^3 / (1/(c \cdot x) + 1)^6 + 70 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^4 / (1/(c \cdot x) + 1)^8 + 56 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^5 / (1/(c \cdot x) + 1)^{10} + 28 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^6 / (1/(c \cdot x) + 1)^{12} + 8 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^7 / (1/(c \cdot x) + 1)^{14} + c^9 \cdot (1/(c^2 \cdot x^2) - 1)^8 / (1/(c \cdot x) + 1)^{16}) - 2520 \cdot b \cdot c^4 \cdot d^2 \cdot (1/(c^2 \cdot x^2) - 1)^2 \cdot \arccos(1/(c \cdot x)) / ((c^9 + 8 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)) / (1/(c \cdot x) + 1)^2 + 28 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^2 / (1/(c \cdot x) + 1)^4 + 56 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^3 / (1/(c \cdot x) + 1)^6 + 70 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^4 / (1/(c \cdot x) + 1)^8 + 56 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^5 / (1/(c \cdot x) + 1)^{10} + 28 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^6 / (1/(c \cdot x) + 1)^{12} + 8 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^7 / (1/(c \cdot x) + 1)^{14} + c^9 \cdot (1/(c^2 \cdot x^2) - 1)^8 / (1/(c \cdot x) + 1)^{16}) \cdot (1/(c \cdot x) + 1)^4 + 7140 \cdot b \cdot c^4 \cdot d^2 \cdot (-1/(c^2 \cdot x^2) + 1)^{(3/2)} / ((c^9 + 8 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)) / (1/(c \cdot x) + 1)^2 + 28 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^2 / (1/(c \cdot x) + 1)^4 + 56 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^3 / (1/(c \cdot x) + 1)^6 + 70 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^4 / (1/(c \cdot x) + 1)^8 + 56 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^5 / (1/(c \cdot x) + 1)^{10} + 28 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^6 / (1/(c \cdot x) + 1)^{12} + 8 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^7 / (1/(c \cdot x) + 1)^{14} + c^9 \cdot (1/(c^2 \cdot x^2) - 1)^8 / (1/(c \cdot x) + 1)^{16}) \cdot (1/(c \cdot x) + 1)^3 + 840 \cdot a \cdot c^2 \cdot d \cdot e / (c^9 + 8 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)) / (1/(c \cdot x) + 1)^2 + 28 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^2 / (1/(c \cdot x) + 1)^4 + 56 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^3 / (1/(c \cdot x) + 1)^6 + 70 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^4 / (1/(c \cdot x) + 1)^8 + 56 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^5 / (1/(c \cdot x) + 1)^{10} + 28 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^6 / (1/(c \cdot x) + 1)^{12} + 8 \cdot c^9 \cdot (1/(c^2 \cdot x^2) - 1)^7 / (1/(c \cdot x) + 1)^{14} + c^9 \cdot (1/(c^2 \cdot x^2) - 1)^8 / (1/(c \cdot x) + 1)^{16}) - 2520 \cdot a \cdot c^4 \cdot d^2 \cdot (1/$$

$$\begin{aligned}
& (c^2x^2 - 1)^2 / ((c^9 + 8c^9(1/(c^2x^2) - 1)) / (1/(cx) + 1)^2 + 28c^9 * \\
& 1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 + 56c^9(1/(c^2x^2) - 1)^3 / (1/(cx) + \\
& 1)^6 + 70c^9(1/(c^2x^2) - 1)^4 / (1/(cx) + 1)^8 + 56c^9(1/(c^2x^2) - 1) \\
&)^5 / (1/(cx) + 1)^{10} + 28c^9(1/(c^2x^2) - 1)^6 / (1/(cx) + 1)^{12} + 8c^9 * \\
& (1/(c^2x^2) - 1)^7 / (1/(cx) + 1)^{14} + c^9(1/(c^2x^2) - 1)^8 / (1/(cx) + 1) \\
&)^{16} * (1/(cx) + 1)^4 - 3360 * b * c^2 * d * e * (1/(c^2x^2) - 1) * \arccos(1/(cx)) / (\\
& (c^9 + 8c^9(1/(c^2x^2) - 1)) / (1/(cx) + 1)^2 + 28c^9(1/(c^2x^2) - 1)^2 \\
& / (1/(cx) + 1)^4 + 56c^9(1/(c^2x^2) - 1)^3 / (1/(cx) + 1)^6 + 70c^9(1/(\\
& c^2x^2) - 1)^4 / (1/(cx) + 1)^8 + 56c^9(1/(c^2x^2) - 1)^5 / (1/(cx) + 1)^{10} \\
& + 28c^9(1/(c^2x^2) - 1)^6 / (1/(cx) + 1)^{12} + 8c^9(1/(c^2x^2) - 1)^7 / (1/(cx) + 1)^{14} + c^9 * (1/(\\
& c^2x^2) - 1)^8 / (1/(cx) + 1)^{16} * (1/(cx) + 1)^2 - 1680 * b * c^2 * d * e * \sqrt{-1/(c^2x^2) + 1} / ((c^9 + 8c^9(1/(c^2x^2) - 1) \\
&) / (1/(cx) + 1)^2 + 28c^9(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 + 56c^9(1/(\\
& c^2x^2) - 1)^3 / (1/(cx) + 1)^6 + 70c^9(1/(c^2x^2) - 1)^4 / (1/(cx) + 1)^8 + 56c^9 * (1/(c^2x^2) - 1)^5 / (1/(cx) + 1)^{10} \\
& + 28c^9(1/(c^2x^2) - 1)^6 / (1/(cx) + 1)^{12} + 8c^9(1/(c^2x^2) - 1)^7 / (1/(cx) + 1)^{14} + c^9 * (1/(\\
& c^2x^2) - 1)^8 / (1/(cx) + 1)^{16} * (1/(cx) + 1)) - 18060 * b * c^4 * d^2 * (1/(c^2 * \\
& x^2) - 1)^2 * \sqrt{-1/(c^2x^2) + 1} / ((c^9 + 8c^9(1/(c^2x^2) - 1)) / (1/(cx) \\
& + 1)^2 + 28c^9(1/(c^2x^2) - 1)^2 / (1/(cx) + 1)^4 + 56c^9(1/(c^2x^2) \\
& - 1)^3 / (1/(cx) + 1)^6 + 70c^9(1/(c^2x^2) - 1)^4 / (1/(cx) + 1)^8 + 56c^9 * (1/(c^2x^2) - 1)^5 / (1/(cx) + 1)^{10} \\
& + 28c^9(1/(c^2x^2) - 1)^6 / (1/(cx) + 1)^{12} + 8c^9(1/(c^2x^2) - 1)^7 / (1/(cx) + 1)^{14} + c^9 * (1/(c^2x^2) - \\
& 1)^8 / (1/(cx) + 1)^{16} * (1/(cx) + 1)^5) - 3360 * a * c^2 * d * e * (1/(c^2x^2) - 1) \\
& / ((c^9 + 8c^9(1/(c^2x^2) - 1)) / (1/(cx) + 1)^2 + 28c^9(1/(c^2x^2) - 1) \\
&)^2 / (1/(cx) + 1)^4 + 56c^9(1/(c^2x^2) - 1)^3 / (1/(cx) + 1)^6 + 70c^9(1 \\
& / (c^2x^2) - 1)^4 / (1/(cx) + 1)^8 + 56c^9(1/(c^2x^2) - 1)^5 / (1/(cx) + 1) \\
&)^{10} + 28c^9(1/(c^2x^2) - 1)^6 / (1/(cx) + 1)^{12} + 8c^9(1/(c^2x^2) - 1) \\
&)^7 / (1/(cx) + 1)^{14} + c^9(1/(c^2x^2) - 1)^8 / (1/(cx) + 1)^{16} * (1/(cx) + \\
& 1)^2) + 315 * b * e^2 * \arccos(1/(cx)) / (c^9 + 8c^9 \dots
\end{aligned}$$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 (ex^2 + d)^2 \left(a + b \arccos\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(d + e*x^2)^2*(a + b*acos(1/(c*x))),x)

[Out] int(x^3*(d + e*x^2)^2*(a + b*acos(1/(c*x))), x)

3.88 $\int x(d + ex^2)^2 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=195

$$\frac{b(3c^4d^2 + 3c^2de + e^2)x\sqrt{-1 + c^2x^2}}{6c^5\sqrt{c^2x^2}} - \frac{be(3c^2d + 2e)x(-1 + c^2x^2)^{3/2}}{18c^5\sqrt{c^2x^2}} - \frac{be^2x(-1 + c^2x^2)^{5/2}}{30c^5\sqrt{c^2x^2}} + \frac{(d + ex^2)^3(a + b \sec^{-1}(cx))}{6c}$$

[Out] $1/6*(e*x^2+d)^3*(a+b*\text{arcsec}(c*x))/e-1/18*b*e*(3*c^2*d+2*e)*x*(c^2*x^2-1)^(3/2)/c^5/(c^2*x^2)^(1/2)-1/30*b*e^2*x*(c^2*x^2-1)^(5/2)/c^5/(c^2*x^2)^(1/2)-1/6*b*c*d^3*x*\text{arctan}((c^2*x^2-1)^(1/2))/e/(c^2*x^2)^(1/2)-1/6*b*(3*c^4*d^2+3*c^2*d*e+e^2)*x*(c^2*x^2-1)^(1/2)/c^5/(c^2*x^2)^(1/2)$

Rubi [A]

time = 0.10, antiderivative size = 195, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {5344, 457, 90, 65, 211}

$$\frac{(d + ex^2)^3(a + b \sec^{-1}(cx))}{6c} - \frac{bcd^3x \text{ArcTan}(\sqrt{c^2x^2 - 1})}{6e\sqrt{c^2x^2}} - \frac{be(c^2x^2 - 1)^{3/2}(3c^2d + 2e)}{18c^5\sqrt{c^2x^2}} - \frac{be^2x(c^2x^2 - 1)^{5/2}}{30c^5\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2 - 1}(3c^4d^2 + 3c^2de + e^2)}{6c^5\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(d + e*x^2)^2*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-1/6*(b*(3*c^4*d^2 + 3*c^2*d*e + e^2)*x*\text{Sqrt}[-1 + c^2*x^2])/(c^5*\text{Sqrt}[c^2*x^2]) - (b*e*(3*c^2*d + 2*e)*x*(-1 + c^2*x^2)^(3/2))/(18*c^5*\text{Sqrt}[c^2*x^2]) - (b*e^2*x*(-1 + c^2*x^2)^(5/2))/(30*c^5*\text{Sqrt}[c^2*x^2]) + ((d + e*x^2)^3*(a + b*\text{ArcSec}[c*x]))/(6*e) - (b*c*d^3*x*\text{ArcTan}[\text{Sqrt}[-1 + c^2*x^2]])/(6*e*\text{Sqrt}[c^2*x^2])$

Rule 65

$\text{Int}[(a + b*x^m)*(c + d*x^n), x_Symbol] := \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{p*(m+1)-1}*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^{1/p}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 90

$\text{Int}[(a + b*x^m)*(c + d*x^n)*(e + f*x^p), x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, p\}, x] \&\& \text{IntegersQ}[m, n] \&\& (\text{IntegerQ}[p] || (\text{GtQ}[m, 0] \&\& \text{GeQ}[n, -1]))$

Rule 211

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 457

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 5344

Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*(x_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSec[c*x])/(2*e*(p + 1))), x] - Dist[b*c*(x/(2*e*(p + 1)*Sqrt[c^2*x^2])), Int[(d + e*x^2)^(p + 1)/(x*Sqrt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int x(d + ex^2)^2 (a + b \sec^{-1}(cx)) dx &= \frac{(d + ex^2)^3 (a + b \sec^{-1}(cx))}{6e} - \frac{(bcx) \int \frac{(d+ex^2)^3}{x\sqrt{-1+c^2x^2}} dx}{6e\sqrt{c^2x^2}} \\
 &= \frac{(d + ex^2)^3 (a + b \sec^{-1}(cx))}{6e} - \frac{(bcx) \text{Subst}\left(\int \frac{(d+ex^2)^3}{x\sqrt{-1+c^2x^2}} dx, x, x^2\right)}{12e\sqrt{c^2x^2}} \\
 &= \frac{(d + ex^2)^3 (a + b \sec^{-1}(cx))}{6e} - \frac{(bcx) \text{Subst}\left(\int \left(\frac{e(3c^4d^2+3c^2de+e^2)}{c^4\sqrt{-1+c^2x^2}} + \frac{1}{x\sqrt{-1+c^2x^2}}\right) dx, x, x^2\right)}{12e\sqrt{c^2x^2}} \\
 &= -\frac{b(3c^4d^2 + 3c^2de + e^2) x \sqrt{-1 + c^2x^2}}{6c^5 \sqrt{c^2x^2}} - \frac{be(3c^2d + 2e) x (-1 + c^2x^2)^{5/2}}{18c^5 \sqrt{c^2x^2}} \\
 &= -\frac{b(3c^4d^2 + 3c^2de + e^2) x \sqrt{-1 + c^2x^2}}{6c^5 \sqrt{c^2x^2}} - \frac{be(3c^2d + 2e) x (-1 + c^2x^2)^{5/2}}{18c^5 \sqrt{c^2x^2}} \\
 &= -\frac{b(3c^4d^2 + 3c^2de + e^2) x \sqrt{-1 + c^2x^2}}{6c^5 \sqrt{c^2x^2}} - \frac{be(3c^2d + 2e) x (-1 + c^2x^2)^{5/2}}{18c^5 \sqrt{c^2x^2}}
 \end{aligned}$$

Mathematica [A]

time = 0.19, size = 125, normalized size = 0.64

$$\frac{1}{90}x \left(15ax(3d^2 + 3dex^2 + e^2x^4) - \frac{b\sqrt{1 - \frac{1}{c^2x^2}}(8e^2 + 2c^2e(15d + 2ex^2) + 3c^4(15d^2 + 5dex^2 + e^2x^4))}{c^5} + 15bx(3d^2 + 3dex^2 + e^2x^4) \sec^{-1}(cx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x*(d + e*x^2)^2*(a + b*ArcSec[c*x]), x]

[Out] (x*(15*a*x*(3*d^2 + 3*d*e*x^2 + e^2*x^4) - (b*sqrt[1 - 1/(c^2*x^2)]*(8*e^2 + 2*c^2*e*(15*d + 2*e*x^2) + 3*c^4*(15*d^2 + 5*d*e*x^2 + e^2*x^4))))/c^5 + 15*b*x*(3*d^2 + 3*d*e*x^2 + e^2*x^4)*ArcSec[c*x])/90

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 375 vs. $2(169) = 338$.

time = 0.29, size = 376, normalized size = 1.93

| method | result |
|------------------|--|
| derivativdivides | $\frac{(c^2e x^2 + c^2d)^3 a}{6c^4e} + \frac{b c^2 \operatorname{arcsec}(cx) d^3}{6e} + \frac{b \operatorname{arcsec}(cx) d^2 c^2 x^2}{2} + \frac{b c^2 e \operatorname{arcsec}(cx) d x^4}{2} + \frac{b c^2 e^2 \operatorname{arcsec}(cx) x^6}{6} + \frac{bc \sqrt{c^2 x^2 - 1} d^3 \arctan\left(\frac{c^2 x^2}{c^2 x}\right)}{6e \sqrt{\frac{c^2 x^2}{c^2 x}}}$ |
| default | $\frac{(c^2e x^2 + c^2d)^3 a}{6c^4e} + \frac{b c^2 \operatorname{arcsec}(cx) d^3}{6e} + \frac{b \operatorname{arcsec}(cx) d^2 c^2 x^2}{2} + \frac{b c^2 e \operatorname{arcsec}(cx) d x^4}{2} + \frac{b c^2 e^2 \operatorname{arcsec}(cx) x^6}{6} + \frac{bc \sqrt{c^2 x^2 - 1} d^3 \arctan\left(\frac{c^2 x^2}{c^2 x}\right)}{6e \sqrt{\frac{c^2 x^2}{c^2 x}}}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d)^2*(a+b*arcsec(c*x)), x, method=_RETURNVERBOSE)

[Out] $\frac{1}{c^2} \left(\frac{1}{6} (c^2 e x^2 + c^2 d)^3 \frac{a}{c^4 e} + \frac{1}{6} b c^2 \frac{e \operatorname{arcsec}(c x) d^3 + 1}{2} b \operatorname{arcsec}(c x) d^2 c^2 x^2 + \frac{1}{6} b c^2 \frac{e^2 \operatorname{arcsec}(c x) d x^4 + 1}{2} b \operatorname{arcsec}(c x) x^6 + \frac{1}{6} b c \frac{e \sqrt{c^2 x^2 - 1} d^3 \arctan\left(\frac{c^2 x^2}{c^2 x}\right) + 1}{2} \right)$

Maxima [A]

time = 0.29, size = 192, normalized size = 0.98

$$\frac{1}{6} a x^6 e^2 + \frac{1}{2} a d x^4 e + \frac{1}{2} d^2 x^2 + \frac{1}{2} \left(x^2 \operatorname{arcsec}(c x) - \frac{x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} \right) b d^3 + \frac{1}{6} \left(3 x^4 \operatorname{arcsec}(c x) - \frac{c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{3}{2}} + 3 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^3} \right) b d e + \frac{1}{90} \left(15 x^6 \operatorname{arcsec}(c x) - \frac{3 c^2 x^5 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{3}{2}} + 10 c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{3}{2}} + 15 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^5} \right) b e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] $\frac{1}{6}ax^6e^2 + \frac{1}{2}ad^2x^4e + \frac{1}{2}a^2d^2x^2 + \frac{1}{2}(x^2\text{arcsec}(cx) - x\sqrt{-1/(c^2x^2) + 1}/c)bd^2 + \frac{1}{6}(3x^4\text{arcsec}(cx) - (c^2x^3(-1/(c^2x^2) + 1)^{3/2} + 3x\sqrt{-1/(c^2x^2) + 1}))/c^3)bd^2e + \frac{1}{90}(15x^6\text{arcsec}(cx) - (3c^4x^5(-1/(c^2x^2) + 1)^{5/2} + 10c^2x^3(-1/(c^2x^2) + 1)^{3/2} + 15x\sqrt{-1/(c^2x^2) + 1}))/c^5)be^2$

Fricas [A]

time = 3.40, size = 151, normalized size = 0.77

$$\frac{15ac^6x^6e^2 + 45ac^6dx^4e + 45ac^6d^2x^2 + 15(bc^6x^6e^2 + 3bc^6dx^4e + 3bc^6d^2x^2)\text{arcsec}(cx) - (45bc^4d^2 + (3bc^4x^4 + 4bc^2x^2 + 8b)e^2 + 15(bc^4dx^2 + 2bc^2d)e)\sqrt{c^2x^2 - 1}}{90c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] $\frac{1}{90}(15ac^6x^6e^2 + 45ac^6d^2x^4e + 45a^2c^6d^2x^2 + 15(bc^6x^6e^2 + 3bc^6d^2x^4e + 3b^2c^6d^2x^2)\text{arcsec}(cx) - (45bc^4d^2 + (3b^2c^4x^4 + 4b^2c^2x^2 + 8b)e^2 + 15(bc^4d^2x^2 + 2b^2c^2d)e)\sqrt{c^2x^2 - 1})/c^6$

Sympy [A]

time = 5.36, size = 352, normalized size = 1.81

$$\frac{ad^2x^2}{2} + \frac{adex^4}{2} + \frac{ae^2x^6}{6} + \frac{bd^2x^2\text{asec}(cx)}{2} + \frac{bdex^4\text{asec}(cx)}{2} + \frac{be^2x^6\text{asec}(cx)}{6} - \frac{bd^2\left(\frac{\sqrt{c^2x^2-1}}{c} \text{ for } |c^2x^2| > 1, \frac{1\sqrt{-c^2x^2+1}}{2c} \text{ otherwise}\right)}{2c} - \frac{bde\left(\frac{x^2\sqrt{c^2x^2-1} + 2\sqrt{c^2x^2-1}}{3c} \text{ for } |c^2x^2| > 1, \frac{bx^2\sqrt{-c^2x^2+1} + 2\sqrt{-c^2x^2+1}}{2c} \text{ otherwise}\right)}{2c} - \frac{be^2\left(\frac{x^4\sqrt{c^2x^2-1} + 4x^2\sqrt{c^2x^2-1} + 8\sqrt{c^2x^2-1}}{15c^3} \text{ for } |c^2x^2| > 1, \frac{bx^4\sqrt{-c^2x^2+1} + 4x^2\sqrt{-c^2x^2+1} + 8\sqrt{-c^2x^2+1}}{15c^3} \text{ otherwise}\right)}{6c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d)**2*(a+b*asec(c*x)),x)

[Out] $a d^2 x^2 / 2 + a d e x^4 / 2 + a e^2 x^6 / 6 + b d^2 x^2 \text{asec}(c x) / 2 + b d e x^4 \text{asec}(c x) / 2 + b e^2 x^6 \text{asec}(c x) / 6 - b d^2 \text{Piecewise}((\sqrt{c^2 x^2 - 1} / c, \text{Abs}(c^2 x^2) > 1), (I \sqrt{-c^2 x^2 + 1} / c, \text{True})) / (2 * c) - b d e \text{Piecewise}((x^2 \sqrt{c^2 x^2 - 1} / (3 * c) + 2 \sqrt{c^2 x^2 - 1} / (3 * c^3), \text{Abs}(c^2 x^2) > 1), (I x^2 \sqrt{-c^2 x^2 + 1} / (3 * c) + 2 I \sqrt{-c^2 x^2 + 1} / (3 * c^3), \text{True})) / (2 * c) - b e^2 \text{Piecewise}((x^4 \sqrt{c^2 x^2 - 1} / (5 * c) + 4 x^2 \sqrt{c^2 x^2 - 1} / (15 * c^3) + 8 \sqrt{c^2 x^2 - 1} / (15 * c^5), \text{Abs}(c^2 x^2) > 1), (I x^4 \sqrt{-c^2 x^2 + 1} / (5 * c) + 4 I x^2 \sqrt{-c^2 x^2 + 1} / (15 * c^3) + 8 I \sqrt{-c^2 x^2 + 1} / (15 * c^5), \text{True})) / (6 * c)$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 11858 vs. 2(169) = 338.

time = 0.55, size = 11858, normalized size = 60.81

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] $\frac{1}{90} \cdot (45bc^4d^2 \arccos(1/(cx)) / (c^7 + 6c^7(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 15c^7(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 20c^7(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 15c^7(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 6c^7(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + c^7(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12}) + 45a^2c^4d^2 / (c^7 + 6c^7(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 15c^7(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 20c^7(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 15c^7(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 6c^7(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + c^7(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12}) + 90b^2c^4d^2 \arccos(1/(cx)) / (c^7 + 6c^7(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 15c^7(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 20c^7(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 15c^7(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 6c^7(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + c^7(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12}) + 90b^2c^4d^2 \sqrt{-1/(c^2x^2) + 1} / ((c^7 + 6c^7(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 15c^7(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 20c^7(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 15c^7(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 6c^7(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + c^7(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12})) + 45b^2c^2d^2e \arccos(1/(cx)) / (c^7 + 6c^7(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 15c^7(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 20c^7(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 15c^7(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 6c^7(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + c^7(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12})) + 450b^2c^4d^2(-1/(c^2x^2) + 1)^{3/2} / ((c^7 + 6c^7(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 15c^7(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 20c^7(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 15c^7(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 6c^7(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + c^7(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12})) + 45a^2c^2d^2e / (c^7 + 6c^7(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 15c^7(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 20c^7(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 15c^7(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 6c^7(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + c^7(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12})) - 45a^2c^4d^2(1/(c^2x^2) - 1)^2 / ((c^7 + 6c^7(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 15c^7(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 20c^7(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 15c^7(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 6c^7(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + c^7(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12})) - 45a^2c^4d^2(1/(c^2x^2) - 1)^2 / ((c^7 + 6c^7(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 15c^7(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 20c^7(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 15c^7(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 6c^7(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + c^7(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12})) - 90b^2c^2d^2e(1/(c^2x^2) - 1) \arccos(1/(cx)) / ((c^7 + 6c^7(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 15c^7(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 20c^7(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 15c^7(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 6c^7(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + c^7(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12}))$

$$\begin{aligned} & (c^2x^2 - 1)/(1/(cx) + 1)^2 + 15c^7(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 \\ & + 20c^7(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 15c^7(1/(c^2x^2) - 1)^4/ \\ & (1/(cx) + 1)^8 + 6c^7(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + c^7(1/(c^2x^2) \\ & - 1)^6/(1/(cx) + 1)^{12} * (1/(cx) + 1)^2) - 180b*c^4*d^2*(1/(c^2x^2) \\ & - 1)^3*\arccos(1/(cx))/((c^7 + 6c^7*(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 1 \\ & 5c^7*(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 20c^7*(1/(c^2x^2) - 1)^3/(1/(\\ & cx) + 1)^6 + 15c^7*(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 6c^7*(1/(c^2x^ \\ & 2) - 1)^5/(1/(cx) + 1)^{10} + c^7*(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12}*(1/(\\ & cx) + 1)^6) - 90b*c^2*d*e*\sqrt{-1/(c^2x^2) + 1}/((c^7 + 6c^7*(1/(c^2x^ \\ & 2) - 1)/(1/(cx) + 1)^2 + 15c^7*(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 20c \\ & ^7*(1/(c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 15c^7*(1/(c^2x^2) - 1)^4/(1/(cx \\ &) + 1)^8 + 6c^7*(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + c^7*(1/(c^2x^2) - \\ & 1)^6/(1/(cx) + 1)^{12}*(1/(cx) + 1)) - 900b*c^4*d^2*(1/(c^2x^2) - 1)^2*s \\ & \sqrt{-1/(c^2x^2) + 1}/((c^7 + 6c^7*(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 15c \\ & ^7*(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 20c^7*(1/(c^2x^2) - 1)^3/(1/(cx \\ &) + 1)^6 + 15c^7*(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^8 + 6c^7*(1/(c^2x^2) \\ & - 1)^5/(1/(cx) + 1)^{10} + c^7*(1/(c^2x^2) - 1)^6/(1/(cx) + 1)^{12}*(1/(cx \\ &) + 1)^5) - 90a*c^2*d*e*(1/(c^2x^2) - 1)/((c^7 + 6c^7*(1/(c^2x^2) - 1) \\ & / (1/(cx) + 1)^2 + 15c^7*(1/(c^2x^2) - 1)^2/(1/(cx) + 1)^4 + 20c^7*(1/(\\ & c^2x^2) - 1)^3/(1/(cx) + 1)^6 + 15c^7*(1/(c^2x^2) - 1)^4/(1/(cx) + 1)^ \\ & 8 + 6c^7*(1/(c^2x^2) - 1)^5/(1/(cx) + 1)^{10} + c^7*(1/(c^2x^2) - 1)^6/(1 \\ & / (cx) + 1)^{12}*(1/(cx) + 1)^2) - 180a*c^4*d^2*(1/(c^2x^2) - 1)^3/((c^7 \\ & + 6c^7*(1/(c^2x^2) - 1)/(1/(cx) + 1)^2 + 15c^7*(1/(c^2x^2) - 1)^2/(1/(\\ & cx) + 1)^4 + 20c^7*(1/(c^2x^2) - 1)^3/(1/(cx)... \end{aligned}$$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x (ex^2 + d)^2 \left(a + b \arccos\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(d + e*x^2)^2*(a + b*acos(1/(c*x))), x)

[Out] int(x*(d + e*x^2)^2*(a + b*acos(1/(c*x))), x)

$$3.89 \quad \int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x} dx$$

Optimal. Leaf size=186

$$-\frac{be(6c^2d+e)\sqrt{1-\frac{1}{c^2x^2}}}{6c^3} - \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} - \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 + dex^2(a+b \sec^{-1}(cx)) + \frac{1}{4}e^2x^4(a+b \sec^{-1}(cx))$$

[Out] $-1/2*I*b*d^2*arccsc(c*x)^2+d*e*x^2*(a+b*arcsec(c*x))+1/4*e^2*x^4*(a+b*arcsec(c*x))+b*d^2*arccsc(c*x)*\ln(1-(I/c/x+(1-1/c^2/x^2)^(1/2))^2)-b*d^2*arccsc(c*x)*\ln(1/x)-d^2*(a+b*arcsec(c*x))*\ln(1/x)-1/2*I*b*d^2*polylog(2,(I/c/x+(1-1/c^2/x^2)^(1/2))^2)-1/6*b*e*(6*c^2*d+e)*x*(1-1/c^2/x^2)^(1/2)/c^3-1/12*b*e^2*x^3*(1-1/c^2/x^2)^(1/2)/c$

Rubi [A]

time = 0.31, antiderivative size = 186, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 13, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.619$, Rules used = {5348, 272, 45, 4816, 6874, 464, 270, 2363, 4721, 3798, 2221, 2317, 2438}

$$-d^2 \log\left(\frac{1}{x}\right)(a+b \sec^{-1}(cx)) + dex^2(a+b \sec^{-1}(cx)) + \frac{1}{4}e^2x^4(a+b \sec^{-1}(cx)) - \frac{be^2x^3\sqrt{1-\frac{1}{c^2x^2}}}{12c} - \frac{be^2x\sqrt{1-\frac{1}{c^2x^2}}(6c^2d+e)}{6c^3} - \frac{1}{2}ibd^2 \text{Li}_2(e^{2i \csc^{-1}(cx)}) - \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 + bd^2 \csc^{-1}(cx) \log(1 - e^{2i \csc^{-1}(cx)}) - bd^2 \log\left(\frac{1}{x}\right) \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x,x]

[Out] $-1/6*(b*e*(6*c^2*d+e)*\text{Sqrt}[1-1/(c^2*x^2)]*x)/c^3 - (b*e^2*\text{Sqrt}[1-1/(c^2*x^2)]*x^3)/(12*c) - (I/2)*b*d^2*ArcCsc[c*x]^2 + d*e*x^2*(a+b*ArcSec[c*x]) + (e^2*x^4*(a+b*ArcSec[c*x]))/4 + b*d^2*ArcCsc[c*x]*\text{Log}[1-E^((2*I)*ArcCsc[c*x])] - b*d^2*ArcCsc[c*x]*\text{Log}[x^(-1)] - d^2*(a+b*ArcSec[c*x])*\text{Log}[x^(-1)] - (I/2)*b*d^2*PolyLog[2,E^((2*I)*ArcCsc[c*x])]$

Rule 45

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])]

Rule 270

Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m+1)*((a + b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n + p + 1, 0] && NeQ[m, -1]

Rule 272

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 464

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n
_)), x_Symbol] := Simp[c*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*e*(m + 1))),
x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*
x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c
- a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (
LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 2221

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2363

```
Int[((a_) + Log[(c_)*(x_)^(n_)])*(b_)/Sqrt[(d_) + (e_)*(x_)^2], x_Symb
ol] := Simp[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]*((a + b*Log[c*x^n])/Rt[-e, 2]), x
] - Dist[b*(n/Rt[-e, 2]), Int[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]/x, x], x] /; Fr
eeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3798

```
Int[((c_) + (d_)*(x_))^(m_)*tan[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol
] := Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m
*E^(2*I*k*Pi)*(E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```


Rule 4721

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(a + b*x)^n*Cot[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 4816

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCos[c*x], u, x] + Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

Rule 5348

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]

Rule 6874

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{x} dx &= -\text{Subst} \left(\int \frac{(e + dx^2)^2 (a + b \cos^{-1}(\frac{x}{c}))}{x^5} dx, x, \frac{1}{x} \right) \\
&= dex^2(a + b \sec^{-1}(cx)) + \frac{1}{4}e^2x^4(a + b \sec^{-1}(cx)) - d^2(a + b \sec^{-1}(cx)) \ln|x| \\
&= dex^2(a + b \sec^{-1}(cx)) + \frac{1}{4}e^2x^4(a + b \sec^{-1}(cx)) - d^2(a + b \sec^{-1}(cx)) \ln|x| \\
&= dex^2(a + b \sec^{-1}(cx)) + \frac{1}{4}e^2x^4(a + b \sec^{-1}(cx)) - d^2(a + b \sec^{-1}(cx)) \ln|x| \\
&= -\frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}} x^3}{12c} + dex^2(a + b \sec^{-1}(cx)) + \frac{1}{4}e^2x^4(a + b \sec^{-1}(cx)) \ln|x| \\
&= -\frac{be(6c^2d + e) \sqrt{1 - \frac{1}{c^2x^2}} x}{6c^3} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}} x^3}{12c} + dex^2(a + b \sec^{-1}(cx)) \\
&= -\frac{be(6c^2d + e) \sqrt{1 - \frac{1}{c^2x^2}} x}{6c^3} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}} x^3}{12c} - \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 + \\
&= -\frac{be(6c^2d + e) \sqrt{1 - \frac{1}{c^2x^2}} x}{6c^3} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}} x^3}{12c} - \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 + \\
&= -\frac{be(6c^2d + e) \sqrt{1 - \frac{1}{c^2x^2}} x}{6c^3} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}} x^3}{12c} - \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 + \\
&= -\frac{be(6c^2d + e) \sqrt{1 - \frac{1}{c^2x^2}} x}{6c^3} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}} x^3}{12c} - \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 +
\end{aligned}$$

Mathematica [A]

time = 0.24, size = 160, normalized size = 0.86

$$adex^2 + \frac{1}{4}ae^2x^4 - \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x(2+c^2x^2)}{12c^3} + \frac{1}{4}be^2x^4\sec^{-1}(cx) + \frac{bdex\left(-\sqrt{1-\frac{1}{c^2x^2}}+cx\sec^{-1}(cx)\right)}{c} + ad^2\log(x) + \frac{1}{2}ibd^2\left(\sec^{-1}(cx)\left(\sec^{-1}(cx)+2i\log\left(1+e^{2i\sec^{-1}(cx)}\right)\right)+\text{PolyLog}\left(2,-e^{2i\sec^{-1}(cx)}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x,x]

[Out] a*d*e*x^2 + (a*e^2*x^4)/4 - (b*e^2*sqrt[1 - 1/(c^2*x^2)]*x*(2 + c^2*x^2))/(12*c^3) + (b*e^2*x^4*ArcSec[c*x])/4 + (b*d*e*x*(-sqrt[1 - 1/(c^2*x^2)] + c*x*ArcSec[c*x])/c + a*d^2*Log[x] + (I/2)*b*d^2*(ArcSec[c*x]*(ArcSec[c*x] + (2*I)*Log[1 + E^((2*I)*ArcSec[c*x])]) + PolyLog[2, -E^((2*I)*ArcSec[c*x])])

Maple [A]

time = 1.70, size = 242, normalized size = 1.30

| method | result |
|-------------------|--|
| derivativedivides | $ade x^2 + \frac{ae^2x^4}{4} + a d^2 \ln(cx) + \frac{ibarcsec(cx)^2 d^2}{2} + b arcsec(cx) de x^2 + \frac{b arcsec(cx) e^2 x^4}{4} - \frac{b \sqrt{\frac{c^2}{c^2 x^2 - 1}}}{c}$ |
| default | $ade x^2 + \frac{ae^2x^4}{4} + a d^2 \ln(cx) + \frac{ibarcsec(cx)^2 d^2}{2} + b arcsec(cx) de x^2 + \frac{b arcsec(cx) e^2 x^4}{4} - \frac{b \sqrt{\frac{c^2}{c^2 x^2 - 1}}}{c}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(a+b*arcsec(c*x))/x,x,method=_RETURNVERBOSE)

[Out] a*d*e*x^2+1/4*a*e^2*x^4+a*d^2*ln(c*x)+1/2*I*b*arcsec(c*x)^2*d^2+b*arcsec(c*x)*d*e*x^2+1/4*b*arcsec(c*x)*e^2*x^4-b/c*((c^2*x^2-1)/c^2/x^2)^(1/2)*d*e*x-1/12*b/c*((c^2*x^2-1)/c^2/x^2)^(1/2)*e^2*x^3-I*b/c^2*d*e-1/6*b/c^3*((c^2*x^2-1)/c^2/x^2)^(1/2)*e^2*x-1/6*I*b/c^4*e^2-b*d^2*arcsec(c*x)*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+1/2*I*b*d^2*polylog(2,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x,x, algorithm="maxima")

[Out] 1/4*a*x^4*e^2 + a*d*x^2*e + a*d^2*log(x) - 1/8*(-2*I*b*c^4*x^4*e^2*log(c) - 4*I*b*c^4*d^2*log(-c*x + 1)*log(x) - 4*I*b*c^4*d^2*log(x)^2 - 4*I*b*c^4*d^2

$$2*\operatorname{dilog}(c*x) - 4*I*b*c^4*d^2*\operatorname{dilog}(-c*x) + I*(4*b*d*(\log(c*x + 1)/c^2 + \log(c*x - 1)/c^2)*e + 32*b*d^2*\operatorname{integrate}(1/4*\log(x)/(c^2*x^3 - x), x) + b*(x^2/c^2 + \log(c*x + 1)/c^4 + \log(c*x - 1)/c^4)*e^2)*c^4 + 8*c^4*\operatorname{integrate}(1/4*(b*x^4*e^2 + 4*b*d*x^2*e + 4*b*d^2*\log(x))*\operatorname{sqrt}(c*x + 1)*\operatorname{sqrt}(c*x - 1)/(c^2*x^3 - x), x) + (-8*I*b*c^4*d*e*\log(c) - I*b*c^2*e^2)*x^2 - 2*(b*c^4*x^4*e^2 + 4*b*c^4*d*x^2*e + 4*b*c^4*d^2*\log(x))*\operatorname{arctan}(\operatorname{sqrt}(c*x + 1)*\operatorname{sqrt}(c*x - 1)) + (I*b*c^4*x^4*e^2 + 4*I*b*c^4*d*x^2*e + 4*I*b*c^4*d^2*\log(x))*\log(c^2*x^2) + (-4*I*b*c^4*d^2*\log(x) - 4*I*b*c^2*d*e - I*b*e^2)*\log(c*x + 1) + (-4*I*b*c^2*d*e - I*b*e^2)*\log(c*x - 1) - 2*(I*b*c^4*x^4*e^2 + 4*I*b*c^4*d*x^2*e + 4*I*b*c^4*d^2*\log(c))*\log(x))/c^4$$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x,x, algorithm="fricas")`

[Out] `integral((a*x^4*e^2 + 2*a*d*x^2*e + a*d^2 + (b*x^4*e^2 + 2*b*d*x^2*e + b*d^2)*arcsec(c*x))/x, x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx))(d + ex^2)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2*(a+b*asec(c*x))/x,x)`

[Out] `Integral((a + b*asec(c*x))*(d + e*x**2)**2/x, x)`

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x,x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
 INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
 by intervals (correct if the argument is real):Check [abs(sageVARx)]Undef/
 Unsigned

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(e x^2 + d)^2 (a + b \operatorname{acos}(\frac{1}{c x}))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^2*(a + b*acos(1/(c*x))))/x,x)

[Out] int(((d + e*x^2)^2*(a + b*acos(1/(c*x))))/x, x)

$$3.90 \quad \int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^3} dx$$

Optimal. Leaf size=189

$$\frac{bcd^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{be^2 \sqrt{1 - \frac{1}{c^2 x^2}} x}{2c} - \frac{1}{4} bc^2 d^2 \csc^{-1}(cx) - ibde \csc^{-1}(cx)^2 - \frac{d^2 (a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2} e^2 x^2 (a + b \sec^{-1}(cx))$$

[Out] $-1/4*b*c^2*d^2*arccsc(c*x) - I*b*d*e*arccsc(c*x)^2 - 1/2*d^2*(a+b*arcsec(c*x))/x^2 + 1/2*e^2*x^2*(a+b*arcsec(c*x)) + 2*b*d*e*arccsc(c*x)*\ln(1 - (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2) - 2*b*d*e*arccsc(c*x)*\ln(1/x) - 2*d*e*(a+b*arcsec(c*x))*\ln(1/x) - I*b*d*e*polylog(2, (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2) + 1/4*b*c*d^2*(1 - 1/c^2/x^2)^{(1/2)}/x - 1/2*b*e^2*x*(1 - 1/c^2/x^2)^{(1/2)}/c$

Rubi [A]

time = 0.31, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 15, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {5348, 272, 45, 4816, 12, 6874, 270, 327, 222, 2363, 4721, 3798, 2221, 2317, 2438}

$$-\frac{d^2(a + b \sec^{-1}(cx))}{2x^2} - 2de \log\left(\frac{1}{x}\right) (a + b \sec^{-1}(cx)) + \frac{1}{2} e^2 x^2 (a + b \sec^{-1}(cx)) + \frac{bcd^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{1}{4} bc^2 d^2 \csc^{-1}(cx) - \frac{be^2 x \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} - ibde \text{Li}_2\left(e^{2i \arccsc^{-1}(cx)}\right) - ibde \csc^{-1}(cx)^2 + 2bde \csc^{-1}(cx) \log\left(1 - e^{2i \arccsc^{-1}(cx)}\right) - 2bde \log\left(\frac{1}{x}\right) \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^3,x]

[Out] $(b*c*d^2*\text{Sqrt}[1 - 1/(c^2*x^2)])/(4*x) - (b*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(2*c) - (b*c^2*d^2*\text{ArcCsc}[c*x])/4 - I*b*d*e*\text{ArcCsc}[c*x]^2 - (d^2*(a + b*\text{ArcSec}[c*x]))/(2*x^2) + (e^2*x^2*(a + b*\text{ArcSec}[c*x]))/2 + 2*b*d*e*\text{ArcCsc}[c*x]*\text{Log}[1 - E^{((2*I)*\text{ArcCsc}[c*x])}] - 2*b*d*e*\text{ArcCsc}[c*x]*\text{Log}[x^{-1}] - 2*d*e*(a + b*\text{ArcSec}[c*x])* \text{Log}[x^{-1}] - I*b*d*e*\text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}]$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 45

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 222

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 270

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m+1)*((a + b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n + p + 1, 0] && NeQ[m, -1]

Rule 272

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m+1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m+1)/n]]

Rule 327

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[c^(n-1)*(c*x)^(m-n+1)*((a + b*x^n)^(p+1)/(b*(m+n*p+1))), x] - Dist[a*c^n*((m-n+1)/(b*(m+n*p+1))), Int[(c*x)^(m-n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2221

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m-1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2363

Int[((a_) + Log[(c_)*(x_)^(n_)]*(b_))/Sqrt[(d_) + (e_)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]*((a + b*Log[c*x^n])/Rt[-e, 2]), x] - Dist[b*(n/Rt[-e, 2]), Int[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]

Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3798

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m
*E^(2*I*k*Pi)*(E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x)))], x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 4721

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(
a + b*x)^n*Cot[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 4816

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_
)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist
[a + b*ArcCos[c*x], u, x] + Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*
x^2], x], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] &
& IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

Rule 5348

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_
^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(
m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rule 6874

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{x^3} dx &= -\text{Subst} \left(\int \frac{(e + dx^2)^2 (a + b \cos^{-1}(\frac{x}{c}))}{x^3} dx, x, \frac{1}{x} \right) \\
&= -\frac{d^2(a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2(a + b \sec^{-1}(cx)) - 2de(a + b \sec^{-1}(cx)) \\
&= -\frac{d^2(a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2(a + b \sec^{-1}(cx)) - 2de(a + b \sec^{-1}(cx)) \\
&= -\frac{d^2(a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2(a + b \sec^{-1}(cx)) - 2de(a + b \sec^{-1}(cx)) \\
&= -\frac{d^2(a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2(a + b \sec^{-1}(cx)) - 2de(a + b \sec^{-1}(cx)) \\
&= \frac{bcd^2 \sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}} x}{2c} - \frac{d^2(a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2(a + b \sec^{-1}(cx)) \\
&= \frac{bcd^2 \sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}} x}{2c} - \frac{1}{4}bc^2d^2 \csc^{-1}(cx) - \frac{d^2(a + b \sec^{-1}(cx))}{2x^2} \\
&= \frac{bcd^2 \sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}} x}{2c} - \frac{1}{4}bc^2d^2 \csc^{-1}(cx) - ibde \csc^{-1}(cx) \\
&= \frac{bcd^2 \sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}} x}{2c} - \frac{1}{4}bc^2d^2 \csc^{-1}(cx) - ibde \csc^{-1}(cx) \\
&= \frac{bcd^2 \sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}} x}{2c} - \frac{1}{4}bc^2d^2 \csc^{-1}(cx) - ibde \csc^{-1}(cx) \\
&= \frac{bcd^2 \sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}} x}{2c} - \frac{1}{4}bc^2d^2 \csc^{-1}(cx) - ibde \csc^{-1}(cx)
\end{aligned}$$

Mathematica [A]

time = 0.50, size = 194, normalized size = 1.03

$$\frac{1}{4} \left(\frac{2ad^2}{x^2} + 2ae^2x^2 - \frac{2bd^2 \sec^{-1}(cx)}{x^2} + \frac{2bc^2x \left(-\sqrt{1 - \frac{1}{c^2x^2}} + cx \sec^{-1}(cx) \right)}{c} + \frac{bd^2 \left(-1 + c^2x^2 + c^2x^2 \sqrt{-1 + c^2x^2} \operatorname{ArcTan} \left(\sqrt{-1 + c^2x^2} \right) \right)}{c \sqrt{1 - \frac{1}{c^2x^2} x^2}} + Sade \log(x) + 4ibde \left(\sec^{-1}(cx) \left(\sec^{-1}(cx) + 2i \log \left(1 + e^{2i \sec^{-1}(cx)} \right) \right) + \operatorname{PolyLog} \left(2, -e^{2i \sec^{-1}(cx)} \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^3,x]

[Out] ((-2*a*d^2)/x^2 + 2*a*e^2*x^2 - (2*b*d^2*ArcSec[c*x])/x^2 + (2*b*e^2*x*(-Sqrt[1 - 1/(c^2*x^2)] + c*x*ArcSec[c*x]))/c + (b*d^2*(-1 + c^2*x^2 + c^2*x^2*Sqrt[-1 + c^2*x^2]*ArcTan[Sqrt[-1 + c^2*x^2]]))/(c*Sqrt[1 - 1/(c^2*x^2)]*x^3) + 8*a*d*e*Log[x] + (4*I)*b*d*e*(ArcSec[c*x]*(ArcSec[c*x] + (2*I)*Log[1 + E^((2*I)*ArcSec[c*x])]) + PolyLog[2, -E^((2*I)*ArcSec[c*x])]))/4

Maple [A]

time = 1.04, size = 245, normalized size = 1.30

| method | result |
|-------------------|---|
| derivativedivides | $c^2 \left(\frac{ax^2e^2}{2c^2} - \frac{ad^2}{2c^2x^2} + \frac{2ade \ln(cx)}{c^2} + \frac{ibarcsec(cx)^2 de}{c^2} + \frac{bd^2 \sqrt{\frac{c^2x^2-1}{c^2x^2}}}{4cx} + \frac{bd^2 arcsec(cx)}{4} - \frac{b arcsec(cx)d^2}{2c^2x^2} + \dots \right)$ |
| default | $c^2 \left(\frac{ax^2e^2}{2c^2} - \frac{ad^2}{2c^2x^2} + \frac{2ade \ln(cx)}{c^2} + \frac{ibarcsec(cx)^2 de}{c^2} + \frac{bd^2 \sqrt{\frac{c^2x^2-1}{c^2x^2}}}{4cx} + \frac{bd^2 arcsec(cx)}{4} - \frac{b arcsec(cx)d^2}{2c^2x^2} + \dots \right)$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(a+b*arcsec(c*x))/x^3,x,method=_RETURNVERBOSE)

[Out] c^2*(1/2*a/c^2*x^2*e^2-1/2*a*d^2/c^2/x^2+2*a/c^2*d*e*ln(c*x)+I*b/c^2*arcsec(c*x)^2*d*e+1/4*b*d^2/c/x*((c^2*x^2-1)/c^2/x^2)^(1/2)+1/4*b*d^2*arcsec(c*x)-1/2*b*arcsec(c*x)*d^2/c^2/x^2+1/2*b/c^2*arcsec(c*x)*x^2*e^2-1/2*b/c^3*((c^2*x^2-1)/c^2/x^2)^(1/2)*e^2*x-1/2*I*b/c^4*e^2-2*b/c^2*d*e*arcsec(c*x)*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+I*b/c^2*d*e*polylog(2,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2))

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^3,x, algorithm="maxima")

[Out]
$$-1/4*b*d^2*((c^4*x*\sqrt{-1/(c^2*x^2)+1})/(c^2*x^2*(1/(c^2*x^2)-1)-1)-c^3*\arctan(c*x*\sqrt{-1/(c^2*x^2)+1}))/c+2*\arccsc(c*x)/x^2+1/2*a*x^2*e^2+2*a*d*e*\log(x)-1/2*a*d^2/x^2-1/4*(-2*I*b*c^2*x^2*e^2*\log(c)-4*I*b*c^2*d*e*\log(-c*x+1)*\log(x)-4*I*b*c^2*d*e*\log(x)^2-4*I*b*c^2*d*\operatorname{dilog}(c*x)*e-4*I*b*c^2*d*\operatorname{dilog}(-c*x)*e+I*(16*b*d*e*\int(1/2*\log(x)/(c^2*x^3-x),x)+b*(\log(c*x+1)/c^2+\log(c*x-1)/c^2)*e^2)*c^2+4*c^2*\int(1/2*(b*x^2*e^2+4*b*d*e*\log(x))*\sqrt{c*x+1}*\sqrt{c*x-1}/(c^2*x^3-x),x)-I*b*e^2*\log(c*x-1)-2*(b*c^2*x^2*e^2+4*b*c^2*d*e*\log(x))*\arctan(\sqrt{c*x+1}*\sqrt{c*x-1}))+I*b*c^2*x^2*e^2+4*I*b*c^2*d*e*\log(x))*\log(c^2*x^2)+(-4*I*b*c^2*d*e*\log(x)-I*b*e^2)*\log(c*x+1)-2*(I*b*c^2*x^2*e^2+4*I*b*c^2*d*e*\log(c))*\log(x))/c^2$$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^3,x, algorithm="fricas")

[Out]
$$\int (a*x^4*e^2+2*a*d*x^2*e+a*d^2+(b*x^4*e^2+2*b*d*x^2*e+b*d^2)*\arccsc(c*x))/x^3, x$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx))(d + ex^2)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asec(c*x))/x**3,x)

[Out]
$$\int (a + b \operatorname{asec}(cx))*(d + e*x**2)**2/x**3, x$$

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^3,x, algorithm="giac")

[Out]
$$\int (e*x^2 + d)^2*(b*\arccsc(c*x) + a)/x^3, x$$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(e x^2 + d)^2 (a + b \operatorname{acos}(\frac{1}{c x}))}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d + e*x^2)^2*(a + b*acos(1/(c*x))))/x^3,x)
```

```
[Out] int(((d + e*x^2)^2*(a + b*acos(1/(c*x))))/x^3, x)
```

$$3.91 \quad \int \frac{x^2(a+b \sec^{-1}(cx))}{d+ex^2} dx$$

Optimal. Leaf size=546

$$\frac{x(a+b \sec^{-1}(cx))}{e} - \frac{b \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{ce} + \frac{\sqrt{-d}(a+b \sec^{-1}(cx)) \log\left(1-\frac{c\sqrt{-d} e^{\sec^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{2e^{3/2}} - \frac{\sqrt{-d}}{e}$$

```
[Out] x*(a+b*arcsec(c*x))/e-b*arctanh((1-1/c^2/x^2)^(1/2))/c/e+1/2*(a+b*arcsec(c*x))*ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))*(-d)^(1/2)/e^(3/2)-1/2*(a+b*arcsec(c*x))*ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))*(-d)^(1/2)/e^(3/2)+1/2*(a+b*arcsec(c*x))*ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))*(-d)^(1/2)/e^(3/2)-1/2*(a+b*arcsec(c*x))*ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))*(-d)^(1/2)/e^(3/2)+1/2*I*b*polylog(2,-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))*(-d)^(1/2)/e^(3/2)-1/2*I*b*polylog(2,c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))*(-d)^(1/2)/e^(3/2)+1/2*I*b*polylog(2,-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))*(-d)^(1/2)/e^(3/2)-1/2*I*b*polylog(2,c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))*(-d)^(1/2)/e^(3/2)
```

Rubi [A]

time = 1.14, antiderivative size = 546, normalized size of antiderivative = 1.00, number of steps used = 25, number of rules used = 12, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {5348, 4818, 4724, 272, 65, 214, 4758, 4826, 4616, 2221, 2317, 2438}

$$\frac{\sqrt{-d}(a+b \sec^{-1}(cx)) \log\left(1-\frac{c\sqrt{-d} e^{\sec^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{2e^{3/2}} - \frac{\sqrt{-d}(a+b \sec^{-1}(cx)) \log\left(1+\frac{c\sqrt{-d} e^{\sec^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{2e^{3/2}} - \frac{\sqrt{-d}(a+b \sec^{-1}(cx)) \log\left(1-\frac{c\sqrt{-d} e^{\sec^{-1}(cx)}}{\sqrt{e+\sqrt{c^2d+e}}}\right)}{2e^{3/2}} - \frac{\sqrt{-d}(a+b \sec^{-1}(cx)) \log\left(1+\frac{c\sqrt{-d} e^{\sec^{-1}(cx)}}{\sqrt{e+\sqrt{c^2d+e}}}\right)}{2e^{3/2}} - \frac{b \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{ce} - \frac{a+b \sec^{-1}(cx)}{e} - \frac{b \sqrt{-d} \operatorname{Li}_2\left(\frac{c\sqrt{-d} e^{\sec^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{2e^{3/2}} - \frac{b \sqrt{-d} \operatorname{Li}_2\left(\frac{c\sqrt{-d} e^{\sec^{-1}(cx)}}{\sqrt{e+\sqrt{c^2d+e}}}\right)}{2e^{3/2}} - \frac{b \sqrt{-d} \operatorname{Li}_2\left(\frac{-c\sqrt{-d} e^{\sec^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{2e^{3/2}} - \frac{b \sqrt{-d} \operatorname{Li}_2\left(\frac{-c\sqrt{-d} e^{\sec^{-1}(cx)}}{\sqrt{e+\sqrt{c^2d+e}}}\right)}{2e^{3/2}} - \frac{b \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{ce}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2), x]

```
[Out] (x*(a + b*ArcSec[c*x])/e - (b*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/(c*e) + (Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e - Sqrt[c^2*d + e]])]/(2*e^(3/2)) - (Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e - Sqrt[c^2*d + e]])]/(2*e^(3/2)) + (Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e + Sqrt[c^2*d + e]])]/(2*e^(3/2)) - (Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e + Sqrt[c^2*d + e]])]/(2*e^(3/2)) + ((I/2)*b*Sqrt[-d]*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e - Sqrt[c^2*d + e]]))]/e^(3/2) - ((I/2)*b*Sqrt[-d]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e - Sqrt[c^2*d + e]])]/e^(3/2) + ((I/2)*b*Sqrt[-d]*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e + Sqrt[c^2*d + e]]))]/e^(3/2) - ((I/2)*b*Sqrt[-d]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e + Sqrt[c^2*d + e]])]/e^(3/2))
```

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 214

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 2221

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4616

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)
*(x_)]*(b_.) + (a_)), x_Symbol] := Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1))
, x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b
*E^(I*(c + d*x))], x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a +
Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))], x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4724

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(d*x)^(m + 1)*((a + b*ArcCos[c*x])^n/(d*(m + 1))), x] + Dist[b*c*(n
/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCos[c*x])^(n - 1)/Sqrt[1 - c^2*
x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4758

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

Rule 4818

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_
.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4826

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol]
:> -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e*Cos[x])), x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 5348

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)
^2)^(p_.), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(
m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a + b \sec^{-1}(cx))}{d + ex^2} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x^2 (e + dx^2)} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{ex^2} - \frac{d(a + b \cos^{-1} \left(\frac{x}{c} \right))}{e(e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x^2} dx, x, \frac{1}{x} \right)}{e} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e + dx^2} dx, x, \frac{1}{x} \right)}{e} \\
&= \frac{x(a + b \sec^{-1}(cx))}{e} + \frac{b \text{Subst} \left(\int \frac{1}{x \sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{ce} + \frac{d \text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e} \left(\sqrt{e} - \sqrt{-d} \right)} \right) dx, x, \frac{1}{x} \right)}{2e^{3/2}} \\
&= \frac{x(a + b \sec^{-1}(cx))}{e} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-d} x} dx, x, \frac{1}{x} \right)}{2e^{3/2}} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} + \sqrt{-d} x} dx, x, \frac{1}{x} \right)}{2e^{3/2}} \\
&= \frac{x(a + b \sec^{-1}(cx))}{e} - \frac{d \text{Subst} \left(\int \frac{(a + bx) \sin(x)}{\sqrt{\frac{e}{c^2}} - \sqrt{-d} \cos(x)} dx, x, \sec^{-1}(cx) \right)}{2e^{3/2}} - \frac{d \text{Subst} \left(\int \frac{(a + bx) \cos(x)}{\sqrt{\frac{e}{c^2}} + \sqrt{-d} \cos(x)} dx, x, \sec^{-1}(cx) \right)}{2e^{3/2}} \\
&= \frac{x(a + b \sec^{-1}(cx))}{e} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce} + \frac{(id) \text{Subst} \left(\int \frac{e^{ix}(a + bx)}{\sqrt{e} - \sqrt{c^2 d + e}} dx, x, \frac{1}{x} \right)}{2e^{3/2}} \\
&= \frac{x(a + b \sec^{-1}(cx))}{e} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce} + \frac{\sqrt{-d} (a + b \sec^{-1}(cx)) \log \left(1 + \sqrt{1 - \frac{1}{c^2 x^2}} \right)}{2e^{3/2}} \\
&= \frac{x(a + b \sec^{-1}(cx))}{e} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce} + \frac{\sqrt{-d} (a + b \sec^{-1}(cx)) \log \left(1 + \sqrt{1 - \frac{1}{c^2 x^2}} \right)}{2e^{3/2}} \\
&= \frac{x(a + b \sec^{-1}(cx))}{e} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce} + \frac{\sqrt{-d} (a + b \sec^{-1}(cx)) \log \left(1 + \sqrt{1 - \frac{1}{c^2 x^2}} \right)}{2e^{3/2}}
\end{aligned}$$

Mathematica [A]

time = 1.05, size = 1023, normalized size = 1.87

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2), x]

[Out] (a*x)/e - (a*Sqrt[d]*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/e^(3/2) + b*((c*x*ArcSec[c*x] + Log[Cos[ArcSec[c*x]/2] - Sin[ArcSec[c*x]/2]) - Log[Cos[ArcSec[c*x]/2] + Sin[ArcSec[c*x]/2]))/(c*e) - (Sqrt[d]*(8*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] - (2*I)*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (4*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (2*I)*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (4*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (2*I)*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] - 2*PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - 2*PolyLog[2, (-I)*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + PolyLog[2, -E^((2*I)*ArcSec[c*x])])/(4*e^(3/2)) + (Sqrt[d]*(8*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*ArcTan[((-I)*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] - (2*I)*ArcSec[c*x]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (4*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (2*I)*ArcSec[c*x]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (4*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (2*I)*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] - 2*PolyLog[2, ((-I)*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - 2*PolyLog[2, (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + PolyLog[2, -E^((2*I)*ArcSec[c*x])])/(4*e^(3/2))

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 232.57, size = 391, normalized size = 0.72

| method | result |
|-------------------|--|
| derivativedivides | $\frac{a c^3 x}{e} - \frac{a c^3 d \arctan\left(\frac{e x}{\sqrt{d e}}\right)}{e \sqrt{d e}} + \frac{b c^3 \operatorname{arcsec}(c x)}{e} x + \frac{i b c^4 d}{\left(-R1 = \operatorname{RootOf}\left(c^2 d Z^4 + (2 c^2 d + 4 e) Z^2 + c^2 d\right)\right)} \left(-R1^2 c^2 d + c^2 d + 4 e\right)$ |

| | |
|---------|--|
| default | $\frac{a c^3 x}{e} - \frac{a c^3 d \arctan\left(\frac{e x}{\sqrt{d e}}\right)}{e \sqrt{d e}} + \frac{b c^3 \operatorname{arcsec}(c x) x}{e} + \frac{i b c^4 d}{\sqrt{-R1 = \operatorname{RootOf}(c^2 d Z^4 + (2 c^2 d + 4 e) Z^2 + c^2 d)}}$ |
|---------|--|

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsec(c*x))/(e*x^2+d),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^3} \left(\frac{a c^3}{e} x - \frac{a c^3 d \arctan\left(\frac{e x}{\sqrt{d e}}\right)}{e \sqrt{d e}} + \frac{b c^3 \operatorname{arcsec}(c x) x}{e} + \frac{i b c^4 d}{\sqrt{-R1 = \operatorname{RootOf}(c^2 d Z^4 + (2 c^2 d + 4 e) Z^2 + c^2 d)}} \right)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="maxima")`

[Out] $-(\sqrt{d}) \arctan(x e^{1/2} / \sqrt{d}) e^{-3/2} - x e^{-1} a + b \int (x^2 \arctan(\sqrt{c x + 1}) \sqrt{c x - 1}) / (x^2 e + d) dx$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*x^2*arcsec(c*x) + a*x^2)/(x^2*e + d), x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (a + b \operatorname{asec}(c x))}{d + e x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a+b*asec(c*x))/(e*x**2+d),x)
```

```
[Out] Integral(x**2*(a + b*asec(c*x))/(d + e*x**2), x)
```

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="giac")
```

```
[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2po
ly/r2sym(
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (a + b \operatorname{acos}(\frac{1}{cx}))}{e x^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^2*(a + b*acos(1/(c*x))))/(d + e*x^2),x)
```

```
[Out] int((x^2*(a + b*acos(1/(c*x))))/(d + e*x^2), x)
```

$$3.92 \quad \int \frac{x(a+b \sec^{-1}(cx))}{d+ex^2} dx$$

Optimal. Leaf size=487

$$\frac{(a + b \sec^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e} + \frac{(a + b \sec^{-1}(cx)) \log\left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e} + \frac{(a + b \sec^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{-i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2 d + e}}\right)}{2e} + \frac{(a + b \sec^{-1}(cx)) \log\left(1 + \frac{c\sqrt{-d} e^{-i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2 d + e}}\right)}{2e}$$

[Out] $-(a+b \operatorname{arcsec}(c x)) \ln\left(1 + \frac{1}{c x + I \sqrt{1 - \frac{1}{c^2 x^2}}}\right)^2 / e + \frac{1}{2} (a+b \operatorname{arcsec}(c x)) \ln\left(1 - c \left(\frac{1}{c x + I \sqrt{1 - \frac{1}{c^2 x^2}}}\right) \sqrt{-d}\right) / \left(e^{1/2} - \sqrt{c^2 d + e}\right)^{1/2} + \frac{1}{2} (a+b \operatorname{arcsec}(c x)) \ln\left(1 + c \left(\frac{1}{c x + I \sqrt{1 - \frac{1}{c^2 x^2}}}\right) \sqrt{-d}\right) / \left(e^{1/2} - \sqrt{c^2 d + e}\right)^{1/2} + \frac{1}{2} (a+b \operatorname{arcsec}(c x)) \ln\left(1 - c \left(\frac{1}{c x + I \sqrt{1 - \frac{1}{c^2 x^2}}}\right) \sqrt{-d}\right) / \left(e^{1/2} + \sqrt{c^2 d + e}\right)^{1/2} + \frac{1}{2} (a+b \operatorname{arcsec}(c x)) \ln\left(1 + c \left(\frac{1}{c x + I \sqrt{1 - \frac{1}{c^2 x^2}}}\right) \sqrt{-d}\right) / \left(e^{1/2} + \sqrt{c^2 d + e}\right)^{1/2} + \frac{1}{2} I b \operatorname{polylog}\left(2, -\frac{1}{c x + I \sqrt{1 - \frac{1}{c^2 x^2}}}\right)^2 / e - \frac{1}{2} I b \operatorname{polylog}\left(2, -c \left(\frac{1}{c x + I \sqrt{1 - \frac{1}{c^2 x^2}}}\right) \sqrt{-d}\right) / \left(e^{1/2} - \sqrt{c^2 d + e}\right)^{1/2} - \frac{1}{2} I b \operatorname{polylog}\left(2, c \left(\frac{1}{c x + I \sqrt{1 - \frac{1}{c^2 x^2}}}\right) \sqrt{-d}\right) / \left(e^{1/2} - \sqrt{c^2 d + e}\right)^{1/2} - \frac{1}{2} I b \operatorname{polylog}\left(2, -c \left(\frac{1}{c x + I \sqrt{1 - \frac{1}{c^2 x^2}}}\right) \sqrt{-d}\right) / \left(e^{1/2} + \sqrt{c^2 d + e}\right)^{1/2} - \frac{1}{2} I b \operatorname{polylog}\left(2, c \left(\frac{1}{c x + I \sqrt{1 - \frac{1}{c^2 x^2}}}\right) \sqrt{-d}\right) / \left(e^{1/2} + \sqrt{c^2 d + e}\right)^{1/2} / e$

Rubi [A]

time = 1.03, antiderivative size = 487, normalized size of antiderivative = 1.00, number of steps used = 26, number of rules used = 9, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.474$, Rules used = {5348, 4818, 4722, 3800, 2221, 2317, 2438, 4826, 4616}

$$\frac{(a + b \operatorname{arcsec}(c x)) \log\left(1 - \frac{c \sqrt{-d} e^{i \operatorname{arcsec}(c x)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e} + \frac{(a + b \operatorname{arcsec}(c x)) \log\left(1 + \frac{c \sqrt{-d} e^{i \operatorname{arcsec}(c x)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e} + \frac{(a + b \operatorname{arcsec}(c x)) \log\left(1 - \frac{c \sqrt{-d} e^{-i \operatorname{arcsec}(c x)}}{\sqrt{e} + \sqrt{c^2 d + e}}\right)}{2e} + \frac{(a + b \operatorname{arcsec}(c x)) \log\left(1 + \frac{c \sqrt{-d} e^{-i \operatorname{arcsec}(c x)}}{\sqrt{e} + \sqrt{c^2 d + e}}\right)}{2e} + \log\left(1 + e^{2i \operatorname{arcsec}(c x)}\right) / e + \frac{\operatorname{arctan}\left(\frac{c \sqrt{-d} e^{i \operatorname{arcsec}(c x)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e} - \frac{\operatorname{arctan}\left(\frac{c \sqrt{-d} e^{-i \operatorname{arcsec}(c x)}}{\sqrt{e} + \sqrt{c^2 d + e}}\right)}{2e} - \frac{\operatorname{arctan}\left(\frac{c \sqrt{-d} e^{i \operatorname{arcsec}(c x)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e} - \frac{\operatorname{arctan}\left(\frac{c \sqrt{-d} e^{-i \operatorname{arcsec}(c x)}}{\sqrt{e} + \sqrt{c^2 d + e}}\right)}{2e} - \frac{\operatorname{arctan}\left(-e^{2i \operatorname{arcsec}(c x)}\right)}{2e}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}\left[\frac{x(a + b \operatorname{ArcSec}[c x])}{d + e x^2}, x\right]$

[Out] $((a + b \operatorname{ArcSec}[c x]) \operatorname{Log}\left[1 - (c \sqrt{-d} E^{I \operatorname{ArcSec}[c x]}) / (\sqrt{e} - \sqrt{c^2 d + e})\right]) / (2e) + ((a + b \operatorname{ArcSec}[c x]) \operatorname{Log}\left[1 + (c \sqrt{-d} E^{I \operatorname{ArcSec}[c x]}) / (\sqrt{e} - \sqrt{c^2 d + e})\right]) / (2e) + ((a + b \operatorname{ArcSec}[c x]) \operatorname{Log}\left[1 - (c \sqrt{-d} E^{I \operatorname{ArcSec}[c x]}) / (\sqrt{e} + \sqrt{c^2 d + e})\right]) / (2e) + ((a + b \operatorname{ArcSec}[c x]) \operatorname{Log}\left[1 + (c \sqrt{-d} E^{I \operatorname{ArcSec}[c x]}) / (\sqrt{e} + \sqrt{c^2 d + e})\right]) / (2e) - ((a + b \operatorname{ArcSec}[c x]) \operatorname{Log}\left[1 + E^{(2I) \operatorname{ArcSec}[c x]}\right]) / e - ((I/2) b \operatorname{PolyLog}\left[2, -((c \sqrt{-d} E^{I \operatorname{ArcSec}[c x]}) / (\sqrt{e} - \sqrt{c^2 d + e}))\right]) / e - ((I/2) b \operatorname{PolyLog}\left[2, (c \sqrt{-d} E^{I \operatorname{ArcSec}[c x]}) / (\sqrt{e} - \sqrt{c^2 d + e})\right]) / e - ((I/2) b \operatorname{PolyLog}\left[2, -((c \sqrt{-d} E^{I \operatorname{ArcSec}[c x]}) / (\sqrt{e} + \sqrt{c^2 d + e}))\right]) / e - ((I/2) b \operatorname{PolyLog}\left[2, (c \sqrt{-d} E^{I \operatorname{ArcSec}[c x]}) / (\sqrt{e} + \sqrt{c^2 d + e})\right]) / e + ((I/2) b \operatorname{PolyLog}\left[2, -E^{(2I) \operatorname{ArcSec}[c x]}\right]) / e$

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3800

```
Int[(((c_) + (d_)*(x_))^(m_))*tan[(e_) + (f_)*(x_)], x_Symbol] := Simp[I
*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e
 + f*x))/(1 + E^(2*I*(e + f*x)))], x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4616

```
Int[(((e_) + (f_)*(x_))^(m_))*Sin[(c_) + (d_)*(x_)]/(Cos[(c_) + (d_)
*(x_)]*(b_) + (a_)), x_Symbol] := Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1))
, x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b
 *E^(I*(c + d*x))], x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a +
 Rt[a^2 - b^2, 2] + b *E^(I*(c + d*x))], x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4722

```
Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)/(x_), x_Symbol] := -Subst[Int[
(a + b*x)^n*Tan[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0
]
```

Rule 4818

```
Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*((f_)*(x_))^(m_)*((d_) + (e_
)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b *ArcCos[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4826

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_/((d_) + (e_.)*(x_)), x_Symbol]
  :> -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e*cos[x]))], x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 5348

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^n_*(x_)^m_*((d_.) + (e_.)*(x_)
^2)^p_, x_Symbol] :> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(
m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \sec^{-1}(cx))}{d + ex^2} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x(e + dx^2)} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{ex} - \frac{dx(a + b \cos^{-1} \left(\frac{x}{c} \right))}{e(e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x} dx, x, \frac{1}{x} \right)}{e} + \frac{d \text{Subst} \left(\int \frac{x(a + b \cos^{-1} \left(\frac{x}{c} \right))}{e + dx^2} dx, x, \frac{1}{x} \right)}{e} \\
&= \frac{\text{Subst} \left(\int (a + bx) \tan(x) dx, x, \sec^{-1}(cx) \right)}{e} + \frac{d \text{Subst} \left(\int \left(-\frac{\sqrt{-d}(a + b \cos^{-1} \left(\frac{x}{c} \right))}{2d(\sqrt{e} - \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{e} \\
&= \frac{i(a + b \sec^{-1}(cx))^2}{2be} - \frac{(2i) \text{Subst} \left(\int \frac{e^{2ix}(a + bx)}{1 + e^{2ix}} dx, x, \sec^{-1}(cx) \right)}{e} - \frac{\sqrt{-d} \text{Subst} \left(\int \frac{1}{x} dx, x, \frac{1}{x} \right)}{e} \\
&= \frac{i(a + b \sec^{-1}(cx))^2}{2be} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 + e^{2i \sec^{-1}(cx)} \right)}{e} + \frac{b \text{Subst} \left(\int \log(1 + x) dx, x, \frac{1}{x} \right)}{e} \\
&= -\frac{(a + b \sec^{-1}(cx)) \log \left(1 + e^{2i \sec^{-1}(cx)} \right)}{e} - \frac{(ib) \text{Subst} \left(\int \frac{\log(1+x)}{x} dx, x, e^{2i \sec^{-1}(cx)} \right)}{2e} \\
&= \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e} \\
&= \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e} \\
&= \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e}
\end{aligned}$$

Mathematica [A]

time = 0.31, size = 891, normalized size = 1.83

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcSec[c*x]))/(d + e*x^2),x]

[Out] ((4*I)*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[(((-I)*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] + (4*I)*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] + b*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e]))*E^(I*ArcSec[c*x])]/(c*Sqrt[d])] + 2*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e]))*E^(I*ArcSec[c*x])]/(c*Sqrt[d])] + b*ArcSec[c*x]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e]))*E^(I*ArcSec[c*x])]/(c*Sqrt[d])] + 2*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e]))*E^(I*ArcSec[c*x])]/(c*Sqrt[d])] + b*ArcSec[c*x]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e]))*E^(I*ArcSec[c*x])]/(c*Sqrt[d])] - 2*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e]))*E^(I*ArcSec[c*x])]/(c*Sqrt[d])] + b*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e]))*E^(I*ArcSec[c*x])]/(c*Sqrt[d])] - 2*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e]))*E^(I*ArcSec[c*x])]/(c*Sqrt[d])] - 2*b*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] + a*Log[d + e*x^2] - I*b*PolyLog[2, ((-I)*(-Sqrt[e] + Sqrt[c^2*d + e]))*E^(I*ArcSec[c*x])]/(c*Sqrt[d])] - I*b*PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e]))*E^(I*ArcSec[c*x])]/(c*Sqrt[d])] - I*b*PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e]))*E^(I*ArcSec[c*x])]/(c*Sqrt[d])] - I*b*PolyLog[2, (I*(Sqrt[e] + Sqrt[c^2*d + e]))*E^(I*ArcSec[c*x])]/(c*Sqrt[d])] + I*b*PolyLog[2, -E^((2*I)*ArcSec[c*x])]/(2*e)

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 0.78, size = 475, normalized size = 0.98

| method | result |
|-------------------|---|
| derivativedivides | $\frac{a c^2 \ln(c^2 e x^2 + c^2 d)}{2e} - \frac{i b c^4 \left(\frac{\sum_{-R1=\text{RootOf}(c^2 d - Z^4 + (2c^2 d + 4e) - Z^2 + c^2 d)} \left(-R1^2 + 1 \right) \left(i \operatorname{arcsec}(c x) \ln \left(\frac{-R1 - \frac{1}{c x} - i \sqrt{1 - \frac{1}{c^2 x^2}}}{-R1} \right)}{-R1^2 c^2} \right)}{4e} \right)}{4e}$ |
| default | $\frac{a c^2 \ln(c^2 e x^2 + c^2 d)}{2e} - \frac{i b c^4 \left(\frac{\sum_{-R1=\text{RootOf}(c^2 d - Z^4 + (2c^2 d + 4e) - Z^2 + c^2 d)} \left(-R1^2 + 1 \right) \left(i \operatorname{arcsec}(c x) \ln \left(\frac{-R1 - \frac{1}{c x} - i \sqrt{1 - \frac{1}{c^2 x^2}}}{-R1} \right)}{-R1^2 c^2} \right)}{4e} \right)}{4e}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*arcsec(c*x))/(e*x^2+d),x,method=_RETURNVERBOSE)


```
[Out] 1/c^2*(1/2*a*c^2/e*ln(c^2*e*x^2+c^2*d)-1/4*I*b*c^4*sum((_R1^2+1)/(_R1^2*c^2
*d+c^2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilo
g((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*
e)*_Z^2+c^2*d))*d/e-b*c^2/e*arcsec(c*x)*ln(1+I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)
))-b*c^2/e*arcsec(c*x)*ln(1-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))+I*b*c^2/e*dilo
g(1+I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))+I*b*c^2/e*dilog(1-I*(1/c/x+I*(1-1/c^2/
x^2)^(1/2)))-1/4*I*b*c^2*sum((_R1^2*c^2*d+c^2*d+4*e)/(_R1^2*c^2*d+c^2*d+2*e
)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-1/c/x
-I*(1-1/c^2/x^2)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*
d))/e)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="maxima")
```

```
[Out] 1/2*a*e^(-1)*log(x^2*e + d) + b*integrate(x*arctan(sqrt(c*x + 1)*sqrt(c*x -
1))/(x^2*e + d), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*asec(c*x))/(e*x^2+d),x, algorithm="fricas")
```

```
[Out] integral((b*x*arcsec(c*x) + a*x)/(x^2*e + d), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{asec}(cx))}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*asec(c*x))/(e*x**2+d),x)
```

```
[Out] Integral(x*(a + b*asec(c*x))/(d + e*x**2), x)
```

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="giac")
```

```
[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{e x^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a + b*acos(1/(c*x))))/(d + e*x^2),x)
```

```
[Out] int((x*(a + b*acos(1/(c*x))))/(d + e*x^2), x)
```

3.93 $\int \frac{a+b \sec^{-1}(cx)}{d+ex^2} dx$

Optimal. Leaf size=509

$$\frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}}$$

[Out] $\frac{1}{2}*(a+b*\text{arcsec}(c*x))*\ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(1/2)}/e^{(1/2)}-1/2*(a+b*\text{arcsec}(c*x))*\ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(1/2)}/e^{(1/2)}+1/2*(a+b*\text{arcsec}(c*x))*\ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(1/2)}/e^{(1/2)}-1/2*(a+b*\text{arcsec}(c*x))*\ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(1/2)}/e^{(1/2)}+1/2*I*b*\text{polylog}(2,-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(1/2)}/e^{(1/2)}-1/2*I*b*\text{polylog}(2,c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(1/2)}/e^{(1/2)}+1/2*I*b*\text{polylog}(2,-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(1/2)}/e^{(1/2)}-1/2*I*b*\text{polylog}(2,c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(1/2)}/e^{(1/2)}$

Rubi [A]

time = 0.83, antiderivative size = 509, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {5338, 4758, 4826, 4616, 2221, 2317, 2438}

$$\frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} + \frac{i \text{Li}_2 \left(\frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} - \frac{i \text{Li}_2 \left(\frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} + \frac{i \text{Li}_2 \left(\frac{-c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} - \frac{i \text{Li}_2 \left(\frac{-c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x^2), x]

[Out] $((a + b*\text{ArcSec}[c*x])*Log[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))/(2*\text{Sqrt}[-d]*\text{Sqrt}[e]) - ((a + b*\text{ArcSec}[c*x])*Log[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))/(2*\text{Sqrt}[-d]*\text{Sqrt}[e]) + ((a + b*\text{ArcSec}[c*x])*Log[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(2*\text{Sqrt}[-d]*\text{Sqrt}[e]) - ((a + b*\text{ArcSec}[c*x])*Log[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(2*\text{Sqrt}[-d]*\text{Sqrt}[e]) + ((I/2)*b*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))]/(\text{Sqrt}[-d]*\text{Sqrt}[e]) - ((I/2)*b*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))]/(\text{Sqrt}[-d]*\text{Sqrt}[e]) + ((I/2)*b*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(\text{Sqrt}[-d]*\text{Sqrt}[e]) - ((I/2)*b*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(\text{Sqrt}[-d]*\text{Sqrt}[e]) - ((I/2)*b*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(\text{Sqrt}[-d]*\text{Sqrt}[e])$

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4616

```
Int[(((e_) + (f_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)])/(Cos[(c_) + (d_)
*(x_)]*(b_) + (a_)), x_Symbol] := Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1)))
, x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b
*E^(I*(c + d*x))], x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a +
Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))], x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4758

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)*((d_) + (e_)*(x_)^2)^(p_), x
_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

Rule 4826

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)/((d_) + (e_)*(x_)), x_Symbol]
:= -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e*cos[x])), x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 5338

```
Int[((a_) + ArcSec[(c_)*(x_)]*(b_))^(n_)*((d_) + (e_)*(x_)^2)^(p_),
x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(2*(p + 1)))
, x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{d + ex^2} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e + dx^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e} (\sqrt{e} - \sqrt{-d} x)} + \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e} (\sqrt{e} + \sqrt{-d} x)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-d} x} dx, x, \frac{1}{x} \right)}{2\sqrt{e}} - \frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} + \sqrt{-d} x} dx, x, \frac{1}{x} \right)}{2\sqrt{e}} \\
&= \frac{\text{Subst} \left(\int \frac{(a + bx) \sin(x)}{\sqrt{\frac{e}{c} - \sqrt{-d} \cos(x)}} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{e}} + \frac{\text{Subst} \left(\int \frac{(a + bx) \sin(x)}{\sqrt{\frac{e}{c} + \sqrt{-d} \cos(x)}} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{e}} \\
&= -\frac{i \text{Subst} \left(\int \frac{e^{ix} (a + bx)}{\sqrt{\frac{e}{c} - \sqrt{c^2 d + e} - \sqrt{-d}} e^{ix}} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{e}} - \frac{i \text{Subst} \left(\int \frac{e^{ix} (a + bx)}{\sqrt{\frac{e}{c} + \sqrt{c^2 d + e} - \sqrt{-d}} e^{ix}} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{e}} \\
&= \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} \\
&= \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} \\
&= \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}}
\end{aligned}$$

Mathematica [A]

time = 0.32, size = 871, normalized size = 1.71

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x^2), x]

[Out] (2*a*ArcTan[(Sqrt[e]*x)/Sqrt[d]] - 4*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*ArcTan[((-I)*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c

$c^2d + e]] + 4*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[(I*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] - I*b*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (2*I)*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + I*b*ArcSec[c*x]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (2*I)*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + I*b*ArcSec[c*x]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (2*I)*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - I*b*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (2*I)*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + b*PolyLog[2, ((-I)*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - b*PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - b*PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + b*PolyLog[2, (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]/(2*Sqrt[d]*Sqrt[e])$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
 time = 88.57, size = 281, normalized size = 0.55

| method | result |
|-------------------|--|
| derivativedivides | $\frac{ac \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de}} + \frac{ib c^2 \left(\frac{-R1 = \text{RootOf}(c^2d _Z^4 + (2c^2d + 4e) _Z^2 + c^2d)}{-R1} \right) \ln\left(\frac{-R1 - \frac{1}{cx} - i \sqrt{1 - \frac{1}{c^2x^2}}}{-R1}\right)}{2 \sqrt{R1^2 c^2 d + e}}$ |
| default | $\frac{ac \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de}} + \frac{ib c^2 \left(\frac{-R1 = \text{RootOf}(c^2d _Z^4 + (2c^2d + 4e) _Z^2 + c^2d)}{-R1} \right) \ln\left(\frac{-R1 - \frac{1}{cx} - i \sqrt{1 - \frac{1}{c^2x^2}}}{-R1}\right)}{2 \sqrt{R1^2 c^2 d + e}}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/(e*x^2+d), x, method=_RETURNVERBOSE)

[Out] 1/c*(a*c/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))+1/2*I*b*c^2*sum(_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilo

```
g(( _R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*
e)*_Z^2+c^2*d))-1/2*I*b*c^2*sum(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x
)*ln(( _R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog(( _R1-1/c/x-I*(1-1/c^2/x^2
)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="maxima")
```

```
[Out] a*arctan(x*e^(1/2)/sqrt(d))*e^(-1/2)/sqrt(d) + b*integrate(arctan(sqrt(c*x
+ 1)*sqrt(c*x - 1))/(x^2*e + d), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="fricas")
```

```
[Out] integral((b*arcsec(c*x) + a)/(x^2*e + d), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))/(e*x**2+d),x)
```

```
[Out] Integral((a + b*asec(c*x))/(d + e*x**2), x)
```

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="giac")
```

```
[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
```

by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(d + e*x^2),x)

[Out] int((a + b*acos(1/(c*x)))/(d + e*x^2), x)

3.94 $\int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)} dx$

Optimal. Leaf size=459

$$\frac{i(a+b \sec^{-1}(cx))^2}{2bd} - \frac{(a+b \sec^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}}\right)}{2d} - \frac{(a+b \sec^{-1}(cx)) \log\left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}}\right)}{2d}$$

[Out] 1/2*I*(a+b*arcsec(c*x))^2/b/d-1/2*(a+b*arcsec(c*x))*ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/d-1/2*(a+b*arcsec(c*x))*ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/d-1/2*(a+b*arcsec(c*x))*ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/d-1/2*(a+b*arcsec(c*x))*ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/d+1/2*I*b*polylog(2,-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/d+1/2*I*b*polylog(2,c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/d+1/2*I*b*polylog(2,-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/d+1/2*I*b*polylog(2,c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/d

Rubi [A]

time = 0.82, antiderivative size = 459, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5348, 4818, 4826, 4616, 2221, 2317, 2438}

$$\frac{(a+b \sec^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}}\right)}{2d} - \frac{(a+b \sec^{-1}(cx)) \log\left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}}\right)}{2d} - \frac{(a+b \sec^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{c^2d+e} + \sqrt{e}}\right)}{2d} - \frac{(a+b \sec^{-1}(cx)) \log\left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{c^2d+e} + \sqrt{e}}\right)}{2d} + \frac{i(a+b \sec^{-1}(cx))^2}{2d} + \frac{i \operatorname{Li}_2\left(\frac{-c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}}\right)}{2d} + \frac{i \operatorname{Li}_2\left(\frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}}\right)}{2d} + \frac{i \operatorname{Li}_2\left(\frac{-c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{c^2d+e} + \sqrt{e}}\right)}{2d} + \frac{i \operatorname{Li}_2\left(\frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{c^2d+e} + \sqrt{e}}\right)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x*(d + e*x^2)),x]

[Out] ((I/2)*(a + b*ArcSec[c*x])^2)/(b*d) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d) + ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))]/d + ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])]/d + ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))]/d + ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])]/d

Rule 2221

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp

```

[[(c + d*x)^m/(b*f*g*n*Log[F])]*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

Rule 2317

```

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

Rule 2438

```

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

```

Rule 4616

```

Int[(((e_) + (f_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)])/(Cos[(c_) + (d_)*(x_)]*(b_) + (a_)), x_Symbol] :> Simp[I*(e + f*x)^(m + 1)/(b*f*(m + 1)), x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

```

Rule 4818

```

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

```

Rule 4826

```

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)/((d_) + (e_)*(x_)), x_Symbol]
:> -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e*cos[x])), x], x, ArcCos[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

```

Rule 5348

```

Int[((a_) + ArcSec[(c_)*(x_)])*(b_)^(n_)*(x_)^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]

```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x(d + ex^2)} dx &= -\text{Subst} \left(\int \frac{x(a + b \cos^{-1}(\frac{x}{c}))}{e + dx^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(-\frac{\sqrt{-d}(a + b \cos^{-1}(\frac{x}{c}))}{2d(\sqrt{e} - \sqrt{-d}x)} + \frac{\sqrt{-d}(a + b \cos^{-1}(\frac{x}{c}))}{2d(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{\sqrt{e} - \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2\sqrt{-d}} + \frac{\text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{\sqrt{e} + \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2\sqrt{-d}} \\
&= \frac{\text{Subst} \left(\int \frac{(a + bx) \sin(x)}{\sqrt{\frac{e}{c^2}} - \sqrt{-d} \cos(x)} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{-d}} - \frac{\text{Subst} \left(\int \frac{(a + bx) \sin(x)}{\sqrt{\frac{e}{c^2}} + \sqrt{-d} \cos(x)} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{-d}} \\
&= \frac{i(a + b \sec^{-1}(cx))^2}{2bd} - \frac{i \text{Subst} \left(\int \frac{e^{ix}(a + bx)}{\sqrt{\frac{e}{c^2}} - \sqrt{c^2d + e} - \sqrt{-d} e^{ix}} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{-d}} - \frac{i \text{Subst} \left(\int \frac{e^{ix}(a + bx)}{\sqrt{\frac{e}{c^2}} + \sqrt{c^2d + e} - \sqrt{-d} e^{ix}} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{-d}} \\
&= \frac{i(a + b \sec^{-1}(cx))^2}{2bd} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2d} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2d + e}} \right)}{2d} \\
&= \frac{i(a + b \sec^{-1}(cx))^2}{2bd} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2d} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2d + e}} \right)}{2d} \\
&= \frac{i(a + b \sec^{-1}(cx))^2}{2bd} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2d} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2d + e}} \right)}{2d}
\end{aligned}$$

Mathematica [A]

time = 0.57, size = 402, normalized size = 0.88

$$\frac{4a \log(x) - 2b \log(d + ex^2) + b \left(2 \arcsin\left(\frac{\sqrt{-d}}{\sqrt{e}}\right) \arctan\left(\frac{\sqrt{1 - \frac{d}{e}}}{\sqrt{e}}\right) + 2 \arcsin\left(\frac{\sqrt{-d}}{\sqrt{e}}\right) \log\left(1 + \frac{\sqrt{e - \sqrt{d^2 + e}}}{\sqrt{e}}\right) + 2 \arcsin\left(\frac{\sqrt{-d}}{\sqrt{e}}\right) \log\left(1 - \frac{\sqrt{e - \sqrt{d^2 + e}}}{\sqrt{e}}\right) + 2 \arcsin\left(\frac{\sqrt{-d}}{\sqrt{e}}\right) \log\left(1 + \frac{\sqrt{e - \sqrt{d^2 + e}}}{\sqrt{e}}\right) - 2 \arcsin\left(\frac{\sqrt{-d}}{\sqrt{e}}\right) \log\left(1 - \frac{\sqrt{e - \sqrt{d^2 + e}}}{\sqrt{e}}\right) + 2 \arcsin\left(\frac{\sqrt{-d}}{\sqrt{e}}\right) \log\left(1 + \frac{\sqrt{e - \sqrt{d^2 + e}}}{\sqrt{e}}\right) - 2 \arcsin\left(\frac{\sqrt{-d}}{\sqrt{e}}\right) \log\left(1 - \frac{\sqrt{e - \sqrt{d^2 + e}}}{\sqrt{e}}\right) \right)}{2\sqrt{-d}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)), x]

[Out] (4*a*Log[x] - 2*a*Log[d + e*x^2] + I*b*(2*ArcSec[c*x]^2 - 4*ArcSin[Sqrt[1 + e/(c^2*d)]]*ArcTan[(c*e*Sqrt[1 - 1/(c^2*x^2)]]*x]/Sqrt[e*(c^2*d + e)]) + (2*I)*ArcSec[c*x]*Log[1 + ((c^2*d + 2*e - 2*Sqrt[e*(c^2*d + e)])*E^((2*I)*Arc

$$\begin{aligned} & \text{Sec}[c*x])/(c^2*d)] + (2*I)*\text{ArcSin}[\text{Sqrt}[1 + e/(c^2*d)]]*\text{Log}[1 + ((c^2*d + 2 \\ & *e - 2*\text{Sqrt}[e*(c^2*d + e)])*E^((2*I)*\text{ArcSec}[c*x]))/(c^2*d)] + (2*I)*\text{ArcSec}[\\ & c*x]*\text{Log}[1 + ((c^2*d + 2*(e + \text{Sqrt}[e*(c^2*d + e)])))*E^((2*I)*\text{ArcSec}[c*x]))/ \\ & (c^2*d)] - (2*I)*\text{ArcSin}[\text{Sqrt}[1 + e/(c^2*d)]]*\text{Log}[1 + ((c^2*d + 2*(e + \text{Sqrt}[\\ & e*(c^2*d + e)])))*E^((2*I)*\text{ArcSec}[c*x]))/(c^2*d)] + \text{PolyLog}[2, -(((c^2*d + 2 \\ & *e - 2*\text{Sqrt}[e*(c^2*d + e)])*E^((2*I)*\text{ArcSec}[c*x]))/(c^2*d))] + \text{PolyLog}[2, - \\ & (((c^2*d + 2*(e + \text{Sqrt}[e*(c^2*d + e)])))*E^((2*I)*\text{ArcSec}[c*x]))/(c^2*d)))]/(\\ & (4*d) \end{aligned}$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 0.92, size = 2933, normalized size = 6.39

| method | result | size |
|-------------------|---------------------------------|------|
| derivativedivides | Expression too large to display | 2933 |
| default | Expression too large to display | 2933 |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x/(e*x^2+d),x,method=_RETURNVERBOSE)`

[Out]
$$\begin{aligned} & -1/4*I*b*(e*(c^2*d+e))^{(1/2)}/(c^2*d+e)/d*\text{polylog}(2,d*c^2*(1/c/x+I*(1-1/c^2/ \\ & x^2))^{(1/2)})^2/(-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e))+1/2*b*c^2/(c^2*d+e)*\ln(1- \\ & d*c^2*(1/c/x+I*(1-1/c^2/x^2))^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*a \\ & rcsec(c*x)-1/8*I*b*c^2*(e*(c^2*d+e))^{(1/2)}/e/(c^2*d+e)*\text{polylog}(2,d*c^2*(1/c \\ & /x+I*(1-1/c^2/x^2))^{(1/2)})^2/(-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e))-I*b/c^4*\text{pol} \\ & ylog(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2))^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}- \\ & 2*e))*e/d^3*(e*(c^2*d+e))^{(1/2)}-2*I*b/c^4*\text{arcsec}(c*x)^2*e/d^3*(e*(c^2*d+e)) \\ & ^{(1/2)}-2*I*b/c^2*e^2*\text{polylog}(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2))^{(1/2)})^2/(-c^2* \\ & d-2*(e*(c^2*d+e))^{(1/2)}-2*e))/(c^2*d+e)/d^2-I*b/c^4*e^3*\text{polylog}(2,d*c^2*(1/ \\ & c/x+I*(1-1/c^2/x^2))^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))/(c^2*d+e)/ \\ & d^3-1/4*b*c^2/e/(c^2*d+e)*\ln(1-d*c^2*(1/c/x+I*(1-1/c^2/x^2))^{(1/2)})^2/(-c^2* \\ & d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*\text{arcsec}(c*x)*(e*(c^2*d+e))^{(1/2)}+2*b/c^4*e^3/(\\ & c^2*d+e)/d^3*\ln(1-d*c^2*(1/c/x+I*(1-1/c^2/x^2))^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d \\ & +e))^{(1/2)}-2*e))*\text{arcsec}(c*x)+2*b/c^4/d^3*\ln(1-d*c^2*(1/c/x+I*(1-1/c^2/x^2))^{ \\ & (1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*e*\text{arcsec}(c*x)*(e*(c^2*d+e))^{(1 \\ & /2)}+1/4*b*c^2*(e*(c^2*d+e))^{(1/2)}/e/(c^2*d+e)*\text{arcsec}(c*x)*\ln(1-d*c^2*(1/c/x \\ & +I*(1-1/c^2/x^2))^{(1/2)})^2/(-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e))+1/8*I*b*c^2*p \\ & olylog(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2))^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2 \\ &)-2*e))/e/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}-2*I*b/c^4*e^3*\text{arcsec}(c*x)^2/(c^2*d+ \\ & e)/d^3-4*I*b/c^2*\text{arcsec}(c*x)^2/(c^2*d+e)/d^2*e^2+4*b/c^2*e^2/(c^2*d+e)/d^2* \\ & \ln(1-d*c^2*(1/c/x+I*(1-1/c^2/x^2))^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2* \\ & e))*\text{arcsec}(c*x)-I*b/c^2*\text{arcsec}(c*x)^2/d^2*(e*(c^2*d+e))^{(1/2)}-1/2*I*b/c^2*p \\ & olylog(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2))^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2 \\ &)-2*e))/d^2*(e*(c^2*d+e))^{(1/2)}+2*I*b/c^2*\text{arcsec}(c*x)^2/d^2*e-5/2*I*b*\text{arcse} \\ & c(c*x)^2/(c^2*d+e)/d*e+5/2*b*e/(c^2*d+e)/d*\ln(1-d*c^2*(1/c/x+I*(1-1/c^2/x^2 \\ &)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*\text{arcsec}(c*x)-3/2*b/(c^2*d+e)/ \end{aligned}$$

$$\begin{aligned}
& d \cdot \ln(1 - d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) \cdot \operatorname{arcsec}(c \cdot x) \cdot (e \cdot (c^2 \cdot d + e))^{1/2} + 1/2 \cdot b \cdot (e \cdot (c^2 \cdot d + e))^{1/2} / (c^2 \cdot d + e) / d \\
& \cdot \operatorname{arcsec}(c \cdot x) \cdot \ln(1 - d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d + 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) + I \cdot b / c^4 \cdot \operatorname{polylog}(2, d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) \cdot e^2 / d^3 + I \cdot b / c^2 \cdot \operatorname{polylog}(2, d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) / d^2 \cdot e - 2 \cdot b / c^2 / d^2 \\
& \cdot \ln(1 - d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) \cdot e \cdot \operatorname{arcsec}(c \cdot x) - 2 \cdot b / c^4 / d^3 \cdot \ln(1 - d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) \cdot e^2 \cdot \operatorname{arcsec}(c \cdot x) + b / c^2 / d^2 \cdot \ln(1 - d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) \cdot \operatorname{arcsec}(c \cdot x) \\
& \cdot (e \cdot (c^2 \cdot d + e))^{1/2} + I \cdot b \cdot (e \cdot (c^2 \cdot d + e))^{1/2} / (c^2 \cdot d + e) / d \cdot \operatorname{arcsec}(c \cdot x)^2 + I \cdot b \cdot \operatorname{arcsec}(c \cdot x)^2 / d - 1/2 \cdot b / d \cdot \ln(1 - d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) \cdot \operatorname{arcsec}(c \cdot x) + 1/4 \cdot I \cdot b \cdot \operatorname{polylog}(2, d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) / d + 1/2 \cdot I \cdot b / d \cdot \operatorname{sum} \\
& ((_R1^2 \cdot c^2 \cdot d + 2 \cdot c^2 \cdot d + 4 \cdot e) / (_R1^2 \cdot c^2 \cdot d + c^2 \cdot d + 2 \cdot e)) \cdot (I \cdot \operatorname{arcsec}(c \cdot x) \cdot \ln((_R1 - 1/c/x - I \cdot (1 - 1/c^2/x^2)^{1/2}) / _R1) + \operatorname{dilog}((_R1 - 1/c/x - I \cdot (1 - 1/c^2/x^2)^{1/2}) / _R1)), _R1 = \operatorname{RootOf}(c^2 \cdot d \cdot _Z^4 + (2 \cdot c^2 \cdot d + 4 \cdot e) \cdot _Z^2 + c^2 \cdot d) - 3 \cdot b / c^2 \cdot e / (c^2 \cdot d + e) / d^2 \\
& \cdot \ln(1 - d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) \cdot \operatorname{arcsec}(c \cdot x) \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot b / c^4 \cdot e^2 / (c^2 \cdot d + e) / d^3 \cdot \ln(1 - d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) \cdot \operatorname{arcsec}(c \cdot x) \cdot (e \cdot (c^2 \cdot d + e))^{1/2} + I \cdot b / c^4 \cdot e^2 \cdot \operatorname{polylog}(2, d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) / (c^2 \cdot d + e) / d^3 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} + 3 \cdot I \cdot b / c^2 \cdot \operatorname{arcsec}(c \cdot x)^2 / (c^2 \cdot d + e) / d^2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} \cdot e + 3/2 \cdot I \cdot b / c^2 \cdot e \cdot \operatorname{polylog}(2, d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) / (c^2 \cdot d + e) / d^2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} + 2 \cdot I \cdot b / c^4 \cdot e^2 \cdot \operatorname{arcsec}(c \cdot x)^2 / (c^2 \cdot d + e) / d^3 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 1/2 \cdot I \cdot b \cdot c^2 \cdot \operatorname{arcsec}(c \cdot x)^2 / (c^2 \cdot d + e) - 1/4 \cdot I \cdot b \cdot c^2 \cdot \operatorname{polylog}(2, d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) / (c^2 \cdot d + e) - 1/2 \cdot a / d \cdot \ln(c^2 \cdot e \cdot x^2 + c^2 \cdot d) + a / d \cdot \ln(c \cdot x) + 3/4 \cdot I \cdot b \cdot \operatorname{polylog}(2, d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) / (c^2 \cdot d + e) / d \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 5/4 \cdot I \cdot b \cdot \operatorname{polylog}(2, d \cdot c^2 \cdot (1/c/x + I \cdot (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 \cdot d - 2 \cdot (e \cdot (c^2 \cdot d + e))^{1/2} - 2 \cdot e)) \cdot e / (c^2 \cdot d + e) / d + 2 \cdot I \cdot b / c^4 \cdot \operatorname{arcsec}(c \cdot x)^2 \cdot e^2 / d^3
\end{aligned}$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d),x, algorithm="maxima")

[Out] -1/2*a*(log(x^2*e + d)/d - 2*log(x)/d) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(x^3*e + d*x), x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d),x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)/(x^3*e + d*x), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{x(d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x/(e*x**2+d),x)

[Out] Integral((a + b*asec(c*x))/(x*(d + e*x**2)), x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{x(e x^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(x*(d + e*x^2)),x)

[Out] int((a + b*acos(1/(c*x)))/(x*(d + e*x^2)), x)

3.95 $\int \frac{a+b \sec^{-1}(cx)}{x^2(d+ex^2)} dx$

Optimal. Leaf size=551

$$\frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{d} - \frac{a}{dx} - \frac{b \sec^{-1}(cx)}{dx} + \frac{\sqrt{e}(a+b \sec^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} - \frac{\sqrt{e}(a+b \sec^{-1}(cx))}{2(-d)^{3/2}}$$

[Out] $-a/d/x - b*\text{arcsec}(c*x)/d/x + 1/2*(a+b*\text{arcsec}(c*x))*\ln(1-c*(1/c/x + I*(1-1/c^2/x^2))^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)} - (c^2*d+e)^{(1/2)}) * e^{(1/2)}/(-d)^{(3/2)} - 1/2*(a+b*\text{arcsec}(c*x))*\ln(1+c*(1/c/x + I*(1-1/c^2/x^2))^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)} - (c^2*d+e)^{(1/2)}) * e^{(1/2)}/(-d)^{(3/2)} + 1/2*(a+b*\text{arcsec}(c*x))*\ln(1-c*(1/c/x + I*(1-1/c^2/x^2))^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)} + (c^2*d+e)^{(1/2)}) * e^{(1/2)}/(-d)^{(3/2)} - 1/2*(a+b*\text{arcsec}(c*x))*\ln(1+c*(1/c/x + I*(1-1/c^2/x^2))^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)} + (c^2*d+e)^{(1/2)}) * e^{(1/2)}/(-d)^{(3/2)} - 1/2*I*b*\text{polylog}(2, -c*(1/c/x + I*(1-1/c^2/x^2))^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)} - (c^2*d+e)^{(1/2)}) * e^{(1/2)}/(-d)^{(3/2)} - 1/2*I*b*\text{polylog}(2, c*(1/c/x + I*(1-1/c^2/x^2))^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)} - (c^2*d+e)^{(1/2)}) * e^{(1/2)}/(-d)^{(3/2)} + 1/2*I*b*\text{polylog}(2, -c*(1/c/x + I*(1-1/c^2/x^2))^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)} + (c^2*d+e)^{(1/2)}) * e^{(1/2)}/(-d)^{(3/2)} - 1/2*I*b*\text{polylog}(2, c*(1/c/x + I*(1-1/c^2/x^2))^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)} + (c^2*d+e)^{(1/2)}) * e^{(1/2)}/(-d)^{(3/2)} + b*c*(1-1/c^2/x^2)^{(1/2)}/d$

Rubi [A]

time = 1.09, antiderivative size = 551, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {5348, 4818, 4716, 267, 4758, 4826, 4616, 2221, 2317, 2438}

$$\frac{\sqrt{e}(a+b \sec^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} - \frac{\sqrt{e}(a+b \sec^{-1}(cx)) \log\left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} + \frac{\sqrt{e}(a+b \sec^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} - \frac{\sqrt{e}(a+b \sec^{-1}(cx)) \log\left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} - \frac{a}{dx} + \frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{2(-d)^{3/2}} - \frac{b \sec^{-1}(cx)}{2(-d)^{3/2}} - \frac{b \sqrt{e} \text{Li}_2\left(\frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} - \frac{b \sqrt{e} \text{Li}_2\left(\frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} - \frac{b \sqrt{e} \text{Li}_2\left(-\frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} - \frac{b \sqrt{e} \text{Li}_2\left(-\frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} + \frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{d} - \frac{b \sec^{-1}(cx)}{dx}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)), x]

[Out] $(b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]/d - a/(d*x) - (b*\text{ArcSec}[c*x])/(d*x) + (\text{Sqrt}[e]*(a + b*\text{ArcSec}[c*x])*Log[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))/(2*(-d)^{(3/2)}) - (\text{Sqrt}[e]*(a + b*\text{ArcSec}[c*x])*Log[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))/(2*(-d)^{(3/2)}) + (\text{Sqrt}[e]*(a + b*\text{ArcSec}[c*x])*Log[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(2*(-d)^{(3/2)}) - (\text{Sqrt}[e]*(a + b*\text{ArcSec}[c*x])*Log[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(2*(-d)^{(3/2)}) + ((I/2)*b*\text{Sqrt}[e]*PolyLog[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))]/(-d)^{(3/2)} - ((I/2)*b*\text{Sqrt}[e]*PolyLog[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))/(-d)^{(3/2)} + ((I/2)*b*\text{Sqrt}[e]*PolyLog[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(-d)^{(3/2)} - ((I/2)*b*\text{Sqrt}[e]*PolyLog[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(-d)^{(3/2)})$

Rule 267

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 2221

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4616

```
Int[(((e_) + (f_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)])/(Cos[(c_) + (d_)*(x_)]*(b_) + (a_)), x_Symbol] := Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1))), x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4716

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_), x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[x*((a + b*ArcCos[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 4758

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])
```


Rule 4818

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4826

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e*Cos[x])), x], x, ArcCos[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 5348

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^2 (d + ex^2)} dx &= -\text{Subst} \left(\int \frac{x^2 (a + b \cos^{-1}(\frac{x}{c}))}{e + dx^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1}(\frac{x}{c})}{d} - \frac{e(a + b \cos^{-1}(\frac{x}{c}))}{d(e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int (a + b \cos^{-1}(\frac{x}{c})) dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{e + dx^2} dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{a}{dx} - \frac{b \text{Subst} \left(\int \cos^{-1}(\frac{x}{c}) dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \left(\frac{a + b \cos^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} - \sqrt{-d}x)} + \frac{a + b \cos^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{a}{dx} - \frac{b \sec^{-1}(cx)}{dx} - \frac{b \text{Subst} \left(\int \frac{x}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{cd} + \frac{\sqrt{e} \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{\sqrt{e} - \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2d} \\
&= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{d} - \frac{a}{dx} - \frac{b \sec^{-1}(cx)}{dx} - \frac{\sqrt{e} \text{Subst} \left(\int \frac{(a + bx) \sin(x)}{\sqrt{e} - \sqrt{-d} \cos(x)} dx, x, \sec^{-1}(cx) \right)}{2d} \\
&= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{d} - \frac{a}{dx} - \frac{b \sec^{-1}(cx)}{dx} + \frac{(i\sqrt{e}) \text{Subst} \left(\int \frac{e^{ix}(a + bx)}{\sqrt{e} - \sqrt{c^2 d + e} - \sqrt{-d} e^{ix}} dx, x, \sec^{-1}(cx) \right)}{2d} \\
&= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{d} - \frac{a}{dx} - \frac{b \sec^{-1}(cx)}{dx} + \frac{\sqrt{e} (a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2(-d)^{3/2}} \\
&= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{d} - \frac{a}{dx} - \frac{b \sec^{-1}(cx)}{dx} + \frac{\sqrt{e} (a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2(-d)^{3/2}} \\
&= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{d} - \frac{a}{dx} - \frac{b \sec^{-1}(cx)}{dx} + \frac{\sqrt{e} (a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2(-d)^{3/2}}
\end{aligned}$$

Mathematica [A]

time = 0.90, size = 997, normalized size = 1.81



Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)),x]

[Out] $-(a/(d*x)) - (a*\sqrt{e}*\text{ArcTan}[(\sqrt{e}*x)/\sqrt{d}])/d^{(3/2)} + b*((c*\sqrt{1 - 1/(c^2*x^2)} - \text{ArcSec}[c*x])/x)/d - (\sqrt{e}*(8*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2})*\text{ArcTan}[(I*c*\sqrt{d} + \sqrt{e})*\text{Tan}[\text{ArcSec}[c*x]/2])/(\sqrt{c^2*d + e}) - (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e}))*E^{(I*\text{ArcSec}[c*x])}]/(c*\sqrt{d}) - (4*I)*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2})*\text{Log}[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e}))*E^{(I*\text{ArcSec}[c*x])}]/(c*\sqrt{d}) - (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e}))*E^{(I*\text{ArcSec}[c*x])}]/(c*\sqrt{d}) + (4*I)*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2})*\text{Log}[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e}))*E^{(I*\text{ArcSec}[c*x])}]/(c*\sqrt{d}) + (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + E^{((2*I)*\text{ArcSec}[c*x])}] - 2*\text{PolyLog}[2, (I*(-\sqrt{e} + \sqrt{c^2*d + e}))*E^{(I*\text{ArcSec}[c*x])}]/(c*\sqrt{d}) - 2*\text{PolyLog}[2, ((-I)*(\sqrt{e} + \sqrt{c^2*d + e}))*E^{(I*\text{ArcSec}[c*x])}]/(c*\sqrt{d}) + \text{PolyLog}[2, -E^{((2*I)*\text{ArcSec}[c*x])})]/(4*d^{(3/2)}) + (\sqrt{e}*(8*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2})*\text{ArcTan}[(I*(-I)*c*\sqrt{d} + \sqrt{e})*\text{Tan}[\text{ArcSec}[c*x]/2])/(\sqrt{c^2*d + e}) - (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e}))*E^{(I*\text{ArcSec}[c*x])}]/(c*\sqrt{d}) - (4*I)*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2})*\text{Log}[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e}))*E^{(I*\text{ArcSec}[c*x])}]/(c*\sqrt{d}) - (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e}))*E^{(I*\text{ArcSec}[c*x])}]/(c*\sqrt{d}) + (4*I)*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2})*\text{Log}[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e}))*E^{(I*\text{ArcSec}[c*x])}]/(c*\sqrt{d}) + (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + E^{((2*I)*\text{ArcSec}[c*x])}] - 2*\text{PolyLog}[2, ((-I)*(-\sqrt{e} + \sqrt{c^2*d + e}))*E^{(I*\text{ArcSec}[c*x])}]/(c*\sqrt{d}) - 2*\text{PolyLog}[2, (I*(\sqrt{e} + \sqrt{c^2*d + e}))*E^{(I*\text{ArcSec}[c*x])}]/(c*\sqrt{d}) + \text{PolyLog}[2, -E^{((2*I)*\text{ArcSec}[c*x])})]/(4*d^{(3/2)})$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 198.12, size = 339, normalized size = 0.62

| method | result |
|-------------------|--|
| derivativedivides | $c \left(\frac{ae \arctan\left(\frac{ex}{\sqrt{de}}\right)}{cd\sqrt{de}} - \frac{a}{dcx} + \frac{b\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{d} - \frac{b \text{arcsec}(cx)}{dcx} - \frac{\text{ibc}}{\text{RootOf}(c^2dZ^4 + (2c^2d+4e)Z^2)} \right)$ |

| | |
|---------|---|
| default | $c \left(-\frac{ae \arctan\left(\frac{ex}{\sqrt{de}}\right)}{cd\sqrt{de}} - \frac{a}{dcx} + \frac{b\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{d} - \frac{b \operatorname{arcsec}(cx)}{dcx} - \frac{\operatorname{ibe} \left(-\operatorname{R1}=\operatorname{RootOf}\left(c^2d_Z^4+(2c^2d+4e)_Z^2+c^2d\right)}{\dots} \right)}{\dots} \right)$ |
|---------|---|

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsec(c*x))/x^2/(e*x^2+d),x,method=_RETURNVERBOSE)
```

```
[Out] c*(-a/c*e/d/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))-a/d/c/x+b/d*((c^2*x^2-1)/c^2/x^2)^(1/2)-b/d/c/x*arcsec(c*x)-1/2*I*b*e/d*sum(_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+1/2*I*b*e/d*sum(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d),x, algorithm="maxima")
```

```
[Out] -a*(arctan(x*e^(1/2)/sqrt(d))*e^(1/2)/d^(3/2) + 1/(d*x)) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(x^4*e + d*x^2), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d),x, algorithm="fricas")
```

```
[Out] integral((b*arcsec(c*x) + a)/(x^4*e + d*x^2), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{x^2 (d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*asec(c*x))/x**2/(e*x**2+d),x)``[Out] Integral((a + b*asec(c*x))/(x**2*(d + e*x**2)), x)`**Giac [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d),x, algorithm="giac")`

`[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
 INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
 by intervals (correct if the argument is real):Check [abs(sageVARx)]Evaluat
 ion time`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{x^2 (ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a + b*acos(1/(c*x)))/(x^2*(d + e*x^2)),x)``[Out] int((a + b*acos(1/(c*x)))/(x^2*(d + e*x^2)), x)`

$$\text{ArcSec}[c*x])*\text{Log}[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/e^3 + (2*d*(a + b*\text{ArcSec}[c*x])*\text{Log}[1 + E^{((2*I)*\text{ArcSec}[c*x])}]/e^3 + (I*b*d*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))])/e^3 + (I*b*d*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))])/e^3 + (I*b*d*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))])/e^3 + (I*b*d*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))])/e^3 - (I*b*d*\text{PolyLog}[2, -E^{((2*I)*\text{ArcSec}[c*x])}]/e^3$$

Rule 211

$$\text{Int}(((a_) + (b_)*(x_)^2)^{-1}, x_Symbol] \text{ :> } \text{Simp}[(\text{Rt}[a/b, 2]/a)*\text{ArcTan}[x/\text{Rt}[a/b, 2]], x] \text{ /; } \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{PosQ}[a/b]$$

Rule 270

$$\text{Int}(((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{n_})^{(p_)}, x_Symbol] \text{ :> } \text{Simp}[(c*x)^{(m+1)}*((a + b*x^n)^{(p+1)}/(a*c*(m+1))), x] \text{ /; } \text{FreeQ}\{a, b, c, m, n, p\}, x\} \ \&\& \ \text{EqQ}[(m+1)/n + p + 1, 0] \ \&\& \ \text{NeQ}[m, -1]$$

Rule 385

$$\text{Int}(((a_) + (b_)*(x_)^{n_})^{(p_)}/((c_) + (d_)*(x_)^{n_}), x_Symbol] \text{ :> } \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] \text{ /; } \text{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[n*p + 1, 0] \ \&\& \ \text{IntegerQ}[n]$$

Rule 2221

$$\text{Int}((((F_)^{((g_)*((e_) + (f_)*(x_)))})^{(n_)}*((c_) + (d_)*(x_))^{(m_)})/((a_) + (b_)*((F_)^{((g_)*((e_) + (f_)*(x_)))})^{(n_)}), x_Symbol] \text{ :> } \text{Simp}[(c + d*x)^m/(b*f*g*n*\text{Log}[F])]*\text{Log}[1 + b*((F^{(g*(e + f*x))})^n/a)], x] - \text{Dist}[d*(m/(b*f*g*n*\text{Log}[F])), \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + b*((F^{(g*(e + f*x))})^n/a)], x], x] \text{ /; } \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$$

Rule 2317

$$\text{Int}[\text{Log}[(a_) + (b_)*((F_)^{((e_)*((c_) + (d_)*(x_)))})^{(n_)}], x_Symbol] \text{ :> } \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] \text{ /; } \text{FreeQ}\{F, a, b, c, d, e, n\}, x\} \ \&\& \ \text{GtQ}[a, 0]$$

Rule 2438

$$\text{Int}[\text{Log}[(c_)*((d_) + (e_)*(x_)^{n_})]/(x_), x_Symbol] \text{ :> } \text{Simp}[-\text{PolyLog}[2, (-c)*e*x^n]/n, x] \text{ /; } \text{FreeQ}\{c, d, e, n\}, x\} \ \&\& \ \text{EqQ}[c*d, 1]$$

Rule 3800

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[I
*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4616

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)
*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1)))
, x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b
*E^(I*(c + d*x))), x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a +
Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4722

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)/(x_), x_Symbol] := -Subst[Int[
(a + b*x)^n*Tan[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0
]
```

Rule 4724

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[(d*x)^(m + 1)*((a + b*ArcCos[c*x])^n/(d*(m + 1))), x] + Dist[b*c*(n
/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCos[c*x])^(n - 1)/Sqrt[1 - c^2*
x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4814

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_
Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcCos[c*x])/(2*e*(p + 1))), x]
+ Dist[b*(c/(2*e*(p + 1))), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x],
x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 4818

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_
.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4826

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol]
:= -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e*Cos[x])), x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```


Rule 5348

```

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)
^2)^(p_.), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(
m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^5(a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x^3 (e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e^2 x^3} - \frac{2d(a + b \cos^{-1} \left(\frac{x}{c} \right))}{e^3 x} + \frac{d^2 x (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e^2 (e + dx^2)^2} \right) dx, x, \frac{1}{x} \right) \\
&= \frac{(2d) \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x} dx, x, \frac{1}{x} \right)}{e^3} - \frac{(2d^2) \text{Subst} \left(\int \frac{x(a + b \cos^{-1} \left(\frac{x}{c} \right))}{e + dx^2} dx, x, \frac{1}{x} \right)}{e^3} - \text{Subst} \left(\int \frac{d^2 x^3 (a + b \cos^{-1} \left(\frac{x}{c} \right))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= \frac{d(a + b \sec^{-1}(cx))}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{x^2(a + b \sec^{-1}(cx))}{2e^2} - \frac{(2d) \text{Subst} \left(\int (a + bx) \tan(x) dx, x, \sec^{-1} \left(\frac{x}{c} \right) \right)}{e^3} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x}{2ce^2} + \frac{d(a + b \sec^{-1}(cx))}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{x^2(a + b \sec^{-1}(cx))}{2e^2} - \frac{id(a + b \sec^{-1}(cx))}{be^3} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x}{2ce^2} + \frac{d(a + b \sec^{-1}(cx))}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{x^2(a + b \sec^{-1}(cx))}{2e^2} - \frac{id(a + b \sec^{-1}(cx))}{be^3} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x}{2ce^2} + \frac{d(a + b \sec^{-1}(cx))}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{x^2(a + b \sec^{-1}(cx))}{2e^2} + \frac{bd \tan^{-1} \left(\frac{\sqrt{1 - \frac{1}{c^2 x^2}}}{c \sqrt{e}} \right)}{2e^{5/2} \sqrt{c}} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x}{2ce^2} + \frac{d(a + b \sec^{-1}(cx))}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{x^2(a + b \sec^{-1}(cx))}{2e^2} + \frac{bd \tan^{-1} \left(\frac{\sqrt{1 - \frac{1}{c^2 x^2}}}{c \sqrt{e}} \right)}{2e^{5/2} \sqrt{c}} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x}{2ce^2} + \frac{d(a + b \sec^{-1}(cx))}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{x^2(a + b \sec^{-1}(cx))}{2e^2} + \frac{bd \tan^{-1} \left(\frac{\sqrt{1 - \frac{1}{c^2 x^2}}}{c \sqrt{e}} \right)}{2e^{5/2} \sqrt{c}} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x}{2ce^2} + \frac{d(a + b \sec^{-1}(cx))}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{x^2(a + b \sec^{-1}(cx))}{2e^2} + \frac{bd \tan^{-1} \left(\frac{\sqrt{1 - \frac{1}{c^2 x^2}}}{c \sqrt{e}} \right)}{2e^{5/2} \sqrt{c}}
\end{aligned}$$

Mathematica [B] Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 1255 vs. $2(608) = 1216$.
time = 2.73, size = 1255, normalized size = 2.06

Warning: Unable to verify antiderivative.

[In] Integrate[(x^5*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out]
$$\begin{aligned} & -1/4*(-2*a*e*x^2 + (2*a*d^2)/(d + e*x^2) + 4*a*d*\text{Log}[d + e*x^2] + b*((2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/c - 2*e*x^2*\text{ArcSec}[c*x] + (d^{3/2}*\text{ArcSec}[c*x])/(\text{Sqrt}[d] - I*\text{Sqrt}[e]*x) + (d^{3/2}*\text{ArcSec}[c*x])/(\text{Sqrt}[d] + I*\text{Sqrt}[e]*x) + 2*d*\text{ArcSin}[1/(c*x)] + (16*I)*d*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]]/\text{Sqrt}[2]]*\text{ArcTan}[((-I)*c*\text{Sqrt}[d] + \text{Sqrt}[e])* \text{Tan}[\text{ArcSec}[c*x]/2)]/\text{Sqrt}[c^2*d + e] + (16*I)*d*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]]/\text{Sqrt}[2]]*\text{ArcTan}[(I*c*\text{Sqrt}[d] + \text{Sqrt}[e])* \text{Tan}[\text{ArcSec}[c*x]/2)]/\text{Sqrt}[c^2*d + e] + 4*d*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) + 8*d*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) + 4*d*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) + 8*d*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) + 4*d*\text{ArcSec}[c*x]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) - 8*d*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]]/\text{Sqrt}[2]]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) + 4*d*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) - 8*d*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) - 8*d*\text{ArcSec}[c*x]*\text{Log}[1 + E^{((2*I)*\text{ArcSec}[c*x])}] - (d*\text{Sqrt}[e]*\text{Log}[(2*\text{Sqrt}[d]*\text{Sqrt}[e]*(\text{Sqrt}[e] + c*(I*c*\text{Sqrt}[d] - \text{Sqrt}[-(c^2*d) - e])* \text{Sqrt}[1 - 1/(c^2*x^2)]*x))/(\text{Sqrt}[-(c^2*d) - e]*(\text{Sqrt}[d] - I*\text{Sqrt}[e]*x))])/\text{Sqrt}[-(c^2*d) - e] - (d*\text{Sqrt}[e]*\text{Log}[(2*\text{Sqrt}[d]*\text{Sqrt}[e]*(-\text{Sqrt}[e] + c*(I*c*\text{Sqrt}[d] + \text{Sqrt}[-(c^2*d) - e])* \text{Sqrt}[1 - 1/(c^2*x^2)]*x))/(\text{Sqrt}[-(c^2*d) - e]*(\text{Sqrt}[d] + I*\text{Sqrt}[e]*x))])/\text{Sqrt}[-(c^2*d) - e] - (4*I)*d*\text{PolyLog}[2, ((-I)*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) - (4*I)*d*\text{PolyLog}[2, (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) - (4*I)*d*\text{PolyLog}[2, ((-I)*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) - (4*I)*d*\text{PolyLog}[2, (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) + (4*I)*d*\text{PolyLog}[2, -E^{((2*I)*\text{ArcSec}[c*x])})])]/e^3 \end{aligned}$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 4.55, size = 821, normalized size = 1.35 Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^2,x,method=_RETURNVERBOSE)

```
[Out] 1/c^6*(1/2*a*c^6*x^2/e^2-a*c^6*d/e^3*ln(c^2*e*x^2+c^2*d)-1/2*a*c^8*d^2/e^3/
(c^2*e*x^2+c^2*d)+b*c^8/e^2/(c^2*e*x^2+c^2*d)*d*arcsec(c*x)*x^2+1/2*b*c^8/e
/(c^2*e*x^2+c^2*d)*arcsec(c*x)*x^4-1/2*b*c^7/e^2/(c^2*e*x^2+c^2*d)*((c^2*x^
2-1)/c^2/x^2)^(1/2)*d*x-1/2*b*c^7/e/(c^2*e*x^2+c^2*d)*((c^2*x^2-1)/c^2/x^2)
^(1/2)*x^3-2*I*b*c^6*d/e^3*dilog(1-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))+1/2*I*b
*c^8*d^2/e^3*sum((_R1^2+1)/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1
/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R
1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-1/2*I*b*c^6/e/(c^2*e*x
^2+c^2*d)*x^2+1/2*I*b*c^6*d/e^3*sum((_R1^2*c^2*d+c^2*d+4*e)/(_R1^2*c^2*d+c^
2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R
1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z
^2+c^2*d))+2*b*c^6*d/e^3*arcsec(c*x)*ln(1+I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))+
2*b*c^6*d/e^3*arcsec(c*x)*ln(1-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))-1/2*I*b*c^6
/e^2/(c^2*e*x^2+c^2*d)*d-2*I*b*c^6*d/e^3*dilog(1+I*(1/c/x+I*(1-1/c^2/x^2)^(
1/2)))-1/2*I*b*c^6*(e*(c^2*d+e))^(1/2)/e^3/(c^2*d+e)*arctanh(1/4*(2*c^2*d*(
1/c/x+I*(1-1/c^2/x^2)^(1/2))^2+2*c^2*d+4*e)/(c^2*d+e+e^2)^(1/2))*d)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="maxima")
```

```
[Out] 1/2*(x^2*e^(-2) - 2*d*e^(-3)*log(x^2*e + d) - d^2/(x^2*e^4 + d*e^3))*a + b*
integrate(x^5*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(x^4*e^2 + 2*d*x^2*e + d^
2), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="fricas")
```

```
[Out] integral((b*x^5*arcsec(c*x) + a*x^5)/(x^4*e^2 + 2*d*x^2*e + d^2), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5(a + b \operatorname{asec}(cx))}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*asec(c*x))/(e*x**2+d)**2,x)

[Out] Integral(x**5*(a + b*asec(c*x))/(d + e*x**2)**2, x)

Giac [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="giac")

[Out] Timed out

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 (a + b \operatorname{arccos}(\frac{1}{cx}))}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(a + b*acos(1/(c*x))))/(d + e*x^2)^2,x)

[Out] int((x^5*(a + b*acos(1/(c*x))))/(d + e*x^2)^2, x)

$$3.97 \quad \int \frac{x^3(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$$

Optimal. Leaf size=570

$$\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2}\right)} - \frac{b \operatorname{ArcTan}\left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}}\right)}{2e^{3/2} \sqrt{c^2 d + e}} + \frac{(a + b \sec^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e^2} + \frac{(a + b \sec^{-1}(cx)) \log\left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e^2}$$

[Out] 1/2*(-a-b*arcsec(c*x))/e/(e+d/x^2)-(a+b*arcsec(c*x))*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)/e^2+1/2*(a+b*arcsec(c*x))*ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2))/e^2+1/2*(a+b*arcsec(c*x))*ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2))/e^2+1/2*(a+b*arcsec(c*x))*ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2))/e^2+1/2*(a+b*arcsec(c*x))*ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2))/e^2+1/2*I*b*polylog(2,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)/e^2-1/2*I*b*polylog(2,-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2))/e^2-1/2*I*b*polylog(2,c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2))/e^2-1/2*I*b*polylog(2,-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2))/e^2-1/2*I*b*polylog(2,c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2))/e^2-1/2*b*arctan((c^2*d+e)^(1/2)/c/x/e^(1/2)/(1-1/c^2/x^2)^(1/2))/e^(3/2)/(c^2*d+e)^(1/2)

Rubi [A]

time = 1.12, antiderivative size = 570, normalized size of antiderivative = 1.00, number of steps used = 29, number of rules used = 12, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {5348, 4818, 4722, 3800, 2221, 2317, 2438, 4814, 385, 211, 4826, 4616}

$$\frac{(a+b \sec^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e^2} - \frac{(a+b \sec^{-1}(cx)) \log\left(1 + \frac{c\sqrt{-d}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e^2} - \frac{(a+b \sec^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d}}{\sqrt{e} + \sqrt{c^2 d + e}}\right)}{2e^2} - \frac{(a+b \sec^{-1}(cx)) \log\left(1 + \frac{c\sqrt{-d}}{\sqrt{e} + \sqrt{c^2 d + e}}\right)}{2e^2} - \frac{b \operatorname{ArcTan}\left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}}\right)}{2e^{3/2} \sqrt{c^2 d + e}} - \frac{\operatorname{ArcTan}\left(\frac{\sqrt{c^2 d + e}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e^2} - \frac{\operatorname{ArcTan}\left(\frac{\sqrt{c^2 d + e}}{\sqrt{e} + \sqrt{c^2 d + e}}\right)}{2e^2} - \frac{\operatorname{ArcTan}\left(\frac{\sqrt{c^2 d + e}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e^2} - \frac{\operatorname{ArcTan}\left(\frac{\sqrt{c^2 d + e}}{\sqrt{e} + \sqrt{c^2 d + e}}\right)}{2e^2} - \frac{\operatorname{ArcTan}\left(\frac{\sqrt{c^2 d + e}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e^2}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out] -1/2*(a + b*ArcSec[c*x])/(e*(e + d/x^2)) - (b*ArcTan[Sqrt[c^2*d + e]/(c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)]*x)]/(2*e^(3/2)*Sqrt[c^2*d + e]) + ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e^2) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e^2) + ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e^2) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e^2) - ((a + b*ArcSec[c*x])*Log[1 + E^((2*I)*ArcSec[c*x])])/e^2 - ((I/

2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))]/e^2 - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))]/e^2 - ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))]/e^2 - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))]/e^2 + ((I/2)*b*PolyLog[2, -E^((2*I)*ArcSec[c*x]))]/e^2

Rule 211

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 385

Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 2221

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_)*((F_)^(e_)*((c_) + (d_)*(x_)))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3800

Int[(((c_) + (d_)*(x_))^(m_)*tan[(e_) + (f_)*(x_)], x_Symbol] := Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 4616

Int[(((e_) + (f_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)])/(Cos[(c_) + (d_)*(x_)]*(b_) + (a_)), x_Symbol] := Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1)))

```
, x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b
 *E^(I*(c + d*x))], x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a +
 Rt[a^2 - b^2, 2] + b *E^(I*(c + d*x))], x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4722

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := -Subst[Int[
(a + b*x)^n*Tan[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0
]
```

Rule 4814

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_
Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b *ArcCos[c*x])/(2*e*(p + 1))), x]
+ Dist[b*(c/(2*e*(p + 1))), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x],
x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 4818

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_
.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b *ArcCos[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4826

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol]
:= -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e *Cos[x])), x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 5348

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)
^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b *ArcCos[x/c])^n/x^(
m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x (e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e^2 x} - \frac{dx (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e (e + dx^2)^2} - \frac{dx (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e^2 (e + dx^2)} \right) \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x} dx, x, \frac{1}{x} \right)}{e^2} + \frac{d \text{Subst} \left(\int \frac{x (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e + dx^2} dx, x, \frac{1}{x} \right)}{e^2} + \frac{d \text{Subst} \left(\int \left(- \right) \right)}{e^2} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} + \frac{\text{Subst} \left(\int (a + bx) \tan(x) dx, x, \sec^{-1}(cx) \right)}{e^2} + \frac{d \text{Subst} \left(\int \left(- \right) \right)}{e^2} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} + \frac{i(a + b \sec^{-1}(cx))^2}{2be^2} - \frac{(2i) \text{Subst} \left(\int \frac{e^{2ix}(a+bx)}{1+e^{2ix}} dx, x, \sec^{-1}(cx) \right)}{e^2} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} + \frac{i(a + b \sec^{-1}(cx))^2}{2be^2} - \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2e^{3/2} \sqrt{c^2 d + e}} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{1}{c^2 x^2} \right)}{e^2} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2e^{3/2} \sqrt{c^2 d + e}} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{1}{c^2 x^2} \right)}{e^2} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2e^{3/2} \sqrt{c^2 d + e}} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{1}{c^2 x^2} \right)}{2e^2} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2e^{3/2} \sqrt{c^2 d + e}} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{1}{c^2 x^2} \right)}{2e^2} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2e^{3/2} \sqrt{c^2 d + e}} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{1}{c^2 x^2} \right)}{2e^2}
\end{aligned}$$

Mathematica [B] Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 1213 vs. 2(570) = 1140.
time = 0.90, size = 1213, normalized size = 2.13

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out]
$$\begin{aligned} & ((2*a*d)/(d + e*x^2) + (b*\sqrt{d}*ArcSec[c*x])/(sqrt{d} - I*\sqrt{e}*x) + (b \\ & *sqrt{d}*ArcSec[c*x])/(sqrt{d} + I*\sqrt{e}*x) + 2*b*ArcSin[1/(c*x)] + (8*I) \\ & *b*ArcSin[Sqrt[1 - (I*\sqrt{e})/(c*\sqrt{d})]]/sqrt{2})*ArcTan[(((- I)*c*\sqrt{d} \\ &] + Sqrt[e])*Tan[ArcSec[c*x]/2])/sqrt{c^2*d + e}] + (8*I)*b*ArcSin[Sqrt[1 + \\ & (I*\sqrt{e})/(c*\sqrt{d})]]/sqrt{2})*ArcTan[((I*c*\sqrt{d} + Sqrt[e])*Tan[ArcS \\ & ec[c*x]/2])/sqrt{c^2*d + e}] + 2*b*ArcSec[c*x]*Log[1 + (I*(sqrt{e} - sqrt{c \\ & ^2*d + e})*E^(I*ArcSec[c*x]))/(c*\sqrt{d})] + 4*b*ArcSin[Sqrt[1 + (I*\sqrt{e} \\ &)/(c*\sqrt{d})]]/sqrt{2})*Log[1 + (I*(sqrt{e} - sqrt{c^2*d + e})*E^(I*ArcSec[\\ & c*x]))/(c*\sqrt{d})] + 2*b*ArcSec[c*x]*Log[1 + (I*(-sqrt{e} + sqrt{c^2*d + e \\ & })*E^(I*ArcSec[c*x]))/(c*\sqrt{d})] + 4*b*ArcSin[Sqrt[1 - (I*\sqrt{e})/(c*\sqrt{ \\ & t[d})]]/sqrt{2})*Log[1 + (I*(-sqrt{e} + sqrt{c^2*d + e})*E^(I*ArcSec[c*x]))/ \\ & (c*\sqrt{d})] + 2*b*ArcSec[c*x]*Log[1 - (I*(sqrt{e} + sqrt{c^2*d + e})*E^(I* \\ & ArcSec[c*x]))/(c*\sqrt{d})] - 4*b*ArcSin[Sqrt[1 - (I*\sqrt{e})/(c*\sqrt{d})]]/s \\ & qrt{2})*Log[1 - (I*(sqrt{e} + sqrt{c^2*d + e})*E^(I*ArcSec[c*x]))/(c*\sqrt{d} \\ &)] + 2*b*ArcSec[c*x]*Log[1 + (I*(sqrt{e} + sqrt{c^2*d + e})*E^(I*ArcSec[c* \\ & x]))/(c*\sqrt{d})] - 4*b*ArcSin[Sqrt[1 + (I*\sqrt{e})/(c*\sqrt{d})]]/sqrt{2})*L \\ & og[1 + (I*(sqrt{e} + sqrt{c^2*d + e})*E^(I*ArcSec[c*x]))/(c*\sqrt{d})] - 4*b \\ & *ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] - (b*\sqrt{e}*Log[(2*\sqrt{d}*\sqrt{ \\ & t[e]*(sqrt{e} + c*(I*c*\sqrt{d} - sqrt{-(c^2*d) - e})*sqrt{1 - 1/(c^2*x^2)})* \\ & x))/(sqrt{-(c^2*d) - e}*(sqrt{d} - I*\sqrt{e}*x)))]/sqrt{-(c^2*d) - e} - (b* \\ & sqrt{e}*Log[(2*\sqrt{d}*\sqrt{e}*(-sqrt{e} + c*(I*c*\sqrt{d} + sqrt{-(c^2*d) - \\ & e})*sqrt{1 - 1/(c^2*x^2)})*x))/(sqrt{-(c^2*d) - e}*(sqrt{d} + I*\sqrt{e}*x) \\ &)]/sqrt{-(c^2*d) - e} + 2*a*Log[d + e*x^2] - (2*I)*b*PolyLog[2, ((-I)*(-sqrt{ \\ & t[e] + sqrt{c^2*d + e})*E^(I*ArcSec[c*x]))/(c*\sqrt{d})] - (2*I)*b*PolyLog[2 \\ & , (I*(-sqrt{e} + sqrt{c^2*d + e})*E^(I*ArcSec[c*x]))/(c*\sqrt{d})] - (2*I)*b \\ & *PolyLog[2, ((-I)*(sqrt{e} + sqrt{c^2*d + e})*E^(I*ArcSec[c*x]))/(c*\sqrt{d} \\ &)] - (2*I)*b*PolyLog[2, (I*(sqrt{e} + sqrt{c^2*d + e})*E^(I*ArcSec[c*x]))/(\\ & c*\sqrt{d})] + (2*I)*b*PolyLog[2, -E^((2*I)*ArcSec[c*x])]]/(4*e^2) \end{aligned}$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 0.99, size = 619, normalized size = 1.09

| method | result |
|--------|--------|
|--------|--------|

| | |
|-------------------|---|
| derivativedivides | $\frac{\frac{a c^6 d}{2e^2(c^2 e x^2 + c^2 d)} + \frac{a c^4 \ln(c^2 e x^2 + c^2 d)}{2e^2} - \frac{b c^6 x^2 \operatorname{arcsec}(c x)}{2(c^2 e x^2 + c^2 d)e} + \frac{i b c^4 \sqrt{e(c^2 d + e)} \operatorname{arctanh}\left(\frac{2c^2 d \left(\frac{1}{c x} + i \sqrt{1 - \frac{1}{c^2 x^2}}\right)}{4\sqrt{c^2 d e + e^2}}\right)}{2e^2(c^2 d + e)}}{2e^2(c^2 e x^2 + c^2 d)} + \frac{a c^4 \ln(c^2 e x^2 + c^2 d)}{2e^2} - \frac{b c^6 x^2 \operatorname{arcsec}(c x)}{2(c^2 e x^2 + c^2 d)e} + \frac{i b c^4 \sqrt{e(c^2 d + e)} \operatorname{arctanh}\left(\frac{2c^2 d \left(\frac{1}{c x} + i \sqrt{1 - \frac{1}{c^2 x^2}}\right)}{4\sqrt{c^2 d e + e^2}}\right)}{2e^2(c^2 d + e)}$ |
| default | $\frac{\frac{a c^6 d}{2e^2(c^2 e x^2 + c^2 d)} + \frac{a c^4 \ln(c^2 e x^2 + c^2 d)}{2e^2} - \frac{b c^6 x^2 \operatorname{arcsec}(c x)}{2(c^2 e x^2 + c^2 d)e} + \frac{i b c^4 \sqrt{e(c^2 d + e)} \operatorname{arctanh}\left(\frac{2c^2 d \left(\frac{1}{c x} + i \sqrt{1 - \frac{1}{c^2 x^2}}\right)}{4\sqrt{c^2 d e + e^2}}\right)}{2e^2(c^2 d + e)}}{2e^2(c^2 e x^2 + c^2 d)} + \frac{a c^4 \ln(c^2 e x^2 + c^2 d)}{2e^2} - \frac{b c^6 x^2 \operatorname{arcsec}(c x)}{2(c^2 e x^2 + c^2 d)e} + \frac{i b c^4 \sqrt{e(c^2 d + e)} \operatorname{arctanh}\left(\frac{2c^2 d \left(\frac{1}{c x} + i \sqrt{1 - \frac{1}{c^2 x^2}}\right)}{4\sqrt{c^2 d e + e^2}}\right)}{2e^2(c^2 d + e)}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^2,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^4} \left(\frac{1}{2} a c^6 d / e^2 / (c^2 e x^2 + c^2 d) + \frac{1}{2} a c^4 / e^2 \ln(c^2 e x^2 + c^2 d) - \frac{1}{2} b c^6 x^2 \operatorname{arcsec}(c x) / (c^2 e x^2 + c^2 d) / e + \frac{1}{2} i b c^4 (e(c^2 d + e))^{1/2} / e^2 / (c^2 d + e) \operatorname{arctanh}\left(\frac{1}{4} (2c^2 d (1/c/x + i(1 - 1/c^2/x^2)^{1/2}))^2 + 2c^2 d + 4e\right) / (c^2 d e + e^2)^{1/2} - \frac{1}{4} i b c^4 / e^2 \operatorname{sum}\left(\frac{(_R1^2 c^2 d + c^2 d + 4e)}{(_R1^2 c^2 d + c^2 d + 2e)} * (i \operatorname{arcsec}(c x) * \ln\left(\frac{(_R1 - 1/c/x - i(1 - 1/c^2/x^2)^{1/2})}{_R1}\right) + \operatorname{dilog}\left(\frac{(_R1 - 1/c/x - i(1 - 1/c^2/x^2)^{1/2})}{_R1}\right), _R1 = \operatorname{RootOf}(c^2 d * _Z^4 + (2c^2 d + 4e) * _Z^2 + c^2 d)\right) - b c^4 / e^2 \operatorname{arcsec}(c x) * \ln(1 + i(1/c/x + i(1 - 1/c^2/x^2)^{1/2})) - b c^4 / e^2 \operatorname{arcsec}(c x) * \ln(1 - i(1/c/x + i(1 - 1/c^2/x^2)^{1/2})) + i b c^4 / e^2 \operatorname{dilog}(1 + i(1/c/x + i(1 - 1/c^2/x^2)^{1/2})) + i b c^4 / e^2 \operatorname{dilog}(1 - i(1/c/x + i(1 - 1/c^2/x^2)^{1/2})) - \frac{1}{4} i b c^6 / e^2 \operatorname{sum}\left(\frac{(_R1^2 + 1)}{(_R1^2 c^2 d + c^2 d + 2e)} * (i \operatorname{arcsec}(c x) * \ln\left(\frac{(_R1 - 1/c/x - i(1 - 1/c^2/x^2)^{1/2})}{_R1}\right) + \operatorname{dilog}\left(\frac{(_R1 - 1/c/x - i(1 - 1/c^2/x^2)^{1/2})}{_R1}\right), _R1 = \operatorname{RootOf}(c^2 d * _Z^4 + (2c^2 d + 4e) * _Z^2 + c^2 d)\right) * d \right)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="maxima")`

[Out] $\frac{1}{2} (e^{-2}) \log(x^2 e + d) + d / (x^2 e^3 + d e^2) * a + b \operatorname{integrate}(x^3 \operatorname{arctan}(\sqrt{c x + 1}) * \sqrt{c x - 1}) / (x^4 e^2 + 2 d x^2 e + d^2), x)$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b*x^3*arcsec(c*x) + a*x^3)/(x^4*e^2 + 2*d*x^2*e + d^2), x)

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asec(c*x))/(e*x**2+d)**2,x)

[Out] Timed out

Giac [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="giac")

[Out] Timed out

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{(e x^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(a + b*acos(1/(c*x))))/(d + e*x^2)^2,x)

[Out] int((x^3*(a + b*acos(1/(c*x))))/(d + e*x^2)^2, x)

$$3.98 \quad \int \frac{x(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$$

Optimal. Leaf size=131

$$-\frac{a+b \sec^{-1}(cx)}{2e(d+ex^2)} + \frac{bcx \operatorname{ArcTan}\left(\sqrt{-1+c^2x^2}\right)}{2de\sqrt{c^2x^2}} - \frac{bcx \operatorname{ArcTan}\left(\frac{\sqrt{e}\sqrt{-1+c^2x^2}}{\sqrt{c^2d+e}}\right)}{2d\sqrt{e}\sqrt{c^2d+e}\sqrt{c^2x^2}}$$

[Out] 1/2*(-a-b*arcsec(c*x))/e/(e*x^2+d)+1/2*b*c*x*arctan((c^2*x^2-1)^(1/2))/d/e/(c^2*x^2)^(1/2)-1/2*b*c*x*arctan(e^(1/2)*(c^2*x^2-1)^(1/2)/(c^2*d+e)^(1/2))/d/e^(1/2)/(c^2*d+e)^(1/2)/(c^2*x^2)^(1/2)

Rubi [A]

time = 0.09, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {5344, 457, 88, 65, 211}

$$-\frac{a+b \sec^{-1}(cx)}{2e(d+ex^2)} + \frac{bcx \operatorname{ArcTan}\left(\sqrt{c^2x^2-1}\right)}{2de\sqrt{c^2x^2}} - \frac{bcx \operatorname{ArcTan}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{\sqrt{c^2d+e}}\right)}{2d\sqrt{e}\sqrt{c^2x^2}\sqrt{c^2d+e}}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out] -1/2*(a + b*ArcSec[c*x])/(e*(d + e*x^2)) + (b*c*x*ArcTan[Sqrt[-1 + c^2*x^2]])/(2*d*e*Sqrt[c^2*x^2]) - (b*c*x*ArcTan[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/Sqrt[c^2*d + e]])/(2*d*Sqrt[e]*Sqrt[c^2*d + e]*Sqrt[c^2*x^2])

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 88

Int[((e_.) + (f_.)*(x_))^(p_)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] :> Dist[b/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && !IntegerQ[p]

Rule 211

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 457

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 5344

Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*(x_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSec[c*x])/(2*e*(p + 1))), x] - Dist[b*c*(x/(2*e*(p + 1)*Sqrt[c^2*x^2])), Int[(d + e*x^2)^(p + 1)/(x*Sqrt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{x(a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx &= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex^2)} + \frac{(bcx) \int \frac{1}{x\sqrt{-1 + c^2x^2}(d+ex^2)} dx}{2e\sqrt{c^2x^2}} \\
 &= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex^2)} + \frac{(bcx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1 + c^2x}(d+ex^2)} dx, x, x^2\right)}{4e\sqrt{c^2x^2}} \\
 &= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex^2)} - \frac{(bcx) \text{Subst}\left(\int \frac{1}{\sqrt{-1 + c^2x}(d+ex^2)} dx, x, x^2\right)}{4d\sqrt{c^2x^2}} + \frac{(bcx) \text{Subst}\left(\int \frac{1}{\sqrt{-1 + c^2x}(d+ex^2)} dx, x, x^2\right)}{4d\sqrt{c^2x^2}} \\
 &= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex^2)} - \frac{(bx) \text{Subst}\left(\int \frac{1}{d + \frac{e}{c^2} + \frac{ex^2}{c^2}} dx, x, \sqrt{-1 + c^2x^2}\right)}{2cd\sqrt{c^2x^2}} + \frac{(bx) \text{Subst}\left(\int \frac{1}{d + \frac{e}{c^2} + \frac{ex^2}{c^2}} dx, x, \sqrt{-1 + c^2x^2}\right)}{2cd\sqrt{c^2x^2}} \\
 &= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex^2)} + \frac{bcx \tan^{-1}\left(\sqrt{-1 + c^2x^2}\right)}{2de\sqrt{c^2x^2}} - \frac{bcx \tan^{-1}\left(\frac{\sqrt{e}\sqrt{-1 + c^2x^2}}{\sqrt{c^2d + e}}\right)}{2d\sqrt{e}\sqrt{c^2d + e}\sqrt{c^2x^2}}
 \end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.43, size = 286, normalized size = 2.18

$$\frac{-\frac{2a}{d+ex^2} - \frac{2b \sec^{-1}(cx)}{d+ex^2} - \frac{2b \text{ArcSin}\left(\frac{1}{cx}\right)}{d} + \frac{b\sqrt{e} \log\left(\frac{c\sqrt{d-i}\sqrt{-c^2d-e}\sqrt{1-\frac{1}{c^2x^2}}}{b\sqrt{-c^2d-e}(\sqrt{d+i}\sqrt{e}x)}\right)}{d\sqrt{-c^2d-e}} + \frac{b\sqrt{e} \log\left(\frac{-4ide+4cd\sqrt{e}\left(c\sqrt{d+i}\sqrt{-c^2d-e}\sqrt{1-\frac{1}{c^2x^2}}\right)}{b\sqrt{-c^2d-e}(\sqrt{d-i}\sqrt{e}x)}\right)}{d\sqrt{-c^2d-e}}}{4e}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out]
$$\frac{((-2*a)/(d + e*x^2) - (2*b*ArcSec[c*x])/(d + e*x^2) - (2*b*ArcSin[1/(c*x)])/d + (b*Sqrt[e]*Log[((4*I)*d*e + 4*c*d*Sqrt[e]*(c*Sqrt[d] - I*Sqrt[-(c^2*d - e)*Sqrt[1 - 1/(c^2*x^2)])*x]/(b*Sqrt[-(c^2*d - e)]*(Sqrt[d] + I*Sqrt[e]*x)))]/(d*Sqrt[-(c^2*d - e)] + (b*Sqrt[e]*Log[((-4*I)*d*e + 4*c*d*Sqrt[e]*(c*Sqrt[d] + I*Sqrt[-(c^2*d - e)*Sqrt[1 - 1/(c^2*x^2)])*x]/(b*Sqrt[-(c^2*d - e)]*(Sqrt[d] - I*Sqrt[e]*x)))]/(d*Sqrt[-(c^2*d - e)]))/(4*e)$$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 349 vs. $2(112) = 224$.

time = 3.28, size = 350, normalized size = 2.67

| method | result |
|-------------------|--|
| derivativedivides | $\frac{-\frac{a c^4}{2e(c^2 e x^2 + c^2 d)} - \frac{b c^4 \operatorname{arcsec}(c x)}{2e(c^2 e x^2 + c^2 d)} - \frac{b c \sqrt{c^2 x^2 - 1} \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right)}{2e \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} x d} + \frac{b c \sqrt{c^2 x^2 - 1} \ln\left(-\frac{2\left(-\sqrt{-c^2 d - e}\right)}{4e \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}\right)}{4e \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}$ |
| default | $\frac{-\frac{a c^4}{2e(c^2 e x^2 + c^2 d)} - \frac{b c^4 \operatorname{arcsec}(c x)}{2e(c^2 e x^2 + c^2 d)} - \frac{b c \sqrt{c^2 x^2 - 1} \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right)}{2e \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} x d} + \frac{b c \sqrt{c^2 x^2 - 1} \ln\left(-\frac{2\left(-\sqrt{-c^2 d - e}\right)}{4e \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}\right)}{4e \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*arcsec(c*x))/(e*x^2+d)^2,x,method=_RETURNVERBOSE)

[Out]
$$\frac{1}{c^2} \left(-\frac{1}{2} \frac{a c^4}{e(c^2 e x^2 + c^2 d)} - \frac{1}{2} \frac{b c^4}{e(c^2 e x^2 + c^2 d)} \operatorname{arcsec}(c x) - \frac{1}{2} \frac{b c}{e} \frac{(c^2 x^2 - 1)^{1/2}}{(c^2 x^2 - 1)/c^2/x^2)^{1/2}} / x / d \arctan\left(\frac{1}{(c^2 x^2 - 1)^{1/2}}\right) + \frac{1}{4} \frac{b c}{e} \frac{(c^2 x^2 - 1)^{1/2}}{(c^2 x^2 - 1)/c^2/x^2)^{1/2}} / x / d / \left(-\frac{(c^2 d + e)}{e} \right)^{1/2} \ln\left(-2 \frac{(-c^2 d + e)/e)^{1/2} (c^2 x^2 - 1)^{1/2} e + (-c^2 d e)^{1/2} c x + e}{(e c x + (-c^2 d e)^{1/2})}\right) + \frac{1}{4} \frac{b c}{e} \frac{(c^2 x^2 - 1)^{1/2}}{(c^2 x^2 - 1)/c^2/x^2)^{1/2}} / x / d / \left(-\frac{(c^2 d + e)}{e} \right)^{1/2} \ln\left(-2 \frac{(-c^2 d + e)/e)^{1/2} (c^2 x^2 - 1)^{1/2} e + (-c^2 d e)^{1/2} c x - e}{(-e c x + (-c^2 d e)^{1/2})}\right) \right)$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="maxima")

[Out] $\frac{1}{2} * (2 * (c^2 * x^2 * e^2 + c^2 * d * e) * \text{integrate}(\frac{1}{2} * x * e^{(1/2 * \log(c * x + 1) + 1/2 * \log(c * x - 1))} / (c^2 * x^4 * e^2 + (c^2 * d * e - e^2) * x^2 - d * e + (c^2 * x^4 * e^2 + (c^2 * d * e - e^2) * x^2 - d * e) * e^{(\log(c * x + 1) + \log(c * x - 1))}), x) - \arctan(\sqrt{c * x + 1} * \sqrt{c * x - 1})) * b / (x^2 * e^2 + d * e) - 1/2 * a / (x^2 * e^2 + d * e)$

Fricas [A]

time = 6.46, size = 394, normalized size = 3.01

$$\frac{2a^2d^2 + 2ade + \sqrt{-c^2de - e^2} (ba^2e + bd) \log\left(\frac{c^2x^2 - 2cx + 1 - \sqrt{c^2d^2 - e^2}}{c^2x^2 + d^2 + (c^2d^2 + e^2)}\right) + 2(b^2d^2 + bde) \arccos(cx) - 4(b^2d^2 + ba^2e + (b^2d^2 + bd)e) \arctan\left(\frac{-cx + \sqrt{c^2d^2 - e^2}}{c^2x^2 + d^2 + (c^2d^2 + e^2)}\right) - \frac{a^2d^2 + ade + \sqrt{c^2de + e^2} (ba^2e + bd) \arctan\left(\frac{\sqrt{c^2d^2 - e^2} \sqrt{c^2d^2 + e^2}}{c^2d^2 + d^2 + (c^2d^2 + e^2)}\right) + (b^2d^2 + bde) \arccos(cx) - 2(b^2d^2 + ba^2e + (b^2d^2 + bd)e) \arctan\left(\frac{-cx + \sqrt{c^2d^2 - e^2}}{c^2x^2 + d^2 + (c^2d^2 + e^2)}\right)}{2(c^2d^2 + d^2 + (c^2d^2 + e^2))e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="fricas")

[Out] $[-1/4 * (2 * a * c^2 * d^2 + 2 * a * d * e + \sqrt{-c^2 * d * e - e^2} * (b * x^2 * e + b * d) * \log(-(c^2 * d - (c^2 * x^2 - 2) * e - 2 * \sqrt{c^2 * x^2 - 1} * \sqrt{-c^2 * d * e - e^2})) / (x^2 * e + d)) + 2 * (b * c^2 * d^2 + b * d * e) * \text{arcsec}(c * x) - 4 * (b * c^2 * d^2 + b * x^2 * e^2 + (b * c^2 * d * x^2 + b * d) * e) * \arctan(-c * x + \sqrt{c^2 * x^2 - 1})) / (c^2 * d^3 * e + d * x^2 * e^3 + (c^2 * d^2 * x^2 + d^2) * e^2), -1/2 * (a * c^2 * d^2 + a * d * e + \sqrt{c^2 * d * e + e^2} * (b * x^2 * e + b * d) * \arctan(\sqrt{c^2 * x^2 - 1} * \sqrt{c^2 * d * e + e^2} / (c^2 * d + e)) + (b * c^2 * d^2 + b * d * e) * \text{arcsec}(c * x) - 2 * (b * c^2 * d^2 + b * x^2 * e^2 + (b * c^2 * d * x^2 + b * d) * e) * \arctan(-c * x + \sqrt{c^2 * x^2 - 1})) / (c^2 * d^3 * e + d * x^2 * e^3 + (c^2 * d^2 * x^2 + d^2) * e^2)]$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{asec}(cx))}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asec(c*x))/(e*x**2+d)**2,x)

[Out] Integral(x*(a + b*asec(c*x))/(d + e*x**2)**2, x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign

by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{(e x^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(a + b*acos(1/(c*x))))/(d + e*x^2)^2,x)

[Out] int((x*(a + b*acos(1/(c*x))))/(d + e*x^2)^2, x)

$$3.99 \quad \int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^2} dx$$

Optimal. Leaf size=546

$$\frac{e(a+b \sec^{-1}(cx))}{2d^2(e+\frac{d}{x^2})} + \frac{i(a+b \sec^{-1}(cx))^2}{2bd^2} - \frac{b\sqrt{e} \operatorname{ArcTan}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{2d^2\sqrt{c^2d+e}} - \frac{(a+b \sec^{-1}(cx)) \log\left(1-\frac{e}{\sqrt{c^2d+e}}\right)}{2d^2}$$

[Out] $-1/2*e*(a+b*\operatorname{arcsec}(c*x))/d^2/(e+d/x^2)+1/2*I*(a+b*\operatorname{arcsec}(c*x))^2/b/d^2-1/2*(a+b*\operatorname{arcsec}(c*x))*\ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/d^2-1/2*(a+b*\operatorname{arcsec}(c*x))*\ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/d^2-1/2*(a+b*\operatorname{arcsec}(c*x))*\ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/d^2-1/2*(a+b*\operatorname{arcsec}(c*x))*\ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/d^2+1/2*I*b*\operatorname{polylog}(2,-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/d^2+1/2*I*b*\operatorname{polylog}(2,c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/d^2+1/2*I*b*\operatorname{polylog}(2,-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/d^2+1/2*I*b*\operatorname{polylog}(2,c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/d^2-1/2*b*\operatorname{arctan}((c^2*d+e)^{(1/2)}/c/x/e^{(1/2)}/(1-1/c^2/x^2)^{(1/2)})*e^{(1/2)}/d^2/(c^2*d+e)^{(1/2)}$

Rubi [A]

time = 1.05, antiderivative size = 546, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {5348, 4818, 4814, 385, 211, 4826, 4616, 2221, 2317, 2438}

$$\frac{(a+b \sec^{-1}(cx)) \log\left(1-\frac{\sqrt{c^2d+e}}{\sqrt{c^2x^2+e}}\right)}{2d^2} + \frac{(a+b \sec^{-1}(cx)) \log\left(1+\frac{\sqrt{c^2d+e}}{\sqrt{c^2x^2+e}}\right)}{2d^2} - \frac{(a+b \sec^{-1}(cx)) \log\left(1-\frac{\sqrt{c^2d+e}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^2} + \frac{(a+b \sec^{-1}(cx)) \log\left(1+\frac{\sqrt{c^2d+e}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^2} - \frac{e(a+b \sec^{-1}(cx))}{2d^2(e+e)} + \frac{e(a+b \sec^{-1}(cx))^2}{2bd^2} - \frac{b\sqrt{e} \operatorname{ArcTan}\left(\frac{\sqrt{c^2d+e}}{\sqrt{c^2x^2+e}}\right)}{2d^2\sqrt{c^2d+e}} + \frac{d \operatorname{Li}_2\left(\frac{\sqrt{c^2d+e}}{\sqrt{c^2x^2+e}}\right)}{2d^2} + \frac{d \operatorname{Li}_2\left(\frac{\sqrt{c^2d+e}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^2} - \frac{d \operatorname{Li}_2\left(\frac{\sqrt{c^2d+e}}{\sqrt{c^2d+e}-\sqrt{e}}\right)}{2d^2} + \frac{d \operatorname{Li}_2\left(\frac{\sqrt{c^2d+e}}{\sqrt{c^2d+e}-\sqrt{e}}\right)}{2d^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSec}[c*x])/(x*(d + e*x^2)^2), x]$

[Out] $-1/2*(e*(a + b*\operatorname{ArcSec}[c*x]))/(d^2*(e + d/x^2)) + ((I/2)*(a + b*\operatorname{ArcSec}[c*x])^2)/(b*d^2) - (b*\operatorname{Sqrt}[e]*\operatorname{ArcTan}[\operatorname{Sqrt}[c^2*d + e]/(c*\operatorname{Sqrt}[e]*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]]*x))/(2*d^2*\operatorname{Sqrt}[c^2*d + e]) - ((a + b*\operatorname{ArcSec}[c*x])*Log[1 - (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})]/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e])]/(2*d^2) - ((a + b*\operatorname{ArcSec}[c*x])*Log[1 + (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})]/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e])]/(2*d^2) - ((a + b*\operatorname{ArcSec}[c*x])*Log[1 - (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})]/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e])]/(2*d^2) - ((a + b*\operatorname{ArcSec}[c*x])*Log[1 + (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})]/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e])]/(2*d^2) + ((I/2)*b*PolyLog[2, -(c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})]/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e])]/d^2$

$$+ ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))/d^2 + ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))]/d^2 + ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))/d^2$$
Rule 211

$$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]/a)*\text{ArcTan}[x/\text{Rt}[a/b, 2]], x] \text{ /; FreeQ}\{a, b\}, x\} \ \&\& \ \text{PosQ}[a/b]$$
Rule 385

$$\text{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}/((c_ + (d_)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] \text{ /; FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[n*p + 1, 0] \ \&\& \ \text{IntegerQ}[n]$$
Rule 2221

$$\text{Int}[(F_)^{((g_)*(e_ + (f_)*(x_)))^{(n_)}*((c_ + (d_)*(x_))^{(m_)})}/((a_ + (b_)*(F_)^{((g_)*(e_ + (f_)*(x_)))^{(n_)}), x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m/(b*f*g*n*\text{Log}[F])]*\text{Log}[1 + b*((F^{(g*(e + f*x)))^n/a)], x] - \text{Dist}[d*(m/(b*f*g*n*\text{Log}[F])), \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + b*((F^{(g*(e + f*x)))^n/a)], x], x] \text{ /; FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$$
Rule 2317

$$\text{Int}[\text{Log}[a_ + (b_)*((F_)^{((e_)*((c_ + (d_)*(x_)))^{(n_)}), x_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x)))^n}], x] \text{ /; FreeQ}\{F, a, b, c, d, e, n\}, x\} \ \&\& \ \text{GtQ}[a, 0]$$
Rule 2438

$$\text{Int}[\text{Log}[(c_)*((d_ + (e_)*(x_)^{(n_)})]/(x_), x_Symbol] \rightarrow \text{Simp}[-\text{PolyLog}[2, (-c)*e*x^n/n, x] \text{ /; FreeQ}\{c, d, e, n\}, x\} \ \&\& \ \text{EqQ}[c*d, 1]$$
Rule 4616

$$\text{Int}[(e_ + (f_)*(x_))^{(m_)}*\text{Sin}[(c_ + (d_)*(x_)]/(\text{Cos}[(c_ + (d_)*(x_)]*(b_ + (a_))), x_Symbol] \rightarrow \text{Simp}[I*((e + f*x)^{(m+1)})/(b*f*(m+1)), x] + (-\text{Dist}[I, \text{Int}[(e + f*x)^m*(E^(I*(c + d*x)))/(a - \text{Rt}[a^2 - b^2, 2] + b*E^(I*(c + d*x))], x], x] - \text{Dist}[I, \text{Int}[(e + f*x)^m*(E^(I*(c + d*x)))/(a + \text{Rt}[a^2 - b^2, 2] + b*E^(I*(c + d*x))], x], x]) \text{ /; FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{PosQ}[a^2 - b^2]$$
Rule 4814

$$\text{Int}[(a_ + \text{ArcCos}[(c_)*(x_)]*(b_))*(x_)*((d_ + (e_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{(p+1)}*(a + b*\text{ArcCos}[c*x])/(2*e*(p+1)), x]$$

+ Dist[b*(c/(2*e*(p + 1))), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]

Rule 4818

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

Rule 4826

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)), x_Symbol] := -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e*Cos[x])), x], x, ArcCos[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 5348

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*(a + b*ArcCos[x/c])^n/x^(m + 2*(p + 1))], x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x(d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{x^3(a + b \cos^{-1}(\frac{x}{c}))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(-\frac{ex(a + b \cos^{-1}(\frac{x}{c}))}{d(e + dx^2)^2} + \frac{x(a + b \cos^{-1}(\frac{x}{c}))}{d(e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{x(a + b \cos^{-1}(\frac{x}{c}))}{e + dx^2} dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \frac{x(a + b \cos^{-1}(\frac{x}{c}))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{e(a + b \sec^{-1}(cx))}{2d^2 \left(e + \frac{d}{x^2} \right)} - \frac{\text{Subst} \left(\int \left(-\frac{\sqrt{-d}(a + b \cos^{-1}(\frac{x}{c}))}{2d(\sqrt{e} - \sqrt{-d}x)} + \frac{\sqrt{-d}(a + b \cos^{-1}(\frac{x}{c}))}{2d(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{e(a + b \sec^{-1}(cx))}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{\text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{\sqrt{e} - \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2(-d)^{3/2}} - \frac{\text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{\sqrt{e} + \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2(-d)^{3/2}} \\
&= -\frac{e(a + b \sec^{-1}(cx))}{2d^2 \left(e + \frac{d}{x^2} \right)} - \frac{b\sqrt{e} \tan^{-1} \left(\frac{\sqrt{c^2d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2x^2}x}} \right)}{2d^2 \sqrt{c^2d + e}} - \frac{\text{Subst} \left(\int \frac{(a + bx) \sin^{-1}(\frac{x}{c})}{\sqrt{e} - \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2(-d)^{3/2}} \\
&= -\frac{e(a + b \sec^{-1}(cx))}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{i(a + b \sec^{-1}(cx))^2}{2bd^2} - \frac{b\sqrt{e} \tan^{-1} \left(\frac{\sqrt{c^2d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2x^2}x}} \right)}{2d^2 \sqrt{c^2d + e}} + \frac{\text{Subst} \left(\int \frac{(a + bx) \sin^{-1}(\frac{x}{c})}{\sqrt{e} + \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2(-d)^{3/2}} \\
&= -\frac{e(a + b \sec^{-1}(cx))}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{i(a + b \sec^{-1}(cx))^2}{2bd^2} - \frac{b\sqrt{e} \tan^{-1} \left(\frac{\sqrt{c^2d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2x^2}x}} \right)}{2d^2 \sqrt{c^2d + e}} - \frac{\text{Subst} \left(\int \frac{(a + bx) \sin^{-1}(\frac{x}{c})}{\sqrt{e} + \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2(-d)^{3/2}} \\
&= -\frac{e(a + b \sec^{-1}(cx))}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{i(a + b \sec^{-1}(cx))^2}{2bd^2} - \frac{b\sqrt{e} \tan^{-1} \left(\frac{\sqrt{c^2d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2x^2}x}} \right)}{2d^2 \sqrt{c^2d + e}} - \frac{\text{Subst} \left(\int \frac{(a + bx) \sin^{-1}(\frac{x}{c})}{\sqrt{e} - \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2(-d)^{3/2}} \\
&= -\frac{e(a + b \sec^{-1}(cx))}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{i(a + b \sec^{-1}(cx))^2}{2bd^2} - \frac{b\sqrt{e} \tan^{-1} \left(\frac{\sqrt{c^2d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2x^2}x}} \right)}{2d^2 \sqrt{c^2d + e}} - \frac{\text{Subst} \left(\int \frac{(a + bx) \sin^{-1}(\frac{x}{c})}{\sqrt{e} + \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2(-d)^{3/2}}
\end{aligned}$$

Mathematica [F]

time = 34.53, size = 0, normalized size = 0.00

$$\int \frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^2), x]**[Out]** Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^2), x]**Maple [C]** Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 5.16, size = 3095, normalized size = 5.67

| method | result | size |
|-------------------|---------------------------------|------|
| derivativedivides | Expression too large to display | 3095 |
| default | Expression too large to display | 3095 |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x/(e*x^2+d)^2,x,method=_RETURNVERBOSE)

[Out]
$$\begin{aligned} & -1/4*I*b*(e*(c^2*d+e))^{1/2}/d^2/(c^2*d+e)*\text{polylog}(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{1/2}))^{1/2}/(-c^2*d+2*(e*(c^2*d+e))^{1/2}-2*e))-I*b/c^2*\text{arcsec}(c*x)^2/d \\ & ^3*(e*(c^2*d+e))^{1/2}-1/2*I*b/c^2*\text{polylog}(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{1/2}))^{1/2}/(-c^2*d-2*(e*(c^2*d+e))^{1/2}-2*e))/d^3*(e*(c^2*d+e))^{1/2}+2*I*b/c \\ & ^2*\text{arcsec}(c*x)^2*e/d^3+2*I*b/c^4*\text{arcsec}(c*x)^2*e^2/d^4+1/2*b*c^2/d/(c^2*d+e) \\ &)*\ln(1-d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{1/2}))^{1/2}/(-c^2*d-2*(e*(c^2*d+e))^{1/2}-2*e))*\text{arcsec}(c*x)-2*b/c^2/d^3*e*\ln(1-d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{1/2}))^{1/2} \\ & /(-c^2*d-2*(e*(c^2*d+e))^{1/2}-2*e))*\text{arcsec}(c*x)+I*b/c^2*\text{polylog}(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{1/2}))^{1/2}/(-c^2*d-2*(e*(c^2*d+e))^{1/2}-2*e))*e/d^3+I*b/ \\ & c^4*\text{polylog}(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{1/2}))^{1/2}/(-c^2*d-2*(e*(c^2*d+e))^{1/2}-2*e))*e^2/d^4-2*b/c^4/d^4*e^2*\ln(1-d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{1/2}))^{1/2} \\ & /(-c^2*d-2*(e*(c^2*d+e))^{1/2}-2*e))*\text{arcsec}(c*x)-5/4*I*b*\text{polylog}(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{1/2}))^{1/2}/(-c^2*d-2*(e*(c^2*d+e))^{1/2}-2*e))/d^2/(\\ & c^2*d+e)*e+1/8*I*b*c^2*\text{polylog}(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{1/2}))^{1/2}/(-c^2*d-2*(e*(c^2*d+e))^{1/2}-2*e))/d/e/(c^2*d+e)*(e*(c^2*d+e))^{1/2}+3*I*b/c^2 \\ & *\text{arcsec}(c*x)^2/d^3/(c^2*d+e)*e*(e*(c^2*d+e))^{1/2}-3*b/c^2/d^3/(c^2*d+e)*\ln \\ & (1-d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{1/2}))^{1/2}/(-c^2*d-2*(e*(c^2*d+e))^{1/2}-2*e) \\ &)*\text{arcsec}(c*x)*e*(e*(c^2*d+e))^{1/2}-2*b/c^4/d^4*e^2/(c^2*d+e)*\ln(1-d*c^2*(1 \\ & /c/x+I*(1-1/c^2/x^2)^{1/2}))^{1/2}/(-c^2*d-2*(e*(c^2*d+e))^{1/2}-2*e))*\text{arcsec}(c* \\ & x)*(e*(c^2*d+e))^{1/2}-1/4*b*c^2/d/e/(c^2*d+e)*\ln(1-d*c^2*(1/c/x+I*(1-1/c^2 \\ & /x^2)^{1/2}))^{1/2}/(-c^2*d-2*(e*(c^2*d+e))^{1/2}-2*e))*\text{arcsec}(c*x)*(e*(c^2*d+e) \\ &)^{1/2}+3/4*I*b*\text{polylog}(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{1/2}))^{1/2}/(-c^2*d-2*(\\ & e*(c^2*d+e))^{1/2}-2*e))/d^2/(c^2*d+e)*(e*(c^2*d+e))^{1/2}-1/2*I*b*c^2*\text{arcs} \\ & \text{ec}(c*x)^2/d/(c^2*d+e)-1/4*I*b*c^2*\text{polylog}(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{1/2}))^{1/2}/(-c^2*d-2*(e*(c^2*d+e))^{1/2}-2*e))/d^2/(c^2*d+e) \end{aligned}$$

$$\begin{aligned} & /2)/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))/d/(c^2*d+e)+3/2*I*b/c^2*polylog(\\ & 2,d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e) \\ & /d^3/(c^2*d+e)*e*(e*(c^2*d+e))^{(1/2)}-1/8*I*b*c^2*(e*(c^2*d+e))^{(1/2)}/d/e/(c \\ & ^2*d+e)*polylog(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d+2*(e*(c^2*d \\ & +e))^{(1/2)}-2*e))+1/4*b*c^2*(e*(c^2*d+e))^{(1/2)}/d/e/(c^2*d+e)*arcsec(c*x)*ln \\ & (1-d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e) \\ &)-I*b/c^4*e^3*polylog(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e \\ & (c^2*d+e))^{(1/2)}-2*e))/d^4/(c^2*d+e)+1/4*I*b*polylog(2,d*c^2*(1/c/x+I*(1-1/ \\ & c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))/d^2+1/2*I*b*(e*(c^2*d \\ & +e))^{(1/2)}/d^2/(c^2*d+e)*arctanh(1/4*(2*c^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}) \\ & ^2+2*c^2*d+4*e)/(c^2*d*e+e^2)^{(1/2)})-5/2*I*b*arcsec(c*x)^2/d^2/(c^2*d+e)*e+ \\ & I*b*(e*(c^2*d+e))^{(1/2)}/d^2/(c^2*d+e)*arcsec(c*x)^2+1/2*b*(e*(c^2*d+e))^{(1/ \\ & 2)}/d^2/(c^2*d+e)*arcsec(c*x)*ln(1-d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c \\ & ^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e))-3/2*b/d^2/(c^2*d+e)*ln(1-d*c^2*(1/c/x+I*(1 \\ & -1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*arcsec(c*x)*(e*(c^ \\ & 2*d+e))^{(1/2)}+5/2*b/d^2/(c^2*d+e)*ln(1-d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^ \\ & 2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*arcsec(c*x)*e+b/c^2/d^3*ln(1-d*c^2*(1 \\ & /c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*arcsec(c* \\ & x)*(e*(c^2*d+e))^{(1/2)}+I*b/c^4*e^2*polylog(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{(\\ & 1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))/d^4/(c^2*d+e)*(e*(c^2*d+e))^{(1/ \\ & 2)}+2*I*b/c^4*e^2*arcsec(c*x)^2/d^4/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}+1/2*a*c^2/ \\ & d/(c^2*e*x^2+c^2*d)-1/2*b/d^2*ln(1-d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(- \\ & c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*arcsec(c*x)+I*b*arcsec(c*x)^2/d^2+1/2*I*b \\ & /d^2*sum((_R1^2*c^2*d+2*c^2*d+4*e)/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x)*l \\ & n((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+dilog((_R1-1/c/x-I*(1-1/c^2/x^2)^{(\\ & 1/2)})/_R1)), _R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+4*b/c^2/d^3/(c \\ & ^2*d+e)*ln(1-d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{ \\ & (1/2)}-2*e))*arcsec(c*x)*e^2+2*b/c^4/d^4*e^3/(c^2*d+e)*ln(1-d*c^2*(1/c/x+I*(\\ & 1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*arcsec(c*x)-2*I*b \\ & /c^2*polylog(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e) \\ &)^{(1/2)}-2*e))/d^3/(c^2*d+e)*e^2-2*I*b/c^4*e^3*arcsec(c*x)^2/d^4/(c^2*d+e)-4 \\ & *I*b/c^2*arcsec(c*x)^2/d^3/(c^2*d+e)*e^2-2*I*b/c^4*arcsec(c*x)^2*e/d^4*(e*(\\ & c^2*d+e))^{(1/2)}-I*b/c^4*polylog(2,d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c \\ & ^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*e/d^4*(e*(c^2*d+e))^{(1/2)}+2*b/c^4/d^4*e*ln \\ & (1-d*c^2*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e) \\ &)*arcsec(c*x)*(e*(c^2*d+e))^{(1/2)}-1/2*b*c^2*x^2*arcsec(c*x)*e/d^2/(c^2*e*x^ \\ & 2+c^2*d)+a/d^2*ln(c*x)-1/2*a/d^2*ln(c^2*e*x^2+c^2*d) \end{aligned}$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^2,x, algorithm="maxima")

$$3.100 \quad \int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx$$

Optimal. Leaf size=784

$$\frac{d(a + b \sec^{-1}(cx))}{4e^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{d(a + b \sec^{-1}(cx))}{4e^2 \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{x(a + b \sec^{-1}(cx))}{e^2} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce^2} - \frac{b\sqrt{d} \tanh^{-1} \left(\frac{cx}{\sqrt{d}} \right)}{ce^2}$$

[Out] $x*(a+b*\text{arcsec}(c*x))/e^2 - b*\text{arctanh}((1-1/c^2/x^2)^{(1/2)})/c/e^2 + 3/4*(a+b*\text{arcsec}(c*x))*\ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))*(-d)^{(1/2)}/e^{(5/2)} - 3/4*(a+b*\text{arcsec}(c*x))*\ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))*(-d)^{(1/2)}/e^{(5/2)} + 3/4*(a+b*\text{arcsec}(c*x))*\ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))*(-d)^{(1/2)}/e^{(5/2)} - 3/4*(a+b*\text{arcsec}(c*x))*\ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))*(-d)^{(1/2)}/e^{(5/2)} + 3/4*I*b*\text{polylog}(2, -c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))*(-d)^{(1/2)}/e^{(5/2)} - 3/4*I*b*\text{polylog}(2, c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))*(-d)^{(1/2)}/e^{(5/2)} + 3/4*I*b*\text{polylog}(2, -c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))*(-d)^{(1/2)}/e^{(5/2)} - 3/4*I*b*\text{polylog}(2, c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))*(-d)^{(1/2)}/e^{(5/2)} - 1/4*d*(a+b*\text{arcsec}(c*x))/e^2/(d/x+(-d)^{(1/2)}*e^{(1/2)}) + 1/4*d*(a+b*\text{arcsec}(c*x))/e^2/(d/x+(-d)^{(1/2)}*e^{(1/2)}) - 1/4*b*\text{arctanh}((c^2*d-(-d)^{(1/2)}*e^{(1/2)})/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)}*d^{(1/2)}/e^2/(c^2*d+e)^{(1/2)} - 1/4*b*\text{arctanh}((c^2*d+(-d)^{(1/2)}*e^{(1/2)})/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)}*d^{(1/2)}/e^2/(c^2*d+e)^{(1/2)}$

Rubi [A]

time = 2.33, antiderivative size = 784, normalized size of antiderivative = 1.00, number of steps used = 51, number of rules used = 15, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {5348, 4818, 4724, 272, 65, 214, 4758, 4828, 739, 212, 4826, 4616, 2221, 2317, 2438}

$$\frac{d(a+b*\text{arcsec}(c*x))/e^2}{4e^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{d(a+b*\text{arcsec}(c*x))/e^2}{4e^2 \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{x(a+b*\text{arcsec}(c*x))/e^2}{e^2} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce^2} - \frac{b\sqrt{d} \tanh^{-1} \left(\frac{cx}{\sqrt{d}} \right)}{ce^2}$$

Antiderivative was successfully verified.

$$[\text{In}] \text{Int}[(x^4*(a + b*\text{ArcSec}[c*x]))/(d + e*x^2)^2, x]$$

$$[\text{Out}] -1/4*(d*(a + b*\text{ArcSec}[c*x]))/(e^2*(\text{Sqrt}[-d]*\text{Sqrt}[e] - d/x)) + (d*(a + b*\text{ArcSec}[c*x]))/(4*e^2*(\text{Sqrt}[-d]*\text{Sqrt}[e] + d/x)) + (x*(a + b*\text{ArcSec}[c*x]))/e^2 - (b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(c*e^2) - (b*\text{Sqrt}[d]*\text{ArcTanh}[(c^2*d - (-d)^{(1/2)}*e^{(1/2)})/x])/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)}*d^{(1/2)}/e^2/(c^2*d+e)^{(1/2)}$$

$$\begin{aligned} & \text{Sqrt}[-d] * \text{Sqrt}[e] / x / (c * \text{Sqrt}[d] * \text{Sqrt}[c^2 * d + e] * \text{Sqrt}[1 - 1 / (c^2 * x^2)]) / (4 * e^2 * \text{Sqrt}[c^2 * d + e]) - (b * \text{Sqrt}[d] * \text{ArcTanh}[(c^2 * d + (\text{Sqrt}[-d] * \text{Sqrt}[e]) / x) / (c * \text{Sqrt}[d] * \text{Sqrt}[c^2 * d + e] * \text{Sqrt}[1 - 1 / (c^2 * x^2)])]) / (4 * e^2 * \text{Sqrt}[c^2 * d + e]) \\ & + (3 * \text{Sqrt}[-d] * (a + b * \text{ArcSec}[c * x]) * \text{Log}[1 - (c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[c * x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 * d + e])]) / (4 * e^{(5/2)}) - (3 * \text{Sqrt}[-d] * (a + b * \text{ArcSec}[c * x]) * \text{Log}[1 + (c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[c * x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 * d + e])]) / (4 * e^{(5/2)}) \\ & + (3 * \text{Sqrt}[-d] * (a + b * \text{ArcSec}[c * x]) * \text{Log}[1 - (c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[c * x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 * d + e])]) / (4 * e^{(5/2)}) - (3 * \text{Sqrt}[-d] * (a + b * \text{ArcSec}[c * x]) * \text{Log}[1 + (c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[c * x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 * d + e])]) / (4 * e^{(5/2)}) \\ & + (((3 * I) / 4) * b * \text{Sqrt}[-d] * \text{PolyLog}[2, -((c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[c * x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 * d + e])]) / e^{(5/2)} - (((3 * I) / 4) * b * \text{Sqrt}[-d] * \text{PolyLog}[2, (c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[c * x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 * d + e])]) / e^{(5/2)} + ((3 * I) / 4) * b * \text{Sqrt}[-d] * \text{PolyLog}[2, -((c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[c * x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 * d + e])]) / e^{(5/2)} - (((3 * I) / 4) * b * \text{Sqrt}[-d] * \text{PolyLog}[2, (c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[c * x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 * d + e])]) / e^{(5/2)} \end{aligned}$$

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^(n), x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 212

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*
ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 214

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 739

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*(c_) + (d_)*(x_)))^(n_)], x_Symbol]
:=> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :=> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4616

```
Int[(((e_) + (f_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)])/(Cos[(c_) + (d_)
*(x_)]*(b_) + (a_)), x_Symbol] :=> Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1))
, x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b
*E^(I*(c + d*x))], x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a +
Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))], x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4724

```
Int[(((a_) + ArcCos[(c_)*(x_)])*(b_))^(n_)*((d_)*(x_))^(m_), x_Symbol]
:=> Simp[(d*x)^(m + 1)*((a + b*ArcCos[c*x])^n/(d*(m + 1))), x] + Dist[b*c*(n
/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCos[c*x])^(n - 1)/Sqrt[1 - c^2*
x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4758

```
Int[(((a_) + ArcCos[(c_)*(x_)])*(b_))^(n_)*((d_) + (e_)*(x_)^2)^(p_), x
_Symbol] :=> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

Rule 4818

```
Int[(((a_) + ArcCos[(c_)*(x_)])*(b_))^(n_)*((f_)*(x_))^(m_)*((d_) + (e_
)*(x_)^2)^(p_), x_Symbol] :=> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
```

$e, 0]$ && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

Rule 4826

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_/((d_) + (e_.)*(x_)), x_Symbol]
  := -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e*cos[x]))], x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4828

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_*((d_) + (e_.)*(x_))^m_, x_Symbol]
  := Simp[(d + e*x)^(m + 1)*((a + b*ArcCos[c*x])^n/(e*(m + 1))), x] +
  Dist[b*c*(n/(e*(m + 1))), Int[(d + e*x)^(m + 1)*((a + b*ArcCos[c*x])^(n - 1)
  )/Sqrt[1 - c^2*x^2]], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0]
&& NeQ[m, -1]
```

Rule 5348

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^n_*(x_)^m_*((d_.) + (e_.)*(x_)
^2)^(p_), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(
m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x^2 (e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e^2 x^2} - \frac{d(a + b \cos^{-1} \left(\frac{x}{c} \right))}{e(e + dx^2)^2} - \frac{d(a + b \cos^{-1} \left(\frac{x}{c} \right))}{e^2 (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x^2} dx, x, \frac{1}{x} \right)}{e^2} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e + dx^2} dx, x, \frac{1}{x} \right)}{e^2} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e + dx^2} dx, x, \frac{1}{x} \right)}{e^2} \\
&= \frac{x(a + b \sec^{-1}(cx))}{e^2} + \frac{b \text{Subst} \left(\int \frac{1}{x \sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{ce^2} + \frac{d \text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e} (\sqrt{e} + \sqrt{-d} x)} \right) dx, x, \frac{1}{x} \right)}{2e^{5/2}} \\
&= \frac{x(a + b \sec^{-1}(cx))}{e^2} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-d} x} dx, x, \frac{1}{x} \right)}{2e^{5/2}} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} + \sqrt{-d} x} dx, x, \frac{1}{x} \right)}{2e^{5/2}} \\
&= -\frac{d(a + b \sec^{-1}(cx))}{4e^2 (\sqrt{-d} \sqrt{e} - \frac{d}{x})} + \frac{d(a + b \sec^{-1}(cx))}{4e^2 (\sqrt{-d} \sqrt{e} + \frac{d}{x})} + \frac{x(a + b \sec^{-1}(cx))}{e^2} - \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-d} x} dx, x, \frac{1}{x} \right)}{2e^{5/2}} \\
&= -\frac{d(a + b \sec^{-1}(cx))}{4e^2 (\sqrt{-d} \sqrt{e} - \frac{d}{x})} + \frac{d(a + b \sec^{-1}(cx))}{4e^2 (\sqrt{-d} \sqrt{e} + \frac{d}{x})} + \frac{x(a + b \sec^{-1}(cx))}{e^2} - \frac{b \tanh^{-1} \left(\frac{\sqrt{-d} \sqrt{e} - \frac{d}{x}}{\sqrt{-d} \sqrt{e} + \frac{d}{x}} \right)}{2e^{5/2}} \\
&= -\frac{d(a + b \sec^{-1}(cx))}{4e^2 (\sqrt{-d} \sqrt{e} - \frac{d}{x})} + \frac{d(a + b \sec^{-1}(cx))}{4e^2 (\sqrt{-d} \sqrt{e} + \frac{d}{x})} + \frac{x(a + b \sec^{-1}(cx))}{e^2} - \frac{b \tanh^{-1} \left(\frac{\sqrt{-d} \sqrt{e} - \frac{d}{x}}{\sqrt{-d} \sqrt{e} + \frac{d}{x}} \right)}{2e^{5/2}} \\
&= -\frac{d(a + b \sec^{-1}(cx))}{4e^2 (\sqrt{-d} \sqrt{e} - \frac{d}{x})} + \frac{d(a + b \sec^{-1}(cx))}{4e^2 (\sqrt{-d} \sqrt{e} + \frac{d}{x})} + \frac{x(a + b \sec^{-1}(cx))}{e^2} - \frac{b \tanh^{-1} \left(\frac{\sqrt{-d} \sqrt{e} - \frac{d}{x}}{\sqrt{-d} \sqrt{e} + \frac{d}{x}} \right)}{2e^{5/2}} \\
&= -\frac{d(a + b \sec^{-1}(cx))}{4e^2 (\sqrt{-d} \sqrt{e} - \frac{d}{x})} + \frac{d(a + b \sec^{-1}(cx))}{4e^2 (\sqrt{-d} \sqrt{e} + \frac{d}{x})} + \frac{x(a + b \sec^{-1}(cx))}{e^2} - \frac{b \tanh^{-1} \left(\frac{\sqrt{-d} \sqrt{e} - \frac{d}{x}}{\sqrt{-d} \sqrt{e} + \frac{d}{x}} \right)}{2e^{5/2}}
\end{aligned}$$

Mathematica [A]

time = 1.68, size = 1331, normalized size = 1.70

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

```
[Out] (4*a*Sqrt[e]*x + (2*a*d*Sqrt[e]*x)/(d + e*x^2) - 6*a*Sqrt[d]*ArcTan[(Sqrt[e]
*x)/Sqrt[d]] + b*(4*Sqrt[e]*x*ArcSec[c*x] + (d*ArcSec[c*x])/((-I)*Sqrt[d]
+ Sqrt[e]*x) + (d*ArcSec[c*x])/(I*Sqrt[d] + Sqrt[e]*x) + 12*Sqrt[d]*ArcSin[
Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[(((-I)*c*Sqrt[d] + Sqrt[e]
)*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] - 12*Sqrt[d]*ArcSin[Sqrt[1 + (I*Sqr
t[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]
/2])/Sqrt[c^2*d + e]] + (3*I)*Sqrt[d]*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] - Sqr
t[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (6*I)*Sqrt[d]*ArcSin[Sqrt[1
+ (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e]
)*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (3*I)*Sqrt[d]*ArcSec[c*x]*Log[1 + (I*(-S
qrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (6*I)*Sqrt[d]*A
rcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(-Sqrt[e] + Sqr
t[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (3*I)*Sqrt[d]*ArcSec[c*x]*L
og[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (6*
I)*Sqrt[d]*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 - (I(Sq
rt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (3*I)*Sqrt[d]*A
rcSec[c*x]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqr
t[d])] - (6*I)*Sqrt[d]*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log
[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (I*Sq
rt[d]*Sqrt[e]*Log[(2*Sqrt[d]*Sqrt[e]*(Sqrt[e] + c*(I*c*Sqrt[d] - Sqrt[-(c^2
*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x)/(Sqrt[-(c^2*d) - e]*(Sqrt[d] - I*Sqrt[e]
*x)))]/Sqrt[-(c^2*d) - e] - (I*Sqrt[d]*Sqrt[e]*Log[(2*Sqrt[d]*Sqrt[e]*(-Sq
rt[e] + c*(I*c*Sqrt[d] + Sqrt[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x)/(Sqr
t[-(c^2*d) - e]*(Sqrt[d] + I*Sqrt[e]*x)))]/Sqrt[-(c^2*d) - e] + (4*Sqrt[e]*
Log[Cos[ArcSec[c*x]/2] - Sin[ArcSec[c*x]/2])/c - (4*Sqrt[e]*Log[Cos[ArcSec
[c*x]/2] + Sin[ArcSec[c*x]/2])/c - 3*Sqrt[d]*PolyLog[2, ((-I)*(-Sqrt[e] +
Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + 3*Sqrt[d]*PolyLog[2, (I*
(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + 3*Sqrt[d]*Po
lyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]
- 3*Sqrt[d]*PolyLog[2, (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c
*Sqrt[d])))]/(4*e^(5/2))
```

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 7.52, size = 1887, normalized size = 2.41

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^2,x)$

[Out] $a/e^2*x+1/2*c^2*a/e^2*d*x/(c^2*e*x^2+c^2*d)-3/2*a/e^2*d/(d*e)^{(1/2)}*\arctan(e*x/(d*e)^{(1/2)})+c^2*b*x^3*\text{arcsec}(c*x)/e/(c^2*e*x^2+c^2*d)+3/2*c^2*b*x*\text{arcsec}(c*x)/e^2/(c^2*e*x^2+c^2*d)*d+2*I/c*b/e^2*\arctan(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})-3/16*I*c*b/e^3*d*\text{sum}((_R1^2*c^2*d+4*_R1^2*e+c^2*d)/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e/d^2+I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e^2/d^2*(e*(c^2*d+e))^{(1/2)}-I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e^2/d^2*(e*(c^2*d+e))^{(1/2)}-1/2*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e^2/(c^2*d+e)/d*(e*(c^2*d+e))^{(1/2)}-I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/(c^2*d+e)/d^2-I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/(c^2*d+e)/d^2-I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e/(c^2*d+e)/d-I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e/(c^2*d+e)/d^2*(e*(c^2*d+e))^{(1/2)}+3/16*I*c*b/e^3*d*\text{sum}((_R1^2*c^2*d+c^2*d+4*e)/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e/(c^2*d+e)/d^2*(e*(c^2*d+e))^{(1/2)}+1/2*I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e^2/d+1/2*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e^2/d-I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e/(c^2*d+e)/d+I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e/d^2+1/2*I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e^2/(c^2*d+e)/d*(e*(c^2*d+e))^{(1/2)}$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="maxima")

[Out] -1/2*(3*sqrt(d)*arctan(x*e^(1/2)/sqrt(d))*e^(-5/2) - 2*x*e^(-2) - d*x/(x^2*e^3 + d*e^2))*a + b*integrate(x^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(x^4*e^2 + 2*d*x^2*e + d^2), x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b*x^4*arcsec(c*x) + a*x^4)/(x^4*e^2 + 2*d*x^2*e + d^2), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4(a + b \operatorname{asec}(cx))}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(a+b*asec(c*x))/(e*x**2+d)**2,x)

[Out] Integral(x**4*(a + b*asec(c*x))/(d + e*x**2)**2, x)

Giac [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="giac")

[Out] Timed out

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(a + b*acos(1/(c*x))))/(d + e*x^2)^2,x)

[Out] int((x^4*(a + b*acos(1/(c*x))))/(d + e*x^2)^2, x)

$$3.101 \quad \int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$$

Optimal. Leaf size=745

$$\frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{b \tanh^{-1} \left(\frac{c^2 d - \sqrt{-d} \sqrt{e}}{x \sqrt{c^2 d + e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{4\sqrt{d} e \sqrt{c^2 d + e}} + \frac{b \tanh^{-1} \left(\frac{c^2 d + \sqrt{-d} \sqrt{e}}{x \sqrt{c^2 d + e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{4\sqrt{d} e \sqrt{c^2 d + e}}$$

[Out] $\frac{1}{4}*(a+b*\text{arcsec}(c*x))*\ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/e^{(3/2)}/(-d)^{(1/2)}-1/4*(a+b*\text{arcsec}(c*x))*\ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/e^{(3/2)}/(-d)^{(1/2)}+1/4*(a+b*\text{arcsec}(c*x))*\ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/e^{(3/2)}/(-d)^{(1/2)}-1/4*(a+b*\text{arcsec}(c*x))*\ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/e^{(3/2)}/(-d)^{(1/2)}+1/4*I*b*\text{polylog}(2,-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/e^{(3/2)}/(-d)^{(1/2)}-1/4*I*b*\text{polylog}(2,c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/e^{(3/2)}/(-d)^{(1/2)}+1/4*I*b*\text{polylog}(2,-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/e^{(3/2)}/(-d)^{(1/2)}-1/4*I*b*\text{polylog}(2,c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/e^{(3/2)}/(-d)^{(1/2)}+1/4*(a+b*\text{arcsec}(c*x))/e/(-d/x+(-d)^{(1/2)}*e^{(1/2)})+1/4*(-a-b*\text{arcsec}(c*x))/e/(d/x+(-d)^{(1/2)}*e^{(1/2)})+1/4*b*\text{arctanh}((c^2*d-(-d)^{(1/2)}*e^{(1/2)})/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)}/e/d^{(1/2)}/(c^2*d+e)^{(1/2)}+1/4*b*\text{arctanh}((c^2*d+(-d)^{(1/2)}*e^{(1/2)})/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)}/e/d^{(1/2)}/(c^2*d+e)^{(1/2)}$

Rubi [A]

time = 1.15, antiderivative size = 745, normalized size of antiderivative = 1.00, number of steps used = 27, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {5348, 4758, 4828, 739, 212, 4826, 4616, 2221, 2317, 2438}

$$\frac{(a+b*\text{ArcSec}[c*x])*\ln\left(\frac{1-\sqrt{-d}\sqrt{e}}{\sqrt{c^2*d+e}}\right)}{4\sqrt{d}e} - \frac{(a+b*\text{ArcSec}[c*x])*\ln\left(\frac{1+\sqrt{-d}\sqrt{e}}{\sqrt{c^2*d+e}}\right)}{4\sqrt{d}e} + \frac{(a+b*\text{ArcSec}[c*x])*\ln\left(\frac{1-\sqrt{-d}\sqrt{e}}{\sqrt{c^2*d+e}}\right)}{4\sqrt{d}e} - \frac{(a+b*\text{ArcSec}[c*x])*\ln\left(\frac{1+\sqrt{-d}\sqrt{e}}{\sqrt{c^2*d+e}}\right)}{4\sqrt{d}e} + \frac{b*\text{ArcTanh}\left(\frac{c^2*d-\sqrt{-d}\sqrt{e}}{x\sqrt{c^2*d+e}}\right)}{4\sqrt{d}e\sqrt{c^2*d+e}} - \frac{b*\text{ArcTanh}\left(\frac{c^2*d+\sqrt{-d}\sqrt{e}}{x\sqrt{c^2*d+e}}\right)}{4\sqrt{d}e\sqrt{c^2*d+e}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out] $(a + b*\text{ArcSec}[c*x])/ (4*e*(\text{Sqrt}[-d]*\text{Sqrt}[e] - d/x)) - (a + b*\text{ArcSec}[c*x])/ (4*e*(\text{Sqrt}[-d]*\text{Sqrt}[e] + d/x)) + (b*\text{ArcTanh}[(c^2*d - (\text{Sqrt}[-d]*\text{Sqrt}[e])/x])/ (c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - 1/(c^2*x^2)])/ (4*\text{Sqrt}[d]*e*\text{Sqrt}[c^2*d + e]) + (b*\text{ArcTanh}[(c^2*d + (\text{Sqrt}[-d]*\text{Sqrt}[e])/x])/ (c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - 1/(c^2*x^2)])/ (4*\text{Sqrt}[d]*e*\text{Sqrt}[c^2*d + e]) + ((a + b*\text{ArcSec}[c*x])/ (4*e*(\text{Sqrt}[-d]*\text{Sqrt}[e] - d/x)) - (a + b*\text{ArcSec}[c*x])/ (4*e*(\text{Sqrt}[-d]*\text{Sqrt}[e] + d/x)) + (b*\text{ArcTanh}[(c^2*d - (\text{Sqrt}[-d]*\text{Sqrt}[e])/x])/ (c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - 1/(c^2*x^2)])/ (4*\text{Sqrt}[d]*e*\text{Sqrt}[c^2*d + e]) + (b*\text{ArcTanh}[(c^2*d + (\text{Sqrt}[-d]*\text{Sqrt}[e])/x])/ (c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - 1/(c^2*x^2)])/ (4*\text{Sqrt}[d]*e*\text{Sqrt}[c^2*d + e]))$

```
x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])]/(4
*Sqrt[-d]*e^(3/2)) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c
*x]))/(Sqrt[e] - Sqrt[c^2*d + e])]/(4*Sqrt[-d]*e^(3/2)) + ((a + b*ArcSec[c
*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])]/(
4*Sqrt[-d]*e^(3/2)) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[
c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])]/(4*Sqrt[-d]*e^(3/2)) + ((I/4)*b*PolyLo
g[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))]/(Sqrt[
-d]*e^(3/2)) - ((I/4)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e]
- Sqrt[c^2*d + e])]/(Sqrt[-d]*e^(3/2)) + ((I/4)*b*PolyLog[2, -((c*Sqrt[-d]
*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))]/(Sqrt[-d]*e^(3/2)) - ((I
/4)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]
)]/(Sqrt[-d]*e^(3/2))
```

Rule 212

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*
ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 739

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 2221

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4616

```
Int[(((e_) + (f_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)])/(Cos[(c_) + (d_
)*(x_)])*(b_) + (a_)), x_Symbol] := Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1))
```

```
, x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b
 *E^(I*(c + d*x))), x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a +
 Rt[a^2 - b^2, 2] + b *E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4758

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Int[ExpandIntegrand[(a + b *ArcCos[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

Rule 4826

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)/((d_) + (e_.)*(x_.)), x_Symbol]
 := -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e *Cos[x])), x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4828

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_.))^(m_.), x_S
ymbol] := Simp[(d + e*x)^(m + 1)*((a + b *ArcCos[c*x])^n/(e*(m + 1))), x] +
Dist[b*c*(n/(e*(m + 1))), Int[(d + e*x)^(m + 1)*((a + b *ArcCos[c*x])^(n - 1
))/Sqrt[1 - c^2*x^2]], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0]
&& NeQ[m, -1]
```

Rule 5348

```
Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)
^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b *ArcCos[x/c])^n/x^(
m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(-\frac{d(a + b \cos^{-1} \left(\frac{x}{c} \right))}{4e \left(\sqrt{-d} \sqrt{e} - dx \right)^2} - \frac{d(a + b \cos^{-1} \left(\frac{x}{c} \right))}{4e \left(\sqrt{-d} \sqrt{e} + dx \right)^2} - \frac{d(a + b \cos^{-1} \left(\frac{x}{c} \right))}{2e(-de - dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= \frac{d\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\left(\sqrt{-d} \sqrt{e} - dx \right)^2} dx, x, \frac{1}{x} \right)}{4e} + \frac{d\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\left(\sqrt{-d} \sqrt{e} + dx \right)^2} dx, x, \frac{1}{x} \right)}{4e} \\
&= \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{b\text{Subst} \left(\int \frac{1}{\left(\sqrt{-d} \sqrt{e} - dx \right) \sqrt{1 - \frac{d}{e} \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{4ce} \\
&= \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} - \frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-d} x} dx, x, \frac{1}{x} \right)}{4e^{3/2}} \\
&= \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{b \tanh^{-1} \left(\frac{c^2 d - \sqrt{-d} \sqrt{e}}{c \sqrt{d} \sqrt{c^2 d + e} \sqrt{1 - \frac{d}{e} \frac{x^2}{c^2}}} \right)}{4\sqrt{d} e \sqrt{c^2 d + e}} \\
&= \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{b \tanh^{-1} \left(\frac{c^2 d - \sqrt{-d} \sqrt{e}}{c \sqrt{d} \sqrt{c^2 d + e} \sqrt{1 - \frac{d}{e} \frac{x^2}{c^2}}} \right)}{4\sqrt{d} e \sqrt{c^2 d + e}} \\
&= \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{b \tanh^{-1} \left(\frac{c^2 d - \sqrt{-d} \sqrt{e}}{c \sqrt{d} \sqrt{c^2 d + e} \sqrt{1 - \frac{d}{e} \frac{x^2}{c^2}}} \right)}{4\sqrt{d} e \sqrt{c^2 d + e}} \\
&= \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{b \tanh^{-1} \left(\frac{c^2 d - \sqrt{-d} \sqrt{e}}{c \sqrt{d} \sqrt{c^2 d + e} \sqrt{1 - \frac{d}{e} \frac{x^2}{c^2}}} \right)}{4\sqrt{d} e \sqrt{c^2 d + e}}
\end{aligned}$$

Mathematica [A]

time = 1.11, size = 1245, normalized size = 1.67

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out]
$$\begin{aligned} &((-2*a*\sqrt{e}*x)/(d + e*x^2) + (2*a*\text{ArcTan}[(\sqrt{e}*x)/\sqrt{d}])/\sqrt{d} + \\ &b*(\text{ArcSec}[c*x]/(I*\sqrt{d} - \sqrt{e}*x) - \text{ArcSec}[c*x]/(I*\sqrt{d} + \sqrt{e}* \\ &x) - (4*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2})*\text{ArcTan}[((-I)*c*\sqrt{d} + \sqrt{e})*\text{Tan}[\text{ArcSec}[c*x]/2])/\sqrt{c^2*d + e}]/\sqrt{d} + (4*\text{ArcSin} \\ &[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2})*\text{ArcTan}[(I*c*\sqrt{d} + \sqrt{e})*\text{Tan}[\text{ArcSec}[c*x]/2])/\sqrt{c^2*d + e}]/\sqrt{d} - (I*\text{ArcSec}[c*x]*\text{Log}[1 + (I* \\ &(\sqrt{e} - \sqrt{c^2*d + e})*E^{(I*\text{ArcSec}[c*x])})/(c*\sqrt{d})])/\sqrt{d} - ((2* \\ &I)*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2})*\text{Log}[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e})*E^{(I*\text{ArcSec}[c*x])})/(c*\sqrt{d})])/\sqrt{d} + (I*\text{ArcSec}[c*x]* \\ &\text{Log}[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*\text{ArcSec}[c*x])})/(c*\sqrt{d})])/\sqrt{d} + ((2*I)*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2})*\text{Log}[1 + (I \\ &*(-\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*\text{ArcSec}[c*x])})/(c*\sqrt{d})])/\sqrt{d} + (I \\ &*\text{ArcSec}[c*x]*\text{Log}[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*\text{ArcSec}[c*x])})/(c*\sqrt{d})])/\sqrt{d} - ((2*I)*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2} \\ &)*\text{Log}[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*\text{ArcSec}[c*x])})/(c*\sqrt{d})])/\sqrt{d} - (I*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*\text{ArcSec}[c*x])})/(c*\sqrt{d})])/\sqrt{d} + ((2*I)*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2})*\text{Log}[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*\text{ArcSec}[c*x])})/(c*\sqrt{d})])/\sqrt{d} - (I*\sqrt{e}*\text{Log}[(2*\sqrt{d}*\sqrt{e}*(\sqrt{e} + c*(I*c*\sqrt{d} - \sqrt{-(c^2*d) - e})*\sqrt{1 - 1/(c^2*x^2)})*x)/(\sqrt{-(c^2*d) - e}*(\sqrt{d} - I*\sqrt{e}*x))]/(\sqrt{d}*\sqrt{-(c^2*d) - e}) + (I*\sqrt{e}*\text{Log}[(2*\sqrt{d}*\sqrt{e}*(-\sqrt{e} + c*(I*c*\sqrt{d} + \sqrt{-(c^2*d) - e})*\sqrt{1 - 1/(c^2*x^2)})*x)/(\sqrt{-(c^2*d) - e}*(\sqrt{d} + I*\sqrt{e}*x))]/(\sqrt{d}*\sqrt{-(c^2*d) - e}) + \text{PolyLog}[2, ((-I)*(-\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*\text{ArcSec}[c*x])})/(c*\sqrt{d})]/\sqrt{d} - \text{PolyLog}[2, (I*(-\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*\text{ArcSec}[c*x])})/(c*\sqrt{d})]/\sqrt{d} - \text{PolyLog}[2, ((-I)*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*\text{ArcSec}[c*x])})/(c*\sqrt{d})]/\sqrt{d} + \text{PolyLog}[2, (I*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*\text{ArcSec}[c*x])})/(c*\sqrt{d})]/\sqrt{d}))/ (4*e^{(3/2)}) \end{aligned}$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 316.80, size = 1755, normalized size = 2.36

| method | result | size |
|-------------------|---------------------------------|------|
| derivativedivides | Expression too large to display | 1755 |
| default | Expression too large to display | 1755 |

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^2,x,method=_RETURNVERBOSE)

[Out] $\frac{1}{c^3} \left(-\frac{1}{2} a c^5 / e x / (c^2 e x^2 + c^2 d) + \frac{1}{2} a c^3 / e / (d e)^{1/2} \arctan(e x / (d e)^{1/2}) - \frac{1}{2} b c^5 x \operatorname{arcsec}(c x) / (c^2 e x^2 + c^2 d) / e - I b / c \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} \arctan\left(\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d}\right) / \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} / (c^2 d + e) / d^3 (e(c^2 d + e))^{1/2} + I b c \left(-(c^2 d - 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} \operatorname{arctanh}\left(\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} - 2e) d}\right) / \left((c^2 d + 2(e(c^2 d + e))^{1/2} - 2e) d \right)^{1/2} / (c^2 d + e) / d^2 - \frac{1}{4} I b c^4 / e \operatorname{sum}\left(\frac{1}{_R1}, \left(\frac{1}{_R1^2 c^2 d + c^2 d + 2e}\right) * (I \operatorname{arcsec}(c x) * \ln\left(\frac{1}{_R1} - \frac{1}{c/x - I(1 - 1/c^2/x^2)^{1/2}}\right) / _R1 + \operatorname{dilog}\left(\frac{1}{_R1} - \frac{1}{c/x - I(1 - 1/c^2/x^2)^{1/2}}\right) / _R1\right) \right), _R1 = \operatorname{RootOf}(c^2 d * _Z^4 + (2 c^2 d + 4 e) * _Z^2 + c^2 d) - \frac{1}{2} I b c \left(-(c^2 d - 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} \operatorname{arctanh}\left(\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d}\right) / \left((c^2 d + 2(e(c^2 d + e))^{1/2} - 2e) d \right)^{1/2} / e / d^2 + I b / c \left(-(c^2 d - 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} \operatorname{arctanh}\left(\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d}\right) / \left((c^2 d + 2(e(c^2 d + e))^{1/2} - 2e) d \right)^{1/2} / (c^2 d + e) / d^3 (e(c^2 d + e))^{1/2} - I b / c \left(-(c^2 d - 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} \operatorname{arctanh}\left(\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} - 2e) d}\right) / \left((c^2 d + 2(e(c^2 d + e))^{1/2} - 2e) d \right)^{1/2} / d^3 - I b / c \left(-(c^2 d - 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} \operatorname{arctanh}\left(\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d}\right) / \left((c^2 d + 2(e(c^2 d + e))^{1/2} - 2e) d \right)^{1/2} / e / d^3 (e(c^2 d + e))^{1/2} - I b / c \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} \arctan\left(\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d}\right) / \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} / d^3 + I b / c \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} \arctan\left(\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d}\right) / \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} * e / (c^2 d + e) / d^3 + I b / c \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} \arctan\left(\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d}\right) / \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} / e / d^3 (e(c^2 d + e))^{1/2} + I b c \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} \arctan\left(\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d}\right) / \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} / (c^2 d + e) / d^2 - \frac{1}{2} I b c \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} \arctan\left(\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d}\right) / \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} / e / (c^2 d + e) / d^2 (e(c^2 d + e))^{1/2} - \frac{1}{2} I b c \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} \arctan\left(\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d}\right) / \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} / e / d^2 + \frac{1}{4} I b c^4 / e \operatorname{sum}\left(\frac{1}{_R1}, \left(\frac{1}{_R1^2 c^2 d + c^2 d + 2e}\right) * (I \operatorname{arcsec}(c x) * \ln\left(\frac{1}{_R1} - \frac{1}{c/x - I(1 - 1/c^2/x^2)^{1/2}}\right) / _R1 + \operatorname{dilog}\left(\frac{1}{_R1} - \frac{1}{c/x - I(1 - 1/c^2/x^2)^{1/2}}\right) / _R1\right) \right), _R1 = \operatorname{RootOf}(c^2 d * _Z^4 + (2 c^2 d + 4 e) * _Z^2 + c^2 d) + \frac{1}{2} I b c \left(-(c^2 d - 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} \operatorname{arctanh}\left(\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} - 2e) d}\right) / \left((c^2 d + 2(e(c^2 d + e))^{1/2} - 2e) d \right)^{1/2} / e / (c^2 d + e) / d^2 (e(c^2 d + e))^{1/2} + I b / c \left(-(c^2 d - 2(e(c^2 d + e))^{1/2} + 2e) d \right)^{1/2} \operatorname{arctanh}\left(\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} - 2e) d}\right) / \left((c^2 d + 2(e(c^2 d + e))^{1/2} - 2e) d \right)^{1/2} * e / (c^2 d + e) / d^3 \right)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="maxima")

[Out] 1/2*(arctan(x*e^(1/2)/sqrt(d))*e^(-3/2)/sqrt(d) - x/(x^2*e^2 + d*e))*a + b*integrate(x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(x^4*e^2 + 2*d*x^2*e + d^2), x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b*x^2*arcsec(c*x) + a*x^2)/(x^4*e^2 + 2*d*x^2*e + d^2), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2(a + b \operatorname{asec}(cx))}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*asec(c*x))/(e*x**2+d)**2,x)

[Out] Integral(x**2*(a + b*asec(c*x))/(d + e*x**2)**2, x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (a + b \operatorname{acos}(\frac{1}{cx}))}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(a + b*acos(1/(c*x))))/(d + e*x^2)^2,x)

[Out] int((x^2*(a + b*acos(1/(c*x))))/(d + e*x^2)^2, x)

$$3.102 \quad \int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^2} dx$$

Optimal. Leaf size=739

$$\frac{a+b \sec^{-1}(cx)}{4d \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{a+b \sec^{-1}(cx)}{4d \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} - \frac{b \tanh^{-1} \left(\frac{c^2 d - \frac{\sqrt{-d} \sqrt{e}}{x}}{c \sqrt{d} \sqrt{c^2 d + e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{4d^{3/2} \sqrt{c^2 d + e}} - \frac{b \tanh^{-1} \left(\frac{c^2 d + \frac{\sqrt{-d} \sqrt{e}}{x}}{c \sqrt{d} \sqrt{c^2 d + e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{4d^{3/2} \sqrt{c^2 d + e}}$$

[Out] $-1/4*(a+b*\text{arcsec}(c*x))*\ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(1/2)}+1/4*(a+b*\text{arcsec}(c*x))*\ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(1/2)}-1/4*(a+b*\text{arcsec}(c*x))*\ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(1/2)}+1/4*(a+b*\text{arcsec}(c*x))*\ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(1/2)}-1/4*I*b*\text{polylog}(2,-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(1/2)}+1/4*I*b*\text{polylog}(2,c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(1/2)}-1/4*I*b*\text{polylog}(2,-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(1/2)}+1/4*I*b*\text{polylog}(2,c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(1/2)}+1/4*(-a-b*\text{arcsec}(c*x))/d/(-d/x+(-d)^{(1/2)}*e^{(1/2)})+1/4*(a+b*\text{arcsec}(c*x))/d/(d/x+(-d)^{(1/2)}*e^{(1/2)})-1/4*b*\text{arctanh}((c^2*d-(-d)^{(1/2)}*e^{(1/2)})/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)}/d^{(3/2)}/(c^2*d+e)^{(1/2)}-1/4*b*\text{arctanh}((c^2*d+(-d)^{(1/2)}*e^{(1/2)})/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)}/d^{(3/2)}/(c^2*d+e)^{(1/2)}$

Rubi [A]

time = 2.18, antiderivative size = 739, normalized size of antiderivative = 1.00, number of steps used = 47, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.611$, Rules used = {5338, 4818, 4758, 4828, 739, 212, 4826, 4616, 2221, 2317, 2438}

$$\frac{(a+b*\text{arcsec}(c*x))*\ln\left(\frac{1-\frac{\sqrt{-d}\sqrt{e}}{cx}}{\sqrt{c^2d+e}}\right)}{4d^{3/2}\sqrt{c^2d+e}} + \frac{(a+b*\text{arcsec}(c*x))*\ln\left(\frac{1+\frac{\sqrt{-d}\sqrt{e}}{cx}}{\sqrt{c^2d+e}}\right)}{4d^{3/2}\sqrt{c^2d+e}} - \frac{(a+b*\text{arcsec}(c*x))*\ln\left(\frac{1-\frac{\sqrt{-d}\sqrt{e}}{cx}}{\sqrt{c^2d+e}}\right)}{4d^{3/2}\sqrt{c^2d+e}} + \frac{(a+b*\text{arcsec}(c*x))*\ln\left(\frac{1+\frac{\sqrt{-d}\sqrt{e}}{cx}}{\sqrt{c^2d+e}}\right)}{4d^{3/2}\sqrt{c^2d+e}} - \frac{a+b*\text{arcsec}(c*x)}{4d\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} + \frac{a+b*\text{arcsec}(c*x)}{4d\left(\sqrt{-d}\sqrt{e}+\frac{d}{x}\right)} - \frac{b*\text{tanh}^{-1}\left(\frac{c^2d-\frac{\sqrt{-d}\sqrt{e}}{cx}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4d^{3/2}\sqrt{c^2d+e}} + \frac{b*\text{tanh}^{-1}\left(\frac{c^2d+\frac{\sqrt{-d}\sqrt{e}}{cx}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4d^{3/2}\sqrt{c^2d+e}} - \frac{b*\text{tanh}^{-1}\left(\frac{c^2d-\frac{\sqrt{-d}\sqrt{e}}{cx}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4d^{3/2}\sqrt{c^2d+e}} + \frac{b*\text{tanh}^{-1}\left(\frac{c^2d+\frac{\sqrt{-d}\sqrt{e}}{cx}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4d^{3/2}\sqrt{c^2d+e}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x^2)^2,x]

[Out] $-1/4*(a + b*\text{ArcSec}[c*x])/d*(\text{Sqrt}[-d]*\text{Sqrt}[e] - d/x) + (a + b*\text{ArcSec}[c*x])/4*d*(\text{Sqrt}[-d]*\text{Sqrt}[e] + d/x) - (b*\text{ArcTanh}[(c^2*d - (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - 1/(c^2*x^2)]))/4*d^{(3/2)}*\text{Sqrt}[c^2*d + e] - (b*\text{ArcTanh}[(c^2*d + (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - 1/(c^2*x^2)]))/4*d^{(3/2)}*\text{Sqrt}[c^2*d + e] - ((a + b*\text{ArcSec}[c*x])/d*(\text{Sqrt}[-d]*\text{Sqrt}[e] - d/x) + (a + b*\text{ArcSec}[c*x])/d*(\text{Sqrt}[-d]*\text{Sqrt}[e] + d/x) - (b*\text{ArcTanh}[(c^2*d - (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - 1/(c^2*x^2)]))/4*d^{(3/2)}*\text{Sqrt}[c^2*d + e] - (b*\text{ArcTanh}[(c^2*d + (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - 1/(c^2*x^2)]))/4*d^{(3/2)}*\text{Sqrt}[c^2*d + e])$

$$\begin{aligned} &) * \text{Log}[1 - (c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[c * x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 * d + e])] / (4 * \\ & (-d)^{(3/2)} * \text{Sqrt}[e]) + ((a + b * \text{ArcSec}[c * x]) * \text{Log}[1 + (c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[\\ & c * x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 * d + e])] / (4 * (-d)^{(3/2)} * \text{Sqrt}[e]) - ((a + b * \text{ArcSe} \\ & c[c * x]) * \text{Log}[1 - (c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[c * x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 * d + e])] \\ &) / (4 * (-d)^{(3/2)} * \text{Sqrt}[e]) + ((a + b * \text{ArcSec}[c * x]) * \text{Log}[1 + (c * \text{Sqrt}[-d] * E^{(I * \text{Ar} \\ & c \text{Sec}[c * x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 * d + e])]) / (4 * (-d)^{(3/2)} * \text{Sqrt}[e]) - ((I/4) * b \\ & * \text{PolyLog}[2, -((c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[c * x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 * d + e])]) \\ &) / ((-d)^{(3/2)} * \text{Sqrt}[e]) + ((I/4) * b * \text{PolyLog}[2, (c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[c * x])}) / \\ & (\text{Sqrt}[e] - \text{Sqrt}[c^2 * d + e])]) / ((-d)^{(3/2)} * \text{Sqrt}[e]) - ((I/4) * b * \text{PolyLog}[2, -(\\ & (c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[c * x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 * d + e])]) / ((-d)^{(3/2)} * \text{S} \\ & \text{qrt}[e]) + ((I/4) * b * \text{PolyLog}[2, (c * \text{Sqrt}[-d] * E^{(I * \text{ArcSec}[c * x])}) / (\text{Sqrt}[e] + \text{Sqr} \\ & \text{t}[c^2 * d + e])]) / ((-d)^{(3/2)} * \text{Sqrt}[e]) \end{aligned}$$

Rule 212

$$\text{Int}[(a + b * (x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 / (\text{Rt}[a, 2] * \text{Rt}[-b, 2])) * \text{ArcTanh}[\text{Rt}[-b, 2] * (x / \text{Rt}[a, 2])], x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$$

Rule 739

$$\text{Int}[1 / (((d + e * x) * \text{Sqrt}[a + c * x^2]), x_Symbol] \rightarrow -\text{Subst}[\text{Int}[1 / (c * d^2 + a * e^2 - x^2), x], x, (a * e - c * d * x) / \text{Sqrt}[a + c * x^2]] /; \text{FreeQ}\{a, c, d, e, x\}$$

Rule 2221

$$\text{Int}[(F^{(g * (e + f * x))})^{(n)} * ((c + d * x)^m / (b * f * g * n * \text{Log}[F])) * \text{Log}[1 + b * (F^{(g * (e + f * x))})^n / a], x] - \text{Dist}[d * (m / (b * f * g * n * \text{Log}[F])), \text{Int}[(c + d * x)^{(m-1)} * \text{Log}[1 + b * (F^{(g * (e + f * x))})^n / a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n, x\} \ \&\& \ \text{IGtQ}[m, 0]$$

Rule 2317

$$\text{Int}[\text{Log}[a + b * (F^{(e * (c + d * x))})^n], x_Symbol] \rightarrow \text{Dist}[1 / (d * e * n * \text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b * x] / x, x], x, (F^{(e * (c + d * x))})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n, x\} \ \&\& \ \text{GtQ}[a, 0]$$

Rule 2438

$$\text{Int}[\text{Log}[c * (d + e * x)^n] / (x), x_Symbol] \rightarrow \text{Simp}[-\text{PolyLog}[2, (-c) * e * x^n / n, x] /; \text{FreeQ}\{c, d, e, n, x\} \ \&\& \ \text{EqQ}[c * d, 1]$$

Rule 4616

$$\text{Int}[(e + f * x)^m * \text{Sin}[c + d * x] / (\text{Cos}[c + d * x] * (b * x + a)), x_Symbol] \rightarrow \text{Simp}[I * (e + f * x)^{(m+1)} / (b * f * (m+1))]$$

```
, x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b
 *E^(I*(c + d*x))], x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a +
 Rt[a^2 - b^2, 2] + b *E^(I*(c + d*x))], x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4758

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Int[ExpandIntegrand[(a + b *ArcCos[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

Rule 4818

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_
.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b *ArcCos[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4826

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol]
 := -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e *Cos[x])), x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4828

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(m_.), x_S
ymbol] := Simp[(d + e*x)^(m + 1)*((a + b *ArcCos[c*x])^n/(e*(m + 1))), x] +
Dist[b*c*(n/(e*(m + 1))), Int[(d + e*x)^(m + 1)*((a + b *ArcCos[c*x])^(n - 1
))/Sqrt[1 - c^2*x^2]], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0]
&& NeQ[m, -1]
```

Rule 5338


```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_)^2)^(p_.),
x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b *ArcCos[x/c])^n/x^(2*(p + 1)))
, x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{x^2(a + b \cos^{-1}(\frac{x}{c}))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(-\frac{e(a + b \cos^{-1}(\frac{x}{c}))}{d(e + dx^2)^2} + \frac{a + b \cos^{-1}(\frac{x}{c})}{d(e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{e + dx^2} dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{\text{Subst} \left(\int \left(\frac{a + b \cos^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} - \sqrt{-d}x)} + \frac{a + b \cos^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \left(\frac{a + b \cos^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} - \sqrt{-d}x)} - \frac{a + b \cos^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{d} \\
&= -\left(\frac{1}{4} \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(\sqrt{-d}\sqrt{e} - dx)^2} dx, x, \frac{1}{x} \right) \right) - \frac{1}{4} \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(\sqrt{-d}\sqrt{e} + dx)^2} dx, x, \frac{1}{x} \right) \\
&= -\frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} - \frac{1}{2} \text{Subst} \left(\int \left(-\frac{a + b \cos^{-1}(\frac{x}{c})}{2d\sqrt{e}(\sqrt{e} - \sqrt{-d}x)} + \frac{a + b \cos^{-1}(\frac{x}{c})}{2d\sqrt{e}(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{b \text{Subst} \left(\int \frac{1}{d^2 + \frac{de}{c^2} - x^2} dx, x, \frac{-d + \sqrt{-d}\sqrt{e}}{\sqrt{1 - \frac{d^2}{c^2}}} \right)}{4cd} \\
&= -\frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} - \frac{b \tanh^{-1} \left(\frac{c^2 d - \sqrt{-d}\sqrt{e}}{c\sqrt{d}\sqrt{c^2 d + e}} \right)}{4d^{3/2}\sqrt{c^2 d + e}} \\
&= -\frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} - \frac{b \tanh^{-1} \left(\frac{c^2 d - \sqrt{-d}\sqrt{e}}{c\sqrt{d}\sqrt{c^2 d + e}} \right)}{4d^{3/2}\sqrt{c^2 d + e}} \\
&= -\frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} - \frac{b \tanh^{-1} \left(\frac{c^2 d - \sqrt{-d}\sqrt{e}}{c\sqrt{d}\sqrt{c^2 d + e}} \right)}{4d^{3/2}\sqrt{c^2 d + e}}
\end{aligned}$$

Mathematica [A]

time = 1.57, size = 1239, normalized size = 1.68



Warning: Unable to verify antiderivative.

`[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x^2)^2,x]`

```
[Out] ((a*x)/(d^2 + d*e*x^2) + (a*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(d^(3/2)*Sqrt[e])
+ (b*((Sqrt[d]*ArcSec[c*x])/((-I)*Sqrt[d]*Sqrt[e] + e*x) + (Sqrt[d]*ArcSec[
c*x])/(I*Sqrt[d]*Sqrt[e] + e*x) - (4*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d]
)])/Sqrt[2]]*ArcTan[(((-I)*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2
*d + e]])/Sqrt[e] + (4*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*Ar
cTan[((I*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]])/Sqrt[e]
- (I*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))
/(c*Sqrt[d])])/Sqrt[e] - ((2*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])])/Sqr
t[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d]
)])/Sqrt[e] + (I*ArcSec[c*x]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*A
rcSec[c*x]))/(c*Sqrt[d])])/Sqrt[e] + ((2*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*
Sqrt[d])])/Sqrt[2]]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]
)])/((c*Sqrt[d]))/Sqrt[e] + (I*ArcSec[c*x]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d
+ e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])])/Sqrt[e] - ((2*I)*ArcSin[Sqrt[1 - (I*
Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*
ArcSec[c*x]))/(c*Sqrt[d])])/Sqrt[e] - (I*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] +
Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])])/Sqrt[e] + ((2*I)*ArcSin[S
qrt[1 + (I*Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d
+ e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])])/Sqrt[e] + (I*Log[(2*Sqrt[d]*Sqrt[e]*
(Sqrt[e] + c*(I*c*Sqrt[d] - Sqrt[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x)]/(
Sqrt[-(c^2*d) - e]*(Sqrt[d] - I*Sqrt[e]*x)))/Sqrt[-(c^2*d) - e] - (I*Log[(
2*Sqrt[d]*Sqrt[e]*(-Sqrt[e] + c*(I*c*Sqrt[d] + Sqrt[-(c^2*d) - e])*Sqrt[1 -
1/(c^2*x^2)])*x)]/(Sqrt[-(c^2*d) - e]*(Sqrt[d] + I*Sqrt[e]*x)))/Sqrt[-(c^2
*d) - e] + PolyLog[2, ((-I)*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))
/(c*Sqrt[d])]/Sqrt[e] - PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*Arc
Sec[c*x]))/(c*Sqrt[d])]/Sqrt[e] - PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d +
e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]/Sqrt[e] + PolyLog[2, (I*(Sqrt[e] + Sqrt
[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]/Sqrt[e]))/(2*d^(3/2)))/2
```

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 321.46, size = 1757, normalized size = 2.38

| method | result | size |
|-------------------|---------------------------------|------|
| derivativedivides | Expression too large to display | 1757 |
| default | Expression too large to display | 1757 |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/(e*x^2+d)^2,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c} \left(\frac{1}{2} a \frac{c^3 x}{d} \frac{1}{(c^2 e x^2 + c^2 d)} + \frac{1}{2} a \frac{c}{d} (d e)^{-1/2} \arctan\left(\frac{e x}{(d e)^{-1/2}}\right) + \frac{1}{2} b \frac{c^3 x}{c^2 e x^2 + c^2 d} \frac{1}{d} + \frac{I b}{c^3} \left(-(c^2 d - 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} \operatorname{arctanh}\left(\frac{(1/c/x + I(1 - 1/c^2/x^2))^{1/2}}{(-c^2 d + 2(e(c^2 d + e))^{1/2} - 2e)d} \right)^{1/2} \right) / d^4 (e(c^2 d + e))^{1/2} - \frac{I b}{c^3} \left(-(c^2 d - 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} \operatorname{arctanh}\left(\frac{(1/c/x + I(1 - 1/c^2/x^2))^{1/2}}{(-c^2 d + 2(e(c^2 d + e))^{1/2} - 2e)d} \right)^{1/2} \right) / d^4 (c^2 d + e) e^{-2} - \frac{1}{4} I b \frac{c^2}{d} \sum\left(\frac{1}{_R1} \frac{1}{(c^2 d + c^2 d + 2e)} (I \operatorname{arcsec}(c x) \ln\left(\frac{_R1 - 1/c/x - I(1 - 1/c^2/x^2)^{1/2}}{_R1}\right) + \operatorname{dilog}\left(\frac{_R1 - 1/c/x - I(1 - 1/c^2/x^2)^{1/2}}{_R1}\right), _R1 = \operatorname{RootOf}(c^2 d _Z^4 + (2c^2 d + 4e) _Z^2 + c^2 d)\right) - \frac{I b}{c} \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} \operatorname{arctan}\left(\frac{(1/c/x + I(1 - 1/c^2/x^2))^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d} \right)^{1/2} / d^3 (c^2 d + e) e^{-I b/c^3} \left(-(c^2 d - 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} \operatorname{arctanh}\left(\frac{(1/c/x + I(1 - 1/c^2/x^2))^{1/2}}{(-c^2 d + 2(e(c^2 d + e))^{1/2} - 2e)d} \right)^{1/2} \right) / d^4 (c^2 d + e) \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} \operatorname{arctan}\left(\frac{(1/c/x + I(1 - 1/c^2/x^2))^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d} \right)^{1/2} / d^3 - \frac{1}{2} I b \frac{c}{c} \left(-(c^2 d - 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} \operatorname{arctanh}\left(\frac{(1/c/x + I(1 - 1/c^2/x^2))^{1/2}}{(-c^2 d + 2(e(c^2 d + e))^{1/2} - 2e)d} \right)^{1/2} \right) / d^3 (c^2 d + e) e + \frac{1}{2} I b \frac{c}{c} \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} \operatorname{arctan}\left(\frac{(1/c/x + I(1 - 1/c^2/x^2))^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d} \right)^{1/2} / d^3 - \frac{1}{2} I b \frac{c}{c} \left(-(c^2 d - 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} \operatorname{arctanh}\left(\frac{(1/c/x + I(1 - 1/c^2/x^2))^{1/2}}{(-c^2 d + 2(e(c^2 d + e))^{1/2} - 2e)d} \right)^{1/2} \right) / d^3 (c^2 d + e) \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} \operatorname{arctan}\left(\frac{(1/c/x + I(1 - 1/c^2/x^2))^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d} \right)^{1/2} / d^4 (c^2 d + e) e^{-I b/c^3} \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} \operatorname{arctan}\left(\frac{(1/c/x + I(1 - 1/c^2/x^2))^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d} \right)^{1/2} / d^4 (e(c^2 d + e))^{1/2} + \frac{1}{2} I b \frac{c}{c} \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} \operatorname{arctan}\left(\frac{(1/c/x + I(1 - 1/c^2/x^2))^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d} \right)^{1/2} / d^3 (c^2 d + e) \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} + \frac{I b}{c^3} \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} \operatorname{arctan}\left(\frac{(1/c/x + I(1 - 1/c^2/x^2))^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d} \right)^{1/2} \right) / d^4 e + \frac{I b}{c^3} \left(-(c^2 d - 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} \operatorname{arctanh}\left(\frac{(1/c/x + I(1 - 1/c^2/x^2))^{1/2}}{(-c^2 d + 2(e(c^2 d + e))^{1/2} - 2e)d} \right)^{1/2} \right) / d^4 e + \frac{1}{4} I b \frac{c^2}{d} \sum\left(\frac{1}{_R1} \frac{1}{(c^2 d + c^2 d + 2e)} (I \operatorname{arcsec}(c x) \ln\left(\frac{_R1 - 1/c/x - I(1 - 1/c^2/x^2)^{1/2}}{_R1}\right) + \operatorname{dilog}\left(\frac{_R1 - 1/c/x - I(1 - 1/c^2/x^2)^{1/2}}{_R1}\right), _R1 = \operatorname{RootOf}(c^2 d _Z^4 + (2c^2 d + 4e) _Z^2 + c^2 d)\right) + \frac{I b}{c^3} \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} \operatorname{arctan}\left(\frac{(1/c/x + I(1 - 1/c^2/x^2))^{1/2}}{(c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d} \right)^{1/2} / d^4 (c^2 d + e) \left((c^2 d + 2(e(c^2 d + e))^{1/2} + 2e)d \right)^{1/2} e$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="maxima")

[Out] 1/2*a*(arctan(x*e^(1/2)/sqrt(d))*e^(-1/2)/d^(3/2) + x/(d*x^2*e + d^2)) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(x^4*e^2 + 2*d*x^2*e + d^2), x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)/(x^4*e^2 + 2*d*x^2*e + d^2), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x**2+d)**2,x)

[Out] Integral((a + b*asec(c*x))/(d + e*x**2)**2, x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(d + e*x^2)^2,x)

[Out] int((a + b*acos(1/(c*x)))/(d + e*x^2)^2, x)

$$3.103 \quad \int \frac{a + b \sec^{-1}(cx)}{x^2(d + ex^2)^2} dx$$

Optimal. Leaf size=785

$$\frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{d^2} - \frac{a}{d^2x} - \frac{b \sec^{-1}(cx)}{d^2x} + \frac{e(a + b \sec^{-1}(cx))}{4d^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{e(a + b \sec^{-1}(cx))}{4d^2 \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{be \tanh^{-1} \left(\frac{c^2d - \sqrt{-d} \sqrt{e}}{c\sqrt{d} \sqrt{c^2d + e}} \right)}{4d^{5/2} \sqrt{c^2d + e}}$$

[Out] $-a/d^2/x - b \operatorname{arcsec}(c*x)/d^2/x - 3/4*(a+b \operatorname{arcsec}(c*x))*\ln(1-c*(1/c/x + I*(1-1/c^2/x^2)^{(1/2)}))*(-d)^{(1/2)}/(e^{(1/2)} - (c^2*d+e)^{(1/2)})) * e^{(1/2)}/(-d)^{(5/2)} + 3/4*(a+b \operatorname{arcsec}(c*x))*\ln(1+c*(1/c/x + I*(1-1/c^2/x^2)^{(1/2)}))*(-d)^{(1/2)}/(e^{(1/2)} - (c^2*d+e)^{(1/2)})) * e^{(1/2)}/(-d)^{(5/2)} - 3/4*(a+b \operatorname{arcsec}(c*x))*\ln(1-c*(1/c/x + I*(1-1/c^2/x^2)^{(1/2)}))*(-d)^{(1/2)}/(e^{(1/2)} + (c^2*d+e)^{(1/2)})) * e^{(1/2)}/(-d)^{(5/2)} + 3/4*(a+b \operatorname{arcsec}(c*x))*\ln(1+c*(1/c/x + I*(1-1/c^2/x^2)^{(1/2)}))*(-d)^{(1/2)}/(e^{(1/2)} + (c^2*d+e)^{(1/2)})) * e^{(1/2)}/(-d)^{(5/2)} - 3/4*I*b*\operatorname{polylog}(2, -c*(1/c/x + I*(1-1/c^2/x^2)^{(1/2)}))*(-d)^{(1/2)}/(e^{(1/2)} - (c^2*d+e)^{(1/2)})) * e^{(1/2)}/(-d)^{(5/2)} + 3/4*I*b*\operatorname{polylog}(2, c*(1/c/x + I*(1-1/c^2/x^2)^{(1/2)}))*(-d)^{(1/2)}/(e^{(1/2)} - (c^2*d+e)^{(1/2)})) * e^{(1/2)}/(-d)^{(5/2)} - 3/4*I*b*\operatorname{polylog}(2, -c*(1/c/x + I*(1-1/c^2/x^2)^{(1/2)}))*(-d)^{(1/2)}/(e^{(1/2)} + (c^2*d+e)^{(1/2)})) * e^{(1/2)}/(-d)^{(5/2)} + 3/4*I*b*\operatorname{polylog}(2, c*(1/c/x + I*(1-1/c^2/x^2)^{(1/2)}))*(-d)^{(1/2)}/(e^{(1/2)} + (c^2*d+e)^{(1/2)})) * e^{(1/2)}/(-d)^{(5/2)} + 1/4*e*(a+b \operatorname{arcsec}(c*x))/d^2/(-d/x + (-d)^{(1/2)}*e^{(1/2)}) - 1/4*e*(a+b \operatorname{arcsec}(c*x))/d^2/(d/x + (-d)^{(1/2)}*e^{(1/2)}) + 1/4*b*e*\operatorname{arctanh}((c^2*d - (-d)^{(1/2)}*e^{(1/2)}/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)})/d^{(5/2)}/(c^2*d+e)^{(1/2)} + 1/4*b*e*\operatorname{arctanh}((c^2*d + (-d)^{(1/2)}*e^{(1/2)}/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)})/d^{(5/2)}/(c^2*d+e)^{(1/2)} + b*c*(1-1/c^2/x^2)^{(1/2)}/d^2$

Rubi [A]

time = 2.25, antiderivative size = 785, normalized size of antiderivative = 1.00, number of steps used = 50, number of rules used = 13, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.619$, Rules used = {5348, 4818, 4716, 267, 4758, 4828, 739, 212, 4826, 4616, 2221, 2317, 2438}

$$\frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{d^2} - \frac{a}{d^2x} - \frac{b \operatorname{arcsec}(cx)}{d^2x} + \frac{e(a + b \operatorname{arcsec}(cx))}{4d^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{e(a + b \operatorname{arcsec}(cx))}{4d^2 \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{be \operatorname{arctanh} \left(\frac{c^2d - \sqrt{-d} \sqrt{e}}{c\sqrt{d} \sqrt{c^2d + e}} \right)}{4d^{5/2} \sqrt{c^2d + e}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)^2), x]

[Out] $(b*c*\operatorname{Sqrt}[1 - 1/(c^2*x^2)])/d^2 - a/(d^2*x) - (b*\operatorname{ArcSec}[c*x])/(d^2*x) + (e*(a + b*\operatorname{ArcSec}[c*x]))/(4*d^2*(\operatorname{Sqrt}[-d]*\operatorname{Sqrt}[e] - d/x)) - (e*(a + b*\operatorname{ArcSec}[c*x]))/(4*d^2*(\operatorname{Sqrt}[-d]*\operatorname{Sqrt}[e] + d/x)) + (b*e*\operatorname{ArcTanh}[(c^2*d - (\operatorname{Sqrt}[-d]*\operatorname{Sqrt}[e])/x)/(c*\operatorname{Sqrt}[d]*\operatorname{Sqrt}[c^2*d + e]*\operatorname{Sqrt}[1 - 1/(c^2*x^2)])))/(4*d^{(5/2)}*\operatorname{Sqrt}[c^2*d + e])$

$$\begin{aligned} & t[c^2*d + e]) + (b*e*\text{ArcTanh}[(c^2*d + (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt} \\ & [c^2*d + e]*\text{Sqrt}[1 - 1/(c^2*x^2)])))/(4*d^{(5/2)}*\text{Sqrt}[c^2*d + e]) - (3*\text{Sqrt}[\\ & e]*(a + b*\text{ArcSec}[c*x])* \text{Log}[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] - \text{Sqr} \\ & \text{rt}[c^2*d + e]))/(4*(-d)^{(5/2)}) + (3*\text{Sqrt}[e]*(a + b*\text{ArcSec}[c*x])* \text{Log}[1 + (c \\ & *\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))/(4*(-d)^{(5/2)}) - \\ & (3*\text{Sqrt}[e]*(a + b*\text{ArcSec}[c*x])* \text{Log}[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqr} \\ & \text{t}[e] + \text{Sqrt}[c^2*d + e]))/(4*(-d)^{(5/2)}) + (3*\text{Sqrt}[e]*(a + b*\text{ArcSec}[c*x])*L \\ & \text{og}[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(4*(-d) \\ & ^{(5/2)}) - (((3*I)/4)*b*\text{Sqrt}[e]*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/ \\ & (\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))]/(-d)^{(5/2)} + (((3*I)/4)*b*\text{Sqrt}[e]*\text{PolyLog}[2, \\ & (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))]/(-d)^{(5/2)} - \\ & (((3*I)/4)*b*\text{Sqrt}[e]*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \\ & \text{Sqrt}[c^2*d + e]))]/(-d)^{(5/2)} + (((3*I)/4)*b*\text{Sqrt}[e]*\text{PolyLog}[2, (c*\text{Sqrt}[- \\ & d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(-d)^{(5/2)} \end{aligned}$$
Rule 212

$$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]))* \text{ArcTanh}[\text{Rt}[-b, 2]*(x/\text{Rt}[a, 2])], x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}\{a/b\} \ \&\& \ (\text{GtQ}\{a, 0\} \ || \ \text{LtQ}\{b, 0\})$$
Rule 267

$$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(a + b*x^n)^{(p + 1)/(b*n*(p + 1))}, x] \text{ ; FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{EqQ}\{m, n - 1\} \ \&\& \ \text{NeQ}\{p, -1\}$$
Rule 739

$$\text{Int}[1/(((d_ + (e_)*(x_))*\text{Sqrt}[(a_ + (c_)*(x_)^2])), x_Symbol] \rightarrow -\text{Subst}[\text{Int}[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/\text{Sqrt}[a + c*x^2]] \text{ ; FreeQ}\{a, c, d, e\}, x]$$
Rule 2221

$$\text{Int}[(F_)^{((g_)*((e_ + (f_)*(x_))))^{(n_)}*((c_ + (d_)*(x_))^{(m_)} / ((a_ + (b_)*((F_)^{((g_)*((e_ + (f_)*(x_))))^{(n_)}), x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m/(b*f*g*n*\text{Log}[F])]*\text{Log}[1 + b*((F^{(g*(e + f*x)))^n/a)], x] - \text{Dist}[d*(m/(b*f*g*n*\text{Log}[F])), \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 + b*((F^{(g*(e + f*x)))^n/a)], x], x] \text{ ; FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \ \&\& \ \text{IGtQ}\{m, 0\}$$
Rule 2317

$$\text{Int}[\text{Log}[(a_ + (b_)*((F_)^{((e_)*((c_ + (d_)*(x_))))^{(n_)}), x_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x)))^n}], x] \text{ ; FreeQ}\{F, a, b, c, d, e, n\}, x] \ \&\& \ \text{GtQ}\{a, 0\}$$

Rule 2438

```
Int[Log[(c_.)*(d_) + (e_.)*(x_)^(n_.)]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4616

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1))), x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4716

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[x*((a + b*ArcCos[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 4758

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])
```

Rule 4818

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4826

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e*cos[x])), x], x, ArcCos[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4828

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(m_.), x_Symbol] := Simp[(d + e*x)^(m + 1)*((a + b*ArcCos[c*x])^n/(e*(m + 1))), x] + Dist[b*c*(n/(e*(m + 1))), Int[(d + e*x)^(m + 1)*((a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0]
```

&& NeQ[m, -1]

Rule 5348

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)
^2)^(p_.), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(
m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^2 (d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{x^4 (a + b \cos^{-1}(\frac{x}{c}))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1}(\frac{x}{c})}{d^2} + \frac{e^2 (a + b \cos^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)^2} - \frac{2e (a + b \cos^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)} \right) dx, x, \right. \\
&= -\frac{\text{Subst}(\int (a + b \cos^{-1}(\frac{x}{c})) dx, x, \frac{1}{x})}{d^2} + \frac{(2e)\text{Subst}(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{e + dx^2} dx, x, \frac{1}{x})}{d^2} - \frac{e^2 \text{Subst}(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^2} dx, x, \frac{1}{x})}{d^2} \\
&= -\frac{a}{d^2 x} - \frac{b \text{Subst}(\int \cos^{-1}(\frac{x}{c}) dx, x, \frac{1}{x})}{d^2} + \frac{(2e)\text{Subst}(\int \left(\frac{a + b \cos^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} - \sqrt{-d}x)} + \frac{a + b \cos^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x})}{d^2} \\
&= -\frac{a}{d^2 x} - \frac{b \sec^{-1}(cx)}{d^2 x} - \frac{b \text{Subst} \left(\int \frac{x}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{cd^2} + \frac{\sqrt{e} \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{\sqrt{e} - \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \sec^{-1}(cx)}{d^2 x} + \frac{e(a + b \sec^{-1}(cx))}{4d^2 (\sqrt{-d} \sqrt{e} - \frac{d}{x})} - \frac{e(a + b \sec^{-1}(cx))}{4d^2 (\sqrt{-d} \sqrt{e} + \frac{d}{x})} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \sec^{-1}(cx)}{d^2 x} + \frac{e(a + b \sec^{-1}(cx))}{4d^2 (\sqrt{-d} \sqrt{e} - \frac{d}{x})} - \frac{e(a + b \sec^{-1}(cx))}{4d^2 (\sqrt{-d} \sqrt{e} + \frac{d}{x})} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \sec^{-1}(cx)}{d^2 x} + \frac{e(a + b \sec^{-1}(cx))}{4d^2 (\sqrt{-d} \sqrt{e} - \frac{d}{x})} - \frac{e(a + b \sec^{-1}(cx))}{4d^2 (\sqrt{-d} \sqrt{e} + \frac{d}{x})} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \sec^{-1}(cx)}{d^2 x} + \frac{e(a + b \sec^{-1}(cx))}{4d^2 (\sqrt{-d} \sqrt{e} - \frac{d}{x})} - \frac{e(a + b \sec^{-1}(cx))}{4d^2 (\sqrt{-d} \sqrt{e} + \frac{d}{x})} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \sec^{-1}(cx)}{d^2 x} + \frac{e(a + b \sec^{-1}(cx))}{4d^2 (\sqrt{-d} \sqrt{e} - \frac{d}{x})} - \frac{e(a + b \sec^{-1}(cx))}{4d^2 (\sqrt{-d} \sqrt{e} + \frac{d}{x})}
\end{aligned}$$

Mathematica [A]

time = 1.56, size = 1291, normalized size = 1.64

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)^2), x]

[Out]
$$\begin{aligned} &((-4*a*\sqrt{d})/x - (2*a*\sqrt{d}*e*x)/(d + e*x^2) - 6*a*\sqrt{e}*ArcTan[(\sqrt{e}*x)/\sqrt{d}] + b*(4*c*\sqrt{d}*\sqrt{1 - 1/(c^2*x^2)}) - (4*\sqrt{d}*ArcSec[c*x])/x - (\sqrt{d}*e*ArcSec[c*x])/((-I)*\sqrt{d}*\sqrt{e} + e*x) - (\sqrt{d}*e*ArcSec[c*x])/(I*\sqrt{d}*\sqrt{e} + e*x) + 12*\sqrt{e}*ArcSin[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]) * ArcTan[(((- I)*c*\sqrt{d} + \sqrt{e})*Tan[ArcSec[c*x]/2])/\sqrt{c^2*d + e}] - 12*\sqrt{e}*ArcSin[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}] * ArcTan[((I*c*\sqrt{d} + \sqrt{e})*Tan[ArcSec[c*x]/2])/\sqrt{c^2*d + e}] + (3*I)*\sqrt{e}*ArcSec[c*x]*Log[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e}))*E^(I*ArcSec[c*x])]/(c*\sqrt{d})] + (6*I)*\sqrt{e}*ArcSin[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}] * Log[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e}))*E^(I*ArcSec[c*x])]/(c*\sqrt{d})] - (3*I)*\sqrt{e}*ArcSec[c*x]*Log[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e}))*E^(I*ArcSec[c*x])]/(c*\sqrt{d})] - (6*I)*\sqrt{e}*ArcSin[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}] * Log[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e}))*E^(I*ArcSec[c*x])]/(c*\sqrt{d})] - (3*I)*\sqrt{e}*ArcSec[c*x]*Log[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e}))*E^(I*ArcSec[c*x])]/(c*\sqrt{d})] + (6*I)*\sqrt{e}*ArcSin[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}] * Log[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e}))*E^(I*ArcSec[c*x])]/(c*\sqrt{d})] + (3*I)*\sqrt{e}*ArcSec[c*x]*Log[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e}))*E^(I*ArcSec[c*x])]/(c*\sqrt{d})] - (6*I)*\sqrt{e}*ArcSin[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}] * Log[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e}))*E^(I*ArcSec[c*x])]/(c*\sqrt{d})] - (I*e*Log[(2*\sqrt{d}*\sqrt{e}*(\sqrt{e} + c*(I*c*\sqrt{d} - \sqrt{-(c^2*d) - e})*\sqrt{1 - 1/(c^2*x^2)})]*x)]/(\sqrt{-(c^2*d) - e}*(\sqrt{d} - I*\sqrt{e}*x)))]/\sqrt{-(c^2*d) - e} + (I*e*Log[(2*\sqrt{d}*\sqrt{e}*(-\sqrt{e} + c*(I*c*\sqrt{d} + \sqrt{-(c^2*d) - e})*\sqrt{1 - 1/(c^2*x^2)})]*x)]/(\sqrt{-(c^2*d) - e}*(\sqrt{d} + I*\sqrt{e}*x)))]/\sqrt{-(c^2*d) - e} - 3*\sqrt{e}*PolyLog[2, ((-I)*(-\sqrt{e} + \sqrt{c^2*d + e}))*E^(I*ArcSec[c*x])]/(c*\sqrt{d})] + 3*\sqrt{e}*PolyLog[2, (I*(-\sqrt{e} + \sqrt{c^2*d + e}))*E^(I*ArcSec[c*x])]/(c*\sqrt{d})] + 3*\sqrt{e}*PolyLog[2, ((-I)*(\sqrt{e} + \sqrt{c^2*d + e}))*E^(I*ArcSec[c*x])]/(c*\sqrt{d})] - 3*\sqrt{e}*PolyLog[2, (I*(\sqrt{e} + \sqrt{c^2*d + e}))*E^(I*ArcSec[c*x])]/(c*\sqrt{d})])]/(4*d^(5/2)) \end{aligned}$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 7.19, size = 1817, normalized size = 2.31

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x^2/(e*x^2+d)^2,x)

[Out]
$$-1/2*a*e/d^2*x*c^2/(c^2*e*x^2+c^2*d)-3/2*a*e/d^2/(d*e)^{(1/2)}*\arctan(e*x/(d*e)^{(1/2)})-a/d^2/x+I*b/c^4*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^3*\arctan((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^5/(c^2*d+e)-I*b/c^4*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})*e^2/d^5-b*\operatorname{arcsec}(c*x)/d^2/x-1/2*b*x*c^2*e*\operatorname{arcsec}(c*x)/(c^2*e*x^2+c^2*d)/d^2-1/2*I*b/c^2*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})*e/d^4+I*b/c^2*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\arctan((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^4/(c^2*d+e)+1/2*I*b/c^2*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e*\operatorname{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^4/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}-1/2*I*b/c^2*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\operatorname{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})*e/d^4-I*b/c^4*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\operatorname{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})*e/d^5*(e*(c^2*d+e))^{(1/2)}+c*b/d^2*(c^2*x^2-1)/c^2/x^2)^{(1/2)}-I*b/c^4*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\arctan((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^5/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}-I*b/c^4*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\operatorname{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})*e^2/d^5+3/4*I*c*b*e/d^2*\sum(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*\operatorname{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1))+\operatorname{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\operatorname{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d)+I*b/c^2*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\operatorname{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^4/(c^2*d+e)-3/4*I*c*b*e/d^2*\sum(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*\operatorname{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1))+\operatorname{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\operatorname{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-1/2*I*b/c^2*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e*\arctan((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^4/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}+I*b/c^4*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\operatorname{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^5/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}+I*b/c^4*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})*e/d^5*(e*(c^2*d+e))^{(1/2)}+I*b/c^4*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^3*\operatorname{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^5/(c^2*d+e)$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^2,x, algorithm="maxima")
```

```
[Out] -1/2*a*((3*x^2*e + 2*d)/(d^2*x^3*e + d^3*x) + 3*arctan(x*e^(1/2)/sqrt(d))*e^(1/2)/d^(5/2)) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(x^6*e^2 + 2*d*x^4*e + d^2*x^2), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^2,x, algorithm="fricas")
```

```
[Out] integral((b*arcsec(c*x) + a)/(x^6*e^2 + 2*d*x^4*e + d^2*x^2), x)
```

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))/x**2/(e*x**2+d)**2,x)
```

```
[Out] Timed out
```

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^2,x, algorithm="giac")
```

```
[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{x^2 (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(1/(c*x)))/(x^2*(d + e*x^2)^2),x)
```

```
[Out] int((a + b*acos(1/(c*x)))/(x^2*(d + e*x^2)^2), x)
```

$$3.104 \quad \int \frac{x^5 (a + b \sec^{-1}(cx))}{(d + ex^2)^3} dx$$

Optimal. Leaf size=707

$$\frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2}\right) x} - \frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2}\right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2}\right)} - \frac{b \operatorname{ArcTan}\left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}}\right)}{2e^{5/2} \sqrt{c^2 d + e}} - \frac{b(c^2 d + 2e)}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2}\right) x}$$

[Out] $\frac{1}{4}(-a - b \operatorname{arcsec}(cx)) / e / (e + d/x^2)^2 + \frac{1}{2}(-a - b \operatorname{arcsec}(cx)) / e^2 / (e + d/x^2) - \frac{1}{8} b (c^2 d + 2e) \operatorname{arctan}\left(\frac{(c^2 d + e)^{1/2} / c / x / e^{1/2}}{(1 - 1/c^2/x^2)^{1/2}}\right) / e^{5/2} / (c^2 d + e)^{3/2} - (a + b \operatorname{arcsec}(cx)) \ln\left(1 + \frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} - (c^2 d + e)^{1/2}}\right) / e^{3+1/2} + (a + b \operatorname{arcsec}(cx)) \ln\left(1 - \frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} - (c^2 d + e)^{1/2}}\right) * (-d)^{1/2} / (e^{1/2} - (c^2 d + e)^{1/2}) / e^{3+1/2} + (a + b \operatorname{arcsec}(cx)) \ln\left(1 + \frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} + (c^2 d + e)^{1/2}}\right) * (-d)^{1/2} / (e^{1/2} + (c^2 d + e)^{1/2}) / e^{3+1/2} + (a + b \operatorname{arcsec}(cx)) \ln\left(1 - \frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} + (c^2 d + e)^{1/2}}\right) * (-d)^{1/2} / (e^{1/2} + (c^2 d + e)^{1/2}) / e^{3+1/2} + I * b * \operatorname{polylog}\left(2, -\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} - (c^2 d + e)^{1/2}}\right) / e^{3-1/2} - I * b * \operatorname{polylog}\left(2, -\frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} - (c^2 d + e)^{1/2}}\right) * (-d)^{1/2} / (e^{1/2} - (c^2 d + e)^{1/2}) / e^{3-1/2} + I * b * \operatorname{polylog}\left(2, \frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} + (c^2 d + e)^{1/2}}\right) / e^{3-1/2} - I * b * \operatorname{polylog}\left(2, \frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} + (c^2 d + e)^{1/2}}\right) * (-d)^{1/2} / (e^{1/2} + (c^2 d + e)^{1/2}) / e^{3-1/2} + b * \operatorname{arctan}\left(\frac{(c^2 d + e)^{1/2} / c / x / e^{1/2}}{(1 - 1/c^2/x^2)^{1/2}}\right) / e^{5/2} / (c^2 d + e)^{1/2} - \frac{1}{8} b c d * (1 - 1/c^2/x^2)^{1/2} / e^2 / (c^2 d + e) / (e + d/x^2) / x$

Rubi [A]

time = 1.25, antiderivative size = 707, normalized size of antiderivative = 1.00, number of steps used = 33, number of rules used = 13, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.619$, Rules used = {5348, 4818, 4722, 3800, 2221, 2317, 2438, 4814, 390, 385, 211, 4826, 4616}

$\frac{(a + b \operatorname{arcsec}(cx)) \ln\left(1 - \frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} - (c^2 d + e)^{1/2}}\right)}{e^{3+1/2}} - \frac{(a + b \operatorname{arcsec}(cx)) \ln\left(1 - \frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} - (c^2 d + e)^{1/2}}\right)}{e^{3+1/2}} + \frac{(a + b \operatorname{arcsec}(cx)) \ln\left(1 + \frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} - (c^2 d + e)^{1/2}}\right)}{e^{3+1/2}} - \frac{(a + b \operatorname{arcsec}(cx)) \ln\left(1 + \frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} - (c^2 d + e)^{1/2}}\right)}{e^{3+1/2}} + \frac{(a + b \operatorname{arcsec}(cx)) \ln\left(1 + \frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} + (c^2 d + e)^{1/2}}\right)}{e^{3+1/2}} - \frac{(a + b \operatorname{arcsec}(cx)) \ln\left(1 + \frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} + (c^2 d + e)^{1/2}}\right)}{e^{3+1/2}} + \frac{(a + b \operatorname{arcsec}(cx)) \ln\left(1 - \frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} + (c^2 d + e)^{1/2}}\right)}{e^{3+1/2}} - \frac{(a + b \operatorname{arcsec}(cx)) \ln\left(1 - \frac{1/c/x + I(1 - 1/c^2/x^2)^{1/2}}{e^{1/2} + (c^2 d + e)^{1/2}}\right)}{e^{3+1/2}} + \frac{b \operatorname{ArcTan}\left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}}\right)}{2e^{5/2} \sqrt{c^2 d + e}} - \frac{b \operatorname{ArcTan}\left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}}\right)}{2e^{5/2} \sqrt{c^2 d + e}} - \frac{b(c^2 d + 2e)}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2}\right) x} - \frac{b(c^2 d + 2e)}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2}\right) x}$

Antiderivative was successfully verified.

[In] $\operatorname{Int}\left[\frac{x^5 (a + b \operatorname{ArcSec}[cx])}{(d + ex^2)^3}, x\right]$

[Out] $-\frac{1}{8} b c d \operatorname{Sqrt}\left[1 - \frac{1}{c^2 x^2}\right] / (e^2 (c^2 d + e) (e + d/x^2) x) - (a + b \operatorname{ArcSec}[cx]) / (4e (e + d/x^2)^2) - (a + b \operatorname{ArcSec}[cx]) / (2e^2 (e + d/x^2)) - (b \operatorname{ArcTan}\left[\operatorname{Sqrt}[c^2 d + e] / (c \operatorname{Sqrt}[e] \operatorname{Sqrt}\left[1 - \frac{1}{c^2 x^2}\right] x\right]) / (2e^{5/2} \operatorname{Sqrt}[c^2 d + e]) - (b (c^2 d + 2e) \operatorname{ArcTan}\left[\operatorname{Sqrt}[c^2 d + e] / (c \operatorname{Sqrt}[e] \operatorname{Sqrt}\left[1 - \frac{1}{c^2 x^2}\right] x\right]) / (8e^{5/2} (c^2 d + e)^{3/2}) + ((a + b \operatorname{ArcSec}[cx]) / (4e (e + d/x^2)^2) - (a + b \operatorname{ArcSec}[cx]) / (2e^2 (e + d/x^2)) - (b \operatorname{ArcTan}\left[\operatorname{Sqrt}[c^2 d + e] / (c \operatorname{Sqrt}[e] \operatorname{Sqrt}\left[1 - \frac{1}{c^2 x^2}\right] x\right]) / (2e^{5/2} \operatorname{Sqrt}[c^2 d + e]) - (b (c^2 d + 2e) \operatorname{ArcTan}\left[\operatorname{Sqrt}[c^2 d + e] / (c \operatorname{Sqrt}[e] \operatorname{Sqrt}\left[1 - \frac{1}{c^2 x^2}\right] x\right]) / (8e^{5/2} (c^2 d + e)^{3/2})) + ((a + b \operatorname{ArcSec}[cx]) / (4e (e + d/x^2)^2) - (a + b \operatorname{ArcSec}[cx]) / (2e^2 (e + d/x^2)) - (b \operatorname{ArcTan}\left[\operatorname{Sqrt}[c^2 d + e] / (c \operatorname{Sqrt}[e] \operatorname{Sqrt}\left[1 - \frac{1}{c^2 x^2}\right] x\right]) / (2e^{5/2} \operatorname{Sqrt}[c^2 d + e]) - (b (c^2 d + 2e) \operatorname{ArcTan}\left[\operatorname{Sqrt}[c^2 d + e] / (c \operatorname{Sqrt}[e] \operatorname{Sqrt}\left[1 - \frac{1}{c^2 x^2}\right] x\right]) / (8e^{5/2} (c^2 d + e)^{3/2}))$

$$\begin{aligned} &]*\text{Log}[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/(2* \\ & e^3) + ((a + b*\text{ArcSec}[c*x])*\text{Log}[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] \\ & - \text{Sqrt}[c^2*d + e])]/(2*e^3) + ((a + b*\text{ArcSec}[c*x])*\text{Log}[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/(2*e^3) + ((a + b*\text{ArcSec}[c*x])*\text{Log}[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/(2*e^3) - ((a + b*\text{ArcSec}[c*x])*\text{Log}[1 + E^{((2*I)*\text{ArcSec}[c*x])}]/e^3 - ((I/2)*b* \\ & \text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))]/ \\ & e^3 - ((I/2)*b*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))]/e^3 - ((I/2)*b*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/e^3 - ((I/2)*b*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/e^3 + ((I/2)*b*\text{PolyLog}[2, -E^{((2*I)*\text{ArcSec}[c*x])}]/e^3 \end{aligned}$$

Rule 211

$$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]/a)*\text{ArcTan}[x/\text{Rt}[a/b, 2]], x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$$

Rule 385

$$\text{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}/((c_ + (d_)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] \text{ ; FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[n*p + 1, 0] \ \&\& \ \text{IntegerQ}[n]$$

Rule 390

$$\begin{aligned} & \text{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)*((c_ + (d_)*(x_)^{(n_)})^{(q_)}), x_Symbol] \\ & \rightarrow \text{Simp}[(-b)*x*(a + b*x^n)^{(p+1)*((c + d*x^n)^{(q+1)}/(a*n*(p+1)*(b*c - a*d))}, x] + \text{Dist}[(b*c + n*(p+1)*(b*c - a*d))/(a*n*(p+1)*(b*c - a*d)), \\ & \text{Int}[(a + b*x^n)^{(p+1)*(c + d*x^n)^q}, x], x] \text{ ; FreeQ}\{a, b, c, d, n, q\}, \\ & x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[n*(p+q+2)+1, 0] \ \&\& \ (\text{LtQ}[p, -1] \ || \ \text{LtQ}[q, -1]) \ \&\& \ \text{NeQ}[p, -1] \end{aligned}$$

Rule 2221

$$\begin{aligned} & \text{Int}[(((F_)^{((g_)*((e_ + (f_)*(x_)))})^{(n_)*((c_ + (d_)*(x_))^{(m_)}))}/ \\ & ((a_ + (b_)*((F_)^{((g_)*((e_ + (f_)*(x_)))})^{(n_)}), x_Symbol] \rightarrow \text{Simp} \\ & [((c + d*x)^m/(b*f*g*n*\text{Log}[F]))*\text{Log}[1 + b*((F^{(g*(e + f*x)))^n/a}], x] - \text{Dist}[d*(m/(b*f*g*n*\text{Log}[F])), \text{Int}[(c + d*x)^{(m-1)*\text{Log}[1 + b*((F^{(g*(e + f*x)))^n/a}], x], x] \text{ ; FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \ \&\& \ \text{IGtQ}[m, 0] \end{aligned}$$

Rule 2317

$$\begin{aligned} & \text{Int}[\text{Log}[(a_ + (b_)*((F_)^{((e_)*((c_ + (d_)*(x_)))})^{(n_)}), x_Symbol] \\ & \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] \text{ ; FreeQ}\{F, a, b, c, d, e, n\}, x] \ \&\& \ \text{GtQ}[a, 0] \end{aligned}$$

Rule 2438

```
Int[Log[(c_.)*(d_) + (e_.)*(x_)^(n_.)]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3800

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x)))], x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 4616

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1))), x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))], x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4722

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := -Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 4814

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcCos[c*x])/(2*e*(p + 1))), x] + Dist[b*(c/(2*e*(p + 1))), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 4818

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4826

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e*cos[x])), x], x, ArcCos[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 5348

```

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)
^2)^(p_.), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(
m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^5(a + b \sec^{-1}(cx))}{(d + ex^2)^3} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x (e + dx^2)^3} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e^3 x} - \frac{dx (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e (e + dx^2)^3} - \frac{dx (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e^2 (e + dx^2)^2} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x} dx, x, \frac{1}{x} \right)}{e^3} + \frac{d \text{Subst} \left(\int \frac{x (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e + dx^2} dx, x, \frac{1}{x} \right)}{e^3} + \frac{d \text{Subst} \left(\int \frac{1}{e + dx^2} dx, x, \frac{1}{x} \right)}{e^3} \\
&= -\frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{\text{Subst} \left(\int (a + bx) \tan(x) dx, x, \sec^{-1}(cx) \right)}{e^3} \\
&= -\frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} - \frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{i(a + b \sec^{-1}(cx))}{2be^3} \\
&= -\frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} - \frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{i(a + b \sec^{-1}(cx))}{2be^3} \\
&= -\frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} - \frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{1}{c\sqrt{e}} \right)}{2e^{5/2}\sqrt{e}} \\
&= -\frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} - \frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{1}{c\sqrt{e}} \right)}{2e^{5/2}\sqrt{e}} \\
&= -\frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} - \frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{1}{c\sqrt{e}} \right)}{2e^{5/2}\sqrt{e}} \\
&= -\frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} - \frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{1}{c\sqrt{e}} \right)}{2e^{5/2}\sqrt{e}} \\
&= -\frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} - \frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{1}{c\sqrt{e}} \right)}{2e^{5/2}\sqrt{e}}
\end{aligned}$$

$$[e] + \text{Sqrt}[c^2*d + e] * E^{(I * \text{ArcSec}[c*x])} / (c * \text{Sqrt}[d]) + (4*I) * \text{ArcSin}[\text{Sqrt}[1 - (I * \text{Sqrt}[e]) / (c * \text{Sqrt}[d])] / \text{Sqrt}[2]] * \text{Log}[1 - (I * (\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]) * E^{(I * \text{ArcSec}[c*x])} / (c * \text{Sqrt}[d]) + (2*I) * \text{ArcSec}[c*x] * \text{Log}[1 + E^{((2*I) * \text{ArcSec}[c*x])}] - 2 * \text{PolyLog}[2, ((-I) * (-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]) * E^{(I * \text{ArcSec}[c*x])}) / (c * \text{Sqrt}[d]) - 2 * \text{PolyLog}[2, (I * (\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]) * E^{(I * \text{ArcSec}[c*x])}) / (c * \text{Sqrt}[d]) + \text{PolyLog}[2, -E^{((2*I) * \text{ArcSec}[c*x])})]) / e^3]$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 8.90, size = 1651, normalized size = 2.34

| method | result | size |
|-------------------|---------------------------------|------|
| derivativedivides | Expression too large to display | 1651 |
| default | Expression too large to display | 1651 |

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^3,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^6} \left(-\frac{1}{2} b c^{12} e^{-2} / (c^2 e x^2 + c^2 d)^2 / (c^2 d + e) d^2 \text{arcsec}(c x) x^2 - 3 / 4 b c^{12} e / (c^2 e x^2 + c^2 d)^2 / (c^2 d + e) d \text{arcsec}(c x) x^4 - 1 / 8 b c^{11} e^{-2} / (c^2 e x^2 + c^2 d)^2 / (c^2 d + e) * ((c^2 x^2 - 1) / c^2 / x^2)^{(1/2)} d^2 x - 1 / 8 b c^{11} e / (c^2 e x^2 + c^2 d)^2 / (c^2 d + e) * ((c^2 x^2 - 1) / c^2 / x^2)^{(1/2)} d x^3 - 1 / 2 b c^{10} e / (c^2 e x^2 + c^2 d)^2 / (c^2 d + e) d \text{arcsec}(c x) x^2 - 1 / 8 I b c^{10} / (c^2 e x^2 + c^2 d)^2 / (c^2 d + e) x^4 - b c^8 / e^3 / (c^2 d + e) d \text{arcsec}(c x) * \ln(1 + I * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) - b c^8 / e^3 / (c^2 d + e) d \text{arcsec}(c x) * \ln(1 - I * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) + I b c^8 / e^3 / (c^2 d + e) d \text{dilog}(1 + I * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) + I b c^8 / e^3 / (c^2 d + e) d \text{dilog}(1 - I * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) - 1 / 8 I b c^{10} e^{-2} / (c^2 e x^2 + c^2 d)^2 / (c^2 d + e) d^2 + 3 / 4 I b c^6 * (e * (c^2 d + e))^{(1/2)} / e^2 / (c^2 d + e)^2 * \text{arctanh}(1 / 4 * (2 * c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)}))^2 + 2 * c^2 d + 4 * e) / (c^2 d * e + e^2)^{(1/2)} - 1 / 4 I b c^8 / e^2 / (c^2 d + e) * \text{sum}((_R1^2 + 1) / (_R1^2 * c^2 d + c^2 d + 2 * e) * (I * \text{arcsec}(c x) * \ln((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1) + \text{dilog}((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1)), _R1 = \text{RootOf}(c^2 d * _Z^4 + (2 * c^2 d + 4 * e) * _Z^2 + c^2 d)) * d - 1 / 4 I b c^8 / e^3 / (c^2 d + e) d * \text{sum}((_R1^2 * c^2 d + c^2 d + 4 * e) / (_R1^2 * c^2 d + c^2 d + 2 * e) * (I * \text{arcsec}(c x) * \ln((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1) + \text{dilog}((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1)), _R1 = \text{RootOf}(c^2 d * _Z^4 + (2 * c^2 d + 4 * e) * _Z^2 + c^2 d)) - 1 / 4 I b c^{10} e^{-3} / (c^2 d + e) d^2 * \text{sum}((_R1^2 + 1) / (_R1^2 * c^2 d + c^2 d + 2 * e) * (I * \text{arcsec}(c x) * \ln((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1) + \text{dilog}((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1)), _R1 = \text{RootOf}(c^2 d * _Z^4 + (2 * c^2 d + 4 * e) * _Z^2 + c^2 d)) - 3 / 4 b c^{10} / (c^2 e x^2 + c^2 d)^2 / (c^2 d + e) * \text{arcsec}(c x) x^4 + I b c^6 / e^{-2} / (c^2 d + e) d \text{dilog}(1 - I * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) - 1 / 4 I b c^{10} e / (c^2 e x^2 + c^2 d)^2 / (c^2 d + e) d x^2 - b c^6 / e^{-2} / (c^2 d + e) * \text{arcsec}(c x) * \ln(1 - I * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) + I b c^6 / e^{-2} / (c^2 d + e) d \text{dilog}(1 + I * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) - 1 / 4 I b c^6 / e^{-2} / (c^2 d + e) * \text{sum}((_R1^2 * c^2 d + c^2 d + 4 * e) / (_R1^2 * c^2 d + c^2 d + 2 * e) * (I * \text{arcsec}(c x) * \ln((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1) + \text{dilog}((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1)), _R1 = \text{RootOf}(c^2 d * _Z^4 + (2 * c^2 d + 4 * e) * _Z^2 + c^2 d)) - b c^6 / e^{-2} / (c^2 d + e) * \text{arcsec}(c x) * \ln(1 +$

$$I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))+5/8*I*b*c^8*(e*(c^2*d+e))^{(1/2)}/e^3/(c^2*d+e)^2*\operatorname{arctanh}(1/4*(2*c^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2+2*c^2*d+4*e)/(c^2*d*e+e^2)^{(1/2)})*d-1/4*a*c^{10}*d^2/e^3/(c^2*e*x^2+c^2*d)^2+a*c^8*d/e^3/(c^2*e*x^2+c^2*d)+1/2*a*c^6/e^3*\ln(c^2*e*x^2+c^2*d))$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] $1/4*(2*e^{(-3)}*\log(x^2*e + d) + (4*d*x^2*e + 3*d^2)/(x^4*e^5 + 2*d*x^2*e^4 + d^2*e^3))*a + b*\operatorname{integrate}(x^5*\operatorname{arctan}(\sqrt{c*x + 1})*\sqrt{c*x - 1})/(x^6*e^3 + 3*d*x^4*e^2 + 3*d^2*x^2*e + d^3), x)$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="fricas")

[Out] $\operatorname{integral}((b*x^5*\operatorname{arcsec}(c*x) + a*x^5)/(x^6*e^3 + 3*d*x^4*e^2 + 3*d^2*x^2*e + d^3), x)$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*asec(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="giac")

[Out] Timed out

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(a + b*acos(1/(c*x))))/(d + e*x^2)^3,x)

[Out] int((x^5*(a + b*acos(1/(c*x))))/(d + e*x^2)^3, x)

$$3.105 \quad \int \frac{x^3(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$$

Optimal. Leaf size=157

$$\frac{bcx\sqrt{-1+c^2x^2}}{8e(c^2d+e)\sqrt{c^2x^2}(d+ex^2)} + \frac{x^4(a+b \sec^{-1}(cx))}{4d(d+ex^2)^2} - \frac{bc(c^2d+2e)x \operatorname{ArcTan}\left(\frac{\sqrt{e}\sqrt{-1+c^2x^2}}{\sqrt{c^2d+e}}\right)}{8de^{3/2}(c^2d+e)^{3/2}\sqrt{c^2x^2}}$$

[Out] 1/4*x^4*(a+b*arcsec(c*x))/d/(e*x^2+d)^2-1/8*b*c*(c^2*d+2*e)*x*arctan(e^(1/2)*(c^2*x^2-1)^(1/2)/(c^2*d+e)^(1/2))/d/e^(3/2)/(c^2*d+e)^(3/2)/(c^2*x^2)^(1/2)+1/8*b*c*x*(c^2*x^2-1)^(1/2)/e/(c^2*d+e)/(e*x^2+d)/(c^2*x^2)^(1/2)

Rubi [A]

time = 0.13, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {270, 5346, 12, 457, 79, 65, 211}

$$\frac{x^4(a+b \sec^{-1}(cx))}{4d(d+ex^2)^2} - \frac{bcx(c^2d+2e) \operatorname{ArcTan}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{\sqrt{c^2d+e}}\right)}{8de^{3/2}\sqrt{c^2x^2}(c^2d+e)^{3/2}} + \frac{bcx\sqrt{c^2x^2-1}}{8e\sqrt{c^2x^2}(c^2d+e)(d+ex^2)}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]

[Out] (b*c*x*Sqrt[-1 + c^2*x^2])/(8*e*(c^2*d + e)*Sqrt[c^2*x^2]*(d + e*x^2)) + (x^4*(a + b*ArcSec[c*x]))/(4*d*(d + e*x^2)^2) - (b*c*(c^2*d + 2*e)*x*ArcTan[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/Sqrt[c^2*d + e]])/(8*d*e^(3/2)*(c^2*d + e)^(3/2)*Sqrt[c^2*x^2])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 79

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(-b*e - a*f)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/

```
(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c
*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x]
, x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || I
ntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
))
```

Rule 211

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/R
t[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 270

```
Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*
x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*c*(m + 1))), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 5346

```
Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*((f_)*(x_)^(m_))*((d_) + (e_)*(x
_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b \sec^{-1}(cx))}{(d + ex^2)^3} dx &= \frac{x^4(a + b \sec^{-1}(cx))}{4d(d + ex^2)^2} - \frac{(bcx) \int \frac{x^3}{4d\sqrt{-1 + c^2x^2} (d+ex^2)^2} dx}{\sqrt{c^2x^2}} \\
&= \frac{x^4(a + b \sec^{-1}(cx))}{4d(d + ex^2)^2} - \frac{(bcx) \int \frac{x^3}{\sqrt{-1 + c^2x^2} (d+ex^2)^2} dx}{4d\sqrt{c^2x^2}} \\
&= \frac{x^4(a + b \sec^{-1}(cx))}{4d(d + ex^2)^2} - \frac{(bcx) \text{Subst}\left(\int \frac{x}{\sqrt{-1 + c^2x} (d+ex)^2} dx, x, x^2\right)}{8d\sqrt{c^2x^2}} \\
&= \frac{bcx\sqrt{-1 + c^2x^2}}{8e(c^2d + e)\sqrt{c^2x^2}(d + ex^2)} + \frac{x^4(a + b \sec^{-1}(cx))}{4d(d + ex^2)^2} - \frac{(bc(c^2d + 2e)x) \text{Subst}\left(\int \frac{1}{\sqrt{-1 + c^2x} (d+ex)^2} dx, x, x^2\right)}{16de(c^2d + e)} \\
&= \frac{bcx\sqrt{-1 + c^2x^2}}{8e(c^2d + e)\sqrt{c^2x^2}(d + ex^2)} + \frac{x^4(a + b \sec^{-1}(cx))}{4d(d + ex^2)^2} - \frac{(b(c^2d + 2e)x) \text{Subst}\left(\int \frac{1}{\sqrt{-1 + c^2x} (d+ex)^2} dx, x, x^2\right)}{8cde(c^2d + e)} \\
&= \frac{bcx\sqrt{-1 + c^2x^2}}{8e(c^2d + e)\sqrt{c^2x^2}(d + ex^2)} + \frac{x^4(a + b \sec^{-1}(cx))}{4d(d + ex^2)^2} - \frac{bc(c^2d + 2e)x \tan^{-1}\left(\frac{\sqrt{-1 + c^2x}}{\sqrt{d+ex}}\right)}{8de^{3/2}(c^2d + e)}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.94, size = 389, normalized size = 2.48

$$\frac{-\frac{4cd}{(d+ex^2)^2} + \frac{8a}{d+ex^2} - \frac{2bc\sqrt{1-\frac{1}{c^2x^2}}}{(c^2d+e)(d+ex^2)} + \frac{4b(d+2cx^2)\sec^{-1}(cx)}{(d+ex^2)^2} + \frac{4b\text{ArcSin}\left(\frac{d}{cx}\right)}{d} + \frac{b\sqrt{e}^{(c^2d+2e)\log\left(\frac{\text{sech}\sqrt{-c^2d-e}e^{x/2}\sqrt{e+\left(c\sqrt{d}-\sqrt{-c^2d-e}\sqrt{1-\frac{1}{c^2x^2}}\right)}\right)}{b(c^2d+2e)\left(\sqrt{d}+\sqrt{e}\right)}}{d(-c^2d-e)^{3/2}} + \frac{b\sqrt{e}^{(c^2d+2e)\log\left(\frac{\text{sech}\sqrt{-c^2d-e}e^{x/2}\left[-\sqrt{e}+\left(c\sqrt{d}+\sqrt{-c^2d-e}\sqrt{1-\frac{1}{c^2x^2}}\right)\right]}{b(c^2d+2e)\left(\sqrt{d}+\sqrt{e}\right)}\right)}{d(-c^2d-e)^{3/2}}}{16e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*ArcSec[c*x]))/(d + e*x^2)^3, x]

[Out] $-\frac{1}{16} \frac{(-4ad)}{(d + ex^2)^2} + \frac{8a}{(d + ex^2)} - \frac{(2bc\sqrt{e}\sqrt{1 - 1/(c^2x^2)})x}{(c^2d + e)(d + ex^2)} + \frac{(4b(d + 2ex^2)\text{ArcSec}[cx])}{(d + ex^2)^2} + \frac{(4b\text{ArcSin}[1/(cx)])}{d} + \frac{(b\sqrt{e}(c^2d + 2e)\text{Log}[(-16d\sqrt{e}\sqrt{-(c^2d - e)}e^{3/2}(\sqrt{e} + c(Ic\sqrt{d} - \sqrt{-(c^2d - e)}\sqrt{1 - 1/(c^2x^2)})x)]/(b(c^2d + 2e)(I\sqrt{d} + \sqrt{e}x)))]}{d(-(c^2d - e)^{3/2})} + \frac{(b\sqrt{e}(c^2d + 2e)\text{Log}[((16I)d\sqrt{e}\sqrt{-(c^2d - e)}e^{3/2}(-\sqrt{e} + c(Ic\sqrt{d} + \sqrt{-(c^2d - e)}\sqrt{1 - 1/(c^2x^2)})x)]/(b(c^2d + 2e)(\sqrt{d} + I\sqrt{e}x)))]}{d(-(c^2d - e)^{3/2})} / e^2$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 1830 vs. $2(135) = 270$.

time = 7.69, size = 1831, normalized size = 11.66

2))*ln(2*((-c^2*d+e)/e)^(1/2)*(c^2*x^2-1)^(1/2)*e-(-c^2*d*e)^(1/2)*c*x-e)/(e*c*x+(-c^2*d*e)^(1/2))))

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] -1/4*(2*x^2*e + d)*a/(x^4*e^4 + 2*d*x^2*e^3 + d^2*e^2) - 1/4*((2*x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 4*(x^4*e^4 + 2*d*x^2*e^3 + d^2*e^2)*integrate(1/4*(2*c^2*x^3*e + c^2*d*x)*e^(1/2*log(c*x + 1) + 1/2*log(c*x - 1)))/(c^2*x^6*e^4 + (2*c^2*d*e^3 - e^4)*x^4 + (c^2*d^2*e^2 - 2*d*e^3)*x^2 - d^2*e^2 + (c^2*x^6*e^4 + (2*c^2*d*e^3 - e^4)*x^4 + (c^2*d^2*e^2 - 2*d*e^3)*x^2 - d^2*e^2)*e^(log(c*x + 1) + log(c*x - 1))), x))*b/(x^4*e^4 + 2*d*x^2*e^3 + d^2*e^2)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 496 vs. 2(138) = 276.

time = 4.92, size = 1021, normalized size = 6.50

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="fricas")

[Out] [-1/16*(4*a*c^4*d^4 + 8*a*d*x^2*e^3 + (b*c^2*d^3 + 2*b*x^4*e^3 + (b*c^2*d*x^4 + 4*b*d*x^2)*e^2 + 2*(b*c^2*d^2*x^2 + b*d^2)*e)*sqrt(-c^2*d*e - e^2)*log(-c^2*d - (c^2*x^2 - 2)*e - 2*sqrt(c^2*x^2 - 1)*sqrt(-c^2*d*e - e^2))/(x^2*e + d) + 4*(b*c^4*d^4 + 2*b*d*x^2*e^3 + (4*b*c^2*d^2*x^2 + b*d^2)*e^2 + 2*(b*c^4*d^3*x^2 + b*c^2*d^3)*e)*arcsec(c*x) - 8*(b*c^4*d^4 + b*x^4*e^4 + 2*(b*c^2*d*x^4 + b*d*x^2)*e^3 + (b*c^4*d^2*x^4 + 4*b*c^2*d^2*x^2 + b*d^2)*e^2 + 2*(b*c^4*d^3*x^2 + b*c^2*d^3)*e)*arctan(-c*x + sqrt(c^2*x^2 - 1)) + 4*(4*a*c^2*d^2*x^2 + a*d^2)*e^2 + 8*(a*c^4*d^3*x^2 + a*c^2*d^3)*e - 2*(b*c^2*d^3*e + b*d*x^2*e^3 + (b*c^2*d^2*x^2 + b*d^2)*e^2)*sqrt(c^2*x^2 - 1))/(c^4*d^5*e^2 + d*x^4*e^6 + 2*(c^2*d^2*x^4 + d^2*x^2)*e^5 + (c^4*d^3*x^4 + 4*c^2*d^3*x^2 + d^3)*e^4 + 2*(c^4*d^4*x^2 + c^2*d^4)*e^3), -1/8*(2*a*c^4*d^4 + 4*a*d*x^2*e^3 + (b*c^2*d^3 + 2*b*x^4*e^3 + (b*c^2*d*x^4 + 4*b*d*x^2)*e^2 + 2*(b*c^2*d^2*x^2 + b*d^2)*e)*sqrt(c^2*d*e + e^2)*arctan(sqrt(c^2*x^2 - 1)*sqrt(c^2*d*e + e^2))/(c^2*d + e) + 2*(b*c^4*d^4 + 2*b*d*x^2*e^3 + (4*b*c^2*d^2*x^2 + b*d^2)*e^2 + 2*(b*c^4*d^3*x^2 + b*c^2*d^3)*e)*arcsec(c*x) - 4*(b*c^4*d^4 + b*x^4*e^4 + 2*(b*c^2*d*x^4 + b*d*x^2)*e^3 + (b*c^4*d^2*x^4 + 4*b*c^2*d^2*x^2 + b*d^2)*e^2 + 2*(b*c^4*d^3*x^2 + b*c^2*d^3)*e)*arctan(-c*x + sqrt(c^2*x^2 - 1)) + 2*(4*a*c^2*d^2*x^2 + a*d^2)*e^2 + 4*(a*c^4*d^3*x^2 + a*c^2*d

$$^3)e - (b*c^2*d^3*e + b*d*x^2*e^3 + (b*c^2*d^2*x^2 + b*d^2)*e^2)*\sqrt{c^2*x^2 - 1})/(c^4*d^5*e^2 + d*x^4*e^6 + 2*(c^2*d^2*x^4 + d^2*x^2)*e^5 + (c^4*d^3*x^4 + 4*c^2*d^3*x^2 + d^3)*e^4 + 2*(c^4*d^4*x^2 + c^2*d^4)*e^3]$$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asec(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{(e x^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(a + b*acos(1/(c*x))))/(d + e*x^2)^3,x)

[Out] int((x^3*(a + b*acos(1/(c*x))))/(d + e*x^2)^3, x)

$$3.106 \quad \int \frac{x(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$$

Optimal. Leaf size=193

$$-\frac{bcx\sqrt{-1+c^2x^2}}{8d(c^2d+e)\sqrt{c^2x^2}(d+ex^2)} - \frac{a+b \sec^{-1}(cx)}{4e(d+ex^2)^2} + \frac{bcx \operatorname{ArcTan}\left(\sqrt{-1+c^2x^2}\right)}{4d^2e\sqrt{c^2x^2}} - \frac{bc(3c^2d+2e)x \operatorname{ArcTan}\left(\sqrt{-1+c^2x^2}\right)}{8d^2\sqrt{e}(c^2d+e)^3}$$

[Out] 1/4*(-a-b*arcsec(c*x))/e/(e*x^2+d)^2+1/4*b*c*x*arctan((c^2*x^2-1)^(1/2))/d^2/e/(c^2*x^2)^(1/2)-1/8*b*c*(3*c^2*d+2*e)*x*arctan(e^(1/2)*(c^2*x^2-1)^(1/2)/(c^2*d+e)^(1/2))/d^2/(c^2*d+e)^(3/2)/e^(1/2)/(c^2*x^2)^(1/2)-1/8*b*c*x*(c^2*x^2-1)^(1/2)/d/(c^2*d+e)/(e*x^2+d)/(c^2*x^2)^(1/2)

Rubi [A]

time = 0.15, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {5344, 457, 105, 162, 65, 211}

$$-\frac{a+b \sec^{-1}(cx)}{4e(d+ex^2)^2} + \frac{bcx \operatorname{ArcTan}\left(\sqrt{c^2x^2-1}\right)}{4d^2e\sqrt{c^2x^2}} - \frac{bcx(3c^2d+2e) \operatorname{ArcTan}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{\sqrt{c^2d+e}}\right)}{8d^2\sqrt{e}\sqrt{c^2x^2}(c^2d+e)^{3/2}} - \frac{bcx\sqrt{c^2x^2-1}}{8d\sqrt{c^2x^2}(c^2d+e)(d+ex^2)}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]

[Out] -1/8*(b*c*x*sqrt[-1 + c^2*x^2])/(d*(c^2*d + e)*sqrt[c^2*x^2]*(d + e*x^2)) - (a + b*ArcSec[c*x])/(4*e*(d + e*x^2)^2) + (b*c*x*ArcTan[sqrt[-1 + c^2*x^2]])/(4*d^2*e*sqrt[c^2*x^2]) - (b*c*(3*c^2*d + 2*e)*x*ArcTan[(sqrt[e]*sqrt[-1 + c^2*x^2])/sqrt[c^2*d + e]])/(8*d^2*sqrt[e]*(c^2*d + e)^(3/2)*sqrt[c^2*x^2])

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 105

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x,

$x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n, p\}, x] \&\& \text{ILtQ}[m, -1] \&\& (\text{IntegerQ}[n] \parallel \text{IntegersQ}[2*n, 2*p] \parallel \text{ILtQ}[m + n + p + 3, 0])$

Rule 162

$\text{Int}[(((e_.) + (f_.)*(x_))^{(p_.)}*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] \rightarrow \text{Dist}[(b*g - a*h)/(b*c - a*d), \text{Int}[(e + f*x)^p/(a + b*x), x], x] - \text{Dist}[(d*g - c*h)/(b*c - a*d), \text{Int}[(e + f*x)^p/(c + d*x), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h\}, x]$

Rule 211

$\text{Int}[(a_.) + (b_.)*(x_)^2]^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]/a)*\text{ArcTan}[x/\text{Rt}[a/b, 2]], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

Rule 457

$\text{Int}[(x_)^{(m_.)}*((a_.) + (b_.)*(x_)^{(n_.)})^{(p_.)}*((c_.) + (d_.)*(x_)^{(n_.)})^{(q_.)}], x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q}, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 5344

$\text{Int}[(a_.) + \text{ArcSec}[(c_.)*(x_)]*(b_.)]*(x_)*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{(p + 1)}*((a + b*\text{ArcSec}[c*x])/(2*e*(p + 1))), x] - \text{Dist}[b*c*(x/(2*e*(p + 1)*\text{Sqrt}[c^2*x^2])), \text{Int}[(d + e*x^2)^{(p + 1)}/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x] /; \text{FreeQ}\{a, b, c, d, e, p\}, x] \&\& \text{NeQ}[p, -1]$

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \sec^{-1}(cx))}{(d + ex^2)^3} dx &= -\frac{a + b \sec^{-1}(cx)}{4e(d + ex^2)^2} + \frac{(bcx) \int \frac{1}{x\sqrt{-1 + c^2x^2} (d+ex^2)^2} dx}{4e\sqrt{c^2x^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{4e(d + ex^2)^2} + \frac{(bcx)\text{Subst}\left(\int \frac{1}{x\sqrt{-1 + c^2x} (d+ex)^2} dx, x, x^2\right)}{8e\sqrt{c^2x^2}} \\
&= -\frac{bcx\sqrt{-1 + c^2x^2}}{8d(c^2d + e)\sqrt{c^2x^2} (d + ex^2)} - \frac{a + b \sec^{-1}(cx)}{4e(d + ex^2)^2} - \frac{(bcx)\text{Subst}\left(\int \frac{-c^2d - e + \frac{1}{2}}{x\sqrt{-1 + c^2x}} dx, x, x^2\right)}{8de(c^2d + e)\sqrt{c^2x^2}} \\
&= -\frac{bcx\sqrt{-1 + c^2x^2}}{8d(c^2d + e)\sqrt{c^2x^2} (d + ex^2)} - \frac{a + b \sec^{-1}(cx)}{4e(d + ex^2)^2} + \frac{(bcx)\text{Subst}\left(\int \frac{1}{x\sqrt{-1 + c^2x}} dx, x, x^2\right)}{8d^2e\sqrt{c^2x^2}} \\
&= -\frac{bcx\sqrt{-1 + c^2x^2}}{8d(c^2d + e)\sqrt{c^2x^2} (d + ex^2)} - \frac{a + b \sec^{-1}(cx)}{4e(d + ex^2)^2} + \frac{(bx)\text{Subst}\left(\int \frac{1}{\frac{1}{c^2} + \frac{x^2}{c^2}} dx, x, x^2\right)}{4cd^2e\sqrt{c^2x^2}} \\
&= -\frac{bcx\sqrt{-1 + c^2x^2}}{8d(c^2d + e)\sqrt{c^2x^2} (d + ex^2)} - \frac{a + b \sec^{-1}(cx)}{4e(d + ex^2)^2} + \frac{bcx \tan^{-1}\left(\sqrt{-1 + c^2x^2}\right)}{4d^2e\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.64, size = 386, normalized size = 2.00

$$\left(\frac{\frac{1}{16} \left(-\frac{4a}{e(d+ex^2)^3} - \frac{2bc\sqrt{1-\frac{1}{c^2x^2}}x}{d(c^2d+e)(d+ex^2)} - \frac{4b\sec^{-1}(cx)}{e(d+ex^2)^2} - \frac{4b\text{ArcSin}\left(\frac{1}{cx}\right)}{d^2e} - \frac{b(3c^2d+2e)\log\left(-\frac{16e^2\sqrt{-c^2d-e}\sqrt{e}\left(\sqrt{e+e}\left(\frac{1}{c}\sqrt{d-\sqrt{-c^2d-e}}\sqrt{1-\frac{1}{c^2x^2}}\right)x\right)}{b(3c^2d+2e)(\sqrt{d+\sqrt{e}}x)}\right)}{d^2(-c^2d-e)^{3/2}\sqrt{e}} - \frac{b(3c^2d+2e)\log\left(\frac{16e^2\sqrt{-c^2d-e}\sqrt{e}\left(-\sqrt{e+e}\left(\frac{1}{c}\sqrt{d+\sqrt{-c^2d-e}}\sqrt{1-\frac{1}{c^2x^2}}\right)x\right)}{b(3c^2d+2e)(\sqrt{d+\sqrt{e}}x)}\right)}{d^2(-c^2d-e)^{3/2}\sqrt{e}} \right)}{16} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]

[Out] ((-4*a)/(e*(d + e*x^2)^2) - (2*b*c*Sqrt[1 - 1/(c^2*x^2)]*x)/(d*(c^2*d + e)*(d + e*x^2)) - (4*b*ArcSec[c*x]))/(e*(d + e*x^2)^2) - (4*b*ArcSin[1/(c*x)])/(d^2*e) - (b*(3*c^2*d + 2*e)*Log[(-16*d^2*Sqrt[-(c^2*d) - e]*Sqrt[e]*(Sqrt[e] + c*(I*c*Sqrt[d] - Sqrt[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)]))x])/(b*(3*c^2*d + 2*e)*(I*Sqrt[d] + Sqrt[e]*x)))/(d^2*(-(c^2*d) - e)^(3/2)*Sqrt[e]) - (b*(3*c^2*d + 2*e)*Log[((16*I)*d^2*Sqrt[-(c^2*d) - e]*Sqrt[e]*(-Sqrt[e] + c*(I*c*Sqrt[d] + Sqrt[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)]))x])/(b*(3*c^2*d + 2*e)*(Sqrt[d] + I*Sqrt[e]*x)))/(d^2*(-(c^2*d) - e)^(3/2)*Sqrt[e])/16

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 1787 vs. $2(168) = 336$.

time = 7.81, size = 1788, normalized size = 9.26

$$c^2*d*e)^{(1/2)*c*x-e}/(-e*c*x+(-c^2*d*e)^{(1/2})))*e^2)$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] $\frac{1}{4}*(4*(c^2*x^4*e^3 + 2*c^2*d*x^2*e^2 + c^2*d^2*e)*\text{integrate}(\frac{1}{4}*x*e^{(1/2)*\log(c*x + 1) + 1/2*\log(c*x - 1)})/(c^2*x^6*e^3 + (2*c^2*d*e^2 - e^3)*x^4 + (c^2*d^2*e - 2*d*e^2)*x^2 - d^2*e + (c^2*x^6*e^3 + (2*c^2*d*e^2 - e^3)*x^4 + (c^2*d^2*e - 2*d*e^2)*x^2 - d^2*e)*e^{(\log(c*x + 1) + \log(c*x - 1))}, x) - \arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))*b/(x^4*e^3 + 2*d*x^2*e^2 + d^2*e) - 1/4*a/(x^4*e^3 + 2*d*x^2*e^2 + d^2*e)$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 428 vs. $2(167) = 334$.

time = 2.67, size = 886, normalized size = 4.59

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="fricas")

[Out] $[-1/16*(4*a*c^4*d^4 + 8*a*c^2*d^3*e + 4*a*d^2*e^2 + (3*b*c^2*d^3 + 2*b*x^4*e^3 + (3*b*c^2*d*x^4 + 4*b*d*x^2)*e^2 + 2*(3*b*c^2*d^2*x^2 + b*d^2)*e)*\sqrt{-(c^2*d*e - e^2)*\log(-(c^2*d - (c^2*x^2 - 2)*e - 2*\sqrt{c^2*x^2 - 1})*\sqrt{-(c^2*d*e - e^2)})/(x^2*e + d)} + 4*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2)*\arccsc(c*x) - 8*(b*c^4*d^4 + b*x^4*e^4 + 2*(b*c^2*d*x^4 + b*d*x^2)*e^3 + (b*c^4*d^2*x^4 + 4*b*c^2*d^2*x^2 + b*d^2)*e^2 + 2*(b*c^4*d^3*x^2 + b*c^2*d^3)*e)*\arctan(-c*x + \sqrt{c^2*x^2 - 1}) + 2*(b*c^2*d^3*e + b*d*x^2*e^3 + (b*c^2*d^2*x^2 + b*d^2)*e^2)*\sqrt{c^2*x^2 - 1})/(c^4*d^6*e + d^2*x^4*e^5 + 2*(c^2*d^3*x^4 + d^3*x^2)*e^4 + (c^4*d^4*x^4 + 4*c^2*d^4*x^2 + d^4)*e^3 + 2*(c^4*d^5*x^2 + c^2*d^5)*e^2), -1/8*(2*a*c^4*d^4 + 4*a*c^2*d^3*e + 2*a*d^2*e^2 + (3*b*c^2*d^3 + 2*b*x^4*e^3 + (3*b*c^2*d*x^4 + 4*b*d*x^2)*e^2 + 2*(3*b*c^2*d^2*x^2 + b*d^2)*e)*\sqrt{c^2*d*e + e^2}*\arctan(\sqrt{c^2*x^2 - 1})*\sqrt{c^2*d*e + e^2})/(c^2*d + e) + 2*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2)*\arccsc(c*x) - 4*(b*c^4*d^4 + b*x^4*e^4 + 2*(b*c^2*d*x^4 + b*d*x^2)*e^3 + (b*c^4*d^2*x^4 + 4*b*c^2*d^2*x^2 + b*d^2)*e^2 + 2*(b*c^4*d^3*x^2 + b*c^2*d^3)*e)*\arctan(-c*x + \sqrt{c^2*x^2 - 1}) + (b*c^2*d^3*e + b*d*x^2*e^3 + (b*c^2*d^2*x^2 + b*d^2)*e^2)*\sqrt{c^2*x^2 - 1})/(c^4*d^6*e + d^2*x^4*e^5 + 2*(c^2*d^3*x^4 + d^3*x^2)*e^4 + (c^4*d^4*x^4 + 4*c^2*d^4*x^2 + d^4)*e^3 + 2*(c^4*d^5*x^2 + c^2*d^5)*e^2)]$

Sympy [F(-1)] Timed out
 time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asec(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F(-2)]
 time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
 INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
 by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(

Mupad [F]
 time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x \left(a + b \operatorname{acos} \left(\frac{1}{cx} \right) \right)}{(e x^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(a + b*acos(1/(c*x))))/(d + e*x^2)^3,x)

[Out] int((x*(a + b*acos(1/(c*x))))/(d + e*x^2)^3, x)

3.107

$$\int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^3} dx$$

Optimal. Leaf size=685

$$\frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{8d^2 (c^2 d + e) \left(e + \frac{d}{x^2}\right) x} + \frac{e^2 (a + b \sec^{-1}(cx))}{4d^3 \left(e + \frac{d}{x^2}\right)^2} - \frac{e(a + b \sec^{-1}(cx))}{d^3 \left(e + \frac{d}{x^2}\right)} + \frac{i(a + b \sec^{-1}(cx))^2}{2bd^3} - \frac{b\sqrt{e} \operatorname{ArcTan}\left(\frac{\dots}{c\sqrt{e}}\right)}{d^3 \sqrt{c^2 d}}$$

[Out] 1/4*e^2*(a+b*arcsec(c*x))/d^3/(e+d/x^2)^2-e*(a+b*arcsec(c*x))/d^3/(e+d/x^2)+1/2*I*(a+b*arcsec(c*x))^2/b/d^3-1/2*(a+b*arcsec(c*x))*ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/d^3-1/2*(a+b*arcsec(c*x))*ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/d^3-1/2*(a+b*arcsec(c*x))*ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/d^3-1/2*(a+b*arcsec(c*x))*ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/d^3+1/2*I*b*polylog(2,-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/d^3+1/2*I*b*polylog(2,c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/d^3+1/2*I*b*polylog(2,-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/d^3+1/2*I*b*polylog(2,c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/d^3+1/8*b*(c^2*d+2*e)*arctan((c^2*d+e)^(1/2)/c/x/e^(1/2)/(1-1/c^2/x^2)^(1/2))*e^(1/2)/d^3/(c^2*d+e)^(3/2)-b*arctan((c^2*d+e)^(1/2)/c/x/e^(1/2)/(1-1/c^2/x^2)^(1/2))*e^(1/2)/d^3/(c^2*d+e)^(1/2)+1/8*b*c*e*(1-1/c^2/x^2)^(1/2)/d^2/(c^2*d+e)/(e+d/x^2)/x

Rubi [A]

time = 1.20, antiderivative size = 685, normalized size of antiderivative = 1.00, number of steps used = 28, number of rules used = 11, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.524$, Rules used = {5348, 4818, 4814, 390, 385, 211, 4826, 4616, 2221, 2317, 2438}

(a + b*sec^-1(cx))*ln(1 - sqrt((c^2*d+e)/(c^2*x^2))) / (8*d^2*(c^2*d+e)*(e+d/x^2)*x) + (e^2*(a + b*ArcSec[c*x])) / (4*d^3*(e + d/x^2)^2) - (e*(a + b*ArcSec[c*x])) / (d^3*(e + d/x^2)) + ((I/2)*(a + b*ArcSec[c*x])^2) / (b*d^3) - (b*sqrt[e]*ArcTan[Sqrt[c^2*d + e]/(c*sqrt[e]*sqrt[1 - 1/(c^2*x^2)])*x]) / (d^3*sqrt[c^2*d + e]) + (b*sqrt[e]*(c^2*d + 2*e)*ArcTan[Sqrt[c^2*d + e]/(c*sqrt[e]*sqrt[1 - 1/(c^2*x^2)])*x]) / (8*d^3*(c^2*d + e)^(3/2)) - ((a + b*ArcSec[c*x])*Log[1 - (c*sqrt[-d]*E^(I*ArcSec[c*x]))/(sqrt[e] - sqrt[c^2*d + e])]) / (2*d^3) - ((a + b*ArcSec[c*x])*Log[1 + (c*sqrt[-d]*E^(I*ArcSec[c*x]))/(sqrt[e] - sqrt[c^2*d + e])]) / (2*d^3)

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^3), x]

[Out] (b*c*e*Sqrt[1 - 1/(c^2*x^2)])/(8*d^2*(c^2*d + e)*(e + d/x^2)*x) + (e^2*(a + b*ArcSec[c*x]))/(4*d^3*(e + d/x^2)^2) - (e*(a + b*ArcSec[c*x]))/(d^3*(e + d/x^2)) + ((I/2)*(a + b*ArcSec[c*x])^2)/(b*d^3) - (b*sqrt[e]*ArcTan[Sqrt[c^2*d + e]/(c*sqrt[e]*sqrt[1 - 1/(c^2*x^2)])*x])/(d^3*sqrt[c^2*d + e]) + (b*sqrt[e]*(c^2*d + 2*e)*ArcTan[Sqrt[c^2*d + e]/(c*sqrt[e]*sqrt[1 - 1/(c^2*x^2)])*x])/(8*d^3*(c^2*d + e)^(3/2)) - ((a + b*ArcSec[c*x])*Log[1 - (c*sqrt[-d]*E^(I*ArcSec[c*x]))/(sqrt[e] - sqrt[c^2*d + e])])/(2*d^3) - ((a + b*ArcSec[c*x])*Log[1 + (c*sqrt[-d]*E^(I*ArcSec[c*x]))/(sqrt[e] - sqrt[c^2*d + e])])/(2*d^3)

$$(2*d^3) - ((a + b*\text{ArcSec}[c*x])*\text{Log}[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(2*d^3) - ((a + b*\text{ArcSec}[c*x])*\text{Log}[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(2*d^3) + ((I/2)*b*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])))]/d^3 + ((I/2)*b*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])))]/d^3 + ((I/2)*b*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])))]/d^3 + ((I/2)*b*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])))]/d^3$$
Rule 211

$$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]/a)*\text{ArcTan}[x/\text{Rt}[a/b, 2]], x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b]$$
Rule 385

$$\text{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}/((c_ + (d_)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[n*p + 1, 0] \&\& \text{IntegerQ}[n]$$
Rule 390

$$\text{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)*((c_ + (d_)*(x_)^{(n_)})^{(q_)}), x_Symbol] \rightarrow \text{Simp}[(-b)*x*(a + b*x^n)^{(p+1)*((c + d*x^n)^{(q+1)}/(a*n*(p+1)*(b*c - a*d))}, x] + \text{Dist}[(b*c + n*(p+1)*(b*c - a*d))/(a*n*(p+1)*(b*c - a*d)), \text{Int}[(a + b*x^n)^{(p+1)*((c + d*x^n)^q}, x], x] /; \text{FreeQ}\{a, b, c, d, n, q\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[n*(p+q+2)+1, 0] \&\& (\text{LtQ}[p, -1] \|\| \text{!LtQ}[q, -1]) \&\& \text{NeQ}[p, -1]$$
Rule 2221

$$\text{Int}[((F_)^{((g_)*((e_ + (f_)*(x_)))^{(n_)*((c_ + (d_)*(x_))^{(m_))})}/((a_ + (b_)*((F_)^{((g_)*((e_ + (f_)*(x_)))^{(n_)}), x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m/(b*f*g*n*\text{Log}[F]))*\text{Log}[1 + b*((F^{(g*(e + f*x)))^n/a}], x] - \text{Dist}[d*(m/(b*f*g*n*\text{Log}[F])), \text{Int}[(c + d*x)^{(m-1)*\text{Log}[1 + b*((F^{(g*(e + f*x)))^n/a}], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \&\& \text{IGtQ}[m, 0]$$
Rule 2317

$$\text{Int}[\text{Log}[(a_ + (b_)*((F_)^{((e_)*((c_ + (d_)*(x_)))^{(n_)}), x_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x\} \&\& \text{GtQ}[a, 0]$$
Rule 2438

$$\text{Int}[\text{Log}[(c_)*((d_ + (e_)*(x_)^{(n_)})]/(x_), x_Symbol] \rightarrow \text{Simp}[-\text{PolyLog}[2, (-c)*e*x^n]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x\} \&\& \text{EqQ}[c*d, 1]$$

Rule 4616

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)
*(x_)]*(b_.) + (a_)), x_Symbol] := Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1)))
, x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b
*E^(I*(c + d*x)))]), x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a +
Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x)))]), x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4814

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_
Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcCos[c*x])/(2*e*(p + 1))), x]
+ Dist[b*(c/(2*e*(p + 1))), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x],
x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 4818

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_
.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4826

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)/((d_.) + (e_.)*(x_)), x_Symbol]
:= -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e*Cos[x]))], x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 5348

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)
^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(
m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x(d + ex^2)^3} dx &= -\text{Subst} \left(\int \frac{x^5 (a + b \cos^{-1}(\frac{x}{c}))}{(e + dx^2)^3} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{e^2 x (a + b \cos^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)^3} - \frac{2ex(a + b \cos^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)^2} + \frac{x(a + b \cos^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{x(a + b \cos^{-1}(\frac{x}{c}))}{e + dx^2} dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e)\text{Subst} \left(\int \frac{x(a + b \cos^{-1}(\frac{x}{c}))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d^2} - \frac{e^2 \text{Subst} \left(\int \frac{x^5 (a + b \cos^{-1}(\frac{x}{c}))}{(e + dx^2)^3} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{e^2(a + b \sec^{-1}(cx))}{4d^3 (e + \frac{d}{x^2})^2} - \frac{e(a + b \sec^{-1}(cx))}{d^3 (e + \frac{d}{x^2})} - \frac{\text{Subst} \left(\int \left(-\frac{\sqrt{-d} (a + b \cos^{-1}(\frac{x}{c}))}{2d(\sqrt{e} - \sqrt{-d}x)} + \frac{\sqrt{-d}}{2d(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{8d^2 (c^2 d + e) (e + \frac{d}{x^2}) x} + \frac{e^2(a + b \sec^{-1}(cx))}{4d^3 (e + \frac{d}{x^2})^2} - \frac{e(a + b \sec^{-1}(cx))}{d^3 (e + \frac{d}{x^2})} - \frac{\text{Subst} \left(\int \frac{a + b \sec^{-1}(cx)}{\sqrt{e}} dx, x, \frac{1}{x} \right)}{2d^3} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{8d^2 (c^2 d + e) (e + \frac{d}{x^2}) x} + \frac{e^2(a + b \sec^{-1}(cx))}{4d^3 (e + \frac{d}{x^2})^2} - \frac{e(a + b \sec^{-1}(cx))}{d^3 (e + \frac{d}{x^2})} - \frac{b\sqrt{e} \tan^{-1} \left(\frac{a + b \sec^{-1}(cx)}{\sqrt{e}} \right)}{d^3} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{8d^2 (c^2 d + e) (e + \frac{d}{x^2}) x} + \frac{e^2(a + b \sec^{-1}(cx))}{4d^3 (e + \frac{d}{x^2})^2} - \frac{e(a + b \sec^{-1}(cx))}{d^3 (e + \frac{d}{x^2})} + \frac{i(a + b \sec^{-1}(cx))}{2bd^3} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{8d^2 (c^2 d + e) (e + \frac{d}{x^2}) x} + \frac{e^2(a + b \sec^{-1}(cx))}{4d^3 (e + \frac{d}{x^2})^2} - \frac{e(a + b \sec^{-1}(cx))}{d^3 (e + \frac{d}{x^2})} + \frac{i(a + b \sec^{-1}(cx))}{2bd^3} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{8d^2 (c^2 d + e) (e + \frac{d}{x^2}) x} + \frac{e^2(a + b \sec^{-1}(cx))}{4d^3 (e + \frac{d}{x^2})^2} - \frac{e(a + b \sec^{-1}(cx))}{d^3 (e + \frac{d}{x^2})} + \frac{i(a + b \sec^{-1}(cx))}{2bd^3} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{8d^2 (c^2 d + e) (e + \frac{d}{x^2}) x} + \frac{e^2(a + b \sec^{-1}(cx))}{4d^3 (e + \frac{d}{x^2})^2} - \frac{e(a + b \sec^{-1}(cx))}{d^3 (e + \frac{d}{x^2})} + \frac{i(a + b \sec^{-1}(cx))}{2bd^3}
\end{aligned}$$

Mathematica [F]

time = 47.54, size = 0, normalized size = 0.00

$$\int \frac{a + b \sec^{-1}(cx)}{x(d + ex^2)^3} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^3), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^3), x]

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 4.65, size = 5373, normalized size = 7.84

| method | result | size |
|-------------------|---------------------------------|------|
| derivativedivides | Expression too large to display | 5373 |
| default | Expression too large to display | 5373 |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x/(e*x^2+d)^3,x,method=_RETURNVERBOSE)

[Out] result too large to display

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^3,x, algorithm="maxima")

[Out] 1/4*a*((2*x^2*e + 3*d)/(d^2*x^4*e^2 + 2*d^3*x^2*e + d^4) - 2*log(x^2*e + d)/d^3 + 4*log(x)/d^3) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(x^7*e^3 + 3*d*x^5*e^2 + 3*d^2*x^3*e + d^3*x), x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^3,x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)/(x^7*e^3 + 3*d*x^5*e^2 + 3*d^2*x^3*e + d^3*x), x)

Sympy [F(-1)] Timed out
time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F(-2)]
time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^3,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(

Mupad [F]
time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{x(e x^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(x*(d + e*x^2)^3),x)

[Out] int((a + b*acos(1/(c*x)))/(x*(d + e*x^2)^3), x)

$$3.108 \quad \int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^3} dx$$

Optimal. Leaf size=1124

$$\frac{bc\sqrt{-d} \sqrt{1 - \frac{1}{c^2x^2}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x}\right)} + \frac{bc\sqrt{-d} \sqrt{1 - \frac{1}{c^2x^2}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x}\right)} + \frac{\sqrt{-d} (a + b \sec^{-1}(cx))}{16e^{3/2} \left(\sqrt{-d} \sqrt{e} - \frac{d}{x}\right)^2} + \frac{3(a + b \sec^{-1}(cx))}{16e^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x}\right)}$$

[Out] $3/16*(a+b*\text{arcsec}(c*x))*\ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}-3/16*(a+b*\text{arcsec}(c*x))*\ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}+3/16*(a+b*\text{arcsec}(c*x))*\ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}-3/16*(a+b*\text{arcsec}(c*x))*\ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}-3/16*I*b*\text{polylog}(2,c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}-3/16*I*b*\text{polylog}(2,c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}+3/16*I*b*\text{polylog}(2,-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}+3/16*I*b*\text{polylog}(2,-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}+1/16*b*\text{arctanh}((c^2*d-(-d)^{(1/2)}*e^{(1/2)}/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)})/e/(c^2*d+e)^{(3/2)}/d^{(1/2)}+1/16*b*\text{arctanh}((c^2*d+(-d)^{(1/2)}*e^{(1/2)}/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)})/e/(c^2*d+e)^{(3/2)}/d^{(1/2)}+1/16*(a+b*\text{arcsec}(c*x))*(-d)^{(1/2)}/e^{(3/2)}/(-d/x+(-d)^{(1/2)}*e^{(1/2)})^2+3/16*(a+b*\text{arcsec}(c*x))/e^2/(-d/x+(-d)^{(1/2)}*e^{(1/2)})-1/16*(a+b*\text{arcsec}(c*x))*(-d)^{(1/2)}/e^{(3/2)}/(d/x+(-d)^{(1/2)}*e^{(1/2)})^2-3/16*(a+b*\text{arcsec}(c*x))/e^2/(d/x+(-d)^{(1/2)}*e^{(1/2)})+3/16*b*\text{arctanh}((c^2*d-(-d)^{(1/2)}*e^{(1/2)}/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)})/e^2/d^{(1/2)}/(c^2*d+e)^{(1/2)}+3/16*b*\text{arctanh}((c^2*d+(-d)^{(1/2)}*e^{(1/2)}/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)})/e^2/d^{(1/2)}/(c^2*d+e)^{(1/2)}+1/16*b*c*(-d)^{(1/2)}*(1-1/c^2/x^2)^{(1/2)}/e^{(3/2)}/(c^2*d+e)/(-d/x+(-d)^{(1/2)}*e^{(1/2)})+1/16*b*c*(-d)^{(1/2)}*(1-1/c^2/x^2)^{(1/2)}/e^{(3/2)}/(c^2*d+e)/(d/x+(-d)^{(1/2)}*e^{(1/2)})$

Rubi [A]

time = 1.50, antiderivative size = 1124, normalized size of antiderivative = 1.00, number of steps used = 35, number of rules used = 11, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.524$, Rules used = {5348, 4758, 4828, 745, 739, 212, 4826, 4616, 2221, 2317, 2438}

Antiderivative was successfully verified.

[In] Int[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]

[Out] (b*c*Sqrt[-d]*Sqrt[1 - 1/(c^2*x^2)])/(16*e^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] - d/x)) + (b*c*Sqrt[-d]*Sqrt[1 - 1/(c^2*x^2)])/(16*e^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] + d/x)) + (Sqrt[-d]*(a + b*ArcSec[c*x]))/(16*e^(3/2)*(Sqrt[-d]*Sqrt[e] - d/x)^2) + (3*(a + b*ArcSec[c*x]))/(16*e^2*(Sqrt[-d]*Sqrt[e] - d/x)) - (Sqrt[-d]*(a + b*ArcSec[c*x]))/(16*e^(3/2)*(Sqrt[-d]*Sqrt[e] + d/x)^2) - (3*(a + b*ArcSec[c*x]))/(16*e^2*(Sqrt[-d]*Sqrt[e] + d/x)) + (b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*Sqrt[d]*e*(c^2*d + e)^(3/2)) + (3*b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*Sqrt[d]*e^2*Sqrt[c^2*d + e]) + (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*Sqrt[d]*e*(c^2*d + e)^(3/2)) + (3*b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*Sqrt[d]*e^2*Sqrt[c^2*d + e]) + (3*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) - (3*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) + (3*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) - (3*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) + (((3*I)/16)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))])/(Sqrt[-d]*e^(5/2)) - (((3*I)/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(5/2)) + (((3*I)/16)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))])/(Sqrt[-d]*e^(5/2)) - (((3*I)/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(5/2))

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 739

Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 745

Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[e*(d + e*x)^(m + 1)*((a + c*x^2)^(p + 1)/((m + 1)*(c*d^2 + a*e^2))), x] + Dist[c*(d/(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m + 2*p + 3, 0]

Rule 2221

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:=> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :=> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4616

```
Int[(((e_) + (f_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)])/(Cos[(c_) + (d_)
*(x_)]*(b_) + (a_)), x_Symbol] :=> Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1))
, x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b
*E^(I*(c + d*x))], x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a +
Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))], x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4758

```
Int[(((a_) + ArcCos[(c_)*(x_)])*(b_))^(n_)*((d_) + (e_)*(x_)^2)^(p_), x
_Symbol] :=> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

Rule 4826

```
Int[(((a_) + ArcCos[(c_)*(x_)])*(b_))^(n_)/((d_) + (e_)*(x_)), x_Symbol]
:=> -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e*Cos[x])), x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4828

```
Int[(((a_) + ArcCos[(c_)*(x_)])*(b_))^(n_)*((d_) + (e_)*(x_))^(m_), x_S
ymbol] :=> Simp[(d + e*x)^(m + 1)*((a + b*ArcCos[c*x])^n/(e*(m + 1))), x] +
Dist[b*c*(n/(e*(m + 1))), Int[(d + e*x)^(m + 1)*((a + b*ArcCos[c*x])^(n - 1
))/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0]
```

&& NeQ[m, -1]

Rule 5348

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)
^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*(a + b*ArcCos[x/c])^n/x^(
m + 2*(p + 1))], x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(a + b \sec^{-1}(cx))}{(d + ex^2)^3} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{(e + dx^2)^3} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(-\frac{d^3(a + b \cos^{-1} \left(\frac{x}{c} \right))}{8(-d)^{3/2}e^{3/2} \left(\sqrt{-d} \sqrt{e} - dx \right)^3} - \frac{3d(a + b \cos^{-1} \left(\frac{x}{c} \right))}{16e^2 \left(\sqrt{-d} \sqrt{e} - dx \right)^2} \right. \right. \\
&\quad \left. \left. (3d)\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\left(\sqrt{-d} \sqrt{e} - dx \right)^2} dx, x, \frac{1}{x} \right) \right. \right. (3d)\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\left(\sqrt{-d} \sqrt{e} + dx \right)^2} dx \right. \\
&= \frac{16e^2}{16e^2} + \frac{16e^2}{16e^2} \\
&= \frac{\sqrt{-d} (a + b \sec^{-1}(cx))}{16e^{3/2} \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)^2} + \frac{3(a + b \sec^{-1}(cx))}{16e^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{\sqrt{-d} (a + b \sec^{-1}(cx))}{16e^{3/2} \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)^2} \\
&= \frac{bc\sqrt{-d} \sqrt{1 - \frac{1}{c^2x^2}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{-d} \sqrt{1 - \frac{1}{c^2x^2}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{\sqrt{-d}}{16e^{3/2}} \\
&= \frac{bc\sqrt{-d} \sqrt{1 - \frac{1}{c^2x^2}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{-d} \sqrt{1 - \frac{1}{c^2x^2}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{\sqrt{-d}}{16e^{3/2}} \\
&= \frac{bc\sqrt{-d} \sqrt{1 - \frac{1}{c^2x^2}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{-d} \sqrt{1 - \frac{1}{c^2x^2}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{\sqrt{-d}}{16e^{3/2}} \\
&= \frac{bc\sqrt{-d} \sqrt{1 - \frac{1}{c^2x^2}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{-d} \sqrt{1 - \frac{1}{c^2x^2}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{\sqrt{-d}}{16e^{3/2}} \\
&= \frac{bc\sqrt{-d} \sqrt{1 - \frac{1}{c^2x^2}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{-d} \sqrt{1 - \frac{1}{c^2x^2}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{\sqrt{-d}}{16e^{3/2}} \\
&= \frac{bc\sqrt{-d} \sqrt{1 - \frac{1}{c^2x^2}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{-d} \sqrt{1 - \frac{1}{c^2x^2}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{\sqrt{-d}}{16e^{3/2}}
\end{aligned}$$

Mathematica [A]

time = 6.05, size = 1819, normalized size = 1.62



Warning: Unable to verify antiderivative.

```
[In] Integrate[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]
```

```
[Out] (a*d*x)/(4*e^2*(d + e*x^2)^2) - (5*a*x)/(8*e^2*(d + e*x^2)) + (3*a*ArcTan[
Sqrt[e]*x]/Sqrt[d])/(8*Sqrt[d]*e^(5/2)) + b*((5*(-(ArcSec[c*x]/(I*Sqrt[d]*
Sqrt[e] + e*x)) + (I*(ArcSin[1/(c*x)]/Sqrt[e] - Log[(2*Sqrt[d]*Sqrt[e]*(Sqr
t[e] + c*(I*c*Sqrt[d] - Sqrt[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)])*x)]/(Sqrt
[-(c^2*d) - e]*(Sqrt[d] - I*Sqrt[e]*x)))/Sqrt[-(c^2*d) - e]))/Sqrt[d]))/(16
*e^2) + (5*(-(ArcSec[c*x]/((-I)*Sqrt[d]*Sqrt[e] + e*x)) - (I*(ArcSin[1/(c*x
)]/Sqrt[e] - Log[(2*Sqrt[d]*Sqrt[e]*(-Sqrt[e] + c*(I*c*Sqrt[d] + Sqrt[-(c^2
*d) - e]*Sqrt[1 - 1/(c^2*x^2)])*x)]/(Sqrt[-(c^2*d) - e]*(Sqrt[d] + I*Sqrt[e
]*x)))/Sqrt[-(c^2*d) - e]))/Sqrt[d]))/(16*e^2) + ((I/16)*Sqrt[d]*(-(ArcSec[
c*x]/(Sqrt[e]*((-I)*Sqrt[d] + Sqrt[e]*x)^2)) + (ArcSin[1/(c*x)]/Sqrt[e] - I
*((c*Sqrt[d]*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)])*x)/((c^2*d + e)*((-I)*Sqrt[d] +
Sqrt[e]*x)) + ((2*c^2*d + e)*Log[(-4*d*Sqrt[e]*Sqrt[c^2*d + e]*(I*Sqrt[e] +
c*(c*Sqrt[d] - Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])*x))/((2*c^2*d + e)*
(-I)*Sqrt[d] + Sqrt[e]*x)))/(c^2*d + e)^(3/2)))/d)/e^2 - ((I/16)*Sqrt[d]*
((I*c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)])*x)/(Sqrt[d]*(c^2*d + e)*(I*Sqrt[d] + Sq
rt[e]*x)) - ArcSec[c*x]/(Sqrt[e]*(I*Sqrt[d] + Sqrt[e]*x)^2) + ArcSin[1/(c*x
)]/(d*Sqrt[e]) - (I*(2*c^2*d + e)*Log[(4*d*Sqrt[e]*Sqrt[c^2*d + e]*((-I)*Sq
rt[e] + c*(c*Sqrt[d] + Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])*x))/((2*c^2*d
+ e)*(I*Sqrt[d] + Sqrt[e]*x)))/(d*(c^2*d + e)^(3/2)))/e^2 + (3*(8*ArcSin
[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[((I*c*Sqrt[d] + Sqrt[e])
*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] - (2*I)*ArcSec[c*x]*Log[1 + (I*(Sqrt[
e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - (4*I)*ArcSin[Sqrt[1
+ (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])
*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - (2*I)*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] +
Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) + (4*I)*ArcSin[Sqrt[1 + (I
*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I
*ArcSec[c*x]))/(c*Sqrt[d])]) + (2*I)*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x
])] - 2*PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sq
rt[d])] - 2*PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))
/(c*Sqrt[d])] + PolyLog[2, -E^((2*I)*ArcSec[c*x])])]/(32*Sqrt[d]*e^(5/2)) -
(3*(8*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[(((I)*c*Sq
rt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] - (2*I)*ArcSec[c*x]*L
og[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - (4
*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(-Sqrt[e]
+ Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - (2*I)*ArcSec[c*x]*Log[
1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) + (4*I)*
```



```
ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 - (I*(Sqrt[e] + Sqr
t[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (2*I)*ArcSec[c*x]*Log[1 + E
^((2*I)*ArcSec[c*x])] - 2*PolyLog[2, ((-I)*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(
I*ArcSec[c*x]))/(c*Sqrt[d])] - 2*PolyLog[2, (I*(Sqrt[e] + Sqrt[c^2*d + e])*
E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + PolyLog[2, -E^((2*I)*ArcSec[c*x])])]/(32*
Sqrt[d]*e^(5/2))
```

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 2.10, size = 3223, normalized size = 2.87

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^3,x)
```

```
[Out] I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh((1/c/x+I*(1-1/
c^2/x^2)^(1/2))*c*d/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/(c^2*d+e)
^2/d^3*(e*(c^2*d+e))^(1/2)-3/8*I*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1
/2)*arctan((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((c^2*d+2*(e*(c^2*d+e))^(1/2)+
2*e)*d)^(1/2))/e^2/(c^2*d+e)^2/d*(e*(c^2*d+e))^(1/2)+3/8*I*b*(-(c^2*d-2*(e*
(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((
-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/e^2/(c^2*d+e)^2/d*(e*(c^2*d+e)
)^(1/2)-5/4*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh((1/
c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2)
)/e/(c^2*d+e)/d^2-5/4*I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*a
rctan((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*
d)^(1/2))/e/(c^2*d+e)/d^2-I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/
2)*arctan((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2
*e)*d)^(1/2))/(c^2*d+e)^2/d^3*(e*(c^2*d+e))^(1/2)-5/8*c^4*a/(c^2*e*x^2+c^2*
d)^2/e*x^3-3/8*I*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh((1/
c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2)
)/e^2/(c^2*d+e)/d+3/4*I*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arct
anh((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)
)^(1/2))/e/(c^2*d+e)^2/d-I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/
2)*arctanh((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((-c^2*d+2*(e*(c^2*d+e))^(1/2)
-2*e)*d)^(1/2))/(c^2*d+e)/d^3+7/4*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*
e)*d)^(1/2)*arctanh((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((-c^2*d+2*(e*(c^2*d+
e))^(1/2)-2*e)*d)^(1/2))/(c^2*d+e)^2/d^2-I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^(1
/2)+2*e)*d)^(1/2)*arctan((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((c^2*d+2*(e*(c^
2*d+e))^(1/2)+2*e)*d)^(1/2))/(c^2*d+e)/d^3+7/4*I/c^2*b*((c^2*d+2*(e*(c^2*d+
e))^(1/2)+2*e)*d)^(1/2)*arctan((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((c^2*d+2*
(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2))/e/(c^2*d+e)^2/d^2-3/16*I*c^3*b/e^2/(c^2*d+
e)*d*sum(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/
c^2/x^2)^(1/2))/_R1)+dilog((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)),_R1=Root
Of(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+3/16*I*c^3*b/e^2/(c^2*d+e)*d*sum(_
```

$$\begin{aligned}
& R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d)-3/16*I*c*b/e/(c^2*d+e)*sum(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+3/16*I*c*b/e/(c^2*d+e)*sum(_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-3/8*c^4*a/(c^2*e*x^2+c^2*d)^2*d/e^2*x+1/8*c^5*b*x^4/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*((c^2*x^2-1)/c^2/x^2)^(1/2)-5/8*c^4*b*x^3/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*arcsec(c*x)+I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/(c^2*d+e)^2*e/d^3+I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2))/e^2/(c^2*d+e)/d^3-5/8*c^6*b*x^3/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)/e*arcsec(c*x)*d-3/8*c^6*b*x/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)/e^2*arcsec(c*x)*d^2+1/8*c^5*b*x^2/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)/e*((c^2*x^2-1)/c^2/x^2)^(1/2)*d-3/8*c^4*b*x/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)/e*arcsec(c*x)*d-3/8*I*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2))/e^2/(c^2*d+e)/d^3+4*I*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2))/e/(c^2*d+e)^2/d+I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2))/e/(c^2*d+e)/d^3*(e*(c^2*d+e))^(1/2)+3/4*I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2))/e^2/(c^2*d+e)/d^2*(e*(c^2*d+e))^(1/2)+5/4*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/(c^2*d+e)^2/e/d^2*(e*(c^2*d+e))^(1/2)-5/4*I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2))/(c^2*d+e)^2/e/d^2*(e*(c^2*d+e))^(1/2)+3/8*a/e^2/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))-3/4*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/e^2/(c^2*d+e)/d^2*(e*(c^2*d+e))^(1/2)-I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh((1/c/x+I*(1-1/c^2/x^2)^(1/2))*c*d/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/e/(c^2*d+e)/d^3*(e*(...
\end{aligned}$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] $\frac{1}{8} \cdot (3 \cdot \arctan(x \cdot e^{1/2}) / \sqrt{d}) \cdot e^{-5/2} / \sqrt{d} - (5 \cdot x^3 \cdot e + 3 \cdot d \cdot x) / (x^4 \cdot e^4 + 2 \cdot d \cdot x^2 \cdot e^3 + d^2 \cdot e^2) \cdot a + b \cdot \int (x^4 \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1}) / (x^6 \cdot e^3 + 3 \cdot d \cdot x^4 \cdot e^2 + 3 \cdot d^2 \cdot x^2 \cdot e + d^3), x$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="fricas")`

[Out] `integral((b*x^4*arcsec(c*x) + a*x^4)/(x^6*e^3 + 3*d*x^4*e^2 + 3*d^2*x^2*e + d^3), x)`

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(a+b*asec(c*x))/(e*x**2+d)**3,x)`

[Out] Timed out

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 \left(a + b \operatorname{acos}\left(\frac{1}{c \cdot x}\right) \right)}{(e x^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4*(a + b*acos(1/(c*x))))/(d + e*x^2)^3,x)`

[Out] `int((x^4*(a + b*acos(1/(c*x))))/(d + e*x^2)^3, x)`

$$3.109 \quad \int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$$

Optimal. Leaf size=1124

$$\frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e}(c^2d+e)\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} + \frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e}(c^2d+e)\left(\sqrt{-d}\sqrt{e}+\frac{d}{x}\right)} + \frac{a+b\sec^{-1}(cx)}{16\sqrt{-d}\sqrt{e}\left(\sqrt{-d}\sqrt{e}\right)}$$

[Out] $-1/16*b*\operatorname{arctanh}((c^2*d-(-d)^{(1/2)}*e^{(1/2)}/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)})/d^{(3/2)}/(c^2*d+e)^{(3/2)}-1/16*b*\operatorname{arctanh}((c^2*d+(-d)^{(1/2)}*e^{(1/2)}/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)})/d^{(3/2)}/(c^2*d+e)^{(3/2)}-1/16*(a+b*\operatorname{arcsec}(c*x))*\ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}+1/16*(a+b*\operatorname{arcsec}(c*x))*\ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}-1/16*(a+b*\operatorname{arcsec}(c*x))*\ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}+1/16*(a+b*\operatorname{arcsec}(c*x))*\ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}+1/16*I*b*\operatorname{polylog}(2,c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}-1/16*I*b*\operatorname{polylog}(2,-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}-1/16*I*b*\operatorname{polylog}(2,-c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}+1/16*I*b*\operatorname{polylog}(2,c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}+1/16*(a+b*\operatorname{arcsec}(c*x))/(-d)^{(1/2)}/e^{(1/2)}/(-d/x+(-d)^{(1/2)}*e^{(1/2)})^2+1/16*(a+b*\operatorname{arcsec}(c*x))/d/e/(-d/x+(-d)^{(1/2)}*e^{(1/2)})+1/16*(-a-b*\operatorname{arcsec}(c*x))/(-d)^{(1/2)}/e^{(1/2)}/(d/x+(-d)^{(1/2)}*e^{(1/2)})^2+1/16*(-a-b*\operatorname{arcsec}(c*x))/d/e/(d/x+(-d)^{(1/2)}*e^{(1/2)})+1/16*b*\operatorname{arctanh}((c^2*d-(-d)^{(1/2)}*e^{(1/2)}/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)})/d^{(3/2)}/e/(c^2*d+e)^{(1/2)}+1/16*b*\operatorname{arctanh}((c^2*d+(-d)^{(1/2)}*e^{(1/2)}/x)/c/d^{(1/2)}/(c^2*d+e)^{(1/2)}/(1-1/c^2/x^2)^{(1/2)})/d^{(3/2)}/e/(c^2*d+e)^{(1/2)}+1/16*b*c*(1-1/c^2/x^2)^{(1/2)}/(c^2*d+e)/(-d)^{(1/2)}/e^{(1/2)}/(-d/x+(-d)^{(1/2)}*e^{(1/2)})+1/16*b*c*(1-1/c^2/x^2)^{(1/2)}/(c^2*d+e)/(-d)^{(1/2)}/e^{(1/2)}/(d/x+(-d)^{(1/2)}*e^{(1/2)})$

Rubi [A]

time = 2.96, antiderivative size = 1124, normalized size of antiderivative = 1.00, number of steps used = 63, number of rules used = 12, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {5348, 4818, 4758, 4828, 745, 739, 212, 4826, 4616, 2221, 2317, 2438}

Antiderivative was successfully verified.

[In] Int[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]

[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)])/(16*Sqrt[-d]*Sqrt[e]*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] - d/x)) + (b*c*Sqrt[1 - 1/(c^2*x^2)])/(16*Sqrt[-d]*Sqrt[e]*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] + d/x)) + (a + b*ArcSec[c*x])/(16*Sqrt[-d]*Sqrt[e]*(Sqrt[-d]*Sqrt[e] - d/x)^2) + (a + b*ArcSec[c*x])/(16*d*e*(Sqrt[-d]*Sqrt[e] - d/x)) - (a + b*ArcSec[c*x])/(16*Sqrt[-d]*Sqrt[e]*(Sqrt[-d]*Sqrt[e] + d/x)^2) - (a + b*ArcSec[c*x])/(16*d*e*(Sqrt[-d]*Sqrt[e] + d/x)) - (b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(3/2)*(c^2*d + e)^(3/2)) + (b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(3/2)*e*Sqrt[c^2*d + e]) - (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(3/2)*(c^2*d + e)^(3/2)) + (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(3/2)*e*Sqrt[c^2*d + e]) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) - ((I/16)*b*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) + ((I/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) - ((I/16)*b*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) + ((I/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2))

Rule 212

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 739

Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 745

Int[((d_) + (e_)*(x_)^(m_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[e*(d + e*x)^(m + 1)*((a + c*x^2)^(p + 1)/((m + 1)*(c*d^2 + a*e^2))), x] + Dist[c*(d/(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m + 2*p + 3, 0]

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4616

```
Int[(((e_) + (f_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)])/(Cos[(c_) + (d_)
*(x_)]*(b_) + (a_)), x_Symbol] := Simp[I*(e + f*x)^(m + 1)/(b*f*(m + 1))
, x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b
*E^(I*(c + d*x))], x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a +
Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))], x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4758

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)*((d_) + (e_)*(x_)^2)^(p_), x
_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

Rule 4818

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)*((f_)*(x_))^(m_)*((d_) + (e_
)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4826

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)/((d_) + (e_)*(x_)), x_Symbol]
:= -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e*cos[x])), x], x, ArcCos[c*x]] /
```

; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 4828

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(m_.), x_Symbol] :> Simp[(d + e*x)^(m + 1)*((a + b*ArcCos[c*x])^n/(e*(m + 1))), x] + Dist[b*c*(n/(e*(m + 1))), Int[(d + e*x)^(m + 1)*((a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2]], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5348

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a + b \sec^{-1}(cx))}{(d + ex^2)^3} dx &= -\text{Subst} \left(\int \frac{x^2(a + b \cos^{-1}(\frac{x}{c}))}{(e + dx^2)^3} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(-\frac{e(a + b \cos^{-1}(\frac{x}{c}))}{d(e + dx^2)^3} + \frac{a + b \cos^{-1}(\frac{x}{c})}{d(e + dx^2)^2} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^3} dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{\text{Subst} \left(\int \left(-\frac{d(a + b \cos^{-1}(\frac{x}{c}))}{4e(\sqrt{-d} \sqrt{e - dx})^2} - \frac{d(a + b \cos^{-1}(\frac{x}{c}))}{4e(\sqrt{-d} \sqrt{e + dx})^2} - \frac{d(a + b \cos^{-1}(\frac{x}{c}))}{2e(-de - d^2x^2)} \right) dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{3 \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(\sqrt{-d} \sqrt{e - dx})^2} dx, x, \frac{1}{x} \right)}{16e} - \frac{3 \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(\sqrt{-d} \sqrt{e + dx})^2} dx, x, \frac{1}{x} \right)}{16e} \\
&= \frac{a + b \sec^{-1}(cx)}{16\sqrt{-d} \sqrt{e} \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)^2} + \frac{a + b \sec^{-1}(cx)}{16de \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{16\sqrt{-d} \sqrt{e} \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d} \sqrt{e} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d} \sqrt{e} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d} \sqrt{e} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d} \sqrt{e} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d} \sqrt{e} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d} \sqrt{e} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d} \sqrt{e} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d} \sqrt{e} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)}
\end{aligned}$$

Mathematica [A]

time = 6.05, size = 1827, normalized size = 1.63

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]

[Out]
$$-1/4*(a*x)/(e*(d + e*x^2)^2) + (a*x)/(8*d*e*(d + e*x^2)) + (a*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*d^(3/2)*e^(3/2)) + b*(-1/16*(-(ArcSec[c*x]/(I*Sqrt[d]*Sqrt[e] + e*x)) + (I*(ArcSin[1/(c*x)]/Sqrt[e] - Log[(2*Sqrt[d]*Sqrt[e]*(Sqrt[e] + c*(I*c*Sqrt[d] - Sqrt[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)])*x))/(Sqrt[-(c^2*d) - e]*(Sqrt[d] - I*Sqrt[e]*x))/Sqrt[-(c^2*d) - e]))/Sqrt[d])/(d*e) - (-ArcSec[c*x]/((-I)*Sqrt[d]*Sqrt[e] + e*x)) - (I*(ArcSin[1/(c*x)]/Sqrt[e] - Log[(2*Sqrt[d]*Sqrt[e]*(-Sqrt[e] + c*(I*c*Sqrt[d] + Sqrt[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)])*x))/(Sqrt[-(c^2*d) - e]*(Sqrt[d] + I*Sqrt[e]*x))/Sqrt[-(c^2*d) - e]))/Sqrt[d])/(16*d*e) - ((I/16)*(-(ArcSec[c*x]/(Sqrt[e]*((-I)*Sqrt[d] + Sqrt[e]*x)^2)) + (ArcSin[1/(c*x)]/Sqrt[e] - I*((c*Sqrt[d]*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)])*x)/((c^2*d + e)*((-I)*Sqrt[d] + Sqrt[e]*x)) + ((2*c^2*d + e)*Log[(-4*d*Sqrt[e]*Sqrt[c^2*d + e]*(I*Sqrt[e] + c*(c*Sqrt[d] - Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])*x))/((2*c^2*d + e)*((-I)*Sqrt[d] + Sqrt[e]*x)))/(c^2*d + e)^(3/2)))/d)/Sqrt[d]*e) + ((I/16)*((I*c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)]*x)/Sqrt[d]*(c^2*d + e)*(I*Sqrt[d] + Sqrt[e]*x)) - ArcSec[c*x]/(Sqrt[e]*(I*Sqrt[d] + Sqrt[e]*x)^2) + ArcSin[1/(c*x)]/(d*Sqrt[e]) - (I*(2*c^2*d + e)*Log[(4*d*Sqrt[e]*Sqrt[c^2*d + e]*((-I)*Sqrt[e] + c*(c*Sqrt[d] + Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])*x))/((2*c^2*d + e)*(I*Sqrt[d] + Sqrt[e]*x)))/(d*(c^2*d + e)^(3/2)))/Sqrt[d]*e) + (8*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]) - (2*I)*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - (4*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - (2*I)*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) + (4*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) + (2*I)*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] - 2*PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - 2*PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + PolyLog[2, -E^((2*I)*ArcSec[c*x])])/(32*d^(3/2)*e^(3/2)) - (8*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*ArcTan[(((I)*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]) - (2*I)*ArcSec[c*x]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - (4*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - (2*I)*ArcSec[c*x]*Log[1 - (I*(Sqrt[e] +$$

$$\begin{aligned} & \text{Sqrt}[c^2*d + e]) * E^{(I * \text{ArcSec}[c*x])} / (c * \text{Sqrt}[d]) + (4 * I) * \text{ArcSin}[\text{Sqrt}[1 - (\\ & I * \text{Sqrt}[e]) / (c * \text{Sqrt}[d])] / \text{Sqrt}[2]] * \text{Log}[1 - (I * (\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]) * E^{(\\ & I * \text{ArcSec}[c*x])} / (c * \text{Sqrt}[d]) + (2 * I) * \text{ArcSec}[c*x] * \text{Log}[1 + E^{((2 * I) * \text{ArcSec}[c* \\ & x])}] - 2 * \text{PolyLog}[2, ((-I) * (-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]) * E^{(I * \text{ArcSec}[c*x])} / (\\ & c * \text{Sqrt}[d]) - 2 * \text{PolyLog}[2, (I * (\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]) * E^{(I * \text{ArcSec}[c*x])} \\ &) / (c * \text{Sqrt}[d]) + \text{PolyLog}[2, -E^{((2 * I) * \text{ArcSec}[c*x])})] / (32 * d^{(3/2)} * e^{(3/2)}) \end{aligned}$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 2.99, size = 2357, normalized size = 2.10

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^2 * (a + b * \text{arcsec}(c * x)) / (e * x^2 + d)^3, x)$

[Out]
$$\begin{aligned} & \frac{1}{8} * c^4 * a / (c^2 * e * x^2 + c^2 * d)^2 / d * x^3 - 1/4 * I / c^2 * b * (-c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2)} + 2 * e) * d^{(1/2)} * \text{arctanh}((1/c * x + I * (1 - 1/c^2/x^2)^{(1/2)}) * c * d / ((-c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)} - 2 * e) * d)^{(1/2)}) / e / (c^2 * d + e) / d^3 * (e * (c^2 * d + e))^{(1/2)} + 1/4 * I / c^2 * b * ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)} + 2 * e) * d)^{(1/2)} * \text{arctan}((1/c * x + I * (1 - 1/c^2/x^2)^{(1/2)}) * c * d / ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)} + 2 * e) * d)^{(1/2)}) / e / (c^2 * d + e) / d^3 * (e * (c^2 * d + e))^{(1/2)} + 1/8 * c^6 * b * x^3 / (c^2 * e * x^2 + c^2 * d)^2 / (c^2 * d + e) * \text{arcsec}(c * x) \\ & + 1/4 * I * b * ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)} + 2 * e) * d)^{(1/2)} * \text{arctan}((1/c * x + I * (1 - 1/c^2/x^2)^{(1/2)}) * c * d / ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)} + 2 * e) * d)^{(1/2)}) / (c^2 * d + e)^2 / d^2 + 1/4 * I * b * (-c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2)} + 2 * e) * d^{(1/2)} * \text{arctanh}((1/c * x + I * (1 - 1/c^2/x^2)^{(1/2)}) * c * d / ((-c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)} - 2 * e) * d)^{(1/2)}) / (c^2 * d + e)^2 / d^2 + 1/16 * I * c^3 * b / e / (c^2 * d + e) * \text{sum}(_R1 / (_R1^2 * c^2 * d + c^2 * d + 2 * e) * (I * \text{arcsec}(c * x) * \ln((_R1 - 1/c * x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1) + \text{dilog}((_R1 - 1/c * x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1)), _R1 = \text{RootOf}(c^2 * d * _Z^4 + (2 * c^2 * d + 4 * e) * _Z^2 + c^2 * d)) - 1/16 * I * c * b / d / (c^2 * d + e) * \text{sum}(1 / _R1 / (_R1^2 * c^2 * d + c^2 * d + 2 * e) * (I * \text{arcsec}(c * x) * \ln((_R1 - 1/c * x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1) + \text{dilog}((_R1 - 1/c * x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1)), _R1 = \text{RootOf}(c^2 * d * _Z^4 + (2 * c^2 * d + 4 * e) * _Z^2 + c^2 * d)) - 1/16 * I * c^3 * b / e / (c^2 * d + e) * \text{sum}(1 / _R1 / (_R1^2 * c^2 * d + c^2 * d + 2 * e) * (I * \text{arcsec}(c * x) * \ln((_R1 - 1/c * x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1) + \text{dilog}((_R1 - 1/c * x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1)), _R1 = \text{RootOf}(c^2 * d * _Z^4 + (2 * c^2 * d + 4 * e) * _Z^2 + c^2 * d)) + 1/16 * I * c * b / d / (c^2 * d + e) * \text{sum}(_R1 / (_R1^2 * c^2 * d + c^2 * d + 2 * e) * (I * \text{arcsec}(c * x) * \ln((_R1 - 1/c * x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1) + \text{dilog}((_R1 - 1/c * x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1)), _R1 = \text{RootOf}(c^2 * d * _Z^4 + (2 * c^2 * d + 4 * e) * _Z^2 + c^2 * d)) - 1/8 * c^5 * b * x^4 / (c^2 * e * x^2 + c^2 * d)^2 * e / (c^2 * d + e) / d * ((c^2 * x^2 - 1) / c^2 * x^2)^{(1/2)} - 1/8 * c^6 * b * x / (c^2 * e * x^2 + c^2 * d)^2 / (c^2 * d + e) / e * \text{arcsec}(c * x) * d + 1/4 * I / c^2 * b * (-c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2)} + 2 * e) * d^{(1/2)} * \text{arctanh}((1/c * x + I * (1 - 1/c^2/x^2)^{(1/2)}) * c * d / ((-c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)} - 2 * e) * d)^{(1/2)}) / (c^2 * d + e)^2 * e / d^3 + 1/8 * c^4 * b * x^3 / (c^2 * e * x^2 + c^2 * d)^2 * e / (c^2 * d + e) / d * \text{arcsec}(c * x) + 1/4 * I / c^2 * b * (-c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2)} + 2 * e) * d^{(1/2)} * \text{arctanh}((1/c * x + I * (1 - 1/c^2/x^2)^{(1/2)}) * c * d / ((-c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)} - 2 * e) * d)^{(1/2)}) / (c^2 * d + e)^2 / d^3 * (e * (c^2 * d + e))^{(1/2)} + 1/4 * I / c^2 * b * ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)} + 2 * e) * d)^{(1/2)} * \text{arctan}((1/c * x + I * (1 - 1/c^2/x^2)^{(1/2)}) * c * d / ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)} + 2 * e) * d)^{(1/2)}) / e / (c^2 * d + e) / d^3 * (e * (c^2 * d + e))^{(1/2)} \end{aligned}$$

$$\begin{aligned} & *d+e))^{\frac{1}{2}+2*e}*d)^{\frac{1}{2}}/(c^2*d+e)^2*e/d^3+1/8*I*b*(-(c^2*d-2*(e*(c^2*d+ \\ & e))^{\frac{1}{2}+2*e}*d)^{\frac{1}{2}}*\operatorname{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{\frac{1}{2}})*c*d/((-c^2*d+ \\ & 2*(e*(c^2*d+e))^{\frac{1}{2}}-2*e)*d)^{\frac{1}{2}})/(c^2*d+e)^2/e/d^2*(e*(c^2*d+e))^{\frac{1}{2}}- \\ & 1/8*I*b*((c^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}}*\operatorname{arctan}((1/c/x+I*(1-1/c^ \\ & 2/x^2)^{\frac{1}{2}})*c*d/((c^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}})/(c^2*d+e)^2/ \\ & e/d^2*(e*(c^2*d+e))^{\frac{1}{2}}-1/4*I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}}+2*e)*d) \\ & ^{\frac{1}{2}}*\operatorname{arctan}((1/c/x+I*(1-1/c^2/x^2)^{\frac{1}{2}})*c*d/((c^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}} \\ & +2*e)*d)^{\frac{1}{2}})/(c^2*d+e)^2/d^3*(e*(c^2*d+e))^{\frac{1}{2}}-1/8*c^5*b*x^2/(c^2*e* \\ & x^2+c^2*d)^2/(c^2*d+e)*((c^2*x^2-1)/c^2/x^2)^{\frac{1}{2}}-1/8*c^4*b*x/(c^2*e*x^2+c \\ & ^2*d)^2/(c^2*d+e)*\operatorname{arcsec}(c*x)-1/8*I*b*(-(c^2*d-2*(e*(c^2*d+e))^{\frac{1}{2}}+2*e)*d \\ &)^{\frac{1}{2}}*\operatorname{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{\frac{1}{2}})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}} \\ & -2*e)*d)^{\frac{1}{2}})/e/(c^2*d+e)/d^2-1/8*I*b*((c^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}}+ \\ & 2*e)*d)^{\frac{1}{2}}*\operatorname{arctan}((1/c/x+I*(1-1/c^2/x^2)^{\frac{1}{2}})*c*d/((c^2*d+2*(e*(c^2*d+ \\ & e))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}})/e/(c^2*d+e)/d^2-1/4*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e \\ &))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}}*\operatorname{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{\frac{1}{2}})*c*d/((-c^2*d+2 \\ & *(e*(c^2*d+e))^{\frac{1}{2}}-2*e)*d)^{\frac{1}{2}})/(c^2*d+e)/d^3-1/4*I/c^2*b*((c^2*d+2*(e* \\ & (c^2*d+e))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}}*\operatorname{arctan}((1/c/x+I*(1-1/c^2/x^2)^{\frac{1}{2}})*c*d/((c \\ & ^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}})/(c^2*d+e)/d^3-1/8*c^4*a/(c^2*e*x^ \\ & 2+c^2*d)^2/e*x+1/8*a/d/e/(d*e)^{\frac{1}{2}}*\operatorname{arctan}(e*x/(d*e)^{\frac{1}{2}}) \end{aligned}$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="maxima")`

[Out] $1/8*a*(\operatorname{arctan}(x*e^{\frac{1}{2}}/\sqrt{d}))*e^{-\frac{3}{2}}/d^{\frac{3}{2}} + (x^3*e - d*x)/(d*x^4*e^3 + 2*d^2*x^2*e^2 + d^3*e) + b*\operatorname{integrate}(x^2*\operatorname{arctan}(\sqrt{c*x + 1})*\sqrt{c*x - 1})/(x^6*e^3 + 3*d*x^4*e^2 + 3*d^2*x^2*e + d^3), x)$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="fricas")`

[Out] `integral((b*x^2*arcsec(c*x) + a*x^2)/(x^6*e^3 + 3*d*x^4*e^2 + 3*d^2*x^2*e + d^3), x)`

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a+b*asec(c*x))/(e*x**2+d)**3,x)
```

```
[Out] Timed out
```

Giac [F(-2)]

```
time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="giac")
```

```
[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign
by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2po
ly/r2sym(
```

Mupad [F]

```
time = 0.00, size = -1, normalized size = -0.00
```

$$\int \frac{x^2 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{(e x^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^2*(a + b*acos(1/(c*x))))/(d + e*x^2)^3,x)
```

```
[Out] int((x^2*(a + b*acos(1/(c*x))))/(d + e*x^2)^3, x)
```

$$3.110 \quad \int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^3} dx$$

Optimal. Leaf size=1114

$$\frac{bc\sqrt{e} \sqrt{1 - \frac{1}{c^2x^2}}}{16(-d)^{3/2}(c^2d+e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x}\right)} + \frac{bc\sqrt{e} \sqrt{1 - \frac{1}{c^2x^2}}}{16(-d)^{3/2}(c^2d+e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x}\right)} + \frac{\sqrt{e} (a + b \sec^{-1}(cx))}{16(-d)^{3/2} \left(\sqrt{-d} \sqrt{e} - \frac{d}{x}\right)}$$

[Out] 1/16*b*e*arctanh((c^2*d-(-d)^(1/2)*e^(1/2)/x)/c/d^(1/2)/(c^2*d+e)^(1/2)/(1-1/c^2/x^2)^(1/2))/d^(5/2)/(c^2*d+e)^(3/2)+1/16*b*e*arctanh((c^2*d+(-d)^(1/2)*e^(1/2)/x)/c/d^(1/2)/(c^2*d+e)^(1/2)/(1-1/c^2/x^2)^(1/2))/d^(5/2)/(c^2*d+e)^(3/2)+3/16*(a+b*arcsec(c*x))*ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/(-d)^(5/2)/e^(1/2)-3/16*(a+b*arcsec(c*x))*ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/(-d)^(5/2)/e^(1/2)+3/16*(a+b*arcsec(c*x))*ln(1-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/(-d)^(5/2)/e^(1/2)-3/16*(a+b*arcsec(c*x))*ln(1+c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/(-d)^(5/2)/e^(1/2)+3/16*I*b*polylog(2,-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/(-d)^(5/2)/e^(1/2)-3/16*I*b*polylog(2,c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/(-d)^(5/2)/e^(1/2)+3/16*I*b*polylog(2,-c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/(-d)^(5/2)/e^(1/2)-3/16*I*b*polylog(2,c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/(-d)^(5/2)/e^(1/2)+1/16*(a+b*arcsec(c*x))*e^(1/2)/(-d)^(3/2)/(-d/x+(-d)^(1/2)*e^(1/2))^2-5/16*(a+b*arcsec(c*x))/d^2/(-d/x+(-d)^(1/2)*e^(1/2))-1/16*(a+b*arcsec(c*x))*e^(1/2)/(-d)^(3/2)/(d/x+(-d)^(1/2)*e^(1/2))^2+5/16*(a+b*arcsec(c*x))/d^2/(d/x+(-d)^(1/2)*e^(1/2))-5/16*b*arctanh((c^2*d-(-d)^(1/2)*e^(1/2)/x)/c/d^(1/2)/(c^2*d+e)^(1/2)/(1-1/c^2/x^2)^(1/2))/d^(5/2)/(c^2*d+e)^(1/2)-5/16*b*arctanh((c^2*d+(-d)^(1/2)*e^(1/2)/x)/c/d^(1/2)/(c^2*d+e)^(1/2)/(1-1/c^2/x^2)^(1/2))/d^(5/2)/(c^2*d+e)^(1/2)+1/16*b*c*e^(1/2)*(1-1/c^2/x^2)^(1/2)/(-d)^(3/2)/(c^2*d+e)/(-d/x+(-d)^(1/2)*e^(1/2))+1/16*b*c*e^(1/2)*(1-1/c^2/x^2)^(1/2)/(-d)^(3/2)/(c^2*d+e)/(d/x+(-d)^(1/2)*e^(1/2))

Rubi [A]

time = 3.77, antiderivative size = 1114, normalized size of antiderivative = 1.00, number of steps used = 81, number of rules used = 12, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {5338, 4818, 4758, 4828, 745, 739, 212, 4826, 4616, 2221, 2317, 2438}

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x^2)^3,x]

[Out] (b*c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)])/(16*(-d)^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] - d/x)) + (b*c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)])/(16*(-d)^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] + d/x)) + (Sqrt[e]*(a + b*ArcSec[c*x]))/(16*(-d)^(3/2)*(Sqrt[-d]*Sqrt[e] - d/x)^2) - (5*(a + b*ArcSec[c*x]))/(16*d^2*(Sqrt[-d]*Sqrt[e] - d/x)) - (Sqrt[e]*(a + b*ArcSec[c*x]))/(16*(-d)^(3/2)*(Sqrt[-d]*Sqrt[e] + d/x)^2) + (5*(a + b*ArcSec[c*x]))/(16*d^2*(Sqrt[-d]*Sqrt[e] + d/x)) + (b*e*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(5/2)*(c^2*d + e)^(3/2)) - (5*b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(5/2)*Sqrt[c^2*d + e]) + (b*e*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(5/2)*(c^2*d + e)^(3/2)) - (5*b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(5/2)*Sqrt[c^2*d + e]) + (3*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (3*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) + (3*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (3*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) + (((3*I)/16)*b*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (((3*I)/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) + (((3*I)/16)*b*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (((3*I)/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e])

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 739

Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 745

Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[e*(d + e*x)^(m + 1)*((a + c*x^2)^(p + 1)/((m + 1)*(c*d^2 + a*e^2))), x] + Dist[c*(d/(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m + 2*p + 3, 0]

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*(c_) + (d_)*(x_)))^(n_)], x_Symbol]
:=> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :=> Simp[-PolyLog[2
, (-c)*e*x^n/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4616

```
Int[(((e_) + (f_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)])/(Cos[(c_) + (d_)
*(x_)]*(b_) + (a_)), x_Symbol] :=> Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1)))
, x] + (-Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b
*E^(I*(c + d*x))], x], x] - Dist[I, Int[(e + f*x)^m*(E^(I*(c + d*x)))/(a +
Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))], x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 4758

```
Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*((d_) + (e_)*(x_)^2)^(p_), x
_Symbol] :=> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

Rule 4818

```
Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*((f_)*(x_))^(m_)*((d_) + (e_
)*(x_)^2)^(p_), x_Symbol] :=> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4826

```
Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)/((d_) + (e_)*(x_)), x_Symbol]
:=> -Subst[Int[(a + b*x)^n*(Sin[x]/(c*d + e*cos[x])), x], x, ArcCos[c*x]] /
```

; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 4828

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_))^(m_.), x_Symbol] :> Simp[(d + e*x)^(m + 1)*((a + b*ArcCos[c*x])^n/(e*(m + 1))), x] + Dist[b*c*(n/(e*(m + 1))), Int[(d + e*x)^(m + 1)*((a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2]], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5338

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCos[x/c])^n/x^(2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex^2)^3} dx &= -\text{Subst} \left(\int \frac{x^4 (a + b \cos^{-1}(\frac{x}{c}))}{(e + dx^2)^3} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{e^2 (a + b \cos^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)^3} - \frac{2e (a + b \cos^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)^2} + \frac{a + b \cos^{-1}(\frac{x}{c})}{d^2 (e + dx^2)} \right) dx, x \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{e + dx^2} dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d^2} - \frac{e^2 \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^3} dx, x, \frac{1}{x} \right)}{d^2} \\
&= -\frac{\text{Subst} \left(\int \left(\frac{a + b \cos^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} - \sqrt{-d}x)} + \frac{a + b \cos^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{3 \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(\sqrt{-d}\sqrt{e} - dx)^2} dx, x, \frac{1}{x} \right)}{16d} + \frac{3 \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(\sqrt{-d}\sqrt{e} + dx)^2} dx, x, \frac{1}{x} \right)}{16d} + \frac{e^2 \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^3} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{\sqrt{e} (a + b \sec^{-1}(cx))}{16(-d)^{3/2} (\sqrt{-d}\sqrt{e} - \frac{d}{x})^2} - \frac{5(a + b \sec^{-1}(cx))}{16d^2 (\sqrt{-d}\sqrt{e} - \frac{d}{x})} - \frac{\sqrt{e} (a + b \sec^{-1}(cx))}{16(-d)^{3/2} (\sqrt{-d}\sqrt{e} + \frac{d}{x})^2} \\
&= \frac{bc\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}}{16(-d)^{3/2} (c^2 d + e) (\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{bc\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}}{16(-d)^{3/2} (c^2 d + e) (\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{e^2 \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^3} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{bc\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}}{16(-d)^{3/2} (c^2 d + e) (\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{bc\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}}{16(-d)^{3/2} (c^2 d + e) (\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{e^2 \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^3} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{bc\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}}{16(-d)^{3/2} (c^2 d + e) (\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{bc\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}}{16(-d)^{3/2} (c^2 d + e) (\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{e^2 \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^3} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{bc\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}}{16(-d)^{3/2} (c^2 d + e) (\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{bc\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}}{16(-d)^{3/2} (c^2 d + e) (\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{e^2 \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^3} dx, x, \frac{1}{x} \right)}{d^2}
\end{aligned}$$

Mathematica [A]

time = 6.03, size = 1812, normalized size = 1.63



Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x^2)^3,x]
```

```
[Out] (a*x)/(4*d*(d + e*x^2)^2) + (3*a*x)/(8*d^2*(d + e*x^2)) + (3*a*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*d^(5/2)*Sqrt[e]) + b*((-3*(-(ArcSec[c*x]/(I*Sqrt[d]*Sqrt[e] + e*x)) + (I*(ArcSin[1/(c*x)]/Sqrt[e] - Log[(2*Sqrt[d]*Sqrt[e]*(Sqrt[e] + c*(I*c*Sqrt[d] - Sqrt[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)])*x])/Sqrt[-(c^2*d) - e]*(Sqrt[d] - I*Sqrt[e]*x)))/Sqrt[-(c^2*d) - e]))/Sqrt[d]))/(16*d^2) - (3*(-(ArcSec[c*x]/((-I)*Sqrt[d]*Sqrt[e] + e*x)) - (I*(ArcSin[1/(c*x)]/Sqrt[e] - Log[(2*Sqrt[d]*Sqrt[e]*(-Sqrt[e] + c*(I*c*Sqrt[d] + Sqrt[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)])*x])/Sqrt[-(c^2*d) - e]*(Sqrt[d] + I*Sqrt[e]*x)))/Sqrt[-(c^2*d) - e]))/Sqrt[d]))/(16*d^2) + ((I/16)*(-(ArcSec[c*x]/(Sqrt[e]*((-I)*Sqrt[d] + Sqrt[e]*x)^2)) + (ArcSin[1/(c*x)]/Sqrt[e] - I*((c*Sqrt[d]*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)]*x)/((c^2*d + e)*((-I)*Sqrt[d] + Sqrt[e]*x)) + ((2*c^2*d + e)*Log[(-4*d*Sqrt[e]*Sqrt[c^2*d + e]*(I*Sqrt[e] + c*(c*Sqrt[d] - Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])*x))/((2*c^2*d + e)*((-I)*Sqrt[d] + Sqrt[e]*x)))]/(c^2*d + e)^(3/2)))/d)/d^(3/2) - ((I/16)*((I*c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)]*x)/(Sqrt[d]*(c^2*d + e)*(I*Sqrt[d] + Sqrt[e]*x)) - ArcSec[c*x]/(Sqrt[e]*(I*Sqrt[d] + Sqrt[e]*x)^2) + ArcSin[1/(c*x)]/(d*Sqrt[e]) - (I*(2*c^2*d + e)*Log[(4*d*Sqrt[e]*Sqrt[c^2*d + e]*((-I)*Sqrt[e] + c*(c*Sqrt[d] + Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])*x))/((2*c^2*d + e)*(I*Sqrt[d] + Sqrt[e]*x)))]/(d*(c^2*d + e)^(3/2)))/d^(3/2) + (3*(8*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] - (2*I)*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (4*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (2*I)*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (4*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (2*I)*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] - 2*PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - 2*PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + PolyLog[2, -E^((2*I)*ArcSec[c*x])])]/(32*d^(5/2)*Sqrt[e]) - (3*(8*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[(((I*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] - (2*I)*ArcSec[c*x]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (4*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (2*I)*ArcSec[c*x]*Log[1 - (I*(Sqr
```

$$t[e] + \text{Sqrt}[c^2*d + e]*E^{(I*\text{ArcSec}[c*x])}/(c*\text{Sqrt}[d]) + (4*I)*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]/\text{Sqrt}[2]]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))*E^{(I*\text{ArcSec}[c*x])}/(c*\text{Sqrt}[d]) + (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + E^{((2*I)*\text{ArcSec}[c*x])}] - 2*\text{PolyLog}[2, ((-I)*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))*E^{(I*\text{ArcSec}[c*x])}/(c*\text{Sqrt}[d]) - 2*\text{PolyLog}[2, (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))*E^{(I*\text{ArcSec}[c*x])}/(c*\text{Sqrt}[d]) + \text{PolyLog}[2, -E^{((2*I)*\text{ArcSec}[c*x])})]/(32*d^{(5/2)*\text{Sqrt}[e])}]$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 2.46, size = 3214, normalized size = 2.89

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{arcsec}(c*x))/(e*x^2+d)^3, x)$

[Out] $5/8*c^6*b*x/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*\text{arcsec}(c*x)+5/8*I*b*\text{arctan}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}/d^3/(c^2*d+e)+5/8*I*b*\text{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)}*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}/d^3/(c^2*d+e)-3/16*I*c^3*b/d/(c^2*d+e)*\text{sum}(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+3/16*I*c^3*b/d/(c^2*d+e)*\text{sum}(_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})*e^2/d^5/(c^2*d+e)+3/8*c^6*b*x^3/(c^2*e*x^2+c^2*d)^2*e/(c^2*d+e)/d*\text{arcsec}(c*x)+1/8*c^5*b*x^4/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)/d^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*e^2+1/8*c^5*b*x^2/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)/d*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*e+3/8*c^4*b*x^3/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)/d^2*\text{arcsec}(c*x)*e^2+5/8*c^4*b*x/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)/d*\text{arcsec}(c*x)*e+I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})*e^2/d^5/(c^2*d+e)+7/4*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})*e/d^4/(c^2*d+e)+5/4*I/c^2*b*\text{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)}*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}/d^4/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}-5/4*I/c^2*b*\text{arctan}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}/d^4/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}-9/4*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\text{arctanh}((1/c/x+I*(1-1/c^2/x^2)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^4/(c^2*d+e)^2-I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^3*\text{arc}$

$$\begin{aligned} & \tanh\left(\frac{1}{c/x+I\sqrt{1-1/c^2/x^2}}\right)*c*d/\left(\left(-c^2*d+2*(e^{c^2*d+e})\right)^{1/2}-2*e*d\right)^{1/2}/d^5/(c^2*d+e)^2-I/c^4*b*\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2} \\ & *e^3*\arctan\left(\frac{1}{c/x+I\sqrt{1-1/c^2/x^2}}\right)*c*d/\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2}/d^5/(c^2*d+e)^2+7/4*I/c^2*b*\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2} \\ & *\arctan\left(\frac{1}{c/x+I\sqrt{1-1/c^2/x^2}}\right)*c*d/\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2})*e/d^4/(c^2*d+e)-9/4*I/c^2*b*\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2} \\ & *e^2*\arctan\left(\frac{1}{c/x+I\sqrt{1-1/c^2/x^2}}\right)*c*d/\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2}/d^4/(c^2*d+e)^2-5/8*I*b*\left(-\left(c^2*d-2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2} \\ & *\arctanh\left(\frac{1}{c/x+I\sqrt{1-1/c^2/x^2}}\right)*c*d/\left(\left(-c^2*d+2*(e^{c^2*d+e})\right)^{1/2}-2*e*d\right)^{1/2}/\left(c^2*d+e\right)^2/d^3*(e^{c^2*d+e})^{1/2}-5/4*I*b*\left(-\left(c^2*d-2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2} \\ & *\arctanh\left(\frac{1}{c/x+I\sqrt{1-1/c^2/x^2}}\right)*c*d/\left(\left(-c^2*d+2*(e^{c^2*d+e})\right)^{1/2}-2*e*d\right)^{1/2}/\left(c^2*d+e\right)^2*e/d^3+5/8*I*b*\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2} \\ & *\arctan\left(\frac{1}{c/x+I\sqrt{1-1/c^2/x^2}}\right)*c*d/\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2}/d^3/(c^2*d+e)^2*(e^{c^2*d+e})^{1/2}-5/4*I*b*\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2} \\ & *\arctan\left(\frac{1}{c/x+I\sqrt{1-1/c^2/x^2}}\right)*c*d/\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2}/\left(c^2*d+e\right)^2*e/d^3-3/16*I*c*b/d^2/(c^2*d+e)*e*\sum\left(\frac{1}{_R1}/\left(_R1^2*c^2*d+c^2*d+2*e\right)*\left(I*\operatorname{arcsec}(c*x)*\ln\left(\frac{_R1-1/c/x-I\sqrt{1-1/c^2/x^2}}{_R1}\right)+\operatorname{dilog}\left(\frac{_R1-1/c/x-I\sqrt{1-1/c^2/x^2}}{_R1}\right),_R1=\operatorname{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d)\right)+3/16*I*c*b/d^2/(c^2*d+e)*e*\sum\left(\frac{1}{_R1}/\left(_R1^2*c^2*d+c^2*d+2*e\right)*\left(I*\operatorname{arcsec}(c*x)*\ln\left(\frac{_R1-1/c/x-I\sqrt{1-1/c^2/x^2}}{_R1}\right)+\operatorname{dilog}\left(\frac{_R1-1/c/x-I\sqrt{1-1/c^2/x^2}}{_R1}\right),_R1=\operatorname{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d)\right)+3/8*a/d^2/(d*e)^{1/2}*\arctan(e*x/(d*e)^{1/2})+I/c^4*b*\left(-\left(c^2*d-2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2}*\arctanh\left(\frac{1}{c/x+I\sqrt{1-1/c^2/x^2}}\right)*c*d/\left(\left(-c^2*d+2*(e^{c^2*d+e})\right)^{1/2}-2*e*d\right)^{1/2})*e/d^5/(c^2*d+e)*(e^{c^2*d+e})^{1/2}+I/c^4*b*\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2} \\ & *e^2*\arctan\left(\frac{1}{c/x+I\sqrt{1-1/c^2/x^2}}\right)*c*d/\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2}/d^5/(c^2*d+e)^2*(e^{c^2*d+e})^{1/2}+7/4*I/c^2*b*\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2} \\ & *e*\arctan\left(\frac{1}{c/x+I\sqrt{1-1/c^2/x^2}}\right)*c*d/\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2}/d^4/(c^2*d+e)^2*(e^{c^2*d+e})^{1/2}-I/c^4*b*\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2}*\arctan\left(\frac{1}{c/x+I\sqrt{1-1/c^2/x^2}}\right)*c*d/\left(\left(c^2*d+2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2})*e/d^5/(c^2*d+e)*(e^{c^2*d+e})^{1/2}-7/4*I/c^2*b*\left(-\left(c^2*d-2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2} \\ & *e*\arctanh\left(\frac{1}{c/x+I\sqrt{1-1/c^2/x^2}}\right)*c*d/\left(\left(-c^2*d+2*(e^{c^2*d+e})\right)^{1/2}-2*e*d\right)^{1/2}/d^4/(c^2*d+e)^2*(e^{c^2*d+e})^{1/2}-I/c^4*b*\left(-\left(c^2*d-2*(e^{c^2*d+e})\right)^{1/2}+2*e*d\right)^{1/2} \\ & *e^2*\arctanh\left(\frac{1}{c/x+I\sqrt{1-1/c^2/x^2}}\right)*c*d/\left(\left(-c^2*d+2*(e^{c^2*d+e})\right)^{1/2}-2*e*d\right)^{1/2}/d^5/(c^2*d+e)^2*(e^{c^2*d+e})^{1/2}+1/4*c^4*a*x/d/(c^2*e*x^2+c^2*d)^2+\dots \end{aligned}$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] $\frac{1}{8}a \cdot \left(\frac{3x^3e + 5dx}{d^2x^4e^2 + 2d^3x^2e + d^4} + 3 \arctan\left(\frac{x\sqrt{d}}{1/2}\right) \cdot e^{-1/2} / d^{5/2} \right) + b \cdot \int \frac{\arctan(\sqrt{cx+1})\sqrt{cx-1}}{(x^6e^3 + 3dx^4e^2 + 3d^2x^2e + d^3)} dx$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)/(x^6e^3 + 3d*x^4e^2 + 3d^2*x^2e + d^3), x)

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(sageVARx)]sym2poly/r2sym(

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(d + e*x^2)^3,x)

[Out] int((a + b*acos(1/(c*x)))/(d + e*x^2)^3, x)

3.111 $\int x^5 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=403

$$\frac{b(23c^4d^2 + 12c^2de - 75e^2)x\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{1680c^5e^2\sqrt{c^2x^2}} + \frac{b(29c^2d - 25e)x\sqrt{-1 + c^2x^2}(d + ex^2)^{3/2}}{840c^3e^2\sqrt{c^2x^2}} - \frac{bx\sqrt{-1 + c^2x^2}}{420c^2e\sqrt{c^2x^2}}$$

[Out] $\frac{1}{3}d^2(e^2x^2+d)^{3/2}(a+b\operatorname{arcsec}(cx))/e^3-2/5d(e^2x^2+d)^{5/2}(a+b\operatorname{arcsec}(cx))/e^3+1/7(e^2x^2+d)^{7/2}(a+b\operatorname{arcsec}(cx))/e^3+8/105b^2cd^{7/2}x\operatorname{arctan}((e^2x^2+d)^{1/2}/d^{1/2}/(c^2x^2-1)^{1/2})/e^3/(c^2x^2)^{1/2}-1/1680b^2(105c^6d^3-35c^4d^2e+63c^2de^2+75e^3)x\operatorname{arctanh}(e^{1/2}(c^2x^2-1)^{1/2}/c/(e^2x^2+d)^{1/2})/c^6/e^{5/2}/(c^2x^2)^{1/2}+1/840b^2(29c^2d-25e)x(e^2x^2+d)^{3/2}(c^2x^2-1)^{1/2}/c^3/e^2/(c^2x^2)^{1/2}-1/42b^2x(e^2x^2+d)^{5/2}(c^2x^2-1)^{1/2}/c/e^2/(c^2x^2)^{1/2}+1/1680b^2(23c^4d^2+12c^2de-75e^2)x(c^2x^2-1)^{1/2}(e^2x^2+d)^{1/2}/c^5/e^2/(c^2x^2)^{1/2}$

Rubi [A]

time = 0.88, antiderivative size = 403, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {272, 45, 5346, 12, 1629, 159, 163, 65, 223, 212, 95, 210}

$$\frac{d^2(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e^3} - \frac{2d(d+ex^2)^{5/2}(a+b\sec^{-1}(cx))}{5e^3} + \frac{(d+ex^2)^{7/2}(a+b\sec^{-1}(cx))}{7e^3} + \frac{8bd^{7/2}\operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d+c^2x^2-1}}\right)}{105c^2\sqrt{c^2x^2}} + \frac{bx\sqrt{c^2x^2-1}(d+ex^2)^{3/2}}{42c^2\sqrt{c^2x^2}} + \frac{bx\sqrt{c^2x^2-1}(29c^2d-25e)(d+ex^2)^{3/2}}{840c^2\sqrt{c^2x^2}} - \frac{bx(105c^6d^3-35c^4d^2e+63c^2de^2+75e^3)\operatorname{tanh}^{-1}\left(\frac{\sqrt{c^2x^2-1}}{\sqrt{d+ex^2}}\right)}{1680d^2\sqrt{c^2x^2}} + \frac{bx\sqrt{c^2x^2-1}(23c^4d^2+12c^2de-75e^2)\sqrt{d+ex^2}}{1680c^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] `Int[x^5*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]),x]`

[Out] $(b(23c^4d^2 + 12c^2de - 75e^2)x\sqrt{-1 + c^2x^2}\sqrt{d + ex^2})/(1680c^5e^2\sqrt{c^2x^2}) + (b(29c^2d - 25e)x\sqrt{-1 + c^2x^2}(d + ex^2)^{3/2})/(840c^3e^2\sqrt{c^2x^2}) - (b^2x\sqrt{-1 + c^2x^2}(d + ex^2)^{5/2})/(42c^2e^2\sqrt{c^2x^2}) + (d^2(d + ex^2)^{3/2}(a + b\operatorname{ArcSec}[c*x]))/(3e^3) - (2d(d + ex^2)^{5/2}(a + b\operatorname{ArcSec}[c*x]))/(5e^3) + ((d + ex^2)^{7/2}(a + b\operatorname{ArcSec}[c*x]))/(7e^3) + (8b^2cd^{7/2}x\operatorname{ArcTan}[\sqrt{d + ex^2}/(\sqrt{d}\sqrt{-1 + c^2x^2})])/(105e^3\sqrt{c^2x^2}) - (b(105c^6d^3 - 35c^4d^2e + 63c^2de^2 + 75e^3)x\operatorname{ArcTanh}[(\sqrt{e}\sqrt{-1 + c^2x^2})/(c\sqrt{d + ex^2})])/(1680c^6e^{5/2}\sqrt{c^2x^2})$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 45

`Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},`

$x]$ && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 95

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 159

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[h*(a + b*x)^m*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 2))), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]

Rule 163

Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

Rule 210

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^(-1))*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

$Q[a, 0] \parallel LtQ[b, 0]$

Rule 223

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}\{a, b\}, x] \&\& \text{!GtQ}[a, 0]$

Rule 272

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] \text{ /; FreeQ}\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 1629

$\text{Int}[(Px_)*((a_) + (b_)*(x_))^{(m_)}*((c_) + (d_)*(x_))^{(n_)}*((e_) + (f_)*(x_))^{(p_)}, x_Symbol] \rightarrow \text{With}\{q = \text{Expon}[Px, x], k = \text{Coeff}[Px, x, \text{Expon}[Px, x]]\}, \text{Simp}[k*(a + b*x)^{(m + q - 1)}*(c + d*x)^{(n + 1)}*((e + f*x)^{(p + 1)}/(d*f*b^{(q - 1)}*(m + n + p + q + 1))), x] + \text{Dist}[1/(d*f*b^q*(m + n + p + q + 1)), \text{Int}[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*\text{ExpandToSum}[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^{(q - 2)}*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x], x], x] \text{ /; NeQ}[m + n + p + q + 1, 0]] \text{ /; FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& \text{PolyQ}[Px, x]$

Rule 5346

$\text{Int}[(a_) + \text{ArcSec}[(c_)*(x_)]*(b_)*((f_)*(x_))^{(m_)}*((d_) + (e_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \text{With}\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSec}[c*x], u, x] - \text{Dist}[b*c*(x/\text{Sqrt}[c^2*x^2]), \text{Int}[\text{SimplifyIntegr and}[u/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x], x]] \text{ /; FreeQ}\{a, b, c, d, e, f, m, p\}, x] \&\& ((\text{IGtQ}[p, 0] \&\& \text{!(ILtQ}[(m - 1)/2, 0] \&\& \text{GtQ}[m + 2*p + 3, 0])) \parallel (\text{IGtQ}[(m + 1)/2, 0] \&\& \text{!(ILtQ}[p, 0] \&\& \text{GtQ}[m + 2*p + 3, 0])) \parallel (\text{ILtQ}[(m + 2*p + 1)/2, 0] \&\& \text{!ILtQ}[(m - 1)/2, 0]))$

Rubi steps

$$\begin{aligned}
\int x^5 \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx &= \frac{d^2(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^3} - \frac{2d(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5e^3} \\
&= \frac{d^2(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^3} - \frac{2d(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5e^3} \\
&= \frac{d^2(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^3} - \frac{2d(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5e^3} \\
&= -\frac{bx\sqrt{-1+c^2x^2} (d+ex^2)^{5/2}}{42ce^2\sqrt{c^2x^2}} + \frac{d^2(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^3} \\
&= \frac{b(29c^2d-25e)x\sqrt{-1+c^2x^2} (d+ex^2)^{3/2}}{840c^3e^2\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2} (d+ex^2)^{5/2}}{42ce^2\sqrt{c^2x^2}} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{1680c^5e^2\sqrt{c^2x^2}} + \frac{b(29c^2d-25e^2)}{1680c^5e^2\sqrt{c^2x^2}} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{1680c^5e^2\sqrt{c^2x^2}} + \frac{b(29c^2d-25e^2)}{1680c^5e^2\sqrt{c^2x^2}} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{1680c^5e^2\sqrt{c^2x^2}} + \frac{b(29c^2d-25e^2)}{1680c^5e^2\sqrt{c^2x^2}} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{1680c^5e^2\sqrt{c^2x^2}} + \frac{b(29c^2d-25e^2)}{1680c^5e^2\sqrt{c^2x^2}} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{1680c^5e^2\sqrt{c^2x^2}} + \frac{b(29c^2d-25e^2)}{1680c^5e^2\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A]

time = 3.79, size = 322, normalized size = 0.80

$$\frac{\sqrt{d+ex^2} \left(16ac^2(8d^2-4d^2ex^2+3de^2x^4+15e^3x^6) - bc \sqrt{1-\frac{1}{c^2x^2}} x(75e^2+2c^2e(19d+25ex^2)+c^2(-41d^2+22de^2+40e^2x^4))+16bc^2(8d^2-4d^2ex^2+3de^2x^4+15e^3x^6)\sec^{-1}(cx) \right)}{1680c^5e^2} - \frac{bx \sqrt{1-\frac{1}{c^2x^2}} \left(128c^2d^2 \operatorname{ArcTan} \left(\frac{\sqrt{d+ex^2}\sqrt{-1+c^2x^2}}{\sqrt{d+ex^2}} \right) + \sqrt{c} (105c^4d^2-35c^4de+63c^2de^2+75e^3) \operatorname{tanh}^{-1} \left(\frac{\sqrt{c}\sqrt{-1+c^2x^2}}{\sqrt{d+ex^2}} \right) \right)}{1680c^5e^2\sqrt{-1+c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^5*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]),x]

[Out] (Sqrt[d + e*x^2]*(16*a*c^5*(8*d^3 - 4*d^2*e*x^2 + 3*d*e^2*x^4 + 15*e^3*x^6) - b*e*Sqrt[1 - 1/(c^2*x^2)]*x*(75*e^2 + 2*c^2*e*(19*d + 25*e*x^2) + c^4*(-41*d^2 + 22*d*e*x^2 + 40*e^2*x^4)) + 16*b*c^5*(8*d^3 - 4*d^2*e*x^2 + 3*d*e^2*x^4 + 15*e^3*x^6)*ArcSec[c*x]))/(1680*c^5*e^3) - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(128*c^7*d^(7/2)*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]] + Sqrt[e]*(105*c^6*d^3 - 35*c^4*d^2*e + 63*c^2*d*e^2 + 75*e^3)*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])]))/(1680*c^6*e^3*Sqrt[-1 + c^2*x^2])

Maple [F]

time = 2.25, size = 0, normalized size = 0.00

$$\int x^5(a + b \operatorname{arcsec}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)

[Out] int(x^5*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] 1/105*((15*x^6*e^3 + 3*d*x^4*e^2 - 4*d^2*x^2*e + 8*d^3)*sqrt(x^2*e + d)*arc tan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 105*e^3*integrate((105*(c^2*x^7*e^3 - x^5*e^3 + (c^2*x^7*e^3 - x^5*e^3)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d)*log(x) + (105*c^2*x^7*e^3*log(c) - 105*x^5*e^3*log(c) + (15*(7*c^2*e^3*log(c) + c^2*e^3)*x^7 - 4*c^2*d^2*x^3*e + 8*c^2*d^3*x + 3*(c^2*d*e^2 - 35*e^3*log(c))*x^5)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d))/(c^2*x^2*e^3 + (c^2*x^2*e^3 - e^3)*e^(log(c*x + 1) + log(c*x - 1)) - e^3), x))*b*e^(-3) + 1/105*(15*(x^2*e + d)^(3/2)*x^4*e^(-1) - 12*(x^2*e + d)^(3/2)*d*x^2*e^(-2) + 8*(x^2*e + d)^(3/2)*d^2*e^(-3))*a

Fricas [A]

time = 6.13, size = 865, normalized size = 2.15

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")

```
[Out] [1/6720*(128*b*c^7*sqrt(-d)*d^3*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*e^2 - 4*(c^2*d*x^2 - x^2*e - 2*d)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*sqrt(-d) + 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*e)/x^4) + (105*b*c^6*d^3 - 35*b*c^4*d^2*e + 63*b*c^2*d*e^2 + 75*b*e^3)*e^(1/2)*log(c^4*d^2 - 4*(c^3*d + (2*c^3*x^2 - c)*e)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*e^(1/2) + (8*c^4*x^4 - 8*c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^2 - 3*c^2*d)*e) + 4*(240*a*c^7*x^6*e^3 + 48*a*c^7*d*x^4*e^2 - 64*a*c^7*d^2*x^2*e + 128*a*c^7*d^3 + 16*(15*b*c^7*x^6*e^3 + 3*b*c^7*d*x^4*e^2 - 4*b*c^7*d^2*x^2*e + 8*b*c^7*d^3)*arcsec(c*x) + (41*b*c^5*d^2*e - 5*(8*b*c^5*x^4 + 10*b*c^3*x^2 + 15*b*c)*e^3 - 2*(11*b*c^5*d*x^2 + 19*b*c^3*d)*e^2)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d))*e^(-3)/c^7, 1/6720*(256*b*c^7*d^(7/2)*arctan(-1/2*(c^2*d*x^2 - x^2*e - 2*d)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*sqrt(d)/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*e)) + (105*b*c^6*d^3 - 35*b*c^4*d^2*e + 63*b*c^2*d*e^2 + 75*b*e^3)*e^(1/2)*log(c^4*d^2 - 4*(c^3*d + (2*c^3*x^2 - c)*e)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*e^(1/2) + (8*c^4*x^4 - 8*c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^2 - 3*c^2*d)*e) + 4*(240*a*c^7*x^6*e^3 + 48*a*c^7*d*x^4*e^2 - 64*a*c^7*d^2*x^2*e + 128*a*c^7*d^3 + 16*(15*b*c^7*x^6*e^3 + 3*b*c^7*d*x^4*e^2 - 4*b*c^7*d^2*x^2*e + 8*b*c^7*d^3)*arcsec(c*x) + (41*b*c^5*d^2*e - 5*(8*b*c^5*x^4 + 10*b*c^3*x^2 + 15*b*c)*e^3 - 2*(11*b*c^5*d*x^2 + 19*b*c^3*d)*e^2)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d))*e^(-3)/c^7]
```

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(a+b*asec(c*x))*(e*x**2+d)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)*x^5, x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^5 \sqrt{e x^2 + d} \left(a + b \operatorname{arccos} \left(\frac{1}{c x} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^5*(d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))),x)
```

```
[Out] int(x^5*(d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))), x)
```

3.112 $\int x^3 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=294

$$\frac{b(c^2d + 9e)x\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{120c^3e\sqrt{c^2x^2}} - \frac{bx\sqrt{-1 + c^2x^2}(d + ex^2)^{3/2}}{20ce\sqrt{c^2x^2}} - \frac{d(d + ex^2)^{3/2}(a + b \sec^{-1}(cx))}{3e^2} + \dots$$

[Out] $-1/3*d*(e*x^2+d)^{(3/2)}*(a+b*\text{arcsec}(c*x))/e^2+1/5*(e*x^2+d)^{(5/2)}*(a+b*\text{arcsec}(c*x))/e^2-2/15*b*c*d^{(5/2)}*x*\text{arctan}((e*x^2+d)^{(1/2)}/d^{(1/2)})/(c^2*x^2-1)^{(1/2)}/e^2/(c^2*x^2)^{(1/2)}+1/120*b*(15*c^4*d^2-10*c^2*d*e-9*e^2)*x*\text{arctanh}(e^{(1/2)}*(c^2*x^2-1)^{(1/2)}/c/(e*x^2+d)^{(1/2)})/c^4/e^{(3/2)}/(c^2*x^2)^{(1/2)}-1/20*b*x*(e*x^2+d)^{(3/2)}*(c^2*x^2-1)^{(1/2)}/c/e/(c^2*x^2)^{(1/2)}-1/120*b*(c^2*d+9*e)*x*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/c^3/e/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.29, antiderivative size = 294, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {272, 45, 5346, 12, 587, 159, 163, 65, 223, 212, 95, 210}

$$\frac{d(d + ex^2)^{3/2}(a + b \sec^{-1}(cx))}{3e^2} + \frac{(d + ex^2)^{5/2}(a + b \sec^{-1}(cx))}{5e^2} - \frac{2bcd^{5/2}x \text{ArcTan}\left(\frac{\sqrt{d + ex^2}}{\sqrt{d}\sqrt{c^2x^2 - 1}}\right)}{15e^2\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2 - 1}(d + ex^2)^{3/2}}{20ce\sqrt{c^2x^2}} + \frac{bx(15c^4d^2 - 10c^2de - 9e^2)\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2 - 1}}{c\sqrt{d + ex^2}}\right)}{120c^4e^{3/2}\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2 - 1}(c^2d + 9e)\sqrt{d + ex^2}}{120c^3e\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] `Int[x^3*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]),x]`

[Out] $-1/120*(b*(c^2*d + 9*e)*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(c^3*e*\text{Sqrt}[c^2*x^2]) - (b*x*\text{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^{(3/2)})/(20*c*e*\text{Sqrt}[c^2*x^2]) - (d*(d + e*x^2)^{(3/2)}*(a + b*\text{ArcSec}[c*x]))/(3*e^2) + ((d + e*x^2)^{(5/2)}*(a + b*\text{ArcSec}[c*x]))/(5*e^2) - (2*b*c*d^{(5/2)}*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(15*e^2*\text{Sqrt}[c^2*x^2]) + (b*(15*c^4*d^2 - 10*c^2*d*e - 9*e^2)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(120*c^4*e^{(3/2)}*\text{Sqrt}[c^2*x^2])$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 45

`Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])`

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^(n), x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 95

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 159

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[h*(a + b*x)^m*(c + d*x)^(n +
1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 2))), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /;
FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 163

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_
_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 210

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^(
-1))*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] &
& (LtQ[a, 0] || LtQ[b, 0])
```

Rule 212

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*
ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 223

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 272

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 587

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
)*(e_) + (f_)*(x_)^(n_))^(r_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simpl
ify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /;
FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n
]]
```

Rule 5346

```
Int[((a_) + ArcSec[(c_)*(x_)])*(b_))*((f_)*(x_)^(m_))*((d_) + (e_)*(x
_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int x^3 \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx &= -\frac{d(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^2} + \frac{(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5e^2} - \dots \\
&= -\frac{d(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^2} + \frac{(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5e^2} - \dots \\
&= -\frac{d(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^2} + \frac{(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5e^2} - \dots \\
&= -\frac{bx\sqrt{-1+c^2x^2} (d+ex^2)^{3/2}}{20ce\sqrt{c^2x^2}} - \frac{d(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^2} + \dots \\
&= -\frac{b(c^2d+9e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{120c^3e\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{20ce\sqrt{c^2x^2}} \\
&= -\frac{b(c^2d+9e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{120c^3e\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{20ce\sqrt{c^2x^2}} \\
&= -\frac{b(c^2d+9e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{120c^3e\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{20ce\sqrt{c^2x^2}} \\
&= -\frac{b(c^2d+9e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{120c^3e\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{20ce\sqrt{c^2x^2}} \\
&= -\frac{b(c^2d+9e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{120c^3e\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{20ce\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A]

time = 2.39, size = 258, normalized size = 0.88

$$\frac{\sqrt{d+ex^2} \left(8ac^3(-2d^2+dex^2+3e^2x^4) - be\sqrt{1-\frac{1}{c^2x^2}}x(9e+c^2(7d+6ex^2)) + 8bc^3(-2d^2+dex^2+3e^2x^4)\sec^{-1}(cx) \right)}{120c^3e^2} - \frac{b\sqrt{1-\frac{1}{c^2x^2}}x \left(-16c^3d^{3/2}\text{ArcTan}\left(\frac{\sqrt{d}\sqrt{-1+c^2x^2}}{\sqrt{d+ex^2}}\right) + \sqrt{e(-15c^4d^2+10c^2de+9e^2)}\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{-1+c^2x^2}}{c\sqrt{d+ex^2}}\right) \right)}{120c^4e^2\sqrt{-1+c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

[Out] (Sqrt[d + e*x^2]*(8*a*c^3*(-2*d^2 + d*e*x^2 + 3*e^2*x^4) - b*e*Sqrt[1 - 1/(c^2*x^2)]*x*(9*e + c^2*(7*d + 6*e*x^2)) + 8*b*c^3*(-2*d^2 + d*e*x^2 + 3*e^2

$$\frac{x^4 \operatorname{ArcSec}[c x]}{(120 c^3 e^2) - (b \sqrt{1 - 1/(c^2 x^2)}) x (-16 c^5 d^{5/2} \operatorname{ArcTan}[\sqrt{d} \sqrt{-1 + c^2 x^2}]/\sqrt{d + e x^2}] + \sqrt{e} (-15 c^4 d^2 + 10 c^2 d e + 9 e^2) \operatorname{ArcTanh}[(\sqrt{e} \sqrt{-1 + c^2 x^2})/(c \sqrt{d + e x^2})])} / (120 c^4 e^2 \sqrt{-1 + c^2 x^2})$$

Maple [F]

time = 2.06, size = 0, normalized size = 0.00

$$\int x^3 (a + b \operatorname{arcsec}(c x)) \sqrt{e x^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)

[Out] int(x^3*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] $\frac{1}{15} \left((3x^4e^2 + dx^2e - 2d^2) \sqrt{x^2e + d} \arctan(\sqrt{cx + 1}) \sqrt{cx - 1} - 15e^2 \int (15(c^2x^5e^2 - x^3e^2 + (c^2x^5e^2 - x^3e^2)e^{\log(cx + 1) + \log(cx - 1)}) \sqrt{x^2e + d} \log(x) + (15c^2x^5e^2 \log(c) - 15x^3e^2 \log(c) + (3(5c^2e^2 \log(c) + c^2e^2)x^5 - 2c^2d^2x + (c^2de - 15e^2 \log(c))x^3)e^{\log(cx + 1) + \log(cx - 1)})) \sqrt{x^2e + d}) / (c^2x^2e^2 + (c^2x^2e^2 - e^2)e^{\log(cx + 1) + \log(cx - 1)} - e^2), x) \right) b e^{-2} + \frac{1}{15} (3(x^2e + d)^{3/2} x^2 e^{-1} - 2(x^2e + d)^{3/2} d e^{-2}) a$

Fricas [A]

time = 4.13, size = 722, normalized size = 2.46

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out] $\frac{1}{480} (16b c^5 \sqrt{-d} d^2 \log((c^4 d^2 x^4 - 8c^2 d^2 x^2 + x^4 e^2 + 4(c^2 d x^2 - x^2 e - 2d) \sqrt{c^2 x^2 - 1}) \sqrt{x^2 e + d} \sqrt{-d} + 8d^2 - 2(3c^2 d x^4 - 4d x^2) e) / x^4) - (15b c^4 d^2 - 10b c^2 d e - 9b e^2) e^{1/2} \log(c^4 d^2 - 4(c^3 d + (2c^3 x^2 - c) e) \sqrt{c^2 x^2 - 1}) \sqrt{x^2 e + d} e^{1/2} + (8c^4 x^4 - 8c^2 x^2 + 1) e^2 + 2(4c^4 d x^4$

$$2 - 3c^2d)e) + 4*(24*a*c^5*x^4*e^2 + 8*a*c^5*d*x^2*e - 16*a*c^5*d^2 + 8*(3*b*c^5*x^4*e^2 + b*c^5*d*x^2*e - 2*b*c^5*d^2)*arcsec(c*x) - (7*b*c^3*d*e + 3*(2*b*c^3*x^2 + 3*b*c)*e^2)*sqrt(c^2*x^2 - 1))*sqrt(x^2*e + d))*e^(-2)/c^5, -1/480*(32*b*c^5*d^(5/2)*arctan(-1/2*(c^2*d*x^2 - x^2*e - 2*d)*sqrt(c^2*x^2 - 1))*sqrt(x^2*e + d)*sqrt(d)/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*e)) + (15*b*c^4*d^2 - 10*b*c^2*d*e - 9*b*e^2)*e^(1/2)*log(c^4*d^2 - 4*(c^3*d + (2*c^3*x^2 - c)*e)*sqrt(c^2*x^2 - 1))*sqrt(x^2*e + d)*e^(1/2) + (8*c^4*x^4 - 8*c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^2 - 3*c^2*d)*e) - 4*(24*a*c^5*x^4*e^2 + 8*a*c^5*d*x^2*e - 16*a*c^5*d^2 + 8*(3*b*c^5*x^4*e^2 + b*c^5*d*x^2*e - 2*b*c^5*d^2)*arcsec(c*x) - (7*b*c^3*d*e + 3*(2*b*c^3*x^2 + 3*b*c)*e^2)*sqrt(c^2*x^2 - 1))*sqrt(x^2*e + d))*e^(-2)/c^5]$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^3(a + b \operatorname{asec}(cx)) \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asec(c*x))*(e*x**2+d)**(1/2),x)

[Out] Integral(x**3*(a + b*asec(c*x))*sqrt(d + e*x**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)*x^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \sqrt{ex^2 + d} \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))),x)

[Out] int(x^3*(d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))), x)

3.113 $\int x \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=195

$$-\frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} + \frac{bcd^{3/2}x\text{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}}\right)}{3e\sqrt{c^2x^2}} - \frac{b(3c^2d}{$$

[Out] $1/3*(e*x^2+d)^{(3/2)}*(a+b*\text{arcsec}(c*x))/e+1/3*b*c*d^{(3/2)}*x*\text{arctan}((e*x^2+d)^{(1/2)}/d^{(1/2)}/(c^2*x^2-1)^{(1/2)})/e/(c^2*x^2)^{(1/2)}-1/6*b*(3*c^2*d+e)*x*\text{arctanh}(e^{(1/2)}*(c^2*x^2-1)^{(1/2)}/c/(e*x^2+d)^{(1/2)})/c^2/e^{(1/2)}/(c^2*x^2)^{(1/2)}-1/6*b*x*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/c/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.14, antiderivative size = 195, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5344, 457, 104, 163, 65, 223, 212, 95, 210}

$$\frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} + \frac{bcd^{3/2}x\text{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3e\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} - \frac{bx(3c^2d+e)\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{6c^2\sqrt{e}\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] `Int[x*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]`

[Out] $-1/6*(b*x*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])/(c*\text{Sqrt}[c^2*x^2]) + ((d+e*x^2)^{(3/2)}*(a+b*\text{ArcSec}[c*x]))/(3*e) + (b*c*d^{(3/2)}*x*\text{ArcTan}[\text{Sqrt}[d+e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1+c^2*x^2])])/(3*e*\text{Sqrt}[c^2*x^2]) - (b*(3*c^2*d+e)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1+c^2*x^2])/(c*\text{Sqrt}[d+e*x^2])])/(6*c^2*\text{Sqrt}[e]*\text{Sqrt}[c^2*x^2])$

Rule 65

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 95

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]`

Rule 104

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 1))), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 163

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_))) / ((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 210

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^(-1)*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 212

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 223

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 5344

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSec[c*x])/(2*e*(p + 1))), x] - Dist[b*c*(x/(2*e*(p + 1)*Sqrt[c^2*x^2])), Int[(d + e*x^2)^(p + 1)/(x*Sq
```

rt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int x\sqrt{d+ex^2}(a+b\sec^{-1}(cx))dx &= \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} - \frac{(bcx)\int\frac{(d+ex^2)^{3/2}}{x\sqrt{-1+c^2x^2}}dx}{3e\sqrt{c^2x^2}} \\
 &= \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} - \frac{(bcx)\text{Subst}\left(\int\frac{(d+ex)^{3/2}}{x\sqrt{-1+c^2x}}dx, x, x\right)}{6e\sqrt{c^2x^2}} \\
 &= -\frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} - \frac{(bcx)\int\frac{(d+ex)^{3/2}}{x\sqrt{-1+c^2x}}dx}{6e\sqrt{c^2x^2}} \\
 &= -\frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} - \frac{(bcd^2)\int\frac{(d+ex)^{3/2}}{x\sqrt{-1+c^2x}}dx}{6e\sqrt{c^2x^2}} \\
 &= -\frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} - \frac{(bcd^2)\int\frac{(d+ex)^{3/2}}{x\sqrt{-1+c^2x}}dx}{6e\sqrt{c^2x^2}} \\
 &= -\frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} + \frac{bcd^3\int\frac{(d+ex)^{3/2}}{x\sqrt{-1+c^2x}}dx}{6e\sqrt{c^2x^2}} \\
 &= -\frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} + \frac{bcd^3\int\frac{(d+ex)^{3/2}}{x\sqrt{-1+c^2x}}dx}{6e\sqrt{c^2x^2}}
 \end{aligned}$$

Mathematica [A]

time = 1.46, size = 197, normalized size = 1.01

$$\frac{\sqrt{d+ex^2}\left(-be\sqrt{1-\frac{1}{c^2x^2}}x+2ac(d+ex^2)+2bc(d+ex^2)\sec^{-1}(cx)\right)}{6ce} - \frac{b\sqrt{1-\frac{1}{c^2x^2}}x\left(2c^3d^{3/2}\text{ArcTan}\left(\frac{\sqrt{d}\sqrt{-1+c^2x^2}}{\sqrt{d+ex^2}}\right)+\sqrt{e}(3c^2d+e)\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{-1+c^2x^2}}{c\sqrt{d+ex^2}}\right)\right)}{6c^2e\sqrt{-1+c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

[Out] (Sqrt[d + e*x^2]*(-(b*e*Sqrt[1 - 1/(c^2*x^2)]*x) + 2*a*c*(d + e*x^2) + 2*b*c*(d + e*x^2)*ArcSec[c*x]))/(6*c*e) - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(2*c^3*d^(3/2)*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]] + Sqrt[e]*(3*c^2*

$d + e) \cdot \text{ArcTanh}[\frac{\sqrt{e} \sqrt{-1 + c^2 x^2}}{c \sqrt{d + e x^2}}] / (6 c^2 e \sqrt{-1 + c^2 x^2})$

Maple [F]

time = 1.31, size = 0, normalized size = 0.00

$$\int x(a + b \operatorname{arcsec}(cx)) \sqrt{e x^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)`

[Out] `int(x*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)`

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{3}(x^2 e + d)^{3/2} a e^{-1} + \frac{1}{3}((x^2 e + d)^{3/2} \arctan(\sqrt{c x + 1}) \sqrt{c x - 1}) - 3 e \int ((3(c^2 x^3 e - x e + (c^2 x^3 e - x e) e^{\log(c x + 1) + \log(c x - 1)}) \sqrt{x^2 e + d} \log(x) + (3 c^2 x^3 e \log(c) - 3 x e \log(c) + ((3 c^2 e \log(c) + c^2 e) x^3 + (c^2 d - 3 e \log(c)) x) e^{\log(c x + 1) + \log(c x - 1)}) \sqrt{x^2 e + d}) / (c^2 x^2 e + (c^2 x^2 e - e) e^{\log(c x + 1) + \log(c x - 1)} - e), x) b e^{-1}$

Fricas [A]

time = 3.70, size = 589, normalized size = 3.02

([...])

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] $\frac{1}{24}(2 b c^3 \sqrt{-d} d \log((c^4 d^2 x^4 - 8 c^2 d^2 x^2 + x^4 e^2 - 4(c^2 d x^2 - x^2 e - 2 d) \sqrt{c^2 x^2 - 1}) \sqrt{x^2 e + d} \sqrt{-d} + 8 d^2 - 2(3 c^2 d x^4 - 4 d x^2) e) / x^4 + (3 b c^2 d + b e) e^{1/2} \log(c^4 d^2 - 4(c^3 d + (2 c^3 x^2 - c) e) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d}) e^{1/2} + (8 c^4 x^4 - 8 c^2 x^2 + 1) e^2 + 2(4 c^4 d x^2 - 3 c^2 d) e + 4(2 a c^3 x^2 e + 2 a c^3 d - \sqrt{c^2 x^2 - 1} b c e + 2(b c^3 x^2 e + b c^3 d) \operatorname{arcsec}(c x)) \sqrt{x^2 e + d} e^{-1} / c^3 + \frac{1}{24}(4 b c^3 d^{3/2} \arctan(-1/2(c^2 d x^2 - x^2 e - 2 d) \sqrt{c^2 x^2 - 1}) \sqrt{x^2 e + d} \sqrt{d} / (c^2 d^2 x^2 - d^2 + (c^2 d x^4 - d x^2) e) + (3 b c^2 d + b e) e^{1/2} \log(c^4$

$$d^2 - 4*(c^3*d + (2*c^3*x^2 - c)*e)*\sqrt{c^2*x^2 - 1}*\sqrt{x^2*e + d}*e^{(1/2)} + (8*c^4*x^4 - 8*c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^2 - 3*c^2*d)*e + 4*(2*a*c^3*x^2*e + 2*a*c^3*d - \sqrt{c^2*x^2 - 1}*b*c*e + 2*(b*c^3*x^2*e + b*c^3*d)*\operatorname{arcsec}(c*x))*\sqrt{x^2*e + d})*e^{-1}/c^3]$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x(a + b \operatorname{asec}(cx)) \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asec(c*x))*(e*x**2+d)**(1/2),x)

[Out] Integral(x*(a + b*asec(c*x))*sqrt(d + e*x**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)*x, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x \sqrt{ex^2 + d} \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))),x)

[Out] int(x*(d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))), x)

$$3.114 \quad \int \frac{\sqrt{d+ex^2} (a+b \sec^{-1}(cx))}{x} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{\sqrt{d+ex^2} (a+b \sec^{-1}(cx))}{x}, x\right)$$

[Out] Unintegrable((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x,x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt{d+ex^2} (a+b \sec^{-1}(cx))}{x} dx$$

Verification is not applicable to the result.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x,x]

[Out] Defer[Int] [(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x, x]

Rubi steps

$$\int \frac{\sqrt{d+ex^2} (a+b \sec^{-1}(cx))}{x} dx = \int \frac{\sqrt{d+ex^2} (a+b \sec^{-1}(cx))}{x} dx$$

Mathematica [A]

time = 2.64, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d+ex^2} (a+b \sec^{-1}(cx))}{x} dx$$

Verification is not applicable to the result.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x,x]

[Out] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x, x]

Maple [A]

time = 1.10, size = 0, normalized size = 0.00

$$\int \frac{(a+b \operatorname{arcsec}(cx)) \sqrt{ex^2+d}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x,x)`

[Out] `int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x,x, algorithm="maxima")`

[Out] `-(sqrt(d)*arcsinh(sqrt(d)*e^(-1/2)/abs(x)) - sqrt(x^2*e + d))*a + b*integrate(sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/x, x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x,x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsec(c*x) + a)/x, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx)) \sqrt{d + ex^2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))*(e*x**2+d)**(1/2)/x,x)`

[Out] `Integral((a + b*asec(c*x))*sqrt(d + e*x**2)/x, x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x,x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x, x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sqrt{e x^2 + d} \left(a + b \operatorname{acos}\left(\frac{1}{c x}\right) \right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))))/x,x)

[Out] int(((d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))))/x, x)

$$3.115 \quad \int \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{x^3} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{x^3}, x\right)$$

[Out] Unintegrable((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^3,x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{x^3} dx$$

Verification is not applicable to the result.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^3,x]

[Out] Defer[Int] [(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^3, x]

Rubi steps

$$\int \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{x^3} dx = \int \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{x^3} dx$$

Mathematica [A]

time = 3.10, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{x^3} dx$$

Verification is not applicable to the result.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^3,x]

[Out] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^3, x]

Maple [A]

time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{arcsec}(cx)) \sqrt{ex^2 + d}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^3,x)`

[Out] `int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^3,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^3,x, algorithm="maxima")`

[Out] `-1/2*(arcsinh(sqrt(d)*e^(-1/2)/abs(x))*e/sqrt(d) - sqrt(x^2*e + d)*e/d + (x^2*e + d)^(3/2)/(d*x^2))*a + b*integrate(sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/x^3, x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^3,x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsec(c*x) + a)/x^3, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx)) \sqrt{d + ex^2}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))*(e*x**2+d)**(1/2)/x**3,x)`

[Out] `Integral((a + b*asec(c*x))*sqrt(d + e*x**2)/x**3, x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^3,x, algorithm="giac")`

[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x^3, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sqrt{e x^2 + d} \left(a + b \operatorname{arccos}\left(\frac{1}{c x}\right) \right)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))))/x^3,x)

[Out] int(((d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))))/x^3, x)

3.116 $\int x^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=26

$$\text{Int}\left(x^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)), x\right)$$

[Out] Unintegrable(x^2*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int x^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Int[x^2*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

[Out] Defer[Int][x^2*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int x^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx = \int x^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Mathematica [A]

time = 7.48, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate[x^2*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

[Out] Integrate[x^2*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Maple [A]

time = 1.76, size = 0, normalized size = 0.00

$$\int x^2 (a + b \operatorname{arcsec}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)`

[Out] `int(x^2*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `-1/8*(d^2*arcsinh(x*e^(1/2)/sqrt(d))*e^(-3/2) - 2*(x^2*e + d)^(3/2)*x*e^(-1) + sqrt(x^2*e + d)*d*x*e^(-1))*a + b*integrate(sqrt(x^2*e + d)*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral((b*x^2*arcsec(c*x) + a*x^2)*sqrt(x^2*e + d), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2(a + b \operatorname{asec}(cx)) \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*asec(c*x))*(e*x**2+d)**(1/2),x)`

[Out] `Integral(x**2*(a + b*asec(c*x))*sqrt(d + e*x**2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)*x^2, x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int x^2 \sqrt{ex^2 + d} \left(a + b \operatorname{acos} \left(\frac{1}{cx} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))), x)

[Out] int(x^2*(d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))), x)

3.117 $\int \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=23

$$\text{Int}\left(\sqrt{d + ex^2} (a + b \sec^{-1}(cx)), x\right)$$

[Out] Unintegrable((a+b*arcsec(c*x))*(e*x^2+d)^(1/2), x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Int[Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

[Out] Defer[Int][Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx = \int \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Mathematica [A]

time = 23.09, size = 0, normalized size = 0.00

$$\int \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate[Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

[Out] Integrate[Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Maple [A]

time = 1.16, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{arcsec}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)`

[Out] `int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `1/2*(d*arcsinh(x*e^(1/2)/sqrt(d))*e^(-1/2) + sqrt(x^2*e + d)*x)*a + b*integrate(sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsec(c*x) + a), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asec}(cx)) \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))*(e*x**2+d)**(1/2),x)`

[Out] `Integral((a + b*asec(c*x))*sqrt(d + e*x**2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \sqrt{e x^2 + d} \left(a + b \operatorname{acos} \left(\frac{1}{c x} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))),x)

[Out] int((d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))), x)

$$3.118 \quad \int \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{x^2} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{x^2}, x\right)$$

[Out] Unintegrable((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^2,x)

Rubi [A]

time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{x^2} dx$$

Verification is not applicable to the result.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^2,x]

[Out] Defer[Int] [(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^2, x]

Rubi steps

$$\int \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{x^2} dx = \int \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{x^2} dx$$

Mathematica [A]

time = 0.97, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{x^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^2,x]

[Out] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^2, x]

Maple [A]

time = 0.73, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{arcsec}(cx)) \sqrt{ex^2 + d}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^2,x)`

[Out] `int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^2,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^2,x, algorithm="maxima")`

[Out] `(arcsinh(x*e^(1/2)/sqrt(d))*e^(1/2) - sqrt(x^2*e + d)/x)*a + b*integrate(sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/x^2, x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^2,x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsec(c*x) + a)/x^2, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx)) \sqrt{d + ex^2}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))*(e*x**2+d)**(1/2)/x**2,x)`

[Out] `Integral((a + b*asec(c*x))*sqrt(d + e*x**2)/x**2, x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^2,x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x^2, x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sqrt{e x^2 + d} \left(a + b \operatorname{acos}\left(\frac{1}{c x}\right) \right)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))))/x^2,x)

[Out] int(((d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))))/x^2, x)

$$3.119 \quad \int \frac{\sqrt{d+ex^2} (a+b\sec^{-1}(cx))}{x^4} dx$$

Optimal. Leaf size=328

$$\frac{2bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3dx^3} - \frac{2bc^2(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}}$$

[Out] $-1/3*(e*x^2+d)^{(3/2)}*(a+b*\text{arcsec}(c*x))/d/x^3+2/9*b*c*(c^2*d+2*e)*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/(c^2*x^2)^{(1/2)}+1/9*b*c*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/x^2/(c^2*x^2)^{(1/2)}-2/9*b*c^2*(c^2*d+2*e)*x*\text{EllipticE}(c*x,(-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(1+e*x^2/d)^{(1/2)}+1/9*b*(c^2*d+e)*(2*c^2*d+3*e)*x*\text{EllipticF}(c*x,(-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/d/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.28, antiderivative size = 328, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {270, 5346, 12, 485, 597, 538, 438, 437, 435, 432, 430}

$$-\frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3dx^3} + \frac{bx\sqrt{1-c^2x^2}(c^2d+e)(2c^2d+3e)\sqrt{\frac{ex^2}{d}+1}F(\text{ArcSin}(cx)|-\frac{e}{c^2d})}{9d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} - \frac{2bc^2x\sqrt{1-c^2x^2}(c^2d+2e)\sqrt{d+ex^2}E(\text{ArcSin}(cx)|-\frac{e}{c^2d})}{9d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{\frac{ex^2}{d}+1}} + \frac{2bc\sqrt{c^2x^2-1}(c^2d+2e)\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} + \frac{bc\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^4, x]

[Out] $(2*b*c*(c^2*d+2*e)*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])/(9*d*\text{Sqrt}[c^2*x^2]) + (b*c*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])/(9*x^2*\text{Sqrt}[c^2*x^2]) - ((d+e*x^2)^{(3/2)}*(a+b*\text{ArcSec}[c*x]))/(3*d*x^3) - (2*b*c^2*(c^2*d+2*e)*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[d+e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(9*d*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]) + (b*(c^2*d+e)*(2*c^2*d+3*e)*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(9*d*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 270

Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m+1)*((a+b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n,

p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c
/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a,
0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> D
ist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 438

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Dist[
Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d/c)*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 485

```
Int[((e_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_
))^(q_), x_Symbol] :> Simp[c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(
q - 1)/(a*e*(m + 1))), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a +
b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(c*b - a*d)*(m + 1) + c*n*(b*c*(p + 1)
+ a*d*(q - 1)) + d*((c*b - a*d)*(m + 1) + c*b*n*(p + q))*x^n, x], x], x] /
; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q,
1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 538


```

Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_
)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-b/a, -d/c]))))))

```

Rule 597

```

Int[((g_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_
))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] :> Simp[e*(g*x)^(m + 1)*(a + b
*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g^(m + 1))), x] + Dist[1/(a*c*g^n*(
m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) -
e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2)
+ 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0
] && LtQ[m, -1]

```

Rule 5346

```

Int[((a_) + ArcSec[(c_)*(x_)*(b_)])*((f_)*(x_)^(m_)*((d_) + (e_)*(x
_)^2)^(p_)), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex^2}(a+b\sec^{-1}(cx))}{x^4} dx &= -\frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3dx^3} - \frac{(bcx) \int -\frac{(d+ex^2)^{3/2}}{3dx^4\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3dx^3} + \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{x^4\sqrt{-1+c^2x^2}} dx}{3d\sqrt{c^2x^2}} \\
&= \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3dx^3} - \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{x^2\sqrt{-1+c^2x^2}} dx}{3d\sqrt{c^2x^2}} \\
&= \frac{2bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{x^2\sqrt{-1+c^2x^2}} dx}{3d\sqrt{c^2x^2}} \\
&= \frac{2bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{x^2\sqrt{-1+c^2x^2}} dx}{3d\sqrt{c^2x^2}} \\
&= \frac{2bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{x^2\sqrt{-1+c^2x^2}} dx}{3d\sqrt{c^2x^2}} \\
&= \frac{2bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{x^2\sqrt{-1+c^2x^2}} dx}{3d\sqrt{c^2x^2}} \\
&= \frac{2bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{x^2\sqrt{-1+c^2x^2}} dx}{3d\sqrt{c^2x^2}} \\
&= \frac{2bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{x^2\sqrt{-1+c^2x^2}} dx}{3d\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 7.26, size = 247, normalized size = 0.75

$$\frac{\sqrt{d+ex^2} \left(-3a(d+ex^2) + bc\sqrt{1-\frac{1}{c^2x^2}} x(d+2c^2dx^2+4ex^2) - 3b(d+ex^2)\sec^{-1}(cx) \right)}{9dx^3} - \frac{ibc\sqrt{1-\frac{1}{c^2x^2}} x\sqrt{1+\frac{ex^2}{d}} \left(2c^2d(c^2d+2e)E\left(i\sinh^{-1}\left(\sqrt{-c^2}x\right)\middle|-\frac{2e}{c^2d}\right) - (2c^2d^2+5c^2de+3e^2)F\left(i\sinh^{-1}\left(\sqrt{-c^2}x\right)\middle|-\frac{2e}{c^2d}\right) \right)}{9\sqrt{-c^2}d\sqrt{1-c^2x^2}\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^4,x]

[Out] (Sqrt[d + e*x^2]*(-3*a*(d + e*x^2) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(d + 2*c^2*d*x^2 + 4*e*x^2) - 3*b*(d + e*x^2)*ArcSec[c*x]))/(9*d*x^3) - ((I/9)*b*c*Sq

```
rt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(2*c^2*d*(c^2*d + 2*e)*EllipticE[
I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] - (2*c^4*d^2 + 5*c^2*d*e + 3*e^2)*El
lipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d)))]/(Sqrt[-c^2]*d*Sqrt[1 - c^2
*x^2]*Sqrt[d + e*x^2])
```

Maple [F]

time = 1.44, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{arcsec}(cx)) \sqrt{ex^2 + d}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^4,x)
```

```
[Out] int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^4,x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^4,x, algorithm="maxima")
```

```
[Out] -1/3*(x^2*e + d)^(3/2)*a/(d*x^3) - 1/3*(3*d*x^3*integrate((3*(c^2*d*x^2 + (
c^2*d*x^2 - d)*e^(log(c*x + 1) + log(c*x - 1)) - d)*sqrt(x^2*e + d)*log(x)
+ (3*c^2*d*x^2*log(c) - (c^2*x^4*e - (3*c^2*log(c) - c^2)*d*x^2 + 3*d*log(c)
))*e^(log(c*x + 1) + log(c*x - 1)) - 3*d*log(c))*sqrt(x^2*e + d))/(c^2*d*x^
6 - d*x^4 + (c^2*d*x^6 - d*x^4)*e^(log(c*x + 1) + log(c*x - 1))), x) + (x^2
*e + d)^(3/2)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*b/(d*x^3)
```

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^4,x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly
1 arguments (2 given)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx)) \sqrt{d + ex^2}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))*(e*x**2+d)**(1/2)/x**4,x)

[Out] Integral((a + b*asec(c*x))*sqrt(d + e*x**2)/x**4, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^4,x, algorithm="giac")

[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x^4, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e x^2 + d} \left(a + b \operatorname{acos}\left(\frac{1}{c x}\right) \right)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))))/x^4,x)

[Out] int(((d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))))/x^4, x)

$$3.120 \quad \int \frac{\sqrt{d+ex^2} (a+b\sec^{-1}(cx))}{x^6} dx$$

Optimal. Leaf size=453

$$\frac{bc(24c^4d^2 + 19c^2de - 31e^2) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{225d^2\sqrt{c^2x^2}} + \frac{bc(12c^2d - e) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{225dx^2\sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2}}{25dx^4}$$

[Out] $-1/5*(e*x^2+d)^{(3/2)}*(a+b*\text{arcsec}(c*x))/d/x^5+2/15*e*(e*x^2+d)^{(3/2)}*(a+b*\text{arcsec}(c*x))/d^2/x^3-2/15*b*c*e^2*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}+1/45*b*c*e*(2*c^2*d+e)*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}+1/75*b*c*(8*c^4*d^2+3*c^2*d*e-2*e^2)*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}+1/25*b*c*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/x^4/(c^2*x^2)^{(1/2)}+1/45*b*c*e*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/x^2/(c^2*x^2)^{(1/2)}+1/75*b*c*(4*c^2*d+e)*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/x^2/(c^2*x^2)^{(1/2)}+2/15*b*c^2*e^2*x*\text{EllipticE}(c*x, (-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(1+e*x^2/d)^{(1/2)}-1/45*b*c^2*e*(2*c^2*d+e)*x*\text{EllipticE}(c*x, (-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(1+e*x^2/d)^{(1/2)}-1/75*b*c^2*(8*c^4*d^2+3*c^2*d*e-2*e^2)*x*\text{EllipticE}(c*x, (-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(1+e*x^2/d)^{(1/2)}+1/75*b*c^2*(8*c^2*d-e)*(c^2*d+e)*x*\text{EllipticF}(c*x, (-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/d/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(e*x^2+d)^{(1/2)}+2/45*b*c^2*e*(c^2*d+e)*x*\text{EllipticF}(c*x, (-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/d/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(e*x^2+d)^{(1/2)}-2/15*b*e^2*(c^2*d+e)*x*\text{EllipticF}(c*x, (-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.41, antiderivative size = 453, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {277, 270, 5346, 12, 594, 597, 538, 438, 437, 435, 432, 430}

$$\frac{2e(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{15d^2} - \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{5d^2} + \frac{\text{ArcSin}\left(\frac{\sqrt{d+ex^2}}{c}\right) + 1}{225d^2\sqrt{c^2x^2}} F\left(\text{ArcSin}\left(\frac{\sqrt{d+ex^2}}{c}\right) \middle| -\frac{d}{c^2}\right) - \frac{bc^2x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}E\left(\text{ArcSin}\left(\frac{\sqrt{d+ex^2}}{c}\right) \middle| -\frac{d}{c^2}\right)}{225d^2\sqrt{c^2x^2}} + \frac{bc\sqrt{d+ex^2}\sqrt{-1+c^2x^2}}{225d^2\sqrt{c^2x^2}} + \frac{bc\sqrt{d+ex^2}\sqrt{-1+c^2x^2}}{25d^2\sqrt{c^2x^2}} + \frac{bc\sqrt{d+ex^2}\sqrt{-1+c^2x^2}}{225d^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^6, x]

[Out] $(b*c*(24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2]) / (225*d^2*\text{Sqrt}[c^2*x^2]) + (b*c*(12*c^2*d - e)*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2]) / (225*d*x^2*\text{Sqrt}[c^2*x^2]) + (b*c*\text{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^{(3/2)}) / (25*d*x^4*\text{Sqrt}[c^2*x^2]) - ((d + e*x^2)^{(3/2)}*(a + b*\text{ArcSec}[c*x])) / (5*d$

```
*x^5) + (2*e*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/(15*d^2*x^3) - (b*c^2*(
24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*Ellip
ticE[ArcSin[c*x], -(e/(c^2*d))]/(225*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*
Sqrt[1 + (e*x^2)/d]) + (b*(c^2*d + e)*(24*c^4*d^2 + 7*c^2*d*e - 30*e^2)*x*S
qrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d)))]/
(225*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*
x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*c*(m + 1))), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 277

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((
a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1
))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c
/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a,
0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d
))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2
```

```
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 438

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d/c)*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 538

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-b/a, -d/c]))))))
```

Rule 594

```
Int[((g_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_
))^ (q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b
*x^n)^(p + 1)*((c + d*x^n)^q/(a*g*(m + 1))), x] - Dist[1/(a*g^n*(m + 1)), I
nt[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f)*(m +
1) + e*n*(b*c*(p + 1) + a*d*q) + d*((b*e - a*f)*(m + 1) + b*e*n*(p + q + 1)
)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && Gt
Q[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplerQ[e + f*x^n, c + d*x^n])
```

Rule 597

```
Int[((g_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_
))^ (q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b
*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^n*(
m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) -
e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2)
+ 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0
] && LtQ[m, -1]
```

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_)^(m_.))*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
```

*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{d+ex^2} (a+b \sec^{-1}(cx))}{x^6} dx &= -\frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{5dx^5} + \frac{2e(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{15d^2x^3} - \frac{(b}{ \\
 &= -\frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{5dx^5} + \frac{2e(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{15d^2x^3} - \frac{(b}{ \\
 &= \frac{bc\sqrt{-1+c^2x^2} (d+ex^2)^{3/2}}{25dx^4\sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{5dx^5} + \frac{2e(d+e}{ \\
 &= \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225dx^2\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2} (d+ex^2)^{3/2}}{25dx^4\sqrt{c^2x^2}} - \\
 &= \frac{bc(24c^4d^2+19c^2de-31e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} + \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} \\
 &= \frac{bc(24c^4d^2+19c^2de-31e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} + \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} \\
 &= \frac{bc(24c^4d^2+19c^2de-31e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} + \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} \\
 &= \frac{bc(24c^4d^2+19c^2de-31e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} + \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} \\
 &= \frac{bc(24c^4d^2+19c^2de-31e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} + \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}}
 \end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 9.67, size = 325, normalized size = 0.72

$$\frac{\sqrt{d+ex^2} \left(-15a(3d^2+dx^2-2e^2x^4) + bc\sqrt{1-\frac{1}{c^2x^2}} x(-31e^2x^4+dx^2(8+19c^2x^2)) + 3d^2(3+4c^2x^2+8c^2x^4) - 15a(3d^2+dx^2-2e^2x^4)\sec^{-1}(cx) \right)}{225d^2x^3} - \frac{bc\sqrt{1-\frac{1}{c^2x^2}} x\sqrt{1+\frac{cx^2}{d}} (c^2d(24c^4d^2+19c^2de-31e^2) E(\operatorname{sinh}^{-1}(\sqrt{-c^2x^2})|-\frac{2}{c^2}) + (-24c^4d^2-31c^4de+23c^2d^2+30e^2) F(\operatorname{sinh}^{-1}(\sqrt{-c^2x^2})|-\frac{2}{c^2}))}{225\sqrt{-c^2d^2}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^6,x]

[Out] (Sqrt[d + e*x^2]*(-15*a*(3*d^2 + d*e*x^2 - 2*e^2*x^4) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(-31*e^2*x^4 + d*e*x^2*(8 + 19*c^2*x^2) + 3*d^2*(3 + 4*c^2*x^2 + 8*c^4*x^4)) - 15*b*(3*d^2 + d*e*x^2 - 2*e^2*x^4)*ArcSec[c*x]))/(225*d^2*x^5) - ((I/225)*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(c^2*d*(24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*EllipticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] + (-24*c^6*d^3 - 31*c^4*d^2*e + 23*c^2*d*e^2 + 30*e^3)*EllipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))]))/(Sqrt[-c^2]*d^2*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])

Maple [F]

time = 2.07, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{arcsec}(cx)) \sqrt{e x^2 + d}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^6,x)

[Out] int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^6,x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^6,x, algorithm="maxima")

[Out] 1/15*a*(2*(x^2*e + d)^(3/2)*e/(d^2*x^3) - 3*(x^2*e + d)^(3/2)/(d*x^5)) - 1/15*(15*d^2*x^5*integrate((15*(c^2*d^2*x^2 - d^2 + (c^2*d^2*x^2 - d^2)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d)*log(x) + (15*c^2*d^2*x^2*log(c) - 15*d^2*log(c) + (2*c^2*x^6*e^2 - c^2*d*x^4*e + 3*(5*c^2*log(c) - c^2)*d^2*x^2 - 15*d^2*log(c))*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d))/(c^2*d^2*x^8 - d^2*x^6 + (c^2*d^2*x^8 - d^2*x^6)*e^(log(c*x + 1) + log(c*x - 1))), x) - (2*x^4*e^2 - d*x^2*e - 3*d^2)*sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*b/(d^2*x^5)

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^6,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx)) \sqrt{d + ex^2}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))*(e*x**2+d)**(1/2)/x**6,x)

[Out] Integral((a + b*asec(c*x))*sqrt(d + e*x**2)/x**6, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^6,x, algorithm="giac")

[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x^6, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{ex^2 + d} (a + b \operatorname{acos}(\frac{1}{cx}))}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))))/x^6,x)

[Out] int(((d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))))/x^6, x)

3.121 $\int x^3(d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=374

$$\frac{b(3c^4d^2 - 38c^2de - 25e^2) x \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{560c^5e\sqrt{c^2x^2}} - \frac{b(13c^2d + 25e) x \sqrt{-1 + c^2x^2} (d + ex^2)^{3/2}}{840c^3e\sqrt{c^2x^2}} - \frac{bx\sqrt{-1 + c^2x^2}}{42}$$

[Out] $-1/5*d*(e*x^2+d)^{(5/2)}*(a+b*\text{arcsec}(c*x))/e^2+1/7*(e*x^2+d)^{(7/2)}*(a+b*\text{arccsc}(c*x))/e^2-2/35*b*c*d^{(7/2)}*x*\text{arctan}((e*x^2+d)^{(1/2)}/d^{(1/2)})/(c^2*x^2-1)^{(1/2)}/e^2/(c^2*x^2)^{(1/2)}+1/560*b*(35*c^6*d^3-35*c^4*d^2*e-63*c^2*d*e^2-25*e^3)*x*\text{arctanh}(e^{(1/2)}*(c^2*x^2-1)^{(1/2)}/c/(e*x^2+d)^{(1/2)})/c^6/e^{(3/2)}/(c^2*x^2)^{(1/2)}-1/840*b*(13*c^2*d+25*e)*x*(e*x^2+d)^{(3/2)}*(c^2*x^2-1)^{(1/2)}/c^3/e/(c^2*x^2)^{(1/2)}-1/42*b*x*(e*x^2+d)^{(5/2)}*(c^2*x^2-1)^{(1/2)}/c/e/(c^2*x^2)^{(1/2)}+1/560*b*(3*c^4*d^2-38*c^2*d*e-25*e^2)*x*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/c^5/e/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.37, antiderivative size = 374, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {272, 45, 5346, 12, 587, 159, 163, 65, 223, 212, 95, 210}

$$\frac{d(d+ex^2)^{5/2}(a+b\sec^{-1}(cx))}{5c^2} + \frac{(d+ex^2)^{7/2}(a+b\sec^{-1}(cx))}{7c^2} - \frac{2ced^{7/2}x\text{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d+c^2x^2-1}}\right)}{35c^4\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2-1}(d+ex^2)^{5/2}}{42cx\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2-1}(13c^2d+25e)(d+ex^2)^{3/2}}{840c^3e\sqrt{c^2x^2}} + \frac{bx(35c^6d^3-35c^4d^2e-63c^2de^2-25e^3)\tanh^{-1}\left(\frac{\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{560c^6e^{3/2}\sqrt{c^2x^2}} + \frac{bx\sqrt{c^2x^2-1}(3c^4d^2-38c^2de-25e^2)\sqrt{d+ex^2}}{560c^5e\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(d + e*x^2)^{(3/2)}*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $(b*(3*c^4*d^2 - 38*c^2*d*e - 25*e^2)*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/ (560*c^5*e*\text{Sqrt}[c^2*x^2]) - (b*(13*c^2*d + 25*e)*x*\text{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^{(3/2)})/(840*c^3*e*\text{Sqrt}[c^2*x^2]) - (b*x*\text{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^{(5/2)})/(42*c*e*\text{Sqrt}[c^2*x^2]) - (d*(d + e*x^2)^{(5/2)}*(a + b*\text{ArcSec}[c*x]))/(5*e^2) + ((d + e*x^2)^{(7/2)}*(a + b*\text{ArcSec}[c*x]))/(7*e^2) - (2*b*c*d^{(7/2)})*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])]/(35*e^2*\text{Sqrt}[c^2*x^2]) + (b*(35*c^6*d^3 - 35*c^4*d^2*e - 63*c^2*d*e^2 - 25*e^3)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(560*c^6*e^{(3/2)}*\text{Sqrt}[c^2*x^2])$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] := \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 45

$\text{Int}[((a_.) + (b_.)*(x_))^{(m_.)}*((c_.) + (d_.)*(x_))^{(n_.)}, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}$

$x]$ && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 95

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 159

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] :> Simp[h*(a + b*x)^m*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 2))), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]

Rule 163

Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

Rule 210

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(-Rt[-a, 2]*Rt[-b, 2])^(-1))*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

$Q[a, 0] \parallel LtQ[b, 0]$

Rule 223

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}\{a, b\}, x] \&\& \text{!GtQ}[a, 0]$

Rule 272

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] \text{ /; FreeQ}\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 587

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}*((c_) + (d_)*(x_)^{(n_)})^{(q_)}*((e_) + (f_)*(x_)^{(n_)})^{(r_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r}, x], x, x^n], x] \text{ /; FreeQ}\{a, b, c, d, e, f, m, n, p, q, r\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 5346

$\text{Int}[(a_) + \text{ArcSec}[(c_)*(x_)]*(b_)]*((f_)*(x_))^{(m_)}*((d_) + (e_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \text{With}\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSec}[c*x], u, x] - \text{Dist}[b*c*(x/\text{Sqrt}[c^2*x^2]), \text{Int}[\text{SimplifyIntegr and}[u/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x], x]] \text{ /; FreeQ}\{a, b, c, d, e, f, m, p\}, x] \&\& ((\text{IGtQ}[p, 0] \&\& \text{!(ILtQ}[(m - 1)/2, 0] \&\& \text{GtQ}[m + 2*p + 3, 0])) \parallel (\text{IGtQ}[(m + 1)/2, 0] \&\& \text{!(ILtQ}[p, 0] \&\& \text{GtQ}[m + 2*p + 3, 0])) \parallel (\text{ILtQ}[(m + 2*p + 1)/2, 0] \&\& \text{!ILtQ}[(m - 1)/2, 0]))$

Rubi steps

$$\begin{aligned}
\int x^3 (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx &= -\frac{d(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \sec^{-1}(cx))}{7e^2} \\
&= -\frac{d(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \sec^{-1}(cx))}{7e^2} \\
&= -\frac{d(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \sec^{-1}(cx))}{7e^2} \\
&= -\frac{bx\sqrt{-1 + c^2x^2} (d + ex^2)^{5/2}}{42ce\sqrt{c^2x^2}} - \frac{d(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^2} + \\
&= -\frac{b(13c^2d + 25e)x\sqrt{-1 + c^2x^2} (d + ex^2)^{3/2}}{840c^3e\sqrt{c^2x^2}} - \frac{bx\sqrt{-1 + c^2x^2} (d + ex^2)^{3/2}}{42ce\sqrt{c^2x^2}} \\
&= \frac{b(3c^4d^2 - 38c^2de - 25e^2)x\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{560c^5e\sqrt{c^2x^2}} - \frac{b(13c^2d + 25e)}{560c^5e\sqrt{c^2x^2}} \\
&= \frac{b(3c^4d^2 - 38c^2de - 25e^2)x\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{560c^5e\sqrt{c^2x^2}} - \frac{b(13c^2d + 25e)}{560c^5e\sqrt{c^2x^2}} \\
&= \frac{b(3c^4d^2 - 38c^2de - 25e^2)x\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{560c^5e\sqrt{c^2x^2}} - \frac{b(13c^2d + 25e)}{560c^5e\sqrt{c^2x^2}} \\
&= \frac{b(3c^4d^2 - 38c^2de - 25e^2)x\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{560c^5e\sqrt{c^2x^2}} - \frac{b(13c^2d + 25e)}{560c^5e\sqrt{c^2x^2}} \\
&= \frac{b(3c^4d^2 - 38c^2de - 25e^2)x\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{560c^5e\sqrt{c^2x^2}} - \frac{b(13c^2d + 25e)}{560c^5e\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A]

time = 3.18, size = 295, normalized size = 0.79

$$\frac{\sqrt{d+ex^2} \left(48ac^2(2d-5ex^2)(d+ex^2)^2 + bc\sqrt{1-\frac{1}{c^2x^2}} \pi(75c^2+2e^2e(82d+25ex^2)+c^2(57d^2+106dex^2+40e^2x^4))+48bc^2(2d-5ex^2)(d+ex^2)^2 \sec^{-1}(cx) \right)}{1680c^5e^2} - \frac{b\sqrt{1-\frac{1}{c^2x^2}} \pi \left(-32e^2d^2 \operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{-1+c^2x^2}}{\sqrt{d+ex^2}}\right) + \sqrt{e}(-35c^2d^2+35c^2d^2e+63c^2d^2+25e^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{-1+c^2x^2}}{\sqrt{d+ex^2}}\right) \right)}{560c^5e^2\sqrt{-1+c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]),x]

[Out] -1/1680*(Sqrt[d + e*x^2]*(48*a*c^5*(2*d - 5*e*x^2)*(d + e*x^2)^2 + b*e*Sqrt[1 - 1/(c^2*x^2)]*x*(75*e^2 + 2*c^2*e*(82*d + 25*e*x^2) + c^4*(57*d^2 + 106*d*e*x^2 + 40*e^2*x^4)) + 48*b*c^5*(2*d - 5*e*x^2)*(d + e*x^2)^2*ArcSec[c*x]))/(c^5*e^2) - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(-32*c^7*d^(7/2)*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]] + Sqrt[e]*(-35*c^6*d^3 + 35*c^4*d^2*e + 63*c^2*d*e^2 + 25*e^3)*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])]))/(560*c^6*e^2*Sqrt[-1 + c^2*x^2])

Maple [F]

time = 2.09, size = 0, normalized size = 0.00

$$\int x^3 (ex^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)

[Out] int(x^3*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] 1/35*((5*x^6*e^3 + 8*d*x^4*e^2 + d^2*x^2*e - 2*d^3)*sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 35*e^2*integrate((35*(c^2*x^7*e^3 + (c^2*d*e^2 - e^3)*x^5 - d*x^3*e^2 + (c^2*x^7*e^3 + (c^2*d*e^2 - e^3)*x^5 - d*x^3*e^2)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d)*log(x) + (35*c^2*x^7*e^3*log(c) + 35*(c^2*d*e^2*log(c) - e^3*log(c))*x^5 - 35*d*x^3*e^2*log(c) + (5*(7*c^2*e^3*log(c) + c^2*e^3)*x^7 - 2*c^2*d^3*x + ((35*c^2*e^2*log(c) + 8*c^2*e^2)*d - 35*e^3*log(c))*x^5 + (c^2*d^2*e - 35*d*e^2*log(c))*x^3)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d))/(c^2*x^2*e^2 + (c^2*x^2*e^2 - e^2)*e^(log(c*x + 1) + log(c*x - 1)) - e^2), x))*b*e^(-2) + 1/35*(5*(x^2*e + d)^(5/2)*x^2*e^(-1) - 2*(x^2*e + d)^(5/2)*d*e^(-2))*a

Fricas [A]

time = 8.71, size = 867, normalized size = 2.32

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")

```
[Out] [1/6720*(96*b*c^7*sqrt(-d)*d^3*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*e^2 +
4*(c^2*d*x^2 - x^2*e - 2*d)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*sqrt(-d) + 8
*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*e)/x^4) - 3*(35*b*c^6*d^3 - 35*b*c^4*d^2*e
- 63*b*c^2*d*e^2 - 25*b*e^3)*e^(1/2)*log(c^4*d^2 - 4*(c^3*d + (2*c^3*x^2 -
c)*e)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*e^(1/2) + (8*c^4*x^4 - 8*c^2*x^2 +
1)*e^2 + 2*(4*c^4*d*x^2 - 3*c^2*d)*e) + 4*(240*a*c^7*x^6*e^3 + 384*a*c^7*d
*x^4*e^2 + 48*a*c^7*d^2*x^2*e - 96*a*c^7*d^3 + 48*(5*b*c^7*x^6*e^3 + 8*b*c^
7*d*x^4*e^2 + b*c^7*d^2*x^2*e - 2*b*c^7*d^3)*arcsec(c*x) - (57*b*c^5*d^2*e
+ 5*(8*b*c^5*x^4 + 10*b*c^3*x^2 + 15*b*c)*e^3 + 2*(53*b*c^5*d*x^2 + 82*b*c^
3*d)*e^2)*sqrt(c^2*x^2 - 1))*sqrt(x^2*e + d))*e^(-2)/c^7, -1/6720*(192*b*c^
7*d^(7/2)*arctan(-1/2*(c^2*d*x^2 - x^2*e - 2*d)*sqrt(c^2*x^2 - 1)*sqrt(x^2*
e + d)*sqrt(d)/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*e)) + 3*(35*b*c^6*d
^3 - 35*b*c^4*d^2*e - 63*b*c^2*d*e^2 - 25*b*e^3)*e^(1/2)*log(c^4*d^2 - 4*(c
^3*d + (2*c^3*x^2 - c)*e)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*e^(1/2) + (8*c^
4*x^4 - 8*c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^2 - 3*c^2*d)*e) - 4*(240*a*c^7*x^
6*e^3 + 384*a*c^7*d*x^4*e^2 + 48*a*c^7*d^2*x^2*e - 96*a*c^7*d^3 + 48*(5*b*c
^7*x^6*e^3 + 8*b*c^7*d*x^4*e^2 + b*c^7*d^2*x^2*e - 2*b*c^7*d^3)*arcsec(c*x)
- (57*b*c^5*d^2*e + 5*(8*b*c^5*x^4 + 10*b*c^3*x^2 + 15*b*c)*e^3 + 2*(53*b*
c^5*d*x^2 + 82*b*c^3*d)*e^2)*sqrt(c^2*x^2 - 1))*sqrt(x^2*e + d))*e^(-2)/c^7
]
```

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(e*x**2+d)**(3/2)*(a+b*asec(c*x)),x)
```

```
[Out] Timed out
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)*x^3, x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 (e x^2 + d)^{3/2} \left(a + b \operatorname{acos} \left(\frac{1}{c x} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))),x)
```

```
[Out] int(x^3*(d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))), x)
```

3.122 $\int x(d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=262

$$\frac{b(7c^2d + 3e)x\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{40c^3\sqrt{c^2x^2}} - \frac{bx\sqrt{-1 + c^2x^2}(d + ex^2)^{3/2}}{20c\sqrt{c^2x^2}} + \frac{(d + ex^2)^{5/2}(a + b \sec^{-1}(cx))}{5e} + \frac{bcd^{5/2}}{5e}$$

[Out] $1/5*(e*x^2+d)^{(5/2)}*(a+b*\operatorname{arcsec}(c*x))/e+1/5*b*c*d^{(5/2)}*x*\operatorname{arctan}((e*x^2+d)^{(1/2)}/d^{(1/2)}/(c^2*x^2-1)^{(1/2)})/e/(c^2*x^2)^{(1/2)}-1/40*b*(15*c^4*d^2+10*c^2*d*e+3*e^2)*x*\operatorname{arctanh}(e^{(1/2)}*(c^2*x^2-1)^{(1/2)}/c/(e*x^2+d)^{(1/2)})/c^4/e^{(1/2)}/(c^2*x^2)^{(1/2)}-1/20*b*x*(e*x^2+d)^{(3/2)}*(c^2*x^2-1)^{(1/2)}/c/(c^2*x^2)^{(1/2)}-1/40*b*(7*c^2*d+3*e)*x*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/c^3/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.20, antiderivative size = 262, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {5344, 457, 104, 159, 163, 65, 223, 212, 95, 210}

$$\frac{(d + ex^2)^{5/2}(a + b \sec^{-1}(cx))}{5e} + \frac{bcd^{5/2}x \operatorname{ArcTan}\left(\frac{\sqrt{d + ex^2}}{\sqrt{d}\sqrt{c^2x^2 - 1}}\right)}{5e\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2 - 1}(d + ex^2)^{3/2}}{20c\sqrt{c^2x^2}} - \frac{bx(15c^4d^2 + 10c^2de + 3e^2)\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2 - 1}}{c\sqrt{d + ex^2}}\right)}{40c^4\sqrt{e}\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2 - 1}(7c^2d + 3e)\sqrt{d + ex^2}}{40c^3\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*(d + e*x^2)^{(3/2)}*(a + b*\operatorname{ArcSec}[c*x]), x]$

[Out] $-1/40*(b*(7*c^2*d + 3*e)*x*\operatorname{Sqrt}[-1 + c^2*x^2]*\operatorname{Sqrt}[d + e*x^2])/(c^3*\operatorname{Sqrt}[c^2*x^2]) - (b*x*\operatorname{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^{(3/2)})/(20*c*\operatorname{Sqrt}[c^2*x^2]) + ((d + e*x^2)^{(5/2)}*(a + b*\operatorname{ArcSec}[c*x]))/(5*e) + (b*c*d^{(5/2)}*x*\operatorname{ArcTan}[\operatorname{Sqrt}[d + e*x^2]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[-1 + c^2*x^2])])/(5*e*\operatorname{Sqrt}[c^2*x^2]) - (b*(15*c^4*d^2 + 10*c^2*d*e + 3*e^2)*x*\operatorname{ArcTanh}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[-1 + c^2*x^2])/(c*\operatorname{Sqrt}[d + e*x^2])])/(40*c^4*\operatorname{Sqrt}[e]*\operatorname{Sqrt}[c^2*x^2])$

Rule 65

$\operatorname{Int}(((a_.) + (b_.)*(x_))^{(m_)}*((c_.) + (d_.)*(x_))^{(n_)}, x_Symbol) \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m + 1) - 1)}*(c - a*(d/b) + d*(x^p/b))^{(n)}, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 95

$\operatorname{Int}(((a_.) + (b_.)*(x_))^{(m_)}*((c_.) + (d_.)*(x_))^{(n_)})/((e_.) + (f_.)*(x_)), x_Symbol) \rightarrow \operatorname{With}[\{q = \operatorname{Denominator}[m]\}, \operatorname{Dist}[q, \operatorname{Subst}[\operatorname{Int}[x^{(q*(m + 1) - 1)}]/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^{(1/q)}/(c + d*x)^{(1/q)}$

], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 104

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 1))), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegersQ[2*m, 2*n, 2*p]

Rule 159

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[h*(a + b*x)^m*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 2))), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]

Rule 163

Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*(e + f*x)^p/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

Rule 210

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^(-1))*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 223

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 5344

```
Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*(x_)*((d_) + (e_)*(x_)^2)^(p_), x
_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSec[c*x])/(2*e*(p + 1))), x
] - Dist[b*c*(x/(2*e*(p + 1)*Sqrt[c^2*x^2])), Int[(d + e*x^2)^(p + 1)/(x*Sq
rt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int x(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))dx &= \frac{(d+ex^2)^{5/2}(a+b\sec^{-1}(cx))}{5e} - \frac{(bcx)\int\frac{(d+ex^2)^{5/2}}{x\sqrt{-1+c^2x^2}}dx}{5e\sqrt{c^2x^2}} \\
&= \frac{(d+ex^2)^{5/2}(a+b\sec^{-1}(cx))}{5e} - \frac{(bcx)\text{Subst}\left(\int\frac{(d+ex)^{5/2}}{x\sqrt{-1+c^2x}}dx,x\right)}{10e\sqrt{c^2x^2}} \\
&= -\frac{bx\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{20c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{5/2}(a+b\sec^{-1}(cx))}{5e} \\
&= -\frac{b(7c^2d+3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{20c\sqrt{c^2x^2}} \\
&= -\frac{b(7c^2d+3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{20c\sqrt{c^2x^2}} \\
&= -\frac{b(7c^2d+3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{20c\sqrt{c^2x^2}} \\
&= -\frac{b(7c^2d+3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{20c\sqrt{c^2x^2}} \\
&= -\frac{b(7c^2d+3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{20c\sqrt{c^2x^2}} \\
&= -\frac{b(7c^2d+3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{20c\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A]

time = 2.54, size = 236, normalized size = 0.90

$$\frac{\sqrt{d+ex^2}\left(8ac^3(d+ex^2)^2-be\sqrt{1-\frac{1}{c^2x^2}}x(3e+c^2(9d+2ex^2))+8bc^2(d+ex^2)^2\sec^{-1}(cx)\right)}{40c^3e} - \frac{b\sqrt{1-\frac{1}{c^2x^2}}x\left(8c^5d^{5/2}\text{ArcTan}\left(\frac{\sqrt{d}\sqrt{-1+c^2x^2}}{\sqrt{d+ex^2}}\right)+\sqrt{e}(15c^4d^2+10c^2de+3e^2)\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{-1+c^2x^2}}{c\sqrt{d+ex^2}}\right)\right)}{40c^3e\sqrt{-1+c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]),x]

[Out] (Sqrt[d + e*x^2]*(8*a*c^3*(d + e*x^2)^2 - b*e*Sqrt[1 - 1/(c^2*x^2)]*x*(3*e + c^2*(9*d + 2*e*x^2)) + 8*b*c^3*(d + e*x^2)^2*ArcSec[c*x]))/(40*c^3*e) - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(8*c^5*d^(5/2)*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]] + Sqrt[e]*(15*c^4*d^2 + 10*c^2*d*e + 3*e^2)*ArcTanh[(Sqr

```
t[e]*Sqrt[-1 + c^2*x^2]/(c*Sqrt[d + e*x^2])))/(40*c^4*e*Sqrt[-1 + c^2*x^2])
```

Maple [F]

time = 1.43, size = 0, normalized size = 0.00

$$\int x(e x^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)
```

```
[Out] int(x*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")
```

```
[Out] 1/5*(x^2*e + d)^(5/2)*a*e^(-1) + 1/5*((x^4*e^2 + 2*d*x^2*e + d^2)*sqrt(x^2*
e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 5*e*integrate((5*(c^2*x^5*e^2
+ (c^2*d*e - e^2)*x^3 - d*x*e + (c^2*x^5*e^2 + (c^2*d*e - e^2)*x^3 - d*x*e)
*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d)*log(x) + (5*c^2*x^5*e^2*
og(c) + 5*(c^2*d*e*log(c) - e^2*log(c))*x^3 - 5*d*x*e*log(c) + ((5*c^2*e^2*
log(c) + c^2*e^2)*x^5 + ((5*c^2*e*log(c) + 2*c^2*e)*d - 5*e^2*log(c))*x^3 +
(c^2*d^2 - 5*d*e*log(c))*x)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e +
d))/(c^2*x^2*e + (c^2*x^2*e - e)*e^(log(c*x + 1) + log(c*x - 1)) - e), x)*
b*e^(-1)
```

Fricas [A]

time = 4.44, size = 717, normalized size = 2.74

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] [1/160*(8*b*c^5*sqrt(-d)*d^2*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*e^2 - 4
*(c^2*d*x^2 - x^2*e - 2*d)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*sqrt(-d) + 8*d
^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*e)/x^4) + (15*b*c^4*d^2 + 10*b*c^2*d*e + 3*b
*e^2)*e^(1/2)*log(c^4*d^2 - 4*(c^3*d + (2*c^3*x^2 - c)*e)*sqrt(c^2*x^2 - 1)
*sqrt(x^2*e + d)*e^(1/2) + (8*c^4*x^4 - 8*c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^2
- 3*c^2*d)*e) + 4*(8*a*c^5*x^4*e^2 + 16*a*c^5*d*x^2*e + 8*a*c^5*d^2 + 8*(b
```

```
*c^5*x^4*e^2 + 2*b*c^5*d*x^2*e + b*c^5*d^2)*arcsec(c*x) - (9*b*c^3*d*e + (2
*b*c^3*x^2 + 3*b*c)*e^2)*sqrt(c^2*x^2 - 1))*sqrt(x^2*e + d))*e^(-1)/c^5, 1/
160*(16*b*c^5*d^(5/2)*arctan(-1/2*(c^2*d*x^2 - x^2*e - 2*d)*sqrt(c^2*x^2 -
1)*sqrt(x^2*e + d)*sqrt(d)/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*e)) + (
15*b*c^4*d^2 + 10*b*c^2*d*e + 3*b*e^2)*e^(1/2)*log(c^4*d^2 - 4*(c^3*d + (2*
c^3*x^2 - c)*e)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*e^(1/2) + (8*c^4*x^4 - 8*
c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^2 - 3*c^2*d)*e) + 4*(8*a*c^5*x^4*e^2 + 16*a
*c^5*d*x^2*e + 8*a*c^5*d^2 + 8*(b*c^5*x^4*e^2 + 2*b*c^5*d*x^2*e + b*c^5*d^2
)*arcsec(c*x) - (9*b*c^3*d*e + (2*b*c^3*x^2 + 3*b*c)*e^2)*sqrt(c^2*x^2 - 1)
)*sqrt(x^2*e + d))*e^(-1)/c^5]
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x(a + b \operatorname{asec}(cx)) (d + ex^2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x**2+d)**(3/2)*(a+b*asec(c*x)),x)
```

```
[Out] Integral(x*(a + b*asec(c*x))*(d + e*x**2)**(3/2), x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)*x, x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x (ex^2 + d)^{3/2} \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))),x)
```

```
[Out] int(x*(d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))), x)
```

$$3.123 \quad \int \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x}, x\right)$$

[Out] Unintegrable((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x,x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x} dx$$

Verification is not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x,x]

[Out] Defer[Int] [((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x} dx = \int \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x} dx$$

Mathematica [A]

time = 3.06, size = 0, normalized size = 0.00

$$\int \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x} dx$$

Verification is not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x,x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x, x]

Maple [A]

time = 1.06, size = 0, normalized size = 0.00

$$\int \frac{(ex^2+d)^{\frac{3}{2}}(a+b\text{arcsec}(cx))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x,x)`

[Out] `int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x,x, algorithm="maxima")`

[Out] `-1/3*(3*d^(3/2)*arcsinh(sqrt(d)*e^(-1/2)/abs(x)) - (x^2*e + d)^(3/2) - 3*sqrt(x^2*e + d)*d)*a + (e*integrate(sqrt(x^2*e + d)*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)), x) + d*integrate(sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/x, x))*b`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x,x, algorithm="fricas")`

[Out] `integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsec(c*x))*sqrt(x^2*e + d)/x, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx)) (d + ex^2)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**(3/2)*(a+b*asec(c*x))/x,x)`

[Out] `Integral((a + b*asec(c*x))*(d + e*x**2)**(3/2)/x, x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)/x, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(ex^2 + d)^{3/2} \left(a + b \operatorname{arccos}\left(\frac{1}{cx}\right)\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))))/x,x)

[Out] int(((d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))))/x, x)

$$3.124 \quad \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^3} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^3}, x\right)$$

[Out] Unintegrable((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^3, x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^3} dx$$

Verification is not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^3, x]

[Out] Defer[Int](((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^3, x)

Rubi steps

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^3} dx = \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^3} dx$$

Mathematica [A]

time = 3.60, size = 0, normalized size = 0.00

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^3} dx$$

Verification is not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^3, x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^3, x]

Maple [A]

time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{(ex^2+d)^{\frac{3}{2}} (a+b \operatorname{arcsec}(cx))}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^3,x)`

[Out] `int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^3,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^3,x, algorithm="maxima")`

[Out] `-1/2*(3*sqrt(d)*arcsinh(sqrt(d)*e^(-1/2)/abs(x))*e - 3*sqrt(x^2*e + d)*e - (x^2*e + d)^(3/2)*e/d + (x^2*e + d)^(5/2)/(d*x^2))*a + (e*integrate(sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/x, x) + d*integrate(sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/x^3, x))*b`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^3,x, algorithm="fricas")`

[Out] `integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsec(c*x))*sqrt(x^2*e + d)/x^3, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx)) (d + ex^2)^{\frac{3}{2}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**(3/2)*(a+b*asec(c*x))/x**3,x)`

[Out] `Integral((a + b*asec(c*x))*(d + e*x**2)**(3/2)/x**3, x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^3,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)/x^3, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(ex^2 + d)^{3/2} \left(a + b \operatorname{arccos}\left(\frac{1}{cx}\right) \right)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))))/x^3,x)

[Out] int(((d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))))/x^3, x)

3.125 $\int x^2(d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=26

$$\text{Int}\left(x^2(d + ex^2)^{3/2} (a + b \sec^{-1}(cx)), x\right)$$

[Out] Unintegrable($x^2*(e*x^2+d)^{(3/2)*(a+b*\text{arcsec}(c*x))$), x]

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$,

Rules used = {}

$$\int x^2(d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Int [$x^2*(d + e*x^2)^{(3/2)*(a + b*\text{ArcSec}[c*x])$], x]

[Out] Defer[Int] [$x^2*(d + e*x^2)^{(3/2)*(a + b*\text{ArcSec}[c*x])$], x]

Rubi steps

$$\int x^2(d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx = \int x^2(d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Mathematica [A]

time = 7.45, size = 0, normalized size = 0.00

$$\int x^2(d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate [$x^2*(d + e*x^2)^{(3/2)*(a + b*\text{ArcSec}[c*x])$], x]

[Out] Integrate [$x^2*(d + e*x^2)^{(3/2)*(a + b*\text{ArcSec}[c*x])$], x]

Maple [A]

time = 1.22, size = 0, normalized size = 0.00

$$\int x^2(e x^2 + d)^{\frac{3}{2}} (a + b \text{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^2*(e*x^2+d)^{(3/2)}*(a+b*\text{arcsec}(c*x)), x)$

[Out] $\text{int}(x^2*(e*x^2+d)^{(3/2)}*(a+b*\text{arcsec}(c*x)), x)$

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^2*(e*x^2+d)^{(3/2)}*(a+b*\text{arcsec}(c*x)), x, \text{algorithm}="maxima")$

[Out] $-1/48*(3*d^3*\text{arcsinh}(x*e^{(1/2)}/\text{sqrt}(d))*e^{(-3/2)} - 8*(x^2*e + d)^{(5/2)}*x*e^{(-1)} + 2*(x^2*e + d)^{(3/2)}*d*x*e^{(-1)} + 3*\text{sqrt}(x^2*e + d)*d^2*x*e^{(-1)})*a + b*\text{integrate}((x^4*e + d*x^2)*\text{sqrt}(x^2*e + d)*\text{arctan}(\text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1)), x)$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^2*(e*x^2+d)^{(3/2)}*(a+b*\text{arcsec}(c*x)), x, \text{algorithm}="fricas")$

[Out] $\text{integral}((a*x^4*e + a*d*x^2 + (b*x^4*e + b*d*x^2)*\text{arcsec}(c*x))*\text{sqrt}(x^2*e + d), x)$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^{**2}*(e*x^{**2}+d)^{(3/2)}*(a+b*\text{asec}(c*x)), x)$

[Out] Timed out

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^2*(e*x^2+d)^{(3/2)}*(a+b*\text{arcsec}(c*x)), x, \text{algorithm}="giac")$

[Out] $\text{integrate}((e*x^2 + d)^{(3/2)}*(b*\text{arcsec}(c*x) + a)*x^2, x)$

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int x^2 (e x^2 + d)^{3/2} \left(a + b \operatorname{acos} \left(\frac{1}{c x} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))),x)

[Out] int(x^2*(d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))), x)

$$3.126 \quad \int (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Optimal. Leaf size=23

$$\text{Int}\left((d + ex^2)^{3/2} (a + b \sec^{-1}(cx)), x\right)$$

[Out] Unintegrable((e*x^2+d)^(3/2)*(a+b*arcsec(c*x)), x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Int[(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

[Out] Defer[Int] [(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx = \int (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Mathematica [A]

time = 23.64, size = 0, normalized size = 0.00

$$\int (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate[(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

[Out] Integrate[(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

Maple [A]

time = 1.16, size = 0, normalized size = 0.00

$$\int (ex^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)`

[Out] `int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] `1/8*(3*d^2*arcsinh(x*e^(1/2)/sqrt(d))*e^(-1/2) + 2*(x^2*e + d)^(3/2)*x + 3*sqrt(x^2*e + d)*d*x)*a + b*integrate((x^2*e + d)^(3/2)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] `integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsec(c*x))*sqrt(x^2*e + d), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asec}(cx)) (d + ex^2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**(3/2)*(a+b*asec(c*x)),x)`

[Out] `Integral((a + b*asec(c*x))*(d + e*x**2)**(3/2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int (e x^2 + d)^{3/2} \left(a + b \operatorname{acos}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))),x)

[Out] int((d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))), x)

$$3.127 \quad \int \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x^2} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x^2}, x\right)$$

[Out] Unintegrable((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^2,x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x^2} dx$$

Verification is not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^2,x]

[Out] Defer[Int][((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^2, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x^2} dx = \int \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x^2} dx$$

Mathematica [A]

time = 46.44, size = 0, normalized size = 0.00

$$\int \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x^2} dx$$

Verification is not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^2,x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^2, x]

Maple [A]

time = 0.73, size = 0, normalized size = 0.00

$$\int \frac{(ex^2+d)^{\frac{3}{2}}(a+b\text{arcsec}(cx))}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^2,x)`

[Out] `int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^2,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^2,x, algorithm="maxima")`

[Out] `1/2*(3*d*arcsinh(x*e^(1/2)/sqrt(d))*e^(1/2) + 3*sqrt(x^2*e + d)*x*e - 2*(x^2*e + d)^(3/2)/x)*a + (e*integrate(sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)), x) + d*integrate(sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/x^2, x))*b`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^2,x, algorithm="fricas")`

[Out] `integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsec(c*x))*sqrt(x^2*e + d)/x^2, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx)) (d + ex^2)^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**(3/2)*(a+b*asec(c*x))/x**2,x)`

[Out] `Integral((a + b*asec(c*x))*(d + e*x**2)**(3/2)/x**2, x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^2,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)/x^2, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(e x^2 + d)^{3/2} \left(a + b \operatorname{arccos}\left(\frac{1}{c x}\right) \right)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))))/x^2,x)

[Out] int(((d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))))/x^2, x)

$$3.128 \quad \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^4} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^4}, x\right)$$

[Out] Unintegrable((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^4, x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^4} dx$$

Verification is not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^4, x]

[Out] Defer[Int](((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^4, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^4} dx = \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^4} dx$$

Mathematica [A]

time = 7.44, size = 0, normalized size = 0.00

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^4} dx$$

Verification is not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^4, x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^4, x]

Maple [A]

time = 1.62, size = 0, normalized size = 0.00

$$\int \frac{(ex^2+d)^{\frac{3}{2}} (a+b \operatorname{arcsec}(cx))}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^4,x)`

[Out] `int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^4,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^4,x, algorithm="maxima")`

[Out] `1/3*(3*arcsinh(x*e^(1/2)/sqrt(d))*e^(3/2) + 3*sqrt(x^2*e + d)*x*e^2/d - 2*(x^2*e + d)^(3/2)*e/(d*x) - (x^2*e + d)^(5/2)/(d*x^3))*a + (e*integrate(sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/x^2, x) + d*integrate(sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/x^4, x))*b`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^4,x, algorithm="fricas")`

[Out] `integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsec(c*x))*sqrt(x^2*e + d)/x^4, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asec}(cx)) (d + ex^2)^{\frac{3}{2}}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**(3/2)*(a+b*asec(c*x))/x**4,x)`

[Out] `Integral((a + b*asec(c*x))*(d + e*x**2)**(3/2)/x**4, x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^4,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)/x^4, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(ex^2 + d)^{3/2} \left(a + b \operatorname{arccos}\left(\frac{1}{cx}\right)\right)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))))/x^4,x)

[Out] int(((d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))))/x^4, x)

$$3.129 \quad \int \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x^6} dx$$

Optimal. Leaf size=416

$$\frac{bc(8c^4d^2 + 23c^2de + 23e^2) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{75d\sqrt{c^2x^2}} + \frac{4bc(c^2d + 2e) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{75x^2\sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2}}{25x^4\sqrt{c^2x^2}}$$

[Out] $-1/5*(e*x^2+d)^{(5/2)}*(a+b*\text{arcsec}(c*x))/d/x^5+1/25*b*c*(e*x^2+d)^{(3/2)}*(c^2*x^2-1)^{(1/2)}/x^4/(c^2*x^2)^{(1/2)}+1/75*b*c*(8*c^4*d^2+23*c^2*d*e+23*e^2)*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/(c^2*x^2)^{(1/2)}+4/75*b*c*(c^2*d+2*e)*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/x^2/(c^2*x^2)^{(1/2)}-1/75*b*c^2*(8*c^4*d^2+23*c^2*d*e+23*e^2)*x*\text{EllipticE}(c*x, (-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(1+e*x^2/d)^{(1/2)}+1/75*b*(c^2*d+e)*(8*c^4*d^2+19*c^2*d*e+15*e^2)*x*\text{EllipticF}(c*x, (-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/d/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.39, antiderivative size = 416, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {270, 5346, 12, 485, 594, 597, 538, 438, 437, 435, 432, 430}

$$\frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{5d^2} + \frac{bc\sqrt{1-c^2x^2}(c^2d+e)(8c^4d^2+19c^2de+15e^2)\sqrt{\frac{ex^2}{d}+1}F(\text{ArcSin}(cx)|-\frac{e}{c^2d})}{75d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{bc^2x\sqrt{1-c^2x^2}(8c^4d^2+23c^2de+23e^2)\sqrt{d+ex^2}E(\text{ArcSin}(cx)|-\frac{e}{c^2d})}{75d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{\frac{ex^2}{d}+1}} + \frac{4bc\sqrt{c^2x^2-1}(c^2d+2e)\sqrt{d+ex^2}}{75x^2\sqrt{c^2x^2}} + \frac{bc\sqrt{c^2x^2-1}(d+ex^2)^{3/2}}{25x^4\sqrt{c^2x^2}} + \frac{bc\sqrt{c^2x^2-1}(8c^4d^2+23c^2de+23e^2)\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^6,x]

[Out] $(b*c*(8*c^4*d^2 + 23*c^2*d*e + 23*e^2)*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(75*d*\text{Sqrt}[c^2*x^2]) + (4*b*c*(c^2*d + 2*e)*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(75*x^2*\text{Sqrt}[c^2*x^2]) + (b*c*\text{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^{(3/2)})/(25*x^4*\text{Sqrt}[c^2*x^2]) - ((d + e*x^2)^{(5/2)}*(a + b*\text{ArcSec}[c*x]))/(5*d*x^5) - (b*c^2*(8*c^4*d^2 + 23*c^2*d*e + 23*e^2)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d + e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(75*d*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]) + (b*(c^2*d + e)*(8*c^4*d^2 + 19*c^2*d*e + 15*e^2)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(75*d*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 270

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(c*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*c*(m + 1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2])*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2])*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 438

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d/c)*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 485

```
Int[((e_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] := Simp[c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q - 1)/(a*e*(m + 1))), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(c*b - a*d)*(m + 1) + c*n*(b*c*(p + 1) + a*d*(q - 1)) + d*((c*b - a*d)*(m + 1) + c*b*n*(p + q))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 538

```
Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-b/a, -d/c]))))))
```

Rule 594

```
Int[((g_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_
))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b
*x^n)^(p + 1)*((c + d*x^n)^q/(a*g*(m + 1))), x] - Dist[1/(a*g^n*(m + 1)), I
nt[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f)*(m +
1) + e*n*(b*c*(p + 1) + a*d*q) + d*((b*e - a*f)*(m + 1) + b*e*n*(p + q + 1)
)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && Gt
Q[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplerQ[e + f*x^n, c + d*x^n])
```

Rule 597

```
Int[((g_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_
))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b
*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^n*(
m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) -
e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2)
+ 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0
] && LtQ[m, -1]
```

Rule 5346

```
Int[((a_) + ArcSec[(c_)*(x_)]*(b_))*((f_)*(x_)^(m_))*((d_) + (e_)*(x
_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x^6} dx &= -\frac{(d+ex^2)^{5/2}(a+b\sec^{-1}(cx))}{5dx^5} - \frac{(bcx) \int -\frac{(d+ex^2)^{5/2}}{5dx^6\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{(d+ex^2)^{5/2}(a+b\sec^{-1}(cx))}{5dx^5} + \frac{(bcx) \int \frac{(d+ex^2)^{5/2}}{x^6\sqrt{-1+c^2x^2}} dx}{5d\sqrt{c^2x^2}} \\
&= \frac{bc\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{25x^4\sqrt{c^2x^2}} - \frac{(d+ex^2)^{5/2}(a+b\sec^{-1}(cx))}{5dx^5} - \frac{(bcx)}{\sqrt{c^2x^2}} \\
&= \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75x^2\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{25x^4\sqrt{c^2x^2}} \\
&= \frac{bc(8c^4d^2+23c^2de+23e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} + \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} \\
&= \frac{bc(8c^4d^2+23c^2de+23e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} + \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} \\
&= \frac{bc(8c^4d^2+23c^2de+23e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} + \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} \\
&= \frac{bc(8c^4d^2+23c^2de+23e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} + \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} \\
&= \frac{bc(8c^4d^2+23c^2de+23e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} + \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 10.06, size = 303, normalized size = 0.73

$$\frac{\sqrt{d+ex^2} \left(-15a(d+ex^2)^2 + bc\sqrt{1-\frac{1}{c^2x^2}} x(23c^2d^2+dcx^2(11+23c^2x^2)+d^2(3+4c^2x^2+8c^4x^4))-15a(d+ex^2)^2\sec^{-1}(cx) \right)}{75dx^5} - \frac{ibc\sqrt{1-\frac{1}{c^2x^2}} x\sqrt{1+\frac{ex^2}{d}} \left(c^2d(8c^4d^2+23c^2de+23e^2)E\left(\sinh^{-1}\left(\frac{\sqrt{-c^2x^2}}{d}\right)\right) - (8c^4d^2+27c^2de+34c^2d^2+15e^2)F\left(\sinh^{-1}\left(\frac{\sqrt{-c^2x^2}}{d}\right)\right) \right)}{75\sqrt{-c^2}\sqrt{d}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^6,x]

```
[Out] (Sqrt[d + e*x^2]*(-15*a*(d + e*x^2)^2 + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(23*e^2
*x^4 + d*e*x^2*(11 + 23*c^2*x^2) + d^2*(3 + 4*c^2*x^2 + 8*c^4*x^4)) - 15*b*
(d + e*x^2)^2*ArcSec[c*x]))/(75*d*x^5) - ((I/75)*b*c*Sqrt[1 - 1/(c^2*x^2)]*
x*Sqrt[1 + (e*x^2)/d]*(c^2*d*(8*c^4*d^2 + 23*c^2*d*e + 23*e^2)*EllipticE[I*
ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] - (8*c^6*d^3 + 27*c^4*d^2*e + 34*c^2*d
*e^2 + 15*e^3)*EllipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))]))/(Sqrt[-c^
2]*d*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])
```

Maple [F]

time = 1.81, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsec}(cx))}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^6,x)
```

```
[Out] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^6,x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^6,x, algorithm="maxima")
```

```
[Out] -1/5*(x^2*e + d)^(5/2)*a/(d*x^5) - 1/5*(5*d*x^5*integrate((5*(c^2*d*x^4*e +
(c^2*d^2 - d*e)*x^2 - d^2 + (c^2*d*x^4*e + (c^2*d^2 - d*e)*x^2 - d^2)*e^(1
og(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d)*log(x) + (5*c^2*d*x^4*e*log(c)
+ 5*(c^2*d^2*log(c) - d*e*log(c))*x^2 - 5*d^2*log(c) - (c^2*x^6*e^2 - (5*c
^2*e*log(c) - 2*c^2*e)*d*x^4 - ((5*c^2*log(c) - c^2)*d^2 - 5*d*e*log(c))*x^
2 + 5*d^2*log(c))*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d))/(c^2*d*
x^8 - d*x^6 + (c^2*d*x^8 - d*x^6)*e^(log(c*x + 1) + log(c*x - 1))), x) + (x
^4*e^2 + 2*d*x^2*e + d^2)*sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1
)))*b/(d*x^5)
```

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^6,x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly
1 arguments (2 given)
```

Sympy [F(-1)] Timed out
time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(3/2)*(a+b*asec(c*x))/x**6,x)

[Out] Timed out

Giac [F]
time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^6,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)/x^6, x)

Mupad [F]
time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e x^2 + d)^{3/2} (a + b \operatorname{acos}(\frac{1}{c x}))}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))))/x^6,x)

[Out] int(((d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))))/x^6, x)

$$3.130 \quad \int \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{x^8} dx$$

Optimal. Leaf size=554

$$\frac{bc(240c^6d^3 + 528c^4d^2e + 193c^2de^2 - 247e^3) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{3675d^2\sqrt{c^2x^2}} + \frac{bc(120c^4d^2 + 159c^2de - 37e^2) \sqrt{-1 + c^2x^2}}{3675dx^2\sqrt{c^2x^2}}$$

[Out] $-1/7*(e*x^2+d)^{(5/2)}*(a+b*\text{arcsec}(c*x))/d/x^7+2/35*e*(e*x^2+d)^{(5/2)}*(a+b*\text{arcsec}(c*x))/d^2/x^5+1/1225*b*c*(30*c^2*d+11*e)*(e*x^2+d)^{(3/2)}*(c^2*x^2-1)^{(1/2)}/d/x^4/(c^2*x^2)^{(1/2)}+1/49*b*c*(e*x^2+d)^{(5/2)}*(c^2*x^2-1)^{(1/2)}/d/x^6/(c^2*x^2)^{(1/2)}+1/3675*b*c*(240*c^6*d^3+528*c^4*d^2*e+193*c^2*d*e^2-247*e^3)*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}+1/3675*b*c*(120*c^4*d^2+159*c^2*d*e-37*e^2)*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/x^2/(c^2*x^2)^{(1/2)}-1/3675*b*c^2*(240*c^6*d^3+528*c^4*d^2*e+193*c^2*d*e^2-247*e^3)*x*\text{EllipticE}(c*x,(-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(1+e*x^2/d)^{(1/2)}+2/3675*b*(c^2*d+e)*(120*c^6*d^3+204*c^4*d^2*e+17*c^2*d*e^2-105*e^3)*x*\text{EllipticF}(c*x,(-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.54, antiderivative size = 554, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {277, 270, 5346, 12, 594, 597, 538, 438, 437, 435, 432, 430}

$$\frac{2(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3675d^2} - \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{1225d^2} + \frac{2b\sqrt{-1+c^2x^2}(d+e)(120c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} + \frac{2b\sqrt{-1+c^2x^2}(d+e)(120c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} + \frac{2b\sqrt{-1+c^2x^2}(d+e)(120c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} + \frac{2b\sqrt{-1+c^2x^2}(d+e)(120c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} + \frac{2b\sqrt{-1+c^2x^2}(d+e)(120c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} + \frac{2b\sqrt{-1+c^2x^2}(d+e)(120c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} + \frac{2b\sqrt{-1+c^2x^2}(d+e)(120c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} + \frac{2b\sqrt{-1+c^2x^2}(d+e)(120c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^8,x]

[Out] $(b*c*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(3675*d^2*\text{Sqrt}[c^2*x^2]) + (b*c*(120*c^4*d^2 + 159*c^2*d*e - 37*e^2)*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(3675*d*x^2*\text{Sqrt}[c^2*x^2]) + (b*c*(30*c^2*d + 11*e)*\text{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^{(3/2)})/(1225*d*x^4*\text{Sqrt}[c^2*x^2]) + (b*c*\text{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^{(5/2)})/(49*d*x^6*\text{Sqrt}[c^2*x^2]) - ((d + e*x^2)^{(5/2)}*(a + b*\text{ArcSec}[c*x]))/(7*d*x^7) + (2*e*(d + e*x^2)^{(5/2)}*(a + b*\text{ArcSec}[c*x]))/(35*d^2*x^5) - (b*c^2*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d + e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(3675*d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]) + (2*b*(c^2*d + e)*(120*c^6*d^3 + 204*c^4*d^2*e + 17*c^2*d*e^2 - 105*e^3)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(3675*d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])$

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 270

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*
x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*c*(m + 1))), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 277

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((
a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1
))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] := S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c
/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a,
0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 435

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 438

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d/c)*x^2
```

], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]

Rule 538

Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-b/a, -d/c]))))))

Rule 594

Int[((g_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^q/(a*g*(m + 1))), x] - Dist[1/(a*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f)*(m + 1) + e*n*(b*c*(p + 1) + a*d*q) + d*((b*e - a*f)*(m + 1) + b*e*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && GtQ[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplerQ[e + f*x^n, c + d*x^n])

Rule 597

Int[((g_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]

Rule 5346

Int[((a_) + ArcSec[(c_)*(x_)]*(b_))*((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^8} dx &= -\frac{(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{7dx^7} + \frac{2e(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{35d^2x^5} \\
&= -\frac{(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{7dx^7} + \frac{2e(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{35d^2x^5} \\
&= \frac{bc\sqrt{-1+c^2x^2} (d+ex^2)^{5/2}}{49dx^6\sqrt{c^2x^2}} - \frac{(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{7dx^7} + \frac{2e(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{35d^2x^5} \\
&= \frac{bc(30c^2d+11e)\sqrt{-1+c^2x^2} (d+ex^2)^{3/2}}{1225dx^4\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2} (d+ex^2)^{5/2}}{49dx^6\sqrt{c^2x^2}} \\
&= \frac{bc(120c^4d^2+159c^2de-37e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675dx^2\sqrt{c^2x^2}} + \frac{bc(30c^2d+11e)\sqrt{-1+c^2x^2} (d+ex^2)^{5/2}}{3675d^2\sqrt{c^2x^2}} \\
&= \frac{bc(240c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} \\
&= \frac{bc(240c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} \\
&= \frac{bc(240c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} \\
&= \frac{bc(240c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} \\
&= \frac{bc(240c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} \\
&= \frac{bc(240c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 10.57, size = 383, normalized size = 0.69

$$\frac{\sqrt{d+ex^2} \left(-105d(5d-2ex^2)(d+ex^2)^2 + bc \left(\sqrt{\frac{-1+c^2x^2}{c^2x^2}} x(-247d^3e+4e^2d^2(71+193c^2d^2)+36^2e^2(61+83c^2d^2+176c^4d^2)+15d^2(5+6c^2d^2+8c^4d^2+16c^6d^2)) - 105d(5d-2ex^2)(d+ex^2)^2 \sec^{-1}(cx) \right)}{3675d^2} \cdot \frac{bc \left(\sqrt{\frac{-1+c^2x^2}{c^2x^2}} x \left(\sqrt{\frac{-1+c^2x^2}{c^2x^2}} (240c^6d^3+528c^4d^2e+193c^2de^2-247e^3) \operatorname{E}\left(\operatorname{sinh}^{-1}\left(\frac{\sqrt{-1+c^2x^2}}{\sqrt{c^2x^2}}\right)\right) - 2120c^6d^2+324c^4d^2e+221c^2d^2e^2-88c^2d^2e^2-105c^2d^2 \operatorname{E}\left(\operatorname{sinh}^{-1}\left(\frac{\sqrt{-1+c^2x^2}}{\sqrt{c^2x^2}}\right)\right) - 29 \right) \right)}{3675\sqrt{-1+c^2x^2} \sqrt{c^2x^2} \sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^8,x]

[Out] (Sqrt[d + e*x^2]*(-105*a*(5*d - 2*e*x^2)*(d + e*x^2)^2 + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(-247*e^3*x^6 + d*e^2*x^4*(71 + 193*c^2*x^2) + 3*d^2*e*x^2*(61 + 83*c^2*x^2 + 176*c^4*x^4) + 15*d^3*(5 + 6*c^2*x^2 + 8*c^4*x^4 + 16*c^6*x^6) - 105*b*(5*d - 2*e*x^2)*(d + e*x^2)^2*ArcSec[c*x]))/(3675*d^2*x^7) - ((I/3675)*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(c^2*d*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*EllipticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] - 2*(120*c^8*d^4 + 324*c^6*d^3*e + 221*c^4*d^2*e^2 - 88*c^2*d*e^3 - 105*e^4)*EllipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))]))/(Sqrt[-c^2]*d^2*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])

Maple [F]

time = 2.65, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsec}(cx))}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^8,x)

[Out] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^8,x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^8,x, algorithm="maxima")

[Out] 1/35*a*(2*(x^2*e + d)^(5/2)*e/(d^2*x^5) - 5*(x^2*e + d)^(5/2)/(d*x^7)) - 1/35*(35*d^2*x^7*integrate((35*(c^2*d^2*x^4*e - d^3 + (c^2*d^3 - d^2*e)*x^2 + (c^2*d^2*x^4*e - d^3 + (c^2*d^3 - d^2*e)*x^2)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d)*log(x) + (35*c^2*d^2*x^4*e*log(c) - 35*d^3*log(c) + 35*(c^2*d^3*log(c) - d^2*e*log(c))*x^2 + (2*c^2*x^8*e^3 - c^2*d*x^6*e^2 + (35*c^2*e*log(c) - 8*c^2*e)*d^2*x^4 - 35*d^3*log(c) + 5*((7*c^2*log(c) - c^2)*d^3 - 7*d^2*e*log(c))*x^2)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d))/(c^2*d^2*x^10 - d^2*x^8 + (c^2*d^2*x^10 - d^2*x^8)*e^(log(c*x + 1) + log(c*x - 1))), x) - (2*x^6*e^3 - d*x^4*e^2 - 8*d^2*x^2*e - 5*d^3)*sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*b/(d^2*x^7)

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^8,x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly
1 arguments (2 given)
```

Sympy [F(-2)]

```
time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: SystemError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**(3/2)*(a+b*asec(c*x))/x**8,x)
```

```
[Out] Exception raised: SystemError >> excessive stack use: stack is 3061 deep
```

Giac [F]

```
time = 0.00, size = 0, normalized size = 0.00
```

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^8,x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)/x^8, x)
```

Mupad [F]

```
time = 0.00, size = -1, normalized size = -0.00
```

$$\int \frac{(e x^2 + d)^{3/2} (a + b \operatorname{acos}(\frac{1}{c x}))}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))))/x^8,x)
```

```
[Out] int(((d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))))/x^8, x)
```

$$3.131 \quad \int \frac{x^5(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=321

$$\frac{b(19c^2d-9e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{120c^3e^2\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{20ce^2\sqrt{c^2x^2}} + \frac{d^2\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{e^3} - \frac{2d(d+ex^2)^{3/2}}{e^3}$$

[Out] $-2/3*d*(e*x^2+d)^{(3/2)}*(a+b*\text{arcsec}(c*x))/e^3+1/5*(e*x^2+d)^{(5/2)}*(a+b*\text{arcscc}(c*x))/e^3+8/15*b*c*d^{(5/2)}*x*\text{arctan}((e*x^2+d)^{(1/2)}/d^{(1/2)})/(c^2*x^2-1)^{(1/2)}/e^3/(c^2*x^2)^{(1/2)}-1/120*b*(45*c^4*d^2-10*c^2*d*e+9*e^2)*x*\text{arctanh}(e^{(1/2)}*(c^2*x^2-1)^{(1/2)}/c/(e*x^2+d)^{(1/2)})/c^4/e^{(5/2)}/(c^2*x^2)^{(1/2)}-1/20*b*x*(e*x^2+d)^{(3/2)}*(c^2*x^2-1)^{(1/2)}/c/e^2/(c^2*x^2)^{(1/2)}+d^2*(a+b*\text{arcscec}(c*x))*(e*x^2+d)^{(1/2)}/e^3+1/120*b*(19*c^2*d-9*e)*x*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/c^3/e^2/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.73, antiderivative size = 321, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {272, 45, 5346, 12, 1629, 159, 163, 65, 223, 212, 95, 210}

$$\frac{d^2\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{e^3} - \frac{2d(d+ex^2)^{3/2}(a+b \sec^{-1}(cx))}{3e^3} + \frac{(d+ex^2)^{5/2}(a+b \sec^{-1}(cx))}{5e^3} + \frac{8bc^2e^{3/2}x \text{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{15e^3\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2-1}(d+ex^2)^{3/2}}{20ce^2\sqrt{c^2x^2}} - \frac{bx(45c^4d^2-10c^2de+9e^2)\tanh^{-1}\left(\frac{\sqrt{c}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{120c^4e^{5/2}\sqrt{c^2x^2}} + \frac{bx\sqrt{c^2x^2-1}(19c^2d-9e)\sqrt{d+ex^2}}{120c^3e^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

[Out] $(b*(19*c^2*d-9*e)*x*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])/(120*c^3*e^2*\text{Sqrt}[c^2*x^2]) - (b*x*\text{Sqrt}[-1+c^2*x^2]*(d+e*x^2)^{(3/2)})/(20*c*e^2*\text{Sqrt}[c^2*x^2]) + (d^2*\text{Sqrt}[d+e*x^2]*(a+b*\text{ArcSec}[c*x]))/e^3 - (2*d*(d+e*x^2)^{(3/2)}*(a+b*\text{ArcSec}[c*x]))/(3*e^3) + ((d+e*x^2)^{(5/2)}*(a+b*\text{ArcSec}[c*x]))/(5*e^3) + (8*b*c*d^{(5/2)}*x*\text{ArcTan}[\text{Sqrt}[d+e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1+c^2*x^2])])/(15*e^3*\text{Sqrt}[c^2*x^2]) - (b*(45*c^4*d^2-10*c^2*d*e+9*e^2)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1+c^2*x^2])/(c*\text{Sqrt}[d+e*x^2])])/(120*c^4*e^{(5/2)}*\text{Sqrt}[c^2*x^2])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 45

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le

$Q[7*m + 4*n + 4, 0] \parallel LtQ[9*m + 5*(n + 1), 0] \parallel GtQ[m + n + 2, 0]$

Rule 65

$Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] \rightarrow With[$
 $\{p = Denominator[m]\}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +$
 $d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[\{a, b, c, d\}, x] \&\& NeQ$
 $[b*c - a*d, 0] \&\& LtQ[-1, m, 0] \&\& LeQ[-1, n, 0] \&\& LeQ[Denominator[n], Den$
 $ominator[m]] \&\& IntLinearQ[a, b, c, d, m, n, x]$

Rule 95

$Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_$
 $_)), x_Symbol] \rightarrow With[\{q = Denominator[m]\}, Dist[q, Subst[Int[x^(q*(m + 1)$
 $- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)$
 $], x] /; FreeQ[\{a, b, c, d, e, f\}, x] \&\& EqQ[m + n + 1, 0] \&\& RationalQ[n]$
 $\&\& LtQ[-1, m, 0] \&\& SimplerQ[a + b*x, c + d*x]$

Rule 159

$Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_)$
 $)^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] \rightarrow Simp[h*(a + b*x)^m*(c + d*x)^(n +$
 $1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 2))), x] + Dist[1/(d*f*(m + n + p$
 $+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +$
 $p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))] + (b*d*f*g*(m + n + p$
 $+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /$
 $; FreeQ[\{a, b, c, d, e, f, g, h, n, p\}, x] \&\& GtQ[m, 0] \&\& NeQ[m + n + p +$
 $2, 0] \&\& IntegersQ[2*m, 2*n, 2*p]$

Rule 163

$Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_$
 $)))/((a_.) + (b_.)*(x_)), x_Symbol] \rightarrow Dist[h/b, Int[(c + d*x)^n*(e + f*x)^$
 $p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x]$
 $, x] /; FreeQ[\{a, b, c, d, e, f, g, h, n, p\}, x]$

Rule 210

$Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] \rightarrow Simp[(-Rt[-a, 2]*Rt[-b, 2])^($
 $-1)*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[\{a, b\}, x] \&\& PosQ[a/b] \&$
 $\& (LtQ[a, 0] \parallel LtQ[b, 0])$

Rule 212

$Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] \rightarrow Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTan$
 $h[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[\{a, b\}, x] \&\& NegQ[a/b] \&\& (Gt$

$Q[a, 0] \parallel LtQ[b, 0]$

Rule 223

$Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[\{a, b\}, x] \&\& !GtQ[a, 0]$

Rule 272

$Int[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow Dist[1/n, Subst[Int[x^{(Simplify[(m + 1)/n] - 1)*(a + b*x)^p}, x, x^n], x] /; FreeQ[\{a, b, m, n, p\}, x] \&\& IntegerQ[Simplify[(m + 1)/n]]$

Rule 1629

$Int[(Px_)*((a_) + (b_)*(x_))^{(m_)}*((c_) + (d_)*(x_))^{(n_)}*((e_) + (f_)*(x_))^{(p_)}, x_Symbol] \rightarrow With[\{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]\}, Simp[k*(a + b*x)^{(m + q - 1)}*(c + d*x)^{(n + 1)}*((e + f*x)^{(p + 1)}/(d*f*b^{(q - 1)}*(m + n + p + q + 1))), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^{(q - 2)}*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[\{a, b, c, d, e, f, m, n, p\}, x] \&\& PolyQ[Px, x]$

Rule 5346

$Int[((a_) + ArcSec[(c_)*(x_)]*(b_))*((f_)*(x_))^{(m_)}*((d_) + (e_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow With[\{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]\}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[\{a, b, c, d, e, f, m, p\}, x] \&\& ((IGtQ[p, 0] \&\& !(ILtQ[(m - 1)/2, 0] \&\& GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] \&\& !(ILtQ[p, 0] \&\& GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] \&\& !ILtQ[(m - 1)/2, 0]))$

Rubi steps

$$\begin{aligned}
\int \frac{x^5(a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx &= \frac{d^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{2d(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} + \frac{(d + ex^2)^5}{e^3} \\
&= \frac{d^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{2d(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} + \frac{(d + ex^2)^5}{e^3} \\
&= \frac{d^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{2d(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} + \frac{(d + ex^2)^5}{e^3} \\
&= -\frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{2d(d + ex^2)^{3/2}}{3e^3} \\
&= \frac{b(19c^2 d - 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e^2 \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2}}{e^3} \\
&= \frac{b(19c^2 d - 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e^2 \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2}}{e^3} \\
&= \frac{b(19c^2 d - 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e^2 \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2}}{e^3} \\
&= \frac{b(19c^2 d - 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e^2 \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2}}{e^3} \\
&= \frac{b(19c^2 d - 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e^2 \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2}}{e^3}
\end{aligned}$$

Mathematica [A]

time = 2.12, size = 259, normalized size = 0.81

$$\frac{\sqrt{d + ex^2} \left(8ac^2(8d^2 - 4dex^2 + 3e^2x^4) + be \sqrt{1 - \frac{1}{c^2x^2}} x(-9e + c^2(13d - 6ex^2)) + 8bc^2(8d^2 - 4dex^2 + 3e^2x^4) \sec^{-1}(cx) \right)}{120c^3e^3} - \frac{b \sqrt{1 - \frac{1}{c^2x^2}} x \left(64c^5d^{5/2} \text{ArcTan} \left(\frac{\sqrt{d} \sqrt{-1 + c^2x^2}}{\sqrt{d + ex^2}} \right) + \sqrt{c} (45c^3d^2 - 10c^2de + 9e^3) \tanh^{-1} \left(\frac{\sqrt{c} \sqrt{-1 + c^2x^2}}{c\sqrt{d + ex^2}} \right) \right)}{120c^3e^3 \sqrt{-1 + c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

```
[Out] (Sqrt[d + e*x^2]*(8*a*c^3*(8*d^2 - 4*d*e*x^2 + 3*e^2*x^4) + b*e*Sqrt[1 - 1/(c^2*x^2)]*x*(-9*e + c^2*(13*d - 6*e*x^2)) + 8*b*c^3*(8*d^2 - 4*d*e*x^2 + 3*e^2*x^4)*ArcSec[c*x]))/(120*c^3*e^3) - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(64*c^5*d^(5/2)*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]] + Sqrt[e]*(45*c^4*d^2 - 10*c^2*d*e + 9*e^2)*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])]))/(120*c^4*e^3*Sqrt[-1 + c^2*x^2])
```

Maple [F]

time = 2.92, size = 0, normalized size = 0.00

$$\int \frac{x^5(a + b \operatorname{arcsec}(cx))}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)
```

```
[Out] int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] 1/15*((3*x^4*e^2 - 4*d*x^2*e + 8*d^2)*sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 15*e^3*integrate((15*c^2*x^7*e^3*log(c) - 15*x^5*e^3*log(c) + (3*(5*c^2*e^3*log(c) + c^2*e^3)*x^7 + 4*c^2*d^2*x^3*e + 8*c^2*d^3*x - (c^2*d*e^2 + 15*e^3*log(c))*x^5)*e^(log(c*x + 1) + log(c*x - 1)) + 15*(c^2*x^7*e^3 - x^5*e^3 + (c^2*x^7*e^3 - x^5*e^3)*e^(log(c*x + 1) + log(c*x - 1))) *log(x))/((c^2*x^2*e^3 + (c^2*x^2*e^3 - e^3)*e^(log(c*x + 1) + log(c*x - 1)) - e^3)*sqrt(x^2*e + d)), x)*b*e^(-3) + 1/15*(3*sqrt(x^2*e + d)*x^4*e^(-1) - 4*sqrt(x^2*e + d)*d*x^2*e^(-2) + 8*sqrt(x^2*e + d)*d^2*e^(-3))*a
```

Fricas [A]

time = 4.68, size = 721, normalized size = 2.25

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/480*(64*b*c^5*sqrt(-d)*d^2*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*e^2 - 4*(c^2*d*x^2 - x^2*e - 2*d)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*sqrt(-d) + 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*e)/x^4) + (45*b*c^4*d^2 - 10*b*c^2*d*e + 9*
```

```

b*e^2)*e^(1/2)*log(c^4*d^2 - 4*(c^3*d + (2*c^3*x^2 - c)*e)*sqrt(c^2*x^2 - 1
)*sqrt(x^2*e + d)*e^(1/2) + (8*c^4*x^4 - 8*c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^
2 - 3*c^2*d)*e) + 4*(24*a*c^5*x^4*e^2 - 32*a*c^5*d*x^2*e + 64*a*c^5*d^2 + 8
*(3*b*c^5*x^4*e^2 - 4*b*c^5*d*x^2*e + 8*b*c^5*d^2)*arcsec(c*x) + (13*b*c^3*
d*e - 3*(2*b*c^3*x^2 + 3*b*c)*e^2)*sqrt(c^2*x^2 - 1))*sqrt(x^2*e + d))*e^(
-3)/c^5, 1/480*(128*b*c^5*d^(5/2)*arctan(-1/2*(c^2*d*x^2 - x^2*e - 2*d)*sqrt
(c^2*x^2 - 1)*sqrt(x^2*e + d)*sqrt(d)/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x
^2)*e)) + (45*b*c^4*d^2 - 10*b*c^2*d*e + 9*b*e^2)*e^(1/2)*log(c^4*d^2 - 4*(
c^3*d + (2*c^3*x^2 - c)*e)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*e^(1/2) + (8*c
^4*x^4 - 8*c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^2 - 3*c^2*d)*e) + 4*(24*a*c^5*x
^4*e^2 - 32*a*c^5*d*x^2*e + 64*a*c^5*d^2 + 8*(3*b*c^5*x^4*e^2 - 4*b*c^5*d*x
^2*e + 8*b*c^5*d^2)*arcsec(c*x) + (13*b*c^3*d*e - 3*(2*b*c^3*x^2 + 3*b*c)*e
^2)*sqrt(c^2*x^2 - 1))*sqrt(x^2*e + d))*e^(-3)/c^5]

```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5(a + b \operatorname{asec}(cx))}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(a+b*asec(c*x))/(e*x**2+d)**(1/2),x)
```

```
[Out] Integral(x**5*(a + b*asec(c*x))/sqrt(d + e*x**2), x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x^5/sqrt(e*x^2 + d), x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^5*(a + b*acos(1/(c*x))))/(d + e*x^2)^(1/2),x)
```

```
[Out] int((x^5*(a + b*acos(1/(c*x))))/(d + e*x^2)^(1/2), x)
```

$$3.132 \quad \int \frac{x^3(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=225

$$\frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{e^2} + \frac{(d+ex^2)^{3/2}(a+b \sec^{-1}(cx))}{3e^2} - \frac{2bcd^{3/2}x \operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d+ex^2-1}}\right)}{3e^2}$$

[Out] $1/3*(e*x^2+d)^{(3/2)}*(a+b*\operatorname{arcsec}(c*x))/e^2-2/3*b*c*d^{(3/2)}*x*\operatorname{arctan}((e*x^2+d)^{(1/2)}/d^{(1/2)}/(c^2*x^2-1)^{(1/2)})/e^2/(c^2*x^2)^{(1/2)}+1/6*b*(3*c^2*d-e)*x*\operatorname{arctanh}(e^{(1/2)}*(c^2*x^2-1)^{(1/2)}/c/(e*x^2+d)^{(1/2)})/c^2/e^{(3/2)}/(c^2*x^2)^{(1/2)}-d*(a+b*\operatorname{arcsec}(c*x))*(e*x^2+d)^{(1/2)}/e^2-1/6*b*x*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/c/e/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.21, antiderivative size = 225, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {272, 45, 5346, 12, 587, 159, 163, 65, 223, 212, 95, 210}

$$-\frac{d\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{e^2} + \frac{(d+ex^2)^{3/2}(a+b \sec^{-1}(cx))}{3e^2} - \frac{2bcd^{3/2}x \operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d+ex^2-1}}\right)}{3e^2\sqrt{c^2x^2}} + \frac{bx(3c^2d-e) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{6c^2e^{3/2}\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{6ce\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] `Int[(x^3*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]`

[Out] $-1/6*(b*x*\operatorname{Sqrt}[-1+c^2*x^2]*\operatorname{Sqrt}[d+e*x^2])/(c*e*\operatorname{Sqrt}[c^2*x^2]) - (d*\operatorname{Sqrt}[d+e*x^2]*(a+b*\operatorname{ArcSec}[c*x]))/e^2 + ((d+e*x^2)^{(3/2)}*(a+b*\operatorname{ArcSec}[c*x]))/(3*e^2) - (2*b*c*d^{(3/2)}*x*\operatorname{ArcTan}[\operatorname{Sqrt}[d+e*x^2]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[-1+c^2*x^2])])/(3*e^2*\operatorname{Sqrt}[c^2*x^2]) + (b*(3*c^2*d-e)*x*\operatorname{ArcTanh}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[-1+c^2*x^2])/(c*\operatorname{Sqrt}[d+e*x^2])])/(6*c^2*e^{(3/2)}*\operatorname{Sqrt}[c^2*x^2])$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 45

`Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])`

Rule 65

`Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +`

$d*(x^p/b)^n, x, (a + b*x)^{1/p}, x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 95

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 159

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[h*(a + b*x)^m*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 2))), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]

Rule 163

Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

Rule 210

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^(-1))*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 223

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 587

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
)*(e_) + (f_.)*(x_)^(n_))^(r_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simpl
ify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /;
FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n
]]
```

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx &= -\frac{d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \sec^{-1}(cx))}{3e^2} - \frac{(bcx) \int \frac{(-2d)}{3e^2}}{3e^2} \\
&= -\frac{d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \sec^{-1}(cx))}{3e^2} - \frac{(bcx) \int \frac{(-2d)}{x}}{3e} \\
&= -\frac{d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \sec^{-1}(cx))}{3e^2} - \frac{(bcx) \text{Subst}}{3e} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \sec^{-1}(cx))}{3e} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \sec^{-1}(cx))}{3e} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \sec^{-1}(cx))}{3e} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \sec^{-1}(cx))}{3e} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \sec^{-1}(cx))}{3e} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \sec^{-1}(cx))}{3e}
\end{aligned}$$

Mathematica [A]

time = 1.17, size = 201, normalized size = 0.89

$$\frac{\sqrt{d + ex^2} \left(4acd + be\sqrt{1 - \frac{1}{c^2x^2}} x - 2acex^2 + 2bc(2d - ex^2) \sec^{-1}(cx) \right)}{6ce^2} - \frac{b\sqrt{1 - \frac{1}{c^2x^2}} x \left(-4c^3d^{3/2} \text{ArcTan} \left(\frac{\sqrt{d}\sqrt{-1 + c^2x^2}}{\sqrt{d + ex^2}} \right) + \sqrt{e}(-3c^2d + e) \tanh^{-1} \left(\frac{\sqrt{e}\sqrt{-1 + c^2x^2}}{c\sqrt{d + ex^2}} \right) \right)}{6c^2e^2\sqrt{-1 + c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

[Out] -1/6*(Sqrt[d + e*x^2]*(4*a*c*d + b*e*Sqrt[1 - 1/(c^2*x^2)]*x - 2*a*c*e*x^2 + 2*b*c*(2*d - e*x^2)*ArcSec[c*x]))/(c*e^2) - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(-4*c^3*d^(3/2)*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]] + Sqrt[e

```
]*(-3*c^2*d + e)*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])
)/(6*c^2*e^2*Sqrt[-1 + c^2*x^2])
```

Maple [F]

time = 2.92, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{arcsec}(cx))}{\sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)
```

```
[Out] int(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] -1/3*(3*sqrt(x^2*e + d)*e^2*integrate((3*c^2*x^5*e^2*log(c) - 3*x^3*e^2*log
(c) + ((3*c^2*e^2*log(c) + c^2*e^2)*x^5 - 2*c^2*d^2*x - (c^2*d*e + 3*e^2*log
(c))*x^3)*e^(log(c*x + 1) + log(c*x - 1)) + 3*(c^2*x^5*e^2 - x^3*e^2 + (c^
2*x^5*e^2 - x^3*e^2)*e^(log(c*x + 1) + log(c*x - 1)))*log(x))/((c^2*x^2*e^2
+ (c^2*x^2*e^2 - e^2)*e^(log(c*x + 1) + log(c*x - 1)) - e^2)*sqrt(x^2*e +
d)), x) - (x^4*e^2 - d*x^2*e - 2*d^2)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*
b*e^(-2)/sqrt(x^2*e + d) + 1/3*(sqrt(x^2*e + d)*x^2*e^(-1) - 2*sqrt(x^2*e +
d)*d*e^(-2))*a
```

Fricas [A]

time = 3.97, size = 594, normalized size = 2.64

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/24*(4*b*c^3*sqrt(-d)*d*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*e^2 + 4*(c
^2*d*x^2 - x^2*e - 2*d)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*sqrt(-d) + 8*d^2
- 2*(3*c^2*d*x^4 - 4*d*x^2)*e)/x^4) - (3*b*c^2*d - b*e)*e^(1/2)*log(c^4*d^2
- 4*(c^3*d + (2*c^3*x^2 - c)*e)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*e^(1/2)
+ (8*c^4*x^4 - 8*c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^2 - 3*c^2*d)*e) + 4*(2*a*c
^3*x^2*e - 4*a*c^3*d - sqrt(c^2*x^2 - 1)*b*c*e + 2*(b*c^3*x^2*e - 2*b*c^3*d
)*arcsec(c*x))*sqrt(x^2*e + d))*e^(-2)/c^3, -1/24*(8*b*c^3*d^(3/2)*arctan(-
```


$$\frac{1}{2}(c^2 d x^2 - x^2 e - 2d) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d} \sqrt{d} / (c^2 d^2 x^2 - d^2 + (c^2 d x^4 - d x^2) e) + (3 b c^2 d - b e) e^{1/2} \log(c^4 d^2 - 4(c^3 d + (2 c^3 x^2 - c) e) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d}) e^{1/2} + (8 c^4 x^4 - 8 c^2 x^2 + 1) e^2 + 2(4 c^4 d x^2 - 3 c^2 d) e - 4(2 a c^3 x^2 e - 4 a c^3 d - \sqrt{c^2 x^2 - 1} b c e + 2(b c^3 x^2 e - 2 b c^3 d) \operatorname{arcsec}(c x)) \sqrt{x^2 e + d}) e^{-2} / c^3]$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (a + b \operatorname{asec}(cx))}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asec(c*x))/(e*x**2+d)**(1/2),x)

[Out] Integral(x**3*(a + b*asec(c*x))/sqrt(d + e*x**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^3/sqrt(e*x^2 + d), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 (a + b \operatorname{acos}(\frac{1}{cx}))}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(a + b*acos(1/(c*x))))/(d + e*x^2)^(1/2),x)

[Out] int((x^3*(a + b*acos(1/(c*x))))/(d + e*x^2)^(1/2), x)

$$3.133 \quad \int \frac{x(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=132

$$\frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{e} + \frac{bc\sqrt{d} x \operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}}\right)}{e\sqrt{c^2x^2}} - \frac{bx \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{-1+c^2x^2}}{c\sqrt{d+ex^2}}\right)}{\sqrt{e}\sqrt{c^2x^2}}$$

[Out] b*c*x*arctan((e*x^2+d)^(1/2)/d^(1/2)/(c^2*x^2-1)^(1/2))*d^(1/2)/e/(c^2*x^2)^(1/2)-b*x*arctanh(e^(1/2)*(c^2*x^2-1)^(1/2)/c/(e*x^2+d)^(1/2))/e^(1/2)/(c^2*x^2)^(1/2)+(a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/e

Rubi [A]

time = 0.10, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5344, 457, 132, 65, 223, 212, 12, 95, 210}

$$\frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{e} + \frac{bc\sqrt{d} x \operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{e\sqrt{c^2x^2}} - \frac{bx \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{\sqrt{e}\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

[Out] (Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/e + (b*c*Sqrt[d]*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(e*Sqrt[c^2*x^2]) - (b*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(Sqrt[e]*Sqrt[c^2*x^2])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^(n), x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 95

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)

- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 132

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Dist[b*d^(m + n)*f^p, Int[(a + b*x)^(m - 1)/(c + d*x)^(m - 1), x] + Int[(a + b*x)^(m - 1)*((e + f*x)^p/(c + d*x)^m)*ExpandToSum[(a + b*x)*(c + d*x)^(-p - 1) - (b*d^(-p - 1)*f^p)/(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && EqQ[m + n + p + 1, 0] && ILtQ[p, 0] && (GtQ[m, 0] || SumSimplerQ[m, -1] || !GtQ[n, 0] || SumSimplerQ[n, -1])

Rule 210

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^(-1)*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 212

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 223

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 457

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 5344

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSec[c*x])/(2*e*(p + 1))), x] - Dist[b*c*(x/(2*e*(p + 1)*Sqrt[c^2*x^2]), Int[(d + e*x^2)^(p + 1)/(x*Sqrt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx &= \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e} - \frac{(bcx) \int \frac{\sqrt{d + ex^2}}{x\sqrt{-1 + c^2x^2}} dx}{e\sqrt{c^2x^2}} \\
&= \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e} - \frac{(bcx) \text{Subst} \left(\int \frac{\sqrt{d + ex}}{x\sqrt{-1 + c^2x}} dx, x, x^2 \right)}{2e\sqrt{c^2x^2}} \\
&= \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e} - \frac{(bcx) \text{Subst} \left(\int \frac{1}{\sqrt{-1 + c^2x} \sqrt{d + ex}} dx, x, x^2 \right)}{2\sqrt{c^2x^2}} \\
&= \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e} - \frac{(bx) \text{Subst} \left(\int \frac{1}{\sqrt{d + \frac{e}{c^2} + \frac{ex^2}{c^2}}} dx, x, \sqrt{-1 + c^2x^2} \right)}{c\sqrt{c^2x^2}} \\
&= \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e} + \frac{bc\sqrt{d} x \tan^{-1} \left(\frac{\sqrt{d + ex^2}}{\sqrt{d} \sqrt{-1 + c^2x^2}} \right)}{e\sqrt{c^2x^2}} - \frac{(bx) \text{Subst} \left(\int \frac{1}{\sqrt{d + \frac{e}{c^2} + \frac{ex^2}{c^2}}} dx, x, \sqrt{-1 + c^2x^2} \right)}{c\sqrt{c^2x^2}} \\
&= \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e} + \frac{bc\sqrt{d} x \tan^{-1} \left(\frac{\sqrt{d + ex^2}}{\sqrt{d} \sqrt{-1 + c^2x^2}} \right)}{e\sqrt{c^2x^2}} - \frac{bx \tanh^{-1} \left(\frac{\sqrt{e} \sqrt{-1 + c^2x^2}}{c\sqrt{d + ex^2}} \right)}{e\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A]

time = 0.53, size = 137, normalized size = 1.04

$$\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e} - \frac{b\sqrt{1 - \frac{1}{c^2x^2}} x \left(c\sqrt{d} \text{ArcTan} \left(\frac{\sqrt{d} \sqrt{-1 + c^2x^2}}{\sqrt{d + ex^2}} \right) + \sqrt{e} \tanh^{-1} \left(\frac{\sqrt{e} \sqrt{-1 + c^2x^2}}{c\sqrt{d + ex^2}} \right) \right)}{e\sqrt{-1 + c^2x^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]
```

```
[Out] (Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/e - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(c*Sqr
t[d]*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]] + Sqrt[e]*ArcTan
h[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])]))/(e*Sqrt[-1 + c^2*x^2])
```

Maple [F]

time = 1.43, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{arcsec}(cx))}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)`

[Out] `int(x*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)`

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `-(e*integrate((c^2*x^3*e*log(c) - x*e*log(c) + ((c^2*e*log(c) + c^2*e)*x^3 + (c^2*d - e*log(c))*x)*e^(log(c*x + 1) + log(c*x - 1)) + (c^2*x^3*e - x*e + (c^2*x^3*e - x*e)*e^(log(c*x + 1) + log(c*x - 1)))*log(x))/((c^2*x^2*e + (c^2*x^2*e - e)*e^(log(c*x + 1) + log(c*x - 1)) - e)*sqrt(x^2*e + d)), x) - sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*b*e^(-1) + sqrt(x^2*e + d)*a*e^(-1)`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 220 vs. 2(109) = 218.

time = 3.76, size = 465, normalized size = 3.52

$$\left(\frac{b^2 \log\left(\frac{(c^2 x^2 + d) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d}}{(c^2 x^2 + d) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d}}\right) + b^2 \log\left(\frac{(c^2 x^2 + d) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d}}{(c^2 x^2 + d) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d}}\right) + b^2 \log\left(\frac{(c^2 x^2 + d) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d}}{(c^2 x^2 + d) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d}}\right)}{c} \right) e^{-1} + \frac{b^2 \log\left(\frac{(c^2 x^2 + d) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d}}{(c^2 x^2 + d) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d}}\right) + b^2 \log\left(\frac{(c^2 x^2 + d) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d}}{(c^2 x^2 + d) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d}}\right) + b^2 \log\left(\frac{(c^2 x^2 + d) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d}}{(c^2 x^2 + d) \sqrt{c^2 x^2 - 1} \sqrt{x^2 e + d}}\right)}{c} e^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `[1/4*(b*c*sqrt(-d)*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*e^2 - 4*(c^2*d*x^2 - x^2*e - 2*d)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*sqrt(-d) + 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*e)/x^4) + b*e^(1/2)*log(c^4*d^2 - 4*(c^3*d + (2*c^3*x^2 - c)*e)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*e^(1/2) + (8*c^4*x^4 - 8*c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^2 - 3*c^2*d)*e) + 4*(b*c*arcsec(c*x) + a*c)*sqrt(x^2*e + d)*e^(-1)/c, 1/4*(2*b*c*sqrt(d)*arctan(-1/2*(c^2*d*x^2 - x^2*e - 2*d)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*sqrt(d)/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*e) + b*e^(1/2)*log(c^4*d^2 - 4*(c^3*d + (2*c^3*x^2 - c)*e)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*e^(1/2) + (8*c^4*x^4 - 8*c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^2 - 3*c^2*d)*e) + 4*(b*c*arcsec(c*x) + a*c)*sqrt(x^2*e + d)*e^(-1)/c]`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{asec}(cx))}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asec(c*x))/(e*x**2+d)**(1/2),x)

[Out] Integral(x*(a + b*asec(c*x))/sqrt(d + e*x**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x/sqrt(e*x^2 + d), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{\sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(a + b*acos(1/(c*x))))/(d + e*x^2)^(1/2),x)

[Out] int((x*(a + b*acos(1/(c*x))))/(d + e*x^2)^(1/2), x)

$$3.134 \quad \int \frac{a+b \sec^{-1}(cx)}{x \sqrt{d+ex^2}} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{a+b \sec^{-1}(cx)}{x \sqrt{d+ex^2}}, x\right)$$

[Out] Unintegrable((a+b*arcsec(c*x))/x/(e*x^2+d)^(1/2), x)

Rubi [A]

time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a+b \sec^{-1}(cx)}{x \sqrt{d+ex^2}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x*Sqrt[d + e*x^2]), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x*Sqrt[d + e*x^2]), x]

Rubi steps

$$\int \frac{a+b \sec^{-1}(cx)}{x \sqrt{d+ex^2}} dx = \int \frac{a+b \sec^{-1}(cx)}{x \sqrt{d+ex^2}} dx$$

Mathematica [A]

time = 0.89, size = 0, normalized size = 0.00

$$\int \frac{a+b \sec^{-1}(cx)}{x \sqrt{d+ex^2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x*Sqrt[d + e*x^2]), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x*Sqrt[d + e*x^2]), x]

Maple [A]

time = 0.94, size = 0, normalized size = 0.00

$$\int \frac{a+b \operatorname{arcsec}(cx)}{x \sqrt{ex^2+d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x/(e*x^2+d)^(1/2),x)`

[Out] `int((a+b*arcsec(c*x))/x/(e*x^2+d)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(sqrt(x^2*e + d)*x), x) - a*arcsinh(sqrt(d)*e^(-1/2)/abs(x))/sqrt(d)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsec(c*x) + a)/(x^3*e + d*x), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{x \sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/x/(e*x**2+d)**(1/2),x)`

[Out] `Integral((a + b*asec(c*x))/(x*sqrt(d + e*x**2)), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)/(sqrt(e*x^2 + d)*x), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{x \sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(x*(d + e*x^2)^(1/2)), x)

[Out] int((a + b*acos(1/(c*x)))/(x*(d + e*x^2)^(1/2)), x)

$$3.135 \quad \int \frac{a+b \sec^{-1}(cx)}{x^3 \sqrt{d+ex^2}} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{a+b \sec^{-1}(cx)}{x^3 \sqrt{d+ex^2}}, x\right)$$

[Out] Unintegrable((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(1/2), x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a+b \sec^{-1}(cx)}{x^3 \sqrt{d+ex^2}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x^3*Sqrt[d + e*x^2]), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x^3*Sqrt[d + e*x^2]), x]

Rubi steps

$$\int \frac{a+b \sec^{-1}(cx)}{x^3 \sqrt{d+ex^2}} dx = \int \frac{a+b \sec^{-1}(cx)}{x^3 \sqrt{d+ex^2}} dx$$

Mathematica [A]

time = 8.58, size = 0, normalized size = 0.00

$$\int \frac{a+b \sec^{-1}(cx)}{x^3 \sqrt{d+ex^2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x^3*Sqrt[d + e*x^2]), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x^3*Sqrt[d + e*x^2]), x]

Maple [A]

time = 0.45, size = 0, normalized size = 0.00

$$\int \frac{a+b \operatorname{arcsec}(cx)}{x^3 \sqrt{ex^2+d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(1/2),x)`

[Out] `int((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `1/2*a*(arcsinh(sqrt(d)*e^(-1/2)/abs(x))*e/d^(3/2) - sqrt(x^2*e + d)/(d*x^2) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(sqrt(x^2*e + d)*x^3), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsec(c*x) + a)/(x^5*e + d*x^3), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{x^3 \sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/x**3/(e*x**2+d)**(1/2),x)`

[Out] `Integral((a + b*asec(c*x))/(x**3*sqrt(d + e*x**2)), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)/(sqrt(e*x^2 + d)*x^3), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{x^3 \sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(x^3*(d + e*x^2)^(1/2)),x)

[Out] int((a + b*acos(1/(c*x)))/(x^3*(d + e*x^2)^(1/2)), x)

$$3.136 \quad \int \frac{x^2(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{x^2(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}}, x\right)$$

[Out] Unintegrable($x^2*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(1/2)}$, x)

Rubi [A]

time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^2(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Verification is not applicable to the result.

[In] Int[($x^2*(a + b*\text{ArcSec}[c*x])$)/Sqrt[d + $e*x^2$], x]

[Out] Defer[Int] [($x^2*(a + b*\text{ArcSec}[c*x])$)/Sqrt[d + $e*x^2$], x]

Rubi steps

$$\int \frac{x^2(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx = \int \frac{x^2(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Mathematica [A]

time = 46.88, size = 0, normalized size = 0.00

$$\int \frac{x^2(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Verification is not applicable to the result.

[In] Integrate[($x^2*(a + b*\text{ArcSec}[c*x])$)/Sqrt[d + $e*x^2$], x]

[Out] Integrate[($x^2*(a + b*\text{ArcSec}[c*x])$)/Sqrt[d + $e*x^2$], x]

Maple [A]

time = 1.03, size = 0, normalized size = 0.00

$$\int \frac{x^2(a+b \text{arcsec}(cx))}{\sqrt{ex^2+d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)
```

```
[Out] int(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)
```

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] -1/2*(d*arcsinh(x*e^(1/2)/sqrt(d))*e^(-3/2) - sqrt(x^2*e + d)*x*e^(-1))*a +
b*integrate(x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/sqrt(x^2*e + d), x)
```

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((b*x^2*arcsec(c*x) + a*x^2)/sqrt(x^2*e + d), x)
```

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2(a + b \operatorname{asec}(cx))}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a+b*asec(c*x))/(e*x**2+d)**(1/2),x)
```

```
[Out] Integral(x**2*(a + b*asec(c*x))/sqrt(d + e*x**2), x)
```

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x^2/sqrt(e*x^2 + d), x)
```

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^2 (a + b \arccos(\frac{1}{cx}))}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(a + b*acos(1/(c*x))))/(d + e*x^2)^(1/2), x)

[Out] int((x^2*(a + b*acos(1/(c*x))))/(d + e*x^2)^(1/2), x)

$$3.137 \quad \int \frac{a+b \sec^{-1}(cx)}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{a+b \sec^{-1}(cx)}{\sqrt{d+ex^2}}, x\right)$$

[Out] Unintegrable((a+b*arcsec(c*x))/(e*x^2+d)^(1/2), x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a+b \sec^{-1}(cx)}{\sqrt{d+ex^2}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/Sqrt[d + e*x^2], x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/Sqrt[d + e*x^2], x]

Rubi steps

$$\int \frac{a+b \sec^{-1}(cx)}{\sqrt{d+ex^2}} dx = \int \frac{a+b \sec^{-1}(cx)}{\sqrt{d+ex^2}} dx$$

Mathematica [A]

time = 0.54, size = 0, normalized size = 0.00

$$\int \frac{a+b \sec^{-1}(cx)}{\sqrt{d+ex^2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/Sqrt[d + e*x^2], x]

[Out] Integrate[(a + b*ArcSec[c*x])/Sqrt[d + e*x^2], x]

Maple [A]

time = 1.19, size = 0, normalized size = 0.00

$$\int \frac{a+b \operatorname{arcsec}(cx)}{\sqrt{ex^2+d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)`

[Out] `int((a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `a*arcsinh(x*e^(1/2)/sqrt(d))*e^(-1/2) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/sqrt(x^2*e + d), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral((b*arcsec(c*x) + a)/sqrt(x^2*e + d), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/(e*x**2+d)**(1/2),x)`

[Out] `Integral((a + b*asec(c*x))/sqrt(d + e*x**2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)/sqrt(e*x^2 + d), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(d + e*x^2)^(1/2), x)

[Out] int((a + b*acos(1/(c*x)))/(d + e*x^2)^(1/2), x)

$$3.138 \quad \int \frac{a+b \sec^{-1}(cx)}{x^2 \sqrt{d+ex^2}} dx$$

Optimal. Leaf size=246

$$\frac{bc\sqrt{-1+c^2x^2} \sqrt{d+ex^2}}{d\sqrt{c^2x^2}} - \frac{\sqrt{d+ex^2} (a+b \sec^{-1}(cx))}{dx} - \frac{bc^2x\sqrt{1-c^2x^2} \sqrt{d+ex^2} E(\text{ArcSin}(cx) | -\frac{e}{c^2d})}{d\sqrt{c^2x^2} \sqrt{-1+c^2x^2} \sqrt{1+\frac{ex^2}{d}}}$$

[Out] $-(a+b*\text{arcsec}(c*x))*(e*x^2+d)^{(1/2)}/d/x+b*c*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/(c^2*x^2)^{(1/2)}-b*c^2*x*\text{EllipticE}(c*x, (-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(1+e*x^2/d)^{(1/2)}+b*(c^2*d+e)*x*\text{EllipticF}(c*x, (-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/d/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.18, antiderivative size = 246, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {270, 5346, 12, 486, 21, 434, 438, 437, 435, 432, 430}

$$-\frac{\sqrt{d+ex^2} (a+b \sec^{-1}(cx))}{dx} + \frac{bx\sqrt{1-c^2x^2} (c^2d+e) \sqrt{\frac{ex^2}{d}+1} F(\text{ArcSin}(cx) | -\frac{e}{c^2d})}{d\sqrt{c^2x^2} \sqrt{c^2x^2-1} \sqrt{d+ex^2}} - \frac{bc^2x\sqrt{1-c^2x^2} \sqrt{d+ex^2} E(\text{ArcSin}(cx) | -\frac{e}{c^2d})}{d\sqrt{c^2x^2} \sqrt{c^2x^2-1} \sqrt{\frac{ex^2}{d}+1}} + \frac{bc\sqrt{c^2x^2-1} \sqrt{d+ex^2}}{d\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x^2*Sqrt[d + e*x^2]),x]

[Out] $(b*c*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])/(d*\text{Sqrt}[c^2*x^2]) - (\text{Sqrt}[d+e*x^2]*(a+b*\text{ArcSec}[c*x]))/(d*x) - (b*c^2*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[d+e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(d*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]) + (b*(c^2*d+e)*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(d*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_.))^(m_.)*((c_) + (d_.)*(v_.))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m+n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*c*(m + 1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 434

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[d/c] && NegQ[b/a]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 438

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d/c)*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 486

```

Int[((e_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^q/(a*e*(m + 1))), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*b*(m + 1) + n*(b*c*(p + 1) + a*d*q) + d*(b*(m + 1) + b*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[0, q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

```

Rule 5346

```

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^2 \sqrt{d + ex^2}} dx &= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} + \frac{(bcx) \int \frac{\sqrt{d + ex^2}}{dx^2 \sqrt{-1 + c^2 x^2}} dx}{\sqrt{c^2 x^2}} \\
&= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} + \frac{(bcx) \int \frac{\sqrt{d + ex^2}}{x^2 \sqrt{-1 + c^2 x^2}} dx}{d\sqrt{c^2 x^2}} \\
&= \frac{bc\sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{d\sqrt{c^2 x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} - \frac{(bcx) \int \frac{-e + c^2 ex^2}{\sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}} dx}{d\sqrt{c^2 x^2}} \\
&= \frac{bc\sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{d\sqrt{c^2 x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} - \frac{(bcex) \int \frac{\sqrt{-1 + c^2 x^2}}{\sqrt{d + ex^2}} dx}{d\sqrt{c^2 x^2}} \\
&= \frac{bc\sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{d\sqrt{c^2 x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} - \frac{(bc^3 x) \int \frac{\sqrt{d + ex^2}}{\sqrt{-1 + c^2 x^2}} dx}{d\sqrt{c^2 x^2}} \\
&= \frac{bc\sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{d\sqrt{c^2 x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} - \frac{(bc^3 x \sqrt{1 - c^2 x^2}) \int \frac{\sqrt{d + ex^2}}{\sqrt{1 - c^2 x^2}} dx}{d\sqrt{c^2 x^2} \sqrt{-1 + c^2 x^2}} \\
&= \frac{bc\sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{d\sqrt{c^2 x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} - \frac{(bc^3 x \sqrt{1 - c^2 x^2} \sqrt{d + ex^2})}{d\sqrt{c^2 x^2} \sqrt{-1 + c^2 x^2}} \\
&= \frac{bc\sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{d\sqrt{c^2 x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} - \frac{bc^2 x \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{d\sqrt{c^2 x^2} \sqrt{-1 + c^2 x^2}}
\end{aligned}$$

Mathematica [A]

time = 0.84, size = 143, normalized size = 0.58

$$\frac{\sqrt{d + ex^2} \left(-a + bc \sqrt{1 - \frac{1}{c^2 x^2}} x - b \sec^{-1}(cx) \right)}{dx} - \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{1 + \frac{ex^2}{d}} E \left(\text{ArcSin} \left(\sqrt{-\frac{e}{d}} x \right) \mid -\frac{c^2 d}{e} \right)}{d \sqrt{-\frac{e}{d}} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(x^2*Sqrt[d + e*x^2]), x]

```
[Out] (Sqrt[d + e*x^2]*(-a + b*c*Sqrt[1 - 1/(c^2*x^2)]*x - b*ArcSec[c*x]))/(d*x)
- (b*c*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*EllipticE[ArcSin[Sqrt[
-(e/d)]*x], -((c^2*d)/e)])/(d*Sqrt[-(e/d)]*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2
])
```

Maple [F]

time = 0.98, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^2 \sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(1/2),x)
```

```
[Out] int((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(1/2),x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] -(d*x*integrate((c^2*d*x^2*log(c) - (c^2*x^4*e - (c^2*log(c) - c^2)*d*x^2 +
d*log(c))*e^(log(c*x + 1) + log(c*x - 1)) - d*log(c) + (c^2*d*x^2 + (c^2*d
*x^2 - d)*e^(log(c*x + 1) + log(c*x - 1)) - d)*log(x))/((c^2*d*x^4 - d*x^2
+ (c^2*d*x^4 - d*x^2)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d)), x)
+ sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*b/(d*x) - sqrt(x^2*
e + d)*a/(d*x)
```

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly
1 arguments (2 given)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{x^2 \sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**2/(e*x**2+d)**(1/2),x)

[Out] Integral((a + b*asec(c*x))/(x**2*sqrt(d + e*x**2)), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(sqrt(e*x^2 + d)*x^2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{arccos}\left(\frac{1}{cx}\right)}{x^2 \sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(x^2*(d + e*x^2)^(1/2)),x)

[Out] int((a + b*acos(1/(c*x)))/(x^2*(d + e*x^2)^(1/2)), x)

$$3.139 \quad \int \frac{a+b \sec^{-1}(cx)}{x^4 \sqrt{d+ex^2}} dx$$

Optimal. Leaf size=362

$$\frac{bc(2c^2d-5e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9d^2\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9dx^2\sqrt{c^2x^2}} - \frac{\sqrt{d+ex^2}(a+b\sec^{-1}(cx))}{3dx^3} + \frac{2e\sqrt{d+ex^2}}{3d}$$

[Out] $-1/3*(a+b*\text{arcsec}(c*x))*(e*x^2+d)^{(1/2)}/d/x^3+2/3*e*(a+b*\text{arcsec}(c*x))*(e*x^2+d)^{(1/2)}/d^2/x+1/9*b*c*(2*c^2*d-5*e)*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}+1/9*b*c*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/x^2/(c^2*x^2)^{(1/2)}-1/9*b*c^2*(2*c^2*d-5*e)*x*\text{EllipticE}(c*x,(-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(1+e*x^2/d)^{(1/2)}+2/9*b*(c^2*d-3*e)*(c^2*d+e)*x*\text{EllipticF}(c*x,(-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.32, antiderivative size = 362, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {277, 270, 5346, 12, 594, 597, 538, 438, 437, 435, 432, 430}

$$\frac{2e\sqrt{d+ex^2}(a+b\sec^{-1}(cx))}{3d^2x} - \frac{\sqrt{d+ex^2}(a+b\sec^{-1}(cx))}{3dx^3} + \frac{2bc\sqrt{1-c^2x^2}(c^2d-3e)(c^2d+e)\sqrt{\frac{ex^2}{d}+1}F(\text{ArcSin}(cx)|-\frac{2e}{2e})}{9d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} - \frac{bc^2x\sqrt{1-c^2x^2}(2c^2d-5e)\sqrt{d+ex^2}E(\text{ArcSin}(cx)|-\frac{2e}{2e})}{9d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{\frac{ex^2}{d}+1}} + \frac{bc\sqrt{c^2x^2-1}(2c^2d-5e)\sqrt{d+ex^2}}{9d^2\sqrt{c^2x^2}} + \frac{bc\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{9dx^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x^4*Sqrt[d + e*x^2]),x]

[Out] $(b*c*(2*c^2*d-5*e)*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])/(9*d^2*\text{Sqrt}[c^2*x^2]) + (b*c*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])/(9*d*x^2*\text{Sqrt}[c^2*x^2]) - (\text{Sqrt}[d+e*x^2]*(a+b*\text{ArcSec}[c*x]))/(3*d*x^3) + (2*e*\text{Sqrt}[d+e*x^2]*(a+b*\text{ArcSec}[c*x]))/(3*d^2*x) - (b*c^2*(2*c^2*d-5*e)*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[d+e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x],-(e/(c^2*d))])/(9*d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]) + (2*b*(c^2*d-3*e)*(c^2*d+e)*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x],-(e/(c^2*d))])/(9*d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 270

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*c*(m + 1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 277

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 438

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d/c)*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 538

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
```

```
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simplr
SqrtQ[-b/a, -d/c]))))))
```

Rule 594

```
Int[((g_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_
))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] :> Simp[e*(g*x)^(m + 1)*(a + b
*x^n)^(p + 1)*((c + d*x^n)^q/(a*g*(m + 1))), x] - Dist[1/(a*g^n*(m + 1)), I
nt[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f)*(m +
1) + e*n*(b*c*(p + 1) + a*d*q) + d*((b*e - a*f)*(m + 1) + b*e*n*(p + q + 1
))*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && Gt
Q[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplrQ[e + f*x^n, c + d*x^n])
```

Rule 597

```
Int[((g_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_
))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] :> Simp[e*(g*x)^(m + 1)*(a + b
*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^n*(
m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) -
e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2
) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0
] && LtQ[m, -1]
```

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^4 \sqrt{d + ex^2}} dx &= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3dx^3} + \frac{2e\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3d^2x} - \frac{(bcx) \int \frac{\sqrt{d + ex^2}}{3d^2x^4 \sqrt{-1 + c^2x^2}}}{\sqrt{c^2x^2}} \\
&= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3dx^3} + \frac{2e\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3d^2x} - \frac{(bcx) \int \frac{\sqrt{d + ex^2}}{x^4 \sqrt{-1 + c^2x^2}}}{3d^2 \sqrt{c^2x^2}} \\
&= \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9dx^2 \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3dx^3} + \frac{2e\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3d^2x} \\
&= \frac{bc(2c^2d - 5e) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9d^2 \sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9dx^2 \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3d} \\
&= \frac{bc(2c^2d - 5e) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9d^2 \sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9dx^2 \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3d} \\
&= \frac{bc(2c^2d - 5e) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9d^2 \sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9dx^2 \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3d} \\
&= \frac{bc(2c^2d - 5e) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9d^2 \sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9dx^2 \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3d} \\
&= \frac{bc(2c^2d - 5e) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9d^2 \sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9dx^2 \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3d}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 5.52, size = 249, normalized size = 0.69

$$\frac{\sqrt{d + ex^2} \left(bc\sqrt{1 - \frac{1}{c^2x^2}} x(d + 2c^2dx^2 - 5ex^2) - 3a(d - 2ex^2) - 3b(d - 2ex^2) \sec^{-1}(cx) \right)}{9d^2x^3} - \frac{ibc\sqrt{1 - \frac{1}{c^2x^2}} x \sqrt{1 + \frac{ex^2}{d}} \left(c^2d(2c^2d - 5e) E\left(i \sinh^{-1}\left(\sqrt{-c^2} x\right) \middle| -\frac{d}{c^2a}\right) + 2(-c^4d^2 + 2c^2de + 3e^2) F\left(i \sinh^{-1}\left(\sqrt{-c^2} x\right) \middle| -\frac{d}{c^2a}\right) \right)}{9\sqrt{-c^2} d^2 \sqrt{1 - c^2x^2} \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(x^4*Sqrt[d + e*x^2]), x]

[Out] (Sqrt[d + e*x^2]*(b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(d + 2*c^2*d*x^2 - 5*e*x^2) - 3*a*(d - 2*e*x^2) - 3*b*(d - 2*e*x^2)*ArcSec[c*x]))/(9*d^2*x^3) - ((I/9)*b

$*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[1 + (e*x^2)/d]*(c^2*d*(2*c^2*d - 5*e)*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[-c^2]*x], -(e/(c^2*d))] + 2*(-(c^4*d^2) + 2*c^2*d*e + 3*e^2)*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[-c^2]*x], -(e/(c^2*d)))]/(\text{Sqrt}[-c^2]*d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d + e*x^2])$

Maple [F]

time = 2.38, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^4 \sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(1/2),x)`

[Out] `int((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(1/2),x)`

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `1/3*a*(2*sqrt(x^2*e + d)*e/(d^2*x) - sqrt(x^2*e + d)/(d*x^3)) - 1/3*(3*sqrt(x^2*e + d)*d^2*x^3*integrate((3*c^2*d^2*x^2*log(c) - 3*d^2*log(c) + (2*c^2*x^6*e^2 + c^2*d*x^4*e + (3*c^2*log(c) - c^2)*d^2*x^2 - 3*d^2*log(c))*e^(log(c*x + 1) + log(c*x - 1)) + 3*(c^2*d^2*x^2 - d^2 + (c^2*d^2*x^2 - d^2)*e^(log(c*x + 1) + log(c*x - 1)))*log(x))/((c^2*d^2*x^6 - d^2*x^4 + (c^2*d^2*x^6 - d^2*x^4)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d)), x) - (2*x^4*e^2 + d*x^2*e - d^2)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/b/(sqrt(x^2*e + d)*d^2*x^3)`

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{x^4 \sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**4/(e*x**2+d)**(1/2),x)

[Out] Integral((a + b*asec(c*x))/(x**4*sqrt(d + e*x**2)), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(sqrt(e*x^2 + d)*x^4), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{x^4 \sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(x^4*(d + e*x^2)^(1/2)),x)

[Out] int((a + b*acos(1/(c*x)))/(x^4*(d + e*x^2)^(1/2)), x)

$$3.140 \quad \int \frac{a+b \sec^{-1}(cx)}{x^6 \sqrt{d+ex^2}} dx$$

Optimal. Leaf size=1006

$$\frac{8bce^2 \sqrt{-1+c^2x^2} \sqrt{d+ex^2}}{15d^3 \sqrt{c^2x^2}} - \frac{4bce(2c^2d+e) \sqrt{-1+c^2x^2} \sqrt{d+ex^2}}{45d^3 \sqrt{c^2x^2}} + \frac{bc(8c^4d^2+3c^2de-2e^2) \sqrt{-1+c^2x^2}}{75d^3 \sqrt{c^2x^2}}$$

```
[Out] -1/5*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/d/x^5+4/15*e*(a+b*arcsec(c*x))*(e*x^
2+d)^(1/2)/d^2/x^3-8/15*e^2*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/d^3/x+8/15*b*
c*e^2*(c^2*x^2-1)^(1/2)*(e*x^2+d)^(1/2)/d^3/(c^2*x^2)^(1/2)-4/45*b*c*e*(2*c
^2*d+e)*(c^2*x^2-1)^(1/2)*(e*x^2+d)^(1/2)/d^3/(c^2*x^2)^(1/2)+1/75*b*c*(8*c
^4*d^2+3*c^2*d*e-2*e^2)*(c^2*x^2-1)^(1/2)*(e*x^2+d)^(1/2)/d^3/(c^2*x^2)^(1/
2)+1/25*b*c*(c^2*x^2-1)^(1/2)*(e*x^2+d)^(1/2)/d/x^4/(c^2*x^2)^(1/2)-4/45*b*
c*e*(c^2*x^2-1)^(1/2)*(e*x^2+d)^(1/2)/d^2/x^2/(c^2*x^2)^(1/2)+1/75*b*c*(4*c
^2*d+e)*(c^2*x^2-1)^(1/2)*(e*x^2+d)^(1/2)/d^2/x^2/(c^2*x^2)^(1/2)-8/15*b*c^
2*e^2*x*EllipticE(c*x,(-e/c^2/d)^(1/2))*(-c^2*x^2+1)^(1/2)*(e*x^2+d)^(1/2)/
d^3/(c^2*x^2)^(1/2)/(c^2*x^2-1)^(1/2)/(1+e*x^2/d)^(1/2)+4/45*b*c^2*e*(2*c^2
*d+e)*x*EllipticE(c*x,(-e/c^2/d)^(1/2))*(-c^2*x^2+1)^(1/2)*(e*x^2+d)^(1/2)/
d^3/(c^2*x^2)^(1/2)/(c^2*x^2-1)^(1/2)/(1+e*x^2/d)^(1/2)-1/75*b*c^2*(8*c^4*d
^2+3*c^2*d*e-2*e^2)*x*EllipticE(c*x,(-e/c^2/d)^(1/2))*(-c^2*x^2+1)^(1/2)*(e
*x^2+d)^(1/2)/d^3/(c^2*x^2)^(1/2)/(c^2*x^2-1)^(1/2)/(1+e*x^2/d)^(1/2)+1/75*
b*c^2*(8*c^2*d-e)*(c^2*d+e)*x*EllipticF(c*x,(-e/c^2/d)^(1/2))*(-c^2*x^2+1)^(
1/2)*(1+e*x^2/d)^(1/2)/d^2/(c^2*x^2)^(1/2)/(c^2*x^2-1)^(1/2)/(e*x^2+d)^(1/
2)-8/45*b*c^2*e*(c^2*d+e)*x*EllipticF(c*x,(-e/c^2/d)^(1/2))*(-c^2*x^2+1)^(1
/2)*(1+e*x^2/d)^(1/2)/d^2/(c^2*x^2)^(1/2)/(c^2*x^2-1)^(1/2)/(e*x^2+d)^(1/2)
+8/15*b*e^2*(c^2*d+e)*x*EllipticF(c*x,(-e/c^2/d)^(1/2))*(-c^2*x^2+1)^(1/2)*
(1+e*x^2/d)^(1/2)/d^3/(c^2*x^2)^(1/2)/(c^2*x^2-1)^(1/2)/(e*x^2+d)^(1/2)
```

Rubi [A]

time = 1.29, antiderivative size = 1006, normalized size of antiderivative = 1.00, number of steps used = 32, number of rules used = 15, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.652$, Rules used = {277, 270, 5346, 12, 6874, 486, 597, 538, 438, 437, 435, 432, 430, 21, 434}

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x^6*sqrt[d + e*x^2]),x]

```
[Out] (8*b*c*e^2*sqrt[-1 + c^2*x^2]*sqrt[d + e*x^2])/(15*d^3*sqrt[c^2*x^2]) - (4*
b*c*e*(2*c^2*d + e)*sqrt[-1 + c^2*x^2]*sqrt[d + e*x^2])/(45*d^3*sqrt[c^2*x^
2]) + (b*c*(8*c^4*d^2 + 3*c^2*d*e - 2*e^2)*sqrt[-1 + c^2*x^2]*sqrt[d + e*x^
2])/(75*d^3*sqrt[c^2*x^2]) + (b*c*sqrt[-1 + c^2*x^2]*sqrt[d + e*x^2])/(25*d
```

```

*x^4*Sqrt[c^2*x^2]) - (4*b*c*e*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(45*d^2*
x^2*Sqrt[c^2*x^2]) + (b*c*(4*c^2*d + e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
/(75*d^2*x^2*Sqrt[c^2*x^2]) - (Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/(5*d*x^
5) + (4*e*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/(15*d^2*x^3) - (8*e^2*Sqrt[d
+ e*x^2]*(a + b*ArcSec[c*x]))/(15*d^3*x) - (8*b*c^2*e^2*x*Sqrt[1 - c^2*x^2
]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(15*d^3*Sqrt[c^2*x^
2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (4*b*c^2*e*(2*c^2*d + e)*x*Sqr
t[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(45*d^
3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) - (b*c^2*(8*c^4*d^2
+ 3*c^2*d*e - 2*e^2)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[
c*x], -(e/(c^2*d))])/(75*d^3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x
^2)/d]) + (b*c^2*(8*c^2*d - e)*(c^2*d + e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*
x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(75*d^2*Sqrt[c^2*x^2]*Sqrt[-1
+ c^2*x^2]*Sqrt[d + e*x^2]) - (8*b*c^2*e*(c^2*d + e)*x*Sqrt[1 - c^2*x^2]*S
qrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(45*d^2*Sqrt[c^2*x
^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2]) + (8*b*e^2*(c^2*d + e)*x*Sqrt[1 - c
^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(15*d^3*S
qrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

```

Rule 12

```

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]

```

Rule 21

```

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :=
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])

```

Rule 270

```

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*
x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*c*(m + 1))), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

```

Rule 277

```

Int[(x_)^(m)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((
a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1
))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

```

Rule 430

```

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c

```


$$\int \frac{1}{(a+dx)} dx$$
; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])

Rule 432

$$\int \frac{1}{\sqrt{(a+bx^2)}\sqrt{(c+dx^2)}} dx$$
 := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]

Rule 434

$$\int \frac{\sqrt{(a+bx^2)}}{\sqrt{(c+dx^2)}} dx$$
 := Dist[b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[d/c] && NegQ[b/a]

Rule 435

$$\int \frac{\sqrt{(a+bx^2)}}{\sqrt{(c+dx^2)}} dx$$
 := Simp[(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 437

$$\int \frac{\sqrt{(a+bx^2)}}{\sqrt{(c+dx^2)}} dx$$
 := Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]

Rule 438

$$\int \frac{\sqrt{(a+bx^2)}}{\sqrt{(c+dx^2)}} dx$$
 := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d/c)*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]

Rule 486

$$\int (e+dx)^m (a+bx^n)^p (c+dx^n)^q dx$$
 := Simp[(e*x)^(m+1)*(a+b*x^n)^(p+1)*(c+d*x^n)^q/(a*e^(m+1)), x] - Dist[1/(a*e^n*(m+1)), Int[(e*x)^(m+n)*(a+b*x^n)^p*(c+d*x^n)^(q-1)*Simp[c*b*(m+1) + n*(b*c*(p+1) + a*d*q) + d*(b*(m+1) + b*n*(p+q+1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[0, q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

Rule 538

```
Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_)*
(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && ( !GtQ[c, 0] || Simpler
SqrtQ[-b/a, -d/c]))))))))
```

Rule 597

```
Int[((g_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_
))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b
*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^(n*
m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) -
e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2)
+ 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0
] && LtQ[m, -1]
```

Rule 5346

```
Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*((f_)*(x_)^(m_)*((d_) + (e_)*(x
_)^2)^(p_)), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 6874

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^6 \sqrt{d + ex^2}} dx &= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{5dx^5} + \frac{4e\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^2x^3} - \frac{8e^2\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^3} \\
&= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{5dx^5} + \frac{4e\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^2x^3} - \frac{8e^2\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^3} \\
&= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{5dx^5} + \frac{4e\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^2x^3} - \frac{8e^2\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^3} \\
&= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{5dx^5} + \frac{4e\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^2x^3} - \frac{8e^2\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^3} \\
&= \frac{8bce^2\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{15d^3\sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{25dx^4\sqrt{c^2x^2}} - \frac{4bce\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{45d^2x^2\sqrt{c^2x^2}} \\
&= \frac{8bce^2\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{15d^3\sqrt{c^2x^2}} - \frac{4bce(2c^2d + e)\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{45d^3\sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{25d^2} \\
&= \frac{8bce^2\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{15d^3\sqrt{c^2x^2}} - \frac{4bce(2c^2d + e)\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{45d^3\sqrt{c^2x^2}} + \frac{bc(8c^4d^2)}{25d^2} \\
&= \frac{8bce^2\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{15d^3\sqrt{c^2x^2}} - \frac{4bce(2c^2d + e)\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{45d^3\sqrt{c^2x^2}} + \frac{bc(8c^4d^2)}{25d^2} \\
&= \frac{8bce^2\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{15d^3\sqrt{c^2x^2}} - \frac{4bce(2c^2d + e)\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{45d^3\sqrt{c^2x^2}} + \frac{bc(8c^4d^2)}{25d^2} \\
&= \frac{8bce^2\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{15d^3\sqrt{c^2x^2}} - \frac{4bce(2c^2d + e)\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{45d^3\sqrt{c^2x^2}} + \frac{bc(8c^4d^2)}{25d^2} \\
&= \frac{8bce^2\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{15d^3\sqrt{c^2x^2}} - \frac{4bce(2c^2d + e)\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{45d^3\sqrt{c^2x^2}} + \frac{bc(8c^4d^2)}{25d^2}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 7.75, size = 329, normalized size = 0.33

$$\frac{\sqrt{d+ex^2} \left(-15a(3d^2 - 4dex^2 + 8e^2x^4) + bc \sqrt{1 - \frac{c^2}{d^2}} (94e^2x^4 - dex^2(17 + 31c^2x^2) + 3d^2(3 + 4c^2x^2 + 8e^2x^4)) - 15b(3d^2 - 4dex^2 + 8e^2x^4) \operatorname{arcsec}\left(\frac{cx}{d}\right) \right)}{225d^3x^5} - \frac{\operatorname{arcsin}\left(\frac{1}{c} \sqrt{1 + \frac{ex^2}{d}}\right) \left(e^2d(24c^4d^2 - 31c^2de + 94e^2) E\left(\operatorname{arcsinh}\left(\frac{\sqrt{-c^2}x}{d}\right) \middle| -\frac{d}{c^2}\right) - (24c^4d^2 - 19c^4de + 77c^2d^2e + 120e^3) F\left(\operatorname{arcsinh}\left(\frac{\sqrt{-c^2}x}{d}\right) \middle| -\frac{d}{c^2}\right) \right)}{225\sqrt{-c^2}d^3\sqrt{1 - \frac{c^2}{d^2}}\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(x^6*Sqrt[d + e*x^2]), x]

[Out] (Sqrt[d + e*x^2]*(-15*a*(3*d^2 - 4*d*e*x^2 + 8*e^2*x^4) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(94*e^2*x^4 - d*e*x^2*(17 + 31*c^2*x^2) + 3*d^2*(3 + 4*c^2*x^2 + 8*c^4*x^4)) - 15*b*(3*d^2 - 4*d*e*x^2 + 8*e^2*x^4)*ArcSec[c*x])/(225*d^3*x^5) - ((I/225)*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(c^2*d*(24*c^4*d^2 - 31*c^2*d*e + 94*e^2)*EllipticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] - (24*c^6*d^3 - 19*c^4*d^2*e + 77*c^2*d*e^2 + 120*e^3)*EllipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))]))/(Sqrt[-c^2]*d^3*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])

Maple [F]

time = 2.26, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^6 \sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x^6/(e*x^2+d)^(1/2), x)

[Out] int((a+b*arcsec(c*x))/x^6/(e*x^2+d)^(1/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^6/(e*x^2+d)^(1/2), x, algorithm="maxima")

[Out] -1/15*a*(8*sqrt(x^2*e + d)*e^2/(d^3*x) - 4*sqrt(x^2*e + d)*e/(d^2*x^3) + 3*sqrt(x^2*e + d)/(d*x^5)) - 1/15*(15*d^3*x^5*integrate((15*c^2*d^3*x^2*log(c) - 15*d^3*log(c) - (8*c^2*x^8*e^3 + 4*c^2*d*x^6*e^2 - c^2*d^2*x^4*e - 3*(5*c^2*log(c) - c^2)*d^3*x^2 + 15*d^3*log(c))*e^(log(c*x + 1) + log(c*x - 1)) + 15*(c^2*d^3*x^2 - d^3 + (c^2*d^3*x^2 - d^3)*e^(log(c*x + 1) + log(c*x - 1)))*log(x))/((c^2*d^3*x^8 - d^3*x^6 + (c^2*d^3*x^8 - d^3*x^6)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d)), x) + (8*x^4*e^2 - 4*d*x^2*e + 3*d^2)*sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*b/(d^3*x^5)

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^6/(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**6/(e*x**2+d)**(1/2),x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^6/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(sqrt(e*x^2 + d)*x^6), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{x^6 \sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(x^6*(d + e*x^2)^(1/2)),x)

[Out] int((a + b*acos(1/(c*x)))/(x^6*(d + e*x^2)^(1/2)), x)

$$3.141 \quad \int \frac{x^5 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Optimal. Leaf size=252

$$\frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6ce^2\sqrt{c^2x^2}} - \frac{d^2(a+b\sec^{-1}(cx))}{e^3\sqrt{d+ex^2}} - \frac{2d\sqrt{d+ex^2}(a+b\sec^{-1}(cx))}{e^3} + \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e^3}$$

[Out] $1/3*(e*x^2+d)^{(3/2)}*(a+b*\text{arcsec}(c*x))/e^3-8/3*b*c*d^{(3/2)}*x*\text{arctan}((e*x^2+d)^{(1/2)}/d^{(1/2)}/(c^2*x^2-1)^{(1/2)})/e^3/(c^2*x^2)^{(1/2)}+1/6*b*(9*c^2*d-e)*x*\text{arctanh}(e^{(1/2)}*(c^2*x^2-1)^{(1/2)}/c/(e*x^2+d)^{(1/2)})/c^2/e^{(5/2)}/(c^2*x^2)^{(1/2)}-d^2*(a+b*\text{arcsec}(c*x))/e^3/(e*x^2+d)^{(1/2)}-2*d*(a+b*\text{arcsec}(c*x))*(e*x^2+d)^{(1/2)}/e^3-1/6*b*x*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/c/e^2/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.73, antiderivative size = 252, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {272, 45, 5346, 12, 1629, 163, 65, 223, 212, 95, 210}

$$\frac{d^2(a+b\sec^{-1}(cx))}{e^3\sqrt{d+ex^2}} - \frac{2d\sqrt{d+ex^2}(a+b\sec^{-1}(cx))}{e^3} + \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e^3} - \frac{8bcd^{3/2}x\text{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3e^3\sqrt{c^2x^2}} + \frac{bx(9c^2d-e)\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{6c^2e^{5/2}\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{6ce^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] $-1/6*(b*x*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])/(c*e^2*\text{Sqrt}[c^2*x^2]) - (d^2*(a+b*\text{ArcSec}[c*x]))/(e^3*\text{Sqrt}[d+e*x^2]) - (2*d*\text{Sqrt}[d+e*x^2]*(a+b*\text{ArcSec}[c*x]))/e^3 + ((d+e*x^2)^{(3/2)}*(a+b*\text{ArcSec}[c*x]))/(3*e^3) - (8*b*c*d^{(3/2)}*x*\text{ArcTan}[\text{Sqrt}[d+e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1+c^2*x^2])])/(3*e^3*\text{Sqrt}[c^2*x^2]) + (b*(9*c^2*d-e)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1+c^2*x^2])/(c*\text{Sqrt}[d+e*x^2])])/(6*c^2*e^{(5/2)}*\text{Sqrt}[c^2*x^2])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 45

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 95

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 163

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_
)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 210

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^(
-1)*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] &
& (LtQ[a, 0] || LtQ[b, 0])
```

Rule 212

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*
ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 223

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 272

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1629

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*b^(q - 1)*(m + n + p + q + 1))), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x]

```

Rule 5346

```

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

```

Rubi steps

$$\begin{aligned}
\int \frac{x^5(a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx &= -\frac{d^2(a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2}(a + b \sec^{-1}(cx))}{3e^3} \\
&= -\frac{d^2(a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2}(a + b \sec^{-1}(cx))}{3e^3} \\
&= -\frac{d^2(a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2}(a + b \sec^{-1}(cx))}{3e^3} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce^2\sqrt{c^2x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{e^3\sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^3} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce^2\sqrt{c^2x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{e^3\sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^3} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce^2\sqrt{c^2x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{e^3\sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^3} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce^2\sqrt{c^2x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{e^3\sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^3} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce^2\sqrt{c^2x^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{e^3\sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^3}
\end{aligned}$$

Mathematica [A]

time = 1.28, size = 232, normalized size = 0.92

$$\frac{-be\sqrt{1 - \frac{1}{c^2x^2}}x(d + ex^2) - 2ac(8d^2 + 4dex^2 - e^2x^4) - 2bc(8d^2 + 4dex^2 - e^2x^4)\sec^{-1}(cx) - b\sqrt{1 - \frac{1}{c^2x^2}}x\left(-16c^3d^{3/2}\text{ArcTan}\left(\frac{\sqrt{d}\sqrt{-1 + c^2x^2}}{\sqrt{d + ex^2}}\right) + \sqrt{e}(-9c^2d + e)\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{-1 + c^2x^2}}{c\sqrt{d + ex^2}}\right)\right)}{6c^3\sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

```

[Out] (- (b*e*Sqrt[1 - 1/(c^2*x^2)]*x*(d + e*x^2)) - 2*a*c*(8*d^2 + 4*d*e*x^2 - e^
2*x^4) - 2*b*c*(8*d^2 + 4*d*e*x^2 - e^2*x^4)*ArcSec[c*x])/(6*c*e^3*Sqrt[d +
e*x^2]) - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(-16*c^3*d^(3/2)*ArcTan[(Sqrt[d]*Sqrt
[-1 + c^2*x^2])/Sqrt[d + e*x^2]] + Sqrt[e]*(-9*c^2*d + e)*ArcTanh[(Sqrt[e]*
Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])]))/(6*c^2*e^3*Sqrt[-1 + c^2*x^2])

```

Maple [F]

time = 3.16, size = 0, normalized size = 0.00

$$\int \frac{x^5(a + b \operatorname{arcsec}(cx))}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x)``[Out] int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="maxima")`

```
[Out] -1/3*(3*sqrt(x^2*e + d)*e^3*integrate((3*c^2*x^7*e^3*log(c) - 3*x^5*e^3*log
(c) + ((3*c^2*e^3*log(c) + c^2*e^3)*x^7 - 12*c^2*d^2*x^3*e - 8*c^2*d^3*x -
3*(c^2*d*e^2 + e^3*log(c))*x^5)*e^(log(c*x + 1) + log(c*x - 1)) + 3*(c^2*x^
7*e^3 - x^5*e^3 + (c^2*x^7*e^3 - x^5*e^3)*e^(log(c*x + 1) + log(c*x - 1)))
*log(x))/((c^2*x^4*e^4 + (c^2*d*e^3 - e^4)*x^2 - d*e^3 + (c^2*x^4*e^4 + (c^2
*d*e^3 - e^4)*x^2 - d*e^3)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d
), x) - (x^4*e^2 - 4*d*x^2*e - 8*d^2)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))
*b*e^(-3)/sqrt(x^2*e + d) + 1/3*(x^4*e^(-1)/sqrt(x^2*e + d) - 4*d*x^2*e^(-2)
/sqrt(x^2*e + d) - 8*d^2*e^(-3)/sqrt(x^2*e + d))*a
```

Fricas [A]

time = 3.55, size = 776, normalized size = 3.08

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")`

```
[Out] [-1/24*((9*b*c^2*d^2 - b*x^2*e^2 + (9*b*c^2*d*x^2 - b*d)*e)*e^(1/2)*log(c^4
*d^2 - 4*(c^3*d + (2*c^3*x^2 - c)*e)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*e^(1
/2) + (8*c^4*x^4 - 8*c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^2 - 3*c^2*d)*e) - 16*(
b*c^3*d*x^2*e + b*c^3*d^2)*sqrt(-d)*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4
e^2 + 4*(c^2*d*x^2 - x^2*e - 2*d)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*sqrt(-d
) + 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*e)/x^4) - 4*(2*a*c^3*x^4*e^2 - 8*a*c^
3*d*x^2*e - 16*a*c^3*d^2 + 2*(b*c^3*x^4*e^2 - 4*b*c^3*d*x^2*e - 8*b*c^3*d^2
)*arcsec(c*x) - (b*c*x^2*e^2 + b*c*d*e)*sqrt(c^2*x^2 - 1))*sqrt(x^2*e + d)
```

$$/(c^3*x^2*e^4 + c^3*d*e^3), -1/24*((9*b*c^2*d^2 - b*x^2*e^2 + (9*b*c^2*d*x^2 - b*d)*e)*e^{(1/2)}*\log(c^4*d^2 - 4*(c^3*d + (2*c^3*x^2 - c)*e)*\sqrt{c^2*x^2 - 1}*\sqrt{x^2*e + d})*e^{(1/2)} + (8*c^4*x^4 - 8*c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^2 - 3*c^2*d)*e) + 32*(b*c^3*d*x^2*e + b*c^3*d^2)*\sqrt{d}*\arctan(-1/2*(c^2*d*x^2 - x^2*e - 2*d)*\sqrt{c^2*x^2 - 1}*\sqrt{x^2*e + d}*\sqrt{d})/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*e) - 4*(2*a*c^3*x^4*e^2 - 8*a*c^3*d*x^2*e - 16*a*c^3*d^2 + 2*(b*c^3*x^4*e^2 - 4*b*c^3*d*x^2*e - 8*b*c^3*d^2)*\operatorname{arcsec}(c*x) - (b*c*x^2*e^2 + b*c*d*e)*\sqrt{c^2*x^2 - 1}*\sqrt{x^2*e + d})/(c^3*x^2*e^4 + c^3*d*e^3)]$$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*asec(c*x))/(e*x**2+d)**(3/2),x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^5/(e*x^2 + d)^(3/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{(ex^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(a + b*acos(1/(c*x))))/(d + e*x^2)^(3/2),x)

[Out] int((x^5*(a + b*acos(1/(c*x))))/(d + e*x^2)^(3/2), x)

$$3.142 \quad \int \frac{x^3(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=157

$$\frac{d(a+b \sec^{-1}(cx))}{e^2 \sqrt{d+ex^2}} + \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{e^2} + \frac{2bc\sqrt{d} x \operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}}\right)}{e^2 \sqrt{c^2x^2}} - \frac{bx \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{d+ex^2}}{c\sqrt{d+ex^2}}\right)}{e^{3/2} \sqrt{c^2x^2}}$$

[Out] $-b*x*\operatorname{arctanh}(e^{(1/2)}*(c^2*x^2-1)^{(1/2)}/c/(e*x^2+d)^{(1/2)})/e^{(3/2)}/(c^2*x^2)^{(1/2)}+2*b*c*x*\operatorname{arctan}((e*x^2+d)^{(1/2)}/d^{(1/2)}/(c^2*x^2-1)^{(1/2)})*d^{(1/2)}/e^{2/(c^2*x^2)^{(1/2)}+d*(a+b*\operatorname{arcsec}(c*x))/e^2/(e*x^2+d)^{(1/2)}+(a+b*\operatorname{arcsec}(c*x))*((e*x^2+d)^{(1/2)}/e^2}$

Rubi [A]

time = 0.19, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {272, 45, 5346, 12, 587, 163, 65, 223, 212, 95, 210}

$$\frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{e^2} + \frac{d(a+b \sec^{-1}(cx))}{e^2 \sqrt{d+ex^2}} + \frac{2bc\sqrt{d} x \operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{e^2 \sqrt{c^2x^2}} - \frac{bx \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{e^{3/2} \sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^3*(a + b*\operatorname{ArcSec}[c*x]))/(d + e*x^2)^{(3/2)}, x]$

[Out] $(d*(a + b*\operatorname{ArcSec}[c*x]))/(e^2*\operatorname{Sqrt}[d + e*x^2]) + (\operatorname{Sqrt}[d + e*x^2]*(a + b*\operatorname{ArcSec}[c*x]))/e^2 + (2*b*c*\operatorname{Sqrt}[d]*x*\operatorname{ArcTan}[\operatorname{Sqrt}[d + e*x^2]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[-1 + c^2*x^2])])/(e^2*\operatorname{Sqrt}[c^2*x^2]) - (b*x*\operatorname{ArcTanh}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[-1 + c^2*x^2])/(c*\operatorname{Sqrt}[d + e*x^2])])/(e^{(3/2)}*\operatorname{Sqrt}[c^2*x^2])$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 45

$\operatorname{Int}[(a_*) + (b_*)(x_))^{(m_)*((c_*) + (d_*)(x_))^{(n_)}], x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 65

$\operatorname{Int}[(a_*) + (b_*)(x_))^{(m_)*((c_*) + (d_*)(x_))^{(n_)}], x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - a*(d/b) +$

```
d*(x^p/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 95

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 163

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_
))))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 210

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^(
-1)*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] &
& (LtQ[a, 0] || LtQ[b, 0])
```

Rule 212

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*
ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 223

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 587

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
)*((e_) + (f_.)*(x_)^(n_))^(r_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simpl
```

```
ify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /;
FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n]]]
```

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx &= \frac{d(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} - \frac{(bcx) \int \frac{2d+ex^2}{e^2x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}}{\sqrt{c^2x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} - \frac{(bcx) \int \frac{2d+ex^2}{x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}}{e^2 \sqrt{c^2x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} - \frac{(bcx) \text{Subst}\left(\int \frac{2d+ex^2}{x\sqrt{-1+c^2x^2}}}{2e^2 \sqrt{c^2x^2}}\right)}{e^2 \sqrt{c^2x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} - \frac{(bcdx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x^2}}\right)}{e^2 \sqrt{c^2x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} - \frac{(2bcdx) \text{Subst}\left(\int \frac{1}{-d-x^2} dx\right)}{e^2 \sqrt{c^2x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} + \frac{2bc\sqrt{d} x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1-c^2x^2}}\right)}{e^2 \sqrt{c^2x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^2} + \frac{2bc\sqrt{d} x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1-c^2x^2}}\right)}{e^2 \sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A]

time = 0.96, size = 147, normalized size = 0.94

$$\frac{(2d + ex^2)(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x \left(2c \sqrt{d} \operatorname{ArcTan} \left(\frac{\sqrt{d} \sqrt{-1 + c^2 x^2}}{\sqrt{d + ex^2}} \right) + \sqrt{e} \tanh^{-1} \left(\frac{\sqrt{e} \sqrt{-1 + c^2 x^2}}{c \sqrt{d + ex^2}} \right) \right)}{e^2 \sqrt{-1 + c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] ((2*d + e*x^2)*(a + b*ArcSec[c*x]))/(e^2*Sqrt[d + e*x^2]) - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(2*c*Sqrt[d]*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]] + Sqrt[e]*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])]))/(e^2*Sqrt[-1 + c^2*x^2])

Maple [F]

time = 2.44, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{arcsec}(cx))}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)

[Out] int(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x, algorithm="maxima")

[Out] (x^2*e^(-1)/sqrt(x^2*e + d) + 2*d*e^(-2)/sqrt(x^2*e + d))*a + ((x^2*e + 2*d)*sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - (x^2*e^3 + d*e^2)*integrate((c^2*x^5*e^2*log(c) - x^3*e^2*log(c) + ((c^2*e^2*log(c) + c^2*e^2)*x^5 + 2*c^2*d^2*x + (3*c^2*d*e - e^2*log(c))*x^3)*e^(log(c*x + 1) + log(c*x - 1)) + (c^2*x^5*e^2 - x^3*e^2 + (c^2*x^5*e^2 - x^3*e^2)*e^(log(c*x + 1) + log(c*x - 1)))*log(x))/((c^2*x^4*e^3 + (c^2*d*e^2 - e^3)*x^2 - d*e^2 + (c^2*x^4*e^3 + (c^2*d*e^2 - e^3)*x^2 - d*e^2)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d)), x))*b/(x^2*e^3 + d*e^2)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 273 vs. 2(132) = 264.

time = 3.96, size = 572, normalized size = 3.64

[Out] = 1/2*(a*sqrt(e)*sqrt(x^2*e + d) + 2*d*sqrt(e)*sqrt(x^2*e + d))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 1/2*(a*(x^2*e + 2*d)*sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - (x^2*e^3 + d*e^2)*integrate((c^2*x^5*e^2*log(c) - x^3*e^2*log(c) + ((c^2*e^2*log(c) + c^2*e^2)*x^5 + 2*c^2*d^2*x + (3*c^2*d*e - e^2*log(c))*x^3)*e^(log(c*x + 1) + log(c*x - 1)) + (c^2*x^5*e^2 - x^3*e^2 + (c^2*x^5*e^2 - x^3*e^2)*e^(log(c*x + 1) + log(c*x - 1)))*log(x))/((c^2*x^4*e^3 + (c^2*d*e^2 - e^3)*x^2 - d*e^2 + (c^2*x^4*e^3 + (c^2*d*e^2 - e^3)*x^2 - d*e^2)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d)), x))*b/(x^2*e^3 + d*e^2)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")
[Out] [1/4*((b*x^2*e + b*d)*e^(1/2)*log(c^4*d^2 - 4*(c^3*d + (2*c^3*x^2 - c)*e)*s
qrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*e^(1/2) + (8*c^4*x^4 - 8*c^2*x^2 + 1)*e^2
+ 2*(4*c^4*d*x^2 - 3*c^2*d)*e) + 2*(b*c*x^2*e + b*c*d)*sqrt(-d)*log((c^4*d^
2*x^4 - 8*c^2*d^2*x^2 + x^4*e^2 - 4*(c^2*d*x^2 - x^2*e - 2*d)*sqrt(c^2*x^2
- 1)*sqrt(x^2*e + d)*sqrt(-d) + 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*e)/x^4) +
4*(a*c*x^2*e + 2*a*c*d + (b*c*x^2*e + 2*b*c*d)*arcsec(c*x))*sqrt(x^2*e + d
))/(c*x^2*e^3 + c*d*e^2), 1/4*((b*x^2*e + b*d)*e^(1/2)*log(c^4*d^2 - 4*(c^3
*d + (2*c^3*x^2 - c)*e)*sqrt(c^2*x^2 - 1)*sqrt(x^2*e + d)*e^(1/2) + (8*c^4*
x^4 - 8*c^2*x^2 + 1)*e^2 + 2*(4*c^4*d*x^2 - 3*c^2*d)*e) + 4*(b*c*x^2*e + b*
c*d)*sqrt(d)*arctan(-1/2*(c^2*d*x^2 - x^2*e - 2*d)*sqrt(c^2*x^2 - 1)*sqrt(x
^2*e + d)*sqrt(d)/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*e)) + 4*(a*c*x^2
*e + 2*a*c*d + (b*c*x^2*e + 2*b*c*d)*arcsec(c*x))*sqrt(x^2*e + d))/(c*x^2*e
^3 + c*d*e^2)]
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{asec}(cx))}{(d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*asec(c*x))/(e*x**2+d)**(3/2),x)
[Out] Integral(x**3*(a + b*asec(c*x))/(d + e*x**2)**(3/2), x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")
[Out] integrate((b*arcsec(c*x) + a)*x^3/(e*x^2 + d)^(3/2), x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{(ex^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^3*(a + b*acos(1/(c*x))))/(d + e*x^2)^(3/2),x)
[Out] int((x^3*(a + b*acos(1/(c*x))))/(d + e*x^2)^(3/2), x)
```


$$3.143 \quad \int \frac{x(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=80

$$-\frac{a+b \sec^{-1}(cx)}{e\sqrt{d+ex^2}} - \frac{bcx \operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}}\right)}{\sqrt{d}e\sqrt{c^2x^2}}$$

[Out] $-b*c*x*\arctan((e*x^2+d)^{(1/2)}/d^{(1/2)}/(c^2*x^2-1)^{(1/2)})/e/d^{(1/2)}/(c^2*x^2)^{(1/2)}+(-a-b*\operatorname{arcsec}(c*x))/e/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.07, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$, Rules used = {5344, 457, 95, 210}

$$-\frac{a+b \sec^{-1}(cx)}{e\sqrt{d+ex^2}} - \frac{bcx \operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{\sqrt{d}e\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x*(a + b*\operatorname{ArcSec}[c*x]))/(d + e*x^2)^{(3/2)}, x]$

[Out] $-((a + b*\operatorname{ArcSec}[c*x])/(e*\operatorname{Sqrt}[d + e*x^2])) - (b*c*x*\operatorname{ArcTan}[\operatorname{Sqrt}[d + e*x^2]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[-1 + c^2*x^2])])/(e*\operatorname{Sqrt}[d + e*x^2])$

Rule 95

$\operatorname{Int}[((a_.) + (b_.)*(x_)^m)*((c_.) + (d_.)*(x_)^n)/((e_.) + (f_.)*(x_)), x_Symbol] \rightarrow \operatorname{With}[\{q = \operatorname{Denominator}[m]\}, \operatorname{Dist}[q, \operatorname{Subst}[\operatorname{Int}[x^{(q*(m+1)-1)}/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^{(1/q)}/(c + d*x)^{(1/q)}], x]] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \operatorname{EqQ}[m + n + 1, 0] \ \&\& \operatorname{RationalQ}[n] \ \&\& \operatorname{LtQ}[-1, m, 0] \ \&\& \operatorname{SimplerQ}[a + b*x, c + d*x]$

Rule 210

$\operatorname{Int}[((a_.) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(-(\operatorname{Rt}[-a, 2]*\operatorname{Rt}[-b, 2]))^{(-1)}*\operatorname{ArcTan}[\operatorname{Rt}[-b, 2]*(x/\operatorname{Rt}[-a, 2])], x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{PosQ}[a/b] \ \&\& (\operatorname{LtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 457

$\operatorname{Int}[(x_)^m*((a_) + (b_.)*(x_)^n)^p*((c_) + (d_.)*(x_)^n)^q, x_Symbol] \rightarrow \operatorname{Dist}[1/n, \operatorname{Subst}[\operatorname{Int}[x^{(\operatorname{Simplify}[(m+1)/n] - 1)*(a + b*x)^p*(c + d*x)^q}, x], x, x^n], x] /; \operatorname{FreeQ}\{a, b, c, d, m, n, p, q\}, x] \ \&\& \operatorname{NeQ}[$

`b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]`

Rule 5344

`Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*(x_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x
_Symbol] :> Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSec[c*x])/(2*e*(p + 1))), x
] - Dist[b*c*(x/(2*e*(p + 1)*Sqrt[c^2*x^2])), Int[(d + e*x^2)^(p + 1)/(x*Sq
rt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]`

Rubi steps

$$\begin{aligned} \int \frac{x(a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx &= -\frac{a + b \sec^{-1}(cx)}{e\sqrt{d + ex^2}} + \frac{(bcx) \int \frac{1}{x\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}} dx}{e\sqrt{c^2x^2}} \\ &= -\frac{a + b \sec^{-1}(cx)}{e\sqrt{d + ex^2}} + \frac{(bcx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1 + c^2x} \sqrt{d + ex}} dx, x, x^2\right)}{2e\sqrt{c^2x^2}} \\ &= -\frac{a + b \sec^{-1}(cx)}{e\sqrt{d + ex^2}} + \frac{(bcx) \text{Subst}\left(\int \frac{1}{-d-x^2} dx, x, \frac{\sqrt{d + ex^2}}{\sqrt{-1 + c^2x^2}}\right)}{e\sqrt{c^2x^2}} \\ &= -\frac{a + b \sec^{-1}(cx)}{e\sqrt{d + ex^2}} - \frac{bcx \tan^{-1}\left(\frac{\sqrt{d + ex^2}}{\sqrt{d} \sqrt{-1 + c^2x^2}}\right)}{\sqrt{d} e\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [A]

time = 0.49, size = 95, normalized size = 1.19

$$-\frac{a + b \sec^{-1}(cx)}{e\sqrt{d + ex^2}} + \frac{bc\sqrt{1 - \frac{1}{c^2x^2}} x \text{ArcTan}\left(\frac{\sqrt{d} \sqrt{-1 + c^2x^2}}{\sqrt{d + ex^2}}\right)}{\sqrt{d} e\sqrt{-1 + c^2x^2}}$$

Antiderivative was successfully verified.

[In] `Integrate[(x*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]`

[Out] `-((a + b*ArcSec[c*x])/(e*Sqrt[d + e*x^2])) + (b*c*Sqrt[1 - 1/(c^2*x^2)]*x*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]])/(Sqrt[d]*e*Sqrt[-1 + c^2*x^2])`

Maple [F]

time = 1.42, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{arcsec}(cx))}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x)`

[Out] `int(x*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x)`

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out]
$$-(\sqrt{x^2e + d})e \operatorname{integrate}((c^2x^3e \log(c) - xe \log(c) + ((c^2e \log(c) - c^2e)x^3 - (c^2d + e \log(c))x)e^{(\log(cx + 1) + \log(cx - 1))} + (c^2x^3e - xe + (c^2x^3e - xe)e^{(\log(cx + 1) + \log(cx - 1))}) \log(x)) / ((c^2x^4e^2 + (c^2d e - e^2)x^2 - d e + (c^2x^4e^2 + (c^2d e - e^2)x^2 - d e)e^{(\log(cx + 1) + \log(cx - 1))}) \sqrt{x^2e + d}), x) + \arctan(\sqrt{cx + 1} \sqrt{cx - 1}) b e^{-1} / \sqrt{x^2e + d} - a e^{-1} / \sqrt{x^2e + d}$$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 139 vs. 2(68) = 136.

time = 1.85, size = 304, normalized size = 3.80

$$\left[\frac{(bx^2e + bd)\sqrt{-d} \log\left(\frac{c^2d^2x^2 + d^2x^2 - 4(c^2d^2 - 2d)\sqrt{c^2x^2 - 1}\sqrt{x^2e + d}\sqrt{-d} + 8d^2(3c^2d^2 - 4d^2)e}{4(dx^2e^2 + d^2e)}\right) + 4(bd \operatorname{arcscc}(cx) + ad)\sqrt{x^2e + d}}{4(dx^2e^2 + d^2e)}, -\frac{(bx^2e + bd)\sqrt{d} \arctan\left(\frac{-(c^2d^2 - 2d)\sqrt{c^2x^2 - 1}\sqrt{x^2e + d}\sqrt{d}}{2(c^2d^2 - d^2 + (c^2d^2 - 4d^2)e)}\right) + 2(bd \operatorname{arcscc}(cx) + ad)\sqrt{x^2e + d}}{2(dx^2e^2 + d^2e)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out]
$$[-1/4*((bx^2e + bd)\sqrt{-d})\log((c^4d^2x^4 - 8c^2d^2x^2 + x^4e^2 - 4(c^2d^2x^2 - x^2e - 2d)\sqrt{c^2x^2 - 1}\sqrt{x^2e + d})\sqrt{-d} + 8d^2 - 2(3c^2d^2x^4 - 4d^2x^2)e)/x^4) + 4*(bd \operatorname{arcscc}(cx) + ad)\sqrt{x^2e + d}) / (dx^2e^2 + d^2e), -1/2*((bx^2e + bd)\sqrt{d})\arctan(-1/2*(c^2d^2x^2 - x^2e - 2d)\sqrt{c^2x^2 - 1}\sqrt{x^2e + d})\sqrt{d} / (c^2d^2x^2 - d^2 + (c^2d^2x^4 - dx^2)e)) + 2*(bd \operatorname{arcscc}(cx) + ad)\sqrt{x^2e + d}) / (dx^2e^2 + d^2e)]$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{asec}(cx))}{(d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asec(c*x))/(e*x**2+d)**(3/2),x)

[Out] Integral(x*(a + b*asec(c*x))/(d + e*x**2)**(3/2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x/(e*x^2 + d)^(3/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{(e x^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(a + b*acos(1/(c*x))))/(d + e*x^2)^(3/2),x)

[Out] int((x*(a + b*acos(1/(c*x))))/(d + e*x^2)^(3/2), x)

$$3.144 \quad \int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^{3/2}}, x\right)$$

[Out] Unintegrable((a+b*arcsec(c*x))/x/(e*x^2+d)^(3/2), x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$,

Rules used = {}

$$\int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(3/2)), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(3/2)), x]

Rubi steps

$$\int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^{3/2}} dx = \int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^{3/2}} dx$$

Mathematica [A]

time = 13.92, size = 0, normalized size = 0.00

$$\int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(3/2)), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(3/2)), x]

Maple [A]

time = 1.12, size = 0, normalized size = 0.00

$$\int \frac{a+b \operatorname{arcsec}(cx)}{x(e x^2+d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x/(e*x^2+d)^(3/2),x)`

[Out] `int((a+b*arcsec(c*x))/x/(e*x^2+d)^(3/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] `-a*(arcsinh(sqrt(d)*e^(-1/2)/abs(x))/d^(3/2) - 1/(sqrt(x^2*e + d)*d)) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/((x^3*e + d*x)*sqrt(x^2*e + d)), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsec(c*x) + a)/(x^5*e^2 + 2*d*x^3*e + d^2*x), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{x (d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/x/(e*x**2+d)**(3/2),x)`

[Out] `Integral((a + b*asec(c*x))/(x*(d + e*x**2)**(3/2)), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(3/2),x, algorithm="giac")`

[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^(3/2)*x), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{x(e x^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(x*(d + e*x^2)^(3/2)), x)

[Out] int((a + b*acos(1/(c*x)))/(x*(d + e*x^2)^(3/2)), x)

$$3.145 \quad \int \frac{a+b \sec^{-1}(cx)}{x^3(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=26

$$\text{Int} \left(\frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{3/2}}, x \right)$$

[Out] Unintegrable((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(3/2), x)

Rubi [A]

time = 0.09, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

Rubi steps

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{3/2}} dx = \int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{3/2}} dx$$

Mathematica [A]

time = 22.49, size = 0, normalized size = 0.00

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

Maple [A]

time = 0.68, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^3 (e x^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{arcsec}(c*x))/x^3/(e*x^2+d)^{(3/2)}, x)$

[Out] $\text{int}((a+b*\text{arcsec}(c*x))/x^3/(e*x^2+d)^{(3/2)}, x)$

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{arcsec}(c*x))/x^3/(e*x^2+d)^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] $1/2*a*(3*\text{arcsinh}(\sqrt{d}*e^{-1/2}/\text{abs}(x))*e/d^{5/2} - 3*e/(\sqrt{x^2*e + d})*d^2) - 1/(\sqrt{x^2*e + d}*d*x^2) + b*\text{integrate}(\text{arctan}(\sqrt{c*x + 1})*\sqrt{c*x - 1})/((x^5*e + d*x^3)*\sqrt{x^2*e + d}), x)$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{arcsec}(c*x))/x^3/(e*x^2+d)^{(3/2)}, x, \text{algorithm}="fricas")$

[Out] $\text{integral}(\sqrt{x^2*e + d}*(b*\text{arcsec}(c*x) + a)/(x^7*e^2 + 2*d*x^5*e + d^2*x^3), x)$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{asec}(c*x))/x^{**3}/(e*x^{**2}+d)^{(3/2)}, x)$

[Out] Timed out

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{arcsec}(c*x))/x^3/(e*x^2+d)^{(3/2)}, x, \text{algorithm}="giac")$

[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^(3/2)*x^3), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{x^3 (ex^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(x^3*(d + e*x^2)^(3/2)), x)

[Out] int((a + b*acos(1/(c*x)))/(x^3*(d + e*x^2)^(3/2)), x)

$$3.146 \quad \int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}}, x\right)$$

[Out] Unintegrable(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Defer[Int] [(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Rubi steps

$$\int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx = \int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Mathematica [A]

time = 6.82, size = 0, normalized size = 0.00

$$\int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Integrate[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Maple [A]

time = 1.11, size = 0, normalized size = 0.00

$$\int \frac{x^4(a+b \operatorname{arcsec}(cx))}{(ex^2+d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(3/2)},x)$

[Out] $\text{int}(x^4*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(3/2)},x)$

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^4*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(3/2)},x, \text{algorithm}="maxima")$

[Out] $\frac{1}{2}*(x^3*e^{(-1)}/\text{sqrt}(x^2*e + d) - 3*d*\text{arcsinh}(x*e^{(1/2)}/\text{sqrt}(d))*e^{(-5/2)} + 3*d*x*e^{(-2)}/\text{sqrt}(x^2*e + d))*a + b*\text{integrate}(x^4*\text{arctan}(\text{sqrt}(c*x + 1))*\text{sqrt}(c*x - 1))/(x^2*e + d)^{(3/2)}, x)$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^4*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(3/2)},x, \text{algorithm}="fricas")$

[Out] $\text{integral}((b*x^4*\text{arcsec}(c*x) + a*x^4)*\text{sqrt}(x^2*e + d)/(x^4*e^2 + 2*d*x^2*e + d^2), x)$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^{**4}*(a+b*\text{asec}(c*x))/(e*x^{**2}+d)^{(3/2)},x)$

[Out] Timed out

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^4*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(3/2)},x, \text{algorithm}="giac")$

[Out] integrate((b*arcsec(c*x) + a)*x^4/(e*x^2 + d)^(3/2), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^4 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{(ex^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(a + b*acos(1/(c*x))))/(d + e*x^2)^(3/2), x)

[Out] int((x^4*(a + b*acos(1/(c*x))))/(d + e*x^2)^(3/2), x)

$$3.147 \quad \int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}}, x\right)$$

[Out] Unintegrable(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Defer[Int][(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Rubi steps

$$\int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx = \int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Mathematica [A]

time = 2.40, size = 0, normalized size = 0.00

$$\int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Integrate[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Maple [A]

time = 1.21, size = 0, normalized size = 0.00

$$\int \frac{x^2(a+b \operatorname{arcsec}(cx))}{(ex^2+d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x)`

[Out] `int(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] `(arcsinh(x*e^(1/2)/sqrt(d))*e^(-3/2) - x*e^(-1)/sqrt(x^2*e + d))*a + b*integrate(x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(x^2*e + d)^(3/2), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `integral((b*x^2*arcsec(c*x) + a*x^2)*sqrt(x^2*e + d)/(x^4*e^2 + 2*d*x^2*e + d^2), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2(a + b \operatorname{asec}(cx))}{(d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*asec(c*x))/(e*x**2+d)**(3/2),x)`

[Out] `Integral(x**2*(a + b*asec(c*x))/(d + e*x**2)**(3/2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")`

[Out] integrate((b*arcsec(c*x) + a)*x^2/(e*x^2 + d)^(3/2), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^2 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{(ex^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(a + b*acos(1/(c*x))))/(d + e*x^2)^(3/2), x)

[Out] int((x^2*(a + b*acos(1/(c*x))))/(d + e*x^2)^(3/2), x)

$$3.148 \quad \int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=109

$$\frac{x(a+b \sec^{-1}(cx))}{d\sqrt{d+ex^2}} - \frac{bx\sqrt{1-c^2x^2} \sqrt{1+\frac{ex^2}{d}} F(\text{ArcSin}(cx) | -\frac{e}{c^2d})}{d\sqrt{c^2x^2} \sqrt{-1+c^2x^2} \sqrt{d+ex^2}}$$

[Out] x*(a+b*arcsec(c*x))/d/(e*x^2+d)^(1/2)-b*x*EllipticF(c*x, (-e/c^2/d)^(1/2))*(-c^2*x^2+1)^(1/2)*(1+e*x^2/d)^(1/2)/d/(c^2*x^2)^(1/2)/(c^2*x^2-1)^(1/2)/(e*x^2+d)^(1/2)

Rubi [A]

time = 0.06, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {197, 5336, 12, 432, 430}

$$\frac{x(a+b \sec^{-1}(cx))}{d\sqrt{d+ex^2}} - \frac{bx\sqrt{1-c^2x^2} \sqrt{\frac{ex^2}{d} + 1} F(\text{ArcSin}(cx) | -\frac{e}{c^2d})}{d\sqrt{c^2x^2} \sqrt{c^2x^2-1} \sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x^2)^(3/2), x]

[Out] (x*(a + b*ArcSec[c*x]))/(d*Sqrt[d + e*x^2]) - (b*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 197

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[x*((a + b*x^n)^(p + 1)/a), x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 430

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])

Rule 432

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 5336

```
Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex^2)^{3/2}} dx &= \frac{x(a + b \sec^{-1}(cx))}{d\sqrt{d + ex^2}} - \frac{(bcx) \int \frac{1}{d\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}} dx}{\sqrt{c^2x^2}} \\
&= \frac{x(a + b \sec^{-1}(cx))}{d\sqrt{d + ex^2}} - \frac{(bcx) \int \frac{1}{\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}} dx}{d\sqrt{c^2x^2}} \\
&= \frac{x(a + b \sec^{-1}(cx))}{d\sqrt{d + ex^2}} - \frac{\left(bcx \sqrt{1 + \frac{ex^2}{d}} \right) \int \frac{1}{\sqrt{-1 + c^2x^2} \sqrt{1 + \frac{ex^2}{d}}} dx}{d\sqrt{c^2x^2} \sqrt{d + ex^2}} \\
&= \frac{x(a + b \sec^{-1}(cx))}{d\sqrt{d + ex^2}} - \frac{\left(bcx \sqrt{1 - c^2x^2} \sqrt{1 + \frac{ex^2}{d}} \right) \int \frac{1}{\sqrt{1 - c^2x^2} \sqrt{1 + \frac{ex^2}{d}}} dx}{d\sqrt{c^2x^2} \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}} \\
&= \frac{x(a + b \sec^{-1}(cx))}{d\sqrt{d + ex^2}} - \frac{bc \sqrt{1 - c^2x^2} \sqrt{1 + \frac{ex^2}{d}} F(\sin^{-1}(cx) | -\frac{e}{c^2d})}{d\sqrt{c^2x^2} \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}
\end{aligned}$$

Mathematica [A]

time = 0.69, size = 113, normalized size = 1.04

$$\frac{x(a + b \sec^{-1}(cx))}{d\sqrt{d + ex^2}} - \frac{bc \sqrt{1 - \frac{1}{c^2x^2}} x \sqrt{1 - c^2x^2} \sqrt{1 + \frac{ex^2}{d}} F(\text{ArcSin}(cx) | -\frac{e}{c^2d})}{d(-c + c^3x^2) \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x^2)^(3/2), x]

[Out] (x*(a + b*ArcSec[c*x]))/(d*Sqrt[d + e*x^2]) - (b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(d*(-c + c^3*x^2)*Sqrt[d + e*x^2])

Maple [F]

time = 1.22, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsec}(cx)}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)

[Out] int((a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x, algorithm="maxima")

[Out] b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(x^2*e + d)^(3/2), x) + a*x/(sqrt(x^2*e + d)*d)

Fricas [A]

time = 0.32, size = 77, normalized size = 0.71

$$\frac{(bx^2e + bd)\sqrt{-d} \operatorname{ellipticF}(cx, -\frac{e}{c^2d}) + (bcdx \operatorname{arcsec}(cx) + acdx)\sqrt{x^2e + d}}{cd^2x^2e + cd^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x, algorithm="fricas")

[Out] ((b*x^2*e + b*d)*sqrt(-d)*ellipticF(c*x, -e/(c^2*d)) + (b*c*d*x*arcsec(c*x) + a*c*d*x)*sqrt(x^2*e + d))/(c*d^2*x^2*e + c*d^3)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{(d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x**2+d)**(3/2),x)

[Out] Integral((a + b*asec(c*x))/(d + e*x**2)**(3/2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(e*x^2 + d)^(3/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{(ex^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(d + e*x^2)^(3/2),x)

[Out] int((a + b*acos(1/(c*x)))/(d + e*x^2)^(3/2), x)

$$3.149 \quad \int \frac{a+b \sec^{-1}(cx)}{x^2(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=274

$$\frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{d^2\sqrt{c^2x^2}} - \frac{a+b\sec^{-1}(cx)}{dx\sqrt{d+ex^2}} - \frac{2ex(a+b\sec^{-1}(cx))}{d^2\sqrt{d+ex^2}} - \frac{bc^2x\sqrt{1-c^2x^2}\sqrt{d+ex^2}E(\text{ArcSin}(cx))}{d^2\sqrt{c^2x^2}\sqrt{-1+c^2x^2}\sqrt{1+\frac{ex}{d}}}$$

[Out] $(-a-b*\text{arcsec}(c*x))/d/x/(e*x^2+d)^{(1/2)}-2*e*x*(a+b*\text{arcsec}(c*x))/d^2/(e*x^2+d)^{(1/2)}+b*c*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}-b*c^2*x*E(\text{EllipticE}(c*x,(-e/c^2/d)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)})/(c^2*x^2-1)^{(1/2)}/(1+e*x^2/d)^{(1/2)}+b*(c^2*d+2*e)*x*E(\text{EllipticF}(c*x,(-e/c^2/d)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)})/(c^2*x^2-1)^{(1/2)}/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.22, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {277, 197, 5346, 12, 597, 538, 438, 437, 435, 432, 430}

$$-\frac{2ex(a+b\sec^{-1}(cx))}{d^2\sqrt{d+ex^2}} - \frac{a+b\sec^{-1}(cx)}{dx\sqrt{d+ex^2}} + \frac{bx\sqrt{1-c^2x^2}(c^2d+2e)\sqrt{\frac{ex^2}{d}+1}F(\text{ArcSin}(cx)|-\frac{e}{c^2d})}{d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} - \frac{bc^2x\sqrt{1-c^2x^2}\sqrt{d+ex^2}E(\text{ArcSin}(cx)|-\frac{e}{c^2d})}{d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{\frac{ex^2}{d}+1}} + \frac{bc\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{d^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)^(3/2)), x]

[Out] $(b*c*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])/(d^2*\text{Sqrt}[c^2*x^2]) - (a+b*\text{ArcSec}[c*x])/(d*x*\text{Sqrt}[d+e*x^2]) - (2*e*x*(a+b*\text{ArcSec}[c*x]))/(d^2*\text{Sqrt}[d+e*x^2]) - (b*c^2*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[d+e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x], -e/(c^2*d)])/(d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]) + (b*(c^2*d+2*e)*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -e/(c^2*d)])/(d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 197

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[x*((a + b*x^n)^(p + 1)/a), x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 277

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((
a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1
))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] := S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c
/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a,
0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 435

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 438

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d/c)*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 538

```
Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-b/a, -d/c]))))))
```

Rule 597

```
Int[((g_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1)/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^2 (d + ex^2)^{3/2}} dx &= \frac{a + b \sec^{-1}(cx)}{dx \sqrt{d + ex^2}} - \frac{2ex(a + b \sec^{-1}(cx))}{d^2 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-d-2ex^2}{d^2 x^2 \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}} dx}{\sqrt{c^2 x^2}} \\
&= \frac{a + b \sec^{-1}(cx)}{dx \sqrt{d + ex^2}} - \frac{2ex(a + b \sec^{-1}(cx))}{d^2 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-d-2ex^2}{x^2 \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}} dx}{d^2 \sqrt{c^2 x^2}} \\
&= \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{d^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{dx \sqrt{d + ex^2}} - \frac{2ex(a + b \sec^{-1}(cx))}{d^2 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{1}{\sqrt{-1 + c^2 x^2}} dx}{\sqrt{c^2 x^2}} \\
&= \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{d^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{dx \sqrt{d + ex^2}} - \frac{2ex(a + b \sec^{-1}(cx))}{d^2 \sqrt{d + ex^2}} - \frac{(bc^3 x) \int \frac{1}{\sqrt{-1 + c^2 x^2}} dx}{d^2 \sqrt{c^2 x^2}} \\
&= \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{d^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{dx \sqrt{d + ex^2}} - \frac{2ex(a + b \sec^{-1}(cx))}{d^2 \sqrt{d + ex^2}} - \frac{(bc^3 x \sqrt{1 - c^2 x^2})}{d^2 \sqrt{c^2 x^2}} \\
&= \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{d^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{dx \sqrt{d + ex^2}} - \frac{2ex(a + b \sec^{-1}(cx))}{d^2 \sqrt{d + ex^2}} - \frac{(bc^3 x \sqrt{1 - c^2 x^2})}{d^2 \sqrt{c^2 x^2}} \\
&= \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{d^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{dx \sqrt{d + ex^2}} - \frac{2ex(a + b \sec^{-1}(cx))}{d^2 \sqrt{d + ex^2}} - \frac{bc^2 x \sqrt{1 - c^2 x^2}}{d^2 \sqrt{c^2 x^2}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 3.90, size = 212, normalized size = 0.77

$$\frac{bc \sqrt{1 - \frac{1}{c^2 x^2}} x(d + ex^2) - a(d + 2ex^2) - b(d + 2ex^2) \sec^{-1}(cx)}{d^2 x \sqrt{d + ex^2}} - \frac{ibc \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{1 + \frac{ex^2}{d}} \left(c^2 d E\left(i \sinh^{-1}\left(\sqrt{-c^2} x \right) \middle| -\frac{e}{c^2 d} \right) - (c^2 d + 2e) F\left(i \sinh^{-1}\left(\sqrt{-c^2} x \right) \middle| -\frac{e}{c^2 d} \right) \right)}{\sqrt{-c^2} d^2 \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)^(3/2)), x]

[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(d + e*x^2) - a*(d + 2*e*x^2) - b*(d + 2*e*x^2)*ArcSec[c*x])/(d^2*x*Sqrt[d + e*x^2]) - (I*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(c^2*d*EllipticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] - (c^2*d + 2*e)*EllipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))]))/(Sqrt[-c^2]*d^2*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])

Maple [F]

time = 1.14, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^2 (ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(3/2),x)``[Out] int((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(3/2),x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(3/2),x, algorithm="maxima")`

```
[Out] -a*(2*x*e/(sqrt(x^2*e + d)*d^2) + 1/(sqrt(x^2*e + d)*d*x)) - ((2*x^2*e + d)
*sqrt(x^2*e + d)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + (d^2*x^3*e + d^3*x)*
integrate((c^2*d^2*x^2*log(c) - d^2*log(c) - (2*c^2*x^6*e^2 + 3*c^2*d*x^4*e
- (c^2*log(c) - c^2)*d^2*x^2 + d^2*log(c))*e^(log(c*x + 1) + log(c*x - 1))
+ (c^2*d^2*x^2 - d^2 + (c^2*d^2*x^2 - d^2)*e^(log(c*x + 1) + log(c*x - 1))
)*log(x))/((c^2*d^2*x^6*e - d^3*x^2 + (c^2*d^3 - d^2*e)*x^4 + (c^2*d^2*x^6*
e - d^3*x^2 + (c^2*d^3 - d^2*e)*x^4)*e^(log(c*x + 1) + log(c*x - 1))))*sqrt(
x^2*e + d)), x))*b/(d^2*x^3*e + d^3*x)
```

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(3/2),x, algorithm="fricas")``[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly
1 arguments (2 given)`**Sympy [F(-1)] Timed out**

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**2/(e*x**2+d)**(3/2),x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^(3/2)*x^2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{x^2 (ex^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(x^2*(d + e*x^2)^(3/2)),x)

[Out] int((a + b*acos(1/(c*x)))/(x^2*(d + e*x^2)^(3/2)), x)

$$3.150 \quad \int \frac{a+b \sec^{-1}(cx)}{x^4(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=701

$$\frac{2bc(c^2d - e) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9d^3 \sqrt{c^2x^2}} - \frac{4bce \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{3d^3 \sqrt{c^2x^2}} + \frac{bc \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9d^2 x^2 \sqrt{c^2x^2}} - \frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}}$$

```
[Out] 1/3*(-a-b*arcsec(c*x))/d/x^3/(e*x^2+d)^(1/2)+4/3*e*(a+b*arcsec(c*x))/d^2/x/
(e*x^2+d)^(1/2)+8/3*e^2*x*(a+b*arcsec(c*x))/d^3/(e*x^2+d)^(1/2)+2/9*b*c*(c^
2*d-e)*(c^2*x^2-1)^(1/2)*(e*x^2+d)^(1/2)/d^3/(c^2*x^2)^(1/2)-4/3*b*c*e*(c^2
*x^2-1)^(1/2)*(e*x^2+d)^(1/2)/d^3/(c^2*x^2)^(1/2)+1/9*b*c*(c^2*x^2-1)^(1/2)
*(e*x^2+d)^(1/2)/d^2/x^2/(c^2*x^2)^(1/2)-2/9*b*c^2*(c^2*d-e)*x*EllipticE(c*x,
(-e/c^2/d)^(1/2))*(-c^2*x^2+1)^(1/2)*(e*x^2+d)^(1/2)/d^3/(c^2*x^2)^(1/2)/
(c^2*x^2-1)^(1/2)/(1+e*x^2/d)^(1/2)+4/3*b*c^2*e*x*EllipticE(c*x, (-e/c^2/d)^(1/2)
)^(1/2))*(-c^2*x^2+1)^(1/2)*(e*x^2+d)^(1/2)/d^3/(c^2*x^2)^(1/2)/(c^2*x^2-1)^(1/2)
/(1+e*x^2/d)^(1/2)+1/9*b*c^2*(2*c^2*d-e)*x*EllipticF(c*x, (-e/c^2/d)^(1/2)
)^(1/2))*(-c^2*x^2+1)^(1/2)*(1+e*x^2/d)^(1/2)/d^2/(c^2*x^2)^(1/2)/(c^2*x^2-1)^(1/2)
/(e*x^2+d)^(1/2)-4/3*b*c^2*e*x*EllipticF(c*x, (-e/c^2/d)^(1/2))*(-c^2*x^2
+1)^(1/2)*(1+e*x^2/d)^(1/2)/d^2/(c^2*x^2)^(1/2)/(c^2*x^2-1)^(1/2)/(e*x^2+d)
^(1/2)-8/3*b*e^2*x*EllipticF(c*x, (-e/c^2/d)^(1/2))*(-c^2*x^2+1)^(1/2)*(1+e*
x^2/d)^(1/2)/d^3/(c^2*x^2)^(1/2)/(c^2*x^2-1)^(1/2)/(e*x^2+d)^(1/2)
```

Rubi [A]

time = 1.04, antiderivative size = 701, normalized size of antiderivative = 1.00, number of steps used = 25, number of rules used = 14, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.609$, Rules used = {277, 197, 5346, 12, 6874, 432, 430, 491, 597, 538, 438, 437, 435, 507}

$\frac{bc^2(d+e \operatorname{ArcSec}(cx))}{3d^3 \sqrt{c^2x^2}} - \frac{4bce \sqrt{-1+c^2x^2} \sqrt{d+ex^2}}{3d^3 \sqrt{c^2x^2}} + \frac{bc \sqrt{-1+c^2x^2} \sqrt{d+ex^2}}{9d^2 x^2 \sqrt{c^2x^2}} - \frac{a+b \operatorname{ArcSec}(cx)}{3dx^3 \sqrt{d+ex^2}}$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x^4*(d + e*x^2)^(3/2)), x]

```
[Out] (2*b*c*(c^2*d - e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d^3*Sqrt[c^2*x^2]
) - (4*b*c*e*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(3*d^3*Sqrt[c^2*x^2]) + (b
*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d^2*x^2*Sqrt[c^2*x^2]) - (a + b*A
rcSec[c*x])/(3*d*x^3*Sqrt[d + e*x^2]) + (4*e*(a + b*ArcSec[c*x]))/(3*d^2*x*
Sqrt[d + e*x^2]) + (8*e^2*x*(a + b*ArcSec[c*x]))/(3*d^3*Sqrt[d + e*x^2]) -
(2*b*c^2*(c^2*d - e)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c
*x], -(e/(c^2*d))])/(9*d^3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2
)/d]) + (4*b*c^2*e*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x
], -(e/(c^2*d))])/(3*d^3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/
d]) + (b*c^2*(2*c^2*d - e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*Elliptic
```

$$\frac{F[\text{ArcSin}[c*x], -(e/(c^2*d))]}{(9*d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2]) - (4*b*c^2*e*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])}{(3*d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2]) - (8*b*e^2*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])}{(3*d^3*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])}$$
Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 197

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[x*((a + b*x^n)^(p + 1)/a), x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

Rule 277

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2]
```

```
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 438

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d/c)*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 491

```
Int[((e_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_
))^(q_), x_Symbol] := Simp[(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q
+ 1)/(a*c*e*(m + 1))), x] - Dist[1/(a*c*e^n*(m + 1)), Int[(e*x)^(m + n)*(a
+ b*x^n)^p*(c + d*x^n)^q*Simp[(b*c + a*d)*(m + n + 1) + n*(b*c*p + a*d*q)
+ b*d*(m + n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, p, q
}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b
, c, d, e, m, n, p, q, x]
```

Rule 507

```
Int[(x_)^(n_)/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]),
x_Symbol] := Dist[1/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] - Dist[a
/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d},
x] && NeQ[b*c - a*d, 0] && (EqQ[n, 2] || EqQ[n, 4]) && !(EqQ[n, 2] && Simp
lerSqrtQ[-b/a, -d/c])
```

Rule 538

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-b/a, -d/c]))))))
```

Rule 597

```
Int[((g_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_
))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b
*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^n*(
m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) -
e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2)
+ 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0
] && LtQ[m, -1]
```

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((f_.)*(x_)^(m_.))*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 6874

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^4 (d + ex^2)^{3/2}} dx &= -\frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} + \frac{4e(a + b \sec^{-1}(cx))}{3d^2 x \sqrt{d + ex^2}} + \frac{8e^2 x(a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{1}{3d^3 x^4 \sqrt{d + ex^2}}}{3d^3 x^4 \sqrt{d + ex^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} + \frac{4e(a + b \sec^{-1}(cx))}{3d^2 x \sqrt{d + ex^2}} + \frac{8e^2 x(a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{1}{x^4 \sqrt{d + ex^2}}}{3d^3 x^4 \sqrt{d + ex^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} + \frac{4e(a + b \sec^{-1}(cx))}{3d^2 x \sqrt{d + ex^2}} + \frac{8e^2 x(a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} - \frac{(bcx) \int \left(\frac{1}{\sqrt{d + ex^2}} \right)}{3d^3 x^4 \sqrt{d + ex^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} + \frac{4e(a + b \sec^{-1}(cx))}{3d^2 x \sqrt{d + ex^2}} + \frac{8e^2 x(a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} + \frac{(bcx) \int \frac{1}{x^4 \sqrt{d + ex^2}}}{3d^3 x^4 \sqrt{d + ex^2}} \\
&= -\frac{4bce \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{3d^3 \sqrt{c^2 x^2}} + \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^2 x^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} + \frac{4e^2 x(a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} \\
&= \frac{2bc(c^2 d - e) \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^3 \sqrt{c^2 x^2}} - \frac{4bce \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{3d^3 \sqrt{c^2 x^2}} + \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^2 x^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} + \frac{4e^2 x(a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} \\
&= \frac{2bc(c^2 d - e) \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^3 \sqrt{c^2 x^2}} - \frac{4bce \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{3d^3 \sqrt{c^2 x^2}} + \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^2 x^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} + \frac{4e^2 x(a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} \\
&= \frac{2bc(c^2 d - e) \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^3 \sqrt{c^2 x^2}} - \frac{4bce \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{3d^3 \sqrt{c^2 x^2}} + \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^2 x^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} + \frac{4e^2 x(a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} \\
&= \frac{2bc(c^2 d - e) \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^3 \sqrt{c^2 x^2}} - \frac{4bce \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{3d^3 \sqrt{c^2 x^2}} + \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^2 x^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} + \frac{4e^2 x(a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 5.41, size = 292, normalized size = 0.42

$$\frac{-3a(d^2 - 4dcx^2 - 8e^2x^4) + bc\sqrt{1 - \frac{1}{c^2x^2}}(-14d^2x^4 + dcx^2(-13 + 2c^2x^2) + d^2(1 + 2c^2x^2)) - 3b(d^2 - 4dcx^2 - 8e^2x^4)\operatorname{arcsec}(cx)}{9d^2x^2\sqrt{d+ex^2}} - \frac{ibc\sqrt{1 - \frac{1}{c^2x^2}}x\sqrt{1 + \frac{ex^2}{d}}(2c^2d(c^2d - 7e)E(\operatorname{sinh}^{-1}(\sqrt{-c^2}x)|-\frac{7e}{2d}) + (-2c^4d^2 + 13c^2de + 24e^2)F(\operatorname{sinh}^{-1}(\sqrt{-c^2}x)|-\frac{7e}{2d}))}{9\sqrt{-c^2}d^2\sqrt{1 - c^2x^2}\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(x^4*(d + e*x^2)^(3/2)), x]

[Out] (-3*a*(d^2 - 4*d*e*x^2 - 8*e^2*x^4) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(-14*e^2*x^4 + d*e*x^2*(-13 + 2*c^2*x^2) + d^2*(1 + 2*c^2*x^2)) - 3*b*(d^2 - 4*d*e*x^2 - 8*e^2*x^4)*ArcSec[c*x])/(9*d^3*x^3*Sqrt[d + e*x^2]) - ((I/9)*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(2*c^2*d*(c^2*d - 7*e)*EllipticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] + (-2*c^4*d^2 + 13*c^2*d*e + 24*e^2)*EllipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d)))]/(Sqrt[-c^2]*d^3*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])

Maple [F]

time = 2.79, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^4 (ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(3/2), x)

[Out] int((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(3/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(3/2), x, algorithm="maxima")

[Out] 1/3*a*(8*x*e^2/(sqrt(x^2*e + d)*d^3) + 4*e/(sqrt(x^2*e + d)*d^2*x) - 1/(sqrt(x^2*e + d)*d*x^3)) - 1/3*(3*sqrt(x^2*e + d)*d^3*x^3*integrate((3*c^2*d^3*x^2*log(c) - 3*d^3*log(c) + (8*c^2*x^8*e^3 + 12*c^2*d*x^6*e^2 + 3*c^2*d^2*x^4*e + (3*c^2*log(c) - c^2)*d^3*x^2 - 3*d^3*log(c))*e^(log(c*x + 1) + log(c*x - 1)) + 3*(c^2*d^3*x^2 - d^3 + (c^2*d^3*x^2 - d^3)*e^(log(c*x + 1) + log(c*x - 1)))*log(x))/((c^2*d^3*x^8*e - d^4*x^4 + (c^2*d^4 - d^3*e)*x^6 + (c^2*d^3*x^8*e - d^4*x^4 + (c^2*d^4 - d^3*e)*x^6)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d)), x) - (8*x^4*e^2 + 4*d*x^2*e - d^2)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*b/(sqrt(x^2*e + d)*d^3*x^3)

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Symbolic function `elliptic_ec` takes exactly 1 arguments (2 given)

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/x**4/(e*x**2+d)**(3/2),x)`

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^(3/2)*x^4), x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{x^4 (ex^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acos(1/(c*x)))/(x^4*(d + e*x^2)^(3/2)),x)`

[Out] `int((a + b*acos(1/(c*x)))/(x^4*(d + e*x^2)^(3/2)), x)`

$$3.151 \quad \int \frac{x^5 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Optimal. Leaf size=244

$$\frac{bc dx \sqrt{-1 + c^2 x^2}}{3e^2 (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} + \dots$$

[Out] $-1/3*d^2*(a+b*\text{arcsec}(c*x))/e^3/(e*x^2+d)^{(3/2)}-b*x*\text{arctanh}(e^{(1/2)}*(c^2*x^2-1)^{(1/2)}/c/(e*x^2+d)^{(1/2)})/e^{(5/2)}/(c^2*x^2)^{(1/2)}+8/3*b*c*x*\text{arctan}((e*x^2+d)^{(1/2)}/d^{(1/2)}/(c^2*x^2-1)^{(1/2)})*d^{(1/2)}/e^3/(c^2*x^2)^{(1/2)}+2*d*(a+b*\text{arcsec}(c*x))/e^3/(e*x^2+d)^{(1/2)}-1/3*b*c*d*x*(c^2*x^2-1)^{(1/2)}/e^2/(c^2*d+e)/(c^2*x^2)^{(1/2)}/(e*x^2+d)^{(1/2)}+(a+b*\text{arcsec}(c*x))*(e*x^2+d)^{(1/2)}/e^3$

Rubi [A]

time = 0.78, antiderivative size = 244, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {272, 45, 5346, 12, 1628, 163, 65, 223, 212, 95, 210}

$$\frac{d^2 (a + b \sec^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} + \frac{8bc\sqrt{d} x \text{ArcTan}\left(\frac{\sqrt{d + ex^2}}{\sqrt{d} \sqrt{c^2 x^2 - 1}}\right)}{3e^3 \sqrt{c^2 x^2}} - \frac{bx \tanh^{-1}\left(\frac{\sqrt{e} \sqrt{c^2 x^2 - 1}}{c \sqrt{d + ex^2}}\right)}{e^{5/2} \sqrt{c^2 x^2}} - \frac{bc dx \sqrt{c^2 x^2 - 1}}{3e^2 \sqrt{c^2 x^2} (c^2 d + e) \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] `Int[(x^5*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2),x]`

[Out] $-1/3*(b*c*d*x*\text{Sqrt}[-1 + c^2*x^2])/(e^2*(c^2*d + e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[d + e*x^2]) - (d^2*(a + b*\text{ArcSec}[c*x]))/(3*e^3*(d + e*x^2)^{(3/2)}) + (2*d*(a + b*\text{ArcSec}[c*x]))/(e^3*\text{Sqrt}[d + e*x^2]) + (\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSec}[c*x]))/e^3 + (8*b*c*\text{Sqrt}[d]*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*e^3*\text{Sqrt}[c^2*x^2]) - (b*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(e^{(5/2)}*\text{Sqrt}[c^2*x^2])$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

Rule 45

`Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])`

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 95

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 163

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_
)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 210

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^(
-1)*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] &
& (LtQ[a, 0] || LtQ[b, 0])
```

Rule 212

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*
ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 223

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 272

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1628

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_
.)*(x_))^(p_), x_Symbol] :=> With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1
] && IntegersQ[2*m, 2*n, 2*p]

```

Rule 5346

```

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_)*((d_.) + (e_.)*(x
_)^2)^(p_), x_Symbol] :=> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

```

Rubi steps

$$\begin{aligned}
\int \frac{x^5(a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= -\frac{d^2(a + b \sec^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \sec^{-1}(cx))}{e^3\sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^3} - \dots \\
&= -\frac{d^2(a + b \sec^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \sec^{-1}(cx))}{e^3\sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^3} - \dots \\
&= -\frac{d^2(a + b \sec^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \sec^{-1}(cx))}{e^3\sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e^3} - \dots \\
&= -\frac{bcdx\sqrt{-1 + c^2x^2}}{3e^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \sec^{-1}(cx))}{e^3\sqrt{d + ex^2}} \\
&= -\frac{bcdx\sqrt{-1 + c^2x^2}}{3e^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \sec^{-1}(cx))}{e^3\sqrt{d + ex^2}} \\
&= -\frac{bcdx\sqrt{-1 + c^2x^2}}{3e^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \sec^{-1}(cx))}{e^3\sqrt{d + ex^2}} \\
&= -\frac{bcdx\sqrt{-1 + c^2x^2}}{3e^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \sec^{-1}(cx))}{e^3\sqrt{d + ex^2}} \\
&= -\frac{bcdx\sqrt{-1 + c^2x^2}}{3e^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} - \frac{d^2(a + b \sec^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \sec^{-1}(cx))}{e^3\sqrt{d + ex^2}}
\end{aligned}$$

Mathematica [A]

time = 1.13, size = 238, normalized size = 0.98

$$\frac{-bcde\sqrt{1 - \frac{1}{c^2x^2}}x(d + ex^2) + a(c^2d + e)(8d^2 + 12dex^2 + 3e^2x^4) + b(c^2d + e)(8d^2 + 12dex^2 + 3e^2x^4)\sec^{-1}(cx)}{3e^3(c^2d + e)(d + ex^2)^{3/2}} - \frac{b\sqrt{1 - \frac{1}{c^2x^2}}x\left(8c\sqrt{d}\operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{-1 + c^2x^2}}{\sqrt{d + ex^2}}\right) + 3\sqrt{e}\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{-1 + c^2x^2}}{e\sqrt{d + ex^2}}\right)\right)}{3e^3\sqrt{-1 + c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] $(-(b*c*d*e*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x*(d + e*x^2)) + a*(c^2*d + e)*(8*d^2 + 12*d*e*x^2 + 3*e^2*x^4) + b*(c^2*d + e)*(8*d^2 + 12*d*e*x^2 + 3*e^2*x^4)*\operatorname{ArcSec}[c*x])/(3*e^3*(c^2*d + e)*(d + e*x^2)^(3/2)) - (b*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x$

$(8*c*\sqrt{d}*\text{ArcTan}[(\sqrt{d}*\sqrt{-1 + c^2*x^2})/\sqrt{d + e*x^2}] + 3*\sqrt{e}*\text{ArcTanh}[(\sqrt{e}*\sqrt{-1 + c^2*x^2})/(c*\sqrt{d + e*x^2})])/(3*e^3*\sqrt{-1 + c^2*x^2})$

Maple [F]

time = 3.26, size = 0, normalized size = 0.00

$$\int \frac{x^5(a + b \operatorname{arcsec}(cx))}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x)`

[Out] `int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x)`

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="maxima")`

[Out] `1/3*(3*x^4*e^(-1)/(x^2*e + d)^(3/2) + 12*d*x^2*e^(-2)/(x^2*e + d)^(3/2) + 8*d^2*e^(-3)/(x^2*e + d)^(3/2))*a - 1/3*(3*(x^2*e^4 + d*e^3)*sqrt(x^2*e + d)*integrate((3*c^2*x^7*e^3*log(c) - 3*x^5*e^3*log(c) + (3*(c^2*e^3*log(c) + c^2*e^3)*x^7 + 20*c^2*d^2*x^3*e + 8*c^2*d^3*x + 3*(5*c^2*d*e^2 - e^3*log(c))*x^5)*e^(log(c*x + 1) + log(c*x - 1)) + 3*(c^2*x^7*e^3 - x^5*e^3 + (c^2*x^7*e^3 - x^5*e^3)*e^(log(c*x + 1) + log(c*x - 1)))*log(x))/((c^2*x^6*e^5 + (2*c^2*d*e^4 - e^5)*x^4 + (c^2*d^2*e^3 - 2*d*e^4)*x^2 - d^2*e^3 + (c^2*x^6*e^5 + (2*c^2*d*e^4 - e^5)*x^4 + (c^2*d^2*e^3 - 2*d*e^4)*x^2 - d^2*e^3)*e^(log(c*x + 1) + log(c*x - 1)))*sqrt(x^2*e + d)), x) - (3*x^4*e^2 + 12*d*x^2*e + 8*d^2)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*b/((x^2*e^4 + d*e^3)*sqrt(x^2*e + d))`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 543 vs. 2(206) = 412.

time = 2.68, size = 1112, normalized size = 4.56

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="fricas")`

[Out] `[1/12*(3*(b*c^2*d^3 + b*x^4*e^3 + (b*c^2*d*x^4 + 2*b*d*x^2)*e^2 + (2*b*c^2*d^2*x^2 + b*d^2)*e)*e^(1/2)*log(c^4*d^2 - 4*(c^3*d + (2*c^3*x^2 - c)*e)*sqr`

$$t(c^2x^2 - 1)\sqrt{x^2e + d}e^{(1/2)} + (8c^4x^4 - 8c^2x^2 + 1)e^2 + 2(4c^4d^2x^2 - 3c^2d^2)e + 8(b^3c^3d^3 + b^3c^3x^4e^3 + (b^3c^3d^3x^4 + 2b^3c^3d^2x^2)e^2 + (2b^3c^3d^2x^2 + b^3c^3d^2)e)\sqrt{-d}\log((c^4d^2x^4 - 8c^2d^2x^2 + x^4e^2 - 4(c^2d^2x^2 - x^2e - 2d)\sqrt{c^2x^2 - 1})\sqrt{x^2e + d}\sqrt{-d} + 8d^2 - 2(3c^2d^2x^4 - 4d^2x^2)e)/x^4) + 4(8a^3c^3d^3 + 3a^3c^3x^4e^3 + (8b^3c^3d^3 + 3b^3c^3x^4e^3 + 3(b^3c^3d^3x^4 + 4b^3c^3d^2x^2)e^2 + 4(3b^3c^3d^2x^2 + 2b^3c^3d^2)e)\operatorname{arcsec}(cx) + 3(a^3c^3d^3x^4 + 4a^3c^3d^2x^2)e^2 + 4(3a^3c^3d^2x^2 + 2a^3c^3d^2)e - (b^3c^3d^3x^2e^2 + b^3c^3d^2e)\sqrt{c^2x^2 - 1})\sqrt{x^2e + d})/(c^3d^3e^3 + c^3x^4e^6 + (c^3d^3x^4 + 2c^3d^3x^2)e^5 + (2c^3d^3x^2 + c^3d^3)e^4), 1/12(3(b^3c^3d^3 + b^3x^4e^3 + (b^3c^3d^3x^4 + 2b^3d^3x^2)e^2 + (2b^3c^3d^2x^2 + b^3d^2)e)e^{(1/2)}\log(c^4d^2 - 4(c^3d + (2c^3x^2 - c)e)\sqrt{c^2x^2 - 1})\sqrt{x^2e + d}e^{(1/2)} + (8c^4x^4 - 8c^2x^2 + 1)e^2 + 2(4c^4d^2x^2 - 3c^2d^2)e) + 16(b^3c^3d^3 + b^3c^3x^4e^3 + (b^3c^3d^3x^4 + 2b^3c^3d^2x^2)e^2 + (2b^3c^3d^2x^2 + b^3c^3d^2)e)\sqrt{d}\arctan(-1/2(c^2d^2x^2 - x^2e - 2d)\sqrt{c^2x^2 - 1})\sqrt{x^2e + d}\sqrt{d}/(c^2d^2x^2 - d^2 + (c^2d^2x^4 - d^2x^2)e)) + 4(8a^3c^3d^3 + 3a^3c^3x^4e^3 + (8b^3c^3d^3 + 3b^3c^3x^4e^3 + 3(b^3c^3d^3x^4 + 4b^3c^3d^2x^2)e^2 + 4(3b^3c^3d^2x^2 + 2b^3c^3d^2)e)\operatorname{arcsec}(cx) + 3(a^3c^3d^3x^4 + 4a^3c^3d^2x^2)e^2 + 4(3a^3c^3d^2x^2 + 2a^3c^3d^2)e - (b^3c^3d^3x^2e^2 + b^3c^3d^2e)\sqrt{c^2x^2 - 1})\sqrt{x^2e + d})/(c^3d^3e^3 + c^3x^4e^6 + (c^3d^3x^4 + 2c^3d^3x^2)e^5 + (2c^3d^3x^2 + c^3d^3)e^4)]$$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*asec(c*x))/(e*x**2+d)**(5/2), x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^5/(e*x^2 + d)^(5/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 \left(a + b \operatorname{arcsec}\left(\frac{1}{cx}\right) \right)}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^5*(a + b*acos(1/(c*x))))/(d + e*x^2)^(5/2), x)
```

```
[Out] int((x^5*(a + b*acos(1/(c*x))))/(d + e*x^2)^(5/2), x)
```


$$3.152 \quad \int \frac{x^3(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=163

$$\frac{bcx\sqrt{-1+c^2x^2}}{3e(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{d(a+b \sec^{-1}(cx))}{3e^2(d+ex^2)^{3/2}} - \frac{a+b \sec^{-1}(cx)}{e^2\sqrt{d+ex^2}} - \frac{2bcx \operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}}\right)}{3\sqrt{d}e^2\sqrt{c^2x^2}}$$

[Out] 1/3*d*(a+b*arcsec(c*x))/e^2/(e*x^2+d)^(3/2)-2/3*b*c*x*arctan((e*x^2+d)^(1/2)/d^(1/2)/(c^2*x^2-1)^(1/2))/e^2/d^(1/2)/(c^2*x^2)^(1/2)+(-a-b*arcsec(c*x))/e^2/(e*x^2+d)^(1/2)+1/3*b*c*x*(c^2*x^2-1)^(1/2)/e/(c^2*d+e)/(c^2*x^2)^(1/2)/(e*x^2+d)^(1/2)

Rubi [A]

time = 0.17, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 8, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$, Rules used = {272, 45, 5346, 12, 587, 157, 95, 210}

$$-\frac{a+b \sec^{-1}(cx)}{e^2\sqrt{d+ex^2}} + \frac{d(a+b \sec^{-1}(cx))}{3e^2(d+ex^2)^{3/2}} - \frac{2bcx \operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3\sqrt{d}e^2\sqrt{c^2x^2}} + \frac{bcx\sqrt{c^2x^2-1}}{3e\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] (b*c*x*Sqrt[-1 + c^2*x^2])/(3*e*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[d + e*x^2]) + (d*(a + b*ArcSec[c*x]))/(3*e^2*(d + e*x^2)^(3/2)) - (a + b*ArcSec[c*x])/(e^2*Sqrt[d + e*x^2]) - (2*b*c*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(3*Sqrt[d]*e^2*Sqrt[c^2*x^2])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 45

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 95

Int[(((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1))

```

- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 157

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))
)^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(b*g - a*h)*(a + b*x)^(m + 1)
)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))),
x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d
*x)^(n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g
- a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x]
, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && Integ
ersQ[2*m, 2*n, 2*p]

```

Rule 210

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^(
-1))*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] &
& (LtQ[a, 0] || LtQ[b, 0])

```

Rule 272

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

```

Rule 587

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
)*((e_) + (f_.)*(x_)^(n_))^(r_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simpl
ify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /;
FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n
]]

```

Rule 5346

```

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-2d-3ex^2}{3e^2 x \sqrt{-1 + c^2 x^2} (d+ex^2)^{3/2}} dx}{\sqrt{c^2 x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-2d-3ex^2}{x \sqrt{-1 + c^2 x^2} (d+ex^2)^{3/2}} dx}{3e^2 \sqrt{c^2 x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} - \frac{(bcx) \text{Subst} \left(\int \frac{-2d-3ex}{x \sqrt{-1 + c^2 x} (d+ex)^{3/2}} dx \right)}{6e^2 \sqrt{c^2 x^2}} \\
&= \frac{bcx \sqrt{-1 + c^2 x^2}}{3e (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} + \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} + \frac{(bcx)}{\dots} \\
&= \frac{bcx \sqrt{-1 + c^2 x^2}}{3e (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} + \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} + \frac{(bcx)}{\dots} \\
&= \frac{bcx \sqrt{-1 + c^2 x^2}}{3e (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} + \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} + \frac{(2bcx)}{\dots} \\
&= \frac{bcx \sqrt{-1 + c^2 x^2}}{3e (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} + \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} - \frac{2bcx}{\dots}
\end{aligned}$$

Mathematica [A]

time = 0.16, size = 172, normalized size = 1.06

$$\frac{bce \sqrt{1 - \frac{1}{c^2 x^2}} x(d + ex^2) - a(c^2 d + e)(2d + 3ex^2) - b(c^2 d + e)(2d + 3ex^2) \sec^{-1}(cx)}{3e^2 (c^2 d + e) (d + ex^2)^{3/2}} + \frac{2bc \sqrt{1 - \frac{1}{c^2 x^2}} x \text{ArcTan} \left(\frac{\sqrt{d} \sqrt{-1 + c^2 x^2}}{\sqrt{d + ex^2}} \right)}{3\sqrt{d} e^2 \sqrt{-1 + c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] (b*c*e*Sqrt[1 - 1/(c^2*x^2)]*x*(d + e*x^2) - a*(c^2*d + e)*(2*d + 3*e*x^2) - b*(c^2*d + e)*(2*d + 3*e*x^2)*ArcSec[c*x])/(3*e^2*(c^2*d + e)*(d + e*x^2)^(3/2)) + (2*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]])/(3*Sqrt[d]*e^2*Sqrt[-1 + c^2*x^2])

Maple [F]

time = 2.57, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{arcsec}(cx))}{(e x^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(5/2)},x)$

[Out] $\text{int}(x^3*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(5/2)},x)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(5/2)},x, \text{algorithm}="maxima")$

[Out] $-1/3*(3*x^2*e^{(-1)/(x^2*e + d)^{(3/2)} + 2*d*e^{(-2)/(x^2*e + d)^{(3/2)}})*a + b*$
 $\text{integrate}(x^3*\text{arctan}(\text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1))/((x^4*e^2 + 2*d*x^2*e + d$
 $^2)*\text{sqrt}(x^2*e + d)), x)$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 332 vs. 2(138) = 276.

time = 2.78, size = 691, normalized size = 4.24

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(5/2)},x, \text{algorithm}="fricas")$

[Out] $[-1/6*((b*c^2*d^3 + b*x^4*e^3 + (b*c^2*d*x^4 + 2*b*d*x^2)*e^2 + (2*b*c^2*d^2*x^2 + b*d^2)*e)*\text{sqrt}(-d)*\log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*e^2 - 4*(c^2*d*x^2 - x^2*e - 2*d)*\text{sqrt}(c^2*x^2 - 1)*\text{sqrt}(x^2*e + d)*\text{sqrt}(-d) + 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*e)/x^4) + 2*(2*a*c^2*d^3 + 3*a*d*x^2*e^2 + (2*b*c^2*d^3 + 3*b*d*x^2*e^2 + (3*b*c^2*d^2*x^2 + 2*b*d^2)*e)*\text{arcsec}(c*x) + (3*a*c^2*d^2*x^2 + 2*a*d^2)*e - (b*d*x^2*e^2 + b*d^2*e)*\text{sqrt}(c^2*x^2 - 1))*\text{sqrt}(x^2*e + d))/(c^2*d^4*e^2 + d*x^4*e^5 + (c^2*d^2*x^4 + 2*d^2*x^2)*e^4 + (2*c^2*d^3*x^2 + d^3)*e^3), -1/3*((b*c^2*d^3 + b*x^4*e^3 + (b*c^2*d*x^4 + 2*b*d*x^2)*e^2 + (2*b*c^2*d^2*x^2 + b*d^2)*e)*\text{sqrt}(d)*\text{arctan}(-1/2*(c^2*d*x^2 - x^2*e - 2*d)*\text{sqrt}(c^2*x^2 - 1)*\text{sqrt}(x^2*e + d)*\text{sqrt}(d)/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*e)) + (2*a*c^2*d^3 + 3*a*d*x^2*e^2 + (2*b*c^2*d^3 + 3*b*d*x^2*e^2 + (3*b*c^2*d^2*x^2 + 2*b*d^2)*e)*\text{arcsec}(c*x) + (3*a*c^2*d^2*x^2 + 2*a*d^2)*e - (b*d*x^2*e^2 + b*d^2*e)*\text{sqrt}(c^2*x^2 - 1))*\text{sqrt}(x^2*e + d))/(c^2*d^4*e^2 + d*x^4*e^5 + (c^2*d^2*x^4 + 2*d^2*x^2)*e^4 + (2*c^2*d^3*x^2 + d^3)*e^3)]$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{asec}(cx))}{(d + ex^2)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asec(c*x))/(e*x**2+d)**(5/2), x)

[Out] Integral(x**3*(a + b*asec(c*x))/(d + e*x**2)**(5/2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^3/(e*x^2 + d)^(5/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 \left(a + b \operatorname{arcsec} \left(\frac{1}{cx} \right) \right)}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(a + b*acos(1/(c*x))))/(d + e*x^2)^(5/2), x)

[Out] int((x^3*(a + b*acos(1/(c*x))))/(d + e*x^2)^(5/2), x)

$$3.153 \quad \int \frac{x(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=138

$$-\frac{bcx\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{a+b \sec^{-1}(cx)}{3e(d+ex^2)^{3/2}} - \frac{bcx \operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}}\right)}{3d^{3/2}e\sqrt{c^2x^2}}$$

[Out] 1/3*(-a-b*arcsec(c*x))/e/(e*x^2+d)^(3/2)-1/3*b*c*x*arctan((e*x^2+d)^(1/2)/d^(1/2)/(c^2*x^2-1)^(1/2))/d^(3/2)/e/(c^2*x^2)^(1/2)-1/3*b*c*x*(c^2*x^2-1)^(1/2)/d/(c^2*d+e)/(c^2*x^2)^(1/2)/(e*x^2+d)^(1/2)

Rubi [A]

time = 0.09, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {5344, 457, 98, 95, 210}

$$-\frac{a+b \sec^{-1}(cx)}{3e(d+ex^2)^{3/2}} - \frac{bcx \operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3d^{3/2}e\sqrt{c^2x^2}} - \frac{bcx\sqrt{c^2x^2-1}}{3d\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] -1/3*(b*c*x*Sqrt[-1 + c^2*x^2])/(d*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[d + e*x^2]) - (a + b*ArcSec[c*x])/(3*e*(d + e*x^2)^(3/2)) - (b*c*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(3*d^(3/2)*e*Sqrt[c^2*x^2])

Rule 95

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 98

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[(a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && (LtQ[m, -1] || SumSimplerQ[m

, 1])

Rule 210

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^(-1)*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 457

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 5344

Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*(x_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSec[c*x])/(2*e*(p + 1))), x] - Dist[b*c*(x/(2*e*(p + 1)*Sqrt[c^2*x^2])), Int[(d + e*x^2)^(p + 1)/(x*Sqrt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{x(a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= -\frac{a + b \sec^{-1}(cx)}{3e(d + ex^2)^{3/2}} + \frac{(bcx) \int \frac{1}{x\sqrt{-1 + c^2x^2} (d+ex^2)^{3/2}} dx}{3e\sqrt{c^2x^2}} \\
 &= -\frac{a + b \sec^{-1}(cx)}{3e(d + ex^2)^{3/2}} + \frac{(bcx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1 + c^2x^2} (d+ex)^{3/2}} dx, x, x^2\right)}{6e\sqrt{c^2x^2}} \\
 &= -\frac{bcx\sqrt{-1 + c^2x^2}}{3d(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} - \frac{a + b \sec^{-1}(cx)}{3e(d + ex^2)^{3/2}} + \frac{(bcx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1 + c^2x^2}} dx, x, x^2\right)}{6de\sqrt{c^2x^2}} \\
 &= -\frac{bcx\sqrt{-1 + c^2x^2}}{3d(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} - \frac{a + b \sec^{-1}(cx)}{3e(d + ex^2)^{3/2}} + \frac{(bcx) \text{Subst}\left(\int \frac{1}{-d-x^2} dx, x, x^2\right)}{3de\sqrt{c^2x^2}} \\
 &= -\frac{bcx\sqrt{-1 + c^2x^2}}{3d(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} - \frac{a + b \sec^{-1}(cx)}{3e(d + ex^2)^{3/2}} - \frac{bcx \tan^{-1}\left(\frac{\sqrt{d + ex^2}}{\sqrt{d}\sqrt{-1 + c^2x^2}}\right)}{3d^{3/2}e\sqrt{c^2x^2}}
 \end{aligned}$$

Mathematica [A]

time = 0.13, size = 158, normalized size = 1.14

$$\frac{-ad(c^2d + e) - bce\sqrt{1 - \frac{1}{c^2x^2}}x(d + ex^2) - bd(c^2d + e)\sec^{-1}(cx)}{3de(c^2d + e)(d + ex^2)^{3/2}} + \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}x\text{ArcTan}\left(\frac{\sqrt{d}\sqrt{-1 + c^2x^2}}{\sqrt{d + ex^2}}\right)}{3d^{3/2}e\sqrt{-1 + c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] $(-a*d*(c^2*d + e) - b*c*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(d + e*x^2) - b*d*(c^2*d + e)*\text{ArcSec}[c*x])/(3*d*e*(c^2*d + e)*(d + e*x^2)^{(3/2)}) + (b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{ArcTan}[(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])/\text{Sqrt}[d + e*x^2]])/(3*d^{(3/2)}*e*\text{Sqrt}[-1 + c^2*x^2])$

Maple [F]

time = 1.44, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{arcsec}(cx))}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x)

[Out] int(x*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="maxima")

[Out] $b*\text{integrate}(x*\text{arctan}(\text{sqrt}(c*x + 1))*\text{sqrt}(c*x - 1))/((x^4*e^2 + 2*d*x^2*e + d^2)*\text{sqrt}(x^2*e + d)), x) - 1/3*a*e^{(-1)}/(x^2*e + d)^{(3/2)}$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 284 vs. 2(116) = 232.

time = 2.35, size = 594, normalized size = 4.30

$$\frac{(b^2d^2 + b^2d^2 + (b^2d^2 + 2b^2d^2) + (2b^2d^2 + b^2d^2)\sqrt{-1 + c^2x^2}) \log\left(\frac{c^2d + ex^2 + \sqrt{d + ex^2}\sqrt{-1 + c^2x^2}}{c^2d + ex^2}\right) + a\left(\sqrt{d + ex^2} + (b^2d^2 + b^2d^2)\text{arctan}(cx) + (b^2d^2 + b^2d^2)\sqrt{-1 + c^2x^2}\right)\sqrt{-1 + c^2x^2} + (b^2d^2 + b^2d^2 + 2b^2d^2 + (2b^2d^2 + b^2d^2)\sqrt{-1 + c^2x^2}) \arctan\left(\frac{\sqrt{d}\sqrt{-1 + c^2x^2}}{\sqrt{d + ex^2}}\right) + a\left(\sqrt{d + ex^2} + (b^2d^2 + b^2d^2)\text{arctan}(cx) + (b^2d^2 + b^2d^2)\sqrt{-1 + c^2x^2}\right)\sqrt{-1 + c^2x^2}}{6(c^2d + ex^2 + \sqrt{d + ex^2}\sqrt{-1 + c^2x^2})^2(2d^2d + d^2d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="fricas")

[Out] $[-1/12*((b*c^2*d^3 + b*x^4*e^3 + (b*c^2*d*x^4 + 2*b*d*x^2)*e^2 + (2*b*c^2*d^2*x^2 + b*d^2)*e)*\text{sqrt}(-d)*\log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*e^2 - 4*$

$$(c^2*d*x^2 - x^2*e - 2*d)*\sqrt{c^2*x^2 - 1}*\sqrt{x^2*e + d}*\sqrt{-d} + 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*e)/x^4) + 4*(a*c^2*d^3 + a*d^2*e + (b*c^2*d^3 + b*d^2*e)*\operatorname{arcsec}(c*x) + (b*d*x^2*e^2 + b*d^2*e)*\sqrt{c^2*x^2 - 1})*\sqrt{x^2*e + d})/(c^2*d^5*e + d^2*x^4*e^4 + (c^2*d^3*x^4 + 2*d^3*x^2)*e^3 + (2*c^2*d^4*x^2 + d^4)*e^2), -1/6*((b*c^2*d^3 + b*x^4*e^3 + (b*c^2*d*x^4 + 2*b*d*x^2)*e^2 + (2*b*c^2*d^2*x^2 + b*d^2)*e)*\sqrt{d}*\arctan(-1/2*(c^2*d*x^2 - x^2*e - 2*d)*\sqrt{c^2*x^2 - 1}*\sqrt{x^2*e + d}*\sqrt{d})/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*e)) + 2*(a*c^2*d^3 + a*d^2*e + (b*c^2*d^3 + b*d^2*e)*\operatorname{arcsec}(c*x) + (b*d*x^2*e^2 + b*d^2*e)*\sqrt{c^2*x^2 - 1})*\sqrt{x^2*e + d})/(c^2*d^5*e + d^2*x^4*e^4 + (c^2*d^3*x^4 + 2*d^3*x^2)*e^3 + (2*c^2*d^4*x^2 + d^4)*e^2)]$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{asec}(cx))}{(d + ex^2)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asec(c*x))/(e*x**2+d)**(5/2),x)

[Out] Integral(x*(a + b*asec(c*x))/(d + e*x**2)**(5/2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x/(e*x^2 + d)^(5/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x(a + b \operatorname{acos}(\frac{1}{cx}))}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(a + b*acos(1/(c*x))))/(d + e*x^2)^(5/2),x)

[Out] int((x*(a + b*acos(1/(c*x))))/(d + e*x^2)^(5/2), x)

$$3.154 \quad \int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=26

$$\text{Int} \left(\frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{5/2}}, x \right)$$

[Out] Unintegrable((a+b*arcsec(c*x))/x/(e*x^2+d)^(5/2), x)

Rubi [A]

time = 0.09, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(5/2)), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(5/2)), x]

Rubi steps

$$\int \frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{5/2}} dx = \int \frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{5/2}} dx$$

Mathematica [A]

time = 26.31, size = 0, normalized size = 0.00

$$\int \frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(5/2)), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(5/2)), x]

Maple [A]

time = 1.16, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x (ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x/(e*x^2+d)^(5/2),x)`

[Out] `int((a+b*arcsec(c*x))/x/(e*x^2+d)^(5/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(5/2),x, algorithm="maxima")`

[Out] `-1/3*a*(3*arcsinh(sqrt(d)*e^(-1/2)/abs(x))/d^(5/2) - 3/(sqrt(x^2*e + d)*d^2) - 1/((x^2*e + d)^(3/2)*d)) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/((x^5*e^2 + 2*d*x^3*e + d^2*x)*sqrt(x^2*e + d)), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(5/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsec(c*x) + a)/(x^7*e^3 + 3*d*x^5*e^2 + 3*d^2*x^3*e + d^3*x), x)`

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/x/(e*x**2+d)**(5/2),x)`

[Out] Timed out

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(5/2),x, algorithm="giac")`

[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^(5/2)*x), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{x (e x^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(x*(d + e*x^2)^(5/2)),x)

[Out] int((a + b*acos(1/(c*x)))/(x*(d + e*x^2)^(5/2)), x)

$$3.155 \quad \int \frac{a+b \sec^{-1}(cx)}{x^3(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=26

$$\text{Int} \left(\frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{5/2}}, x \right)$$

[Out] Unintegrable((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(5/2), x)

Rubi [A]

time = 0.09, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$,

Rules used = {}

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

Rubi steps

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx = \int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx$$

Mathematica [A]

time = 32.83, size = 0, normalized size = 0.00

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

Maple [A]

time = 0.70, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^3 (ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{arcsec}(c*x))/x^3/(e*x^2+d)^{(5/2)},x)$

[Out] $\text{int}((a+b*\text{arcsec}(c*x))/x^3/(e*x^2+d)^{(5/2)},x)$

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{arcsec}(c*x))/x^3/(e*x^2+d)^{(5/2)},x, \text{algorithm}="maxima")$

[Out] $1/6*a*(15*\text{arcsinh}(\sqrt{d}*e^{-1/2})/\text{abs}(x))*e/d^{(7/2)} - 15*e/(\sqrt{x^2*e + d})*d^3 - 5*e/((x^2*e + d)^{(3/2)}*d^2) - 3/((x^2*e + d)^{(3/2)}*d*x^2) + b*\text{integrate}(\text{arctan}(\sqrt{c*x + 1})*\sqrt{c*x - 1})/((x^7*e^2 + 2*d*x^5*e + d^2*x^3)*\sqrt{x^2*e + d}), x)$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{arcsec}(c*x))/x^3/(e*x^2+d)^{(5/2)},x, \text{algorithm}="fricas")$

[Out] $\text{integral}(\sqrt{x^2*e + d}*(b*\text{arcsec}(c*x) + a)/(x^9*e^3 + 3*d*x^7*e^2 + 3*d^2*x^5*e + d^3*x^3), x)$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{asec}(c*x))/x**3/(e*x**2+d)**(5/2),x)$

[Out] Timed out

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{arcsec}(c*x))/x^3/(e*x^2+d)^{(5/2)},x, \text{algorithm}="giac")$

[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^(5/2)*x^3), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{x^3 (ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(x^3*(d + e*x^2)^(5/2)), x)

[Out] int((a + b*acos(1/(c*x)))/(x^3*(d + e*x^2)^(5/2)), x)

$$3.156 \quad \int \frac{x^6(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{x^6(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}}, x\right)$$

[Out] Unintegrable(x^6*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^6(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Int[(x^6*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Defer[Int][(x^6*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

Rubi steps

$$\int \frac{x^6(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx = \int \frac{x^6(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Mathematica [A]

time = 8.55, size = 0, normalized size = 0.00

$$\int \frac{x^6(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(x^6*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Integrate[(x^6*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

Maple [A]

time = 1.83, size = 0, normalized size = 0.00

$$\int \frac{x^6(a+b \operatorname{arcsec}(cx))}{(ex^2+d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^6*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(5/2)}, x)$

[Out] $\text{int}(x^6*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(5/2)}, x)$

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^6*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}="maxima")$

[Out] $\frac{1}{6}*(3*x^5*e^{(-1)}/(x^2*e + d)^{(3/2)} + 5*(3*x^2*e^{(-1)}/(x^2*e + d)^{(3/2)} + 2*d*e^{(-2)}/(x^2*e + d)^{(3/2)})*d*x*e^{(-1)} - 15*d*\text{arcsinh}(x*e^{(1/2)}/\text{sqrt}(d))*e^{(-7/2)} + 5*d*x*e^{(-3)}/\text{sqrt}(x^2*e + d))*a + b*\text{integrate}(x^6*\text{arctan}(\text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1))/((x^4*e^2 + 2*d*x^2*e + d^2)*\text{sqrt}(x^2*e + d)), x)$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^6*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}="fricas")$

[Out] $\text{integral}((b*x^6*\text{arcsec}(c*x) + a*x^6)*\text{sqrt}(x^2*e + d)/(x^6*e^3 + 3*d*x^4*e^2 + 3*d^2*x^2*e + d^3), x)$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x**6*(a+b*asec(c*x))/(e*x**2+d)**(5/2), x)$

[Out] Timed out

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^6*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}="giac")$

[Out] integrate((b*arcsec(c*x) + a)*x^6/(e*x^2 + d)^(5/2), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^6 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^6*(a + b*acos(1/(c*x))))/(d + e*x^2)^(5/2), x)

[Out] int((x^6*(a + b*acos(1/(c*x))))/(d + e*x^2)^(5/2), x)

$$3.157 \quad \int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}}, x\right)$$

[Out] Unintegrable(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Int[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Defer[Int] [(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

Rubi steps

$$\int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx = \int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Mathematica [A]

time = 7.93, size = 0, normalized size = 0.00

$$\int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Integrate[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

Maple [A]

time = 1.37, size = 0, normalized size = 0.00

$$\int \frac{x^4(a+b \operatorname{arcsec}(cx))}{(ex^2+d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(5/2)},x)$

[Out] $\text{int}(x^4*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(5/2)},x)$

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^4*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(5/2)},x, \text{algorithm}="maxima")$

[Out] $-1/3*((3*x^2*e^{(-1)}/(x^2*e + d)^{(3/2)} + 2*d*e^{(-2)}/(x^2*e + d)^{(3/2)})*x - 3*\text{arcsinh}(x*e^{(1/2)}/\text{sqrt}(d))*e^{(-5/2)} + x*e^{(-2)}/\text{sqrt}(x^2*e + d))*a + b*\text{integrate}(x^4*\text{arctan}(\text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1))/((x^4*e^2 + 2*d*x^2*e + d^2)*\text{sqrt}(x^2*e + d)), x)$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^4*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(5/2)},x, \text{algorithm}="fricas")$

[Out] $\text{integral}((b*x^4*\text{arcsec}(c*x) + a*x^4)*\text{sqrt}(x^2*e + d)/(x^6*e^3 + 3*d*x^4*e^2 + 3*d^2*x^2*e + d^3), x)$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^{**4}*(a+b*\text{asec}(c*x))/(e*x^{**2}+d)^{(5/2)},x)$

[Out] Timed out

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^4*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^{(5/2)},x, \text{algorithm}="giac")$

[Out] integrate((b*arcsec(c*x) + a)*x^4/(e*x^2 + d)^(5/2), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^4 (a + b \operatorname{acos}(\frac{1}{cx}))}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(a + b*acos(1/(c*x))))/(d + e*x^2)^(5/2), x)

[Out] int((x^4*(a + b*acos(1/(c*x))))/(d + e*x^2)^(5/2), x)

$$3.158 \quad \int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=276

$$-\frac{bcx^2\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{x^3(a+b \sec^{-1}(cx))}{3d(d+ex^2)^{3/2}} + \frac{bc^2x\sqrt{1-c^2x^2}\sqrt{d+ex^2}E(\text{ArcSin}(cx)|-\frac{e}{c^2d})}{3de(c^2d+e)\sqrt{c^2x^2}\sqrt{-1+c^2x^2}\sqrt{1+\frac{ex^2}{d}}} - \frac{bx}{c^2d}$$

[Out] $1/3*x^3*(a+b*\text{arcsec}(c*x))/d/(e*x^2+d)^{(3/2)}-1/3*b*c*x^2*(c^2*x^2-1)^{(1/2)}/d/(c^2*d+e)/(c^2*x^2)^{(1/2)}/(e*x^2+d)^{(1/2)}+1/3*b*c^2*x*\text{EllipticE}(c*x,(-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/e/(c^2*d+e)/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(1+e*x^2/d)^{(1/2)}-1/3*b*x*\text{EllipticF}(c*x,(-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/d/e/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.20, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {270, 5346, 12, 482, 434, 438, 437, 435, 432, 430}

$$\frac{x^3(a+b \sec^{-1}(cx))}{3d(d+ex^2)^{3/2}} - \frac{bx\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}F(\text{ArcSin}(cx)|-\frac{e}{c^2d})}{3de\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{bc^2x\sqrt{1-c^2x^2}\sqrt{d+ex^2}E(\text{ArcSin}(cx)|-\frac{e}{c^2d})}{3de\sqrt{c^2x^2}\sqrt{c^2x^2-1}(c^2d+e)\sqrt{\frac{ex^2}{d}+1}} - \frac{bcx^2\sqrt{c^2x^2-1}}{3d\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] `Int[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]`

[Out] $-1/3*(b*c*x^2*\text{Sqrt}[-1+c^2*x^2])/(d*(c^2*d+e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[d+e*x^2]) + (x^3*(a+b*\text{ArcSec}[c*x]))/(3*d*(d+e*x^2)^(3/2)) + (b*c^2*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[d+e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(3*d*e*(c^2*d+e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]) - (b*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(3*d*e*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 270

`Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m+1)*((a+b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n+p+1, 0] && NeQ[m, -1]`

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c
/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a,
0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 434

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[
1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && Po
sQ[d/c] && NegQ[b/a]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 438

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d/c)*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 482

```
Int[((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_
))^(q_), x_Symbol] := Simp[e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*
((c + d*x^n)^(q + 1)/(n*(b*c - a*d)*(p + 1))), x] - Dist[e^n/(n*(b*c - a*d)
*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m -
n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e,
q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n +
```

1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

Rule 5346

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rubi steps

$$\begin{aligned}
 \int \frac{x^2(a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= \frac{x^3(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} - \frac{(bcx) \int \frac{x^2}{3d\sqrt{-1 + c^2x^2} (d+ex^2)^{3/2}} dx}{\sqrt{c^2x^2}} \\
 &= \frac{x^3(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} - \frac{(bcx) \int \frac{x^2}{\sqrt{-1 + c^2x^2} (d+ex^2)^{3/2}} dx}{3d\sqrt{c^2x^2}} \\
 &= -\frac{bcx^2\sqrt{-1 + c^2x^2}}{3d(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} + \frac{x^3(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{(bcx) \int \frac{\sqrt{-1 + c^2x^2}}{\sqrt{d + ex^2}} dx}{3d(c^2d + e)\sqrt{c^2x^2}} \\
 &= -\frac{bcx^2\sqrt{-1 + c^2x^2}}{3d(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} + \frac{x^3(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} - \frac{(bcx) \int \frac{1}{\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}} dx}{3de\sqrt{c^2x^2}} \\
 &= -\frac{bcx^2\sqrt{-1 + c^2x^2}}{3d(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} + \frac{x^3(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{(bc^3x\sqrt{1 - c^2x^2}) \int \frac{1}{\sqrt{d + ex^2}} dx}{3de(c^2d + e)\sqrt{c^2x^2}} \\
 &= -\frac{bcx^2\sqrt{-1 + c^2x^2}}{3d(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} + \frac{x^3(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{(bc^3x\sqrt{1 - c^2x^2}\sqrt{d + ex^2}) \int \frac{1}{\sqrt{d + ex^2}} dx}{3de(c^2d + e)\sqrt{c^2x^2}} \\
 &= -\frac{bcx^2\sqrt{-1 + c^2x^2}}{3d(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} + \frac{x^3(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{bc^2x\sqrt{1 - c^2x^2}\sqrt{d + ex^2}}{3de(c^2d + e)\sqrt{c^2x^2}}
 \end{aligned}$$

Mathematica [A]

time = 0.21, size = 186, normalized size = 0.67

$$\frac{x^2 \left(a(c^2d + e)x - bc\sqrt{1 - \frac{1}{c^2x^2}}(d + ex^2) + b(c^2d + e)x \sec^{-1}(cx) \right)}{3d(c^2d + e)(d + ex^2)^{3/2}} + \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}x\sqrt{1 + \frac{ex^2}{d}}E\left(\text{ArcSin}\left(\sqrt{-\frac{e}{d}}x\right) \middle| -\frac{c^2d}{e}\right)}{3d\sqrt{-\frac{e}{d}}(c^2d + e)\sqrt{1 - c^2x^2}\sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

```
[Out] (x^2*(a*(c^2*d + e)*x - b*c*Sqrt[1 - 1/(c^2*x^2)]*(d + e*x^2) + b*(c^2*d + e)*x*ArcSec[c*x]))/(3*d*(c^2*d + e)*(d + e*x^2)^(3/2)) + (b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*EllipticE[ArcSin[Sqrt[-(e/d)]*x], -((c^2*d)/e)))/(3*d*Sqrt[-(e/d)]*(c^2*d + e)*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])
```

Maple [F]

time = 1.24, size = 0, normalized size = 0.00

$$\int \frac{x^2(a + b \operatorname{arcsec}(cx))}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x)

[Out] int(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="maxima")

```
[Out] -1/3*a*(x*e^(-1))/(x^2*e + d)^(3/2) - x*e^(-1)/(sqrt(x^2*e + d)*d) + b*integrate(x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/((x^4*e^2 + 2*d*x^2*e + d^2)*sqrt(x^2*e + d)), x)
```

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*asec(c*x))/(e*x**2+d)**(5/2),x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^2/(e*x^2 + d)^(5/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(a + b*acos(1/(c*x))))/(d + e*x^2)^(5/2),x)

[Out] int((x^2*(a + b*acos(1/(c*x))))/(d + e*x^2)^(5/2), x)

$$3.159 \quad \int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=296

$$\frac{bcex^2\sqrt{-1+c^2x^2}}{3d^2(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{x(a+b \sec^{-1}(cx))}{3d(d+ex^2)^{3/2}} + \frac{2x(a+b \sec^{-1}(cx))}{3d^2\sqrt{d+ex^2}} - \frac{bc^2x\sqrt{1-c^2x^2}\sqrt{d+ex^2}E(\text{ArcSin}(cx)|-\frac{e}{c^2d})}{3d^2(c^2d+e)\sqrt{c^2x^2}\sqrt{-1+c^2x^2}}$$

[Out] $1/3*x*(a+b*\text{arcsec}(c*x))/d/(e*x^2+d)^{(3/2)}+2/3*x*(a+b*\text{arcsec}(c*x))/d^2/(e*x^2+d)^{(1/2)}+1/3*b*c*e*x^2*(c^2*x^2-1)^{(1/2)}/d^2/(c^2*d+e)/(c^2*x^2)^{(1/2)}/(e*x^2+d)^{(1/2)}-1/3*b*c^2*x*\text{EllipticE}(c*x,(-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(c^2*d+e)/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(1+e*x^2/d)^{(1/2)}-2/3*b*x*\text{EllipticF}(c*x,(-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.17, antiderivative size = 296, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 11, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.550$, Rules used = {198, 197, 5336, 12, 541, 538, 438, 437, 435, 432, 430}

$$\frac{2x(a+b \sec^{-1}(cx))}{3d^2\sqrt{d+ex^2}} + \frac{x(a+b \sec^{-1}(cx))}{3d(d+ex^2)^{3/2}} - \frac{2bx\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}F(\text{ArcSin}(cx)|-\frac{e}{c^2d})}{3d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} - \frac{bc^2x\sqrt{1-c^2x^2}\sqrt{d+ex^2}E(\text{ArcSin}(cx)|-\frac{e}{c^2d})}{3d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}(c^2d+e)\sqrt{\frac{ex^2}{d}+1}} + \frac{bcex^2\sqrt{c^2x^2-1}}{3d^2\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x^2)^(5/2), x]

[Out] $(b*c*e*x^2*\text{Sqrt}[-1+c^2*x^2])/(3*d^2*(c^2*d+e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[d+e*x^2]) + (x*(a+b*\text{ArcSec}[c*x]))/(3*d*(d+e*x^2)^{(3/2)}) + (2*x*(a+b*\text{ArcSec}[c*x]))/(3*d^2*\text{Sqrt}[d+e*x^2]) - (b*c^2*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[d+e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(3*d^2*(c^2*d+e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]) - (2*b*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(3*d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 197

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[x*((a + b*x^n)^(p + 1)/a), x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 198

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(-x)*((a + b*x^n)^(p + 1)/(a*n*(p + 1))), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 438

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d/c)*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 538

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
```

SqrtQ[-b/a, -d/c])))

Rule 541

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(-(b*e - a*f))*x*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*n*(b*c - a*d)*(p + 1))), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 5336

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex^2)^{5/2}} dx &= \frac{x(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sec^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{3d+2ex^2}{3d^2 \sqrt{-1 + c^2 x^2} (d+ex^2)^{3/2}} dx}{\sqrt{c^2 x^2}} \\
&= \frac{x(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sec^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{3d+2ex^2}{\sqrt{-1 + c^2 x^2} (d+ex^2)^{3/2}} dx}{3d^2 \sqrt{c^2 x^2}} \\
&= \frac{bcex^2 \sqrt{-1 + c^2 x^2}}{3d^2 (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} + \frac{x(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sec^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{3d+2ex^2}{\sqrt{-1 + c^2 x^2} (d+ex^2)^{3/2}} dx}{3d^2 \sqrt{c^2 x^2}} \\
&= \frac{bcex^2 \sqrt{-1 + c^2 x^2}}{3d^2 (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} + \frac{x(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sec^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{3d+2ex^2}{\sqrt{-1 + c^2 x^2} (d+ex^2)^{3/2}} dx}{3d^2 \sqrt{c^2 x^2}} \\
&= \frac{bcex^2 \sqrt{-1 + c^2 x^2}}{3d^2 (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} + \frac{x(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sec^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} - \frac{(bc^3 x) \int \frac{3d+2ex^2}{\sqrt{-1 + c^2 x^2} (d+ex^2)^{3/2}} dx}{3d^2 \sqrt{c^2 x^2}} \\
&= \frac{bcex^2 \sqrt{-1 + c^2 x^2}}{3d^2 (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} + \frac{x(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sec^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} - \frac{(bc^3 x) \int \frac{3d+2ex^2}{\sqrt{-1 + c^2 x^2} (d+ex^2)^{3/2}} dx}{3d^2 \sqrt{c^2 x^2}} \\
&= \frac{bcex^2 \sqrt{-1 + c^2 x^2}}{3d^2 (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} + \frac{x(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sec^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} - \frac{bc^2 x \int \frac{3d+2ex^2}{\sqrt{-1 + c^2 x^2} (d+ex^2)^{3/2}} dx}{3d^2 \sqrt{c^2 x^2}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 3.21, size = 248, normalized size = 0.84

$$\frac{x \left(bce \sqrt{1 - \frac{1}{c^2 x^2}} x(d + ex^2) + a(c^2 d + e)(3d + 2ex^2) + b(c^2 d + e)(3d + 2ex^2) \sec^{-1}(cx) \right)}{3d^2 (c^2 d + e) (d + ex^2)^{3/2}} - \frac{ibc \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{\frac{ex^2}{d}} \left(c^2 d E \left(i \sinh^{-1} \left(\sqrt{-c^2} x \right) \middle| -\frac{e}{3d} \right) + 2(c^2 d + e) F \left(i \sinh^{-1} \left(\sqrt{-c^2} x \right) \middle| -\frac{e}{3d} \right) \right)}{3\sqrt{-c^2} d^2 (c^2 d + e) \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x^2)^(5/2), x]

[Out] (x*(b*c*e*Sqrt[1 - 1/(c^2*x^2)]*x*(d + e*x^2) + a*(c^2*d + e)*(3*d + 2*e*x^2) + b*(c^2*d + e)*(3*d + 2*e*x^2)*ArcSec[c*x])/(3*d^2*(c^2*d + e)*(d + e*x^2)^(3/2)) - ((I/3)*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(c^2*d*EllipticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] + 2*(c^2*d + e)*EllipticF

$$\frac{[I * \text{ArcSinh}[\text{Sqrt}[-c^2] * x], - (e / (c^2 * d))]}{(\text{Sqrt}[-c^2] * d^2 * (c^2 * d + e) * \text{Sqrt}[1 - c^2 * x^2] * \text{Sqrt}[d + e * x^2])}$$

Maple [F]

time = 1.09, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsec}(cx)}{(e x^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x)`

[Out] `int((a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x)`

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="maxima")`

[Out] `1/3*a*(2*x/(sqrt(x^2*e + d)*d^2) + x/((x^2*e + d)^(3/2)*d)) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/((x^4*e^2 + 2*d*x^2*e + d^2)*sqrt(x^2*e + d)), x)`

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="fricas")`

[Out] `Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)`

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/(e*x**2+d)**(5/2),x)`

[Out] `Timed out`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(e*x^2 + d)^(5/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(d + e*x^2)^(5/2),x)

[Out] int((a + b*acos(1/(c*x)))/(d + e*x^2)^(5/2), x)

$$3.160 \quad \int \frac{a+b \sec^{-1}(cx)}{x^2(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=631

$$\frac{bce\sqrt{-1+c^2x^2}}{d^2(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{4bce^2x^2\sqrt{-1+c^2x^2}}{3d^3(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{d^3(c^2d+e)\sqrt{c^2x^2}} - \frac{a}{d}$$

[Out] $(-a-b*\text{arcsec}(c*x))/d/x/(e*x^2+d)^{(3/2)}-4/3*e*x*(a+b*\text{arcsec}(c*x))/d^2/(e*x^2+d)^{(3/2)}-8/3*e*x*(a+b*\text{arcsec}(c*x))/d^3/(e*x^2+d)^{(1/2)}-b*c*e*(c^2*x^2-1)^{(1/2)}/d^2/(c^2*d+e)/(c^2*x^2)^{(1/2)}/(e*x^2+d)^{(1/2)}-4/3*b*c*e^2*x^2*(c^2*x^2-1)^{(1/2)}/d^3/(c^2*d+e)/(c^2*x^2)^{(1/2)}/(e*x^2+d)^{(1/2)}+b*c*(c^2*d+2*e)*(c^2*x^2-1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^3/(c^2*d+e)/(c^2*x^2)^{(1/2)}+4/3*b*c^2*e*x*\text{EllipticE}(c*x,(-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^3/(c^2*d+e)/(c^2*x^2)^{(1/2)}+(1+e*x^2/d)^{(1/2)}-b*c^2*(c^2*d+2*e)*x*\text{EllipticE}(c*x,(-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^3/(c^2*d+e)/(c^2*x^2)^{(1/2)}+(1+e*x^2/d)^{(1/2)}/d^2/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(e*x^2+d)^{(1/2)}+8/3*b*e*x*\text{EllipticF}(c*x,(-e/c^2/d)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/d^3/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 1.01, antiderivative size = 631, normalized size of antiderivative = 1.00, number of steps used = 26, number of rules used = 18, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.783$, Rules used = {277, 198, 197, 5346, 12, 6874, 425, 21, 438, 437, 435, 483, 597, 538, 432, 430, 482, 434}

$$\frac{\text{Re}\sqrt{a+b\sec^{-1}(cx)}}{3d^2\sqrt{e+cx^2}} - \frac{\text{Im}\sqrt{a+b\sec^{-1}(cx)}}{3d^2\sqrt{e+cx^2}} - \frac{e+b\sec^{-1}(cx)}{d\sqrt{e+cx^2}} + \frac{\text{Re}\sqrt{1-c^2x^2}\sqrt{\frac{c^2d+e}{d}+1}\text{F}(\text{ArcSin}(cx))-\frac{dx}{d}}{3d^2\sqrt{c^2d+e}\sqrt{e+cx^2}} - \frac{\text{Re}\sqrt{1-c^2x^2}(cd+2e)\sqrt{e+cx^2}\text{E}(\text{ArcSin}(cx))-\frac{dx}{d}}{3d^2\sqrt{c^2d+e}\sqrt{e+cx^2}} + \frac{4bce\sqrt{1-c^2x^2}\sqrt{e+cx^2}\text{E}(\text{ArcSin}(cx))-\frac{dx}{d}}{3d^2\sqrt{c^2d+e}\sqrt{e+cx^2}} + \frac{b^2x\sqrt{1-c^2x^2}\sqrt{\frac{c^2d+e}{d}+1}\text{F}(\text{ArcSin}(cx))-\frac{dx}{d}}{d^2\sqrt{c^2d+e}\sqrt{e+cx^2}} - \frac{4bce^2\sqrt{c^2d+e}}{3d^2\sqrt{c^2d+e}\sqrt{e+cx^2}} - \frac{bc\sqrt{c^2d+e}(c^2d+2e)\sqrt{e+cx^2}}{d^2\sqrt{c^2d+e}\sqrt{e+cx^2}} - \frac{bc\sqrt{c^2d+e}}{d^2\sqrt{c^2d+e}\sqrt{e+cx^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)^(5/2)), x]

[Out] $-((b*c*e*\text{Sqrt}[-1+c^2*x^2])/(d^2*(c^2*d+e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[d+e*x^2])) - (4*b*c*e^2*x^2*\text{Sqrt}[-1+c^2*x^2])/(3*d^3*(c^2*d+e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[d+e*x^2]) + (b*c*(c^2*d+2*e)*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])/(d^3*(c^2*d+e)*\text{Sqrt}[c^2*x^2]) - (a+b*\text{ArcSec}[c*x])/(d*x*(d+e*x^2)^{(3/2)}) - (4*e*x*(a+b*\text{ArcSec}[c*x]))/(3*d^2*(d+e*x^2)^{(3/2)}) - (8*e*x*(a+b*\text{ArcSec}[c*x]))/(3*d^3*\text{Sqrt}[d+e*x^2]) + (4*b*c^2*e*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[d+e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x],-(e/(c^2*d))])/(3*d^3*(c^2*d+e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]) - (b*c^2*(c^2*d+2*e)*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[d+e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x],-(e/(c^2*d))])/(d^3*(c^2*d+e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]) + (b*c^2*x*\text{S}$

```

qrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))]/
(d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2]) + (8*b*e*x*Sqrt[1 -
c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))]/(3*d^3*S
qrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

```

Rule 12

```

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]

```

Rule 21

```

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] :=
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])

```

Rule 197

```

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[x*((a + b*x^n)^(p + 1)
/a), x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

```

Rule 198

```

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(-x)*((a + b*x^n)^(p +
1)/(a*n*(p + 1))), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)
^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1],
0] && NeQ[p, -1]

```

Rule 277

```

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((
a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1
))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

```

Rule 425

```

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[(-b)*x*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*n*(p + 1)*(b*c -
a*d))), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c
+ d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n,
x], x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -
1] && !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b,
c, d, n, p, q, x]

```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c
/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a,
0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 434

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[
1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && Po
sQ[d/c] && NegQ[b/a]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 438

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d/c)*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 482

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_
))^(q_), x_Symbol] := Simp[e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*
((c + d*x^n)^(q + 1)/(n*(b*c - a*d)*(p + 1))), x] - Dist[e^n/(n*(b*c - a*d)
*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m -
n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e,
q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n +
1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 483

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(-b)*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*e*n*(b*c - a*d)*(p + 1))), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(e*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*b*(m + 1) + n*(b*c - a*d)*(p + 1) + d*b*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 538

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-b/a, -d/c]))))))
```

Rule 597

```
Int[((g_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 6874

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^2 (d + ex^2)^{5/2}} dx &= -\frac{a + b \sec^{-1}(cx)}{dx (d + ex^2)^{3/2}} - \frac{4ex(a + b \sec^{-1}(cx))}{3d^2 (d + ex^2)^{3/2}} - \frac{8ex(a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-3}{3d^3 x^2 \sqrt{d + ex^2}}}{3d^3} \\
&= -\frac{a + b \sec^{-1}(cx)}{dx (d + ex^2)^{3/2}} - \frac{4ex(a + b \sec^{-1}(cx))}{3d^2 (d + ex^2)^{3/2}} - \frac{8ex(a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-3d}{x^2 \sqrt{d + ex^2}}}{3d^3} \\
&= -\frac{a + b \sec^{-1}(cx)}{dx (d + ex^2)^{3/2}} - \frac{4ex(a + b \sec^{-1}(cx))}{3d^2 (d + ex^2)^{3/2}} - \frac{8ex(a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} - \frac{(bcx) \int \left(-\frac{3d}{\sqrt{d + ex^2}}\right)}{3d^3} \\
&= -\frac{a + b \sec^{-1}(cx)}{dx (d + ex^2)^{3/2}} - \frac{4ex(a + b \sec^{-1}(cx))}{3d^2 (d + ex^2)^{3/2}} - \frac{8ex(a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} + \frac{(bcx) \int \frac{-3d}{x^2 \sqrt{d + ex^2}}}{d} \\
&= -\frac{bce\sqrt{-1 + c^2x^2}}{d^2 (c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} - \frac{4bce^2x^2\sqrt{-1 + c^2x^2}}{3d^3 (c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} - \frac{a + b \sec^{-1}(cx)}{dx (d + ex^2)^{3/2}} \\
&= -\frac{bce\sqrt{-1 + c^2x^2}}{d^2 (c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} - \frac{4bce^2x^2\sqrt{-1 + c^2x^2}}{3d^3 (c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} + \frac{bc(c^2d + 2e)}{d^3 (c^2d + e)} \\
&= -\frac{bce\sqrt{-1 + c^2x^2}}{d^2 (c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} - \frac{4bce^2x^2\sqrt{-1 + c^2x^2}}{3d^3 (c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} + \frac{bc(c^2d + 2e)}{d^3 (c^2d + e)} \\
&= -\frac{bce\sqrt{-1 + c^2x^2}}{d^2 (c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} - \frac{4bce^2x^2\sqrt{-1 + c^2x^2}}{3d^3 (c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} + \frac{bc(c^2d + 2e)}{d^3 (c^2d + e)} \\
&= -\frac{bce\sqrt{-1 + c^2x^2}}{d^2 (c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} - \frac{4bce^2x^2\sqrt{-1 + c^2x^2}}{3d^3 (c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} + \frac{bc(c^2d + 2e)}{d^3 (c^2d + e)} \\
&= -\frac{bce\sqrt{-1 + c^2x^2}}{d^2 (c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} - \frac{4bce^2x^2\sqrt{-1 + c^2x^2}}{3d^3 (c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} + \frac{bc(c^2d + 2e)}{d^3 (c^2d + e)}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 6.72, size = 323, normalized size = 0.51

$$\frac{-a(c^2d+e)(3d^2+12dex^2+8e^2x^4)+bc\sqrt{1-\frac{1}{c^2x^2}}z(d+ex^2)(3c^2d(d+ex^2)+e(3d+2ex^2))-b(c^2d+e)(3d^2+12dex^2+8e^2x^4)\sec^{-1}(cx)-ibc\sqrt{1-\frac{1}{c^2x^2}}z\sqrt{1+\frac{ex^2}{d}}\left(c^2d(3c^2d+2e)E\left(\operatorname{arsinh}^{-1}\left(\frac{\sqrt{-c^2}x}{-2a}\right)\right)-\left(3c^4d^2+11c^2de+8e^2\right)F\left(\operatorname{arsinh}^{-1}\left(\frac{\sqrt{-c^2}x}{-2a}\right)\right)\right)}{3d^2(c^2d+e)x(d+ex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)^(5/2)), x]

[Out]
$$\begin{aligned} & -(a*(c^2*d + e)*(3*d^2 + 12*d*e*x^2 + 8*e^2*x^4)) + b*c*\sqrt{1 - 1/(c^2*x^2)} \\ & *x*(d + e*x^2)*(3*c^2*d*(d + e*x^2) + e*(3*d + 2*e*x^2)) - b*(c^2*d + e) \\ & *(3*d^2 + 12*d*e*x^2 + 8*e^2*x^4)*\operatorname{ArcSec}[c*x]/(3*d^3*(c^2*d + e)*x*(d + e*x^2)^{3/2}) \\ & - ((I/3)*b*c*\sqrt{1 - 1/(c^2*x^2)}*x*\sqrt{1 + (e*x^2)/d}*(c^2*d \\ & *(3*c^2*d + 2*e)*\operatorname{EllipticE}[I*\operatorname{ArcSinh}[\sqrt{-c^2}*x], -(e/(c^2*d))] - (3*c^4*d^2 \\ & + 11*c^2*d*e + 8*e^2)*\operatorname{EllipticF}[I*\operatorname{ArcSinh}[\sqrt{-c^2}*x], -(e/(c^2*d))]) \\ &)/(\sqrt{-c^2}*d^3*(c^2*d + e)*\sqrt{1 - c^2*x^2}*\sqrt{d + e*x^2}) \end{aligned}$$

Maple [F]

time = 1.05, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^2 (ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(5/2), x)

[Out] int((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(5/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(5/2), x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/3*a*(8*x*e/(\sqrt{x^2*e + d})*d^3) + 4*x*e/((x^2*e + d)^{3/2}*d^2) + 3/((x^2*e + d)^{3/2}*d*x) \\ & - 1/3*(3*(d^3*x^3*e + d^4*x)*\sqrt{x^2*e + d}*\operatorname{integrate}((3*c^2*d^3*x^2*\log(c) - 3*d^3*\log(c) - (8*c^2*x^8*e^3 + 20*c^2*d*x^6*e^2 \\ & + 15*c^2*d^2*x^4*e - 3*(c^2*\log(c) - c^2)*d^3*x^2 + 3*d^3*\log(c))*e^{(\log(c*x + 1) + \log(c*x - 1))} \\ & + 3*(c^2*d^3*x^2 - d^3 + (c^2*d^3*x^2 - d^3)*e^{(\log(c*x + 1) + \log(c*x - 1))})*\log(x))/((c^2*d^3*x^8*e^2 - d^5*x^2 + (2*c^2*d^4*e - d^3*e^2)*x^6 \\ & + (c^2*d^5 - 2*d^4*e)*x^4 + (c^2*d^3*x^8*e^2 - d^5*x^2 + (2*c^2*d^4*e - d^3*e^2)*x^6 + (c^2*d^5 - 2*d^4*e)*x^4)*e^{(\log(c*x + 1) + \log(c*x - 1))} \\ &)*\sqrt{x^2*e + d}), x) + (8*x^4*e^2 + 12*d*x^2*e + 3*d^2)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))/((d^3*x^3*e + d^4*x)*\sqrt{x^2*e + d}) \end{aligned}$$

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(5/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)
```

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))/x**2/(e*x**2+d)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^(5/2)*x^2), x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{x^2 (ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(1/(c*x)))/(x^2*(d + e*x^2)^(5/2)),x)
```

```
[Out] int((a + b*acos(1/(c*x)))/(x^2*(d + e*x^2)^(5/2)), x)
```

3.161 $\int (fx)^m (d + ex^2)^3 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=589

$$\frac{be\left(e^2(15 + 8m + m^2)^2 + 3c^2de(3 + m)^2(42 + 13m + m^2) + 3c^4d^2(840 + 638m + 179m^2 + 22m^3 + m^4)\right)}{c^5 f(2 + m)(3 + m)(4 + m)(5 + m)(6 + m)(7 + m)\sqrt{c^2x^2}}$$

[Out] $d^3(f*x)^{(1+m)}*(a+b*\text{arcsec}(c*x))/f/(1+m)+3*d^2*e*(f*x)^{(3+m)}*(a+b*\text{arcsec}(c*x))/f^3/(3+m)+3*d*e^2*(f*x)^{(5+m)}*(a+b*\text{arcsec}(c*x))/f^5/(5+m)+e^3*(f*x)^{(7+m)}*(a+b*\text{arcsec}(c*x))/f^7/(7+m)-b*(c^6*d^3*(2+m)*(4+m)*(6+m)/(1+m)+e*(1+m)*(e^2*(m^2+8*m+15)^2+3*c^2*d*e*(3+m)^2*(m^2+13*m+42)+3*c^4*d^2*(m^4+22*m^3+179*m^2+638*m+840))/(m^3+15*m^2+71*m+105))*x*(f*x)^{(1+m)}*\text{hypergeom}([1/2, 1/2+1/2*m], [3/2+1/2*m], c^2*x^2)*(-c^2*x^2+1)^{(1/2)}/c^5/f/(1+m)/(2+m)/(4+m)/(6+m)/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}-b*e*(e^2*(m^2+8*m+15)^2+3*c^2*d*e*(3+m)^2*(m^2+13*m+42)+3*c^4*d^2*(m^4+22*m^3+179*m^2+638*m+840))*x*(f*x)^{(1+m)}*(c^2*x^2-1)^{(1/2)}/c^5/f/(6+m)/(m^2+6*m+8)/(m^3+15*m^2+71*m+105)/(c^2*x^2)^{(1/2)}-b*e^2*(e*(5+m)^2+3*c^2*d*(m^2+13*m+42))*x*(f*x)^{(3+m)}*(c^2*x^2-1)^{(1/2)}/c^3/f^3/(4+m)/(5+m)/(6+m)/(7+m)/(c^2*x^2)^{(1/2)}-b*e^3*x*(f*x)^{(5+m)}*(c^2*x^2-1)^{(1/2)}/c/f^5/(6+m)/(7+m)/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 1.56, antiderivative size = 570, normalized size of antiderivative = 0.97, number of steps used = 6, number of rules used = 7, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$, Rules used = {276, 5346, 1823, 1281, 470, 372, 371}

$\frac{d^3(f*x)^{(1+m)}*(a+b*\text{arcsec}(c*x))/f/(1+m)+3*d^2*e*(f*x)^{(3+m)}*(a+b*\text{arcsec}(c*x))/f^3/(3+m)+3*d*e^2*(f*x)^{(5+m)}*(a+b*\text{arcsec}(c*x))/f^5/(5+m)+e^3*(f*x)^{(7+m)}*(a+b*\text{arcsec}(c*x))/f^7/(7+m)-b*(c^6*d^3*(2+m)*(4+m)*(6+m)/(1+m)+e*(1+m)*(e^2*(m^2+8*m+15)^2+3*c^2*d*e*(3+m)^2*(m^2+13*m+42)+3*c^4*d^2*(m^4+22*m^3+179*m^2+638*m+840))/(m^3+15*m^2+71*m+105))*x*(f*x)^{(1+m)}*\text{hypergeom}([1/2, 1/2+1/2*m], [3/2+1/2*m], c^2*x^2)*(-c^2*x^2+1)^{(1/2)}/c^5/f/(1+m)/(2+m)/(4+m)/(6+m)/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}-b*e*(e^2*(m^2+8*m+15)^2+3*c^2*d*e*(3+m)^2*(m^2+13*m+42)+3*c^4*d^2*(m^4+22*m^3+179*m^2+638*m+840))*x*(f*x)^{(1+m)}*(c^2*x^2-1)^{(1/2)}/c^5/f/(6+m)/(m^2+6*m+8)/(m^3+15*m^2+71*m+105)/(c^2*x^2)^{(1/2)}-b*e^2*(e*(5+m)^2+3*c^2*d*(m^2+13*m+42))*x*(f*x)^{(3+m)}*(c^2*x^2-1)^{(1/2)}/c^3/f^3/(4+m)/(5+m)/(6+m)/(7+m)/(c^2*x^2)^{(1/2)}-b*e^3*x*(f*x)^{(5+m)}*(c^2*x^2-1)^{(1/2)}/c/f^5/(6+m)/(7+m)/(c^2*x^2)^{(1/2)}}{c^5 f(2 + m)(3 + m)(4 + m)(5 + m)(6 + m)(7 + m)\sqrt{c^2x^2}}$

Antiderivative was successfully verified.

[In] Int[(f*x)^m*(d + e*x^2)^3*(a + b*ArcSec[c*x]), x]

[Out] $-((b*e*(e^2*(15 + 8*m + m^2)^2 + 3*c^2*d*e*(3 + m)^2*(42 + 13*m + m^2) + 3*c^4*d^2*(840 + 638*m + 179*m^2 + 22*m^3 + m^4))*x*(f*x)^{(1 + m)}*\text{Sqrt}[-1 + c^2*x^2])/(c^5*f*(2 + m)*(3 + m)*(4 + m)*(5 + m)*(6 + m)*(7 + m)*\text{Sqrt}[c^2*x^2]) - (b*e^2*(e*(5 + m)^2 + 3*c^2*d*(42 + 13*m + m^2))*x*(f*x)^{(3 + m)}*\text{Sqrt}[-1 + c^2*x^2])/(c^3*f^3*(4 + m)*(5 + m)*(6 + m)*(7 + m)*\text{Sqrt}[c^2*x^2]) - (b*e^3*x*(f*x)^{(5 + m)}*\text{Sqrt}[-1 + c^2*x^2])/(c*f^5*(6 + m)*(7 + m)*\text{Sqrt}[c^2*x^2]) + (d^3*(f*x)^{(1 + m)}*(a + b*\text{ArcSec}[c*x]))/(f*(1 + m)) + (3*d^2*e*(f*x)^{(3 + m)}*(a + b*\text{ArcSec}[c*x]))/(f^3*(3 + m)) + (3*d*e^2*(f*x)^{(5 + m)}*(a + b*\text{ArcSec}[c*x]))/(f^5*(5 + m)) + (e^3*(f*x)^{(7 + m)}*(a + b*\text{ArcSec}[c*x]))/(f^7*(7 + m)) - (b*c*(d^3/(1 + m)^2 + (e*(e^2*(15 + 8*m + m^2)^2 + 3*c^2*d*e*(3 + m)^2*(42 + 13*m + m^2) + 3*c^4*d^2*(840 + 638*m + 179*m^2 + 22*m^3 + m^4)))/(c^6*(2 + m)*(3 + m)*(4 + m)*(5 + m)*(6 + m)*(7 + m)))*x*(f*x)^{(1 + m)}*\text{Sqrt}[1 - c^2*x^2]*\text{Hypergeometric2F1}[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/(f*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2])$

Rule 276

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 371

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p * ((c*x)^(m + 1)/(c*(m + 1)) * Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, (-b)*(x^n/a)], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 372

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[a^IntPart[p]*((a + b*x^n)^FracPart[p]/(1 + b*(x^n/a))^FracPart[p]), Int[(c*x)^m*(1 + b*(x^n/a))^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 470

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[d*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(b*e*(m + n*(p + 1) + 1))), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rule 1281

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[c^p*(f*x)^(m + 4*p - 1)*((d + e*x^2)^(q + 1)/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1))), x] + Dist[1/(e*(m + 4*p + 2*q + 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]

Rule 1823

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[f*(c*x)^(m + q - 1)*((a + b*x^2)^(p + 1)/(b*c^(q - 1)*(m + q + 2*p + 1))), x] + Dist[1/(b*(m + q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[

Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])

Rule 5346

```
Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
 \int (fx)^m (d + ex^2)^3 (a + b \sec^{-1}(cx)) dx &= \frac{d^3 (fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{3d^2 e (fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} + \\
 &= -\frac{be^3 x (fx)^{5+m} \sqrt{-1 + c^2 x^2}}{cf^5(6+m)(7+m)\sqrt{c^2 x^2}} + \frac{d^3 (fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{3d^2 e (fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} \\
 &= -\frac{be^2 (e(5+m)^2 + 3c^2 d(42 + 13m + m^2)) x (fx)^{3+m} \sqrt{-1 + c^2 x^2}}{c^3 f^3(4+m)(5+m)(6+m)(7+m)\sqrt{c^2 x^2}} \\
 &= -\frac{be \left(e^2(15 + 8m + m^2)^2 + 3c^2 de(3+m)^2(42 + 13m + m^2) + 3cd^2(3+m)(4+m) \right)}{c^5 f(2+m)(3+m)(4+m)} \\
 &= -\frac{be \left(e^2(15 + 8m + m^2)^2 + 3c^2 de(3+m)^2(42 + 13m + m^2) + 3cd^2(3+m)(4+m) \right)}{c^5 f(2+m)(3+m)(4+m)} \\
 &= -\frac{be \left(e^2(15 + 8m + m^2)^2 + 3c^2 de(3+m)^2(42 + 13m + m^2) + 3cd^2(3+m)(4+m) \right)}{c^5 f(2+m)(3+m)(4+m)}
 \end{aligned}$$

Mathematica [F]

time = 0.66, size = 0, normalized size = 0.00

$$\int (fx)^m (d + ex^2)^3 (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate[(f*x)^m*(d + e*x^2)^3*(a + b*ArcSec[c*x]), x]

[Out] Integrate[(f*x)^m*(d + e*x^2)^3*(a + b*ArcSec[c*x]), x]

Maple [F]

time = 4.18, size = 0, normalized size = 0.00

$$\int (fx)^m (ex^2 + d)^3 (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(e*x^2+d)^3*(a+b*arcsec(c*x)), x)

[Out] int((f*x)^m*(e*x^2+d)^3*(a+b*arcsec(c*x)), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)^3*(a+b*arcsec(c*x)), x, algorithm="maxima")

[Out] a*f^m*x^7*e^(m*log(x) + 3)/(m + 7) + 3*a*d*f^m*x^5*e^(m*log(x) + 2)/(m + 5) + 3*a*d^2*f^m*x^3*e^(m*log(x) + 1)/(m + 3) + (f*x)^(m + 1)*a*d^3/(f*(m + 1)) + (((b*f^m*m^3*e^3 + 9*b*f^m*m^2*e^3 + 23*b*f^m*m*e^3 + 15*b*f^m*e^3)*x^7 + 3*(b*d*f^m*m^3*e^2 + 11*b*d*f^m*m^2*e^2 + 31*b*d*f^m*m*e^2 + 21*b*d*f^m*m*e^2)*x^5 + 3*(b*d^2*f^m*m^3*e + 13*b*d^2*f^m*m^2*e + 47*b*d^2*f^m*m*e + 35*b*d^2*f^m*e)*x^3 + (b*d^3*f^m*m^3 + 15*b*d^3*f^m*m^2 + 71*b*d^3*f^m*m + 105*b*d^3*f^m)*x)*x^m*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - (m^4 + 16*m^3 + 86*m^2 + 176*m + 105)*integrate(-(b*d^3*f^m*m^3 + 15*b*d^3*f^m*m^2 + (b*f^m*m^3*e^3 + 9*b*f^m*m^2*e^3 + 23*b*f^m*m*e^3 + 15*b*f^m*e^3)*x^6 + 71*b*d^3*f^m*m + 105*b*d^3*f^m + 3*(b*d*f^m*m^3*e^2 + 11*b*d*f^m*m^2*e^2 + 31*b*d*f^m*m*e^2 + 21*b*d*f^m*e^2)*x^4 + 3*(b*d^2*f^m*m^3*e + 13*b*d^2*f^m*m^2*e + 47*b*d^2*f^m*m*e + 35*b*d^2*f^m*e)*x^2)*sqrt(c*x + 1)*sqrt(c*x - 1)*x^m/(m^4 + 16*m^3 - (c^2*m^4 + 16*c^2*m^3 + 86*c^2*m^2 + 176*c^2*m + 105*c^2)*x^2 + 86*m^2 + 176*m + 105), x)/(m^4 + 16*m^3 + 86*m^2 + 176*m + 105)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)^3*(a+b*arcsec(c*x)), x, algorithm="fricas")

[Out] `integral((a*x^6*e^3 + 3*a*d*x^4*e^2 + 3*a*d^2*x^2*e + a*d^3 + (b*x^6*e^3 + 3*b*d*x^4*e^2 + 3*b*d^2*x^2*e + b*d^3)*arcsec(c*x))*(f*x)^m, x)`

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(e*x**2+d)**3*(a+b*asec(c*x)),x)`

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^3*(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^3*(b*arcsec(c*x) + a)*(f*x)^m, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int (f x)^m (e x^2 + d)^3 \left(a + b \operatorname{acos}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(d + e*x^2)^3*(a + b*acos(1/(c*x))),x)`

[Out] `int((f*x)^m*(d + e*x^2)^3*(a + b*acos(1/(c*x))), x)`

3.162 $\int (fx)^m (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=374

$$\frac{be(e(3+m)^2 + 2c^2d(20+9m+m^2))x(fx)^{1+m}\sqrt{-1+c^2x^2}}{c^3f(2+m)(3+m)(4+m)(5+m)\sqrt{c^2x^2}} - \frac{be^2x(fx)^{3+m}\sqrt{-1+c^2x^2}}{cf^3(4+m)(5+m)\sqrt{c^2x^2}} + \frac{d^2(fx)^{1+m}(a+b\sec^{-1}(cx))}{f(1+m)}$$

[Out] $d^2*(f*x)^{(1+m)*(a+b*\text{arcsec}(c*x))/f/(1+m)+2*d*e*(f*x)^{(3+m)*(a+b*\text{arcsec}(c*x))}/f^3/(3+m)+e^2*(f*x)^{(5+m)*(a+b*\text{arcsec}(c*x))}/f^5/(5+m)-b*(c^4*d^2*(2+m)*(3+m)*(4+m)*(5+m)+e*(1+m)^2*(e*(3+m)^2+2*c^2*d*(m^2+9*m+20)))*x*(f*x)^{(1+m)*\text{hypergeom}([1/2, 1/2+1/2*m], [3/2+1/2*m], c^2*x^2)*(-c^2*x^2+1)^{(1/2)}/c^3/f/(1+m)^2/(2+m)/(3+m)/(4+m)/(5+m)/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}-b*e*(e*(3+m)^2+2*c^2*d*(m^2+9*m+20))*x*(f*x)^{(1+m)*(c^2*x^2-1)^{(1/2)}/c^3/f/(4+m)/(5+m)/(m^2+5*m+6)/(c^2*x^2)^{(1/2)}-b*e^2*x*(f*x)^{(3+m)*(c^2*x^2-1)^{(1/2)}/c/f^3/(4+m)/(5+m)/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.33, antiderivative size = 355, normalized size of antiderivative = 0.95, number of steps used = 6, number of rules used = 7, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$, Rules used = {276, 5346, 12, 1281, 470, 372, 371}

$$\frac{d^2(fx)^{m+1}(a+b\sec^{-1}(cx))}{f(m+1)} + \frac{2de(fx)^{m+3}(a+b\sec^{-1}(cx))}{f^3(m+3)} + \frac{e^2(fx)^{m+5}(a+b\sec^{-1}(cx))}{f^5(m+5)} - \frac{be^2x\sqrt{c^2x^2-1}(fx)^{m+3}}{cf^3(m+4)(m+5)\sqrt{c^2x^2}} - \frac{bcx\sqrt{1-c^2x^2}(fx)^{m+1}\left(\frac{2c^2d(m^2+9m+20)+4(m+3)^2}{(m+2)(m+3)(m+4)(m+5)} + \frac{d^2}{(m+1)^2}\right) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; c^2x^2\right)}{f\sqrt{c^2x^2}\sqrt{c^2x^2-1}} - \frac{bcx\sqrt{c^2x^2-1}(fx)^{m+1}(2c^2d(m^2+9m+20)+e(m+3)^2)}{c^3f(m+2)(m+3)(m+4)(m+5)\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(f*x)^m*(d + e*x^2)^2*(a + b*ArcSec[c*x]), x]

[Out] $-((b*e*(e*(3+m)^2 + 2*c^2*d*(20+9*m+m^2))*x*(f*x)^{(1+m)*\text{Sqrt}[-1+c^2*x^2]}/(c^3*f*(2+m)*(3+m)*(4+m)*(5+m)*\text{Sqrt}[c^2*x^2])) - (b*e^2*x*(f*x)^{(3+m)*\text{Sqrt}[-1+c^2*x^2]}/(c*f^3*(4+m)*(5+m)*\text{Sqrt}[c^2*x^2]) + (d^2*(f*x)^{(1+m)*(a+b*\text{ArcSec}[c*x])})/(f*(1+m)) + (2*d*e*(f*x)^{(3+m)*(a+b*\text{ArcSec}[c*x])})/(f^3*(3+m)) + (e^2*(f*x)^{(5+m)*(a+b*\text{ArcSec}[c*x])})/(f^5*(5+m)) - (b*c*(d^2/(1+m)^2 + (e*(e*(3+m)^2 + 2*c^2*d*(20+9*m+m^2)))/(c^4*(2+m)*(3+m)*(4+m)*(5+m)))*x*(f*x)^{(1+m)*\text{Sqrt}[1-c^2*x^2]*\text{Hypergeometric2F1}[1/2, (1+m)/2, (3+m)/2, c^2*x^2]}/(f*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 276

Int[((c_)*(x_))^(m_)*((a_)+(b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&

IGtQ[p, 0]

Rule 371

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p * ((c*x)^(m + 1)/(c*(m + 1)))*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, (-b)*(x^n/a)], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 372

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[a^IntPart[p]*((a + b*x^n)^FracPart[p]/(1 + b*(x^n/a))^FracPart[p]), Int[(c*x)^m*(1 + b*(x^n/a))^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 470

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[d*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(b*e*(m + n*(p + 1) + 1))), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rule 1281

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[c^p*(f*x)^(m + 4*p - 1)*((d + e*x^2)^(q + 1)/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1))), x] + Dist[1/(e*(m + 4*p + 2*q + 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]

Rule 5346

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rubi steps

$$\begin{aligned}
\int (fx)^m (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx &= \frac{d^2 (fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{2de (fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} + \\
&= \frac{d^2 (fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{2de (fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} + \\
&= -\frac{be^2 x (fx)^{3+m} \sqrt{-1 + c^2 x^2}}{cf^3(4+m)(5+m)\sqrt{c^2 x^2}} + \frac{d^2 (fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \\
&= -\frac{be(e(3+m)^2 + 2c^2 d(20 + 9m + m^2)) x (fx)^{1+m} \sqrt{-1 + c^2 x^2}}{c^3 f(2+m)(4+m)(15 + 8m + m^2) \sqrt{c^2 x^2}} \\
&= -\frac{be(e(3+m)^2 + 2c^2 d(20 + 9m + m^2)) x (fx)^{1+m} \sqrt{-1 + c^2 x^2}}{c^3 f(2+m)(4+m)(15 + 8m + m^2) \sqrt{c^2 x^2}} \\
&= -\frac{be(e(3+m)^2 + 2c^2 d(20 + 9m + m^2)) x (fx)^{1+m} \sqrt{-1 + c^2 x^2}}{c^3 f(2+m)(4+m)(15 + 8m + m^2) \sqrt{c^2 x^2}}
\end{aligned}$$

Mathematica [F]

time = 0.23, size = 0, normalized size = 0.00

$$\int (fx)^m (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

`[In] Integrate[(f*x)^m*(d + e*x^2)^2*(a + b*ArcSec[c*x]), x]``[Out] Integrate[(f*x)^m*(d + e*x^2)^2*(a + b*ArcSec[c*x]), x]`**Maple [F]**

time = 3.51, size = 0, normalized size = 0.00

$$\int (fx)^m (ex^2 + d)^2 (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((f*x)^m*(e*x^2+d)^2*(a+b*arcsec(c*x)), x)``[Out] int((f*x)^m*(e*x^2+d)^2*(a+b*arcsec(c*x)), x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="maxima")
```

```
[Out] a*f^m*x^5*e^(m*log(x) + 2)/(m + 5) + 2*a*d*f^m*x^3*e^(m*log(x) + 1)/(m + 3)
+ (f*x)^(m + 1)*a*d^2/(f*(m + 1)) + (((b*f^m*m^2*e^2 + 4*b*f^m*m*e^2 + 3*b
*f^m*e^2)*x^5 + 2*(b*d*f^m*m^2*e + 6*b*d*f^m*m*e + 5*b*d*f^m*e)*x^3 + (b*d^
2*f^m*m^2 + 8*b*d^2*f^m*m + 15*b*d^2*f^m)*x)*x^m*arctan(sqrt(c*x + 1)*sqrt(
c*x - 1)) - (m^3 + 9*m^2 + 23*m + 15)*integrate(-(b*d^2*f^m*m^2 + 8*b*d^2*f
^m*m + (b*f^m*m^2*e^2 + 4*b*f^m*m*e^2 + 3*b*f^m*e^2)*x^4 + 15*b*d^2*f^m + 2
*(b*d*f^m*m^2*e + 6*b*d*f^m*m*e + 5*b*d*f^m*e)*x^2)*sqrt(c*x + 1)*sqrt(c*x
- 1)*x^m/(m^3 - (c^2*m^3 + 9*c^2*m^2 + 23*c^2*m + 15*c^2)*x^2 + 9*m^2 + 23*
m + 15), x))/(m^3 + 9*m^2 + 23*m + 15)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] integral((a*x^4*e^2 + 2*a*d*x^2*e + a*d^2 + (b*x^4*e^2 + 2*b*d*x^2*e + b*d^
2)*arcsec(c*x))*(f*x)^m, x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (fx)^m (a + b \operatorname{asec}(cx)) (d + ex^2)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)**m*(e*x**2+d)**2*(a+b*asec(c*x)),x)
```

```
[Out] Integral((f*x)**m*(a + b*asec(c*x))*(d + e*x**2)**2, x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)^2*(b*arcsec(c*x) + a)*(f*x)^m, x)
```


Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int (fx)^m (ex^2 + d)^2 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(d + e*x^2)^2*(a + b*acos(1/(c*x))), x)

[Out] int((f*x)^m*(d + e*x^2)^2*(a + b*acos(1/(c*x))), x)

3.163 $\int (fx)^m (d + ex^2) (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=178

$$-\frac{bex^{2+m}\sqrt{-1+c^2x^2}}{c(6+5m+m^2)\sqrt{c^2x^2}} + \frac{dx^{1+m}(a+b\sec^{-1}(cx))}{1+m} + \frac{ex^{3+m}(a+b\sec^{-1}(cx))}{3+m} + \frac{b(e(1+m)^2+c^2d(2+m)(3+m))}{c(1+m)}$$

[Out] $d*x^{(1+m)*(a+b*\text{arcsec}(c*x))/(1+m)+e*x^{(3+m)*(a+b*\text{arcsec}(c*x))/(3+m)-b*e*x^{(2+m)*(c^2*x^2-1)^{(1/2)}/c/(m^2+5*m+6)/(c^2*x^2)^{(1/2)+b*(e*(1+m)^2+c^2*d*(2+m)*(3+m))*x^{(2+m)*\text{hypergeom}([1, 1+1/2*m], [3/2+1/2*m], c^2*x^2)*(c^2*x^2-1)^{(1/2)}/c/(1+m)^2/(2+m)/(3+m)/(c^2*x^2)^{(1/2)}$

Rubi [A]

time = 0.14, antiderivative size = 204, normalized size of antiderivative = 1.15, number of steps used = 5, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 5346, 12, 470, 372, 371}

$$\frac{d(fx)^{m+1}(a+b\sec^{-1}(cx))}{f(m+1)} + \frac{e(fx)^{m+3}(a+b\sec^{-1}(cx))}{f^3(m+3)} - \frac{bcx\sqrt{1-c^2x^2}(fx)^{m+1}\left(\frac{e}{c^2(m+2)(m+3)} + \frac{d}{(m+1)^2}\right) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}, \frac{m+3}{2}; c^2x^2\right)}{f\sqrt{c^2x^2}\sqrt{c^2x^2-1}} - \frac{bcx\sqrt{c^2x^2-1}(fx)^{m+1}}{cf(m^2+5m+6)\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(f*x)^m*(d + e*x^2)*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-((b*e*x*(f*x)^{(1+m)*\text{Sqrt}[-1+c^2*x^2]}/(c*f*(6+5*m+m^2)*\text{Sqrt}[c^2*x^2])) + (d*(f*x)^{(1+m)*(a+b*\text{ArcSec}[c*x])}/(f*(1+m)) + (e*(f*x)^{(3+m)*(a+b*\text{ArcSec}[c*x])}/(f^3*(3+m)) - (b*c*(d/(1+m)^2 + e/(c^2*(2+m)*(3+m))))*x*(f*x)^{(1+m)*\text{Sqrt}[1-c^2*x^2]*\text{Hypergeometric2F1}[1/2, (1+m)/2, (3+m)/2, c^2*x^2]}/(f*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2])$

Rule 12

$\text{Int}[(a_*)*(u_), x_Symbol] := \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)*(v_)] /; \text{FreeQ}[b, x]$

Rule 14

$\text{Int}[(u_*)((c_*)*(x_))^{(m_*)}, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}[\{c, m\}, x] \ \&\& \ \text{SumQ}[u] \ \&\& \ !\text{LinearQ}[u, x] \ \&\& \ !\text{MatchQ}[u, (a_*) + (b_*)*(v_)] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{InverseFunctionQ}[v]$

Rule 371

$\text{Int}[(c_*)*(x_))^{(m_*)*((a_*) + (b_*)*(x_))^{(n_*)}^{(p_*)}, x_Symbol] := \text{Simp}[a^p * ((c*x)^{(m+1)}/(c*(m+1)))*\text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, (-b)*(x^n/a)], x] /; \text{FreeQ}[\{a, b, c, m, n, p\}, x] \ \&\& \ !\text{IGtQ}[p, 0] \ \&\& \ (\text{ILtQ}[p, 0] \ || \ \text{GtQ}[a, 0])$

Rule 372

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[a^IntPart[p]*((a + b*x^n)^FracPart[p]/(1 + b*(x^n/a))^FracPart[p]), Int[(c*x)^m*(1 + b*(x^n/a))^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])
```

Rule 470

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Simp[d*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(b*e*(m + n*(p + 1) + 1))), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 5346

```
Int[((a_) + ArcSec[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[b*c*(x/Sqrt[c^2*x^2]), Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int (fx)^m (d + ex^2) (a + b \sec^{-1}(cx)) dx &= \frac{d(fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} - \frac{(bcx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} \\
&= \frac{d(fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} - \frac{(bcx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} \\
&= -\frac{bcx(fx)^{1+m} \sqrt{-1 + c^2x^2}}{cf(6 + 5m + m^2) \sqrt{c^2x^2}} + \frac{d(fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} \\
&= -\frac{bcx(fx)^{1+m} \sqrt{-1 + c^2x^2}}{cf(6 + 5m + m^2) \sqrt{c^2x^2}} + \frac{d(fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} \\
&= -\frac{bcx(fx)^{1+m} \sqrt{-1 + c^2x^2}}{cf(6 + 5m + m^2) \sqrt{c^2x^2}} + \frac{d(fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)}
\end{aligned}$$

Mathematica [F]

time = 0.17, size = 0, normalized size = 0.00

$$\int (fx)^m (d + ex^2) (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

```
[In] Integrate[(f*x)^m*(d + e*x^2)*(a + b*ArcSec[c*x]),x]
```

```
[Out] Integrate[(f*x)^m*(d + e*x^2)*(a + b*ArcSec[c*x]), x]
```

Maple [F]

time = 3.03, size = 0, normalized size = 0.00

$$\int (fx)^m (ex^2 + d) (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x)^m*(e*x^2+d)*(a+b*arcsec(c*x)),x)
```

```
[Out] int((f*x)^m*(e*x^2+d)*(a+b*arcsec(c*x)),x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="maxima")
```

```
[Out] a*f^m*x^3*e^(m*log(x) + 1)/(m + 3) + (f*x)^(m + 1)*a*d/(f*(m + 1)) + (((b*f^m*m*e + b*f^m*e)*x^3 + (b*d*f^m*m + 3*b*d*f^m)*x)*x^m*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - (m^2 + 4*m + 3)*integrate((b*d*f^m*m + 3*b*d*f^m + (b*f^m*m*e + b*f^m*e)*x^2)*sqrt(c*x + 1)*sqrt(c*x - 1)*x^m/((c^2*m^2 + 4*c^2*m + 3*c^2)*x^2 - m^2 - 4*m - 3), x))/(m^2 + 4*m + 3)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsec(c*x))*(f*x)^m, x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (fx)^m (a + b \operatorname{asec}(cx)) (d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)*(a+b*asec(c*x)),x)

[Out] Integral((f*x)**m*(a + b*asec(c*x))*(d + e*x**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsec(c*x) + a)*(f*x)^m, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int (fx)^m (ex^2 + d) \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(d + e*x^2)*(a + b*acos(1/(c*x))),x)

[Out] int((f*x)^m*(d + e*x^2)*(a + b*acos(1/(c*x))), x)

$$3.164 \quad \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{d + ex^2} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{(fx)^m (a + b \sec^{-1}(cx))}{d + ex^2}, x\right)$$

[Out] Unintegrable((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d), x)

Rubi [A]

time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{d + ex^2} dx$$

Verification is not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2), x]

[Out] Defer[Int] [((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2), x]

Rubi steps

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{d + ex^2} dx = \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{d + ex^2} dx$$

Mathematica [A]

time = 1.29, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{d + ex^2} dx$$

Verification is not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2), x]

[Out] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2), x]

Maple [A]

time = 1.51, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{arcsec}(cx))}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d),x)`

[Out] `int((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="maxima")`

[Out] `integrate((b*arcsec(c*x) + a)*(f*x)^m/(x^2*e + d), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*arcsec(c*x) + a)*(f*x)^m/(x^2*e + d), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{asec}(cx))}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(a+b*asec(c*x))/(e*x**2+d),x)`

[Out] `Integral((f*x)**m*(a + b*asec(c*x))/(d + e*x**2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)*(f*x)^m/(e*x^2 + d), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(fx)^m (a + b \operatorname{acos}(\frac{1}{cx}))}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f*x)^m*(a + b*acos(1/(c*x))))/(d + e*x^2),x)
```

```
[Out] int(((f*x)^m*(a + b*acos(1/(c*x))))/(d + e*x^2), x)
```


$$3.165 \quad \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx$$

Optimal. Leaf size=26

$$\text{Int}\left(\frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^2}, x\right)$$

[Out] Unintegrable((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^2,x)

Rubi [A]

time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx$$

Verification is not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out] Defer[Int] [((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^2, x]

Rubi steps

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx = \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx$$

Mathematica [A]

time = 3.58, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^2, x]

Maple [A]

time = 2.63, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{arcsec}(cx))}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x)^m*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^2,x)$

[Out] $\text{int}((f*x)^m*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^2,x)$

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^2,x, \text{algorithm}="maxima")$

[Out] $\text{integrate}((b*\text{arcsec}(c*x) + a)*(f*x)^m/(x^2*e + d)^2, x)$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^2,x, \text{algorithm}="fricas")$

[Out] $\text{integral}((b*\text{arcsec}(c*x) + a)*(f*x)^m/(x^4*e^2 + 2*d*x^2*e + d^2), x)$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)**m*(a+b*\text{asec}(c*x))/(e*x**2+d)**2,x)$

[Out] Timed out

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^2,x, \text{algorithm}="giac")$

[Out] $\text{integrate}((b*\text{arcsec}(c*x) + a)*(f*x)^m/(e*x^2 + d)^2, x)$

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(f x)^m (a + b \operatorname{acos}(\frac{1}{c x}))}{(e x^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f*x)^m*(a + b*acos(1/(c*x))))/(d + e*x^2)^2,x)

[Out] int(((f*x)^m*(a + b*acos(1/(c*x))))/(d + e*x^2)^2, x)

$$3.166 \quad \int (fx)^m (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Optimal. Leaf size=28

$$\text{Int}\left((fx)^m (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)), x\right)$$

[Out] Unintegrable((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (fx)^m (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Int[(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

[Out] Defer[Int] [(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int (fx)^m (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx = \int (fx)^m (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Mathematica [A]

time = 0.50, size = 0, normalized size = 0.00

$$\int (fx)^m (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate[(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

[Out] Integrate[(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

Maple [A]

time = 1.35, size = 0, normalized size = 0.00

$$\int (fx)^m (ex^2 + d)^{\frac{3}{2}} (a + b \text{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)`

[Out] `int((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] `integrate((x^2*e + d)^(3/2)*(b*arcsec(c*x) + a)*(f*x)^m, x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] `integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsec(c*x))*sqrt(x^2*e + d)*(f*x)^m, x)`

Sympy [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: SystemError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(e*x**2+d)**(3/2)*(a+b*asec(c*x)),x)`

[Out] Exception raised: SystemError >> excessive stack use: stack is 4369 deep

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)*(f*x)^m, x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int (f x)^m (e x^2 + d)^{3/2} \left(a + b \operatorname{arccos} \left(\frac{1}{c x} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x)^m*(d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))), x)
```

```
[Out] int((f*x)^m*(d + e*x^2)^(3/2)*(a + b*acos(1/(c*x))), x)
```

$$\mathbf{3.167} \quad \int (fx)^m \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Optimal. Leaf size=28

$$\text{Int}\left((fx)^m \sqrt{d + ex^2} (a + b \sec^{-1}(cx)), x\right)$$

[Out] Unintegrable((f*x)^m*(e*x^2+d)^(1/2)*(a+b*arcsec(c*x)), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (fx)^m \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Int[(f*x)^m*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

[Out] Defer[Int] [(f*x)^m*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int (fx)^m \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx = \int (fx)^m \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Mathematica [A]

time = 0.07, size = 0, normalized size = 0.00

$$\int (fx)^m \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate[(f*x)^m*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

[Out] Integrate[(f*x)^m*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Maple [A]

time = 1.41, size = 0, normalized size = 0.00

$$\int (fx)^m \sqrt{ex^2 + d} (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(e*x^2+d)^(1/2)*(a+b*arcsec(c*x)),x)`

[Out] `int((f*x)^m*(e*x^2+d)^(1/2)*(a+b*arcsec(c*x)),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(1/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] `integrate(sqrt(x^2*e + d)*(b*arcsec(c*x) + a)*(f*x)^m, x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(1/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsec(c*x) + a)*(f*x)^m, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (f x)^m (a + b \operatorname{asec}(c x)) \sqrt{d + e x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(e*x**2+d)**(1/2)*(a+b*asec(c*x)),x)`

[Out] `Integral((f*x)**m*(a + b*asec(c*x))*sqrt(d + e*x**2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(1/2)*(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)*(f*x)^m, x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int (f x)^m \sqrt{e x^2 + d} \left(a + b \operatorname{acos}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x)^m*(d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))),x)
```

```
[Out] int((f*x)^m*(d + e*x^2)^(1/2)*(a + b*acos(1/(c*x))), x)
```

$$3.168 \quad \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Optimal. Leaf size=28

$$\text{Int}\left(\frac{(fx)^m (a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}}, x\right)$$

[Out] Unintegrable((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Verification is not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

[Out] Defer[Int] [((f*x)^m*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

Rubi steps

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx = \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Mathematica [A]

time = 0.68, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Verification is not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

[Out] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

Maple [A]

time = 1.86, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{arcsec}(cx))}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)`

[Out] `int((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `integrate((b*arcsec(c*x) + a)*(f*x)^m/sqrt(x^2*e + d), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral((b*arcsec(c*x) + a)*(f*x)^m/sqrt(x^2*e + d), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{asec}(cx))}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(a+b*asec(c*x))/(e*x**2+d)**(1/2),x)`

[Out] `Integral((f*x)**m*(a + b*asec(c*x))/sqrt(d + e*x**2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)*(f*x)^m/sqrt(e*x^2 + d), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(f x)^m (a + b \operatorname{acos}(\frac{1}{c x}))}{\sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f*x)^m*(a + b*acos(1/(c*x))))/(d + e*x^2)^(1/2), x)
```

```
[Out] int(((f*x)^m*(a + b*acos(1/(c*x))))/(d + e*x^2)^(1/2), x)
```

$$3.169 \quad \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Optimal. Leaf size=28

$$\text{Int} \left(\frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}}, x \right)$$

[Out] Unintegrable((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Defer[Int](((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Rubi steps

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx = \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Mathematica [A]

time = 0.86, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Maple [A]

time = 1.76, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{arcsec}(cx))}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x)
```

```
[Out] int((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x)
```

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((b*arcsec(c*x) + a)*(f*x)^m/(x^2*e + d)^(3/2), x)
```

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(x^2*e + d)*(b*arcsec(c*x) + a)*(f*x)^m/(x^4*e^2 + 2*d*x^2*e + d^2), x)
```

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)**m*(a+b*asec(c*x))/(e*x**2+d)**(3/2),x)
```

```
[Out] Timed out
```

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*(f*x)^m/(e*x^2 + d)^(3/2), x)
```

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(f x)^m (a + b \operatorname{acos}(\frac{1}{c x}))}{(e x^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f*x)^m*(a + b*acos(1/(c*x))))/(d + e*x^2)^(3/2), x)

[Out] int(((f*x)^m*(a + b*acos(1/(c*x))))/(d + e*x^2)^(3/2), x)

$$3.170 \quad \int \frac{x^{11}(a+b \sec^{-1}(cx))}{\sqrt{1-c^4 x^4}} dx$$

Optimal. Leaf size=401

$$\frac{4b\sqrt{1-c^2x^2}\sqrt{1+c^2x^2}}{15c^{13}\sqrt{1-\frac{1}{c^2x^2}}x} - \frac{7b\sqrt{1-c^2x^2}(1+c^2x^2)^{3/2}}{90c^{13}\sqrt{1-\frac{1}{c^2x^2}}x} + \frac{13b\sqrt{1-c^2x^2}(1+c^2x^2)^{5/2}}{150c^{13}\sqrt{1-\frac{1}{c^2x^2}}x} - \frac{3b\sqrt{1-c^2x^2}(1+c^2x^2)^{7/2}}{70c^{13}\sqrt{1-\frac{1}{c^2x^2}}x}$$

[Out] $\frac{1}{3}(-c^4x^4+1)^{3/2}(a+b \operatorname{arcsec}(cx))/c^{12}-\frac{1}{10}(-c^4x^4+1)^{5/2}(a+b \operatorname{arcsec}(cx))/c^{12}-\frac{7}{90}b(c^2x^2+1)^{3/2}(-c^2x^2+1)^{1/2}/c^{13}/x/(1-1/c^2/x^2)^{1/2}+\frac{13}{150}b(c^2x^2+1)^{5/2}(-c^2x^2+1)^{1/2}/c^{13}/x/(1-1/c^2/x^2)^{1/2}-\frac{3}{70}b(c^2x^2+1)^{7/2}(-c^2x^2+1)^{1/2}/c^{13}/x/(1-1/c^2/x^2)^{1/2}+\frac{1}{90}b(c^2x^2+1)^{9/2}(-c^2x^2+1)^{1/2}/c^{13}/x/(1-1/c^2/x^2)^{1/2}-\frac{4}{15}b \operatorname{arctanh}((c^2x^2+1)^{1/2})(-c^2x^2+1)^{1/2}/c^{13}/x/(1-1/c^2/x^2)^{1/2}+\frac{4}{15}b(-c^2x^2+1)^{1/2}(c^2x^2+1)^{1/2}/c^{13}/x/(1-1/c^2/x^2)^{1/2}-\frac{1}{2}(a+b \operatorname{arcsec}(cx))(-c^4x^4+1)^{1/2}/c^{12}$

Rubi [A]

time = 1.82, antiderivative size = 401, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 11, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.423$, Rules used = {272, 45, 5354, 12, 6853, 6874, 862, 52, 65, 214, 797}

$$\frac{(1-c^4x^4)^{3/2}(a+b \sec^{-1}(cx))}{10c^{12}} + \frac{(1-c^4x^4)^{5/2}(a+b \sec^{-1}(cx))}{3c^{12}} - \frac{\sqrt{1-c^2x^2}(a+b \sec^{-1}(cx))}{2c^{12}} + \frac{b\sqrt{1-c^2x^2}(c^2x^2+1)^{3/2}}{90c^{13}\sqrt{1-\frac{1}{c^2x^2}}} - \frac{3b\sqrt{1-c^2x^2}(c^2x^2+1)^{5/2}}{70c^{13}\sqrt{1-\frac{1}{c^2x^2}}} + \frac{13b\sqrt{1-c^2x^2}(c^2x^2+1)^{7/2}}{150c^{13}\sqrt{1-\frac{1}{c^2x^2}}} - \frac{7b\sqrt{1-c^2x^2}(c^2x^2+1)^{9/2}}{90c^{13}\sqrt{1-\frac{1}{c^2x^2}}} + \frac{4b\sqrt{1-c^2x^2}\sqrt{c^2x^2+1}}{15c^{13}\sqrt{1-\frac{1}{c^2x^2}}} - \frac{4b\sqrt{1-c^2x^2} \tanh^{-1}(\sqrt{c^2x^2+1})}{15c^{13}\sqrt{1-\frac{1}{c^2x^2}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^{11}(a + b \operatorname{ArcSec}[c x]))/\operatorname{Sqrt}[1 - c^4 x^4], x]$

[Out] $(4b \operatorname{Sqrt}[1 - c^2 x^2] \operatorname{Sqrt}[1 + c^2 x^2])/(15c^{13} \operatorname{Sqrt}[1 - 1/(c^2 x^2)]) * x - (7b \operatorname{Sqrt}[1 - c^2 x^2] * (1 + c^2 x^2)^{3/2})/(90c^{13} \operatorname{Sqrt}[1 - 1/(c^2 x^2)]) * x + (13b \operatorname{Sqrt}[1 - c^2 x^2] * (1 + c^2 x^2)^{5/2})/(150c^{13} \operatorname{Sqrt}[1 - 1/(c^2 x^2)]) * x - (3b \operatorname{Sqrt}[1 - c^2 x^2] * (1 + c^2 x^2)^{7/2})/(70c^{13} \operatorname{Sqrt}[1 - 1/(c^2 x^2)]) * x + (b \operatorname{Sqrt}[1 - c^2 x^2] * (1 + c^2 x^2)^{9/2})/(90c^{13} \operatorname{Sqrt}[1 - 1/(c^2 x^2)]) * x - (\operatorname{Sqrt}[1 - c^4 x^4] * (a + b \operatorname{ArcSec}[c x]))/(2c^{12}) + ((1 - c^4 x^4)^{3/2} * (a + b \operatorname{ArcSec}[c x]))/(3c^{12}) - ((1 - c^4 x^4)^{5/2} * (a + b \operatorname{ArcSec}[c x]))/(10c^{12}) - (4b \operatorname{Sqrt}[1 - c^2 x^2] * \operatorname{ArcTanh}[\operatorname{Sqrt}[1 + c^2 x^2]])/(15c^{13} \operatorname{Sqrt}[1 - 1/(c^2 x^2)]) * x$

Rule 12

$\operatorname{Int}[(a_*)*(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!Match} Q[u, (b_*)*(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 45


```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 52

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Simp[
(a + b*x)^(m + 1)*((c + d*x)^n/(b*(m + n + 1))), x] + Dist[n*((b*c - a*d)/(
b*(m + n + 1))), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 214

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 797

```
Int[((d_) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_
.), x_Symbol] := Int[(d + e*x)^(m + p)*(f + g*x)*(a/d + (c/e)*x)^p, x] /; F
reeQ[{a, c, d, e, f, g, m}, x] && EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] ||
(GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))
```

Rule 862

```
Int[((d_) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_) + (c_.)*(x_)^2
)^(p_.), x_Symbol] := Int[(d + e*x)^(m + p)*(f + g*x)^n*(a/d + (c/e)*x)^p,
x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
+ a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))
```

Rule 5354

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*(u_), x_Symbol] := With[{v = IntHide
[u, x]}, Dist[a + b*ArcSec[c*x], v, x] - Dist[b/c, Int[SimplifyIntegrand[v/
(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x], x] /; InverseFunctionFreeQ[v, x] /; F
reeQ[{a, b, c}, x]
```

Rule 6853

```
Int[(u_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[b^IntPart[p]*((
a + b*x^n)^FracPart[p]/(x^(n*FracPart[p])*(1 + a*(1/(x^n*b)))^FracPart[p]))
, Int[u*x^(n*p)*(1 + a*(1/(x^n*b)))^p, x], x] /; FreeQ[{a, b, p}, x] && !I
ntegerQ[p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6874

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^{11}(a + b \sec^{-1}(cx))}{\sqrt{1 - c^4 x^4}} dx &= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^5}{3c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^5}{3c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^5}{3c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^5}{3c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^5}{3c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^5}{3c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^5}{3c^{12}} \\
&= \frac{4b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{15c^{13} \sqrt{1 - \frac{1}{c^2 x^2}} x} - \frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} \\
&= \frac{4b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{15c^{13} \sqrt{1 - \frac{1}{c^2 x^2}} x} - \frac{7b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{3/2}}{90c^{13} \sqrt{1 - \frac{1}{c^2 x^2}} x} + \frac{13b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{3/2}}{150c^{13} \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= \frac{4b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{15c^{13} \sqrt{1 - \frac{1}{c^2 x^2}} x} - \frac{7b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{3/2}}{90c^{13} \sqrt{1 - \frac{1}{c^2 x^2}} x} + \frac{13b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{3/2}}{150c^{13} \sqrt{1 - \frac{1}{c^2 x^2}} x}
\end{aligned}$$

Mathematica [A]

time = 0.15, size = 194, normalized size = 0.48

$$\frac{-105a\sqrt{1-c^4x^4}(8+4c^4x^4+3c^8x^8) + bc\sqrt{1-\frac{1}{c^2x^2}}x\sqrt{1-c^4x^4}\frac{(768+36c^2x^2+78c^4x^4+5c^6x^6+35c^8x^8)}{-1+c^2x^2} - 105b\sqrt{1-c^4x^4}(8+4c^4x^4+3c^8x^8)\sec^{-1}(cx) + 840b\text{ArcTan}\left(\frac{c\sqrt{1-\frac{1}{c^2x^2}}x}{\sqrt{1-c^4x^4}}\right)}{3150c^{12}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^11*(a + b*ArcSec[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] (-105*a*Sqrt[1 - c^4*x^4]*(8 + 4*c^4*x^4 + 3*c^8*x^8) + (b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 - c^4*x^4]*(768 + 36*c^2*x^2 + 78*c^4*x^4 + 5*c^6*x^6 + 35*c^8*x^8)))/(-1 + c^2*x^2) - 105*b*Sqrt[1 - c^4*x^4]*(8 + 4*c^4*x^4 + 3*c^8*x^8)*ArcSec[c*x] + 840*b*ArcTan[(c*Sqrt[1 - 1/(c^2*x^2)]*x)/Sqrt[1 - c^4*x^4]]/(3150*c^12)

Maple [F]

time = 18.34, size = 0, normalized size = 0.00

$$\int \frac{x^{11}(a + b \operatorname{arcsec}(cx))}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^11*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x)**[Out]** int(x^11*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x)**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x, algorithm="maxima")

[Out] -1/30*a*(3*(-c^4*x^4 + 1)^(5/2)/c^12 - 10*(-c^4*x^4 + 1)^(3/2)/c^12 + 15*sqrt(-c^4*x^4 + 1)/c^12) - 1/30*(30*c^12*integrate((30*sqrt(c*x + 1)*c^10*x^11*log(c) + (3*c^8*x^9 + 4*c^6*x^7 + 3*(10*c^10*log(c) + c^10)*x^11 + 4*c^4*x^5 + 8*c^2*x^3 + 8*x)*e^(3/2*log(c*x + 1) + log(c*x - 1)) + 30*(c^10*x^11*e^(3/2*log(c*x + 1) + log(c*x - 1)) + sqrt(c*x + 1)*c^10*x^11*log(x)))/((c^10*e^(2*log(c*x + 1) + log(c*x - 1) + 1/2*log(-c*x + 1)) + c^10*e^(log(c*x + 1) + 1/2*log(-c*x + 1)))*sqrt(c^2*x^2 + 1)), x) + (3*c^8*x^8 + 4*c^4*x^4 + 8)*sqrt(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*b/c^12

Fricas [A]

time = 1.56, size = 238, normalized size = 0.59

$$\frac{(35bc^8x^8 + 5bc^6x^6 + 78bc^4x^4 + 36bc^2x^2 + 768b)\sqrt{-c^4x^4+1}\sqrt{c^2x^2-1} - 840(bc^2x^2 - b)\arctan\left(\frac{\sqrt{-c^4x^4+1}}{\sqrt{c^2x^2-1}}\right) - 105(3ac^{10}x^{10} - 3ac^8x^8 + 4ac^6x^6 - 4ac^4x^4 + 8ac^2x^2 + (3bc^{10}x^{10} - 3bc^8x^8 + 4bc^6x^6 - 4bc^4x^4 + 8bc^2x^2 - 8b)\operatorname{arcscc}(cx) - 8a)\sqrt{-c^4x^4+1}}{3150(c^4x^4 - c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^11*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")
[Out] 1/3150*((35*b*c^8*x^8 + 5*b*c^6*x^6 + 78*b*c^4*x^4 + 36*b*c^2*x^2 + 768*b)*
sqrt(-c^4*x^4 + 1)*sqrt(c^2*x^2 - 1) - 840*(b*c^2*x^2 - b)*arctan(sqrt(-c^4
*x^4 + 1)/sqrt(c^2*x^2 - 1)) - 105*(3*a*c^10*x^10 - 3*a*c^8*x^8 + 4*a*c^6*x
^6 - 4*a*c^4*x^4 + 8*a*c^2*x^2 + (3*b*c^10*x^10 - 3*b*c^8*x^8 + 4*b*c^6*x^6
- 4*b*c^4*x^4 + 8*b*c^2*x^2 - 8*b)*arcsec(c*x) - 8*a)*sqrt(-c^4*x^4 + 1))/
(c^14*x^2 - c^12)
```

Sympy [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: SystemError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**11*(a+b*asec(c*x))/(-c**4*x**4+1)**(1/2),x)
[Out] Exception raised: SystemError >> excessive stack use: stack is 4847 deep
```

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^11*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="giac")
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^{11} \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{\sqrt{1 - c^4 x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^11*(a + b*acos(1/(c*x))))/(1 - c^4*x^4)^(1/2),x)
[Out] int((x^11*(a + b*acos(1/(c*x))))/(1 - c^4*x^4)^(1/2), x)
```

$$3.171 \quad \int \frac{x^7(a+b \sec^{-1}(cx))}{\sqrt{1-c^4x^4}} dx$$

Optimal. Leaf size=268

$$\frac{b\sqrt{1-c^2x^2}\sqrt{1+c^2x^2}}{3c^9\sqrt{1-\frac{1}{c^2x^2}}x} - \frac{b\sqrt{1-c^2x^2}(1+c^2x^2)^{3/2}}{18c^9\sqrt{1-\frac{1}{c^2x^2}}x} + \frac{b\sqrt{1-c^2x^2}(1+c^2x^2)^{5/2}}{30c^9\sqrt{1-\frac{1}{c^2x^2}}x} - \frac{\sqrt{1-c^4x^4}(a+b \sec^{-1}(cx))}{2c^8}$$

[Out] $\frac{1}{6}(-c^4x^4+1)^{3/2}(a+b \operatorname{arcsec}(cx))/c^8 - \frac{1}{18}b(c^2x^2+1)^{3/2}(-c^2x^2+1)^{1/2}/c^9/x/(1-1/c^2/x^2)^{1/2} + \frac{1}{30}b(c^2x^2+1)^{5/2}(-c^2x^2+1)^{1/2}/c^9/x/(1-1/c^2/x^2)^{1/2} - \frac{1}{3}b \operatorname{arctanh}((c^2x^2+1)^{1/2})(-c^2x^2+1)^{1/2}/c^9/x/(1-1/c^2/x^2)^{1/2} + \frac{1}{3}b(-c^2x^2+1)^{1/2}(c^2x^2+1)^{1/2}/c^9/x/(1-1/c^2/x^2)^{1/2} - \frac{1}{2}(a+b \operatorname{arcsec}(cx))(-c^4x^4+1)^{1/2}/c^8$

Rubi [A]

time = 1.61, antiderivative size = 268, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.423$, Rules used = {272, 45, 5354, 12, 6853, 6874, 862, 52, 65, 214, 797}

$$\frac{(1-c^4x^4)^{3/2}(a+b \sec^{-1}(cx))}{6c^8} - \frac{\sqrt{1-c^4x^4}(a+b \sec^{-1}(cx))}{2c^8} + \frac{b\sqrt{1-c^2x^2}(c^2x^2+1)^{5/2}}{30c^9\sqrt{1-\frac{1}{c^2x^2}}} - \frac{b\sqrt{1-c^2x^2}(c^2x^2+1)^{3/2}}{18c^9\sqrt{1-\frac{1}{c^2x^2}}} + \frac{b\sqrt{1-c^2x^2}\sqrt{c^2x^2+1}}{3c^9x\sqrt{1-\frac{1}{c^2x^2}}} - \frac{b\sqrt{1-c^2x^2} \tanh^{-1}(\sqrt{c^2x^2+1})}{3c^9x\sqrt{1-\frac{1}{c^2x^2}}}$$

Antiderivative was successfully verified.

[In] Int[(x^7*(a + b*ArcSec[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] $(b\sqrt{1-c^2x^2}\sqrt{1+c^2x^2})/(3c^9\sqrt{1-1/(c^2x^2)}x) - (b\sqrt{1-c^2x^2}(1+c^2x^2)^{3/2})/(18c^9\sqrt{1-1/(c^2x^2)}x) + (b\sqrt{1-c^2x^2}(1+c^2x^2)^{5/2})/(30c^9\sqrt{1-1/(c^2x^2)}x) - (\sqrt{1-c^4x^4}(a+b \operatorname{ArcSec}[c*x]))/(2c^8) + ((1-c^4x^4)^{3/2}(a+b \operatorname{ArcSec}[c*x]))/(6c^8) - (b\sqrt{1-c^2x^2}\operatorname{ArcTanh}[\sqrt{1+c^2x^2}])/(3c^9\sqrt{1-1/(c^2x^2)}x)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 45

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 52

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
(a + b*x)^(m + 1)*((c + d*x)^n/(b*(m + n + 1))), x] + Dist[n*((b*c - a*d)/(
b*(m + n + 1))), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 214

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 797

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_
.), x_Symbol] := Int[(d + e*x)^(m + p)*(f + g*x)*(a/d + (c/e)*x)^p, x] /; F
reeQ[{a, c, d, e, f, g, m}, x] && EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] ||
(GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))
```

Rule 862

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_.), x_Symbol] := Int[(d + e*x)^(m + p)*(f + g*x)^n*(a/d + (c/e)*x)^p,
x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
+ a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))
```

Rule 5354

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*(u_), x_Symbol] := With[{v = IntHide
[u, x]}, Dist[a + b*ArcSec[c*x], v, x] - Dist[b/c, Int[SimplifyIntegrand[v/
(x^2*sqrt[1 - 1/(c^2*x^2)]), x], x], x] /; InverseFunctionFreeQ[v, x]] /; F
```

FreeQ[{a, b, c}, x]

Rule 6853

```
Int[(u_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[b^IntPart[p]*((
a + b*x^n)^FracPart[p]/(x^(n*FracPart[p])*(1 + a*(1/(x^n*b)))^FracPart[p]))
, Int[u*x^(n*p)*(1 + a*(1/(x^n*b)))^p, x], x] /; FreeQ[{a, b, p}, x] && !I
ntegerQ[p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6874

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7(a + b \sec^{-1}(cx))}{\sqrt{1 - c^4x^4}} dx &= -\frac{\sqrt{1 - c^4x^4}(a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \sec^{-1}(cx))}{6c^8} - \frac{b \int \frac{(-2 - c^4x^4)}{6c^8 \sqrt{1 - c^4x^4}} dx}{\sqrt{1 - c^4x^4}} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \sec^{-1}(cx))}{6c^8} - \frac{b \int \frac{(-2 - c^4x^4)}{\sqrt{1 - c^4x^4}} dx}{\sqrt{1 - c^4x^4}} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \sec^{-1}(cx))}{6c^8} - \frac{(b\sqrt{1 - c^2x^2})}{\sqrt{1 - c^4x^4}} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \sec^{-1}(cx))}{6c^8} + \frac{(b\sqrt{1 - c^2x^2})}{\sqrt{1 - c^4x^4}} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \sec^{-1}(cx))}{6c^8} + \frac{(b\sqrt{1 - c^2x^2})}{\sqrt{1 - c^4x^4}} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \sec^{-1}(cx))}{6c^8} + \frac{(b\sqrt{1 - c^2x^2})}{\sqrt{1 - c^4x^4}} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \sec^{-1}(cx))}{6c^8} + \frac{(b\sqrt{1 - c^2x^2})}{\sqrt{1 - c^4x^4}} \\
&= \frac{b\sqrt{1 - c^2x^2} \sqrt{1 + c^2x^2}}{3c^9 \sqrt{1 - \frac{1}{c^2x^2}} x} - \frac{\sqrt{1 - c^4x^4}(a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \sec^{-1}(cx))}{6c^8} \\
&= \frac{b\sqrt{1 - c^2x^2} \sqrt{1 + c^2x^2}}{3c^9 \sqrt{1 - \frac{1}{c^2x^2}} x} - \frac{b\sqrt{1 - c^2x^2} (1 + c^2x^2)^{3/2}}{18c^9 \sqrt{1 - \frac{1}{c^2x^2}} x} + \frac{b\sqrt{1 - c^2x^2} (1 + c^2x^2)}{30c^9 \sqrt{1 - \frac{1}{c^2x^2}} x} \\
&= \frac{b\sqrt{1 - c^2x^2} \sqrt{1 + c^2x^2}}{3c^9 \sqrt{1 - \frac{1}{c^2x^2}} x} - \frac{b\sqrt{1 - c^2x^2} (1 + c^2x^2)^{3/2}}{18c^9 \sqrt{1 - \frac{1}{c^2x^2}} x} + \frac{b\sqrt{1 - c^2x^2} (1 + c^2x^2)}{30c^9 \sqrt{1 - \frac{1}{c^2x^2}} x}
\end{aligned}$$

Mathematica [A]

time = 0.20, size = 159, normalized size = 0.59

$$\frac{-15a\sqrt{1-c^4x^4}(2+c^4x^4) + \frac{bc\sqrt{1-\frac{1}{c^2x^2}}x\sqrt{1-c^4x^4}(28+c^2x^2+3c^4x^4)}{-1+c^2x^2} - 15b\sqrt{1-c^4x^4}(2+c^4x^4)\sec^{-1}(cx) + 30b\text{ArcTan}\left(\frac{c\sqrt{1-\frac{1}{c^2x^2}}x}{\sqrt{1-c^4x^4}}\right)}{90c^8}$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(a + b*ArcSec[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] (-15*a*Sqrt[1 - c^4*x^4]*(2 + c^4*x^4) + (b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 - c^4*x^4]*(28 + c^2*x^2 + 3*c^4*x^4))/(-1 + c^2*x^2) - 15*b*Sqrt[1 - c^4*x^4]*(2 + c^4*x^4)*ArcSec[c*x] + 30*b*ArcTan[(c*Sqrt[1 - 1/(c^2*x^2)]*x)/Sqrt[1 - c^4*x^4]])/(90*c^8)

Maple [F]

time = 10.49, size = 0, normalized size = 0.00

$$\int \frac{x^7(a + b \operatorname{arcsec}(cx))}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x)**[Out]** int(x^7*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x)**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x, algorithm="maxima")

[Out] 1/6*a*((-c^4*x^4 + 1)^(3/2)/c^8 - 3*sqrt(-c^4*x^4 + 1)/c^8) - 1/6*(6*sqrt(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*c^8*integrate((6*sqrt(c*x + 1)*c^6*x^7*log(c) + (c^4*x^5 + (6*c^6*log(c) + c^6)*x^7 + 2*c^2*x^3 + 2*x)*e^(3/2*log(c*x + 1) + log(c*x - 1)) + 6*(c^6*x^7*e^(3/2*log(c*x + 1) + log(c*x - 1)) + sqrt(c*x + 1)*c^6*x^7*log(x))/((c^6*e^(2*log(c*x + 1) + log(c*x - 1)) + 1/2*log(-c*x + 1)) + c^6*e^(log(c*x + 1) + 1/2*log(-c*x + 1)))*sqrt(c^2*x^2 + 1)), x) - (c^8*x^8 + c^4*x^4 - 2)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*b/(sqrt(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*c^8)

Fricas [A]

time = 1.03, size = 181, normalized size = 0.68

$$\frac{(3bc^4x^4 + bc^2x^2 + 28b)\sqrt{-c^4x^4 + 1}\sqrt{c^2x^2 - 1} - 30(bc^2x^2 - b)\arctan\left(\frac{\sqrt{-c^4x^4 + 1}}{\sqrt{c^2x^2 - 1}}\right) - 15(ac^6x^6 - ac^4x^4 + 2ac^2x^2 + (bc^6x^6 - bc^4x^4 + 2bc^2x^2 - 2b)\operatorname{arcsec}(cx) - 2a)\sqrt{-c^4x^4 + 1}}{90(c^{10}x^2 - c^8)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^7*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")
[Out] 1/90*((3*b*c^4*x^4 + b*c^2*x^2 + 28*b)*sqrt(-c^4*x^4 + 1)*sqrt(c^2*x^2 - 1)
- 30*(b*c^2*x^2 - b)*arctan(sqrt(-c^4*x^4 + 1)/sqrt(c^2*x^2 - 1)) - 15*(a*
c^6*x^6 - a*c^4*x^4 + 2*a*c^2*x^2 + (b*c^6*x^6 - b*c^4*x^4 + 2*b*c^2*x^2 -
2*b)*arcsec(c*x) - 2*a)*sqrt(-c^4*x^4 + 1))/(c^10*x^2 - c^8)
```

Sympy [F(-1)] Timed out
time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**7*(a+b*asec(c*x))/(-c**4*x**4+1)**(1/2),x)
[Out] Timed out
```

Giac [F(-2)]
time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^7*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="giac")
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F]
time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^7 (a + b \operatorname{acos}(\frac{1}{cx}))}{\sqrt{1 - c^4 x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^7*(a + b*acos(1/(c*x))))/(1 - c^4*x^4)^(1/2),x)
[Out] int((x^7*(a + b*acos(1/(c*x))))/(1 - c^4*x^4)^(1/2), x)
```

$$3.172 \quad \int \frac{x^3(a+b \sec^{-1}(cx))}{\sqrt{1-c^4x^4}} dx$$

Optimal. Leaf size=126

$$\frac{bx\sqrt{1-c^4x^4}}{2c^3\sqrt{c^2x^2}\sqrt{-1+c^2x^2}} - \frac{\sqrt{1-c^4x^4}(a+b \sec^{-1}(cx))}{2c^4} - \frac{bx \operatorname{ArcTan}\left(\frac{\sqrt{1-c^4x^4}}{\sqrt{-1+c^2x^2}}\right)}{2c^3\sqrt{c^2x^2}}$$

[Out] $-1/2*b*x*\arctan((-c^4*x^4+1)^{(1/2)}/(c^2*x^2-1)^{(1/2)})/c^3/(c^2*x^2)^{(1/2)}-1/2*(a+b*\operatorname{arcsec}(c*x))*(-c^4*x^4+1)^{(1/2)}/c^4+1/2*b*x*(-c^4*x^4+1)^{(1/2)}/c^3/(c^2*x^2)^{(1/2)}/(c^2*x^2-1)^{(1/2)}$

Rubi [A]

time = 0.14, antiderivative size = 135, normalized size of antiderivative = 1.07, number of steps used = 8, number of rules used = 9, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$, Rules used = {267, 5354, 12, 1586, 1266, 862, 52, 65, 214}

$$-\frac{\sqrt{1-c^4x^4}(a+b \sec^{-1}(cx))}{2c^4} + \frac{b\sqrt{1-c^2x^2}\sqrt{c^2x^2+1}}{2c^5x\sqrt{1-\frac{1}{c^2x^2}}} - \frac{b\sqrt{1-c^2x^2}\tanh^{-1}\left(\sqrt{c^2x^2+1}\right)}{2c^5x\sqrt{1-\frac{1}{c^2x^2}}}$$

Antiderivative was successfully verified.

[In] `Int[(x^3*(a + b*ArcSec[c*x]))/Sqrt[1 - c^4*x^4], x]`

[Out] $(b*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[1 + c^2*x^2])/(2*c^5*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x) - (\operatorname{Sqrt}[1 - c^4*x^4]*(a + b*\operatorname{ArcSec}[c*x]))/(2*c^4) - (b*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{ArcTan}[\operatorname{Sqrt}[1 + c^2*x^2]])/(2*c^5*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 52

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(a + b*x)^(m + 1)*((c + d*x)^n/(b*(m + n + 1))), x] + Dist[n*((b*c - a*d)/(b*(m + n + 1))), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 65

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +`

$d*(x^{p/b})^n, x, (a + b*x)^{1/p}, x] /; \text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 214

$\text{Int}[(a + (b*x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-a/b, 2]/a)*\text{ArcTanh}[x/\text{Rt}[-a/b, 2]], x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{NegQ}[a/b]$

Rule 267

$\text{Int}[x^{m_1}*(a + (b*x)^{n_1})^{p_1}, x_Symbol] \rightarrow \text{Simp}[(a + b*x^n)^{p+1}/(b*n*(p+1)), x] /; \text{FreeQ}\{a, b, m, n, p, x\} \ \&\& \ \text{EqQ}[m, n-1] \ \&\& \ \text{NeQ}[p, -1]$

Rule 862

$\text{Int}[(d + (e*x)^m)*((f + (g*x)^n)*(a + (c*x)^2)^{p_1}), x_Symbol] \rightarrow \text{Int}[(d + e*x)^{m+p}*(f + g*x)^n*(a/d + (c/e)*x)^p, x] /; \text{FreeQ}\{a, c, d, e, f, g, m, n, x\} \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{EqQ}[c*d^2 + a*e^2, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ (\text{GtQ}[a, 0] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{EqQ}[m+p, 0]))$

Rule 1266

$\text{Int}[x^{m_1}*((d + (e*x)^2)^{q_1}*(a + (c*x)^4)^{p_1}), x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m-1)/2}*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}\{a, c, d, e, p, q, x\} \ \&\& \ \text{IntegerQ}[(m+1)/2]$

Rule 1586

$\text{Int}[x^{m_1}*((d + (e*x)^{mn_1})^{q_1}*(a + (c*x)^{n2_1})^{p_1}), x_Symbol] \rightarrow \text{Dist}[(e^{\text{IntPart}[q]}*(d + e*x^{mn})^{\text{FracPart}[q]}/(1 + d*(1/(x^{mn*e}))^{\text{FracPart}[q]}))/x^{mn*\text{FracPart}[q]}, \text{Int}[x^{m+mn*q}*(1 + d*(1/(x^{mn*e}))^q*(a + c*x^{n2})^p, x], x] /; \text{FreeQ}\{a, c, d, e, m, mn, p, q, x\} \ \&\& \ \text{EqQ}[n2, -2*mn] \ \&\& \ !\text{IntegerQ}[p] \ \&\& \ !\text{IntegerQ}[q] \ \&\& \ \text{PosQ}[n2]$

Rule 5354

$\text{Int}[(a + \text{ArcSec}[c*x])*(b*x), x_Symbol] \rightarrow \text{With}\{v = \text{IntHide}[u, x]\}, \text{Dist}[a + b*\text{ArcSec}[c*x], v, x] - \text{Dist}[b/c, \text{Int}[\text{SimplifyIntegrand}[v/(x^2*\text{Sqrt}[1 - 1/(c^2*x^2)]), x], x], x] /; \text{InverseFunctionFreeQ}[v, x] /; \text{FreeQ}\{a, b, c, x\}$

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b \sec^{-1}(cx))}{\sqrt{1 - c^4x^4}} dx &= -\frac{\sqrt{1 - c^4x^4} (a + b \sec^{-1}(cx))}{2c^4} - \frac{b \int -\frac{\sqrt{1 - c^4x^4}}{2c^4 \sqrt{1 - \frac{1}{c^2x^2}} x^2} dx}{c} \\
&= -\frac{\sqrt{1 - c^4x^4} (a + b \sec^{-1}(cx))}{2c^4} + \frac{b \int \frac{\sqrt{1 - c^4x^4}}{\sqrt{1 - \frac{1}{c^2x^2}} x^2} dx}{2c^5} \\
&= -\frac{\sqrt{1 - c^4x^4} (a + b \sec^{-1}(cx))}{2c^4} + \frac{(b\sqrt{1 - c^2x^2}) \int \frac{\sqrt{1 - c^4x^4}}{x\sqrt{1 - c^2x^2}} dx}{2c^5 \sqrt{1 - \frac{1}{c^2x^2}} x} \\
&= -\frac{\sqrt{1 - c^4x^4} (a + b \sec^{-1}(cx))}{2c^4} + \frac{(b\sqrt{1 - c^2x^2}) \text{Subst}\left(\int \frac{\sqrt{1 - c^4x^2}}{x\sqrt{1 - c^2x}} dx, x, x^2\right)}{4c^5 \sqrt{1 - \frac{1}{c^2x^2}} x} \\
&= -\frac{\sqrt{1 - c^4x^4} (a + b \sec^{-1}(cx))}{2c^4} + \frac{(b\sqrt{1 - c^2x^2}) \text{Subst}\left(\int \frac{\sqrt{1 + c^2x}}{x} dx, x, x^2\right)}{4c^5 \sqrt{1 - \frac{1}{c^2x^2}} x} \\
&= \frac{b\sqrt{1 - c^2x^2} \sqrt{1 + c^2x^2}}{2c^5 \sqrt{1 - \frac{1}{c^2x^2}} x} - \frac{\sqrt{1 - c^4x^4} (a + b \sec^{-1}(cx))}{2c^4} + \frac{(b\sqrt{1 - c^2x^2}) \text{Subst}\left(\int \frac{1}{x} dx, x, x^2\right)}{4c^5 \sqrt{1 - \frac{1}{c^2x^2}} x} \\
&= \frac{b\sqrt{1 - c^2x^2} \sqrt{1 + c^2x^2}}{2c^5 \sqrt{1 - \frac{1}{c^2x^2}} x} - \frac{\sqrt{1 - c^4x^4} (a + b \sec^{-1}(cx))}{2c^4} + \frac{(b\sqrt{1 - c^2x^2}) \text{Subst}\left(\int \frac{1}{x} dx, x, x^2\right)}{2c^7} \\
&= \frac{b\sqrt{1 - c^2x^2} \sqrt{1 + c^2x^2}}{2c^5 \sqrt{1 - \frac{1}{c^2x^2}} x} - \frac{\sqrt{1 - c^4x^4} (a + b \sec^{-1}(cx))}{2c^4} - \frac{b\sqrt{1 - c^2x^2} \tanh^{-1}\left(\frac{1}{c^2x}\right)}{2c^5 \sqrt{1 - \frac{1}{c^2x^2}} x}
\end{aligned}$$

Mathematica [A]

time = 0.14, size = 118, normalized size = 0.94

$$\frac{\left(a+bc\sqrt{1-\frac{1}{c^2x^2}} \right) \sqrt{1-c^4x^4}}{-1+c^2x^2} - b\sqrt{1-c^4x^4} \sec^{-1}(cx) + b\text{ArcTan}\left(\frac{c\sqrt{1-\frac{1}{c^2x^2}}}{\sqrt{1-c^4x^4}}\right)}{2c^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*ArcSec[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] (((a + b*c*Sqrt[1 - 1/(c^2*x^2)]*x - a*c^2*x^2)*Sqrt[1 - c^4*x^4])/(-1 + c^2*x^2) - b*Sqrt[1 - c^4*x^4]*ArcSec[c*x] + b*ArcTan[(c*Sqrt[1 - 1/(c^2*x^2)]*x)/Sqrt[1 - c^4*x^4]])/(2*c^4)

Maple [F]

time = 3.41, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{arcsec}(cx))}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x)

[Out] int(x^3*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x, algorithm="maxima")

[Out] -1/2*(2*c^4*integrate((2*sqrt(c*x + 1)*c^2*x^3*log(c) + ((2*c^2*log(c) + c^2)*x^3 + x)*e^(3/2*log(c*x + 1) + log(c*x - 1)) + 2*(c^2*x^3*e^(3/2*log(c*x + 1) + log(c*x - 1)) + sqrt(c*x + 1)*c^2*x^3*log(x))/(sqrt(c^2*x^2 + 1)*(c^2*e^(2*log(c*x + 1) + log(c*x - 1) + 1/2*log(-c*x + 1)) + c^2*e^(log(c*x + 1) + 1/2*log(-c*x + 1))))), x) + sqrt(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)))*b/c^4 - 1/2*sqrt(-c^4*x^4 + 1)*a/c^4

Fricas [A]

time = 1.35, size = 125, normalized size = 0.99

$$\frac{\sqrt{-c^4x^4+1} \sqrt{c^2x^2-1} b - (bc^2x^2 - b) \arctan\left(\frac{\sqrt{-c^4x^4+1}}{\sqrt{c^2x^2-1}}\right) - \sqrt{-c^4x^4+1} (ac^2x^2 + (bc^2x^2 - b) \operatorname{arcsec}(cx) - a)}{2(c^6x^2 - c^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")

[Out] 1/2*(sqrt(-c^4*x^4 + 1)*sqrt(c^2*x^2 - 1)*b - (b*c^2*x^2 - b)*arctan(sqrt(-c^4*x^4 + 1)/sqrt(c^2*x^2 - 1)) - sqrt(-c^4*x^4 + 1)*(a*c^2*x^2 + (b*c^2*x^2 - b)*arcsec(c*x) - a))/(c^6*x^2 - c^4)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{asec}(cx))}{\sqrt{-(cx - 1)(cx + 1)(c^2x^2 + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asec(c*x))/(-c**4*x**4+1)**(1/2),x)

[Out] Integral(x**3*(a + b*asec(c*x))/sqrt(-(c*x - 1)*(c*x + 1)*(c**2*x**2 + 1)), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^3/sqrt(-c^4*x^4 + 1), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 \left(a + b \operatorname{acos}\left(\frac{1}{cx}\right) \right)}{\sqrt{1 - c^4 x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(a + b*acos(1/(c*x))))/(1 - c^4*x^4)^(1/2),x)

[Out] int((x^3*(a + b*acos(1/(c*x))))/(1 - c^4*x^4)^(1/2), x)

$$3.173 \quad \int \frac{a+b \sec^{-1}(cx)}{x \sqrt{1-c^4 x^4}} dx$$

Optimal. Leaf size=29

$$\text{Int}\left(\frac{a+b \sec^{-1}(cx)}{x \sqrt{1-c^4 x^4}}, x\right)$$

[Out] Unintegrable((a+b*arcsec(c*x))/x/(-c^4*x^4+1)^(1/2), x)

Rubi [A]

time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a+b \sec^{-1}(cx)}{x \sqrt{1-c^4 x^4}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x*Sqrt[1 - c^4*x^4]), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x*Sqrt[1 - c^4*x^4]), x]

Rubi steps

$$\int \frac{a+b \sec^{-1}(cx)}{x \sqrt{1-c^4 x^4}} dx = \int \frac{a+b \sec^{-1}(cx)}{x \sqrt{1-c^4 x^4}} dx$$

Mathematica [A]

time = 0.27, size = 0, normalized size = 0.00

$$\int \frac{a+b \sec^{-1}(cx)}{x \sqrt{1-c^4 x^4}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x*Sqrt[1 - c^4*x^4]), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x*Sqrt[1 - c^4*x^4]), x]

Maple [A]

time = 3.51, size = 0, normalized size = 0.00

$$\int \frac{a+b \operatorname{arcsec}(cx)}{x \sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x/(-c^4*x^4+1)^(1/2),x)`

[Out] `int((a+b*arcsec(c*x))/x/(-c^4*x^4+1)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(-c^4*x^4+1)^(1/2),x, algorithm="maxima")`

[Out] `-1/4*a*(log(sqrt(-c^4*x^4 + 1) + 1) - log(sqrt(-c^4*x^4 + 1) - 1)) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(sqrt(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*x), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-c^4*x^4 + 1)*(b*arcsec(c*x) + a)/(c^4*x^5 - x), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{x \sqrt{-(cx-1)(cx+1)(c^2x^2+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/x/(-c**4*x**4+1)**(1/2),x)`

[Out] `Integral((a + b*asec(c*x))/(x*sqrt(-(c*x - 1)*(c*x + 1)*(c**2*x**2 + 1))), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(-c^4*x^4+1)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)/(sqrt(-c^4*x^4 + 1)*x), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{a + b \operatorname{acos}\left(\frac{1}{cx}\right)}{x \sqrt{1 - c^4 x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(1/(c*x)))/(x*(1 - c^4*x^4)^(1/2)),x)
```

```
[Out] int((a + b*acos(1/(c*x)))/(x*(1 - c^4*x^4)^(1/2)), x)
```

$$3.174 \quad \int \frac{a+b \sec^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}} dx$$

Optimal. Leaf size=29

$$\text{Int}\left(\frac{a+b \sec^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}}, x\right)$$

[Out] Unintegrable((a+b*arcsec(c*x))/x^5/(-c^4*x^4+1)^(1/2), x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a+b \sec^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

Rubi steps

$$\int \frac{a+b \sec^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}} dx = \int \frac{a+b \sec^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}} dx$$

Mathematica [A]

time = 4.56, size = 0, normalized size = 0.00

$$\int \frac{a+b \sec^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

Maple [A]

time = 3.12, size = 0, normalized size = 0.00

$$\int \frac{a+b \operatorname{arcsec}(cx)}{x^5 \sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^5/(-c^4*x^4+1)^(1/2),x)`

[Out] `int((a+b*arcsec(c*x))/x^5/(-c^4*x^4+1)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^5/(-c^4*x^4+1)^(1/2),x, algorithm="maxima")`

[Out] `-1/8*(c^4*log(sqrt(-c^4*x^4 + 1) + 1) - c^4*log(sqrt(-c^4*x^4 + 1) - 1) + 2*sqrt(-c^4*x^4 + 1)/x^4)*a + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(sqrt(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*x^5), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^5/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-c^4*x^4 + 1)*(b*arcsec(c*x) + a)/(c^4*x^9 - x^5), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asec}(cx)}{x^5 \sqrt{-(cx - 1)(cx + 1)(c^2x^2 + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/x**5/(-c**4*x**4+1)**(1/2),x)`

[Out] `Integral((a + b*asec(c*x))/(x**5*sqrt(-(c*x - 1)*(c*x + 1)*(c**2*x**2 + 1))), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^5/(-c^4*x^4+1)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)/(sqrt(-c^4*x^4 + 1)*x^5), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{a + b \arccos\left(\frac{1}{cx}\right)}{x^5 \sqrt{1 - c^4 x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(1/(c*x)))/(x^5*(1 - c^4*x^4)^(1/2)),x)

[Out] int((a + b*acos(1/(c*x)))/(x^5*(1 - c^4*x^4)^(1/2)), x)

Chapter 4

Appendix

Local contents

| | | |
|-----|--|-----|
| 4.1 | Download section | 948 |
| 4.2 | Listing of Grading functions | 948 |

4.1 Download section

The following zip files contain the raw integrals used in this test.

Mathematica format Mathematica_syntax.zip

Maple and Mupad format Maple_syntax.zip

Sympy format SYMPY_syntax.zip

Sage math format SAGE_syntax.zip

4.2 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.2.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*           Small rewrite of logic in main function to make it*)
(*           match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*           GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*           is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*           antiderivative*)
(* "A" if result can be considered optimal*)
```



```

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafC
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A","none"}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
        ]
        ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
      ,(*ELSE*)(*result does not contains complex*)
      If[leafCountResult<=2*leafCountOptimal,
        finalresult={"A","none"}
        ,(*ELSE*)
        finalresult={"B","Leaf count is larger than twice the leaf count of optimal. $
      ]
    ]
    ,(*ELSE*)(*expnResult>expnOptimal*)
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      finalresult={"C","Result contains higher order function than in optimal. Order "<
    ,
    finalresult={"F","Contains unresolved integral."}
  ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)

```

(*9 = unknown function*)

```

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType, expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]], 2]],
      Max[ExpnType[expn[[1]], ExpnType[expn[[2]], 3]],
    If[Head[expn]===Plus || Head[expn]===Times,
      Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3, ExpnType[expn[[1]]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
    If[HypergeometricFunctionQ[Head[expn]],
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
    If[AppellFunctionQ[Head[expn]],
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
    If[Head[expn]===RootSum,
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
    If[Head[expn]===Integrate || Head[expn]===Int,
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
    9]]]]]]]]]]

```

```

ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

```

```

SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,

```

```

ExpIntegralE, ExpIntegralEi, LogIntegral,
SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
Gamma, LogGamma, PolyGamma,
Zeta, PolyLog, ProductLog,
EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
  MemberQ[{AppellF1},func]

```

4.2.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems
#Nasser 4/07/2022 add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);
#do NOT call ExpnType() if leaf size is too large. Recursion problem
if leaf_count_result > 500000 then
      return "B","result has leaf size over 500,000. Avoiding possible recursion issues";
fi;

      leaf_count_optimal := leafcount(optimal);
      ExpnType_result := ExpnType(result);
      ExpnType_optimal := ExpnType(optimal);

```

```

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#   is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
#   antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A","";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of r
                    convert(leaf_count_result,string)," vs. $2 (" ,
                    convert(leaf_count_optimal,string)," ) = ",convert(2*leaf_co

        end if
    else #result contains complex but optimal is not
        if debug then
            print("result contains complex but optimal is not");
        fi;
        return "C","Result contains complex when optimal does not.";
    fi;
else # result do not contain complex

```

```

    # this assumes optimal do not as well. No check is needed here.
    if debug then
        print("result do not contain complex, this assumes optimal do not as well")
    fi;
    if leaf_count_result<=2*leaf_count_optimal then
        if debug then
            print("leaf_count_result<=2*leaf_count_optimal");
        fi;
        return "A","";
    else
        if debug then
            print("leaf_count_result>2*leaf_count_optimal");
        fi;
        return "B",cat("Leaf count of result is larger than twice the leaf count of o
                        convert(leaf_count_result,string)," $ vs. $2(",
                        convert(leaf_count_optimal,string),")=",convert(2*leaf_cou

    fi;
    fi;
else #ExpnType(result) > ExpnType(optimal)
    if debug then
        print("ExpnType(result) > ExpnType(optimal)");
    fi;
    return "C",cat("Result contains higher order function than in optimal. Order ",
                  convert(ExpnType_result,string)," vs. order ",
                  convert(ExpnType_optimal,string),".");
fi;

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function

```

```

# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+`) or type(expn,'*`) then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9
  end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,

```

```

    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product.  rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```

4.2.3 Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
                    asinh,acosh,atanh,acoth,asech,acsch
                    ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
                    fresnelc,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
                    gamma,loggamma,digamma,zeta,polylog,LambertW,
                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
                    ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False
    
```



```

except AttributeError as error:
    return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnT
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+') or type(expn,'*')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:

```

```

    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print ("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""
    else:
        if expnType_result <= expnType_optimal:
            if result.has(I):
                if optimal.has(I): #both result and optimal complex
                    if leaf_count_result <= 2*leaf_count_optimal:
                        grade = "A"
                        grade_annotation = ""
                    else:
                        grade = "B"
                        grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
                else: #result contains complex but optimal is not
                    grade = "C"
                    grade_annotation = "Result contains complex when optimal does not."
            else: # result do not contain complex, this assumes optimal do not as well
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result)
            else:
                grade = "C"
                grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType_result)

```

```

# print("Before returning. grade=", grade, " grade_annotation=", grade_annotation)

return grade, grade_annotation

```

4.2.4 SageMath grading function

```

# Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fracas, Giac and Maxima results.
# Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
# June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
# July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    # print("Enter tree_size, expr is ", expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: # isinstance(expr, Pow):
        if expr.operands()[1] == 1/2: # expr.args[1] == Rational(1,2):
            if debug: print("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

```

```

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func , " is special_function")
        else:
            print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

```

```

def is_atom(expn):

    #debug=False
    if debug:
        print ("Enter is_atom, expn=",expn)

    if not hasattr(expn, 'parent'):
        return False

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
            if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)

```

```

    return 1
  else:
    return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
  else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn.op
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or instan
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    if debug:
        print ("Enter grade_antiderivative for sagemath")
        print("Enter grade_antiderivative, result=",result)
        print("Enter grade_antiderivative, optimal=",optimal)
        print("type(anti)=",type(result))
        print("type(optimal)=",type(optimal))

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    #if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

```

```

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger t
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_
else:
    grade = "C"
    grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_resu

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```