

Computer algebra independent integration tests

Summer 2022 edition

6-Hyperbolic-functions/6.4-Hyperbolic-cotangent/176-6.4.7-d-
hyper- m -a+b-c-coth- n - p

Nasser M. Abbasi

September 27, 2022

Compiled on September 27, 2022 at 6:35am

Contents

1	Introduction	3
2	detailed summary tables of results	19
3	Listing of integrals	37
4	Appendix	323

Chapter 1

Introduction

Local contents

1.1	Listing of CAS systems tested	4
1.2	Results	5
1.3	Time and leaf size Performance	9
1.4	list of integrals that has no closed form antiderivative	11
1.5	List of integrals solved by CAS but has no known antiderivative	12
1.6	list of integrals solved by CAS but failed verification	13
1.7	Timing	13
1.8	Verification	14
1.9	Important notes about some of the results	14
1.10	Design of the test system	17

This report gives the result of running the computer algebra independent integration test. The download section in the appendix contains links to download the problems in plain text format used for all CAS systems.

The number of integrals in this report is [53]. This is test number [176].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 13.1 (June 29, 2022) on windows 10.
2. Rubi 4.16.1 (Dec 19, 2018) on Mathematica 13.0.1 on windows 10.
3. Maple 2022.1 (June 1, 2022) on windows 10.
4. Maxima 5.46 (April 13, 2022) using Lisp SBCL 2.1.11.debian on Linux via sagemath 9.6.
5. Fricas 1.3.8 (June 21, 2022) based on sbcl 2.1.11.debian on Linux via sagemath 9.6.
6. Giac/Xcas 1.9.0-13 (July 3, 2022) on Linux via sagemath 9.6.
7. Sympy 1.10.1 (March 20, 2022) Using Python 3.10.4 on Linux.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly from Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or `Hypergeometric2F1` functions. `RootSum` and `RootOf` are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (53)	0.00 (0)
Mathematica	100.00 (53)	0.00 (0)
Fricas	94.34 (50)	5.66 (3)
Maple	81.13 (43)	18.87 (10)
Mupad	60.38 (32)	39.62 (21)
Giac	50.94 (27)	49.06 (26)
Maxima	30.19 (16)	69.81 (37)
Sympy	13.21 (7)	86.79 (46)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	67.92	13.21	18.87	0.00
Maple	28.30	49.06	3.77	18.87
Giac	7.55	32.08	11.32	49.06
Maxima	7.55	16.98	5.66	69.81
Fricas	3.77	84.91	5.66	5.66
Sympy	1.89	11.32	0.00	86.79
Mupad	N/A	60.38	0.00	39.62

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and

Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	10	100.00 %	0.00 %	0.00 %
Fricas	3	100.00 %	0.00 %	0.00 %
Giac	26	15.38 %	0.00 %	84.62 %
Maxima	37	100.00 %	0.00 %	0.00 %
Sympy	46	91.30 %	8.70 %	0.00 %
Mupad	21	100.00 %	0.00 %	0.00 %

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.



Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.07	63.92	1.00	56.00	1.00
Mathematica	0.57	108.89	1.64	65.00	1.09
Maple	0.85	209.30	3.27	156.00	3.13
Maxima	0.47	209.25	2.63	64.50	2.18
Fricas	0.51	3506.46	42.84	2289.00	43.39
Sympy	5.39	315.43	4.22	253.00	4.75
Giac	0.54	204.37	3.53	124.00	2.88
Mupad	1.78	212.38	2.02	44.00	1.00

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used from the above table.



1.4 list of integrals that has no closed form antiderivative

{

1.5 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {37, 42, 44, 47}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each `integrate` call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the `integrate` command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for `Rubi` and `Mathematica`.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
```

```
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand,the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified.

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,..}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Chapter 2

detailed summary tables of results

Local contents

2.1	List of integrals sorted by grade for each CAS	20
2.2	Detailed conclusion table per each integral for all CAS systems	23
2.3	Detailed conclusion table specific for Rubi results	34

2.1 List of integrals sorted by grade for each CAS

Local contents

2.1.1	Rubi	21
2.1.2	Mathematica	21
2.1.3	Maple	21
2.1.4	Maxima	21
2.1.5	FriCAS	22
2.1.6	Sympy	22
2.1.7	Giac	22
2.1.8	Mupad	22

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, 18, 19, 20, 22, 23, 24, 25, 26, 28, 29, 31, 32, 34, 36, 38, 48, 49, 50, 51, 52, 53 }

B grade: { 10, 17, 27, 30, 33, 35, 39 }

C grade: { 21, 37, 40, 41, 42, 43, 44, 45, 46, 47 }

F grade: { }

2.1.3 Maple

A grade: { 1, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 50, 52 }

B grade: { 2, 4, 16, 17, 18, 19, 22, 23, 24, 25, 28, 29, 30, 31, 32, 33, 34, 35, 38, 39, 40, 43, 44, 45, 48, 49 }

C grade: { 51, 53 }

F grade: { 20, 21, 26, 27, 36, 37, 41, 42, 46, 47 }

2.1.4 Maxima

A grade: { 5, 11, 13, 15 }

B grade: { 1, 2, 3, 4, 6, 7, 8, 9, 50 }

C grade: { 10, 12, 14 }

F grade: { 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 51, 52, 53 }

2.1.5 FriCAS

A grade: { 11, 15 }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 13, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 50, 51, 52, 53 }

C grade: { 29, 31, 49 }

F grade: { 10, 12, 14 }

2.1.6 Sympy

A grade: { 9 }

B grade: { 1, 2, 3, 4, 5, 50 }

C grade: { }

F grade: { 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 51, 52, 53 }

2.1.7 Giac

A grade: { 5, 11, 15, 50 }

B grade: { 1, 2, 3, 4, 6, 7, 8, 9, 13, 19, 20, 26, 28, 30, 34, 35, 48 }

C grade: { 10, 12, 14, 29, 31, 49 }

F grade: { 16, 17, 18, 21, 22, 23, 24, 25, 27, 32, 33, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 51, 52, 53 }

2.1.8 Mupad

A grade: { }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 22, 24, 28, 29, 30, 32, 34, 35, 38, 40, 43, 45, 48, 49, 50 }

C grade: { }

F grade: { 17, 19, 20, 21, 23, 25, 26, 27, 31, 33, 36, 37, 39, 41, 42, 44, 46, 47, 51, 52, 53 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **N.S.** in the table below, which stands for **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To help make the table fit, **Mathematica** was abbrev-

	Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
viated to MMA .	grade	A	A	A	A	B	B	B	B	B
	verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
	size	160	160	231	303	624	2111	692	721	158
	N.S.	1	1.00	1.44	1.89	3.90	13.19	4.32	4.51	0.99
	time (sec)	N/A	0.067	1.971	0.367	0.298	0.423	19.974	0.447	1.371

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	127	214	410	1164	522	447	111
N.S.	1	1.00	1.15	1.95	3.73	10.58	4.75	4.06	1.01
time (sec)	N/A	0.050	1.452	0.354	0.274	0.436	8.318	0.432	1.315

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	100	141	239	557	367	241	72
N.S.	1	1.00	1.35	1.91	3.23	7.53	4.96	3.26	0.97
time (sec)	N/A	0.037	0.981	0.333	0.272	0.367	3.343	0.406	1.281

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	65	84	114	197	238	103	41
N.S.	1	1.00	1.51	1.95	2.65	4.58	5.53	2.40	0.95
time (sec)	N/A	0.025	0.357	0.340	0.268	0.385	1.339	0.413	0.114

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	47	71	56	488	253	65	37
N.S.	1	1.00	1.02	1.54	1.22	10.61	5.50	1.41	0.80
time (sec)	N/A	0.053	0.042	0.862	0.480	0.407	3.896	0.401	0.111

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	97	103	207	1952	0	198	110
N.S.	1	1.00	1.09	1.16	2.33	21.93	0.00	2.22	1.24
time (sec)	N/A	0.079	0.428	0.923	0.517	0.440	0.000	0.412	1.581

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	147	156	509	7508	0	409	2719
N.S.	1	1.00	1.04	1.10	3.58	52.87	0.00	2.88	19.15
time (sec)	N/A	0.117	0.243	0.974	0.603	0.493	0.000	0.424	1.913

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	201	201	203	219	925	20031	0	750	2500
N.S.	1	1.00	1.01	1.09	4.60	99.66	0.00	3.73	12.44
time (sec)	N/A	0.198	0.412	0.929	0.824	0.600	0.000	0.465	2.071

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	19	27	38	70	34	38	15
N.S.	1	1.00	1.00	1.42	2.00	3.68	1.79	2.00	0.79
time (sec)	N/A	0.037	0.077	0.417	0.490	0.393	0.298	0.384	0.108

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	C	F	F	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	3	3	20	4	19	0	0	26	3
N.S.	1	1.00	6.67	1.33	6.33	0.00	0.00	8.67	1.00
time (sec)	N/A	0.014	0.006	0.418	0.501	0.000	0.000	0.388	1.178

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	14	14	18	15	17	17	0	23	14
N.S.	1	1.00	1.29	1.07	1.21	1.21	0.00	1.64	1.00
time (sec)	N/A	0.015	0.006	0.757	0.484	0.359	0.000	0.395	1.371

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	F	F	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	41	21	49	0	0	60	20
N.S.	1	1.00	1.71	0.88	2.04	0.00	0.00	2.50	0.83
time (sec)	N/A	0.016	0.045	0.398	0.498	0.000	0.000	0.389	1.215

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	40	28	46	211	0	52	27
N.S.	1	1.00	1.29	0.90	1.48	6.81	0.00	1.68	0.87
time (sec)	N/A	0.016	0.031	0.608	0.496	0.417	0.000	0.395	1.196

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	F	F	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	13	14	11	0	0	24	18
N.S.	1	1.00	1.00	1.08	0.85	0.00	0.00	1.85	1.38
time (sec)	N/A	0.015	0.006	0.306	0.484	0.000	0.000	0.384	1.343

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	11	12	11	2	0	18	15
N.S.	1	1.00	1.00	1.09	1.00	0.18	0.00	1.64	1.36
time (sec)	N/A	0.015	0.008	0.517	0.488	0.348	0.000	0.385	1.242

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	60	253	0	2367	0	0	66
N.S.	1	1.00	0.95	4.02	0.00	37.57	0.00	0.00	1.05
time (sec)	N/A	0.084	0.132	0.768	0.000	0.485	0.000	0.000	3.078

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	191	276	0	4877	0	0	-1
N.S.	1	1.00	2.25	3.25	0.00	57.38	0.00	0.00	-0.01
time (sec)	N/A	0.083	0.576	0.720	0.000	0.610	0.000	0.000	0.000

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	238	0	1551	0	0	51
N.S.	1	1.00	1.00	5.41	0.00	35.25	0.00	0.00	1.16
time (sec)	N/A	0.051	0.021	0.634	0.000	0.425	0.000	0.000	1.623

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	82	238	0	3455	0	262	-1
N.S.	1	1.00	1.37	3.97	0.00	57.58	0.00	4.37	-0.02
time (sec)	N/A	0.032	0.208	0.835	0.000	0.474	0.000	0.576	0.000

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	56	0	0	3479	0	259	-1
N.S.	1	1.00	1.00	0.00	0.00	62.12	0.00	4.62	-0.02
time (sec)	N/A	0.077	0.020	2.222	0.000	0.484	0.000	0.568	0.000

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	42	0	0	1539	0	0	-1
N.S.	1	1.00	0.88	0.00	0.00	32.06	0.00	0.00	-0.02
time (sec)	N/A	0.059	0.066	2.040	0.000	0.441	0.000	0.000	0.000

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	86	488	0	4940	0	0	112
N.S.	1	1.00	1.05	5.95	0.00	60.24	0.00	0.00	1.37
time (sec)	N/A	0.105	0.307	0.619	0.000	0.603	0.000	0.000	9.037

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	219	529	0	10286	0	0	-1
N.S.	1	1.00	1.78	4.30	0.00	83.63	0.00	0.00	-0.01
time (sec)	N/A	0.169	0.670	0.626	0.000	0.770	0.000	0.000	0.000

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	59	473	0	2362	0	0	64
N.S.	1	1.00	0.94	7.51	0.00	37.49	0.00	0.00	1.02
time (sec)	N/A	0.073	0.122	0.569	0.000	0.557	0.000	0.000	3.396

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	111	473	0	5037	0	0	-1
N.S.	1	1.00	1.26	5.38	0.00	57.24	0.00	0.00	-0.01
time (sec)	N/A	0.059	0.439	0.769	0.000	0.558	0.000	0.000	0.000

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	71	0	0	3949	0	470	-1
N.S.	1	1.00	1.00	0.00	0.00	55.62	0.00	6.62	-0.01
time (sec)	N/A	0.097	0.044	1.927	0.000	0.521	0.000	3.567	0.000

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	B	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	180	0	0	4025	0	0	-1
N.S.	1	1.00	2.34	0.00	0.00	52.27	0.00	0.00	-0.01
time (sec)	N/A	0.087	0.350	1.875	0.000	0.530	0.000	0.000	0.000

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	60	97	0	683	0	119	68
N.S.	1	1.00	1.94	3.13	0.00	22.03	0.00	3.84	2.19
time (sec)	N/A	0.019	0.054	0.954	0.000	0.365	0.000	0.399	1.340

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	C	F	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	62	142	0	226	0	124	43
N.S.	1	1.00	1.38	3.16	0.00	5.02	0.00	2.76	0.96
time (sec)	N/A	0.024	0.035	0.947	0.000	0.354	0.000	0.414	1.299

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	116	158	0	1043	0	265	78
N.S.	1	1.00	2.32	3.16	0.00	20.86	0.00	5.30	1.56
time (sec)	N/A	0.027	0.232	0.832	0.000	0.395	0.000	0.407	1.394

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	C	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	118	211	0	361	0	285	-1
N.S.	1	1.00	1.76	3.15	0.00	5.39	0.00	4.25	-0.01
time (sec)	N/A	0.034	0.125	0.819	0.000	0.392	0.000	0.424	0.000

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	47	129	0	1576	0	0	39
N.S.	1	1.00	1.00	2.74	0.00	33.53	0.00	0.00	0.83
time (sec)	N/A	0.074	0.066	0.786	0.000	0.451	0.000	0.000	1.689

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	134	137	0	3513	0	0	-1
N.S.	1	1.00	2.23	2.28	0.00	58.55	0.00	0.00	-0.02
time (sec)	N/A	0.065	0.162	0.776	0.000	0.498	0.000	0.000	0.000

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	29	114	0	1298	0	196	23
N.S.	1	1.00	1.00	3.93	0.00	44.76	0.00	6.76	0.79
time (sec)	N/A	0.046	0.012	0.826	0.000	0.399	0.000	0.483	1.743

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	77	114	0	1357	0	196	25
N.S.	1	1.00	2.48	3.68	0.00	43.77	0.00	6.32	0.81
time (sec)	N/A	0.019	0.085	0.858	0.000	0.407	0.000	0.492	1.479

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	56	0	0	3397	0	0	-1
N.S.	1	1.00	1.00	0.00	0.00	60.66	0.00	0.00	-0.02
time (sec)	N/A	0.075	0.029	2.220	0.000	0.490	0.000	0.000	0.000

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	B	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	132	0	0	1621	0	0	-1
N.S.	1	1.00	2.59	0.00	0.00	31.78	0.00	0.00	-0.02
time (sec)	N/A	0.066	1.021	2.270	0.000	0.426	0.000	0.000	0.000

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	52	52	52	287	0	2541	0	0	45
N.S.	1	1.00	1.00	5.52	0.00	48.87	0.00	0.00	0.87
time (sec)	N/A	0.090	0.099	0.699	0.000	0.466	0.000	0.000	2.003

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	109	289	0	2279	0	0	-1
N.S.	1	1.00	2.06	5.45	0.00	43.00	0.00	0.00	-0.02
time (sec)	N/A	0.067	0.712	0.717	0.000	0.473	0.000	0.000	0.000

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	41	273	0	2299	0	0	41
N.S.	1	1.00	0.84	5.57	0.00	46.92	0.00	0.00	0.84
time (sec)	N/A	0.060	0.028	0.632	0.000	0.482	0.000	0.000	1.938

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	70	0	0	6991	0	0	-1
N.S.	1	1.00	0.90	0.00	0.00	89.63	0.00	0.00	-0.01
time (sec)	N/A	0.104	0.039	2.025	0.000	0.614	0.000	0.000	0.000

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	B	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	240	0	0	3931	0	0	-1
N.S.	1	1.00	2.82	0.00	0.00	46.25	0.00	0.00	-0.01
time (sec)	N/A	0.110	5.001	2.183	0.000	0.591	0.000	0.000	0.000

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	63	565	0	6560	0	0	82
N.S.	1	1.00	0.85	7.64	0.00	88.65	0.00	0.00	1.11
time (sec)	N/A	0.108	0.076	0.719	0.000	0.711	0.000	0.000	3.339

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	190	584	0	6591	0	0	-1
N.S.	1	1.00	2.16	6.64	0.00	74.90	0.00	0.00	-0.01
time (sec)	N/A	0.089	5.293	0.727	0.000	0.692	0.000	0.000	0.000

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	43	550	0	5736	0	0	76
N.S.	1	1.00	0.61	7.86	0.00	81.94	0.00	0.00	1.09
time (sec)	N/A	0.073	0.030	0.641	0.000	0.669	0.000	0.000	3.412

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	108	108	73	0	0	19199	0	0	-1
N.S.	1	1.00	0.68	0.00	0.00	177.77	0.00	0.00	-0.01
time (sec)	N/A	0.151	0.050	2.079	0.000	1.223	0.000	0.000	0.000

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	B	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	131	131	1350	0	0	10729	0	0	-1
N.S.	1	1.00	10.31	0.00	0.00	81.90	0.00	0.00	-0.01
time (sec)	N/A	0.168	7.639	2.698	0.000	1.187	0.000	0.000	0.000

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	44	62	0	547	0	69	63
N.S.	1	1.00	1.76	2.48	0.00	21.88	0.00	2.76	2.52
time (sec)	N/A	0.014	0.051	0.994	0.000	0.367	0.000	0.383	1.350

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	C	F	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	27	46	66	0	175	0	73	22
N.S.	1	1.00	1.70	2.44	0.00	6.48	0.00	2.70	0.81
time (sec)	N/A	0.014	0.027	1.037	0.000	0.373	0.000	0.395	1.254

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	38	38	40	41	73	95	102	25	38
N.S.	1	1.00	1.05	1.08	1.92	2.50	2.68	0.66	1.00
time (sec)	N/A	0.044	0.058	0.385	0.493	0.357	0.565	0.403	0.093

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	86	333	0	5172	0	0	-1
N.S.	1	1.00	0.97	3.74	0.00	58.11	0.00	0.00	-0.01
time (sec)	N/A	0.102	0.114	3.252	0.000	0.519	0.000	0.000	0.000

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	40	37	0	1290	0	0	-1
N.S.	1	1.00	1.00	0.92	0.00	32.25	0.00	0.00	-0.02
time (sec)	N/A	0.053	0.013	2.809	0.000	0.542	0.000	0.000	0.000

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	73	431	0	3938	0	0	-1
N.S.	1	1.00	0.99	5.82	0.00	53.22	0.00	0.00	-0.01
time (sec)	N/A	0.086	0.368	3.038	0.000	0.594	0.000	0.000	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [16] had the largest ratio of [17]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	4	3	1.00	14	0.214
2	A	4	3	1.00	14	0.214
3	A	4	3	1.00	14	0.214
4	A	4	3	1.00	14	0.214
5	A	3	3	1.00	14	0.214
6	A	5	5	1.00	14	0.357
7	A	6	6	1.00	14	0.429
8	A	7	6	1.00	14	0.429
9	A	3	3	1.00	10	0.300
10	A	3	3	1.00	12	0.250
11	A	4	4	1.00	10	0.400
12	A	4	4	1.00	12	0.333
13	A	5	5	1.00	10	0.500
14	A	3	3	1.00	12	0.250
15	A	3	3	1.00	10	0.300
16	A	6	6	1.00	17	0.353
17	A	7	6	1.00	17	0.353
18	A	5	5	1.00	15	0.333
19	A	6	5	1.00	12	0.417
20	A	7	5	1.00	15	0.333
21	A	5	5	1.00	17	0.294
22	A	7	6	1.00	17	0.353
23	A	8	7	1.00	17	0.412
24	A	6	5	1.00	15	0.333
25	A	7	6	1.00	12	0.500

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
26	A	8	6	1.00	15	0.400
27	A	7	6	1.00	17	0.353
28	A	5	5	1.00	10	0.500
29	A	6	5	1.00	12	0.417
30	A	6	6	1.00	10	0.600
31	A	7	6	1.00	12	0.500
32	A	5	5	1.00	17	0.294
33	A	6	5	1.00	17	0.294
34	A	4	4	1.00	15	0.267
35	A	3	3	1.00	12	0.250
36	A	7	5	1.00	15	0.333
37	A	5	5	1.00	17	0.294
38	A	5	5	1.00	17	0.294
39	A	4	4	1.00	17	0.235
40	A	5	5	1.00	15	0.333
41	A	8	6	1.00	15	0.400
42	A	6	6	1.00	17	0.353
43	A	6	6	1.00	17	0.353
44	A	6	6	1.00	17	0.353
45	A	6	5	1.00	15	0.333
46	A	9	7	1.00	15	0.467
47	A	7	7	1.00	17	0.412
48	A	3	3	1.00	10	0.300
49	A	3	3	1.00	12	0.250
50	A	6	5	1.00	8	0.625
51	A	8	7	1.00	15	0.467
52	A	4	4	1.00	15	0.267
53	A	6	6	1.00	15	0.400

Chapter 3

Listing of integrals

Local contents

3.1	$\int (a + b \coth^2(c + dx))^5 dx$	38
3.2	$\int (a + b \coth^2(c + dx))^4 dx$	44
3.3	$\int (a + b \coth^2(c + dx))^3 dx$	49
3.4	$\int (a + b \coth^2(c + dx))^2 dx$	53
3.5	$\int \frac{1}{a + b \coth^2(c + dx)} dx$	57
3.6	$\int \frac{1}{(a + b \coth^2(c + dx))^2} dx$	62
3.7	$\int \frac{1}{(a + b \coth^2(c + dx))^3} dx$	68
3.8	$\int \frac{1}{(a + b \coth^2(c + dx))^4} dx$	76
3.9	$\int \frac{1}{1 - 2 \coth^2(x)} dx$	85
3.10	$\int \sqrt{1 - \coth^2(x)} dx$	88
3.11	$\int \sqrt{-1 + \coth^2(x)} dx$	91
3.12	$\int (1 - \coth^2(x))^{3/2} dx$	94
3.13	$\int (-1 + \coth^2(x))^{3/2} dx$	97
3.14	$\int \frac{1}{\sqrt{1 - \coth^2(x)}} dx$	101
3.15	$\int \frac{1}{\sqrt{-1 + \coth^2(x)}} dx$	104
3.16	$\int \coth^3(x) \sqrt{a + b \coth^2(x)} dx$	107
3.17	$\int \coth^2(x) \sqrt{a + b \coth^2(x)} dx$	114
3.18	$\int \coth(x) \sqrt{a + b \coth^2(x)} dx$	121
3.19	$\int \sqrt{a + b \coth^2(x)} dx$	126

3.20	$\int \sqrt{a + b \coth^2(x)} \tanh(x) dx$	132
3.21	$\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx$	137
3.22	$\int \coth^3(x) (a + b \coth^2(x))^{3/2} dx$	142
3.23	$\int \coth^2(x) (a + b \coth^2(x))^{3/2} dx$	149
3.24	$\int \coth(x) (a + b \coth^2(x))^{3/2} dx$	155
3.25	$\int (a + b \coth^2(x))^{3/2} dx$	161
3.26	$\int (a + b \coth^2(x))^{3/2} \tanh(x) dx$	167
3.27	$\int (a + b \coth^2(x))^{3/2} \tanh^2(x) dx$	173
3.28	$\int \sqrt{1 + \coth^2(x)} dx$	178
3.29	$\int \sqrt{-1 - \coth^2(x)} dx$	183
3.30	$\int (1 + \coth^2(x))^{3/2} dx$	187
3.31	$\int (-1 - \coth^2(x))^{3/2} dx$	192
3.32	$\int \frac{\coth^3(x)}{\sqrt{a + b \coth^2(x)}} dx$	197
3.33	$\int \frac{\coth^2(x)}{\sqrt{a + b \coth^2(x)}} dx$	202
3.34	$\int \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} dx$	208
3.35	$\int \frac{1}{\sqrt{a + b \coth^2(x)}} dx$	213
3.36	$\int \frac{\tanh(x)}{\sqrt{a + b \coth^2(x)}} dx$	218
3.37	$\int \frac{\tanh^2(x)}{\sqrt{a + b \coth^2(x)}} dx$	224
3.38	$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{3/2}} dx$	229
3.39	$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{3/2}} dx$	235
3.40	$\int \frac{\coth(x)}{(a + b \coth^2(x))^{3/2}} dx$	241
3.41	$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{3/2}} dx$	247
3.42	$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{3/2}} dx$	253
3.43	$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{5/2}} dx$	259
3.44	$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{5/2}} dx$	266
3.45	$\int \frac{\coth(x)}{(a + b \coth^2(x))^{5/2}} dx$	273
3.46	$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{5/2}} dx$	279

3.47	$\int \frac{\tanh^2(x)}{(a+b \coth^2(x))^{5/2}} dx$	285
3.48	$\int \frac{1}{\sqrt{1 + \coth^2(x)}} dx$	292
3.49	$\int \frac{1}{\sqrt{-1 - \coth^2(x)}} dx$	296
3.50	$\int \frac{1}{1 + \coth^3(x)} dx$	300
3.51	$\int \coth(x) \sqrt{a + b \coth^4(x)} dx$	304
3.52	$\int \frac{\coth(x)}{\sqrt{a + b \coth^4(x)}} dx$	311
3.53	$\int \frac{\coth(x)}{(a+b \coth^4(x))^{3/2}} dx$	316

3.1 $\int (a + b \coth^2(c + dx))^5 dx$

Optimal. Leaf size=160

$$(a+b)^5 x - \frac{b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3 + b^4) \coth(c + dx)}{d} - \frac{b^2(10a^3 + 10a^2b + 5ab^2 + b^3) \coth^3(c + dx)}{3d} - \frac{b^3(10a^2 + 5ab + b^2) \coth^5(c + dx)}{5d} - \frac{b^4(5a + b) \coth^7(c + dx)}{7d} + x(a+b)^5 - \frac{b^5 \coth^9(c + dx)}{9d}$$

[Out] (a+b)^5*x-b*(5*a^4+10*a^3*b+10*a^2*b^2+5*a*b^3+b^4)*coth(d*x+c)/d-1/3*b^2*(10*a^3+10*a^2*b+5*a*b^2+b^3)*coth(d*x+c)^3/d-1/5*b^3*(10*a^2+5*a*b+b^2)*coth(d*x+c)^5/d-1/7*b^4*(5*a+b)*coth(d*x+c)^7/d-1/9*b^5*coth(d*x+c)^9/d

Rubi [A]

time = 0.07, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3742, 398, 212}

$$-\frac{b^3(10a^2 + 5ab + b^2) \coth^5(c + dx)}{5d} - \frac{b^2(10a^3 + 10a^2b + 5ab^2 + b^3) \coth^3(c + dx)}{3d} - \frac{b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3 + b^4) \coth(c + dx)}{d} - \frac{b^4(5a + b) \coth^7(c + dx)}{7d} + x(a+b)^5 - \frac{b^5 \coth^9(c + dx)}{9d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Coth[c + d*x]^2)^5,x]

[Out] (a + b)^5*x - (b*(5*a^4 + 10*a^3*b + 10*a^2*b^2 + 5*a*b^3 + b^4)*Coth[c + d*x])/d - (b^2*(10*a^3 + 10*a^2*b + 5*a*b^2 + b^3)*Coth[c + d*x]^3)/(3*d) - (b^3*(10*a^2 + 5*a*b + b^2)*Coth[c + d*x]^5)/(5*d) - (b^4*(5*a + b)*Coth[c + d*x]^7)/(7*d) - (b^5*Coth[c + d*x]^9)/(9*d)

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 398

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

Rule 3742

Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

Rubi steps

$$\begin{aligned}
 \int (a + b \coth^2(c + dx))^5 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^5}{1-x^2} dx, x, \coth(c + dx)\right)}{d} \\
 &= \frac{\text{Subst}\left(\int \left(-b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3 + b^4) - b^2(10a^3 + 10a^2b + 5ab^2)\right) dx, x, \coth(c + dx)\right)}{d} \\
 &= -\frac{b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3 + b^4) \coth(c + dx)}{d} - \frac{b^2(10a^3 + 10a^2b + 5ab^2) \coth^2(c + dx)}{d} \\
 &= (a + b)^5 x - \frac{b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3 + b^4) \coth(c + dx)}{d} - \frac{b^2(10a^3 + 10a^2b + 5ab^2) \coth^2(c + dx)}{d}
 \end{aligned}$$

Mathematica [A]

time = 1.97, size = 231, normalized size = 1.44

$$\frac{b^5 \coth^9(c + dx) \left(35 + 45 \tanh^2(c + dx) + 63 \tanh^4(c + dx) + 105 \tanh^6(c + dx) + 315 \tanh^8(c + dx) + \frac{1575a^4 \tanh^{10}(c + dx)}{b^4} - \frac{315(a+b)^5 \tanh^{-1}\left(\frac{\sqrt{\tanh^2(c + dx)}}{\tanh^9(c + dx)}\right)}{a^5 \sqrt{\tanh^2(c + dx)}} + \frac{1050a^2 \tanh^5(c + dx)}{b^2} (1 + 3 \tanh^2(c + dx)) + \frac{210a^2 \tanh^5(c + dx) (3 + 5 \tanh^2(c + dx) + 15 \tanh^4(c + dx))}{b^2} + \frac{15a \tanh^5(c + dx) (15 + 21 \tanh^2(c + dx) + 35 \tanh^4(c + dx))}{b} + \frac{105 \tanh^5(c + dx)}{b} \right)}{315d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Coth[c + d*x]^2)^5,x]

[Out] -1/315*(b^5*Coth[c + d*x]^9*(35 + 45*Tanh[c + d*x]^2 + 63*Tanh[c + d*x]^4 + 105*Tanh[c + d*x]^6 + 315*Tanh[c + d*x]^8 + (1575*a^4*Tanh[c + d*x]^8)/b^4 - (315*(a + b)^5*ArcTanh[Sqrt[Tanh[c + d*x]^2]]*Tanh[c + d*x]^10)/(b^5*Sqrt[Tanh[c + d*x]^2]) + (1050*a^3*Tanh[c + d*x]^6*(1 + 3*Tanh[c + d*x]^2))/b^3 + (210*a^2*Tanh[c + d*x]^4*(3 + 5*Tanh[c + d*x]^2 + 15*Tanh[c + d*x]^4))/b^2 + (15*a*Tanh[c + d*x]^2*(15 + 21*Tanh[c + d*x]^2 + 35*Tanh[c + d*x]^4 + 105*Tanh[c + d*x]^6))/b)/d

Maple [A]

time = 0.37, size = 303, normalized size = 1.89

method	result
derivativedivides	$-10a^2b^3 \coth(dx+c) - 5a^4b^4 \coth(dx+c) - 10a^3b^2 \coth(dx+c) - 5a^4b \coth(dx+c) - \frac{5ab^4(\coth^3(dx+c))}{3} - \frac{10a^2b^3(\coth^3(dx+c))}{3}$
default	$-10a^2b^3 \coth(dx+c) - 5a^4b^4 \coth(dx+c) - 10a^3b^2 \coth(dx+c) - 5a^4b \coth(dx+c) - \frac{5ab^4(\coth^3(dx+c))}{3} - \frac{10a^2b^3(\coth^3(dx+c))}{3}$
risch	$a^5x + 5a^4xb + 10a^3b^2x + 10a^2b^3x + 5ab^4x + b^5x - \frac{2b(1575a^4 - 17460ab^3e^{2dx+2c} + 283500a^3b^2e^{4dx+4c} - 157500a^2b^4e^{6dx+6c} + 31500a^4b^5e^{8dx+8c})}{315d}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*coth(d*x+c)^2)^5,x,method=_RETURNVERBOSE)

[Out] $1/d*(-10*a^2*b^3*\coth(d*x+c)-5*a*b^4*\coth(d*x+c)-10*a^3*b^2*\coth(d*x+c)-5*a^4*b*\coth(d*x+c)-5/3*a*b^4*\coth(d*x+c)^3-10/3*a^2*b^3*\coth(d*x+c)^3-10/3*a^3*b^2*\coth(d*x+c)^3-2*a^2*b^3*\coth(d*x+c)^5-a*b^4*\coth(d*x+c)^5-5/7*a*b^4*\coth(d*x+c)^7-1/9*b^5*\coth(d*x+c)^9-1/2*(a^5+5*a^4*b+10*a^3*b^2+10*a^2*b^3+5*a*b^4+b^5)*\ln(\coth(d*x+c)-1)-1/5*b^5*\coth(d*x+c)^5-1/3*b^5*\coth(d*x+c)^3-1/7*b^5*\coth(d*x+c)^7-b^5*\coth(d*x+c)+1/2*(a^5+5*a^4*b+10*a^3*b^2+10*a^2*b^3+5*a*b^4+b^5)*\ln(\coth(d*x+c)+1))$

Maxima [B] Leaf count of result is larger than twice the leaf count of optimal. 624 vs. $2(152) = 304$.

time = 0.30, size = 624, normalized size = 3.90

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*coth(d*x+c)^2)^5,x, algorithm="maxima")`

[Out] $1/315*b^5*(315*x + 315*c/d - 2*(3492*e^{(-2*d*x - 2*c)} - 13968*e^{(-4*d*x - 4*c)} + 26292*e^{(-6*d*x - 6*c)} - 39438*e^{(-8*d*x - 8*c)} + 31500*e^{(-10*d*x - 10*c)} - 21000*e^{(-12*d*x - 12*c)} + 6300*e^{(-14*d*x - 14*c)} - 1575*e^{(-16*d*x - 16*c)} - 563)/(d*(9*e^{(-2*d*x - 2*c)} - 36*e^{(-4*d*x - 4*c)} + 84*e^{(-6*d*x - 6*c)} - 126*e^{(-8*d*x - 8*c)} + 126*e^{(-10*d*x - 10*c)} - 84*e^{(-12*d*x - 12*c)} + 36*e^{(-14*d*x - 14*c)} - 9*e^{(-16*d*x - 16*c)} + e^{(-18*d*x - 18*c)} - 1))) + 1/21*a*b^4*(105*x + 105*c/d - 8*(203*e^{(-2*d*x - 2*c)} - 609*e^{(-4*d*x - 4*c)} + 770*e^{(-6*d*x - 6*c)} - 770*e^{(-8*d*x - 8*c)} + 315*e^{(-10*d*x - 10*c)} - 105*e^{(-12*d*x - 12*c)} - 44)/(d*(7*e^{(-2*d*x - 2*c)} - 21*e^{(-4*d*x - 4*c)} + 35*e^{(-6*d*x - 6*c)} - 35*e^{(-8*d*x - 8*c)} + 21*e^{(-10*d*x - 10*c)} - 7*e^{(-12*d*x - 12*c)} + e^{(-14*d*x - 14*c)} - 1))) + 2/3*a^2*b^3*(15*x + 15*c/d - 2*(70*e^{(-2*d*x - 2*c)} - 140*e^{(-4*d*x - 4*c)} + 90*e^{(-6*d*x - 6*c)} - 45*e^{(-8*d*x - 8*c)} - 23)/(d*(5*e^{(-2*d*x - 2*c)} - 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} - 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} - 1))) + 10/3*a^3*b^2*(3*x + 3*c/d - 4*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} - 2)/(d*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} - 1))) + 5*a^4*b*(x + c/d + 2/(d*(e^{(-2*d*x - 2*c)} - 1))) + a^5*x$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 2111 vs. $2(152) = 304$.

time = 0.42, size = 2111, normalized size = 13.19

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*coth(d*x+c)^2)^5,x, algorithm="fricas")`

[Out] $-1/315*((1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5)*\coth(d*x + c)^9 + 9*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 +$

$$\begin{aligned}
& 563*b^5)*\cosh(d*x + c)*\sinh(d*x + c)^8 - (1575*a^4*b + 4200*a^3*b^2 + 4830 \\
& *a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2* \\
& b^3 + 5*a*b^4 + b^5)*d*x)*\sinh(d*x + c)^9 - 9*(1225*a^4*b + 2800*a^3*b^2 + \\
& 2730*a^2*b^3 + 1240*a*b^4 + 213*b^5)*\cosh(d*x + c)^7 + 9*(1575*a^4*b + 4200 \\
& *a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a^ \\
& 3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x - 4*(1575*a^4*b + 4200*a^3*b^2 + 48 \\
& 30*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^ \\
& 2*b^3 + 5*a*b^4 + b^5)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^7 + 21*(4*(1575* \\
& a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5)*\cosh(d*x + c)^3 \\
& - 3*(1225*a^4*b + 2800*a^3*b^2 + 2730*a^2*b^3 + 1240*a*b^4 + 213*b^5)*\cosh \\
& (d*x + c))*\sinh(d*x + c)^6 + 36*(875*a^4*b + 1750*a^3*b^2 + 1680*a^2*b^3 + \\
& 890*a*b^4 + 213*b^5)*\cosh(d*x + c)^5 - 9*(6300*a^4*b + 16800*a^3*b^2 + 1932 \\
& 0*a^2*b^3 + 10560*a*b^4 + 2252*b^5 + 14*(1575*a^4*b + 4200*a^3*b^2 + 4830*a \\
& ^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^ \\
& 3 + 5*a*b^4 + b^5)*d*x)*\cosh(d*x + c)^4 + 1260*(a^5 + 5*a^4*b + 10*a^3*b^2 \\
& + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x - 21*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^ \\
& 2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 \\
& + 5*a*b^4 + b^5)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^5 + 9*(14*(1575*a^4*b \\
& + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5)*\cosh(d*x + c)^5 - 35 \\
& *(1225*a^4*b + 2800*a^3*b^2 + 2730*a^2*b^3 + 1240*a*b^4 + 213*b^5)*\cosh(d*x \\
& + c)^3 + 20*(875*a^4*b + 1750*a^3*b^2 + 1680*a^2*b^3 + 890*a*b^4 + 213*b^5 \\
&)*\cosh(d*x + c))*\sinh(d*x + c)^4 - 84*(525*a^4*b + 950*a^3*b^2 + 980*a^2*b^ \\
& 3 + 490*a*b^4 + 63*b^5)*\cosh(d*x + c)^3 - 3*(28*(1575*a^4*b + 4200*a^3*b^2 \\
& + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 1 \\
& 0*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*\cosh(d*x + c)^6 - 44100*a^4*b - 117600*a^3* \\
& b^2 - 135240*a^2*b^3 - 73920*a*b^4 - 15764*b^5 - 105*(1575*a^4*b + 4200*a^3 \\
& *b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^ \\
& 2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*\cosh(d*x + c)^4 - 8820*(a^5 + 5*a^4*b \\
& + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x + 120*(1575*a^4*b + 4200*a^3 \\
& *b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^ \\
& 2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 9*(\\
& 4*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5)*\cosh(d* \\
& x + c)^7 - 21*(1225*a^4*b + 2800*a^3*b^2 + 2730*a^2*b^3 + 1240*a*b^4 + 213* \\
& b^5)*\cosh(d*x + c)^5 + 40*(875*a^4*b + 1750*a^3*b^2 + 1680*a^2*b^3 + 890*a* \\
& b^4 + 213*b^5)*\cosh(d*x + c)^3 - 28*(525*a^4*b + 950*a^3*b^2 + 980*a^2*b^3 \\
& + 490*a*b^4 + 63*b^5)*\cosh(d*x + c))*\sinh(d*x + c)^2 + 126*(175*a^4*b + 300 \\
& *a^3*b^2 + 330*a^2*b^3 + 140*a*b^4 + 63*b^5)*\cosh(d*x + c) - 9*((1575*a^4*b \\
& + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b \\
& + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*\cosh(d*x + c)^8 - 7*(1575*a \\
& ^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^ \\
& 4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*\cosh(d*x + c)^6 + 22050 \\
& *a^4*b + 58800*a^3*b^2 + 67620*a^2*b^3 + 36960*a*b^4 + 7882*b^5 + 20*(1575* \\
& a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a \\
& ^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*\cosh(d*x + c)^4 + 4410 \\
& *(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x - 28*(1575*a
\end{aligned}$$

$$\begin{aligned} & \sim^4 b + 4200 a^3 b^2 + 4830 a^2 b^3 + 2640 a b^4 + 563 b^5 + 315 (a^5 + 5 a^4 b + 10 a^3 b^2 + 10 a^2 b^3 + 5 a b^4 + b^5) d x) \cosh(d x + c)^2 \sinh(d x + c) \\ & / (d \sinh(d x + c)^9 + 9 (4 d \cosh(d x + c)^2 - d) \sinh(d x + c)^7 + 9 (14 d \cosh(d x + c)^4 - 21 d \cosh(d x + c)^2 + 4 d) \sinh(d x + c)^5 + 3 (28 d \cosh(d x + c)^6 - 105 d \cosh(d x + c)^4 + 120 d \cosh(d x + c)^2 - 28 d) \sinh(d x + c)^3 \\ & + 9 (d \cosh(d x + c)^8 - 7 d \cosh(d x + c)^6 + 20 d \cosh(d x + c)^4 - 28 d \cosh(d x + c)^2 + 14 d) \sinh(d x + c)) \end{aligned}$$

Sympy [B] Leaf count of result is larger than twice the leaf count of optimal. 692 vs. $2(148) = 296$.

time = 19.97, size = 692, normalized size = 4.32

$$\left\{ \begin{array}{l} \frac{-a^5 \log(-e^{-dx})}{d} - \frac{5a^4 b \log(-e^{-dx}) \cosh^2(dx+c)}{d} - \frac{10a^3 b^2 \log(-e^{-dx}) \cosh^4(dx+c)}{d} - \frac{10a^2 b^3 \log(-e^{-dx}) \cosh^6(dx+c)}{d} - \frac{5a b^4 \log(-e^{-dx}) \cosh^8(dx+c)}{d} - \frac{b^5 \log(-e^{-dx}) \cosh^{10}(dx+c)}{d} & \text{for } c = \log(-e^{-dx}) \\ \frac{-a^5 \log(e^{-dx})}{d} - \frac{5a^4 b \log(e^{-dx}) \cosh^2(dx+c)}{d} - \frac{10a^3 b^2 \log(e^{-dx}) \cosh^4(dx+c)}{d} - \frac{10a^2 b^3 \log(e^{-dx}) \cosh^6(dx+c)}{d} - \frac{5a b^4 \log(e^{-dx}) \cosh^8(dx+c)}{d} - \frac{b^5 \log(e^{-dx}) \cosh^{10}(dx+c)}{d} & \text{for } c = \log(e^{-dx}) \\ x(a+b \coth^2(c))^5 & \text{for } d = 0 \\ a^5 x + 5a^4 b x - \frac{5a^4 b x}{d \tanh(c+dx)} + 10a^3 b^2 x - \frac{10a^3 b^2 x}{d \tanh(c+dx)} - \frac{10a^2 b^3 x}{3d \tanh(c+dx)} + 10a^2 b^3 x - \frac{10a^2 b^3 x}{d \tanh(c+dx)} - \frac{10a^2 b^3 x}{3d \tanh(c+dx)} + 5a b^4 x - \frac{5a b^4 x}{d \tanh(c+dx)} - \frac{5a b^4 x}{3d \tanh(c+dx)} - \frac{5a b^4 x}{d \tanh(c+dx)} - \frac{5a b^4 x}{3d \tanh(c+dx)} - \frac{5a b^4 x}{d \tanh(c+dx)} - \frac{5a b^4 x}{3d \tanh(c+dx)} - \frac{5a b^4 x}{d \tanh(c+dx)} - \frac{5a b^4 x}{3d \tanh(c+dx)} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(d*x+c)**2)**5,x)

[Out] Piecewise((-a**5*log(-exp(-d*x))/d - 5*a**4*b*log(-exp(-d*x))*coth(d*x + log(-exp(-d*x)))**2/d - 10*a**3*b**2*log(-exp(-d*x))*coth(d*x + log(-exp(-d*x)))**4/d - 10*a**2*b**3*log(-exp(-d*x))*coth(d*x + log(-exp(-d*x)))**6/d - 5*a*b**4*log(-exp(-d*x))*coth(d*x + log(-exp(-d*x)))**8/d - b**5*log(-exp(-d*x))*coth(d*x + log(-exp(-d*x)))**10/d, Eq(c, log(-exp(-d*x))), (-a**5*log(exp(-d*x))/d - 5*a**4*b*log(exp(-d*x))*coth(d*x + log(exp(-d*x)))**2/d - 10*a**3*b**2*log(exp(-d*x))*coth(d*x + log(exp(-d*x)))**4/d - 10*a**2*b**3*log(exp(-d*x))*coth(d*x + log(exp(-d*x)))**6/d - 5*a*b**4*log(exp(-d*x))*coth(d*x + log(exp(-d*x)))**8/d - b**5*log(exp(-d*x))*coth(d*x + log(exp(-d*x)))**10/d, Eq(c, log(exp(-d*x))), (x*(a + b*coth(c)**2)**5, Eq(d, 0)), (a**5*x + 5*a**4*b*x - 5*a**4*b/(d*tanh(c + d*x)) + 10*a**3*b**2*x - 10*a**3*b**2/(d*tanh(c + d*x)) - 10*a**3*b**2/(3*d*tanh(c + d*x)**3) + 10*a**2*b**3*x - 10*a**2*b**3/(d*tanh(c + d*x)) - 10*a**2*b**3/(3*d*tanh(c + d*x)**3) - 2*a**2*b**3/(d*tanh(c + d*x)**5) + 5*a*b**4*x - 5*a*b**4/(d*tanh(c + d*x)) - 5*a*b**4/(3*d*tanh(c + d*x)**3) - a*b**4/(d*tanh(c + d*x)**5) - 5*a*b**4/(7*d*tanh(c + d*x)**7) + b**5*x - b**5/(d*tanh(c + d*x)) - b**5/(3*d*tanh(c + d*x)**3) - b**5/(5*d*tanh(c + d*x)**5) - b**5/(7*d*tanh(c + d*x)**7) - b**5/(9*d*tanh(c + d*x)**9), True))

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 721 vs. $2(152) = 304$.

time = 0.45, size = 721, normalized size = 4.51

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(d*x+c)^2)^5,x, algorithm="giac")

```
[Out] 1/315*(315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*(d*x +
c) - 2*(1575*a^4*b*e^(16*d*x + 16*c) + 6300*a^3*b^2*e^(16*d*x + 16*c) + 94
50*a^2*b^3*e^(16*d*x + 16*c) + 6300*a*b^4*e^(16*d*x + 16*c) + 1575*b^5*e^(1
6*d*x + 16*c) - 12600*a^4*b*e^(14*d*x + 14*c) - 44100*a^3*b^2*e^(14*d*x + 1
4*c) - 56700*a^2*b^3*e^(14*d*x + 14*c) - 31500*a*b^4*e^(14*d*x + 14*c) - 63
00*b^5*e^(14*d*x + 14*c) + 44100*a^4*b*e^(12*d*x + 12*c) + 136500*a^3*b^2*e
^(12*d*x + 12*c) + 161700*a^2*b^3*e^(12*d*x + 12*c) + 90300*a*b^4*e^(12*d*x
+ 12*c) + 21000*b^5*e^(12*d*x + 12*c) - 88200*a^4*b*e^(10*d*x + 10*c) - 24
5700*a^3*b^2*e^(10*d*x + 10*c) - 283500*a^2*b^3*e^(10*d*x + 10*c) - 157500*
a*b^4*e^(10*d*x + 10*c) - 31500*b^5*e^(10*d*x + 10*c) + 110250*a^4*b*e^(8*d
*x + 8*c) + 283500*a^3*b^2*e^(8*d*x + 8*c) + 325080*a^2*b^3*e^(8*d*x + 8*c)
+ 175140*a*b^4*e^(8*d*x + 8*c) + 39438*b^5*e^(8*d*x + 8*c) - 88200*a^4*b*e
^(6*d*x + 6*c) - 216300*a^3*b^2*e^(6*d*x + 6*c) - 244020*a^2*b^3*e^(6*d*x +
6*c) - 131460*a*b^4*e^(6*d*x + 6*c) - 26292*b^5*e^(6*d*x + 6*c) + 44100*a^
4*b*e^(4*d*x + 4*c) + 107100*a^3*b^2*e^(4*d*x + 4*c) + 117180*a^2*b^3*e^(4*
d*x + 4*c) + 63540*a*b^4*e^(4*d*x + 4*c) + 13968*b^5*e^(4*d*x + 4*c) - 1260
0*a^4*b*e^(2*d*x + 2*c) - 31500*a^3*b^2*e^(2*d*x + 2*c) - 34020*a^2*b^3*e^(
2*d*x + 2*c) - 17460*a*b^4*e^(2*d*x + 2*c) - 3492*b^5*e^(2*d*x + 2*c) + 157
5*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5)/(e^(2*d*x + 2
*c) - 1)^9)/d
```

Mupad [B]

time = 1.37, size = 158, normalized size = 0.99

$$x(a+b)^5 - \frac{\coth(c+dx)^3(10a^3b^2+10a^2b^3+5ab^4+b^5)}{3d} - \frac{\coth(c+dx)^5(10a^2b^3+5ab^4+b^5)}{5d} - \frac{\coth(c+dx)^7(b^5+5ab^4)}{7d} - \frac{b^5\coth(c+dx)^9}{9d} - \frac{b\coth(c+dx)(5a^4+10a^3b+10a^2b^2+5ab^3+b^4)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*coth(c + d*x)^2)^5,x)
```

```
[Out] x*(a + b)^5 - (coth(c + d*x)^3*(5*a*b^4 + b^5 + 10*a^2*b^3 + 10*a^3*b^2))/
(3*d) - (coth(c + d*x)^5*(5*a*b^4 + b^5 + 10*a^2*b^3))/(5*d) - (coth(c + d*x
)^7*(5*a*b^4 + b^5))/(7*d) - (b^5*coth(c + d*x)^9)/(9*d) - (b*coth(c + d*x)
*(5*a*b^3 + 10*a^3*b + 5*a^4 + b^4 + 10*a^2*b^2))/d
```

3.2 $\int (a + b \coth^2(c + dx))^4 dx$

Optimal. Leaf size=110

$$(a+b)^4 x - \frac{b(2a+b)(2a^2+2ab+b^2)\coth(c+dx)}{d} - \frac{b^2(6a^2+4ab+b^2)\coth^3(c+dx)}{3d} - \frac{b^3(4a+b)\coth^5(c+dx)}{5d}$$

[Out] (a+b)^4*x-b*(2*a+b)*(2*a^2+2*a*b+b^2)*coth(d*x+c)/d-1/3*b^2*(6*a^2+4*a*b+b^2)*coth(d*x+c)^3/d-1/5*b^3*(4*a+b)*coth(d*x+c)^5/d-1/7*b^4*coth(d*x+c)^7/d

Rubi [A]

time = 0.05, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3742, 398, 212}

$$-\frac{b^2(6a^2+4ab+b^2)\coth^3(c+dx)}{3d} - \frac{b(2a+b)(2a^2+2ab+b^2)\coth(c+dx)}{d} - \frac{b^3(4a+b)\coth^5(c+dx)}{5d} + x(a+b)^4 - \frac{b^4\coth^7(c+dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Coth[c + d*x]^2)^4, x]

[Out] (a + b)^4*x - (b*(2*a + b)*(2*a^2 + 2*a*b + b^2)*Coth[c + d*x])/d - (b^2*(6*a^2 + 4*a*b + b^2)*Coth[c + d*x]^3)/(3*d) - (b^3*(4*a + b)*Coth[c + d*x]^5)/(5*d) - (b^4*Coth[c + d*x]^7)/(7*d)

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 398

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

Rule 3742

Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

Rubi steps

$$\begin{aligned}
\int (a + b \coth^2(c + dx))^4 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^4}{1-x^2} dx, x, \coth(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(-b(2a + b)(2a^2 + 2ab + b^2) - b^2(6a^2 + 4ab + b^2)x^2 - b^3(4a + b)\right) dx, x, \coth(c + dx)\right)}{d} \\
&= -\frac{b(2a + b)(2a^2 + 2ab + b^2) \coth(c + dx)}{d} - \frac{b^2(6a^2 + 4ab + b^2) \coth^3(c + dx)}{3d} \\
&= (a + b)^4 x - \frac{b(2a + b)(2a^2 + 2ab + b^2) \coth(c + dx)}{d} - \frac{b^2(6a^2 + 4ab + b^2) \coth^3(c + dx)}{3d}
\end{aligned}$$

Mathematica [A]

time = 1.45, size = 127, normalized size = 1.15

$$\frac{\coth(c + dx) \left(b(105(4a^3 + 6a^2b + 4ab^2 + b^3) + 35b(6a^2 + 4ab + b^2) \coth^2(c + dx) + 21b^2(4a + b) \coth^4(c + dx) + 15b^3 \coth^6(c + dx)) - 105(a + b)^4 \tanh^{-1}\left(\sqrt{\tanh^2(c + dx)}\right) \sqrt{\tanh^2(c + dx)} \right)}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Coth[c + d*x]^2)^4,x]

[Out] $-1/105*(\text{Coth}[c + d*x]*(b*(105*(4*a^3 + 6*a^2*b + 4*a*b^2 + b^3) + 35*b*(6*a^2 + 4*a*b + b^2)*\text{Coth}[c + d*x]^2 + 21*b^2*(4*a + b)*\text{Coth}[c + d*x]^4 + 15*b^3*\text{Coth}[c + d*x]^6) - 105*(a + b)^4*\text{ArcTanh}[\text{Sqrt}[\text{Tanh}[c + d*x]^2]])*\text{Sqrt}[\text{Tanh}[c + d*x]^2])/d$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 213 vs. 2(104) = 208.

time = 0.35, size = 214, normalized size = 1.95

method	result
derivativedivides	$-4ab^3 \coth(dx+c) - 4a^3b \coth(dx+c) - 6a^2b^2 \coth(dx+c) + \frac{(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \ln(\coth(dx+c)+1)}{2} - \frac{4ab^3 (\coth^5(dx+c))}{5}$
default	$-4ab^3 \coth(dx+c) - 4a^3b \coth(dx+c) - 6a^2b^2 \coth(dx+c) + \frac{(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \ln(\coth(dx+c)+1)}{2} - \frac{4ab^3 (\coth^5(dx+c))}{5}$
risch	$x a^4 + 4a^3 b x + 6a^2 b^2 x + 4a b^3 x + b^4 x - \frac{8b(161a b^2 + 315a^2 b e^{12dx+12c} + 315a b^2 e^{12dx+12c} - 1575a^2 b e^{10d}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*coth(d*x+c)^2)^4,x,method=_RETURNVERBOSE)

[Out] $1/d*(-4*a*b^3*\coth(d*x+c)-4*a^3*b*\coth(d*x+c)-6*a^2*b^2*\coth(d*x+c)+1/2*(a^4+4*a^3*b+6*a^2*b^2+4*a*b^3+b^4)*\ln(\coth(d*x+c)+1)-4/5*a*b^3*\coth(d*x+c)^5-2*a^2*b^2*\coth(d*x+c)^3-4/3*a*b^3*\coth(d*x+c)^3-b^4*\coth(d*x+c)-1/7*b^4*\cot$

$h(dx+c)^7 - 1/2*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4) * \ln(\coth(dx+c) - 1) - 1/3*b^4 * \coth(dx+c)^3 - 1/5*b^4 * \coth(dx+c)^5$

Maxima [B] Leaf count of result is larger than twice the leaf count of optimal. 410 vs. 2(104) = 208.

time = 0.27, size = 410, normalized size = 3.73

$$\frac{1}{105} \rho \left(105x + \frac{105c}{d} - \frac{8(203e^{-2dx-2c} - 609e^{-4dx-4c} + 770e^{-6dx-6c} - 770e^{-8dx-8c} + 315e^{-10dx-10c} - 105e^{-12dx-12c} - 44)}{d(7e^{-2dx-2c} - 21e^{-4dx-4c} + 35e^{-6dx-6c} - 35e^{-8dx-8c} + 21e^{-10dx-10c} - 7e^{-12dx-12c} - 1)} \right) + \frac{4}{15} \rho^2 \left(15x + \frac{15c}{d} - \frac{2(70e^{-2dx-2c} - 140e^{-4dx-4c} + 90e^{-6dx-6c} - 45e^{-8dx-8c} - 23)}{d(5e^{-2dx-2c} - 10e^{-4dx-4c} + 10e^{-6dx-6c} - 5e^{-8dx-8c} + e^{-10dx-10c} - 1)} \right) + 2a^2 \rho \left(3x + \frac{3c}{d} - \frac{4(3e^{-2dx-2c} - 3e^{-4dx-4c} - 2)}{d(3e^{-2dx-2c} - 3e^{-4dx-4c} + e^{-6dx-6c} - 1)} \right) + 4a^3 \rho \left(x + \frac{c}{d} + \frac{2}{d(e^{-2dx-2c} - 1)} \right) + a^4 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(d*x+c)^2)^4,x, algorithm="maxima")

[Out] $1/105*b^4*(105*x + 105*c/d - 8*(203*e^{(-2*d*x - 2*c)} - 609*e^{(-4*d*x - 4*c)} + 770*e^{(-6*d*x - 6*c)} - 770*e^{(-8*d*x - 8*c)} + 315*e^{(-10*d*x - 10*c)} - 105*e^{(-12*d*x - 12*c)} - 44)/(d*(7*e^{(-2*d*x - 2*c)} - 21*e^{(-4*d*x - 4*c)} + 35*e^{(-6*d*x - 6*c)} - 35*e^{(-8*d*x - 8*c)} + 21*e^{(-10*d*x - 10*c)} - 7*e^{(-12*d*x - 12*c)} + e^{(-14*d*x - 14*c)} - 1))) + 4/15*a*b^3*(15*x + 15*c/d - 2*(70*e^{(-2*d*x - 2*c)} - 140*e^{(-4*d*x - 4*c)} + 90*e^{(-6*d*x - 6*c)} - 45*e^{(-8*d*x - 8*c)} - 23)/(d*(5*e^{(-2*d*x - 2*c)} - 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} - 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} - 1))) + 2*a^2*b^2*(3*x + 3*c/d - 4*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} - 2)/(d*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} - 1))) + 4*a^3*b*(x + c/d + 2/(d*(e^{(-2*d*x - 2*c)} - 1))) + a^4*x$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 1164 vs. 2(104) = 208.

time = 0.44, size = 1164, normalized size = 10.58

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(d*x+c)^2)^4,x, algorithm="fricas")

[Out] $-1/105*(4*(105*a^3*b + 210*a^2*b^2 + 161*a*b^3 + 44*b^4)*\cosh(dx + c)^7 + 28*(105*a^3*b + 210*a^2*b^2 + 161*a*b^3 + 44*b^4)*\cosh(dx + c)*\sinh(dx + c)^6 - (420*a^3*b + 840*a^2*b^2 + 644*a*b^3 + 176*b^4 + 105*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*dx)*\sinh(dx + c)^7 - 28*(75*a^3*b + 120*a^2*b^2 + 71*a*b^3 + 14*b^4)*\cosh(dx + c)^5 + 7*(420*a^3*b + 840*a^2*b^2 + 644*a*b^3 + 176*b^4 + 105*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*dx - 3*(420*a^3*b + 840*a^2*b^2 + 644*a*b^3 + 176*b^4 + 105*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*dx)*\cosh(dx + c)^2*\sinh(dx + c)^5 + 140*((105*a^3*b + 210*a^2*b^2 + 161*a*b^3 + 44*b^4)*\cosh(dx + c)^3 - (75*a^3*b + 120*a^2*b^2 + 71*a*b^3 + 14*b^4)*\cosh(dx + c))*\sinh(dx + c)^4 + 84*(45*a^3*b + 60*a^2*b^2 + 41*a*b^3 + 14*b^4)*\cosh(dx + c)^3 - 7*(5*(420*a^3*b + 840*a^2*b^2 + 644*a*b^3 + 176*b^4 + 105*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*dx)*\cosh(dx + c)^4 + 1260*a^3*b + 2520*a^2*b^2 + 1932*a*b^3 + 528*b^4 +$

$$\begin{aligned}
& 315*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*x - 10*(420*a^3*b + 840* \\
& a^2*b^2 + 644*a*b^3 + 176*b^4 + 105*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + \\
& b^4)*d*x)*\cosh(d*x + c)^2*\sinh(d*x + c)^3 + 28*(3*(105*a^3*b + 210*a^2*b^2 \\
& + 161*a*b^3 + 44*b^4)*\cosh(d*x + c)^5 - 10*(75*a^3*b + 120*a^2*b^2 + 71*a* \\
& b^3 + 14*b^4)*\cosh(d*x + c)^3 + 9*(45*a^3*b + 60*a^2*b^2 + 41*a*b^3 + 14*b^ \\
& 4)*\cosh(d*x + c))*\sinh(d*x + c)^2 - 420*(5*a^3*b + 6*a^2*b^2 + 5*a*b^3)*\cos \\
& h(d*x + c) - 7*((420*a^3*b + 840*a^2*b^2 + 644*a*b^3 + 176*b^4 + 105*(a^4 + \\
& 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*x)*\cosh(d*x + c)^6 - 5*(420*a^3*b + \\
& 840*a^2*b^2 + 644*a*b^3 + 176*b^4 + 105*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b \\
& ^3 + b^4)*d*x)*\cosh(d*x + c)^4 - 2100*a^3*b - 4200*a^2*b^2 - 3220*a*b^3 - 8 \\
& 80*b^4 - 525*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*x + 9*(420*a^3*b \\
& + 840*a^2*b^2 + 644*a*b^3 + 176*b^4 + 105*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a \\
& *b^3 + b^4)*d*x)*\cosh(d*x + c)^2*\sinh(d*x + c))/(d*\sinh(d*x + c)^7 + 7*(3* \\
& d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^5 + 7*(5*d*\cosh(d*x + c)^4 - 10*d*\cosh \\
& (d*x + c)^2 + 3*d)*\sinh(d*x + c)^3 + 7*(d*\cosh(d*x + c)^6 - 5*d*\cosh(d*x + \\
& c)^4 + 9*d*\cosh(d*x + c)^2 - 5*d)*\sinh(d*x + c))
\end{aligned}$$

Sympy [B] Leaf count of result is larger than twice the leaf count of optimal. 522 vs. $2(99) = 198$.

time = 8.32, size = 522, normalized size = 4.75

$$\begin{cases}
\frac{a^4 \log(-e^{-dx})}{d} - \frac{4a^3b \log(-e^{-dx}) \coth^2(dx + \log(-e^{-dx}))}{d} - \frac{6a^2b^2 \log(-e^{-dx}) \coth^4(dx + \log(-e^{-dx}))}{d} - \frac{4ab^3 \log(-e^{-dx}) \coth^6(dx + \log(-e^{-dx}))}{d} - \frac{b^4 \log(-e^{-dx}) \coth^8(dx + \log(-e^{-dx}))}{d} & \text{for } c = \log(-e^{-dx}) \\
\frac{a^4 \log(e^{-dx})}{d} - \frac{4a^3b \log(e^{-dx}) \coth^2(dx + \log(e^{-dx}))}{d} - \frac{6a^2b^2 \log(e^{-dx}) \coth^4(dx + \log(e^{-dx}))}{d} - \frac{4ab^3 \log(e^{-dx}) \coth^6(dx + \log(e^{-dx}))}{d} - \frac{b^4 \log(e^{-dx}) \coth^8(dx + \log(e^{-dx}))}{d} & \text{for } c = \log(e^{-dx}) \\
x(a + b \coth^2(c))^4 & \text{for } d = 0 \\
a^4x + 4a^3bx - \frac{4a^3b}{d \tanh(c+dx)} + 6a^2b^2x - \frac{6a^2b^2}{d \tanh^3(c+dx)} - \frac{2a^2b^2}{d \tanh^5(c+dx)} + 4ab^3x - \frac{4ab^3}{d \tanh(c+dx)} - \frac{4ab^3}{3d \tanh^3(c+dx)} - \frac{4ab^3}{5d \tanh^5(c+dx)} + b^4x - \frac{b^4}{d \tanh(c+dx)} - \frac{b^4}{3d \tanh^3(c+dx)} - \frac{b^4}{5d \tanh^5(c+dx)} - \frac{b^4}{7d \tanh^7(c+dx)} & \text{otherwise}
\end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(d*x+c)**2)**4,x)

[Out] Piecewise((-a**4*log(-exp(-d*x))/d - 4*a**3*b*log(-exp(-d*x))*coth(d*x + log(-exp(-d*x)))**2/d - 6*a**2*b**2*log(-exp(-d*x))*coth(d*x + log(-exp(-d*x)))**4/d - 4*a*b**3*log(-exp(-d*x))*coth(d*x + log(-exp(-d*x)))**6/d - b**4*log(-exp(-d*x))*coth(d*x + log(-exp(-d*x)))**8/d, Eq(c, log(-exp(-d*x))), (-a**4*log(exp(-d*x))/d - 4*a**3*b*log(exp(-d*x))*coth(d*x + log(exp(-d*x)))**2/d - 6*a**2*b**2*log(exp(-d*x))*coth(d*x + log(exp(-d*x)))**4/d - 4*a*b**3*log(exp(-d*x))*coth(d*x + log(exp(-d*x)))**6/d - b**4*log(exp(-d*x))*coth(d*x + log(exp(-d*x)))**8/d, Eq(c, log(exp(-d*x))), (x*(a + b*coth(c)**2)**4, Eq(d, 0)), (a**4*x + 4*a**3*b*x - 4*a**3*b/(d*tanh(c + d*x)) + 6*a**2*b**2*x - 6*a**2*b**2/(d*tanh(c + d*x)) - 2*a**2*b**2/(d*tanh(c + d*x)**3) + 4*a*b**3*x - 4*a*b**3/(d*tanh(c + d*x)) - 4*a*b**3/(3*d*tanh(c + d*x)**3) - 4*a*b**3/(5*d*tanh(c + d*x)**5) + b**4*x - b**4/(d*tanh(c + d*x)) - b**4/(3*d*tanh(c + d*x)**3) - b**4/(5*d*tanh(c + d*x)**5) - b**4/(7*d*tanh(c + d*x)**7), True))

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 447 vs. $2(104) = 208$.

time = 0.43, size = 447, normalized size = 4.06

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(d*x+c)^2)^4,x, algorithm="giac")

[Out] $\frac{1}{105} \cdot (105 \cdot (a^4 + 4 \cdot a^3 \cdot b + 6 \cdot a^2 \cdot b^2 + 4 \cdot a \cdot b^3 + b^4) \cdot (d \cdot x + c) - 8 \cdot (105 \cdot a^3 \cdot b \cdot e^{(12 \cdot d \cdot x + 12 \cdot c)} + 315 \cdot a^2 \cdot b^2 \cdot e^{(12 \cdot d \cdot x + 12 \cdot c)} + 315 \cdot a \cdot b^3 \cdot e^{(12 \cdot d \cdot x + 12 \cdot c)} + 105 \cdot b^4 \cdot e^{(12 \cdot d \cdot x + 12 \cdot c)} - 630 \cdot a^3 \cdot b \cdot e^{(10 \cdot d \cdot x + 10 \cdot c)} - 1575 \cdot a^2 \cdot b^2 \cdot e^{(10 \cdot d \cdot x + 10 \cdot c)} - 1260 \cdot a \cdot b^3 \cdot e^{(10 \cdot d \cdot x + 10 \cdot c)} - 315 \cdot b^4 \cdot e^{(10 \cdot d \cdot x + 10 \cdot c)} + 1575 \cdot a^3 \cdot b \cdot e^{(8 \cdot d \cdot x + 8 \cdot c)} + 3360 \cdot a^2 \cdot b^2 \cdot e^{(8 \cdot d \cdot x + 8 \cdot c)} + 2555 \cdot a \cdot b^3 \cdot e^{(8 \cdot d \cdot x + 8 \cdot c)} + 770 \cdot b^4 \cdot e^{(8 \cdot d \cdot x + 8 \cdot c)} - 2100 \cdot a^3 \cdot b \cdot e^{(6 \cdot d \cdot x + 6 \cdot c)} - 3990 \cdot a^2 \cdot b^2 \cdot e^{(6 \cdot d \cdot x + 6 \cdot c)} - 3080 \cdot a \cdot b^3 \cdot e^{(6 \cdot d \cdot x + 6 \cdot c)} - 770 \cdot b^4 \cdot e^{(6 \cdot d \cdot x + 6 \cdot c)} + 1575 \cdot a^3 \cdot b \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} + 2835 \cdot a^2 \cdot b^2 \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} + 2121 \cdot a \cdot b^3 \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} + 609 \cdot b^4 \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} - 630 \cdot a^3 \cdot b \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} - 1155 \cdot a^2 \cdot b^2 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} - 812 \cdot a \cdot b^3 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} - 203 \cdot b^4 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} + 105 \cdot a^3 \cdot b + 210 \cdot a^2 \cdot b^2 + 161 \cdot a \cdot b^3 + 44 \cdot b^4) / (e^{(2 \cdot d \cdot x + 2 \cdot c)} - 1)^7) / d$

Mupad [B]

time = 1.31, size = 111, normalized size = 1.01

$$x(a+b)^4 - \frac{\coth(c+dx)^3(6a^2b^2+4ab^3+b^4)}{3d} - \frac{\coth(c+dx)^5(b^4+4ab^3)}{5d} - \frac{b^4\coth(c+dx)^7}{7d} - \frac{b\coth(c+dx)(4a^3+6a^2b+4ab^2+b^3)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*coth(c + d*x)^2)^4,x)

[Out] $x \cdot (a + b)^4 - (\coth(c + d \cdot x)^3 \cdot (4 \cdot a \cdot b^3 + b^4 + 6 \cdot a^2 \cdot b^2)) / (3 \cdot d) - (\coth(c + d \cdot x)^5 \cdot (4 \cdot a \cdot b^3 + b^4)) / (5 \cdot d) - (b^4 \cdot \coth(c + d \cdot x)^7) / (7 \cdot d) - (b \cdot \coth(c + d \cdot x) \cdot (4 \cdot a \cdot b^2 + 6 \cdot a^2 \cdot b + 4 \cdot a^3 + b^3)) / d$

3.3 $\int (a + b \coth^2(c + dx))^3 dx$

Optimal. Leaf size=74

$$(a + b)^3 x - \frac{b(3a^2 + 3ab + b^2) \coth(c + dx)}{d} - \frac{b^2(3a + b) \coth^3(c + dx)}{3d} - \frac{b^3 \coth^5(c + dx)}{5d}$$

[Out] $(a+b)^3x - b(3a^2+3ab+b^2)\coth(d*x+c)/d - 1/3*b^2*(3a+b)\coth(d*x+c)^3/d - 1/5*b^3\coth(d*x+c)^5/d$

Rubi [A]

time = 0.04, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3742, 398, 212}

$$-\frac{b(3a^2 + 3ab + b^2) \coth(c + dx)}{d} - \frac{b^2(3a + b) \coth^3(c + dx)}{3d} + x(a + b)^3 - \frac{b^3 \coth^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Coth[c + d*x]^2)^3,x]

[Out] $(a + b)^3x - (b(3a^2 + 3ab + b^2)\text{Coth}[c + d*x])/d - (b^2(3a + b)\text{Coth}[c + d*x]^3)/(3d) - (b^3\text{Coth}[c + d*x]^5)/(5d)$

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 398

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

Rule 3742

Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

Rubi steps

$$\begin{aligned}
\int (a + b \coth^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{1-x^2} dx, x, \coth(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(-b(3a^2 + 3ab + b^2) - b^2(3a + b)x^2 - b^3x^4 + \frac{(a+b)^3}{1-x^2}\right) dx, x, \coth(c + dx)\right)}{d} \\
&= -\frac{b(3a^2 + 3ab + b^2) \coth(c + dx)}{d} - \frac{b^2(3a + b) \coth^3(c + dx)}{3d} - \frac{b^3 \coth^5(c + dx)}{5d} \\
&= (a + b)^3 x - \frac{b(3a^2 + 3ab + b^2) \coth(c + dx)}{d} - \frac{b^2(3a + b) \coth^3(c + dx)}{3d} - \frac{b^3 \coth^5(c + dx)}{5d}
\end{aligned}$$

Mathematica [A]

time = 0.98, size = 100, normalized size = 1.35

$$-\frac{b \coth(c + dx) (15(3a^2 + 3ab + b^2) + 5b(3a + b) \coth^2(c + dx) + 3b^2 \coth^4(c + dx))}{15d} + \frac{(a + b)^3 \tanh^{-1}\left(\sqrt{\tanh^2(c + dx)}\right) \tanh(c + dx)}{d \sqrt{\tanh^2(c + dx)}}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*Coth[c + d*x]^2)^3,x]`

```
[Out] -1/15*(b*Coth[c + d*x]*(15*(3*a^2 + 3*a*b + b^2) + 5*b*(3*a + b)*Coth[c + d*x]^2 + 3*b^2*Coth[c + d*x]^4))/d + ((a + b)^3*ArcTanh[Sqrt[Tanh[c + d*x]^2]]*Tanh[c + d*x])/(d*Sqrt[Tanh[c + d*x]^2])
```

Maple [A]

time = 0.33, size = 141, normalized size = 1.91

method	result
derivativedivides	$\frac{-3a^2 b \coth(dx+c) - 3a^2 b \coth(dx+c) - a^2 b^2 (\coth^3(dx+c)) - \frac{b^3 (\coth^3(dx+c))}{3} - b^3 \coth(dx+c) + \frac{(a^3 + 3a^2 b + 3a b^2 + b^3) \ln(\coth(dx+c))}{2}}{d}$
default	$\frac{-3a^2 b \coth(dx+c) - 3a^2 b \coth(dx+c) - a^2 b^2 (\coth^3(dx+c)) - \frac{b^3 (\coth^3(dx+c))}{3} - b^3 \coth(dx+c) + \frac{(a^3 + 3a^2 b + 3a b^2 + b^3) \ln(\coth(dx+c))}{2}}{d}$
risch	$a^3 x + 3a^2 b x + 3a b^2 x + b^3 x - \frac{2b(45a^2 e^{8dx+8c} + 90ab e^{8dx+8c} + 45b^2 e^{8dx+8c} - 180a^2 e^{6dx+6c} - 270ab e^{6dx+6c} - 90b^3 e^{6dx+6c})}{15d}$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*coth(d*x+c)^2)^3,x,method=_RETURNVERBOSE)`

```
[Out] 1/d*(-3*a*b^2*coth(d*x+c)-3*a^2*b*coth(d*x+c)-a*b^2*coth(d*x+c)^3-1/3*b^3*coth(d*x+c)^3-b^3*coth(d*x+c)+1/2*(a^3+3*a^2*b+3*a*b^2+b^3)*ln(coth(d*x+c)+1)-1/5*b^3*coth(d*x+c)^5-1/2*(a^3+3*a^2*b+3*a*b^2+b^3)*ln(coth(d*x+c)-1))
```

Maxima [B] Leaf count of result is larger than twice the leaf count of optimal. 239 vs. $2(70) = 140$.

time = 0.27, size = 239, normalized size = 3.23

$$\frac{1}{15} b^3 \left(15x + \frac{15c}{d} - \frac{2(70e^{(-2dx-2c)} - 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} - 45e^{(-8dx-8c)} - 23)}{d(5e^{(-2dx-2c)} - 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} - 5e^{(-8dx-8c)} + e^{(-10dx-10c)} - 1)} \right) + ab^2 \left(3x + \frac{3c}{d} - \frac{4(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} - 2)}{d(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)} \right) + 3a^2b \left(x + \frac{c}{d} + \frac{2}{d(e^{(-2dx-2c)} - 1)} \right) + a^3x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(d*x+c)^2)^3,x, algorithm="maxima")

[Out] $1/15*b^3*(15*x + 15*c/d - 2*(70*e^{(-2*d*x - 2*c)} - 140*e^{(-4*d*x - 4*c)} + 90*e^{(-6*d*x - 6*c)} - 45*e^{(-8*d*x - 8*c)} - 23)/(d*(5*e^{(-2*d*x - 2*c)} - 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} - 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} - 1)) + a*b^2*(3*x + 3*c/d - 4*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} - 2)/(d*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} - 1))) + 3*a^2*b*(x + c/d + 2/(d*(e^{(-2*d*x - 2*c)} - 1))) + a^3*x$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 557 vs. $2(70) = 140$.

time = 0.37, size = 557, normalized size = 7.53

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(d*x+c)^2)^3,x, algorithm="fricas")

[Out] $-1/15*((45*a^2*b + 60*a*b^2 + 23*b^3)*\cosh(d*x + c)^5 + 5*(45*a^2*b + 60*a*b^2 + 23*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^4 - (45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\sinh(d*x + c)^5 - 5*(27*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 + 5*(45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 2*(45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^2*\sinh(d*x + c)^3 + 5*(2*(45*a^2*b + 60*a*b^2 + 23*b^3)*\cosh(d*x + c)^3 - 3*(27*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^2 + 10*(9*a^2*b + 6*a*b^2 + 5*b^3)*\cosh(d*x + c) - 5*((45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^4 + 90*a^2*b + 120*a*b^2 + 46*b^3 + 30*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 3*(45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^2*\sinh(d*x + c))/(d*\sinh(d*x + c)^5 + 5*(2*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^3 + 5*(d*\cosh(d*x + c)^4 - 3*d*\cosh(d*x + c)^2 + 2*d)*\sinh(d*x + c))$

Sympy [B] Leaf count of result is larger than twice the leaf count of optimal. 367 vs. $2(65) = 130$.

time = 3.34, size = 367, normalized size = 4.96

$$\begin{cases} \frac{-\frac{a^3 \log(-e^{-dx})}{d} - \frac{3a^2 b \log(-e^{-dx}) \coth^2(dx + \log(-e^{-dx}))}{d} - \frac{3ab^2 \log(-e^{-dx}) \coth^4(dx + \log(-e^{-dx}))}{d} - \frac{b^3 \log(-e^{-dx}) \coth^6(dx + \log(-e^{-dx}))}{d}}{d} & \text{for } c = \log(-e^{-dx}) \\ \frac{-\frac{a^3 \log(e^{-dx})}{d} - \frac{3a^2 b \log(e^{-dx}) \coth^2(dx + \log(e^{-dx}))}{d} - \frac{3ab^2 \log(e^{-dx}) \coth^4(dx + \log(e^{-dx}))}{d} - \frac{b^3 \log(e^{-dx}) \coth^6(dx + \log(e^{-dx}))}{d}}{d} & \text{for } c = \log(e^{-dx}) \\ x(a + b \coth^2(c))^3 & \text{for } d = 0 \\ a^3x + 3a^2bx - \frac{3a^2b}{d \tanh(c+dx)} + 3ab^2x - \frac{3ab^2}{d \tanh(c+dx)} - \frac{ab^2}{d \tanh^3(c+dx)} + b^3x - \frac{b^3}{d \tanh(c+dx)} - \frac{b^3}{3d \tanh^3(c+dx)} - \frac{b^3}{5d \tanh^5(c+dx)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(d*x+c)**2)**3,x)

[Out] Piecewise((-a**3*log(-exp(-d*x))/d - 3*a**2*b*log(-exp(-d*x))*coth(d*x + log(-exp(-d*x)))**2/d - 3*a*b**2*log(-exp(-d*x))*coth(d*x + log(-exp(-d*x)))**4/d - b**3*log(-exp(-d*x))*coth(d*x + log(-exp(-d*x)))**6/d, Eq(c, log(-exp(-d*x)))), (-a**3*log(exp(-d*x))/d - 3*a**2*b*log(exp(-d*x))*coth(d*x + log(exp(-d*x)))**2/d - 3*a*b**2*log(exp(-d*x))*coth(d*x + log(exp(-d*x)))**4/d - b**3*log(exp(-d*x))*coth(d*x + log(exp(-d*x)))**6/d, Eq(c, log(exp(-d*x))))), (x*(a + b*coth(c)**2)**3, Eq(d, 0)), (a**3*x + 3*a**2*b*x - 3*a**2*b/(d*tanh(c + d*x)) + 3*a*b**2*x - 3*a*b**2/(d*tanh(c + d*x)) - a*b**2/(d*tanh(c + d*x)**3) + b**3*x - b**3/(d*tanh(c + d*x)) - b**3/(3*d*tanh(c + d*x)**3) - b**3/(5*d*tanh(c + d*x)**5), True))

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 241 vs. 2(70) = 140.

time = 0.41, size = 241, normalized size = 3.26

$$\frac{15(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c) - 2(45a^2be^{8dx+8c} + 90ab^2e^{8dx+8c} + 45b^3e^{8dx+8c} - 180a^2be^{6dx+6c} - 270ab^2e^{6dx+6c} - 90b^3e^{6dx+6c} + 270a^2be^{4dx+4c} + 330ab^2e^{4dx+4c} + 140b^3e^{4dx+4c} - 180a^2be^{2dx+2c} - 210ab^2e^{2dx+2c} - 70b^3e^{2dx+2c} + 45a^2b + 60ab^2 + 23b^3)}{(e^{2dx+2c} - 1)^5}$$

15d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(d*x+c)^2)^3,x, algorithm="giac")

[Out] 1/15*(15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*(d*x + c) - 2*(45*a^2*b*e^(8*d*x + 8*c) + 90*a*b^2*e^(8*d*x + 8*c) + 45*b^3*e^(8*d*x + 8*c) - 180*a^2*b*e^(6*d*x + 6*c) - 270*a*b^2*e^(6*d*x + 6*c) - 90*b^3*e^(6*d*x + 6*c) + 270*a^2*b*e^(4*d*x + 4*c) + 330*a*b^2*e^(4*d*x + 4*c) + 140*b^3*e^(4*d*x + 4*c) - 180*a^2*b*e^(2*d*x + 2*c) - 210*a*b^2*e^(2*d*x + 2*c) - 70*b^3*e^(2*d*x + 2*c) + 45*a^2*b + 60*a*b^2 + 23*b^3)/(e^(2*d*x + 2*c) - 1)^5/d

Mupad [B]

time = 1.28, size = 72, normalized size = 0.97

$$x(a+b)^3 - \frac{\coth(c+dx)^3(b^3+3ab^2)}{3d} - \frac{b^3\coth(c+dx)^5}{5d} - \frac{b\coth(c+dx)(3a^2+3ab+b^2)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*coth(c + d*x)^2)^3,x)

[Out] x*(a + b)^3 - (coth(c + d*x)^3*(3*a*b^2 + b^3))/(3*d) - (b^3*coth(c + d*x)^5)/(5*d) - (b*coth(c + d*x)*(3*a*b + 3*a^2 + b^2))/d

3.4 $\int (a + b \coth^2(c + dx))^2 dx$

Optimal. Leaf size=43

$$(a + b)^2 x - \frac{b(2a + b) \coth(c + dx)}{d} - \frac{b^2 \coth^3(c + dx)}{3d}$$

[Out] $(a+b)^2x - b(2a+b)\coth(dx+c)/d - 1/3b^2\coth(dx+c)^3/d$

Rubi [A]

time = 0.03, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3742, 398, 212}

$$-\frac{b(2a + b) \coth(c + dx)}{d} + x(a + b)^2 - \frac{b^2 \coth^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Coth[c + d*x]^2)^2,x]

[Out] $(a + b)^2x - (b(2a + b)\coth[c + d*x])/d - (b^2\coth[c + d*x]^3)/(3*d)$

Rule 212

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 398

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

Rule 3742

Int[((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

Rubi steps

$$\begin{aligned}
\int (a + b \coth^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^2}{1-x^2} dx, x, \coth(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(-b(2a + b) - b^2x^2 + \frac{(a+b)^2}{1-x^2}\right) dx, x, \coth(c + dx)\right)}{d} \\
&= -\frac{b(2a + b) \coth(c + dx)}{d} - \frac{b^2 \coth^3(c + dx)}{3d} + \frac{(a + b)^2 \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \coth(c + dx)\right)}{d} \\
&= (a + b)^2 x - \frac{b(2a + b) \coth(c + dx)}{d} - \frac{b^2 \coth^3(c + dx)}{3d}
\end{aligned}$$

Mathematica [A]

time = 0.36, size = 65, normalized size = 1.51

$$\frac{\coth(c + dx) \left(b(6a + 3b + b \coth^2(c + dx)) - 3(a + b)^2 \tanh^{-1} \left(\sqrt{\tanh^2(c + dx)} \right) \sqrt{\tanh^2(c + dx)} \right)}{3d}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*Coth[c + d*x]^2)^2,x]``[Out] -1/3*(Coth[c + d*x]*(b*(6*a + 3*b + b*Coth[c + d*x]^2) - 3*(a + b)^2*ArcTanh[Sqrt[Tanh[c + d*x]^2]]*Sqrt[Tanh[c + d*x]^2]))/d`**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 83 vs. 2(41) = 82.

time = 0.34, size = 84, normalized size = 1.95

method	result	si
derivativedivides	$-\frac{b^2 \coth^3(dx+c)}{3} - 2ab \coth(dx+c) - b^2 \coth(dx+c) - \frac{(a^2+2ab+b^2) \ln(\coth(dx+c)-1)}{2} + \frac{(a^2+2ab+b^2) \ln(\coth(dx+c)+1)}{2}$	8
default	$-\frac{b^2 \coth^3(dx+c)}{3} - 2ab \coth(dx+c) - b^2 \coth(dx+c) - \frac{(a^2+2ab+b^2) \ln(\coth(dx+c)-1)}{2} + \frac{(a^2+2ab+b^2) \ln(\coth(dx+c)+1)}{2}$	8
risch	$a^2x + 2abx + b^2x - \frac{4b(3ae^{4dx+4c} + 3be^{4dx+4c} - 6ae^{2dx+2c} - 3be^{2dx+2c} + 3a + 2b)}{3d(e^{2dx+2c} - 1)^3}$	9

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*coth(d*x+c)^2)^2,x,method=_RETURNVERBOSE)``[Out] 1/d*(-1/3*b^2*coth(d*x+c)^3-2*a*b*coth(d*x+c)-b^2*coth(d*x+c)-1/2*(a^2+2*a*b+b^2)*ln(coth(d*x+c)-1)+1/2*(a^2+2*a*b+b^2)*ln(coth(d*x+c)+1))`

Maxima [B] Leaf count of result is larger than twice the leaf count of optimal. 114 vs. 2(41) = 82.

time = 0.27, size = 114, normalized size = 2.65

$$\frac{1}{3} b^2 \left(3x + \frac{3c}{d} - \frac{4(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} - 2)}{d(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)} \right) + 2ab \left(x + \frac{c}{d} + \frac{2}{d(e^{(-2dx-2c)} - 1)} \right) + a^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(d*x+c)^2)^2,x, algorithm="maxima")

[Out] 1/3*b^2*(3*x + 3*c/d - 4*(3*e^(-2*d*x - 2*c) - 3*e^(-4*d*x - 4*c) - 2)/(d*(3*e^(-2*d*x - 2*c) - 3*e^(-4*d*x - 4*c) + e^(-6*d*x - 6*c) - 1))) + 2*a*b*(x + c/d + 2/(d*(e^(-2*d*x - 2*c) - 1))) + a^2*x

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 197 vs. 2(41) = 82.

time = 0.39, size = 197, normalized size = 4.58

$$\frac{2(3ab+2b^2)\cosh(dx+c)^3+6(3ab+2b^2)\cosh(dx+c)\sinh(dx+c)^2-(3(a^2+2ab+b^2)dx+6ab+4b^2)\sinh(dx+c)^3-6ab\cosh(dx+c)+3(3(a^2+2ab+b^2)dx-(3(a^2+2ab+b^2)dx+6ab+4b^2)\cosh(dx+c)^2+6ab+4b^2)\sinh(dx+c)}{3(d\sinh(dx+c)^3+3(d\cosh(dx+c)^2-d)\sinh(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(d*x+c)^2)^2,x, algorithm="fricas")

[Out] -1/3*(2*(3*a*b + 2*b^2)*cosh(d*x + c)^3 + 6*(3*a*b + 2*b^2)*cosh(d*x + c)*sinh(d*x + c)^2 - (3*(a^2 + 2*a*b + b^2)*d*x + 6*a*b + 4*b^2)*sinh(d*x + c)^3 - 6*a*b*cosh(d*x + c) + 3*(3*(a^2 + 2*a*b + b^2)*d*x - (3*(a^2 + 2*a*b + b^2)*d*x + 6*a*b + 4*b^2)*cosh(d*x + c)^2 + 6*a*b + 4*b^2)*sinh(d*x + c))/(d*sinh(d*x + c)^3 + 3*(d*cosh(d*x + c)^2 - d)*sinh(d*x + c))

Sympy [B] Leaf count of result is larger than twice the leaf count of optimal. 238 vs. 2(36) = 72.

time = 1.34, size = 238, normalized size = 5.53

$$\begin{cases} x(a + b \coth^2(c))^2 & \text{for } d = 0 \\ -\frac{a^2 \log(-e^{-dx})}{d} - \frac{2ab \log(-e^{-dx}) \coth^2(dx + \log(-e^{-dx}))}{d} - \frac{b^2 \log(-e^{-dx}) \coth^4(dx + \log(-e^{-dx}))}{d} & \text{for } c = \log(-e^{-dx}) \\ -\frac{a^2 \log(e^{-dx})}{d} - \frac{2ab \log(e^{-dx}) \coth^2(dx + \log(e^{-dx}))}{d} - \frac{b^2 \log(e^{-dx}) \coth^4(dx + \log(e^{-dx}))}{d} & \text{for } c = \log(e^{-dx}) \\ a^2 x + 2abx - \frac{2ab}{d \tanh(c+dx)} + b^2 x - \frac{b^2}{d \tanh(c+dx)} - \frac{b^2}{3d \tanh^3(c+dx)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(d*x+c)**2)**2,x)

[Out] Piecewise((x*(a + b*coth(c)**2)**2, Eq(d, 0)), (-a**2*log(-exp(-d*x))/d - 2*a*b*log(-exp(-d*x))*coth(d*x + log(-exp(-d*x)))**2/d - b**2*log(-exp(-d*x))*coth(d*x + log(-exp(-d*x)))**4/d, Eq(c, log(-exp(-d*x)))), (-a**2*log(exp

$(-d*x))/d - 2*a*b*log(exp(-d*x))*coth(d*x + log(exp(-d*x)))*2/d - b**2*log(exp(-d*x))*coth(d*x + log(exp(-d*x)))*4/d, Eq(c, log(exp(-d*x))), (a**2*x + 2*a*b*x - 2*a*b/(d*tanh(c + d*x)) + b**2*x - b**2/(d*tanh(c + d*x)) - b**2/(3*d*tanh(c + d*x)**3), True))$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 103 vs. 2(41) = 82.

time = 0.41, size = 103, normalized size = 2.40

$$\frac{3(a^2 + 2ab + b^2)(dx + c) - \frac{4(3abe^{(4dx+4c)} + 3b^2e^{(4dx+4c)} - 6abe^{(2dx+2c)} - 3b^2e^{(2dx+2c)} + 3ab + 2b^2)}{(e^{(2dx+2c)} - 1)^3}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(d*x+c))^2,x, algorithm="giac")

[Out] $\frac{1}{3} * (3 * (a^2 + 2 * a * b + b^2) * (d * x + c) - 4 * (3 * a * b * e^{(4 * d * x + 4 * c)} + 3 * b^2 * e^{(4 * d * x + 4 * c)} - 6 * a * b * e^{(2 * d * x + 2 * c)} - 3 * b^2 * e^{(2 * d * x + 2 * c)} + 3 * a * b + 2 * b^2) / (e^{(2 * d * x + 2 * c)} - 1)^3) / d$

Mupad [B]

time = 0.11, size = 41, normalized size = 0.95

$$x(a + b)^2 - \frac{b^2 \coth(c + dx)^3}{3d} - \frac{b \coth(c + dx)(2a + b)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*coth(c + d*x))^2,x)

[Out] $x * (a + b)^2 - (b^2 * \coth(c + d * x)^3) / (3 * d) - (b * \coth(c + d * x) * (2 * a + b)) / d$

3.5

$$\int \frac{1}{a+b \coth^2(c+dx)} dx$$

Optimal. Leaf size=46

$$\frac{x}{a+b} - \frac{\sqrt{b} \operatorname{ArcTan}\left(\frac{\sqrt{a} \tanh(c+dx)}{\sqrt{b}}\right)}{\sqrt{a} (a+b)d}$$

[Out] $x/(a+b) - \arctan(a^{(1/2)} * \tanh(d*x+c)/b^{(1/2)}) * b^{(1/2)} / (a+b) / d / a^{(1/2)}$

Rubi [A]

time = 0.05, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3741, 3756, 211}

$$\frac{x}{a+b} - \frac{\sqrt{b} \operatorname{ArcTan}\left(\frac{\sqrt{a} \tanh(c+dx)}{\sqrt{b}}\right)}{\sqrt{a} d(a+b)}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*Coth[c + d*x]^2)^(-1), x]`

[Out] $x/(a + b) - (\operatorname{Sqrt}[b] * \operatorname{ArcTan}[(\operatorname{Sqrt}[a] * \operatorname{Tanh}[c + d*x]) / \operatorname{Sqrt}[b]]) / (\operatorname{Sqrt}[a] * (a + b) * d)$

Rule 211

`Int[((a_) + (b_) * (x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a) * ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 3741

`Int[((a_) + (b_) * tan[(e_) + (f_) * (x_)]^2)^(-1), x_Symbol] := Simp[x/(a - b), x] - Dist[b/(a - b), Int[Sec[e + f*x]^2/(a + b * Tan[e + f*x]^2), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a, b]`

Rule 3756

`Int[sec[(e_) + (f_) * (x_)]^(m_) * ((a_) + (b_) * ((c_) * tan[(e_) + (f_) * (x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1) * f), Subst[Int[(c^2 + ff^2 * x^2)^(m/2 - 1) * (a + b * (ff*x)^n)^p, x], x, c * (Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])`

Rubi steps

$$\begin{aligned}
\int \frac{1}{a + b \coth^2(c + dx)} dx &= \frac{x}{a + b} - \frac{b \int \frac{\operatorname{csch}^2(c + dx)}{a + b \coth^2(c + dx)} dx}{a + b} \\
&= \frac{x}{a + b} + \frac{b \operatorname{Subst}\left(\int \frac{1}{a + bx^2} dx, x, \coth(c + dx)\right)}{(a + b)d} \\
&= \frac{x}{a + b} - \frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{a} \tanh(c + dx)}{\sqrt{b}}\right)}{\sqrt{a} (a + b)d}
\end{aligned}$$

Mathematica [A]

time = 0.04, size = 47, normalized size = 1.02

$$-\frac{\sqrt{b} \operatorname{ArcTan}\left(\frac{\sqrt{a} \tanh(c + dx)}{\sqrt{b}}\right)}{\sqrt{a}} + \frac{\tanh^{-1}(\tanh(c + dx))}{(a + b)d}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*Coth[c + d*x]^2)^(-1),x]``[Out] (-((Sqrt[b]*ArcTan[(Sqrt[a]*Tanh[c + d*x])/Sqrt[b]])/Sqrt[a]) + ArcTanh[Tanh[c + d*x]])/((a + b)*d)`**Maple [A]**

time = 0.86, size = 71, normalized size = 1.54

method	result	size
derivativedivides	$\frac{\frac{\ln(\coth(dx+c)+1)}{2b+2a} + \frac{b \arctan\left(\frac{b \coth(dx+c)}{\sqrt{ab}}\right)}{(a+b)\sqrt{ab}} - \frac{\ln(\coth(dx+c)-1)}{2b+2a}}{d}$	71
default	$\frac{\frac{\ln(\coth(dx+c)+1)}{2b+2a} + \frac{b \arctan\left(\frac{b \coth(dx+c)}{\sqrt{ab}}\right)}{(a+b)\sqrt{ab}} - \frac{\ln(\coth(dx+c)-1)}{2b+2a}}{d}$	71
risch	$\frac{x}{a+b} + \frac{\sqrt{-ab} \ln\left(e^{2dx+2c} - \frac{a+2\sqrt{-ab}-b}{a+b}\right)}{2a(a+b)d} - \frac{\sqrt{-ab} \ln\left(e^{2dx+2c} + \frac{2\sqrt{-ab}-a+b}{a+b}\right)}{2a(a+b)d}$	108

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(a+b*coth(d*x+c)^2),x,method=_RETURNVERBOSE)`

[Out] $1/d*(1/(2*b+2*a)*\ln(\coth(d*x+c)+1)+b/(a+b)/(a*b)^{(1/2)*\arctan(b*\coth(d*x+c))/(a*b)^{(1/2)})-1/(2*b+2*a)*\ln(\coth(d*x+c)-1))$

Maxima [A]

time = 0.48, size = 56, normalized size = 1.22

$$\frac{b \arctan\left(\frac{(a+b)e^{(-2dx-2c)}-a+b}{2\sqrt{ab}}\right)}{\sqrt{ab}(a+b)d} + \frac{dx+c}{(a+b)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*coth(d*x+c)^2),x, algorithm="maxima")`

[Out] $b*\arctan(1/2*((a+b)*e^{(-2*d*x-2*c)}-a+b)/\sqrt{a*b})/(\sqrt{a*b}*(a+b)*d) + (d*x+c)/((a+b)*d)$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 81 vs. $2(38) = 76$.

time = 0.41, size = 488, normalized size = 10.61

$$\frac{2dx + \sqrt{\frac{a}{b}} \log\left(\frac{(a^2+2ab+b^2)\cosh(dx+c)^4 + 4(a^2+2ab+b^2)\cosh(dx+c)\sinh(dx+c)^3 + (a^2+2ab+b^2)\sinh(dx+c)^4 - 2(a^2-b^2)\cosh(dx+c)^2 + 2(3(a^2+2ab+b^2)\cosh(dx+c)^2 - a^2 + b^2)\sinh(dx+c)^2 + a^2 - 6ab + b^2 + 4((a^2+2ab+b^2)\cosh(dx+c)^3 - (a^2-b^2)\cosh(dx+c))\sinh(dx+c) - 4((a^2+ab)\cosh(dx+c)^2 + 2(a^2+ab)\cosh(dx+c)\sinh(dx+c) + (a^2+ab)\sinh(dx+c)^2 - a^2 + ab)\sqrt{-b/a}}{(a+b)\cosh(dx+c)^4 + 4(a+b)\cosh(dx+c)\sinh(dx+c)^3 + (a+b)\sinh(dx+c)^4 - 2(a-b)\cosh(dx+c)^2 + 2(3(a+b)\cosh(dx+c)^2 - a+b)\sinh(dx+c)^2 + 4((a+b)\cosh(dx+c)^3 - (a-b)\cosh(dx+c))\sinh(dx+c) + a+b)}\right)}{2(a+b)d} - \sqrt{\frac{a}{b}} \arctan\left(\frac{(a+b)\cosh(dx+c)^2 + 2(a+b)\cosh(dx+c)\sinh(dx+c) + (a+b)\sinh(dx+c)^2 - a+b}{(a+b)d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*coth(d*x+c)^2),x, algorithm="fricas")`

[Out] $[1/2*(2*d*x + \sqrt{-b/a}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 - 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 - a^2 + b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a^2 + a*b)*\cosh(d*x + c)^2 + 2*(a^2 + a*b)*\cosh(d*x + c)*\sinh(d*x + c) + (a^2 + a*b)*\sinh(d*x + c)^2 - a^2 + a*b)*\sqrt{-b/a})/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 - 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 - a + b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 - (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)))/((a + b)*d), (d*x - \sqrt{b/a}*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 - a + b)*\sqrt{b/a}/b))/((a + b)*d)]$

Sympy [B] Leaf count of result is larger than twice the leaf count of optimal. 253 vs. $2(37) = 74$.

time = 3.90, size = 253, normalized size = 5.50

$$\left\{ \begin{array}{ll} \frac{\infty x}{\coth^2(c)} & \text{for } a = 0 \wedge b = 0 \wedge d = 0 \\ \frac{x - \frac{\tanh(c+dx)}{d}}{b} & \text{for } a = 0 \\ -\frac{dx \tanh^2(c+dx)}{2bd \tanh^2(c+dx) - 2bd} + \frac{dx}{2bd \tanh^2(c+dx) - 2bd} - \frac{\tanh(c+dx)}{2bd \tanh^2(c+dx) - 2bd} & \text{for } a = -b \\ \frac{x}{a} & \text{for } b = 0 \\ \frac{x}{a + b \coth^2(c)} & \text{for } d = 0 \\ \frac{2adx \sqrt{-\frac{b}{a}}}{2a^2d \sqrt{-\frac{b}{a}} + 2abd \sqrt{-\frac{b}{a}}} - \frac{b \log\left(-\sqrt{-\frac{b}{a}} + \tanh(c+dx)\right)}{2a^2d \sqrt{-\frac{b}{a}} + 2abd \sqrt{-\frac{b}{a}}} + \frac{b \log\left(\sqrt{-\frac{b}{a}} + \tanh(c+dx)\right)}{2a^2d \sqrt{-\frac{b}{a}} + 2abd \sqrt{-\frac{b}{a}}} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*coth(d*x+c)**2),x)

[Out] Piecewise((zoo*x/coth(c)**2, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((x - tanh(c + d*x)/d)/b, Eq(a, 0)), (-d*x*tanh(c + d*x)**2/(2*b*d*tanh(c + d*x)**2 - 2*b*d) + d*x/(2*b*d*tanh(c + d*x)**2 - 2*b*d) - tanh(c + d*x)/(2*b*d*tanh(c + d*x)**2 - 2*b*d), Eq(a, -b)), (x/a, Eq(b, 0)), (x/(a + b*coth(c)**2), Eq(d, 0)), (2*a*d*x*sqrt(-b/a)/(2*a**2*d*sqrt(-b/a) + 2*a*b*d*sqrt(-b/a)) - b*log(-sqrt(-b/a) + tanh(c + d*x))/(2*a**2*d*sqrt(-b/a) + 2*a*b*d*sqrt(-b/a)) + b*log(sqrt(-b/a) + tanh(c + d*x))/(2*a**2*d*sqrt(-b/a) + 2*a*b*d*sqrt(-b/a)), True))

Giac [A]

time = 0.40, size = 65, normalized size = 1.41

$$\frac{b \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} - a + b}{2\sqrt{ab}}\right) - \frac{dx+c}{a+b}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*coth(d*x+c)^2),x, algorithm="giac")

[Out] -(b*arctan(1/2*(a*e^(2*d*x + 2*c) + b*e^(2*d*x + 2*c) - a + b)/sqrt(a*b)))/(sqrt(a*b)*(a + b)) - (d*x + c)/(a + b))/d

Mupad [B]

time = 0.11, size = 37, normalized size = 0.80

$$\frac{x}{a+b} + \frac{b \operatorname{atan}\left(\frac{b \coth(c+dx)}{\sqrt{ab}}\right)}{d \sqrt{ab} (a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a + b*coth(c + d*x)^2),x)
```

```
[Out] x/(a + b) + (b*atan((b*coth(c + d*x))/(a*b)^(1/2)))/(d*(a*b)^(1/2)*(a + b))
```

$$3.6 \quad \int \frac{1}{(a+b \coth^2(c+dx))^2} dx$$

Optimal. Leaf size=89

$$\frac{x}{(a+b)^2} - \frac{\sqrt{b}(3a+b)\text{ArcTan}\left(\frac{\sqrt{a}\tanh(c+dx)}{\sqrt{b}}\right)}{2a^{3/2}(a+b)^2d} + \frac{b \coth(c+dx)}{2a(a+b)d(a+b \coth^2(c+dx))}$$

[Out] $x/(a+b)^2 + 1/2*b*\coth(d*x+c)/a/(a+b)/d/(a+b*\coth(d*x+c)^2) - 1/2*(3*a+b)*\arctan(a^{(1/2)*\tanh(d*x+c)/b^{(1/2)})*b^{(1/2)}/a^{(3/2)/(a+b)^2/d}$

Rubi [A]

time = 0.08, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {3742, 425, 536, 212, 211}

$$-\frac{\sqrt{b}(3a+b)\text{ArcTan}\left(\frac{\sqrt{a}\tanh(c+dx)}{\sqrt{b}}\right)}{2a^{3/2}d(a+b)^2} + \frac{b \coth(c+dx)}{2ad(a+b)(a+b \coth^2(c+dx))} + \frac{x}{(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Coth[c + d*x]^2)^(-2), x]

[Out] $x/(a+b)^2 - (\text{Sqrt}[b]*(3*a+b)*\text{ArcTan}[(\text{Sqrt}[a]*\text{Tanh}[c+d*x])/\text{Sqrt}[b]])/(2*a^{(3/2)*(a+b)^2*d} + (b*\text{Coth}[c+d*x])/(2*a*(a+b)*d*(a+b*\text{Coth}[c+d*x]^2))$

Rule 211

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 425

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(-b)*x*(a + b*x^n)^(p+1)*((c + d*x^n)^(q+1)/(a*n*(p+1)*(b*c - a*d))), x] + Dist[1/(a*n*(p+1)*(b*c - a*d)), Int[(a + b*x^n)^(p+1)*(c + d*x^n)^q*Simp[b*c + n*(p+1)*(b*c - a*d) + d*b*(n*(p+q+2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -


```
1] && !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b,
c, d, n, p, q, x]
```

Rule 536

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(
n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

Rule 3742

```
Int[((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \coth^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)(a+bx^2)^2} dx, x, \coth(c + dx)\right)}{d} \\ &= \frac{b \coth(c + dx)}{2a(a + b)d (a + b \coth^2(c + dx))} - \frac{\text{Subst}\left(\int \frac{b-2(a+b)+bx^2}{(1-x^2)(a+bx^2)} dx, x, \coth(c + dx)\right)}{2a(a + b)d} \\ &= \frac{b \coth(c + dx)}{2a(a + b)d (a + b \coth^2(c + dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \coth(c + dx)\right)}{(a + b)^2 d} + \frac{b \coth(c + dx)}{2a(a + b)d (a + b \coth^2(c + dx))} \\ &= \frac{x}{(a + b)^2} - \frac{\sqrt{b} (3a + b) \tan^{-1}\left(\frac{\sqrt{a} \tanh(c+dx)}{\sqrt{b}}\right)}{2a^{3/2}(a + b)^2 d} + \frac{b \coth(c + dx)}{2a(a + b)d (a + b \coth^2(c + dx))} \end{aligned}$$

Mathematica [A]

time = 0.43, size = 97, normalized size = 1.09

$$\frac{\sqrt{b} (3a+b) \text{ArcTan}\left(\frac{\sqrt{b} \coth(c+dx)}{\sqrt{a}}\right)}{a^{3/2}} + \frac{b(a+b) \coth(c+dx)}{a(a+b \coth^2(c+dx))} - \log(1 - \coth(c + dx)) + \log(1 + \coth(c + dx))}{2(a + b)^2 d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Coth[c + d*x]^2)^(-2), x]
```

[Out] $((\text{Sqrt}[b]*(3*a + b)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Coth}[c + d*x])/(\text{Sqrt}[a])])/a^{(3/2)} + (b*(a + b)*\text{Coth}[c + d*x])/(a*(a + b*\text{Coth}[c + d*x]^2)) - \text{Log}[1 - \text{Coth}[c + d*x]] + \text{Log}[1 + \text{Coth}[c + d*x]])/(2*(a + b)^2*d)$

Maple [A]

time = 0.92, size = 103, normalized size = 1.16

method	result
derivativdivides	$\frac{\frac{\ln(\coth(dx+c)+1)}{2(a+b)^2} - \frac{\ln(\coth(dx+c)-1)}{2(a+b)^2} + \frac{b \left(\frac{(a+b)\coth(dx+c)}{2a(a+b(\coth^2(dx+c)))} + \frac{(3a+b)\arctan\left(\frac{b\coth(dx+c)}{\sqrt{ab}}\right)}{2a\sqrt{ab}} \right)}{(a+b)^2}}{d}$
default	$\frac{\frac{\ln(\coth(dx+c)+1)}{2(a+b)^2} - \frac{\ln(\coth(dx+c)-1)}{2(a+b)^2} + \frac{b \left(\frac{(a+b)\coth(dx+c)}{2a(a+b(\coth^2(dx+c)))} + \frac{(3a+b)\arctan\left(\frac{b\coth(dx+c)}{\sqrt{ab}}\right)}{2a\sqrt{ab}} \right)}{(a+b)^2}}{d}$
risch	$\frac{x}{a^2+2ab+b^2} + \frac{b(ae^{2dx+2c}-be^{2dx+2c}-a-b)}{da(a+b)^2(ae^{4dx+4c}+be^{4dx+4c}-2ae^{2dx+2c}+2be^{2dx+2c}+a+b)} + \frac{3\sqrt{-ab} \ln\left(e^{2dx+2c} - \frac{a+2\sqrt{-ab}}{a+b}\right)}{4a(a+b)^2d}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*coth(d*x+c)^2)^2,x,method=_RETURNVERBOSE)`

[Out] $1/d*(1/2/(a+b)^2*\ln(\coth(d*x+c)+1)-1/2/(a+b)^2*\ln(\coth(d*x+c)-1)+b/(a+b)^2*(1/2/a*(a+b)*\coth(d*x+c)/(a+b*\coth(d*x+c)^2)+1/2*(3*a+b)/a/(a*b)^{(1/2)*\arctan(b*\coth(d*x+c)/(a*b)^{(1/2))})$

Maxima [B] Leaf count of result is larger than twice the leaf count of optimal. 207 vs. 2(77) = 154.

time = 0.52, size = 207, normalized size = 2.33

$$\frac{(3ab + b^2)\arctan\left(\frac{(a+b)e^{(-2dx-2c)}-a+b}{2\sqrt{ab}}\right)}{2(a^3 + 2a^2b + ab^2)\sqrt{ab}d} + \frac{ab + b^2 - (ab - b^2)e^{(-2dx-2c)}}{(a^4 + 3a^3b + 3a^2b^2 + ab^3 - 2(a^4 + a^3b - a^2b^2 - ab^3)e^{(-2dx-2c)} + (a^4 + 3a^3b + 3a^2b^2 + ab^3)e^{(-4dx-4c)})d} + \frac{dx + c}{(a^2 + 2ab + b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*coth(d*x+c)^2)^2,x, algorithm="maxima")`

[Out] $1/2*(3*a*b + b^2)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} - a + b)/\text{sqrt}(a*b))/((a^3 + 2*a^2*b + a*b^2)*\text{sqrt}(a*b)*d) + (a*b + b^2 - (a*b - b^2)*e^{(-2*d*x - 2*c)})/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3 - 2*(a^4 + a^3*b - a^2*b^2 - a*b^3)*e^{(-2*d*x - 2*c)} + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*e^{(-4*d*x - 4*c)})*d) + (d*x + c)/((a^2 + 2*a*b + b^2)*d)$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 814 vs. 2(77) = 154.

time = 0.44, size = 1952, normalized size = 21.93

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*coth(d*x+c)^2)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*(4*(a^2 + a*b)*d*x*cosh(d*x + c)^4 + 16*(a^2 + a*b)*d*x*cosh(d*x + c)* \\ & sinh(d*x + c)^3 + 4*(a^2 + a*b)*d*x*sinh(d*x + c)^4 + 4*(a^2 + a*b)*d*x - 4 \\ & *(2*(a^2 - a*b)*d*x - a*b + b^2)*cosh(d*x + c)^2 + 4*(6*(a^2 + a*b)*d*x*cos \\ & h(d*x + c)^2 - 2*(a^2 - a*b)*d*x + a*b - b^2)*sinh(d*x + c)^2 + ((3*a^2 + 4 \\ & *a*b + b^2)*cosh(d*x + c)^4 + 4*(3*a^2 + 4*a*b + b^2)*cosh(d*x + c)*sinh(d* \\ & x + c)^3 + (3*a^2 + 4*a*b + b^2)*sinh(d*x + c)^4 - 2*(3*a^2 - 2*a*b - b^2)* \\ & cosh(d*x + c)^2 + 2*(3*(3*a^2 + 4*a*b + b^2)*cosh(d*x + c)^2 - 3*a^2 + 2*a* \\ & b + b^2)*sinh(d*x + c)^2 + 3*a^2 + 4*a*b + b^2 + 4*((3*a^2 + 4*a*b + b^2)*c \\ & osh(d*x + c)^3 - (3*a^2 - 2*a*b - b^2)*cosh(d*x + c))*sinh(d*x + c)*sqrt(- \\ & b/a)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(\\ & d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 - 2*(a^2 - b \\ & ^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 - a^2 + b^2) \\ & *sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c) \\ & ^3 - (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c) - 4*((a^2 + a*b)*cosh(d*x + c) \\ &)^2 + 2*(a^2 + a*b)*cosh(d*x + c)*sinh(d*x + c) + (a^2 + a*b)*sinh(d*x + c) \\ & ^2 - a^2 + a*b)*sqrt(-b/a))/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + \\ & c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 - 2*(a - b)*cosh(d*x + c)^2 + \\ & 2*(3*(a + b)*cosh(d*x + c)^2 - a + b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d* \\ & x + c)^3 - (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)) - 4*a*b - 4*b^2 + \\ & 8*(2*(a^2 + a*b)*d*x*cosh(d*x + c)^3 - (2*(a^2 - a*b)*d*x - a*b + b^2)*cos \\ & h(d*x + c))*sinh(d*x + c))/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*cosh(d*x \\ & + c)^4 + 4*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)*sinh(d*x + c) \\ &)^3 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*sinh(d*x + c)^4 - 2*(a^4 + a^3* \\ & b - a^2*b^2 - a*b^3)*d*cosh(d*x + c)^2 + 2*(3*(a^4 + 3*a^3*b + 3*a^2*b^2 + \\ & a*b^3)*d*cosh(d*x + c)^2 - (a^4 + a^3*b - a^2*b^2 - a*b^3)*d)*sinh(d*x + c) \\ & ^2 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d + 4*((a^4 + 3*a^3*b + 3*a^2*b^2 \\ & + a*b^3)*d*cosh(d*x + c)^3 - (a^4 + a^3*b - a^2*b^2 - a*b^3)*d*cosh(d*x + c) \\ &))*sinh(d*x + c)), 1/2*(2*(a^2 + a*b)*d*x*cosh(d*x + c)^4 + 8*(a^2 + a*b)*d \\ & *x*cosh(d*x + c)*sinh(d*x + c)^3 + 2*(a^2 + a*b)*d*x*sinh(d*x + c)^4 + 2*(a \\ & ^2 + a*b)*d*x - 2*(2*(a^2 - a*b)*d*x - a*b + b^2)*cosh(d*x + c)^2 + 2*(6*(a \\ & ^2 + a*b)*d*x*cosh(d*x + c)^2 - 2*(a^2 - a*b)*d*x + a*b - b^2)*sinh(d*x + c) \\ &)^2 - ((3*a^2 + 4*a*b + b^2)*cosh(d*x + c)^4 + 4*(3*a^2 + 4*a*b + b^2)*cosh \\ & (d*x + c)*sinh(d*x + c)^3 + (3*a^2 + 4*a*b + b^2)*sinh(d*x + c)^4 - 2*(3*a^ \\ & 2 - 2*a*b - b^2)*cosh(d*x + c)^2 + 2*(3*(3*a^2 + 4*a*b + b^2)*cosh(d*x + c) \\ & ^2 - 3*a^2 + 2*a*b + b^2)*sinh(d*x + c)^2 + 3*a^2 + 4*a*b + b^2 + 4*((3*a^2 \\ & + 4*a*b + b^2)*cosh(d*x + c)^3 - (3*a^2 - 2*a*b - b^2)*cosh(d*x + c))*sinh \end{aligned}$$

```
(d*x + c))*sqrt(b/a)*arctan(1/2*((a + b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d
*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 - a + b)*sqrt(b/a)/b) - 2*a
*b - 2*b^2 + 4*(2*(a^2 + a*b)*d*x*cosh(d*x + c)^3 - (2*(a^2 - a*b)*d*x - a*
b + b^2)*cosh(d*x + c))*sinh(d*x + c))/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)
*d*cosh(d*x + c)^4 + 4*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)*
sinh(d*x + c)^3 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*sinh(d*x + c)^4 - 2
*(a^4 + a^3*b - a^2*b^2 - a*b^3)*d*cosh(d*x + c)^2 + 2*(3*(a^4 + 3*a^3*b +
3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)^2 - (a^4 + a^3*b - a^2*b^2 - a*b^3)*d)*
sinh(d*x + c)^2 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d + 4*((a^4 + 3*a^3*b
+ 3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)^3 - (a^4 + a^3*b - a^2*b^2 - a*b^3)*d*
cosh(d*x + c))*sinh(d*x + c))]
```

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*coth(d*x+c)**2)**2,x)

[Out] Timed out

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 198 vs. 2(77) = 154.

time = 0.41, size = 198, normalized size = 2.22

$$\frac{(3ab+b^2) \arctan\left(\frac{ae^{(2dx+2c)}+be^{(2dx+2c)}-a+b}{2\sqrt{ab}}\right)}{(a^3+2a^2b+ab^2)\sqrt{ab}} - \frac{2(dx+c)}{a^2+2ab+b^2} - \frac{2(ab e^{(2dx+2c)} - b^2 e^{(2dx+2c)} - ab - b^2)}{(a^3+2a^2b+ab^2)(ae^{(4dx+4c)}+be^{(4dx+4c)}-2ae^{(2dx+2c)}+2be^{(2dx+2c)}+a+b)}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*coth(d*x+c)^2)^2,x, algorithm="giac")

[Out] -1/2*((3*a*b + b^2)*arctan(1/2*(a*e^(2*d*x + 2*c) + b*e^(2*d*x + 2*c) - a + b)/sqrt(a*b))/((a^3 + 2*a^2*b + a*b^2)*sqrt(a*b)) - 2*(d*x + c)/(a^2 + 2*a*b + b^2) - 2*(a*b*e^(2*d*x + 2*c) - b^2*e^(2*d*x + 2*c) - a*b - b^2)/((a^3 + 2*a^2*b + a*b^2)*(a*e^(4*d*x + 4*c) + b*e^(4*d*x + 4*c) - 2*a*e^(2*d*x + 2*c) + 2*b*e^(2*d*x + 2*c) + a + b))/d

Mupad [B]

time = 1.58, size = 110, normalized size = 1.24

$$\frac{\frac{ax}{(a+b)^2} + \frac{bx \coth(c+dx)^2}{(a+b)^2} + \frac{b \coth(c+dx)}{2ad(a+b)}}{b \coth(c+dx)^2 + a} + \frac{\operatorname{atan}\left(\frac{b \coth(c+dx)}{\sqrt{ab}}\right) (b^2 + 3ab)}{\sqrt{ab} (2a^3d + ab(4ad + 2bd))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a + b*coth(c + d*x))^2,x)
```

```
[Out] ((a*x)/(a + b)^2 + (b*x*coth(c + d*x)^2)/(a + b)^2 + (b*coth(c + d*x))/(2*a  
*d*(a + b)))/(a + b*coth(c + d*x)^2) + (atan((b*coth(c + d*x))/(a*b)^(1/2))  
*(3*a*b + b^2))/((a*b)^(1/2)*(2*a^3*d + a*b*(4*a*d + 2*b*d)))
```

3.7 $\int \frac{1}{(a+b \coth^2(c+dx))^3} dx$

Optimal. Leaf size=142

$$\frac{x}{(a+b)^3} - \frac{\sqrt{b}(15a^2 + 10ab + 3b^2) \operatorname{ArcTan}\left(\frac{\sqrt{a} \tanh(c+dx)}{\sqrt{b}}\right)}{8a^{5/2}(a+b)^3 d} + \frac{b \coth(c+dx)}{4a(a+b)d(a+b \coth^2(c+dx))^2} + \frac{b(7a-b)}{8a^2(a+b)^2}$$

[Out] $x/(a+b)^3 + 1/4*b*\coth(d*x+c)/a/(a+b)/d/(a+b*\coth(d*x+c)^2)^2 + 1/8*b*(7*a+3*b)*\coth(d*x+c)/a^2/(a+b)^2/d/(a+b*\coth(d*x+c)^2) - 1/8*(15*a^2+10*a*b+3*b^2)*\arctan(a^{1/2}*\tanh(d*x+c)/b^{1/2})*b^{1/2}/a^{5/2}/(a+b)^3/d$

Rubi [A]

time = 0.12, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {3742, 425, 541, 536, 212, 211}

$$\frac{b(7a+3b) \coth(c+dx)}{8a^2 d(a+b)^2 (a+b \coth^2(c+dx))} - \frac{\sqrt{b}(15a^2 + 10ab + 3b^2) \operatorname{ArcTan}\left(\frac{\sqrt{a} \tanh(c+dx)}{\sqrt{b}}\right)}{8a^{5/2} d(a+b)^3} + \frac{b \coth(c+dx)}{4ad(a+b)(a+b \coth^2(c+dx))^2} + \frac{x}{(a+b)^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Coth}[c + d*x]^2)^{-3}, x]$

[Out] $x/(a+b)^3 - (\text{Sqrt}[b]*(15*a^2 + 10*a*b + 3*b^2)*\text{ArcTan}[(\text{Sqrt}[a]*\text{Tanh}[c + d*x])/\text{Sqrt}[b]])/(8*a^{5/2}*(a+b)^3*d) + (b*\text{Coth}[c + d*x])/(4*a*(a+b)*d*(a+b*\text{Coth}[c + d*x]^2)^2) + (b*(7*a + 3*b)*\text{Coth}[c + d*x])/(8*a^2*(a+b)^2*d*(a+b*\text{Coth}[c + d*x]^2))$

Rule 211

$\text{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]/a)*\text{ArcTan}[x/\text{Rt}[a/b, 2]], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b]$

Rule 212

$\text{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]))*\text{ArcTanh}[\text{Rt}[-b, 2]*(x/\text{Rt}[a, 2])], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 425

$\text{Int}[(a_+ + (b_+)*(x_+)^{n_+})^{p_+}*((c_+ + (d_+)*(x_+)^{n_+})^{q_+}), x_Symbol] \rightarrow \text{Simp}[(-b)*x*(a + b*x^n)^{p+1}*((c + d*x^n)^{q+1}/(a*n*(p+1)*(b*c - a*d))], x] + \text{Dist}[1/(a*n*(p+1)*(b*c - a*d)), \text{Int}[(a + b*x^n)^{p+1}*(c + d*x^n)^q*\text{Simp}[b*c + n*(p+1)*(b*c - a*d) + d*b*(n*(p+q+2) + 1)*x^n,$

```
x], x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c, d, n, p, q, x]
```

Rule 536

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

Rule 541

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[(-(b*e - a*f))*x*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*n*(b*c - a*d)*(p + 1))), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 3742

```
Int[((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \coth^2(c + dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)(a+bx^2)^3} dx, x, \coth(c + dx)\right)}{d} \\
&= \frac{b \coth(c + dx)}{4a(a + b)d (a + b \coth^2(c + dx))^2} - \frac{\text{Subst}\left(\int \frac{b-4(a+b)+3bx^2}{(1-x^2)(a+bx^2)^2} dx, x, \coth(c + dx)\right)}{4a(a + b)d} \\
&= \frac{b \coth(c + dx)}{4a(a + b)d (a + b \coth^2(c + dx))^2} + \frac{b(7a + 3b) \coth(c + dx)}{8a^2(a + b)^2d (a + b \coth^2(c + dx))} + \dots \\
&= \frac{b \coth(c + dx)}{4a(a + b)d (a + b \coth^2(c + dx))^2} + \frac{b(7a + 3b) \coth(c + dx)}{8a^2(a + b)^2d (a + b \coth^2(c + dx))} + \dots \\
&= \frac{x}{(a + b)^3} - \frac{\sqrt{b} (15a^2 + 10ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{a} \tanh(c+dx)}{\sqrt{b}}\right)}{8a^{5/2}(a + b)^3d} + \frac{b \coth(c + dx)}{4a(a + b)d (a + b \coth^2(c + dx))^2}
\end{aligned}$$

Mathematica [A]

time = 0.24, size = 147, normalized size = 1.04

$$\frac{\sqrt{b} (15a^2 + 10ab + 3b^2) \text{ArcTan}\left(\frac{\sqrt{b} \coth(c+dx)}{\sqrt{a}}\right) + \frac{2b(a+b)^2 \coth(c+dx)}{a(a+b \coth^2(c+dx))^2} + \frac{b(a+b)(7a+3b) \coth(c+dx)}{a^2(a+b \coth^2(c+dx))} - 4 \log(1 - \coth(c + dx)) + 4 \log(1 + \coth(c + dx))}{8(a + b)^3d}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*Coth[c + d*x]^2)^(-3), x]`

```
[Out] ((Sqrt[b]*(15*a^2 + 10*a*b + 3*b^2)*ArcTan[(Sqrt[b]*Coth[c + d*x])/Sqrt[a]]
)/a^(5/2) + (2*b*(a + b)^2*Coth[c + d*x])/(a*(a + b*Coth[c + d*x]^2)^2) + (
b*(a + b)*(7*a + 3*b)*Coth[c + d*x])/(a^2*(a + b*Coth[c + d*x]^2)) - 4*Log[
1 - Coth[c + d*x]] + 4*Log[1 + Coth[c + d*x]])/(8*(a + b)^3*d)
```

Maple [A]

time = 0.97, size = 156, normalized size = 1.10

method	result
derivativedivides	$ \frac{b \left(\frac{b(7a^2 + 10ab + 3b^2)(\coth^3(dx+c))}{8a^2} + \frac{(9a^2 + 14ab + 5b^2) \coth(dx+c)}{8a} + \frac{(15a^2 + 10ab + 3b^2) \arctan\left(\frac{b \coth(dx+c)}{\sqrt{ab}}\right)}{8a^2 \sqrt{ab}} \right)}{(a+b)^3} + \frac{\ln(\coth(dx+c))}{2(a+b)^3} $

default	$\frac{b \left(\frac{b(7a^2+10ab+3b^2)(\coth^3(dx+c))}{8a^2} + \frac{(9a^2+14ab+5b^2)\coth(dx+c)}{8a} + \frac{(15a^2+10ab+3b^2)\arctan\left(\frac{b\coth(dx+c)}{\sqrt{ab}}\right)}{8a^2\sqrt{ab}} \right)}{(a+b)^3} + \frac{\ln(\coth(dx+c)+1)}{2(a+b)^3}$
risch	$\frac{x}{a^3+3a^2b+3ab^2+b^3} + \frac{(9a^3e^{6dx+6c}-a^2be^{6dx+6c}-13ab^2e^{6dx+6c}-3b^3e^{6dx+6c}-27a^3e^{4dx+4c}+9a^2be^{4dx+4c}-21ab^2e^{4dx+4c}-4a^2e^{4dx+4c}+be^{4dx+4c}-2a^2e^{4dx+4c})}{4(a^3+3a^2b+3ab^2+b^3)}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+b*coth(d*x+c))^3,x,method=_RETURNVERBOSE)
```

```
[Out] 1/d*(1/(a+b)^3*b*((1/8*b*(7*a^2+10*a*b+3*b^2)/a^2*coth(d*x+c)^3+1/8*(9*a^2+14*a*b+5*b^2)/a*coth(d*x+c))/(a+b*coth(d*x+c))^2+1/8*(15*a^2+10*a*b+3*b^2)/a^2/(a*b)^(1/2)*arctan(b*coth(d*x+c)/(a*b)^(1/2)))+1/2/(a+b)^3*ln(coth(d*x+c)+1)-1/2/(a+b)^3*ln(coth(d*x+c)-1))
```

Maxima [B] Leaf count of result is larger than twice the leaf count of optimal. 509 vs. 2(128) = 256.

time = 0.60, size = 509, normalized size = 3.58

$$\frac{(15a^2b+10ab^2+3b^3)\arctan\left(\frac{b\coth(dx+c)}{\sqrt{ab}}\right)}{8a^2\sqrt{ab}} + \frac{b(7a^2+10ab+3b^2)\coth^3(dx+c)}{8a^2} + \frac{(9a^2+14ab+5b^2)\coth(dx+c)}{8a} + \frac{(15a^2+10ab+3b^2)\arctan\left(\frac{b\coth(dx+c)}{\sqrt{ab}}\right)}{8a^2\sqrt{ab}} + \frac{\ln(\coth(dx+c)+1)}{2(a+b)^3} - \frac{\ln(\coth(dx+c)-1)}{2(a+b)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*coth(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] 1/8*(15*a^2*b + 10*a*b^2 + 3*b^3)*arctan(1/2*((a + b)*e^(-2*d*x - 2*c) - a + b)/sqrt(a*b))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*sqrt(a*b)*d) + 1/4*(9*a^3*b + 21*a^2*b^2 + 15*a*b^3 + 3*b^4 - (27*a^3*b + 13*a^2*b^2 - 23*a*b^3 - 9*b^4)*e^(-2*d*x - 2*c) + 3*(9*a^3*b - 3*a^2*b^2 + 7*a*b^3 + 3*b^4)*e^(-4*d*x - 4*c) - (9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4)*e^(-6*d*x - 6*c))/((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5 - 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^(-2*d*x - 2*c) + 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*e^(-4*d*x - 4*c) - 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^(-6*d*x - 6*c) + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*e^(-8*d*x - 8*c))*d) + (d*x + c)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d)
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 3592 vs. 2(128) = 256.

time = 0.49, size = 7508, normalized size = 52.87

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*coth(d*x+c)^2)^3,x, algorithm="fricas")

[Out] [1/16*(16*(a^4 + 2*a^3*b + a^2*b^2)*d*x*cosh(d*x + c)^8 + 128*(a^4 + 2*a^3*b + a^2*b^2)*d*x*cosh(d*x + c)*sinh(d*x + c)^7 + 16*(a^4 + 2*a^3*b + a^2*b^2)*d*x*sinh(d*x + c)^8 + 4*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*cosh(d*x + c)^6 + 4*(112*(a^4 + 2*a^3*b + a^2*b^2)*d*x*cosh(d*x + c)^2 + 9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*sinh(d*x + c)^6 + 8*(112*(a^4 + 2*a^3*b + a^2*b^2)*d*x*cosh(d*x + c)^3 + 3*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c)^5 - 4*(27*a^3*b - 9*a^2*b^2 + 21*a*b^3 + 9*b^4 - 8*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*d*x)*cosh(d*x + c)^4 + 4*(280*(a^4 + 2*a^3*b + a^2*b^2)*d*x*cosh(d*x + c)^4 - 27*a^3*b + 9*a^2*b^2 - 21*a*b^3 - 9*b^4 + 8*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*d*x + 15*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^4 - 36*a^3*b - 84*a^2*b^2 - 60*a*b^3 - 12*b^4 + 16*(56*(a^4 + 2*a^3*b + a^2*b^2)*d*x*cosh(d*x + c)^5 + 5*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*cosh(d*x + c)^3 - (27*a^3*b - 9*a^2*b^2 + 21*a*b^3 + 9*b^4 - 8*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c)^3 + 16*(a^4 + 2*a^3*b + a^2*b^2)*d*x + 4*(27*a^3*b + 13*a^2*b^2 - 23*a*b^3 - 9*b^4 - 16*(a^4 - a^2*b^2)*d*x)*cosh(d*x + c)^2 + 4*(112*(a^4 + 2*a^3*b + a^2*b^2)*d*x*cosh(d*x + c)^6 + 15*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*cosh(d*x + c)^4 + 27*a^3*b + 13*a^2*b^2 - 23*a*b^3 - 9*b^4 - 16*(a^4 - a^2*b^2)*d*x - 6*(27*a^3*b - 9*a^2*b^2 + 21*a*b^3 + 9*b^4 - 8*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + ((15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)^8 + 8*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)*sinh(d*x + c)^7 + (15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*sinh(d*x + c)^8 - 4*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*cosh(d*x + c)^6 - 4*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4 - 7*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^6 + 8*(7*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)^3 - 3*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(45*a^4 + 34*a^2*b^2 + 24*a*b^3 + 9*b^4)*cosh(d*x + c)^4 + 2*(35*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)^4 + 45*a^4 + 34*a^2*b^2 + 24*a*b^3 + 9*b^4 - 30*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4 + 8*(7*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)^5 - 10*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*cosh(d*x + c)^3 + (45*a^4 + 34*a^2*b^2 + 24*a*b^3 + 9*b^4)*cosh(d*x + c))*sinh(d*x + c)^3 - 4*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*cosh(d*x + c)^2 + 4*(7*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)^6 - 15*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*cosh(d*x + c)^4 - 15*a^4 - 10*a^3*b + 12*a^2*b^2 + 10*a*b^3 + 3*b^4 + 3*(45*a^4 + 34*a^2*b^2 + 24*a*b^3 + 9*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*((15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)^7 - 3*(15*a^4 + 10*a^3*b - 12

```

*a^2*b^2 - 10*a*b^3 - 3*b^4)*cosh(d*x + c)^5 + (45*a^4 + 34*a^2*b^2 + 24*a*
b^3 + 9*b^4)*cosh(d*x + c)^3 - (15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 -
3*b^4)*cosh(d*x + c))*sinh(d*x + c))*sqrt(-b/a)*log(((a^2 + 2*a*b + b^2)*c
osh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2
+ 2*a*b + b^2)*sinh(d*x + c)^4 - 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2
+ 2*a*b + b^2)*cosh(d*x + c)^2 - a^2 + b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b
+ b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 - (a^2 - b^2)*cosh(d*x + c))
*sinh(d*x + c) - 4*((a^2 + a*b)*cosh(d*x + c)^2 + 2*(a^2 + a*b)*cosh(d*x +
c)*sinh(d*x + c) + (a^2 + a*b)*sinh(d*x + c)^2 - a^2 + a*b)*sqrt(-b/a))/((a
+ b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*s
inh(d*x + c)^4 - 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 -
a + b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 - (a - b)*cosh(d*x + c
))*sinh(d*x + c) + a + b)) + 8*(16*(a^4 + 2*a^3*b + a^2*b^2)*d*x*cosh(d*x +
c)^7 + 3*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*c
osh(d*x + c)^5 - 2*(27*a^3*b - 9*a^2*b^2 + 21*a*b^3 + 9*b^4 - 8*(3*a^4 - 2*
a^3*b + 3*a^2*b^2)*d*x)*cosh(d*x + c)^3 + (27*a^3*b + 13*a^2*b^2 - 23*a*b^3
- 9*b^4 - 16*(a^4 - a^2*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c))/((a^7 + 5*
a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*cosh(d*x + c)^8 +
8*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*cosh(d*
x + c)*sinh(d*x + c)^7 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b
^4 + a^2*b^5)*d*sinh(d*x + c)^8 - 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3
- 3*a^3*b^4 - a^2*b^5)*d*cosh(d*x + c)^6 + 4*(7*(a^7 + 5*a^6*b + 10*a^5*b^2
+ 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*cosh(d*x + c)^2 - (a^7 + 3*a^6*b + 2
*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d)*...

```

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*coth(d*x+c)**2)**3,x)

[Out] Timed out

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 409 vs. 2(128) = 256.

time = 0.42, size = 409, normalized size = 2.88

$$\frac{(15a^7b+10a^6b^2+3b^3)\arctan\left(\frac{ae^{2dx+2c}+a}{\sqrt{ab}}\right) - \frac{8(dxc)}{a^2+3a^2b+3ab^2+b^3} - \frac{2(9a^2be^{6dx+6c}-9a^2b^2e^{6dx+6c}-13ab^2e^{6dx+6c}-3b^3e^{6dx+6c})-27a^3be^{4dx+4c}+9a^2b^2e^{4dx+4c}-21ab^3e^{4dx+4c}-9b^4e^{4dx+4c}+27a^3be^{2dx+2c}+13a^2b^2e^{2dx+2c}-23ab^3e^{2dx+2c}-9b^4e^{2dx+2c}-9a^3b-21a^2b^2-15ab^3-3b^4)}{(a^2+3a^2b+3ab^2+a^2b^2)\sqrt{ab}}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*coth(d*x+c)^2)^3,x, algorithm="giac")

[Out] $-1/8*((15*a^2*b + 10*a*b^2 + 3*b^3)*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} - a + b)/\sqrt{a*b}))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\sqrt{a*b})$

$$a*b)) - 8*(d*x + c)/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) - 2*(9*a^3*b*e^{(6*d*x + 6*c)} - a^2*b^2*e^{(6*d*x + 6*c)} - 13*a*b^3*e^{(6*d*x + 6*c)} - 3*b^4*e^{(6*d*x + 6*c)} - 27*a^3*b*e^{(4*d*x + 4*c)} + 9*a^2*b^2*e^{(4*d*x + 4*c)} - 21*a*b^3*e^{(4*d*x + 4*c)} - 9*b^4*e^{(4*d*x + 4*c)} + 27*a^3*b*e^{(2*d*x + 2*c)} + 13*a^2*b^2*e^{(2*d*x + 2*c)} - 23*a*b^3*e^{(2*d*x + 2*c)} - 9*b^4*e^{(2*d*x + 2*c)} - 9*a^3*b - 21*a^2*b^2 - 15*a*b^3 - 3*b^4)/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} - 2*a*e^{(2*d*x + 2*c)} + 2*b*e^{(2*d*x + 2*c)} + a + b)^2))/d$$

Mupad [B]

time = 1.91, size = 2719, normalized size = 19.15

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(1/(a + b*\text{coth}(c + d*x))^2)^3, x)$

[Out] $\log(\text{coth}(c + d*x) + 1)/(2*a^3*d + 2*b^3*d + 6*a*b^2*d + 6*a^2*b*d) + ((\text{coth}(c + d*x)*(9*a*b + 5*b^2))/(8*a*(2*a*b + a^2 + b^2)) + (b*\text{coth}(c + d*x)^3*(7*a*b + 3*b^2))/(8*a*(a*b^2 + 2*a^2*b + a^3)))/(a^2*d + b^2*d*\text{coth}(c + d*x)^4 + 2*a*b*d*\text{coth}(c + d*x)^2) - \log(\text{coth}(c + d*x) - 1)/(2*d*(a + b)^3) - (a*\tan(((((-a^5*b)^{1/2})*(\text{coth}(c + d*x)*(60*a*b^6 + 9*b^7 + 190*a^2*b^5 + 300*a^3*b^4 + 289*a^4*b^3))/(32*(a^8*d^2 + 4*a^7*b*d^2 + a^4*b^4*d^2 + 4*a^5*b^3*d^2 + 6*a^6*b^2*d^2)) + (((96*a^2*b^10*d^2 + 800*a^3*b^9*d^2 + 3040*a^4*b^8*d^2 + 6816*a^5*b^7*d^2 + 9760*a^6*b^6*d^2 + 9056*a^7*b^5*d^2 + 5280*a^8*b^4*d^2 + 1760*a^9*b^3*d^2 + 256*a^10*b^2*d^2))/(64*(a^10*d^3 + 6*a^9*b*d^3 + a^4*b^6*d^3 + 6*a^5*b^5*d^3 + 15*a^6*b^4*d^3 + 20*a^7*b^3*d^3 + 15*a^8*b^2*d^3)) - (\text{coth}(c + d*x)*(-a^5*b)^{1/2}*(10*a*b + 15*a^2 + 3*b^2)*(256*a^4*b^9*d^2 + 1280*a^5*b^8*d^2 + 2304*a^6*b^7*d^2 + 1280*a^7*b^6*d^2 - 1280*a^8*b^5*d^2 - 2304*a^9*b^4*d^2 - 1280*a^10*b^3*d^2 - 256*a^11*b^2*d^2)))/(512*(a^8*d + a^5*b^3*d + 3*a^6*b^2*d + 3*a^7*b*d)*(a^8*d^2 + 4*a^7*b*d^2 + a^4*b^4*d^2 + 4*a^5*b^3*d^2 + 6*a^6*b^2*d^2)))*(-a^5*b)^{1/2}*(10*a*b + 15*a^2 + 3*b^2))/(16*(a^8*d + a^5*b^3*d + 3*a^6*b^2*d + 3*a^7*b*d)))*(10*a*b + 15*a^2 + 3*b^2)*1i)/(16*(a^8*d + a^5*b^3*d + 3*a^6*b^2*d + 3*a^7*b*d)) + ((-a^5*b)^{1/2}*((\text{coth}(c + d*x)*(60*a*b^6 + 9*b^7 + 190*a^2*b^5 + 300*a^3*b^4 + 289*a^4*b^3))/(32*(a^8*d^2 + 4*a^7*b*d^2 + a^4*b^4*d^2 + 4*a^5*b^3*d^2 + 6*a^6*b^2*d^2)) - (((96*a^2*b^10*d^2 + 800*a^3*b^9*d^2 + 3040*a^4*b^8*d^2 + 6816*a^5*b^7*d^2 + 9760*a^6*b^6*d^2 + 9056*a^7*b^5*d^2 + 5280*a^8*b^4*d^2 + 1760*a^9*b^3*d^2 + 256*a^10*b^2*d^2))/(64*(a^10*d^3 + 6*a^9*b*d^3 + a^4*b^6*d^3 + 6*a^5*b^5*d^3 + 15*a^6*b^4*d^3 + 20*a^7*b^3*d^3 + 15*a^8*b^2*d^3)) + (\text{coth}(c + d*x)*(-a^5*b)^{1/2}*(10*a*b + 15*a^2 + 3*b^2)*(256*a^4*b^9*d^2 + 1280*a^5*b^8*d^2 + 2304*a^6*b^7*d^2 + 1280*a^7*b^6*d^2 - 1280*a^8*b^5*d^2 - 2304*a^9*b^4*d^2 - 1280*a^10*b^3*d^2 - 256*a^11*b^2*d^2)))/(512*(a^8*d + a^5*b^3*d + 3*a^6*b^2*d + 3*a^7*b*d)*(a^8*d^2 + 4*a^7*b*d^2 + a^4*b^4*d^2 + 4*a^5*b^3*d^2 + 6*a^6*b^2*d^2)))*(-a^5*b)^{1/2}*(10*a*b + 15*a^2 + 3*b^2))/(1$

$$\begin{aligned}
& 6*(a^8*d + a^5*b^3*d + 3*a^6*b^2*d + 3*a^7*b*d)))*(10*a*b + 15*a^2 + 3*b^2) \\
& *1i)/(16*(a^8*d + a^5*b^3*d + 3*a^6*b^2*d + 3*a^7*b*d)))/((51*a*b^5 + 9*b^6 \\
& + 115*a^2*b^4 + 105*a^3*b^3)/(32*(a^10*d^3 + 6*a^9*b*d^3 + a^4*b^6*d^3 + 6 \\
& *a^5*b^5*d^3 + 15*a^6*b^4*d^3 + 20*a^7*b^3*d^3 + 15*a^8*b^2*d^3)) + ((-a^5* \\
& b)^{(1/2)}*(coth(c + d*x)*(60*a*b^6 + 9*b^7 + 190*a^2*b^5 + 300*a^3*b^4 + 28 \\
& 9*a^4*b^3))/(32*(a^8*d^2 + 4*a^7*b*d^2 + a^4*b^4*d^2 + 4*a^5*b^3*d^2 + 6*a^ \\
& 6*b^2*d^2)) + (((96*a^2*b^10*d^2 + 800*a^3*b^9*d^2 + 3040*a^4*b^8*d^2 + 681 \\
& 6*a^5*b^7*d^2 + 9760*a^6*b^6*d^2 + 9056*a^7*b^5*d^2 + 5280*a^8*b^4*d^2 + 17 \\
& 60*a^9*b^3*d^2 + 256*a^10*b^2*d^2)/(64*(a^10*d^3 + 6*a^9*b*d^3 + a^4*b^6*d^ \\
& 3 + 6*a^5*b^5*d^3 + 15*a^6*b^4*d^3 + 20*a^7*b^3*d^3 + 15*a^8*b^2*d^3)) - (c \\
& oth(c + d*x)*(-a^5*b)^{(1/2)}*(10*a*b + 15*a^2 + 3*b^2)*(256*a^4*b^9*d^2 + 12 \\
& 80*a^5*b^8*d^2 + 2304*a^6*b^7*d^2 + 1280*a^7*b^6*d^2 - 1280*a^8*b^5*d^2 - 2 \\
& 304*a^9*b^4*d^2 - 1280*a^10*b^3*d^2 - 256*a^11*b^2*d^2))/(512*(a^8*d + a^5* \\
& b^3*d + 3*a^6*b^2*d + 3*a^7*b*d)*(a^8*d^2 + 4*a^7*b*d^2 + a^4*b^4*d^2 + 4*a \\
& ^5*b^3*d^2 + 6*a^6*b^2*d^2)))*(-a^5*b)^{(1/2)}*(10*a*b + 15*a^2 + 3*b^2))/(16 \\
& *(a^8*d + a^5*b^3*d + 3*a^6*b^2*d + 3*a^7*b*d)))*(10*a*b + 15*a^2 + 3*b^2) \\
& /((16*(a^8*d + a^5*b^3*d + 3*a^6*b^2*d + 3*a^7*b*d)) - ((-a^5*b)^{(1/2)}*(cot \\
& h(c + d*x)*(60*a*b^6 + 9*b^7 + 190*a^2*b^5 + 300*a^3*b^4 + 289*a^4*b^3))/(3 \\
& 2*(a^8*d^2 + 4*a^7*b*d^2 + a^4*b^4*d^2 + 4*a^5*b^3*d^2 + 6*a^6*b^2*d^2)) - \\
& (((96*a^2*b^10*d^2 + 800*a^3*b^9*d^2 + 3040*a^4*b^8*d^2 + 6816*a^5*b^7*d^2 \\
& + 9760*a^6*b^6*d^2 + 9056*a^7*b^5*d^2 + 5280*a^8*b^4*d^2 + 1760*a^9*b^3*d^2 \\
& + 256*a^10*b^2*d^2)/(64*(a^10*d^3 + 6*a^9*b*d^3 + a^4*b^6*d^3 + 6*a^5*b^5* \\
& d^3 + 15*a^6*b^4*d^3 + 20*a^7*b^3*d^3 + 15*a^8*b^2*d^3)) + (coth(c + d*x)*(\\
& -a^5*b)^{(1/2)}*(10*a*b + 15*a^2 + 3*b^2)*(256*a^4*b^9*d^2 + 1280*a^5*b^8*d^2 \\
& + 2304*a^6*b^7*d^2 + 1280*a^7*b^6*d^2 - 1280*a^8*b^5*d^2 - 2304*a^9*b^4*d^ \\
& 2 - 1280*a^10*b^3*d^2 - 256*a^11*b^2*d^2))/(512*(a^8*d + a^5*b^3*d + 3*a^6* \\
& b^2*d + 3*a^7*b*d)*(a^8*d^2 + 4*a^7*b*d^2 + a^4*b^4*d^2 + 4*a^5*b^3*d^2 + 6 \\
& *a^6*b^2*d^2)))*(-a^5*b)^{(1/2)}*(10*a*b + 15*a^2 + 3*b^2))/(16*(a^8*d + a^5* \\
& b^3*d + 3*a^6*b^2*d + 3*a^7*b*d)))*(10*a*b + 15*a^2 + 3*b^2))/(16*(a^8*d + \\
& a^5*b^3*d + 3*a^6*b^2*d + 3*a^7*b*d)))*(-a^5*b)^{(1/2)}*(10*a*b + 15*a^2 + 3 \\
& *b^2)*1i)/(8*(a^8*d + a^5*b^3*d + 3*a^6*b^2*d + 3*a^7*b*d))
\end{aligned}$$

3.8 $\int \frac{1}{(a+b \coth^2(c+dx))^4} dx$

Optimal. Leaf size=201

$$\frac{x}{(a+b)^4} - \frac{\sqrt{b} (35a^3 + 35a^2b + 21ab^2 + 5b^3) \operatorname{ArcTan}\left(\frac{\sqrt{a} \tanh(c+dx)}{\sqrt{b}}\right)}{16a^{7/2}(a+b)^4d} + \frac{b \coth(c+dx)}{6a(a+b)d (a+b \coth^2(c+dx))^3} + \frac{x}{(a+b)^4}$$

[Out] x/(a+b)^4+1/6*b*coth(d*x+c)/a/(a+b)/d/(a+b*coth(d*x+c)^2)^3+1/24*b*(11*a+5*b)*coth(d*x+c)/a^2/(a+b)^2/d/(a+b*coth(d*x+c)^2)^2+1/16*b*(19*a^2+16*a*b+5*b^2)*coth(d*x+c)/a^3/(a+b)^3/d/(a+b*coth(d*x+c)^2)-1/16*(35*a^3+35*a^2*b+21*a*b^2+5*b^3)*arctan(a^(1/2)*tanh(d*x+c)/b^(1/2))*b^(1/2)/a^(7/2)/(a+b)^4/d

Rubi [A]

time = 0.20, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {3742, 425, 541, 536, 212, 211}

$$\frac{b(11a+5b) \coth(c+dx)}{24a^2d(a+b)^2(a+b \coth^2(c+dx))^2} + \frac{b(19a^2+16ab+5b^2) \coth(c+dx)}{16a^3d(a+b)^3(a+b \coth^2(c+dx))} - \frac{\sqrt{b} (35a^3 + 35a^2b + 21ab^2 + 5b^3) \operatorname{ArcTan}\left(\frac{\sqrt{a} \tanh(c+dx)}{\sqrt{b}}\right)}{16a^{7/2}d(a+b)^4} + \frac{b \coth(c+dx)}{6ad(a+b)(a+b \coth^2(c+dx))^3} + \frac{x}{(a+b)^4}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Coth[c + d*x]^2)^(-4), x]

[Out] x/(a + b)^4 - (Sqrt[b]*(35*a^3 + 35*a^2*b + 21*a*b^2 + 5*b^3)*ArcTan[(Sqrt[a]*Tanh[c + d*x])/Sqrt[b]])/(16*a^(7/2)*(a + b)^4*d) + (b*Coth[c + d*x])/(6*a*(a + b)*d*(a + b*Coth[c + d*x]^2)^3) + (b*(11*a + 5*b)*Coth[c + d*x])/(24*a^2*(a + b)^2*d*(a + b*Coth[c + d*x]^2)^2) + (b*(19*a^2 + 16*a*b + 5*b^2)*Coth[c + d*x])/(16*a^3*(a + b)^3*d*(a + b*Coth[c + d*x]^2))

Rule 211

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 425

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(-b)*x*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*n*(p + 1)*(b*c - a*d))], x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c

```
+ d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n,
x], x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -
1] && !(IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b,
c, d, n, p, q, x]
```

Rule 536

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(
n_))], x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

Rule 541

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f
_)*(x_)^(n_)), x_Symbol] := Simp[(-(b*e - a*f))*x*(a + b*x^n)^(p + 1)*((c
+ d*x^n)^(q + 1)/(a*n*(b*c - a*d)*(p + 1))), x] + Dist[1/(a*n*(b*c - a*d)*(
p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*
c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; Fre
eQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 3742

```
Int[((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \coth^2(c + dx))^4} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)(a+bx^2)^4} dx, x, \coth(c + dx)\right)}{d} \\
&= \frac{b \coth(c + dx)}{6a(a + b)d (a + b \coth^2(c + dx))^3} - \frac{\text{Subst}\left(\int \frac{b-6(a+b)+5bx^2}{(1-x^2)(a+bx^2)^3} dx, x, \coth(c + dx)\right)}{6a(a + b)d} \\
&= \frac{b \coth(c + dx)}{6a(a + b)d (a + b \coth^2(c + dx))^3} + \frac{b(11a + 5b) \coth(c + dx)}{24a^2(a + b)^2d (a + b \coth^2(c + dx))^2} + \\
&= \frac{b \coth(c + dx)}{6a(a + b)d (a + b \coth^2(c + dx))^3} + \frac{b(11a + 5b) \coth(c + dx)}{24a^2(a + b)^2d (a + b \coth^2(c + dx))^2} + \\
&= \frac{b \coth(c + dx)}{6a(a + b)d (a + b \coth^2(c + dx))^3} + \frac{b(11a + 5b) \coth(c + dx)}{24a^2(a + b)^2d (a + b \coth^2(c + dx))^2} + \\
&= \frac{x}{(a + b)^4} - \frac{\sqrt{b} (35a^3 + 35a^2b + 21ab^2 + 5b^3) \tan^{-1}\left(\frac{\sqrt{a} \tanh(c+dx)}{\sqrt{b}}\right)}{16a^{7/2}(a + b)^4d} + \frac{1}{6a(a + b)}
\end{aligned}$$

Mathematica [A]

time = 0.41, size = 203, normalized size = 1.01

$$\frac{{}^3\sqrt{b} (35a^3 + 35a^2b + 21ab^2 + 5b^3) \text{ArcTan}\left(\frac{\sqrt{b} \coth(c+dx)}{\sqrt{a}}\right) + \frac{8b(a+b)^3 \coth(c+dx)}{a(a+b \coth^2(c+dx))^3} + \frac{2b(a+b)^2(11a+5b) \coth(c+dx)}{a^2(a+b \coth^2(c+dx))^2} + \frac{3b(a+b)(19a^2+16ab+5b^2) \coth(c+dx)}{a^3(a+b \coth^2(c+dx))} - 24 \log(1 - \coth(c + dx)) + 24 \log(1 + \coth(c + dx))}{48(a + b)^4d}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*Coth[c + d*x]^2)^(-4), x]`

```
[Out] ((3*sqrt[b]*(35*a^3 + 35*a^2*b + 21*a*b^2 + 5*b^3)*ArcTan[(sqrt[b]*Coth[c +
d*x])/sqrt[a]])/a^(7/2) + (8*b*(a + b)^3*Coth[c + d*x])/(a*(a + b*Coth[c +
d*x]^2)^3) + (2*b*(a + b)^2*(11*a + 5*b)*Coth[c + d*x])/(a^2*(a + b*Coth[c
+ d*x]^2)^2) + (3*b*(a + b)*(19*a^2 + 16*a*b + 5*b^2)*Coth[c + d*x])/(a^3*
(a + b*Coth[c + d*x]^2)) - 24*Log[1 - Coth[c + d*x]] + 24*Log[1 + Coth[c +
d*x]])/(48*(a + b)^4*d)
```

Maple [A]

time = 0.93, size = 219, normalized size = 1.09

method	result
--------	--------

derivativedivides	$\frac{-\frac{\ln(\coth(dx+c)-1)}{2(a+b)^4} + \frac{\ln(\coth(dx+c)+1)}{2(a+b)^4} + \frac{b \left(\frac{b^2(19a^3+35a^2b+21ab^2+5b^3)(\coth^5(dx+c))}{16a^3} + \frac{b(17a^3+33a^2b+21ab^2+5b^3)(\coth^3(dx+c))}{6a^2} \right)}{(a+b(\coth^2(dx+c)))^3}}{d}$
default	$\frac{-\frac{\ln(\coth(dx+c)-1)}{2(a+b)^4} + \frac{\ln(\coth(dx+c)+1)}{2(a+b)^4} + \frac{b \left(\frac{b^2(19a^3+35a^2b+21ab^2+5b^3)(\coth^5(dx+c))}{16a^3} + \frac{b(17a^3+33a^2b+21ab^2+5b^3)(\coth^3(dx+c))}{6a^2} \right)}{(a+b(\coth^2(dx+c)))^3}}{d}$
risch	$\frac{x}{a^4+4a^3b+6a^2b^2+4ab^3+b^4} + \frac{(-450a^3b^2-15b^5e^{10dx+10c}-319a^4b-87a^5-306a^2b^3-15b^5-103ab^4-75b^5e^{2dx+2c}-43b^6)}{a^4+4a^3b+6a^2b^2+4ab^3+b^4}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+b*coth(d*x+c))^2)^4,x,method=_RETURNVERBOSE)
```

```
[Out] 1/d*(-1/2/(a+b)^4*ln(coth(d*x+c)-1)+1/2/(a+b)^4*ln(coth(d*x+c)+1)+1/(a+b)^4
*b*((1/16*b^2*(19*a^3+35*a^2*b+21*a*b^2+5*b^3)/a^3*coth(d*x+c)^5+1/6*b*(17*
a^3+33*a^2*b+21*a*b^2+5*b^3)/a^2*coth(d*x+c)^3+1/16*(29*a^3+61*a^2*b+43*a*b
^2+11*b^3)/a*coth(d*x+c))/(a+b*coth(d*x+c))^2+1/16*(35*a^3+35*a^2*b+21*a*
b^2+5*b^3)/a^3/(a*b)^(1/2)*arctan(b*coth(d*x+c)/(a*b)^(1/2))))
```

Maxima [B] Leaf count of result is larger than twice the leaf count of optimal. 925 vs. 2(185) = 370.

time = 0.82, size = 925, normalized size = 4.60

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*coth(d*x+c))^2)^4,x, algorithm="maxima")
```

```
[Out] 1/16*(35*a^3*b + 35*a^2*b^2 + 21*a*b^3 + 5*b^4)*arctan(1/2*((a + b)*e^(-2*d
*x - 2*c) - a + b)/sqrt(a*b))/((a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3
*b^4)*sqrt(a*b)*d) + 1/24*(87*a^5*b + 319*a^4*b^2 + 450*a^3*b^3 + 306*a^2*b
^4 + 103*a*b^5 + 15*b^6 - 3*(145*a^5*b + 267*a^4*b^2 + 34*a^3*b^3 - 178*a^2
*b^4 - 115*a*b^5 - 25*b^6)*e^(-2*d*x - 2*c) + 6*(145*a^5*b + 93*a^4*b^2 - 6
*a^3*b^3 + 106*a^2*b^4 + 85*a*b^5 + 25*b^6)*e^(-4*d*x - 4*c) - 2*(435*a^5*b
+ 29*a^4*b^2 + 162*a^3*b^3 - 306*a^2*b^4 - 245*a*b^5 - 75*b^6)*e^(-6*d*x -
6*c) + 3*(145*a^5*b + 17*a^4*b^2 - 58*a^3*b^3 + 150*a^2*b^4 + 105*a*b^5 +
25*b^6)*e^(-8*d*x - 8*c) - 3*(29*a^5*b + 23*a^4*b^2 - 62*a^3*b^3 - 82*a^2*b
^4 - 31*a*b^5 - 5*b^6)*e^(-10*d*x - 10*c))/((a^10 + 7*a^9*b + 21*a^8*b^2 +
35*a^7*b^3 + 35*a^6*b^4 + 21*a^5*b^5 + 7*a^4*b^6 + a^3*b^7 - 6*(a^10 + 5*a^
9*b + 9*a^8*b^2 + 5*a^7*b^3 - 5*a^6*b^4 - 9*a^5*b^5 - 5*a^4*b^6 - a^3*b^7)*
```

$$e^{(-2dx - 2c)} + 3(5a^{10} + 19a^9b + 25a^8b^2 + 15a^7b^3 + 15a^6b^4 + 25a^5b^5 + 19a^4b^6 + 5a^3b^7)e^{(-4dx - 4c)} - 4(5a^{10} + 17a^9b + 21a^8b^2 + 9a^7b^3 - 9a^6b^4 - 21a^5b^5 - 17a^4b^6 - 5a^3b^7)e^{(-6dx - 6c)} + 3(5a^{10} + 19a^9b + 25a^8b^2 + 15a^7b^3 + 15a^6b^4 + 25a^5b^5 + 19a^4b^6 + 5a^3b^7)e^{(-8dx - 8c)} - 6(a^{10} + 5a^9b + 9a^8b^2 + 5a^7b^3 - 5a^6b^4 - 9a^5b^5 - 5a^4b^6 - a^3b^7)e^{(-10dx - 10c)} + (a^{10} + 7a^9b + 21a^8b^2 + 35a^7b^3 + 35a^6b^4 + 21a^5b^5 + 7a^4b^6 + a^3b^7)e^{(-12dx - 12c)} \cdot d + (dx + c) / ((a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cdot d)$$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 9853 vs. 2(185) = 370.

time = 0.60, size = 20031, normalized size = 99.66

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*coth(dx+c)^2)^4,x, algorithm="fricas")

[Out] [1/96*(96*(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*dx*cosh(dx + c)^12 + 1152*(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*dx*cosh(dx + c)*sinh(dx + c)^11 + 96*(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*dx*sinh(dx + c)^12 + 12*(29a^5b + 23a^4b^2 - 62a^3b^3 - 82a^2b^4 - 31ab^5 - 5b^6 - 48*(a^6 + a^5b - a^4b^2 - a^3b^3)*dx)*cosh(dx + c)^10 + 12*(29a^5b + 23a^4b^2 - 62a^3b^3 - 82a^2b^4 - 31ab^5 - 5b^6 + 528*(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*dx*cosh(dx + c)^2 - 48*(a^6 + a^5b - a^4b^2 - a^3b^3)*dx)*sinh(dx + c)^10 + 120*(176*(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*dx*cosh(dx + c)^3 + (29a^5b + 23a^4b^2 - 62a^3b^3 - 82a^2b^4 - 31ab^5 - 5b^6 - 48*(a^6 + a^5b - a^4b^2 - a^3b^3)*dx)*cosh(dx + c))*sinh(dx + c)^9 - 12*(145a^5b + 17a^4b^2 - 58a^3b^3 + 150a^2b^4 + 105ab^5 + 25b^6 - 24*(5a^6 - a^5b - a^4b^2 + 5a^3b^3)*dx)*cosh(dx + c)^8 + 12*(3960*(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*dx*cosh(dx + c)^4 - 145a^5b - 17a^4b^2 + 58a^3b^3 - 150a^2b^4 - 105ab^5 - 25b^6 + 24*(5a^6 - a^5b - a^4b^2 + 5a^3b^3)*dx + 45*(29a^5b + 23a^4b^2 - 62a^3b^3 - 82a^2b^4 - 31ab^5 - 5b^6 - 48*(a^6 + a^5b - a^4b^2 - a^3b^3)*dx)*cosh(dx + c)^2)*sinh(dx + c)^8 + 96*(792*(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*dx*cosh(dx + c)^5 + 15*(29a^5b + 23a^4b^2 - 62a^3b^3 - 82a^2b^4 - 31ab^5 - 5b^6 - 48*(a^6 + a^5b - a^4b^2 - a^3b^3)*dx)*cosh(dx + c)^3 - (145a^5b + 17a^4b^2 - 58a^3b^3 + 150a^2b^4 + 105ab^5 + 25b^6 - 24*(5a^6 - a^5b - a^4b^2 + 5a^3b^3)*dx)*cosh(dx + c))*sinh(dx + c)^7 + 8*(435a^5b + 29a^4b^2 + 162a^3b^3 - 306a^2b^4 - 245ab^5 - 75b^6 - 48*(5a^6 - 3a^5b + 3a^4b^2 - 5a^3b^3)*dx)*cosh(dx + c)^6 + 8*(11088*(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*dx*cosh(dx + c)^6 + 435a^5b + 29a^4b^2 + 162a^3b^3 - 306a^2b^4 - 245ab^5 - 75b^6 + 315*(29a^5b + 23a^4b^2 - 62a^3b^3 - 82a^2b^4 - 31ab^5 - 5

```

*b^6 - 48*(a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*x)*cosh(d*x + c)^4 - 48*(5*a^
6 - 3*a^5*b + 3*a^4*b^2 - 5*a^3*b^3)*d*x - 42*(145*a^5*b + 17*a^4*b^2 - 58*
a^3*b^3 + 150*a^2*b^4 + 105*a*b^5 + 25*b^6 - 24*(5*a^6 - a^5*b - a^4*b^2 +
5*a^3*b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^6 - 348*a^5*b - 1276*a^4*b^2
- 1800*a^3*b^3 - 1224*a^2*b^4 - 412*a*b^5 - 60*b^6 + 48*(1584*(a^6 + 3*a^5
*b + 3*a^4*b^2 + a^3*b^3)*d*x*cosh(d*x + c)^7 + 63*(29*a^5*b + 23*a^4*b^2 -
62*a^3*b^3 - 82*a^2*b^4 - 31*a*b^5 - 5*b^6 - 48*(a^6 + a^5*b - a^4*b^2 - a
^3*b^3)*d*x)*cosh(d*x + c)^5 - 14*(145*a^5*b + 17*a^4*b^2 - 58*a^3*b^3 + 15
0*a^2*b^4 + 105*a*b^5 + 25*b^6 - 24*(5*a^6 - a^5*b - a^4*b^2 + 5*a^3*b^3)*d
*x)*cosh(d*x + c)^3 + (435*a^5*b + 29*a^4*b^2 + 162*a^3*b^3 - 306*a^2*b^4 -
245*a*b^5 - 75*b^6 - 48*(5*a^6 - 3*a^5*b + 3*a^4*b^2 - 5*a^3*b^3)*d*x)*cos
h(d*x + c))*sinh(d*x + c)^5 - 24*(145*a^5*b + 93*a^4*b^2 - 6*a^3*b^3 + 106*
a^2*b^4 + 85*a*b^5 + 25*b^6 - 12*(5*a^6 - a^5*b - a^4*b^2 + 5*a^3*b^3)*d*x)
*cosh(d*x + c)^4 + 24*(1980*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*x*cosh(
d*x + c)^8 + 105*(29*a^5*b + 23*a^4*b^2 - 62*a^3*b^3 - 82*a^2*b^4 - 31*a*b^
5 - 5*b^6 - 48*(a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*x)*cosh(d*x + c)^6 - 145
*a^5*b - 93*a^4*b^2 + 6*a^3*b^3 - 106*a^2*b^4 - 85*a*b^5 - 25*b^6 - 35*(145
*a^5*b + 17*a^4*b^2 - 58*a^3*b^3 + 150*a^2*b^4 + 105*a*b^5 + 25*b^6 - 24*(5
*a^6 - a^5*b - a^4*b^2 + 5*a^3*b^3)*d*x)*cosh(d*x + c)^4 + 12*(5*a^6 - a^5*
b - a^4*b^2 + 5*a^3*b^3)*d*x + 5*(435*a^5*b + 29*a^4*b^2 + 162*a^3*b^3 - 30
6*a^2*b^4 - 245*a*b^5 - 75*b^6 - 48*(5*a^6 - 3*a^5*b + 3*a^4*b^2 - 5*a^3*b^
3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 32*(660*(a^6 + 3*a^5*b + 3*a^4*b
^2 + a^3*b^3)*d*x*cosh(d*x + c)^9 + 45*(29*a^5*b + 23*a^4*b^2 - 62*a^3*b^3
- 82*a^2*b^4 - 31*a*b^5 - 5*b^6 - 48*(a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*x)
*cosh(d*x + c)^7 - 21*(145*a^5*b + 17*a^4*b^2 - 58*a^3*b^3 + 150*a^2*b^4 +
105*a*b^5 + 25*b^6 - 24*(5*a^6 - a^5*b - a^4*b^2 + 5*a^3*b^3)*d*x)*cosh(d*x
+ c)^5 + 5*(435*a^5*b + 29*a^4*b^2 + 162*a^3*b^3 - 306*a^2*b^4 - 245*a*b^5
- 75*b^6 - 48*(5*a^6 - 3*a^5*b + 3*a^4*b^2 - 5*a^3*b^3)*d*x)*cosh(d*x + c)
^3 - 3*(145*a^5*b + 93*a^4*b^2 - 6*a^3*b^3 + 106*a^2*b^4 + 85*a*b^5 + 25*b^
6 - 12*(5*a^6 - a^5*b - a^4*b^2 + 5*a^3*b^3)*d*x)*cosh(d*x + c))*sinh(d*x +
c)^3 + 96*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*x + 12*(145*a^5*b + 267*
a^4*b^2 + 34*a^3*b^3 - 178*a^2*b^4 - 115*a*b^5 - 25*b^6 - 48*(a^6 + a^5*b -
a^4*b^2 - a^3*b^3)*d*x)*cosh(d*x + c)^2 + 12*(528*(a^6 + 3*a^5*b + 3*a^4*b
^2 + a^3*b^3)*d*x*cosh(d*x + c)^10 + 45*(29*a^5*b + 23*a^4*b^2 - 62*a^3*b^3
- 82*a^2*b^4 - 31*a*b^5 - 5*b^6 - 48*(a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*x)
)*cosh(d*x + c)^8 - 28*(145*a^5*b + 17*a^4*b^2 - 58*a^3*b^3 + 150*a^2*b^4 +
105*a*b^5 + 25*b^6 - 24*(5*a^6 - a^5*b - a^4*b^2 + 5*a^3*b^3)*d*x)*cosh(d*
x + c)^6 + 145*a^5*b + 267*a^4*b^2 + 34*a^3*b^3 - 178*a^2*b^4 - 115*a*b^5 -
25*b^6 + 10*(435*a^5*b + 29*a^4*b^2 + 162*a^3*b^3 - 306*a^2*b^4 - 245*a*b^
5 - 75*b^6 - 48*(5*a^6 - 3*a^5*b + 3*a^4*b^2 - 5*a^3*b^3)*d*x)*cosh(d*x + c
)^4 - 48*(a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*x ...

```

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*coth(d*x+c)**2)**4,x)

[Out] Timed out

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 750 vs. 2(185) = 370.

time = 0.46, size = 750, normalized size = 3.73

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*coth(d*x+c)^2)^4,x, algorithm="giac")

[Out]
$$-1/48*(3*(35*a^3*b + 35*a^2*b^2 + 21*a*b^3 + 5*b^4)*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} - a + b)/\sqrt{a*b}))/((a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*\sqrt{a*b}) - 48*(d*x + c)/(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4) - 2*(87*a^5*b*e^{(10*d*x + 10*c)} + 69*a^4*b^2*e^{(10*d*x + 10*c)} - 186*a^3*b^3*e^{(10*d*x + 10*c)} - 246*a^2*b^4*e^{(10*d*x + 10*c)} - 93*a*b^5*e^{(10*d*x + 10*c)} - 15*b^6*e^{(10*d*x + 10*c)} - 435*a^5*b*e^{(8*d*x + 8*c)} - 51*a^4*b^2*e^{(8*d*x + 8*c)} + 174*a^3*b^3*e^{(8*d*x + 8*c)} - 450*a^2*b^4*e^{(8*d*x + 8*c)} - 315*a*b^5*e^{(8*d*x + 8*c)} - 75*b^6*e^{(8*d*x + 8*c)} + 870*a^5*b*e^{(6*d*x + 6*c)} + 58*a^4*b^2*e^{(6*d*x + 6*c)} + 324*a^3*b^3*e^{(6*d*x + 6*c)} - 612*a^2*b^4*e^{(6*d*x + 6*c)} - 490*a*b^5*e^{(6*d*x + 6*c)} - 150*b^6*e^{(6*d*x + 6*c)} - 870*a^5*b*e^{(4*d*x + 4*c)} - 558*a^4*b^2*e^{(4*d*x + 4*c)} + 36*a^3*b^3*e^{(4*d*x + 4*c)} - 636*a^2*b^4*e^{(4*d*x + 4*c)} - 510*a*b^5*e^{(4*d*x + 4*c)} - 150*b^6*e^{(4*d*x + 4*c)} + 435*a^5*b*e^{(2*d*x + 2*c)} + 801*a^4*b^2*e^{(2*d*x + 2*c)} + 102*a^3*b^3*e^{(2*d*x + 2*c)} - 534*a^2*b^4*e^{(2*d*x + 2*c)} - 345*a*b^5*e^{(2*d*x + 2*c)} - 75*b^6*e^{(2*d*x + 2*c)} - 87*a^5*b - 319*a^4*b^2 - 450*a^3*b^3 - 306*a^2*b^4 - 103*a*b^5 - 15*b^6)/((a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} - 2*a*e^{(2*d*x + 2*c)} + 2*b*e^{(2*d*x + 2*c)} + a + b)^3))/d$$

Mupad [B]

time = 2.07, size = 2500, normalized size = 12.44

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b*coth(c + d*x)^2)^4,x)

[Out]
$$\log(\coth(c + d*x) + 1)/(2*a^4*d + 2*b^4*d + 12*a^2*b^2*d + 8*a*b^3*d + 8*a^3*b*d) + ((\coth(c + d*x)^3*(16*a*b^3 + 5*b^4 + 17*a^2*b^2))/((6*a^2*(3*a*b^2 + 3*a^2*b + a^3 + b^3)) + (\coth(c + d*x)*(32*a*b^2 + 29*a^2*b + 11*b^3))/((16*a*(3*a*b^2 + 3*a^2*b + a^3 + b^3)) + (b^2*\coth(c + d*x)^5*(16*a*b^2 + 19$$

$$\begin{aligned}
& *a^2*b + 5*b^3)) / (16*a^2*(a*b^3 + 3*a^3*b + a^4 + 3*a^2*b^2)) / (a^3*d + b^3 \\
& *d*\coth(c + d*x)^6 + 3*a^2*b*d*\coth(c + d*x)^2 + 3*a*b^2*d*\coth(c + d*x)^4) \\
& - \log(\coth(c + d*x) - 1) / (2*d*(a + b)^4) - (\operatorname{atan}(\frac{(-a^7*b)^{1/2} * ((\coth(c + d*x) * (210*a*b^8 + 25*b^9 + 791*a^2*b^7 + 1820*a^3*b^6 + 2695*a^4*b^5 + 2450*a^5*b^4 + 1481*a^6*b^3))}{(128*(a^{12}*d^2 + 6*a^{11}*b*d^2 + a^6*b^6*d^2 + 6*a^7*b^5*d^2 + 15*a^8*b^4*d^2 + 20*a^9*b^3*d^2 + 15*a^{10}*b^2*d^2))} + (((5*a^3*b^{13}*d^2)/4 + 14*a^4*b^{12}*d^2 + (287*a^5*b^{11}*d^2)/4 + 224*a^6*b^{10}*d^2 + (953*a^7*b^9*d^2)/2 + 728*a^8*b^8*d^2 + (1631*a^9*b^7*d^2)/2 + 668*a^{10}*b^6*d^2 + (1561*a^{11}*b^5*d^2)/4 + 154*a^{12}*b^4*d^2 + (147*a^{13}*b^3*d^2)/4 + 4*a^{14}*b^2*d^2) / (a^{15}*d^3 + 9*a^{14}*b*d^3 + a^6*b^9*d^3 + 9*a^7*b^8*d^3 + 36*a^8*b^7*d^3 + 84*a^9*b^6*d^3 + 126*a^{10}*b^5*d^3 + 126*a^{11}*b^4*d^3 + 84*a^{12}*b^3*d^3 + 36*a^{13}*b^2*d^3) - (\coth(c + d*x) * (-a^7*b)^{1/2} * (21*a*b^2 + 35*a^2*b + 35*a^3 + 5*b^3) * (1024*a^6*b^{11}*d^2 + 7168*a^7*b^{10}*d^2 + 20480*a^8*b^9*d^2 + 28672*a^9*b^8*d^2 + 14336*a^{10}*b^7*d^2 - 14336*a^{11}*b^6*d^2 - 28672*a^{12}*b^5*d^2 - 20480*a^{13}*b^4*d^2 - 7168*a^{14}*b^3*d^2 - 1024*a^{15}*b^2*d^2)) / (4096*(a^{11}*d + a^7*b^4*d + 4*a^8*b^3*d + 6*a^9*b^2*d + 4*a^{10}*b*d) * (a^{12}*d^2 + 6*a^{11}*b*d^2 + a^6*b^6*d^2 + 6*a^7*b^5*d^2 + 15*a^8*b^4*d^2 + 20*a^9*b^3*d^2 + 15*a^{10}*b^2*d^2))) * (-a^7*b)^{1/2} * (21*a*b^2 + 35*a^2*b + 35*a^3 + 5*b^3)) / (32*(a^{11}*d + a^7*b^4*d + 4*a^8*b^3*d + 6*a^9*b^2*d + 4*a^{10}*b*d))) * (21*a*b^2 + 35*a^2*b + 35*a^3 + 5*b^3) * i) / (32*(a^{11}*d + a^7*b^4*d + 4*a^8*b^3*d + 6*a^9*b^2*d + 4*a^{10}*b*d)) + ((-a^7*b)^{1/2} * ((\coth(c + d*x) * (210*a*b^8 + 25*b^9 + 791*a^2*b^7 + 1820*a^3*b^6 + 2695*a^4*b^5 + 2450*a^5*b^4 + 1481*a^6*b^3)) / (128*(a^{12}*d^2 + 6*a^{11}*b*d^2 + a^6*b^6*d^2 + 6*a^7*b^5*d^2 + 15*a^8*b^4*d^2 + 20*a^9*b^3*d^2 + 15*a^{10}*b^2*d^2)) - (((5*a^3*b^{13}*d^2)/4 + 14*a^4*b^{12}*d^2 + (287*a^5*b^{11}*d^2)/4 + 224*a^6*b^{10}*d^2 + (953*a^7*b^9*d^2)/2 + 728*a^8*b^8*d^2 + (1631*a^9*b^7*d^2)/2 + 668*a^{10}*b^6*d^2 + (1561*a^{11}*b^5*d^2)/4 + 154*a^{12}*b^4*d^2 + (147*a^{13}*b^3*d^2)/4 + 4*a^{14}*b^2*d^2) / (a^{15}*d^3 + 9*a^{14}*b*d^3 + a^6*b^9*d^3 + 9*a^7*b^8*d^3 + 36*a^8*b^7*d^3 + 84*a^9*b^6*d^3 + 126*a^{10}*b^5*d^3 + 126*a^{11}*b^4*d^3 + 84*a^{12}*b^3*d^3 + 36*a^{13}*b^2*d^3) + (\coth(c + d*x) * (-a^7*b)^{1/2} * (21*a*b^2 + 35*a^2*b + 35*a^3 + 5*b^3) * (1024*a^6*b^{11}*d^2 + 7168*a^7*b^{10}*d^2 + 20480*a^8*b^9*d^2 + 28672*a^9*b^8*d^2 + 14336*a^{10}*b^7*d^2 - 14336*a^{11}*b^6*d^2 - 28672*a^{12}*b^5*d^2 - 20480*a^{13}*b^4*d^2 - 7168*a^{14}*b^3*d^2 - 1024*a^{15}*b^2*d^2)) / (4096*(a^{11}*d + a^7*b^4*d + 4*a^8*b^3*d + 6*a^9*b^2*d + 4*a^{10}*b*d) * (a^{12}*d^2 + 6*a^{11}*b*d^2 + a^6*b^6*d^2 + 6*a^7*b^5*d^2 + 15*a^8*b^4*d^2 + 20*a^9*b^3*d^2 + 15*a^{10}*b^2*d^2))) * (-a^7*b)^{1/2} * (21*a*b^2 + 35*a^2*b + 35*a^3 + 5*b^3)) / (32*(a^{11}*d + a^7*b^4*d + 4*a^8*b^3*d + 6*a^9*b^2*d + 4*a^{10}*b*d))) * (21*a*b^2 + 35*a^2*b + 35*a^3 + 5*b^3) * i) / (32*(a^{11}*d + a^7*b^4*d + 4*a^8*b^3*d + 6*a^9*b^2*d + 4*a^{10}*b*d)) / (((185*a*b^7)/128 + (25*b^8)/128 + (303*a^2*b^6)/64 + (567*a^3*b^5)/64 + (1225*a^4*b^4)/128 + (665*a^5*b^3)/128) / (a^{15}*d^3 + 9*a^{14}*b*d^3 + a^6*b^9*d^3 + 9*a^7*b^8*d^3 + 36*a^8*b^7*d^3 + 84*a^9*b^6*d^3 + 126*a^{10}*b^5*d^3 + 126*a^{11}*b^4*d^3 + 84*a^{12}*b^3*d^3 + 36*a^{13}*b^2*d^3) + ((-a^7*b)^{1/2} * ((\coth(c + d*x) * (210*a*b^8 + 25*b^9 + 791*a^2*b^7 + 1820*a^3*b^6 + 2695*a^4*b^5 + 2450*a^5*b^4 + 1481*a^6*b^3)) / (128*(a^{12}*d^2 + 6*a^{11}*b*d^2 + a^6*b^6*d^2 + 6*a^7*b^5*d^2 + 15*a^8*b^4*d^2 +
\end{aligned}$$

$$\begin{aligned}
& 20*a^9*b^3*d^2 + 15*a^{10}*b^2*d^2)) + (((5*a^3*b^{13}*d^2)/4 + 14*a^4*b^{12}*d^2 \\
& + (287*a^5*b^{11}*d^2)/4 + 224*a^6*b^{10}*d^2 + (953*a^7*b^9*d^2)/2 + 728*a^8*b^8*d^2 \\
& + (1631*a^9*b^7*d^2)/2 + 668*a^{10}*b^6*d^2 + (1561*a^{11}*b^5*d^2)/4 \\
& + 154*a^{12}*b^4*d^2 + (147*a^{13}*b^3*d^2)/4 + 4*a^{14}*b^2*d^2)/(a^{15}*d^3 + 9* \\
& a^{14}*b*d^3 + a^6*b^9*d^3 + 9*a^7*b^8*d^3 + 36*a^8*b^7*d^3 + 84*a^9*b^6*d^3 \\
& + 126*a^{10}*b^5*d^3 + 126*a^{11}*b^4*d^3 + 84*a^{12}*b^3*d^3 + 36*a^{13}*b^2*d^3) \\
& - (\coth(c + d*x)*(-a^7*b)^{(1/2)}*(21*a*b^2 + 35*a^2*b + 35*a^3 + 5*b^3)*(102 \\
& 4*a^6*b^{11}*d^2 + 7168*a^7*b^{10}*d^2 + 20480*a^8*b^9*d^2 + 28672*a^9*b^8*d^2 \\
& + 14336*a^{10}*b^7*d^2 - 14336*a^{11}*b^6*d^2 - 28672*a^{12}*b^5*d^2 - 20480*a^{13} \\
& *b^4*d^2 - 7168*a^{14}*b^3*d^2 - 1024*a^{15}*b^2*d^2))/(4096*(a^{11}*d + a^7*b^4* \\
& d + 4*a^8*b^3*d + 6*a^9*b^2*d + 4*a^{10}*b*d)*(a^{12}*d^2 + 6*a^{11}*b*d^2 + a^6* \\
& b^6*d^2 + 6*a^7*b^5*d^2 + 15*a^8*b^4*d^2 + 20*a^9*b^3*d^2 + 15*a^{10}*b^2*d^2 \\
&)))*(-a^7*b)^{(1/2)}*(21*a*b^2 + 35*a^2*b + 35*a^3 + 5*b^3))/(32*(a^{11}*d + a^7* \\
& b^4*d + 4*a^8*b^3*d + 6*a^9*b^2*d + 4*a^{10}*b*d)))*(21*a*b^2 + 35*a^2*b + \\
& 35*a^3 + 5*b^3))/(32*(a^{11}*d + a^7*b^4*d + 4*a^8*b^3*d + 6*a^9*b^2*d + 4*a^ \\
& 10*b*d)) - ((-a^7*b)^{(1/2)}*((\coth(c + d*x)*(210*a*b^8 + 25*b^9 + 791*a^2*b^7 \\
& + 1820*a^3*b^6 + 2695*a^4*b^5 + 2450*a^5*b^4 + 1481*a^6*b^3))/(128*(a^{12}* \\
& d^2 + 6*a^{11}*b*d^2 + a^6*b^6*d^2 + 6*a^7*b^5*d^2 \dots
\end{aligned}$$

3.9 $\int \frac{1}{1-2 \coth^2(x)} dx$

Optimal. Leaf size=19

$$-x + \sqrt{2} \tanh^{-1} \left(\frac{\tanh(x)}{\sqrt{2}} \right)$$

[Out] `-x+arctanh(1/2*2^(1/2)*tanh(x))*2^(1/2)`

Rubi [A]

time = 0.04, antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {3741, 3756, 212}

$$\sqrt{2} \tanh^{-1} \left(\frac{\tanh(x)}{\sqrt{2}} \right) - x$$

Antiderivative was successfully verified.

[In] `Int[(1 - 2*Coth[x]^2)^(-1),x]`

[Out] `-x + Sqrt[2]*ArcTanh[Tanh[x]/Sqrt[2]]`

Rule 212

`Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 3741

`Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)]^2)^(-1), x_Symbol] := Simp[x/(a - b), x] - Dist[b/(a - b), Int[Sec[e + f*x]^2/(a + b*Tan[e + f*x]^2), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a, b]`

Rule 3756

`Int[sec[(e_) + (f_)*(x_)]^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegerQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])`

Rubi steps

$$\begin{aligned} \int \frac{1}{1-2\coth^2(x)} dx &= -x - 2 \int \frac{\operatorname{csch}^2(x)}{1-2\coth^2(x)} dx \\ &= -x + 2 \operatorname{Subst} \left(\int \frac{1}{1-2x^2} dx, x, \coth(x) \right) \\ &= -x + \sqrt{2} \tanh^{-1} \left(\frac{\tanh(x)}{\sqrt{2}} \right) \end{aligned}$$

Mathematica [A]

time = 0.08, size = 19, normalized size = 1.00

$$-x + \sqrt{2} \tanh^{-1} \left(\frac{\tanh(x)}{\sqrt{2}} \right)$$

Antiderivative was successfully verified.

`[In] Integrate[(1 - 2*Coth[x]^2)^(-1), x]``[Out] -x + Sqrt[2]*ArcTanh[Tanh[x]/Sqrt[2]]`**Maple [A]**

time = 0.42, size = 27, normalized size = 1.42

method	result	size
derivativdivides	$\sqrt{2} \operatorname{arctanh}(\coth(x) \sqrt{2}) + \frac{\ln(\coth(x)-1)}{2} - \frac{\ln(1+\coth(x))}{2}$	27
default	$\sqrt{2} \operatorname{arctanh}(\coth(x) \sqrt{2}) + \frac{\ln(\coth(x)-1)}{2} - \frac{\ln(1+\coth(x))}{2}$	27
risch	$-x + \frac{\sqrt{2} \ln(e^{2x}+3-2\sqrt{2})}{2} - \frac{\sqrt{2} \ln(e^{2x}+3+2\sqrt{2})}{2}$	39

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(1-2*coth(x)^2), x, method=_RETURNVERBOSE)``[Out] 2^(1/2)*arctanh(coth(x)*2^(1/2))+1/2*ln(coth(x)-1)-1/2*ln(1+coth(x))`**Maxima [B]** Leaf count of result is larger than twice the leaf count of optimal. 38 vs. 2(16) = 32.

time = 0.49, size = 38, normalized size = 2.00

$$-\frac{1}{2} \sqrt{2} \log \left(\frac{2\sqrt{2} - e^{(-2x)} - 3}{2\sqrt{2} + e^{(-2x)} + 3} \right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-2*coth(x)^2),x, algorithm="maxima")

[Out] $-1/2*\sqrt{2}*\log(-(2*\sqrt{2}) - e^{(-2*x)} - 3)/(2*\sqrt{2} + e^{(-2*x)} + 3)) - x$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 70 vs. 2(16) = 32.

time = 0.39, size = 70, normalized size = 3.68

$$\frac{1}{2}\sqrt{2}\log\left(-\frac{3(2\sqrt{2}-3)\cosh(x)^2-4(3\sqrt{2}-4)\cosh(x)\sinh(x)+3(2\sqrt{2}-3)\sinh(x)^2+2\sqrt{2}-3}{\cosh(x)^2+\sinh(x)^2+3}\right)-x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-2*coth(x)^2),x, algorithm="fricas")

[Out] $1/2*\sqrt{2}*\log(-(3*(2*\sqrt{2}) - 3)*\cosh(x)^2 - 4*(3*\sqrt{2} - 4)*\cosh(x)*\sinh(x) + 3*(2*\sqrt{2} - 3)*\sinh(x)^2 + 2*\sqrt{2} - 3)/(\cosh(x)^2 + \sinh(x)^2 + 3)) - x$

Sympy [A]

time = 0.30, size = 34, normalized size = 1.79

$$-x - \frac{\sqrt{2}\log(\tanh(x) - \sqrt{2})}{2} + \frac{\sqrt{2}\log(\tanh(x) + \sqrt{2})}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-2*coth(x)**2),x)

[Out] $-x - \sqrt{2}*\log(\tanh(x) - \sqrt{2})/2 + \sqrt{2}*\log(\tanh(x) + \sqrt{2})/2$

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 38 vs. 2(16) = 32.

time = 0.38, size = 38, normalized size = 2.00

$$\frac{1}{2}\sqrt{2}\log\left(-\frac{2\sqrt{2}-e^{(2x)}-3}{2\sqrt{2}+e^{(2x)}+3}\right)-x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-2*coth(x)^2),x, algorithm="giac")

[Out] $1/2*\sqrt{2}*\log(-(2*\sqrt{2}) - e^{(2*x)} - 3)/(2*\sqrt{2} + e^{(2*x)} + 3)) - x$

Mupad [B]

time = 0.11, size = 15, normalized size = 0.79

$$\sqrt{2}\operatorname{atanh}(\sqrt{2}\coth(x))-x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-1/(2*coth(x)^2 - 1),x)

[Out] $2^{(1/2)}*\operatorname{atanh}(2^{(1/2)}*\coth(x)) - x$

3.10 $\int \sqrt{1 - \coth^2(x)} dx$

Optimal. Leaf size=3

ArcSin(coth(x))

[Out] arcsin(coth(x))

Rubi [A]

time = 0.01, antiderivative size = 3, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$,

Rules used = {3738, 4207, 222}

ArcSin(coth(x))

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - Coth[x]^2],x]

[Out] ArcSin[Coth[x]]

Rule 222

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 3738

Int[(u_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)^2])^(p_), x_Symbol] := Int[ActivateTrig[u*(a*sec[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]

Rule 4207

Int[((b_.)*sec[(e_.) + (f_.)*(x_)^2])^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[b*(ff/f), Subst[Int[(b + b*ff^2*x^2)^(p - 1), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \sqrt{1 - \coth^2(x)} dx &= \int \sqrt{-\operatorname{csch}^2(x)} dx \\ &= \operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - x^2}} dx, x, \coth(x)\right) \\ &= \sin^{-1}(\coth(x)) \end{aligned}$$

Mathematica [B] Leaf count is larger than twice the leaf count of optimal. 20 vs. $2(3) = 6$.
time = 0.01, size = 20, normalized size = 6.67

$$\sqrt{-\operatorname{csch}^2(x)} \log\left(\tanh\left(\frac{x}{2}\right)\right) \sinh(x)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - Coth[x]^2], x]

[Out] Sqrt[-Csch[x]^2]*Log[Tanh[x/2]]*Sinh[x]

Maple [A]

time = 0.42, size = 4, normalized size = 1.33

method	result	size
derivativedivides	$\arcsin(\operatorname{coth}(x))$	4
default	$\arcsin(\operatorname{coth}(x))$	4
risch	$-\sqrt{-\frac{e^{2x}}{(e^{2x}-1)^2}} e^{-x}(e^{2x}-1) \ln(e^x+1) + \sqrt{-\frac{e^{2x}}{(e^{2x}-1)^2}} e^{-x}(e^{2x}-1) \ln(e^x-1)$	67

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-coth(x)^2)^(1/2), x, method=_RETURNVERBOSE)

[Out] arcsin(coth(x))

Maxima [C] Result contains complex when optimal does not.

time = 0.50, size = 19, normalized size = 6.33

$$i \log(e^{(-x)} + 1) - i \log(e^{(-x)} - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-coth(x)^2)^(1/2), x, algorithm="maxima")

[Out] I*log(e^(-x) + 1) - I*log(e^(-x) - 1)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-coth(x)^2)^(1/2), x, algorithm="fricas")

[Out] 0

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{1 - \coth^2(x)} \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-coth(x)**2)**(1/2),x)

[Out] Integral(sqrt(1 - coth(x)**2), x)

Giac [C] Result contains complex when optimal does not.

time = 0.39, size = 26, normalized size = 8.67

$$(i \log(e^x + 1) - i \log(|e^x - 1|)) \operatorname{sgn}(-e^{(2x)} + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-coth(x)^2)^(1/2),x, algorithm="giac")

[Out] (I*log(e^x + 1) - I*log(abs(e^x - 1)))*sgn(-e^(2*x) + 1)

Mupad [B]

time = 1.18, size = 3, normalized size = 1.00

$$\operatorname{asin}(\coth(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1 - coth(x)^2)^(1/2),x)

[Out] asin(coth(x))

3.11 $\int \sqrt{-1 + \coth^2(x)} dx$

Optimal. Leaf size=14

$$-\tanh^{-1}\left(\frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}}\right)$$

[Out] -arctanh(coth(x)/(csch(x)^2)^(1/2))

Rubi [A]

time = 0.02, antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {3738, 4207, 223, 212}

$$-\tanh^{-1}\left(\frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}}\right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-1 + Coth[x]^2], x]

[Out] -ArcTanh[Coth[x]/Sqrt[Csch[x]^2]]

Rule 212

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 223

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 3738

Int[(u_)*((a_) + (b_)*tan[(e_) + (f_)*(x_)]^2)^(p_), x_Symbol] := Int[ArcTanhTrig[u*(a*sec[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]

Rule 4207

Int[((b_)*sec[(e_) + (f_)*(x_)]^2)^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[b*(ff/f), Subst[Int[(b + b*ff^2*x^2)^(p - 1), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \sqrt{-1 + \coth^2(x)} \, dx &= \int \sqrt{\operatorname{csch}^2(x)} \, dx \\
&= -\operatorname{Subst}\left(\int \frac{1}{\sqrt{-1 + x^2}} \, dx, x, \coth(x)\right) \\
&= -\operatorname{Subst}\left(\int \frac{1}{1 - x^2} \, dx, x, \frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}}\right) \\
&= -\tanh^{-1}\left(\frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}}\right)
\end{aligned}$$

Mathematica [A]

time = 0.01, size = 18, normalized size = 1.29

$$\sqrt{\operatorname{csch}^2(x)} \log\left(\tanh\left(\frac{x}{2}\right)\right) \sinh(x)$$

Antiderivative was successfully verified.

`[In] Integrate[Sqrt[-1 + Coth[x]^2], x]``[Out] Sqrt[Csch[x]^2]*Log[Tanh[x/2]]*Sinh[x]`**Maple [A]**

time = 0.76, size = 15, normalized size = 1.07

method	result	size
derivativedivides	$-\ln\left(\coth(x) + \sqrt{-1 + \coth^2(x)}\right)$	15
default	$-\ln\left(\coth(x) + \sqrt{-1 + \coth^2(x)}\right)$	15
risch	$-\sqrt{\frac{e^{2x}}{(e^{2x}-1)^2}} e^{-x}(e^{2x}-1) \ln(e^x+1) + \sqrt{\frac{e^{2x}}{(e^{2x}-1)^2}} e^{-x}(e^{2x}-1) \ln(e^x-1)$	65

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((-1+coth(x)^2)^(1/2), x, method=_RETURNVERBOSE)``[Out] -ln(coth(x)+(-1+coth(x)^2)^(1/2))`**Maxima [A]**

time = 0.48, size = 17, normalized size = 1.21

$$\log(e^{(-x)} + 1) - \log(e^{(-x)} - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+coth(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `log(e^(-x) + 1) - log(e^(-x) - 1)`

Fricas [A]

time = 0.36, size = 17, normalized size = 1.21

$$-\log(\cosh(x) + \sinh(x) + 1) + \log(\cosh(x) + \sinh(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+coth(x)^2)^(1/2),x, algorithm="fricas")`

[Out] `-log(cosh(x) + sinh(x) + 1) + log(cosh(x) + sinh(x) - 1)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{\coth^2(x) - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+coth(x)**2)**(1/2),x)`

[Out] `Integral(sqrt(coth(x)**2 - 1), x)`

Giac [A]

time = 0.39, size = 23, normalized size = 1.64

$$-(\log(e^x + 1) - \log(|e^x - 1|))\operatorname{sgn}(e^{2x} - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+coth(x)^2)^(1/2),x, algorithm="giac")`

[Out] `-(log(e^x + 1) - log(abs(e^x - 1)))*sgn(e^(2*x) - 1)`

Mupad [B]

time = 1.37, size = 14, normalized size = 1.00

$$-\ln\left(\coth(x) + \sqrt{\coth(x)^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((coth(x)^2 - 1)^(1/2),x)`

[Out] `-log(coth(x) + (coth(x)^2 - 1)^(1/2))`

3.12 $\int (1 - \coth^2(x))^{3/2} dx$

Optimal. Leaf size=24

$$\frac{1}{2}\text{ArcSin}(\coth(x)) + \frac{1}{2}\coth(x)\sqrt{-\text{csch}^2(x)}$$

[Out] 1/2*arcsin(coth(x))+1/2*coth(x)*(-csch(x)^2)^(1/2)

Rubi [A]

time = 0.02, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3738, 4207, 201, 222}

$$\frac{1}{2}\text{ArcSin}(\coth(x)) + \frac{1}{2}\coth(x)\sqrt{-\text{csch}^2(x)}$$

Antiderivative was successfully verified.

[In] Int[(1 - Coth[x]^2)^(3/2), x]

[Out] ArcSin[Coth[x]]/2 + (Coth[x]*Sqrt[-Csch[x]^2])/2

Rule 201

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[x*((a + b*x^n)^p/(n*p + 1)), x] + Dist[a*n*(p/(n*p + 1)), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

Rule 222

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 3738

```
Int[(u_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)^2])^(p_), x_Symbol] := Int[ActivateTrig[u*(a*sec[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]
```

Rule 4207

```
Int[((b_.)*sec[(e_.) + (f_.)*(x_)^2])^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[b*(ff/f), Subst[Int[(b + b*ff^2*x^2)^(p - 1), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]
```


Rubi steps

$$\begin{aligned}
\int (1 - \coth^2(x))^{3/2} dx &= \int (-\operatorname{csch}^2(x))^{3/2} dx \\
&= \operatorname{Subst}\left(\int \sqrt{1-x^2} dx, x, \coth(x)\right) \\
&= \frac{1}{2} \coth(x) \sqrt{-\operatorname{csch}^2(x)} + \frac{1}{2} \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-x^2}} dx, x, \coth(x)\right) \\
&= \frac{1}{2} \sin^{-1}(\coth(x)) + \frac{1}{2} \coth(x) \sqrt{-\operatorname{csch}^2(x)}
\end{aligned}$$

Mathematica [A]

time = 0.04, size = 41, normalized size = 1.71

$$\frac{1}{4} \operatorname{csch}\left(\frac{x}{2}\right) \sqrt{-\operatorname{csch}^2(x)} \operatorname{sech}\left(\frac{x}{2}\right) \left(\cosh(x) + \log\left(\tanh\left(\frac{x}{2}\right)\right)\right) \sinh^2(x)$$

Antiderivative was successfully verified.

`[In] Integrate[(1 - Coth[x]^2)^(3/2), x]``[Out] (Csch[x/2]*Sqrt[-Csch[x]^2]*Sech[x/2]*(Cosh[x] + Log[Tanh[x/2]]*Sinh[x]^2))/4`**Maple [A]**

time = 0.40, size = 21, normalized size = 0.88

method	result
derivativedivides	$\frac{\coth(x) \sqrt{1 - (\coth^2(x))}}{2} + \frac{\arcsin(\coth(x))}{2}$
default	$\frac{\coth(x) \sqrt{1 - (\coth^2(x))}}{2} + \frac{\arcsin(\coth(x))}{2}$
risch	$\frac{\sqrt{-\frac{e^{2x}}{(e^{2x}-1)^2}} (1+e^{2x})}{e^{2x}-1} + \frac{\sqrt{-\frac{e^{2x}}{(e^{2x}-1)^2}} e^{-x} (e^{2x}-1) \ln(e^x-1)}{2} - \frac{\sqrt{-\frac{e^{2x}}{(e^{2x}-1)^2}} e^{-x} (e^{2x}-1) \ln(e^x+1)}{2}$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((1-coth(x)^2)^(3/2), x, method=_RETURNVERBOSE)``[Out] 1/2*coth(x)*(1-coth(x)^2)^(1/2)+1/2*arcsin(coth(x))`**Maxima [C]** Result contains complex when optimal does not.

time = 0.50, size = 49, normalized size = 2.04

$$\frac{i e^{(-x)} + i e^{(-3x)}}{2 e^{(-2x)} - e^{(-4x)} - 1} + \frac{1}{2} i \log(e^{(-x)} + 1) - \frac{1}{2} i \log(e^{(-x)} - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-coth(x)^2)^(3/2),x, algorithm="maxima")

[Out] (I*e^(-x) + I*e^(-3*x))/(2*e^(-2*x) - e^(-4*x) - 1) + 1/2*I*log(e^(-x) + 1) - 1/2*I*log(e^(-x) - 1)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-coth(x)^2)^(3/2),x, algorithm="fricas")

[Out] 0

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (1 - \coth^2(x))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-coth(x)**2)**(3/2),x)

[Out] Integral((1 - coth(x)**2)**(3/2), x)

Giac [C] Result contains complex when optimal does not.

time = 0.39, size = 60, normalized size = 2.50

$$-\frac{1}{4} \left(\frac{4(i e^{-x} + i e^x)}{(e^{-x} + e^x)^2 - 4} - i \log(e^{-x} + e^x + 2) + i \log(e^{-x} + e^x - 2) \right) \operatorname{sgn}(-e^{2x} + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-coth(x)^2)^(3/2),x, algorithm="giac")

[Out] -1/4*(4*(I*e^(-x) + I*e^x)/((e^(-x) + e^x)^2 - 4) - I*log(e^(-x) + e^x + 2) + I*log(e^(-x) + e^x - 2))*sgn(-e^(2*x) + 1)

Mupad [B]

time = 1.21, size = 20, normalized size = 0.83

$$\frac{\operatorname{asin}(\coth(x))}{2} + \frac{\coth(x) \sqrt{1 - \coth(x)^2}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1 - coth(x)^2)^(3/2),x)

[Out] asin(coth(x))/2 + (coth(x)*(1 - coth(x)^2)^(1/2))/2

3.13 $\int (-1 + \coth^2(x))^{3/2} dx$

Optimal. Leaf size=31

$$\frac{1}{2} \tanh^{-1} \left(\frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}} \right) - \frac{1}{2} \coth(x) \sqrt{\operatorname{csch}^2(x)}$$

[Out] 1/2*arctanh(coth(x)/(csch(x)^2)^(1/2))-1/2*coth(x)*(csch(x)^2)^(1/2)

Rubi [A]

time = 0.02, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3738, 4207, 201, 223, 212}

$$\frac{1}{2} \tanh^{-1} \left(\frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}} \right) - \frac{1}{2} \coth(x) \sqrt{\operatorname{csch}^2(x)}$$

Antiderivative was successfully verified.

[In] Int[(-1 + Coth[x]^2)^(3/2), x]

[Out] ArcTanh[Coth[x]/Sqrt[Csch[x]^2]]/2 - (Coth[x]*Sqrt[Csch[x]^2])/2

Rule 201

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[x*((a + b*x^n)^p/(n*p + 1)), x] + Dist[a*n*(p/(n*p + 1)), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 223

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 3738

Int[(u_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := Int[ActivateTrig[u*(a*sec[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ

[a, b]

Rule 4207

```
Int[((b_.)*sec[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[b*(ff/f), Subst[Int[(b + b*ff^2*x^2)^(p - 1), x], x, Tan[e + f*x]/ff], x]] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int (-1 + \coth^2(x))^{3/2} dx &= \int \operatorname{csch}^2(x)^{3/2} dx \\
&= -\operatorname{Subst}\left(\int \sqrt{-1 + x^2} dx, x, \coth(x)\right) \\
&= -\frac{1}{2} \coth(x) \sqrt{\operatorname{csch}^2(x)} + \frac{1}{2} \operatorname{Subst}\left(\int \frac{1}{\sqrt{-1 + x^2}} dx, x, \coth(x)\right) \\
&= -\frac{1}{2} \coth(x) \sqrt{\operatorname{csch}^2(x)} + \frac{1}{2} \operatorname{Subst}\left(\int \frac{1}{1 - x^2} dx, x, \frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}}\right) \\
&= \frac{1}{2} \tanh^{-1}\left(\frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}}\right) - \frac{1}{2} \coth(x) \sqrt{\operatorname{csch}^2(x)}
\end{aligned}$$

Mathematica [A]

time = 0.03, size = 40, normalized size = 1.29

$$-\frac{1}{8} \sqrt{\operatorname{csch}^2(x)} \left(\operatorname{csch}^2\left(\frac{x}{2}\right) + 4 \log\left(\tanh\left(\frac{x}{2}\right)\right) + \operatorname{sech}^2\left(\frac{x}{2}\right) \right) \sinh(x)$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + Coth[x]^2)^(3/2), x]

[Out] -1/8*(Sqrt[Csch[x]^2]*(Csch[x/2]^2 + 4*Log[Tanh[x/2]] + Sech[x/2]^2)*Sinh[x])

Maple [A]

time = 0.61, size = 28, normalized size = 0.90

method	result	size
derivativedivides	$-\frac{\coth(x) \sqrt{-1 + \coth^2(x)}}{2} + \frac{\ln\left(\coth(x) + \sqrt{-1 + \coth^2(x)}\right)}{2}$	28

default	$-\frac{\coth(x)\sqrt{-1+\coth^2(x)}}{2} + \frac{\ln\left(\coth(x)+\sqrt{-1+\coth^2(x)}\right)}{2}$	28
risch	$-\frac{\sqrt{\frac{e^{2x}}{(e^{2x}-1)^2}}(1+e^{2x})}{e^{2x}-1} - \frac{\sqrt{\frac{e^{2x}}{(e^{2x}-1)^2}}e^{-x}(e^{2x}-1)\ln(e^x-1)}{2} + \frac{\sqrt{\frac{e^{2x}}{(e^{2x}-1)^2}}e^{-x}(e^{2x}-1)\ln(e^x+1)}{2}$	97

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-1+coth(x)^2)^(3/2),x,method=_RETURNVERBOSE)`

[Out] $-1/2*\coth(x)*(-1+\coth(x)^2)^{(1/2)}+1/2*\ln(\coth(x)+(-1+\coth(x)^2)^{(1/2)})$

Maxima [A]

time = 0.50, size = 46, normalized size = 1.48

$$-\frac{e^{(-x)} + e^{(-3x)}}{2e^{(-2x)} - e^{(-4x)} - 1} - \frac{1}{2} \log(e^{(-x)} + 1) + \frac{1}{2} \log(e^{(-x)} - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+coth(x)^2)^(3/2),x, algorithm="maxima")`

[Out] $-(e^{(-x)} + e^{(-3*x)})/(2*e^{(-2*x)} - e^{(-4*x)} - 1) - 1/2*\log(e^{(-x)} + 1) + 1/2*\log(e^{(-x)} - 1)$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 211 vs. 2(23) = 46.

time = 0.42, size = 211, normalized size = 6.81

$$\frac{2 \cosh(x)^3 + 6 \cosh(x) \sinh(x)^2 + 2 \sinh(x)^3 - (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + 4 * (\cosh(x)^3 - \cosh(x)) \sinh(x) + 1) \log(\cosh(x) + \sinh(x) + 1) + (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + 4 * (\cosh(x)^3 - \cosh(x)) \sinh(x) + 1) \log(\cosh(x) + \sinh(x) - 1) + 2(3 \cosh(x)^2 + 1) \sinh(x) + 2 \cosh(x)}{2(\cosh(x)^2 + 4 \cosh(x) \sinh(x)^2 + \sinh(x)^2 + 2(3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + 4 * (\cosh(x)^3 - \cosh(x)) \sinh(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+coth(x)^2)^(3/2),x, algorithm="fricas")`

[Out] $-1/2*(2*\cosh(x)^3 + 6*\cosh(x)*\sinh(x)^2 + 2*\sinh(x)^3 - (\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x))*\sinh(x) + 1)*\log(\cosh(x) + \sinh(x) + 1) + (\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x))*\sinh(x) + 1)*\log(\cosh(x) + \sinh(x) - 1) + 2*(3*\cosh(x)^2 + 1)*\sinh(x) + 2*\cosh(x))/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x))*\sinh(x) + 1)$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (\coth^2(x) - 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+coth(x)**2)**(3/2),x)

[Out] Integral((coth(x)**2 - 1)**(3/2), x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 52 vs. 2(23) = 46.
time = 0.40, size = 52, normalized size = 1.68

$$-\frac{1}{4} \left(\frac{4(e^{-x} + e^x)}{(e^{-x} + e^x)^2 - 4} - \log(e^{-x} + e^x + 2) + \log(e^{-x} + e^x - 2) \right) \operatorname{sgn}(e^{2x} - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+coth(x)^2)^(3/2),x, algorithm="giac")

[Out] -1/4*(4*(e^(-x) + e^x)/((e^(-x) + e^x)^2 - 4) - log(e^(-x) + e^x + 2) + log(e^(-x) + e^x - 2))*sgn(e^(2*x) - 1)

Mupad [B]

time = 1.20, size = 27, normalized size = 0.87

$$\frac{\ln \left(\coth(x) + \sqrt{\coth(x)^2 - 1} \right)}{2} - \frac{\coth(x) \sqrt{\coth(x)^2 - 1}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((coth(x)^2 - 1)^(3/2),x)

[Out] log(coth(x) + (coth(x)^2 - 1)^(1/2))/2 - (coth(x)*(coth(x)^2 - 1)^(1/2))/2

$$3.14 \quad \int \frac{1}{\sqrt{1 - \coth^2(x)}} dx$$

Optimal. Leaf size=13

$$\frac{\coth(x)}{\sqrt{-\operatorname{csch}^2(x)}}$$

[Out] $\coth(x)/(-\operatorname{csch}(x)^2)^{(1/2)}$

Rubi [A]

time = 0.02, antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3738, 4207, 197}

$$\frac{\coth(x)}{\sqrt{-\operatorname{csch}^2(x)}}$$

Antiderivative was successfully verified.

[In] `Int[1/Sqrt[1 - Coth[x]^2], x]`

[Out] `Coth[x]/Sqrt[-Csch[x]^2]`

Rule 197

`Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[x*((a + b*x^n)^(p + 1)/a), x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]`

Rule 3738

`Int[(u_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := Int[ActivateTrig[u*(a*sec[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]`

Rule 4207

`Int[((b_.)*sec[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[b*(ff/f), Subst[Int[(b + b*ff^2*x^2)^(p - 1), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]`

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{1 - \coth^2(x)}} dx &= \int \frac{1}{\sqrt{-\operatorname{csch}^2(x)}} dx \\ &= \operatorname{Subst}\left(\int \frac{1}{(1 - x^2)^{3/2}} dx, x, \coth(x)\right) \\ &= \frac{\coth(x)}{\sqrt{-\operatorname{csch}^2(x)}} \end{aligned}$$

Mathematica [A]

time = 0.01, size = 13, normalized size = 1.00

$$\frac{\coth(x)}{\sqrt{-\operatorname{csch}^2(x)}}$$

Antiderivative was successfully verified.

`[In] Integrate[1/Sqrt[1 - Coth[x]^2], x]``[Out] Coth[x]/Sqrt[-Csch[x]^2]`**Maple [A]**

time = 0.31, size = 14, normalized size = 1.08

method	result	size
derivativedivides	$\frac{\coth(x)}{\sqrt{1 - (\coth^2(x))}}$	14
default	$\frac{\coth(x)}{\sqrt{1 - (\coth^2(x))}}$	14
risch	$\frac{e^{2x}}{2\sqrt{-\frac{e^{2x}}{(e^{2x}-1)^2}}(e^{2x}-1)} + \frac{1}{2(e^{2x}-1)\sqrt{-\frac{e^{2x}}{(e^{2x}-1)^2}}}$	58

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(1-coth(x)^2)^(1/2), x, method=_RETURNVERBOSE)``[Out] 1/(1-coth(x)^2)^(1/2)*coth(x)`**Maxima [C]** Result contains complex when optimal does not.

time = 0.48, size = 11, normalized size = 0.85

$$\frac{1}{2}i e^{(-x)} + \frac{1}{2}i e^x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1-coth(x)^2)^(1/2),x, algorithm="maxima")`

[Out] $1/2*I*e^{-x} + 1/2*I*e^x$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1-coth(x)^2)^(1/2),x, algorithm="fricas")`

[Out] 0

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{1 - \coth^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1-coth(x)**2)**(1/2),x)`

[Out] `Integral(1/sqrt(1 - coth(x)**2), x)`

Giac [C] Result contains complex when optimal does not.

time = 0.38, size = 24, normalized size = 1.85

$$-\frac{i e^{-x} - i e^x}{2 \operatorname{sgn}(-e^{2x} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1-coth(x)^2)^(1/2),x, algorithm="giac")`

[Out] $-1/2*(-I*e^{-x} - I*e^x)/\operatorname{sgn}(-e^{2x} + 1)$

Mupad [B]

time = 1.34, size = 18, normalized size = 1.38

$$-\cosh(x) \sinh(x) \sqrt{-\frac{1}{\cosh(x)^2 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(1 - coth(x)^2)^(1/2),x)`

[Out] $-\cosh(x)*\sinh(x)*(-1/(\cosh(x)^2 - 1))^(1/2)$

$$3.15 \quad \int \frac{1}{\sqrt{-1 + \coth^2(x)}} dx$$

Optimal. Leaf size=11

$$\frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}}$$

[Out] $\coth(x)/(\operatorname{csch}(x)^2)^{(1/2)}$

Rubi [A]

time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {3738, 4207, 197}

$$\frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[1/\text{Sqrt}[-1 + \text{Coth}[x]^2], x]$

[Out] $\text{Coth}[x]/\text{Sqrt}[\text{Csch}[x]^2]$

Rule 197

$\text{Int}[(a_ + (b_ \cdot (x_)^{n_})^{p_}), x_Symbol] \rightarrow \text{Simp}[x \cdot ((a + b \cdot x^n)^{p+1} / a), x] /;$ FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 3738

$\text{Int}[(u_ \cdot ((a_ + (b_ \cdot \tan[(e_ + (f_ \cdot (x_)]^2)^{p_}), x_Symbol] \rightarrow \text{Int}[\text{ActivateTrig}[u \cdot (a \cdot \sec[e + f \cdot x]^2)^p], x] /;$ FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]

Rule 4207

$\text{Int}[(b_ \cdot \sec[(e_ + (f_ \cdot (x_)]^2)^{p_}), x_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f \cdot x], x]\}, \text{Dist}[b \cdot (ff/f), \text{Subst}[\text{Int}[(b + b \cdot ff^2 \cdot x^2)^{p-1}], x], x, \text{Tan}[e + f \cdot x]/ff], x] /;$ FreeQ[{b, e, f, p}, x] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{-1 + \coth^2(x)}} dx &= \int \frac{1}{\sqrt{\operatorname{csch}^2(x)}} dx \\ &= -\operatorname{Subst}\left(\int \frac{1}{(-1 + x^2)^{3/2}} dx, x, \coth(x)\right) \\ &= \frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}} \end{aligned}$$

Mathematica [A]

time = 0.01, size = 11, normalized size = 1.00

$$\frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}}$$

Antiderivative was successfully verified.

`[In] Integrate[1/Sqrt[-1 + Coth[x]^2],x]``[Out] Coth[x]/Sqrt[Csch[x]^2]`**Maple [A]**

time = 0.52, size = 12, normalized size = 1.09

method	result	size
derivativeldivides	$\frac{\coth(x)}{\sqrt{-1 + \coth^2(x)}}$	12
default	$\frac{\coth(x)}{\sqrt{-1 + \coth^2(x)}}$	12
risch	$\frac{e^{2x}}{2\sqrt{\frac{e^{2x}}{(e^{2x}-1)^2}}(e^{2x}-1)} + \frac{1}{2(e^{2x}-1)\sqrt{\frac{e^{2x}}{(e^{2x}-1)^2}}}$	56

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(-1+coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)``[Out] coth(x)/(-1+coth(x)^2)^(1/2)`**Maxima [A]**

time = 0.49, size = 11, normalized size = 1.00

$$-\frac{1}{2}e^{(-x)} - \frac{1}{2}e^x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-1+coth(x)^2)^(1/2),x, algorithm="maxima")

[Out] -1/2*e^(-x) - 1/2*e^x

Fricas [A]

time = 0.35, size = 2, normalized size = 0.18

$$\cosh(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-1+coth(x)^2)^(1/2),x, algorithm="fricas")

[Out] cosh(x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\coth^2(x) - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-1+coth(x)**2)**(1/2),x)

[Out] Integral(1/sqrt(coth(x)**2 - 1), x)

Giac [A]

time = 0.39, size = 18, normalized size = 1.64

$$\frac{e^{(-x)} + e^x}{2 \operatorname{sgn}(e^{(2x)} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-1+coth(x)^2)^(1/2),x, algorithm="giac")

[Out] 1/2*(e^(-x) + e^x)/sgn(e^(2*x) - 1)

Mupad [B]

time = 1.24, size = 15, normalized size = 1.36

$$\cosh(x) \sinh(x) \sqrt{\frac{1}{\cosh(x)^2 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(coth(x)^2 - 1)^(1/2),x)

[Out] cosh(x)*sinh(x)*(1/(cosh(x)^2 - 1))^(1/2)

3.16 $\int \coth^3(x) \sqrt{a + b \coth^2(x)} dx$

Optimal. Leaf size=63

$$\sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right) - \sqrt{a+b \coth^2(x)} - \frac{(a+b \coth^2(x))^{3/2}}{3b}$$

[Out] $-1/3*(a+b*\coth(x)^2)^{(3/2)}/b+\operatorname{arctanh}((a+b*\coth(x)^2)^{(1/2)}/(a+b)^{(1/2)))*(a+b)^{(1/2)}-(a+b*\coth(x)^2)^{(1/2)}$

Rubi [A]

time = 0.08, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {3751, 457, 81, 52, 65, 214}

$$-\frac{(a+b \coth^2(x))^{3/2}}{3b} - \sqrt{a+b \coth^2(x)} + \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)$$

Antiderivative was successfully verified.

[In] `Int[Coth[x]^3*Sqrt[a + b*Coth[x]^2],x]`

[Out] `Sqrt[a + b]*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]] - Sqrt[a + b*Coth[x]^2] - (a + b*Coth[x]^2)^(3/2)/(3*b)`

Rule 52

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
(a + b*x)^(m + 1)*((c + d*x)^n/(b*(m + n + 1))), x] + Dist[n*((b*c - a*d)/(
b*(m + n + 1))), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 81

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] := Simp[b*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(n + p +
```

```
2))), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]
```

Rule 214

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 3751

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \coth^3(x) \sqrt{a + b \coth^2(x)} \, dx &= \text{Subst} \left(\int \frac{x^3 \sqrt{a + bx^2}}{1 - x^2} \, dx, x, \coth(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{x \sqrt{a + bx}}{1 - x} \, dx, x, \coth^2(x) \right) \\
&= -\frac{(a + b \coth^2(x))^{3/2}}{3b} + \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{a + bx}}{1 - x} \, dx, x, \coth^2(x) \right) \\
&= -\sqrt{a + b \coth^2(x)} - \frac{(a + b \coth^2(x))^{3/2}}{3b} + \frac{1}{2}(a + b) \text{Subst} \left(\int \frac{1}{(1 - x)\sqrt{a + bx}} \, dx, x, \coth^2(x) \right) \\
&= -\sqrt{a + b \coth^2(x)} - \frac{(a + b \coth^2(x))^{3/2}}{3b} + \frac{(a + b) \text{Subst} \left(\int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} \, dx, x, \coth^2(x) \right)}{b} \\
&= \sqrt{a + b} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - \sqrt{a + b \coth^2(x)} - \frac{(a + b \coth^2(x))^{3/2}}{3b}
\end{aligned}$$

Mathematica [A]

time = 0.13, size = 60, normalized size = 0.95

$$\sqrt{a + b} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - \frac{\sqrt{a + b \coth^2(x)} (a + 3b + b \coth^2(x))}{3b}$$

Antiderivative was successfully verified.

`[In] Integrate[Coth[x]^3*Sqrt[a + b*Coth[x]^2], x]`

```
[Out] Sqrt[a + b]*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]] - (Sqrt[a + b*Coth[x]^2]*(a + 3*b + b*Coth[x]^2))/(3*b)
```

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 252 vs. 2(51) = 102.

time = 0.77, size = 253, normalized size = 4.02

method	result
derivativedivides	$ -\frac{(a+b(\coth^2(x)))^{\frac{3}{2}}}{3b} - \frac{\sqrt{b(\coth(x)-1)^2 + 2b(\coth(x)-1) + a + b}}{2} - \frac{\sqrt{b} \ln \left(\frac{b(\coth(x)-1)}{\sqrt{b}} \right)}{\sqrt{b}} $

default	$-\frac{(a+b(\coth^2(x)))^{\frac{3}{2}}}{3b} - \frac{\sqrt{b(\coth(x)-1)^2 + 2b(\coth(x)-1) + a + b}}{2} - \frac{\sqrt{b} \ln\left(\frac{b(\coth(x)-1)+b}{\sqrt{b}}\right)}{2}$
---------	---

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^3*(a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

[Out]
$$-1/3*(a+b*\coth(x)^2)^{3/2}/b-1/2*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{1/2}-1/2*b^{1/2}*\ln((b*(\coth(x)-1)+b)/b^{1/2}+(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{1/2})+1/2*(a+b)^{1/2}*\ln((2*a+2*b+2*b*(\coth(x)-1)+2*(a+b)^{1/2}*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{1/2})/(\coth(x)-1))-1/2*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{1/2}+1/2*b^{1/2}*\ln((b*(1+\coth(x))-b)/b^{1/2}+(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{1/2})+1/2*(a+b)^{1/2}*\ln((2*a+2*b-2*b*(1+\coth(x))+2*(a+b)^{1/2}*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{1/2})/(1+\coth(x))))$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^3*(a+b*coth(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*coth(x)^2 + a)*coth(x)^3, x)`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 903 vs. 2(51) = 102.

time = 0.48, size = 2367, normalized size = 37.57

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^3*(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")`

[Out]
$$[1/12*(3*(b*\cosh(x)^6 + 6*b*\cosh(x)*\sinh(x)^5 + b*\sinh(x)^6 - 3*b*\cosh(x)^4 + 3*(5*b*\cosh(x)^2 - b)*\sinh(x)^4 + 4*(5*b*\cosh(x)^3 - 3*b*\cosh(x))*\sinh(x))^3 + 3*b*\cosh(x)^2 + 3*(5*b*\cosh(x)^4 - 6*b*\cosh(x)^2 + b)*\sinh(x)^2 + 6*(b*\cosh(x)^5 - 2*b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) - b)*\sqrt{a + b}*\log(-((a^3 + a^2*b)*\cosh(x)^8 + 8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2*b)*\sinh(x)^8 - 2*(2*a^3 + a^2*b)*\cosh(x)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + a^2*b))*\cosh(x)^2*\sinh(x)^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 - 3*(2*a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 - 30*(2*a^3 + a^2*b)*\cosh(x)^3 + 30*(2*a^3 + a^2*b)*\sinh(x)^3 + 30*(2*a^3 + a^2*b)*\sinh(x)^2 + 30*(2*a^3 + a^2*b)*\sinh(x) + 30*(2*a^3 + a^2*b))$$

$$\begin{aligned}
& x)^2) \sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 - 10*(2*a^3 + a^2*b)*\cosh(x) \\
&)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + \\
& 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2*b)*\c \\
& osh(x)^6 - 15*(2*a^3 + a^2*b)*\cosh(x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3*(6*a^3 \\
& + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6* \\
& a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 - 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^ \\
& 2 - a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 - 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 \\
& + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 - 18*a^2*\cosh(x)^2 + 3*a^2 + \\
& 2*a*b - b^2)*\sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*\cosh(x)^5 - 6*a^2*\cos \\
& h(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)* \\
& \cosh(x)^2 + (a + b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sin \\
& h(x)^2)} + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 - 3*(2*a^3 + a^2*b)*\cosh(x)^5 + (6* \\
& a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 - (2*a^3 + 3*a^2*b - b^3)*\cosh(x))*\s \\
& inh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh \\
& (x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6) \\
&) + 3*(b*\cosh(x)^6 + 6*b*\cosh(x)*\sinh(x)^5 + b*\sinh(x)^6 - 3*b*\cosh(x)^4 + \\
& 3*(5*b*\cosh(x)^2 - b)*\sinh(x)^4 + 4*(5*b*\cosh(x)^3 - 3*b*\cosh(x))*\sinh(x)^3 \\
& + 3*b*\cosh(x)^2 + 3*(5*b*\cosh(x)^4 - 6*b*\cosh(x)^2 + b)*\sinh(x)^2 + 6*(b*\c \\
& osh(x)^5 - 2*b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) - b)*\sqrt{a + b}*\log(((a + b) \\
& *\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*b*\cosh(x)^ \\
& 2 + 2*(3*(a + b)*\cosh(x)^2 + b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)* \\
& \sinh(x) + \sinh(x)^2 + 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh \\
& (x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*((a + b)*\co \\
& sh(x)^3 + b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh \\
& (x)^2)) - 4*\sqrt{2}*((a + 4*b)*\cosh(x)^4 + 4*(a + 4*b)*\cosh(x)*\sinh(x)^3 + \\
& (a + 4*b)*\sinh(x)^4 - 2*(a + 2*b)*\cosh(x)^2 + 2*(3*(a + 4*b)*\cosh(x)^2 - a \\
& - 2*b)*\sinh(x)^2 + 4*((a + 4*b)*\cosh(x)^3 - (a + 2*b)*\cosh(x))*\sinh(x) + a \\
& + 4*b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2* \\
& \cosh(x)*\sinh(x) + \sinh(x)^2)))/(b*\cosh(x)^6 + 6*b*\cosh(x)*\sinh(x)^5 + b*\sin \\
& h(x)^6 - 3*b*\cosh(x)^4 + 3*(5*b*\cosh(x)^2 - b)*\sinh(x)^4 + 4*(5*b*\cosh(x)^3 \\
& - 3*b*\cosh(x))*\sinh(x)^3 + 3*b*\cosh(x)^2 + 3*(5*b*\cosh(x)^4 - 6*b*\cosh(x)^ \\
& 2 + b)*\sinh(x)^2 + 6*(b*\cosh(x)^5 - 2*b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) - b) \\
& , -1/6*(3*(b*\cosh(x)^6 + 6*b*\cosh(x)*\sinh(x)^5 + b*\sinh(x)^6 - 3*b*\cosh(x)^ \\
& 4 + 3*(5*b*\cosh(x)^2 - b)*\sinh(x)^4 + 4*(5*b*\cosh(x)^3 - 3*b*\cosh(x))*\sinh(\\
& x)^3 + 3*b*\cosh(x)^2 + 3*(5*b*\cosh(x)^4 - 6*b*\cosh(x)^2 + b)*\sinh(x)^2 + 6* \\
& (b*\cosh(x)^5 - 2*b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) - b)*\sqrt{-a - b}*\arctan(\\
& \sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 - a - b)*\sqrt{-a - \\
& b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cos \\
& h(x)*\sinh(x) + \sinh(x)^2)})/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\s \\
& inh(x)^3 + (a^2 + a*b)*\sinh(x)^4 - (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 \\
& + a*b)*\cosh(x)^2 - 2*a^2 - a*b + b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2* \\
& (a^2 + a*b)*\cosh(x)^3 - (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x)) + 3*(b*\cosh(\\
& x)^6 + 6*b*\cosh(x)*\sinh(x)^5 + b*\sinh(x)^6 - 3*b*\cosh(x)^4 + 3*(5*b*\cosh(x) \\
& ^2 - b)*\sinh(x)^4 + 4*(5*b*\cosh(x)^3 - 3*b*\cosh(x))*\sinh(x)^3 + 3*b*\cosh(x) \\
& ^2 + 3*(5*b*\cosh(x)^4 - 6*b*\cosh(x)^2 + b)*\sinh(x)^2 + 6*(b*\cosh(x)^5 - 2*b
\end{aligned}$$

```
*cosh(x)^3 + b*cosh(x))*sinh(x) - b)*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2
+ 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2
+ (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(
(a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a
- b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cos
h(x)^3 - (a - b)*cosh(x))*sinh(x) + a + b)) + 2*sqrt(2)*((a + 4*b)*cosh(x)^
4 + 4*(a + 4*b)*cosh(x)*sinh(x)^3 + (a + 4*b)*sinh(x)^4 - 2*(a + 2*b)*cosh(
x)^2 + 2*(3*(a + 4*b)*cosh(x)^2 - a - 2*b)*sinh(x)^2 + 4*((a + 4*b)*cosh(x)
^3 - (a + 2*b)*cosh(x))*sinh(x) + a + 4*b)*sqrt(((a + b)*cosh(x)^2 + (a + b
)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(b*cosh(
x)^6 + 6*b*cosh(x)*sinh(x)^5 + b*sinh(x)^6 - 3*b*cosh(x)^4 + 3*(5*b*cosh(x)
^2 - b)*sinh(x)^4 + 4*(5*b*cosh(x)^3 - 3*b*cosh(x))*sinh(x)^3 + 3*b*cosh(x)
^2 + 3*(5*b*cosh(x)^4 - 6*b*cosh(x)^2 + b)*sinh...
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \coth^2(x)} \coth^3(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)**3*(a+b*coth(x)**2)**(1/2),x)

[Out] Integral(sqrt(a + b*coth(x)**2)*coth(x)**3, x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^3*(a+b*coth(x)^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx);OUTPUT:Warning, integration of abs or sign a
ssumes constant sign by intervals (correct if the argument is real):Check [
abs(ex

Mupad [B]

time = 3.08, size = 66, normalized size = 1.05

$$-\sqrt{b \coth(x)^2 + a} - \frac{(b \coth(x)^2 + a)^{3/2}}{3b} - 2 \operatorname{atan} \left(\frac{2 \sqrt{b \coth(x)^2 + a} \sqrt{-\frac{a}{4} - \frac{b}{4}}}{a + b} \right) \sqrt{-\frac{a}{4} - \frac{b}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(x)^3*(a + b*coth(x)^2)^(1/2),x)
```

```
[Out] - (a + b*coth(x)^2)^(1/2) - (a + b*coth(x)^2)^(3/2)/(3*b) - 2*atan((2*(a +  
b*coth(x)^2)^(1/2)*(- a/4 - b/4)^(1/2))/(a + b))*(- a/4 - b/4)^(1/2)
```

3.17 $\int \coth^2(x) \sqrt{a + b \coth^2(x)} dx$

Optimal. Leaf size=85

$$\frac{(a+2b) \tanh^{-1}\left(\frac{\sqrt{b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{2\sqrt{b}} + \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right) - \frac{1}{2} \coth(x) \sqrt{a+b \coth^2(x)}$$

[Out] $-1/2*(a+2*b)*\operatorname{arctanh}(\coth(x)*b^{(1/2)}/(a+b*\coth(x)^2)^{(1/2)})/b^{(1/2)}+\operatorname{arctanh}(\coth(x)*(a+b)^{(1/2)}/(a+b*\coth(x)^2)^{(1/2))}*(a+b)^{(1/2)}-1/2*\coth(x)*(a+b*\coth(x)^2)^{(1/2)}$

Rubi [A]

time = 0.08, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {3751, 489, 537, 223, 212, 385}

$$-\frac{1}{2} \coth(x) \sqrt{a + b \coth^2(x)} - \frac{(a+2b) \tanh^{-1}\left(\frac{\sqrt{b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{2\sqrt{b}} + \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)$$

Antiderivative was successfully verified.

[In] `Int[Coth[x]^2*Sqrt[a + b*Coth[x]^2], x]`

[Out] $-1/2*((a+2*b)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Coth}[x])/\operatorname{Sqrt}[a+b*\operatorname{Coth}[x]^2]])/\operatorname{Sqrt}[b] + \operatorname{Sqrt}[a+b]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a+b]*\operatorname{Coth}[x])/\operatorname{Sqrt}[a+b*\operatorname{Coth}[x]^2]] - (\operatorname{Coth}[x]*\operatorname{Sqrt}[a+b*\operatorname{Coth}[x]^2])/2$

Rule 212

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 223

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

Rule 385

`Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b`

, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 489

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^q/(b*(m + n*(p + q) + 1))), x] - Dist[e^n/(b*(m + n*(p + q) + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[a*c*(m - n + 1) + (a*d*(m - n + 1) - n*q*(b*c - a*d))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q, 0] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 537

```
Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

Rule 3751

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \coth^2(x) \sqrt{a + b \coth^2(x)} \, dx &= \text{Subst} \left(\int \frac{x^2 \sqrt{a + bx^2}}{1 - x^2} \, dx, x, \coth(x) \right) \\
&= -\frac{1}{2} \coth(x) \sqrt{a + b \coth^2(x)} + \frac{1}{2} \text{Subst} \left(\int \frac{a + (a + 2b)x^2}{(1 - x^2) \sqrt{a + bx^2}} \, dx, x, \coth(x) \right) \\
&= -\frac{1}{2} \coth(x) \sqrt{a + b \coth^2(x)} + \frac{1}{2} (-a - 2b) \text{Subst} \left(\int \frac{1}{\sqrt{a + bx^2}} \, dx, x, \coth(x) \right) \\
&= -\frac{1}{2} \coth(x) \sqrt{a + b \coth^2(x)} + \frac{1}{2} (-a - 2b) \text{Subst} \left(\int \frac{1}{1 - bx^2} \, dx, x, \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} \right) \\
&= -\frac{(a + 2b) \tanh^{-1} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)}{2\sqrt{b}} + \sqrt{a + b} \tanh^{-1} \left(\frac{\sqrt{a + b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)
\end{aligned}$$

Mathematica [B] Leaf count is larger than twice the leaf count of optimal. 191 vs. 2(85) = 170.

time = 0.58, size = 191, normalized size = 2.25

$$\frac{\sqrt{(-a + b + (a + b) \cosh(2x)) \text{csch}^2(x)} \left(\sqrt{2} \sqrt{a + b} (a + 2b) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{b} \cosh(x)}{\sqrt{-a + b + (a + b) \cosh(2x)}} \right) + \sqrt{b} \left(-2\sqrt{2} (a + b) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{a + b} \cosh(x)}{\sqrt{-a + b + (a + b) \cosh(2x)}} \right) + \sqrt{a + b} \sqrt{-a + b + (a + b) \cosh(2x)} \coth(x) \text{csch}(x) \right) \sinh(x) \right)}{2\sqrt{2} \sqrt{b} \sqrt{a + b} \sqrt{-a + b + (a + b) \cosh(2x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^2*Sqrt[a + b*Coth[x]^2], x]

[Out] -1/2*(Sqrt[(-a + b + (a + b)*Cosh[2*x])*Csch[x]^2]*(Sqrt[2]*Sqrt[a + b]*(a + 2*b)*ArcTanh[(Sqrt[2]*Sqrt[b]*Cosh[x])/Sqrt[-a + b + (a + b)*Cosh[2*x]]] + Sqrt[b]*(-2*Sqrt[2]*(a + b)*ArcTanh[(Sqrt[2]*Sqrt[a + b]*Cosh[x])/Sqrt[-a + b + (a + b)*Cosh[2*x]]] + Sqrt[a + b]*Sqrt[-a + b + (a + b)*Cosh[2*x])*Coth[x]*Csch[x]))*Sinh[x])/(Sqrt[2]*Sqrt[b]*Sqrt[a + b]*Sqrt[-a + b + (a + b)*Cosh[2*x]])

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 275 vs. 2(67) = 134.

time = 0.72, size = 276, normalized size = 3.25

method	result
--------	--------

derivativedivides	$\frac{\coth(x)\sqrt{a+b(\coth^2(x))}}{2} - \frac{a \ln\left(\sqrt{b} \coth(x) + \sqrt{a+b(\coth^2(x))}\right)}{2\sqrt{b}} - \sqrt{b(\coth(x) -$
default	$\frac{\coth(x)\sqrt{a+b(\coth^2(x))}}{2} - \frac{a \ln\left(\sqrt{b} \coth(x) + \sqrt{a+b(\coth^2(x))}\right)}{2\sqrt{b}} - \sqrt{b(\coth(x) -$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^2*(a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

[Out]
$$\begin{aligned} & -1/2*\coth(x)*(a+b*\coth(x)^2)^(1/2) - 1/2*a/b^(1/2)*\ln(b^(1/2)*\coth(x) + (a+b*\coth(x)^2)^(1/2)) \\ & - 1/2*(b*(\coth(x)-1)^2 + 2*b*(\coth(x)-1) + a + b)^(1/2) - 1/2*b^(1/2) \\ & * \ln((b*(\coth(x)-1) + b)/b^(1/2) + (b*(\coth(x)-1)^2 + 2*b*(\coth(x)-1) + a + b)^(1/2)) + \\ & 1/2*(a+b)^(1/2)*\ln((2*a + 2*b + 2*b*(\coth(x)-1) + 2*(a+b)^(1/2)*(b*(\coth(x)-1)^2 + \\ & 2*b*(\coth(x)-1) + a + b)^(1/2))/(\coth(x)-1)) + 1/2*(b*(1+\coth(x))^2 - 2*b*(1+\coth(x) \\ &)) + a + b)^(1/2) - 1/2*b^(1/2)*\ln((b*(1+\coth(x)) - b)/b^(1/2) + (b*(1+\coth(x))^2 - 2*b \\ & *(1+\coth(x)) + a + b)^(1/2)) - 1/2*(a+b)^(1/2)*\ln((2*a + 2*b - 2*b*(1+\coth(x)) + 2*(a+b) \\ &)^(1/2)*(b*(1+\coth(x))^2 - 2*b*(1+\coth(x)) + a + b)^(1/2))/(1+\coth(x))) \end{aligned}$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^2*(a+b*coth(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*coth(x)^2 + a)*coth(x)^2, x)`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 907 vs. 2(67) = 134.

time = 0.61, size = 4877, normalized size = 57.38

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^2*(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [1/4*((b*\cosh(x)^4 + 4*b*\cosh(x)*\sinh(x)^3 + b*\sinh(x)^4 - 2*b*\cosh(x)^2 + \\ & 2*(3*b*\cosh(x)^2 - b)*\sinh(x)^2 + 4*(b*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + b)* \\ & \sqrt{a + b}*\log(((a*b^2 + b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^ \end{aligned}$$

$$\begin{aligned}
& 7 + (a*b^2 + b^3)*\sinh(x)^8 + 2*(a*b^2 + 2*b^3)*\cosh(x)^6 + 2*(a*b^2 + 2*b^3 \\
& 3 + 14*(a*b^2 + b^3)*\cosh(x)^2*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 + \\
& 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 + 30*(\\
& a*b^2 + 2*b^3)*\cosh(x)^2*\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 + 10*(a \\
& *b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2 \\
& *(14*(a*b^2 + b^3)*\cosh(x)^6 + 15*(a*b^2 + 2*b^3)*\cosh(x)^4 - a^3 + 3*a*b^2 \\
& + 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2} \\
& *(b^2*\cosh(x)^6 + 6*b^2*\cosh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 + 3*b^2*\cosh(x)^4 \\
& + 3*(5*b^2*\cosh(x)^2 + b^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 + 3*b^2*\cosh(x) \\
&)*\sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 + 18*b^2* \\
& \cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*b^2*\cosh(x)^5 + 6*b^2*\cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a \\
& + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 + 3*(a*b^2 + 2* \\
& b^3)*\cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 - (a^3 - 3*a*b^2 \\
& - 2*b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4 \\
& *\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + ((a + 2*b)*\cosh(x)^4 + 4*(a + 2*b)*\cosh(x)*\sinh(x)^3 \\
& + (a + 2*b)*\sinh(x)^4 - 2*(a + 2*b)*\cosh(x)^2 + 2*(3*(a + 2*b)*\cosh(x)^2 \\
& - a - 2*b)*\sinh(x)^2 + 4*((a + 2*b)*\cosh(x)^3 - (a + 2*b)*\cosh(x))*\sinh(x) \\
& + a + 2*b)*\sqrt{b}*\log(-((a + 2*b)*\cosh(x)^4 + 4*(a + 2*b)*\cosh(x)*\sinh(x)^3 \\
& + (a + 2*b)*\sinh(x)^4 - 2*(a - 2*b)*\cosh(x)^2 + 2*(3*(a + 2*b)*\cosh(x)^2 \\
& - a + 2*b)*\sinh(x)^2 - 2*\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 \\
& + 1))*\sqrt{b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a + b)/(\cosh(x) \\
& ^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*((a + 2*b)*\cosh(x)^3 - (a - 2*b)*\cosh(x))*\sinh(x) + a + 2*b)/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2 \\
& *(3*\cosh(x)^2 - 1)*\sinh(x)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x))*\sinh(x) \\
&) + 1)) + (b*\cosh(x)^4 + 4*b*\cosh(x)*\sinh(x)^3 + b*\sinh(x)^4 - 2*b*\cosh(x)^2 \\
& + 2*(3*b*\cosh(x)^2 - b)*\sinh(x)^2 + 4*(b*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + \\
& b)*\sqrt{a + b}*\log(-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a \\
& + b)*\sinh(x)^4 - 2*a*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - a)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{a + b}*\sqrt{((a \\
& + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) \\
& + \sinh(x)^2))} + 4*((a + b)*\cosh(x)^3 - a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x) \\
& ^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 2*\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x) \\
& *\sinh(x) + b*\sinh(x)^2 + b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a \\
& + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(b*\cosh(x)^4 + 4*b*\cosh \\
& (x)*\sinh(x)^3 + b*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*b*\cosh(x)^2 - b)*\sinh(x) \\
& ^2 + 4*(b*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + b), 1/4*(2*((a + 2*b)*\cosh(x)^4 \\
& + 4*(a + 2*b)*\cosh(x)*\sinh(x)^3 + (a + 2*b)*\sinh(x)^4 - 2*(a + 2*b)*\cosh(x) \\
& ^2 + 2*(3*(a + 2*b)*\cosh(x)^2 - a - 2*b)*\sinh(x)^2 + 4*((a + 2*b)*\cosh(x)^3 \\
& - (a + 2*b)*\cosh(x))*\sinh(x) + a + 2*b)*\sqrt{-b}*\arctan(\sqrt{2}*(\cosh(x)^2 \\
& + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1))*\sqrt{-b}*\sqrt{((a + b)*\cosh(x)^2 + (a
\end{aligned}$$

$$\begin{aligned}
& + b) \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2) / ((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 - 2(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 - a + b) \sinh(x)^2 + 4((a + b) \cosh(x)^3 - (a - b) \cosh(x)) \sinh(x) + a + b)) + (b \cosh(x)^4 + 4b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 - 2b \cosh(x)^2 + 2(3b \cosh(x)^2 - b) \sinh(x)^2 + 4(b \cosh(x)^3 - b \cosh(x)) \sinh(x) + b) \sqrt{a + b} \log(((a b^2 + b^3) \cosh(x)^8 + 8(a b^2 + b^3) \cosh(x) \sinh(x)^7 + (a b^2 + b^3) \sinh(x)^8 + 2(a b^2 + 2b^3) \cosh(x)^6 + 2(a b^2 + 2b^3 + 14(a b^2 + b^3) \cosh(x)^2) \sinh(x)^6 + 4(14(a b^2 + b^3) \cosh(x)^3 + 3(a b^2 + 2b^3) \cosh(x)) \sinh(x)^5 + (a^3 - a^2 b + 4a b^2 + 6b^3) \cosh(x)^4 + (70(a b^2 + b^3) \cosh(x)^4 + a^3 - a^2 b + 4a b^2 + 6b^3 + 30(a b^2 + 2b^3) \cosh(x)^2) \sinh(x)^4 + 4(14(a b^2 + b^3) \cosh(x)^5 + 10(a b^2 + 2b^3) \cosh(x)^3 + (a^3 - a^2 b + 4a b^2 + 6b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2 b + 3a b^2 + b^3 - 2(a^3 - 3a b^2 - 2b^3) \cosh(x)^2 + 2(14(a b^2 + b^3) \cosh(x)^6 + 15(a b^2 + 2b^3) \cosh(x)^4 - a^3 + 3a b^2 + 2b^3 + 3(a^3 - a^2 b + 4a b^2 + 6b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} (b^2 \cosh(x)^6 + 6b^2 \cosh(x) \sinh(x)^5 + b^2 \sinh(x)^6 + 3b^2 \cosh(x)^4 + 3(5b^2 \cosh(x)^2 + b^2) \sinh(x)^4 + 4(5b^2 \cosh(x)^3 + 3b^2 \cosh(x)) \sinh(x)^3 - (a^2 - 2a b - 3b^2) \cosh(x)^2 + (15b^2 \cosh(x)^4 + 18b^2 \cosh(x)^2 - \dots
\end{aligned}$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \coth^2(x)} \coth^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)**2*(a+b*coth(x)**2)**(1/2),x)

[Out] Integral(sqrt(a + b*coth(x)**2)*coth(x)**2, x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2*(a+b*coth(x)^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,sageVARx):;OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(ex

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \coth(x)^2 \sqrt{b \coth(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^2*(a + b*coth(x)^2)^(1/2),x)`

[Out] `int(coth(x)^2*(a + b*coth(x)^2)^(1/2), x)`

3.18 $\int \coth(x) \sqrt{a + b \coth^2(x)} dx$

Optimal. Leaf size=44

$$\sqrt{a+b} \tanh^{-1} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right) - \sqrt{a+b \coth^2(x)}$$

[Out] arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))*(a+b)^(1/2)-(a+b*coth(x)^2)^(1/2)

Rubi [A]

time = 0.05, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3751, 455, 52, 65, 214}

$$\sqrt{a+b} \tanh^{-1} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right) - \sqrt{a+b \coth^2(x)}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]*Sqrt[a + b*Coth[x]^2],x]

[Out] Sqrt[a + b]*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]] - Sqrt[a + b*Coth[x]^2]

Rule 52

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(a + b*x)^(m + 1)*((c + d*x)^n/(b*(m + n + 1))), x] + Dist[n*((b*c - a*d)/(b*(m + n + 1))), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 214

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 455

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x
] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n +
1, 0]
```

Rule 3751

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff
^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \coth(x) \sqrt{a + b \coth^2(x)} \, dx &= \text{Subst} \left(\int \frac{x \sqrt{a + bx^2}}{1 - x^2} \, dx, x, \coth(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{a + bx}}{1 - x} \, dx, x, \coth^2(x) \right) \\
&= -\sqrt{a + b \coth^2(x)} + \frac{1}{2}(a + b) \text{Subst} \left(\int \frac{1}{(1 - x)\sqrt{a + bx}} \, dx, x, \coth^2(x) \right) \\
&= -\sqrt{a + b \coth^2(x)} + \frac{(a + b) \text{Subst} \left(\int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} \, dx, x, \sqrt{a + b \coth^2(x)} \right)}{b} \\
&= \sqrt{a + b} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - \sqrt{a + b \coth^2(x)}
\end{aligned}$$

Mathematica [A]

time = 0.02, size = 44, normalized size = 1.00

$$\sqrt{a + b} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - \sqrt{a + b \coth^2(x)}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]*Sqrt[a + b*Coth[x]^2], x]

[Out] $\text{Sqrt}[a + b] \cdot \text{ArcTanh}[\text{Sqrt}[a + b \cdot \text{Coth}[x]^2] / \text{Sqrt}[a + b]] - \text{Sqrt}[a + b \cdot \text{Coth}[x]^2]$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 237 vs. $2(36) = 72$.

time = 0.63, size = 238, normalized size = 5.41

method	result
derivativedivides	$-\frac{\sqrt{b(\coth(x)-1)^2 + 2b(\coth(x)-1) + a + b}}{2} - \frac{\sqrt{b} \ln\left(\frac{b(\coth(x)-1)+b}{\sqrt{b}} + \sqrt{b(\coth(x)-1)^2 + 2b(\coth(x)-1) + a + b}\right)}{2}$
default	$-\frac{\sqrt{b(\coth(x)-1)^2 + 2b(\coth(x)-1) + a + b}}{2} - \frac{\sqrt{b} \ln\left(\frac{b(\coth(x)-1)+b}{\sqrt{b}} + \sqrt{b(\coth(x)-1)^2 + 2b(\coth(x)-1) + a + b}\right)}{2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)*(a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

[Out]
$$-1/2*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^(1/2)-1/2*b^(1/2)*\ln((b*(\coth(x)-1)+b)/b^(1/2)+(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^(1/2))+1/2*(a+b)^(1/2)*\ln((2*a+2*b+2*b*(\coth(x)-1)+2*(a+b)^(1/2)*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^(1/2))/(\coth(x)-1))-1/2*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^(1/2)+1/2*b^(1/2)*\ln((b*(1+\coth(x))-b)/b^(1/2)+(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^(1/2))+1/2*(a+b)^(1/2)*\ln((2*a+2*b-2*b*(1+\coth(x))+2*(a+b)^(1/2)*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^(1/2))/(1+\coth(x)))$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)*(a+b*coth(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*coth(x)^2 + a)*coth(x), x)`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 495 vs. $2(36) = 72$.

time = 0.42, size = 1551, normalized size = 35.25

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)*(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")`

```
[Out] [1/4*((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*log(-(a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 - 3*(2*a^3 + a^2*b)*cosh(x)*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 - 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 - 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 - 15*(2*a^3 + a^2*b)*cosh(x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 - 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 - a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 - 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 - 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*cosh(x)^5 - 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 - 3*(2*a^3 + a^2*b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^3 - (2*a^3 + 3*a^2*b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6) + (cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*log(((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*b*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + b)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3 + b*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)) - 4*sqrt(2)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1), -1/2*((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*arctan(sqrt(2)*(a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 - a - b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^2 + a*b)*cosh(x)^4 + 4*(a^2 + a*b)*cosh(x)*sinh(x)^3 + (a^2 + a*b)*sinh(x)^4 - (2*a^2 + a*b - b^2)*cosh(x)^2 + (6*(a^2 + a*b)*cosh(x)^2 - 2*a^2 - a*b + b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*cosh(x)^3 - (2*a^2 + a*b - b^2)*cosh(x))*sinh(x))) + (cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 - (a - b)*cosh(x))*sinh(x) + a + b) + 2*sqrt(2)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)]
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \coth^2(x)} \coth(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)*(a+b*coth(x)**2)**(1/2),x)

[Out] Integral(sqrt(a + b*coth(x)**2)*coth(x), x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)*(a+b*coth(x)^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx):;OUTPUT:Warning, integration of abs or sign a
 ssumes constant sign by intervals (correct if the argument is real):Check [
 abs(ex

Mupad [B]

time = 1.62, size = 51, normalized size = 1.16

$$-\sqrt{b \coth(x)^2 + a} - 2 \operatorname{atan} \left(\frac{2 \sqrt{b \coth(x)^2 + a} \sqrt{-\frac{a}{4} - \frac{b}{4}}}{a + b} \right) \sqrt{-\frac{a}{4} - \frac{b}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)*(a + b*coth(x)^2)^(1/2),x)

[Out] -(a + b*coth(x)^2)^(1/2) - 2*atan((2*(a + b*coth(x)^2)^(1/2)*(- a/4 - b/4)
 ^((1/2)))/(a + b))*(- a/4 - b/4)^(1/2)

3.19 $\int \sqrt{a + b \coth^2(x)} dx$

Optimal. Leaf size=60

$$-\sqrt{b} \tanh^{-1} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) + \sqrt{a + b} \tanh^{-1} \left(\frac{\sqrt{a + b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)$$

[Out] $-\operatorname{arctanh}(\coth(x) \cdot b^{1/2} / (a + b \coth(x)^2)^{1/2}) \cdot b^{1/2} + \operatorname{arctanh}(\coth(x) \cdot (a + b)^{1/2} / (a + b \coth(x)^2)^{1/2}) \cdot (a + b)^{1/2}$

Rubi [A]

time = 0.03, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {3742, 399, 223, 212, 385}

$$\sqrt{a + b} \tanh^{-1} \left(\frac{\sqrt{a + b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) - \sqrt{b} \tanh^{-1} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*Coth[x]^2], x]

[Out] $-(\operatorname{Sqrt}[b] \cdot \operatorname{ArcTanh}[(\operatorname{Sqrt}[b] \cdot \operatorname{Coth}[x]) / \operatorname{Sqrt}[a + b \cdot \operatorname{Coth}[x]^2]]) + \operatorname{Sqrt}[a + b] \cdot \operatorname{ArcTanh}[(\operatorname{Sqrt}[a + b] \cdot \operatorname{Coth}[x]) / \operatorname{Sqrt}[a + b \cdot \operatorname{Coth}[x]^2]]$

Rule 212

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 223

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 385

Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 399

Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Dist[b/d, Int[(a + b*x^n)^(p - 1), x], x] - Dist[(b*c - a*d)/d, Int[(a + b*x^n)^(p - 1), x], x]

$n)^{(p-1)/(c+d*x^n), x], x] /; \text{FreeQ}[\{a, b, c, d, p\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[n*(p-1) + 1, 0] \ \&\& \ \text{IntegerQ}[n]$

Rule 3742

$\text{Int}[(a_ + (b_)*(c_)*\tan[(e_ + (f_)*(x_)]^{(n_)})^{(p_)}], x_Symbol] :>$
 $\text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[c*(ff/f), \text{Subst}[\text{Int}[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(\text{Tan}[e + f*x]/ff)], x] /; \text{FreeQ}[\{a, b, c, e, f, n, p\}, x] \ \&\& \ (\text{IntegersQ}[n, p] \ || \ \text{IGtQ}[p, 0] \ || \ \text{EqQ}[n^2, 4] \ || \ \text{EqQ}[n^2, 16])$

Rubi steps

$$\begin{aligned} \int \sqrt{a + b \coth^2(x)} \, dx &= \text{Subst} \left(\int \frac{\sqrt{a + bx^2}}{1 - x^2} \, dx, x, \coth(x) \right) \\ &= - \left((-a - b) \text{Subst} \left(\int \frac{1}{(1 - x^2) \sqrt{a + bx^2}} \, dx, x, \coth(x) \right) \right) - b \text{Subst} \left(\int \frac{1}{\sqrt{a + bx^2}} \, dx, x, \coth(x) \right) \\ &= - \left((-a - b) \text{Subst} \left(\int \frac{1}{1 - (a + b)x^2} \, dx, x, \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} \right) \right) - b \text{Subst} \left(\int \frac{1}{\sqrt{a + bx^2}} \, dx, x, \coth(x) \right) \\ &= -\sqrt{b} \tanh^{-1} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) + \sqrt{a + b} \tanh^{-1} \left(\frac{\sqrt{a + b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) \end{aligned}$$

Mathematica [A]

time = 0.21, size = 82, normalized size = 1.37

$$\sqrt{-a - b} \text{ArcTan} \left(\frac{\coth(x) \sqrt{a + b \coth^2(x)} - \sqrt{b} \text{csch}^2(x)}{\sqrt{-a - b}} \right) + \sqrt{b} \log \left(-\sqrt{b} \coth(x) + \sqrt{a + b \coth^2(x)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*Coth[x]^2], x]

[Out] Sqrt[-a - b]*ArcTan[(Coth[x]*Sqrt[a + b*Coth[x]^2] - Sqrt[b]*Csch[x]^2)/Sqrt[-a - b]] + Sqrt[b]*Log[-(Sqrt[b]*Coth[x]) + Sqrt[a + b*Coth[x]^2]]

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 237 vs. 2(48) = 96.

time = 0.84, size = 238, normalized size = 3.97

method	result
derivativedivides	$-\frac{\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{2} - \frac{\sqrt{b} \ln\left(\frac{b(\coth(x)-1)+b}{\sqrt{b}} + \sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}\right)}{2}$
default	$-\frac{\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{2} - \frac{\sqrt{b} \ln\left(\frac{b(\coth(x)-1)+b}{\sqrt{b}} + \sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}\right)}{2}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/2*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)-1/2*b^(1/2)*ln((b*(coth(x)-1)+b)/b^(1/2)+(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))+1/2*(a+b)^(1/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1))+1/2*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)-1/2*b^(1/2)*ln((b*(1+coth(x))-b)/b^(1/2)+(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))-1/2*(a+b)^(1/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x)))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*coth(x)^2)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(b*coth(x)^2 + a), x)
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 552 vs. 2(48) = 96.

time = 0.47, size = 3455, normalized size = 57.58

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*coth(x)^2)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/4*sqrt(a + b)*log(((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 + 2*(a*b^2 + 2*b^3)*cosh(x)^6 + 2*(a*b^2 + 2*b^3 + 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 + 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3
```

$$\begin{aligned}
&) * \cosh(x)^4 + (70 * (a * b^2 + b^3) * \cosh(x)^4 + a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3 + \\
& 30 * (a * b^2 + 2 * b^3) * \cosh(x)^2) * \sinh(x)^4 + 4 * (14 * (a * b^2 + b^3) * \cosh(x)^5 + \\
& 10 * (a * b^2 + 2 * b^3) * \cosh(x)^3 + (a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3) * \cosh(x)) * \sin \\
& h(x)^3 + a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3 - 2 * (a^3 - 3 * a * b^2 - 2 * b^3) * \cosh(x)^ \\
& 2 + 2 * (14 * (a * b^2 + b^3) * \cosh(x)^6 + 15 * (a * b^2 + 2 * b^3) * \cosh(x)^4 - a^3 + 3 * \\
& a * b^2 + 2 * b^3 + 3 * (a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3) * \cosh(x)^2) * \sinh(x)^2 + \text{sq} \\
& \text{rt}(2) * (b^2 * \cosh(x)^6 + 6 * b^2 * \cosh(x) * \sinh(x)^5 + b^2 * \sinh(x)^6 + 3 * b^2 * \cosh \\
& (x)^4 + 3 * (5 * b^2 * \cosh(x)^2 + b^2) * \sinh(x)^4 + 4 * (5 * b^2 * \cosh(x)^3 + 3 * b^2 * \cosh \\
& (x)) * \sinh(x)^3 - (a^2 - 2 * a * b - 3 * b^2) * \cosh(x)^2 + (15 * b^2 * \cosh(x)^4 + 18 \\
& * b^2 * \cosh(x)^2 - a^2 + 2 * a * b + 3 * b^2) * \sinh(x)^2 + a^2 + 2 * a * b + b^2 + 2 * (3 * \\
& b^2 * \cosh(x)^5 + 6 * b^2 * \cosh(x)^3 - (a^2 - 2 * a * b - 3 * b^2) * \cosh(x)) * \sinh(x)) * \text{s} \\
& \text{qrt}(a + b) * \text{sqrt}(((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 - a + b) / (\cosh(x)^2 \\
& - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) + 4 * (2 * (a * b^2 + b^3) * \cosh(x)^7 + 3 * (a * b^2 \\
& + 2 * b^3) * \cosh(x)^5 + (a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3) * \cosh(x)^3 - (a^3 - 3 * \\
& a * b^2 - 2 * b^3) * \cosh(x)) * \sinh(x)) / (\cosh(x)^6 + 6 * \cosh(x)^5 * \sinh(x) + 15 * \cosh \\
& (x)^4 * \sinh(x)^2 + 20 * \cosh(x)^3 * \sinh(x)^3 + 15 * \cosh(x)^2 * \sinh(x)^4 + 6 * \cosh \\
& (x) * \sinh(x)^5 + \sinh(x)^6)) + 1/2 * \text{sqrt}(b) * \log(-((a + 2 * b) * \cosh(x)^4 + 4 * (a + \\
& 2 * b) * \cosh(x) * \sinh(x)^3 + (a + 2 * b) * \sinh(x)^4 - 2 * (a - 2 * b) * \cosh(x)^2 + 2 * (\\
& 3 * (a + 2 * b) * \cosh(x)^2 - a + 2 * b) * \sinh(x)^2 - 2 * \text{sqrt}(2) * (\cosh(x)^2 + 2 * \cosh \\
& (x) * \sinh(x) + \sinh(x)^2 + 1) * \text{sqrt}(b) * \text{sqrt}(((a + b) * \cosh(x)^2 + (a + b) * \sinh \\
& (x)^2 - a + b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) + 4 * ((a + 2 * b) * \c \\
& osh(x)^3 - (a - 2 * b) * \cosh(x)) * \sinh(x) + a + 2 * b) / (\cosh(x)^4 + 4 * \cosh(x) * \sin \\
& h(x)^3 + \sinh(x)^4 + 2 * (3 * \cosh(x)^2 - 1) * \sinh(x)^2 - 2 * \cosh(x)^2 + 4 * (\cosh \\
& (x)^3 - \cosh(x)) * \sinh(x) + 1)) + 1/4 * \text{sqrt}(a + b) * \log(-((a + b) * \cosh(x)^4 + 4 \\
& * (a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 - 2 * a * \cosh(x)^2 + 2 * (3 * (a + \\
& b) * \cosh(x)^2 - a) * \sinh(x)^2 + \text{sqrt}(2) * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh \\
& (x)^2 - 1) * \text{sqrt}(a + b) * \text{sqrt}(((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 - a + b) \\
& / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) + 4 * ((a + b) * \cosh(x)^3 - a * \c \\
& osh(x)) * \sinh(x) + a + b) / (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)), \text{sqrt} \\
& (-b) * \arctan(\text{sqrt}(2) * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 + 1) * \text{sqrt}(-b) \\
& * \text{sqrt}(((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 * \cosh(x) \\
&) * \sinh(x) + \sinh(x)^2)) / ((a + b) * \cosh(x)^4 + 4 * (a + b) * \cosh(x) * \sinh(x)^3 + \\
& (a + b) * \sinh(x)^4 - 2 * (a - b) * \cosh(x)^2 + 2 * (3 * (a + b) * \cosh(x)^2 - a + b) * \sin \\
& h(x)^2 + 4 * ((a + b) * \cosh(x)^3 - (a - b) * \cosh(x)) * \sinh(x) + a + b)) + 1/4 * \\
& \text{sqrt}(a + b) * \log(((a * b^2 + b^3) * \cosh(x)^8 + 8 * (a * b^2 + b^3) * \cosh(x) * \sinh(x)^7 \\
& + (a * b^2 + b^3) * \sinh(x)^8 + 2 * (a * b^2 + 2 * b^3) * \cosh(x)^6 + 2 * (a * b^2 + 2 * b^ \\
& 3 + 14 * (a * b^2 + b^3) * \cosh(x)^2) * \sinh(x)^6 + 4 * (14 * (a * b^2 + b^3) * \cosh(x)^3 + \\
& 3 * (a * b^2 + 2 * b^3) * \cosh(x)) * \sinh(x)^5 + (a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3) * \cos \\
& h(x)^4 + (70 * (a * b^2 + b^3) * \cosh(x)^4 + a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3 + 30 * (\\
& a * b^2 + 2 * b^3) * \cosh(x)^2) * \sinh(x)^4 + 4 * (14 * (a * b^2 + b^3) * \cosh(x)^5 + 10 * (a \\
& * b^2 + 2 * b^3) * \cosh(x)^3 + (a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3) * \cosh(x)) * \sinh(x)^ \\
& 3 + a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3 - 2 * (a^3 - 3 * a * b^2 - 2 * b^3) * \cosh(x)^2 + 2 \\
& * (14 * (a * b^2 + b^3) * \cosh(x)^6 + 15 * (a * b^2 + 2 * b^3) * \cosh(x)^4 - a^3 + 3 * a * b^2 \\
& + 2 * b^3 + 3 * (a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3) * \cosh(x)^2) * \sinh(x)^2 + \text{sqrt}(2) \\
& * (b^2 * \cosh(x)^6 + 6 * b^2 * \cosh(x) * \sinh(x)^5 + b^2 * \sinh(x)^6 + 3 * b^2 * \cosh(x)^4
\end{aligned}$$

+ 3*(5*b^2*cosh(x)^2 + b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 + 3*b^2*cosh(x))*sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 + 18*b^2*cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*b^2*cosh(x)^5 + 6*b^2*cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 + 3*(a*b^2 + 2*b^3)*cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 - (a^3 - 3*a*b^2 - 2*b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + 1/4*sqrt(a + b)*log(-((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*a*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3 - a*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)), -1/2*sqrt(-a - b)*arctan(sqrt(2)*(b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 + a + b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(a*b + ...

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \coth^2(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)**2)**(1/2),x)

[Out] Integral(sqrt(a + b*coth(x)**2), x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 262 vs. 2(48) = 96.

time = 0.58, size = 262, normalized size = 4.37

$$\frac{1}{2} \left(\frac{b \arctan\left(\frac{\sqrt{a+b} \sqrt{a+b \coth^2(x)} - \sqrt{a+b} \sqrt{a+b \coth^2(x)} + \sqrt{a+b} \sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \sqrt{a+b} \log\left(\left(\sqrt{a+b} e^{2x} - \sqrt{a e^{4x} + b e^{4x} - 2 a e^{2x} + 2 b e^{2x} + a + b}\right)(a+b) - \sqrt{a+b}(a-b)\right) + \sqrt{a+b} \log\left(\left(-\sqrt{a+b} e^{2x} + \sqrt{a e^{4x} + b e^{4x} - 2 a e^{2x} + 2 b e^{2x} + a + b}\right) - \sqrt{a+b}\right) - \sqrt{a+b} \log\left(\left(-\sqrt{a+b} e^{2x} + \sqrt{a e^{4x} + b e^{4x} - 2 a e^{2x} + 2 b e^{2x} + a + b}\right) - \sqrt{a+b}\right) \right) \operatorname{sgn}(e^{2x} - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)^2)^(1/2),x, algorithm="giac")

[Out] 1/2*(4*b*arctan(-1/2*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - sqrt(a + b))/sqrt(-b))/sqrt(-b) - sqrt(a + b)*log(abs((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*(a + b) - sqrt(a + b)*(a - b))) + sqrt(a + b)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b))) - sqrt(a + b)*log(abs(-sqrt(a + b)*e^(2*x)

```
) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - sqrt(a + b))))*sgn(e^(2*x) - 1)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \sqrt{b \coth(x)^2 + a} \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*coth(x)^2)^(1/2), x)
```

```
[Out] int((a + b*coth(x)^2)^(1/2), x)
```

3.20 $\int \sqrt{a + b \coth^2(x)} \tanh(x) dx$

Optimal. Leaf size=56

$$-\sqrt{a} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}} \right) + \sqrt{a+b} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a+b}} \right)$$

[Out] $-\arctanh((a+b*\coth(x)^2)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+\arctanh((a+b*\coth(x)^2)^{(1/2)}/(a+b)^{(1/2)})*(a+b)^{(1/2)}$

Rubi [A]

time = 0.08, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3751, 457, 85, 65, 214}

$$\sqrt{a+b} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a+b}} \right) - \sqrt{a} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}} \right)$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + b*Coth[x]^2]*Tanh[x],x]`

[Out] $-(\text{Sqrt}[a]*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Coth}[x]^2]/\text{Sqrt}[a]]) + \text{Sqrt}[a + b]*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Coth}[x]^2]/\text{Sqrt}[a + b]]$

Rule 65

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^(n), x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 85

`Int[((e_.) + (f_.)*(x_))^(p_)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[(e + f*x)^(p - 1)/(a + b*x), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[(e + f*x)^(p - 1)/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && LtQ[0, p, 1]`

Rule 214

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 3751

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff
^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \coth^2(x)} \tanh(x) dx &= \text{Subst} \left(\int \frac{\sqrt{a + bx^2}}{x(1-x^2)} dx, x, \coth(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{a + bx}}{(1-x)x} dx, x, \coth^2(x) \right) \\
&= \frac{1}{2} a \text{Subst} \left(\int \frac{1}{x\sqrt{a + bx}} dx, x, \coth^2(x) \right) + \frac{1}{2} (a + b) \text{Subst} \left(\int \frac{1}{(1-x)\sqrt{a + bx}} dx, x, \coth^2(x) \right) \\
&= \frac{a \text{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + b \coth^2(x)} \right)}{b} + \frac{(a + b) \text{Subst} \left(\int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b \coth^2(x)} \right)}{b} \\
&= -\sqrt{a} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}} \right) + \sqrt{a + b} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right)
\end{aligned}$$

Mathematica [A]

time = 0.02, size = 56, normalized size = 1.00

$$-\sqrt{a} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}} \right) + \sqrt{a + b} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*Coth[x]^2]*Tanh[x], x]

[Out] $-(\text{Sqrt}[a] \cdot \text{ArcTanh}[\text{Sqrt}[a + b \cdot \text{Coth}[x]^2] / \text{Sqrt}[a]]) + \text{Sqrt}[a + b] \cdot \text{ArcTanh}[\text{Sqrt}[a + b \cdot \text{Coth}[x]^2] / \text{Sqrt}[a + b]]$

Maple [F]

time = 2.22, size = 0, normalized size = 0.00

$$\int \sqrt{a + b (\coth^2(x))} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*coth(x)^2)^(1/2)*tanh(x),x)`

[Out] `int((a+b*coth(x)^2)^(1/2)*tanh(x),x)`

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*coth(x)^2)^(1/2)*tanh(x),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*coth(x)^2 + a)*tanh(x), x)`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 557 vs. 2(44) = 88.

time = 0.48, size = 3479, normalized size = 62.12

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*coth(x)^2)^(1/2)*tanh(x),x, algorithm="fricas")`

[Out] $[1/4 \cdot \text{sqrt}(a + b) \cdot \log(-((a^3 + a^2 \cdot b) \cdot \cosh(x)^8 + 8 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x) \cdot \sinh(x)^7 + (a^3 + a^2 \cdot b) \cdot \sinh(x)^8 - 2 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)^6 - 2 \cdot (2 \cdot a^3 + a^2 \cdot b - 14 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^2) \cdot \sinh(x)^6 + 4 \cdot (14 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^3 - 3 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)) \cdot \sinh(x)^5 + (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cdot \cosh(x)^4 + (70 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^4 + 6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3 - 30 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)^2) \cdot \sinh(x)^4 + 4 \cdot (14 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^5 - 10 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)^3 + (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cdot \cosh(x)) \cdot \sinh(x)^3 + a^3 + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3 - 2 \cdot (2 \cdot a^3 + 3 \cdot a^2 \cdot b - b^3) \cdot \cosh(x)^2 + 2 \cdot (14 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^6 - 15 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)^4 - 2 \cdot a^3 - 3 \cdot a^2 \cdot b + b^3 + 3 \cdot (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cdot \cosh(x)^2) \cdot \sinh(x)^2 + \text{sqrt}(2) \cdot (a^2 \cdot \cosh(x)^6 + 6 \cdot a^2 \cdot \cosh(x) \cdot \sinh(x)^5 + a^2 \cdot \sinh(x)^6 - 3 \cdot a^2 \cdot \cosh(x)^4 + 3 \cdot (5 \cdot a^2 \cdot \cosh(x)^2 - a^2) \cdot \sinh(x)^4 + 4 \cdot (5 \cdot a^2 \cdot \cosh(x)^3 - 3 \cdot a^2 \cdot \cosh(x)) \cdot \sinh(x)^3 + (3 \cdot a^2 + 2 \cdot a \cdot b - b^2) \cdot \cosh(x)^2 + (15 \cdot a^2 \cdot \cosh(x)^4 - 1$

$$\begin{aligned}
& 8a^2 \cosh(x)^2 + 3a^2 + 2ab - b^2) \sinh(x)^2 - a^2 - 2ab - b^2 + 2(3 \\
& a^2 \cosh(x)^5 - 6a^2 \cosh(x)^3 + (3a^2 + 2ab - b^2) \cosh(x)) \sinh(x)) * \\
& \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 - a+b) / (\cosh(x)^2 \\
& - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} + 4(2(a^3 + a^2 b) \cosh(x)^7 - 3(2a^3 \\
& + a^2 b) \cosh(x)^5 + (6a^3 + 4a^2 b - ab^2 + b^3) \cosh(x)^3 - (2a^3 + \\
& 3a^2 b - b^3) \cosh(x)) \sinh(x)) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh \\
& (x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh \\
& (x) \sinh(x)^5 + \sinh(x)^6)) + 1/2 \sqrt{a} \log(-((2a+b) \cosh(x)^4 + 4(2 \\
& a+b) \cosh(x) \sinh(x)^3 + (2a+b) \sinh(x)^4 - 2(2a-b) \cosh(x)^2 + 2 \\
& (3(2a+b) \cosh(x)^2 - 2a+b) \sinh(x)^2 - 2 \sqrt{2} (\cosh(x)^2 + 2 \cosh \\
& (x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{a} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh \\
& (x)^2 - a+b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4((2a+b) \\
& \cosh(x)^3 - (2a-b) \cosh(x)) \sinh(x) + 2a+b) / (\cosh(x)^4 + 4 \cosh(x) \sinh \\
& (x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh \\
& (x)^3 + \cosh(x)) \sinh(x) + 1)) + 1/4 \sqrt{a+b} \log(((a+b) \cosh(x)^4 + 4 \\
& (a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2b \cosh(x)^2 + 2(3(a+b) \\
& \cosh(x)^2 + b) \sinh(x)^2 + \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh \\
& (x)^2 + 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 - a+b) \\
& / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4((a+b) \cosh(x)^3 + b \cosh \\
& (x)) \sinh(x) + a+b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)), \sqrt{(- \\
& a) \arctan(\sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-a} \\
& \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 - a+b) / (\cosh(x)^2 - 2 \cosh(x) \\
&) \sinh(x) + \sinh(x)^2)} / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + \\
& (a+b) \sinh(x)^4 - 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 - a+b) \sinh \\
& (x)^2 + 4((a+b) \cosh(x)^3 - (a-b) \cosh(x)) \sinh(x) + a+b)) + 1/4 \sqrt{a+b} \log(-((a^3 + a^2 b) \cosh(x)^8 + 8(a^3 + a^2 b) \cosh(x) \sinh(x) \\
& ^7 + (a^3 + a^2 b) \sinh(x)^8 - 2(2a^3 + a^2 b) \cosh(x)^6 - 2(2a^3 + a^2 \\
& b - 14(a^3 + a^2 b) \cosh(x)^2) \sinh(x)^6 + 4(14(a^3 + a^2 b) \cosh(x)^3 \\
& - 3(2a^3 + a^2 b) \cosh(x)) \sinh(x)^5 + (6a^3 + 4a^2 b - ab^2 + b^3) \cosh \\
& (x)^4 + (70(a^3 + a^2 b) \cosh(x)^4 + 6a^3 + 4a^2 b - ab^2 + b^3 - 30 \\
& (2a^3 + a^2 b) \cosh(x)^2) \sinh(x)^4 + 4(14(a^3 + a^2 b) \cosh(x)^5 - 10(\\
& 2a^3 + a^2 b) \cosh(x)^3 + (6a^3 + 4a^2 b - ab^2 + b^3) \cosh(x)) \sinh(x) \\
& ^3 + a^3 + 3a^2 b + 3ab^2 + b^3 - 2(2a^3 + 3a^2 b - b^3) \cosh(x)^2 + \\
& 2(14(a^3 + a^2 b) \cosh(x)^6 - 15(2a^3 + a^2 b) \cosh(x)^4 - 2a^3 - 3a^2 \\
& b + b^3 + 3(6a^3 + 4a^2 b - ab^2 + b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} \\
& (a^2 \cosh(x)^6 + 6a^2 \cosh(x) \sinh(x)^5 + a^2 \sinh(x)^6 - 3a^2 \cosh(x)^4 \\
& + 3(5a^2 \cosh(x)^2 - a^2) \sinh(x)^4 + 4(5a^2 \cosh(x)^3 - 3a^2 \cosh(x) \\
&)) \sinh(x)^3 + (3a^2 + 2ab - b^2) \cosh(x)^2 + (15a^2 \cosh(x)^4 - 18a^2 \\
& \cosh(x)^2 + 3a^2 + 2ab - b^2) \sinh(x)^2 - a^2 - 2ab - b^2 + 2(3a^2 \cosh \\
& (x)^5 - 6a^2 \cosh(x)^3 + (3a^2 + 2ab - b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 - a+b) / (\cosh(x)^2 - 2 \\
& \cosh(x) \sinh(x) + \sinh(x)^2)} + 4(2(a^3 + a^2 b) \cosh(x)^7 - 3(2a^3 + a \\
& ^2 b) \cosh(x)^5 + (6a^3 + 4a^2 b - ab^2 + b^3) \cosh(x)^3 - (2a^3 + 3a^2 \\
& b - b^3) \cosh(x)) \sinh(x)) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \\
& \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6)
\end{aligned}$$

inh(x)^5 + sinh(x)^6)) + 1/4*sqrt(a + b)*log(((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*b*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + b)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3 + b*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)), -1/2*sqrt(-a - b)*arctan(sqrt(2)*(a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 - a - b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^2 + ...

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \coth^2(x)} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)**2)**(1/2)*tanh(x), x)

[Out] Integral(sqrt(a + b*coth(x)**2)*tanh(x), x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 259 vs. 2(44) = 88.

time = 0.57, size = 259, normalized size = 4.62

$$\frac{1}{2} \left(\frac{4a \arctan\left(\frac{-\sqrt{a+b} e^{2x} - \sqrt{a+b} e^{4x} - 2a e^{2x} + 2b e^{4x} + a + b}{\sqrt{a+b}}\right) + \sqrt{a+b} \log\left(\left(\sqrt{a+b} e^{2x} - \sqrt{a+b} e^{4x} - 2a e^{2x} + 2b e^{4x} + a + b\right)(a+b) - \sqrt{a+b}(a-b)\right) + \sqrt{a+b} \log\left(\left(-\sqrt{a+b} e^{2x} + \sqrt{a+b} e^{4x} - 2a e^{2x} + 2b e^{4x} + a + b\right) - \sqrt{a+b}\right)}{\sqrt{a+b}} \right) \operatorname{sgn}(e^{2x} - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)^2)^(1/2)*tanh(x), x, algorithm="giac")

[Out] -1/2*(4*a*arctan(-1/2*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b))/sqrt(-a))/sqrt(-a) + sqrt(a + b)*log(abs((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*(a + b) - sqrt(a + b)*(a - b))) + sqrt(a + b)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b))) - sqrt(a + b)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - sqrt(a + b)))))*sgn(e^(2*x) - 1)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \tanh(x) \sqrt{b \coth(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)*(a + b*coth(x)^2)^(1/2), x)

[Out] int(tanh(x)*(a + b*coth(x)^2)^(1/2), x)

3.21 $\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx$

Optimal. Leaf size=48

$$\sqrt{a+b} \tanh^{-1} \left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}} \right) - \sqrt{a+b \coth^2(x)} \tanh(x)$$

[Out] $\operatorname{arctanh}(\coth(x) \cdot (a+b)^{1/2} / (a+b \coth(x)^2)^{1/2}) \cdot (a+b)^{1/2} - (a+b \coth(x)^2)^{1/2} \cdot \tanh(x)$

Rubi [A]

time = 0.06, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {3751, 486, 12, 385, 212}

$$\sqrt{a+b} \tanh^{-1} \left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}} \right) - \tanh(x) \sqrt{a+b \coth^2(x)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[a + b \cdot \text{Coth}[x]^2] \cdot \text{Tanh}[x]^2, x]$

[Out] $\text{Sqrt}[a + b] \cdot \text{ArcTanh}[(\text{Sqrt}[a + b] \cdot \text{Coth}[x]) / \text{Sqrt}[a + b \cdot \text{Coth}[x]^2]] - \text{Sqrt}[a + b \cdot \text{Coth}[x]^2] \cdot \text{Tanh}[x]$

Rule 12

$\text{Int}[(a_)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b_)(v_)] /; FreeQ[b, x]

Rule 212

$\text{Int}[((a_) + (b_)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1/(\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2])) \cdot \text{ArcTanh}[\text{Rt}[-b, 2] \cdot (x/\text{Rt}[a, 2])], x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 385

$\text{Int}(((a_) + (b_)(x_)^{(n_)})^{(p_)}/((c_) + (d_)(x_)^{(n_)}), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b \cdot c - a \cdot d) \cdot x^n), x], x, x/(a + b \cdot x^n)^{1/n}] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b \cdot c - a \cdot d, 0] && EqQ[n \cdot p + 1, 0] && IntegerQ[n]

Rule 486

$\text{Int}(((e_)(x_))^{(m_)} \cdot ((a_) + (b_)(x_)^{(n_)})^{(p_)} \cdot ((c_) + (d_)(x_)^{(n_)})^{(q_)}, x_Symbol] \rightarrow \text{Simp}[(e \cdot x)^{m+1} \cdot (a + b \cdot x^n)^{p+1} \cdot (c + d \cdot x^n)^q /$

```
(a*e*(m + 1))), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^
p*(c + d*x^n)^(q - 1)*Simp[c*b*(m + 1) + n*(b*c*(p + 1) + a*d*q) + d*(b*(m
+ 1) + b*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] &&
NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[0, q, 1] && LtQ[m, -1] && IntBinomia
lQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 3751

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff
^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx &= \text{Subst} \left(\int \frac{\sqrt{a + bx^2}}{x^2(1-x^2)} dx, x, \coth(x) \right) \\
&= -\sqrt{a + b \coth^2(x)} \tanh(x) + \text{Subst} \left(\int \frac{a + b}{(1-x^2)\sqrt{a + bx^2}} dx, x, \coth(x) \right) \\
&= -\sqrt{a + b \coth^2(x)} \tanh(x) + (a + b) \text{Subst} \left(\int \frac{1}{(1-x^2)\sqrt{a + bx^2}} dx, x, \coth(x) \right) \\
&= -\sqrt{a + b \coth^2(x)} \tanh(x) + (a + b) \text{Subst} \left(\int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} \right) \\
&= \sqrt{a + b} \tanh^{-1} \left(\frac{\sqrt{a + b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) - \sqrt{a + b \coth^2(x)} \tanh(x)
\end{aligned}$$

Mathematica [C] Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

time = 0.07, size = 42, normalized size = 0.88

$$-\sqrt{a + b \coth^2(x)} {}_2F_1 \left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{(a + b) \coth^2(x)}{a + b \coth^2(x)} \right) \tanh(x)$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*Coth[x]^2]*Tanh[x]^2,x]
```

[Out] $-(\text{Sqrt}[a + b*\text{Coth}[x]^2]*\text{Hypergeometric2F1}[-1/2, 1, 1/2, ((a + b)*\text{Coth}[x]^2)/(a + b*\text{Coth}[x]^2)]*\text{Tanh}[x])$

Maple [F]

time = 2.04, size = 0, normalized size = 0.00

$$\int \sqrt{a + b(\coth^2(x))} (\tanh^2(x)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{coth}(x)^2)^{(1/2)}*\text{tanh}(x)^2,x)$

[Out] $\text{int}((a+b*\text{coth}(x)^2)^{(1/2)}*\text{tanh}(x)^2,x)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{coth}(x)^2)^{(1/2)}*\text{tanh}(x)^2,x, \text{algorithm}="maxima")$

[Out] $\text{integrate}(\text{sqrt}(b*\text{coth}(x)^2 + a)*\text{tanh}(x)^2, x)$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 490 vs. 2(40) = 80.

time = 0.44, size = 1539, normalized size = 32.06

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{coth}(x)^2)^{(1/2)}*\text{tanh}(x)^2,x, \text{algorithm}="fricas")$

[Out] $[1/4*((\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\text{sqrt}(a + b)*\log((a*b^2 + b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 + 2*(a*b^2 + 2*b^3)*\cosh(x)^6 + 2*(a*b^2 + 2*b^3 + 14*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 + 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 + 30*(a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 + 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x)^6 + 15*(a*b^2 + 2*b^3)*\cosh(x)^4 - a^3 + 3*a*b^2 + 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \text{sqrt}(2)*(b^2*\cosh(x)^6 + 6*b^2*\cosh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 + 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 + b^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 + 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 -$

```

2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 + 18*b^2*cosh(x)^2 - a^2 + 2*a
*b + 3*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*b^2*cosh(x)^5 + 6*b^2*cosh
(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*c
osh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh
(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 + 3*(a*b^2 + 2*b^3)*cosh(x)^5 + (a^3
- a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 - (a^3 - 3*a*b^2 - 2*b^3)*cosh(x))*si
nh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(
x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6))
+ (cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(a + b)*log(-((a + b
)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*a*cosh(x)
^2 + 2*(3*(a + b)*cosh(x)^2 - a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)
*sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sin
h(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*c
osh(x)^3 - a*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sin
h(x)^2)) - 4*sqrt(2)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(
cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(cosh(x)^2 + 2*cosh(x)*sinh(x)
+ sinh(x)^2 + 1), -1/2*((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sq
rt(-a - b)*arctan(sqrt(2)*(b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2
+ a + b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/
(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a*b + b^2)*cosh(x)^4 + 4*(a*
b + b^2)*cosh(x)*sinh(x)^3 + (a*b + b^2)*sinh(x)^4 - (a^2 - a*b - 2*b^2)*co
sh(x)^2 + (6*(a*b + b^2)*cosh(x)^2 - a^2 + a*b + 2*b^2)*sinh(x)^2 + a^2 + 2
*a*b + b^2 + 2*(2*(a*b + b^2)*cosh(x)^3 - (a^2 - a*b - 2*b^2)*cosh(x))*sinh
(x))) + (cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(-a - b)*arctan
(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*sqrt(
((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh
(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b
)*sinh(x)^4 - 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a + b)*sinh(x)
^2 + 4*((a + b)*cosh(x)^3 - (a - b)*cosh(x))*sinh(x) + a + b)) + 2*sqrt(2)*
sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)
*sinh(x) + sinh(x)^2)))/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)]

```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)**2)**(1/2)*tanh(x)**2,x)

[Out] Integral(sqrt(a + b*coth(x)**2)*tanh(x)**2, x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*coth(x)^2)^(1/2)*tanh(x)^2,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx):;OUTPUT:Warning, integration of abs or sign a
ssumes constant sign by intervals (correct if the argument is real):Check [
abs(ex
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \tanh(x)^2 \sqrt{b \coth(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tanh(x)^2*(a + b*coth(x)^2)^(1/2),x)
```

```
[Out] int(tanh(x)^2*(a + b*coth(x)^2)^(1/2), x)
```

3.22 $\int \coth^3(x) (a + b \coth^2(x))^{3/2} dx$

Optimal. Leaf size=82

$$(a+b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a+b}} \right) - (a+b) \sqrt{a + b \coth^2(x)} - \frac{1}{3} (a + b \coth^2(x))^{3/2} - \frac{(a + b \coth^2(x))^{5/2}}{5b}$$

[Out] $(a+b)^{(3/2)} * \operatorname{arctanh}((a+b*\coth(x)^2)^{(1/2)} / (a+b)^{(1/2)}) - 1/3 * (a+b*\coth(x)^2)^{(3/2)} - 1/5 * (a+b*\coth(x)^2)^{(5/2)} / b - (a+b) * (a+b*\coth(x)^2)^{(1/2)}$

Rubi [A]

time = 0.10, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {3751, 457, 81, 52, 65, 214}

$$-\frac{(a + b \coth^2(x))^{5/2}}{5b} - \frac{1}{3} (a + b \coth^2(x))^{3/2} - (a + b) \sqrt{a + b \coth^2(x)} + (a + b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a+b}} \right)$$

Antiderivative was successfully verified.

[In] `Int[Coth[x]^3*(a + b*Coth[x]^2)^(3/2),x]`

[Out] $(a + b)^{(3/2)} * \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b * \operatorname{Coth}[x]^2] / \operatorname{Sqrt}[a + b]] - (a + b) * \operatorname{Sqrt}[a + b * \operatorname{Coth}[x]^2] - (a + b * \operatorname{Coth}[x]^2)^{(3/2)} / 3 - (a + b * \operatorname{Coth}[x]^2)^{(5/2)} / (5 * b)$

Rule 52

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(a + b*x)^(m + 1)*((c + d*x)^n/(b*(m + n + 1))), x] + Dist[n*((b*c - a*d)/(b*(m + n + 1))], Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 65

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 81

`Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1)/(d*f*(n + p + 1)), x]`

2))), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 214

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 457

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 3751

Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned}
\int \coth^3(x) (a + b \coth^2(x))^{3/2} dx &= \text{Subst} \left(\int \frac{x^3 (a + bx^2)^{3/2}}{1 - x^2} dx, x, \coth(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{x(a + bx)^{3/2}}{1 - x} dx, x, \coth^2(x) \right) \\
&= -\frac{(a + b \coth^2(x))^{5/2}}{5b} + \frac{1}{2} \text{Subst} \left(\int \frac{(a + bx)^{3/2}}{1 - x} dx, x, \coth^2(x) \right) \\
&= -\frac{1}{3} (a + b \coth^2(x))^{3/2} - \frac{(a + b \coth^2(x))^{5/2}}{5b} + \frac{1}{2} (a + b) \text{Subst} \left(\int \frac{\sqrt{a + bx}}{1 - x} dx, x, \coth^2(x) \right) \\
&= -(a + b) \sqrt{a + b \coth^2(x)} - \frac{1}{3} (a + b \coth^2(x))^{3/2} - \frac{(a + b \coth^2(x))^{5/2}}{5b} \\
&= -(a + b) \sqrt{a + b \coth^2(x)} - \frac{1}{3} (a + b \coth^2(x))^{3/2} - \frac{(a + b \coth^2(x))^{5/2}}{5b} \\
&= (a + b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - (a + b) \sqrt{a + b \coth^2(x)} - \frac{(a + b \coth^2(x))^{5/2}}{5b}
\end{aligned}$$

Mathematica [A]

time = 0.31, size = 86, normalized size = 1.05

$$(a + b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - \frac{\sqrt{a + b \coth^2(x)} (3a^2 + 20ab + 15b^2 + b(6a + 5b) \coth^2(x) + 3b^2 \coth^4(x))}{15b}$$

Antiderivative was successfully verified.

`[In] Integrate[Coth[x]^3*(a + b*Coth[x]^2)^(3/2), x]`

```
[Out] (a + b)^(3/2)*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]] - (Sqrt[a + b*Coth[x]^2]*(3*a^2 + 20*a*b + 15*b^2 + b*(6*a + 5*b)*Coth[x]^2 + 3*b^2*Coth[x]^4))/ (15*b)
```

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 487 vs.

2(66) = 132.

time = 0.62, size = 488, normalized size = 5.95

method	result
--------	--------

derivativedivides	$-\frac{(a+b(\coth^2(x)))^{\frac{5}{2}}}{5b} - \frac{(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b)^{\frac{3}{2}}}{6} - \frac{b \left(\frac{(2b(\coth(x)-1)+2b) \sqrt{b(\coth(x)-1)}}{4b} \right)^{\frac{3}{2}}}{b}$
default	$-\frac{(a+b(\coth^2(x)))^{\frac{5}{2}}}{5b} - \frac{(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b)^{\frac{3}{2}}}{6} - \frac{b \left(\frac{(2b(\coth(x)-1)+2b) \sqrt{b(\coth(x)-1)}}{4b} \right)^{\frac{3}{2}}}{b}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^3*(a+b*coth(x)^2)^(3/2),x,method=_RETURNVERBOSE)`

[Out]
$$-1/5*(a+b*\coth(x)^2)^{(5/2)}/b-1/6*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(3/2)}$$

$$-1/2*b*(1/4*(2*b*(\coth(x)-1)+2*b)/b*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2)}$$

$$+1/8*(4*b*(a+b)-4*b^2)/b^{(3/2)}*\ln((b*(\coth(x)-1)+b)/b^{(1/2)}+(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2}))$$

$$-1/2*(a+b)*((b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2)}+b^{(1/2)}*\ln((b*(\coth(x)-1)+b)/b^{(1/2)}+(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2}))$$

$$-(a+b)^{(1/2)}*\ln((2*a+2*b+2*b*(\coth(x)-1)+2*(a+b)^{(1/2)}*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2)})/(\coth(x)-1)))$$

$$-1/6*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(3/2)}+1/2*b*(1/4*(2*b*(1+\coth(x))-2*b)/b*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2)}$$

$$+1/8*(4*b*(a+b)-4*b^2)/b^{(3/2)}*\ln((b*(1+\coth(x))-b)/b^{(1/2)}+(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2}))$$

$$-1/2*(a+b)*((b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2)}-b^{(1/2)}*\ln((b*(1+\coth(x))-b)/b^{(1/2)}+(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2}))$$

$$-(a+b)^{(1/2)}*\ln((2*a+2*b-2*b*(1+\coth(x))+2*(a+b)^{(1/2)}*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2)})/(1+\coth(x))))$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^3*(a+b*coth(x)^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate((b*coth(x)^2 + a)^(3/2)*coth(x)^3, x)`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 2154 vs. 2(66) = 132.

time = 0.60, size = 4940, normalized size = 60.24

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^3*(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/60*(15*((a*b + b^2)*\cosh(x)^{10} + 10*(a*b + b^2)*\cosh(x)*\sinh(x)^9 + (a*b \\ & + b^2)*\sinh(x)^{10} - 5*(a*b + b^2)*\cosh(x)^8 + 5*(9*(a*b + b^2)*\cosh(x)^2 - \\ & a*b - b^2)*\sinh(x)^8 + 40*(3*(a*b + b^2)*\cosh(x)^3 - (a*b + b^2)*\cosh(x))* \\ & \sinh(x)^7 + 10*(a*b + b^2)*\cosh(x)^6 + 10*(21*(a*b + b^2)*\cosh(x)^4 - 14*(a \\ & *b + b^2)*\cosh(x)^2 + a*b + b^2)*\sinh(x)^6 + 4*(63*(a*b + b^2)*\cosh(x)^5 - \\ & 70*(a*b + b^2)*\cosh(x)^3 + 15*(a*b + b^2)*\cosh(x))*\sinh(x)^5 - 10*(a*b + b^ \\ & 2)*\cosh(x)^4 + 10*(21*(a*b + b^2)*\cosh(x)^6 - 35*(a*b + b^2)*\cosh(x)^4 + 15 \\ & *(a*b + b^2)*\cosh(x)^2 - a*b - b^2)*\sinh(x)^4 + 40*(3*(a*b + b^2)*\cosh(x)^7 \\ & - 7*(a*b + b^2)*\cosh(x)^5 + 5*(a*b + b^2)*\cosh(x)^3 - (a*b + b^2)*\cosh(x)) \\ & *\sinh(x)^3 + 5*(a*b + b^2)*\cosh(x)^2 + 5*(9*(a*b + b^2)*\cosh(x)^8 - 28*(a*b \\ & + b^2)*\cosh(x)^6 + 30*(a*b + b^2)*\cosh(x)^4 - 12*(a*b + b^2)*\cosh(x)^2 + a \\ & *b + b^2)*\sinh(x)^2 - a*b - b^2 + 10*((a*b + b^2)*\cosh(x)^9 - 4*(a*b + b^2) \\ & *\cosh(x)^7 + 6*(a*b + b^2)*\cosh(x)^5 - 4*(a*b + b^2)*\cosh(x)^3 + (a*b + b^2) \\ &)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(-((a^3 + a^2*b)*\cosh(x)^8 + 8*(a^3 + a^ \\ & 2*b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2*b)*\sinh(x)^8 - 2*(2*a^3 + a^2*b)*\cosh(x) \\ &)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 \\ & + a^2*b)*\cosh(x)^3 - 3*(2*a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2 \\ & *b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b \\ & - a*b^2 + b^3 - 30*(2*a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2 \\ & *b)*\cosh(x)^5 - 10*(2*a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b \\ & ^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2*b \\ & - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2*b)*\cosh(x)^6 - 15*(2*a^3 + a^2*b)*\cosh \\ & (x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^2 \\ &)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x) \\ &)^6 - 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 - a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh \\ & (x)^3 - 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^ \\ & 2*\cosh(x)^4 - 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 - a^2 - 2*a \\ & *b - b^2 + 2*(3*a^2*\cosh(x)^5 - 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cos \\ & h(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a \\ & + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*(2*(a^3 + a^2*b)*\cosh \\ & (x)^7 - 3*(2*a^3 + a^2*b)*\cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x) \\ &)^3 - (2*a^3 + 3*a^2*b - b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*s \\ & \sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sin \\ & h(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + 15*((a*b + b^2)*\cosh(x)^{10} + 1 \\ & 0*(a*b + b^2)*\cosh(x)*\sinh(x)^9 + (a*b + b^2)*\sinh(x)^{10} - 5*(a*b + b^2)*\cos \\ & h(x)^8 + 5*(9*(a*b + b^2)*\cosh(x)^2 - a*b - b^2)*\sinh(x)^8 + 40*(3*(a*b + \\ & b^2)*\cosh(x)^3 - (a*b + b^2)*\cosh(x))*\sinh(x)^7 + 10*(a*b + b^2)*\cosh(x)^6 \\ & + 10*(21*(a*b + b^2)*\cosh(x)^4 - 14*(a*b + b^2)*\cosh(x)^2 + a*b + b^2)*\sinh \\ & (x)^6 + 4*(63*(a*b + b^2)*\cosh(x)^5 - 70*(a*b + b^2)*\cosh(x)^3 + 15*(a*b + \\ & b^2)*\cosh(x))*\sinh(x)^5 - 10*(a*b + b^2)*\cosh(x)^4 + 10*(21*(a*b + b^2)*\cos \\ & h(x)^6 - 35*(a*b + b^2)*\cosh(x)^4 + 15*(a*b + b^2)*\cosh(x)^2 - a*b - b^2)*s \end{aligned}$$

```

inh(x)^4 + 40*(3*(a*b + b^2)*cosh(x)^7 - 7*(a*b + b^2)*cosh(x)^5 + 5*(a*b +
b^2)*cosh(x)^3 - (a*b + b^2)*cosh(x))*sinh(x)^3 + 5*(a*b + b^2)*cosh(x)^2
+ 5*(9*(a*b + b^2)*cosh(x)^8 - 28*(a*b + b^2)*cosh(x)^6 + 30*(a*b + b^2)*co
sh(x)^4 - 12*(a*b + b^2)*cosh(x)^2 + a*b + b^2)*sinh(x)^2 - a*b - b^2 + 10*
((a*b + b^2)*cosh(x)^9 - 4*(a*b + b^2)*cosh(x)^7 + 6*(a*b + b^2)*cosh(x)^5
- 4*(a*b + b^2)*cosh(x)^3 + (a*b + b^2)*cosh(x))*sinh(x))*sqrt(a + b)*log((
(a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*b*c
osh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + b)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*c
osh(x)*sinh(x) + sinh(x)^2 + 1))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a +
b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a
+ b)*cosh(x)^3 + b*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x)
+ sinh(x)^2)) - 4*sqrt(2)*((3*a^2 + 26*a*b + 23*b^2)*cosh(x)^8 + 8*(3*a^2
+ 26*a*b + 23*b^2)*cosh(x)*sinh(x)^7 + (3*a^2 + 26*a*b + 23*b^2)*sinh(x)^8
- 4*(3*a^2 + 20*a*b + 12*b^2)*cosh(x)^6 + 4*(7*(3*a^2 + 26*a*b + 23*b^2)*co
sh(x)^2 - 3*a^2 - 20*a*b - 12*b^2)*sinh(x)^6 + 8*(7*(3*a^2 + 26*a*b + 23*b^
2)*cosh(x)^3 - 3*(3*a^2 + 20*a*b + 12*b^2)*cosh(x))*sinh(x)^5 + 2*(9*a^2 +
54*a*b + 49*b^2)*cosh(x)^4 + 2*(35*(3*a^2 + 26*a*b + 23*b^2)*cosh(x)^4 - 30
*(3*a^2 + 20*a*b + 12*b^2)*cosh(x)^2 + 9*a^2 + 54*a*b + 49*b^2)*sinh(x)^4 +
8*(7*(3*a^2 + 26*a*b + 23*b^2)*cosh(x)^5 - 10*(3*a^2 + 20*a*b + 12*b^2)*co
sh(x)^3 + (9*a^2 + 54*a*b + 49*b^2)*cosh(x))*sinh(x)^3 - 4*(3*a^2 + 20*a*b
+ 12*b^2)*cosh(x)^2 + 4*(7*(3*a^2 + 26*a*b + 23*b^2)*cosh(x)^6 - 15*(3*a^2
+ 20*a*b + 12*b^2)*cosh(x)^4 + 3*(9*a^2 + 54*a*b + 49*b^2)*cosh(x)^2 - 3*a^
2 - 20*a*b - 12*b^2)*sinh(x)^2 + 3*a^2 + 26*a*b + 23*b^2 + 8*((3*a^2 + 26*a
*b + 23*b^2)*cosh(x)^7 - 3*(3*a^2 + 20*a*b + 12*b^2)*cosh(x)^5 + (9*a^2 + 5
4*a*b + 49*b^2)*cosh(x)^3 - (3*a^2 + 20*a*b + 12*b^2)*cosh(x))*sinh(x))*sqr
t(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + ...

```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \coth^2(x))^{\frac{3}{2}} \coth^3(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)**3*(a+b*coth(x)**2)**(3/2), x)
```

```
[Out] Integral((a + b*coth(x)**2)**(3/2)*coth(x)**3, x)
```

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^3*(a+b*coth(x)^2)^(3/2), x, algorithm="giac")
```

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx):;OUTPUT:Warning, integration of abs or sign a
 ssumes constant sign by intervals (correct if the argument is real):Check [
 abs(ex

Mupad [B]

time = 9.04, size = 112, normalized size = 1.37

$$-\frac{(b \coth(x)^2 + a)^{5/2}}{5b} - \left(\frac{a+b}{3b} - \frac{a}{3b}\right) (b \coth(x)^2 + a)^{3/2} - (a+b) \left(\frac{a+b}{b} - \frac{a}{b}\right) \sqrt{b \coth(x)^2 + a} - \operatorname{atan}\left(\frac{(a+b)^{3/2} \sqrt{b \coth(x)^2 + a}}{a^2 + 2ab + b^2}\right) (a+b)^{3/2} i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^3*(a + b*coth(x)^2)^(3/2),x)

[Out] - (a + b*coth(x)^2)^(5/2)/(5*b) - ((a + b)/(3*b) - a/(3*b))*(a + b*coth(x)^2)^(3/2) - atan(((a + b)^(3/2)*(a + b*coth(x)^2)^(1/2)*1i)/(2*a*b + a^2 + b^2))*(a + b)^(3/2)*1i - (a + b)*((a + b)/b - a/b)*(a + b*coth(x)^2)^(1/2)

3.23 $\int \coth^2(x) (a + b \coth^2(x))^{3/2} dx$

Optimal. Leaf size=123

$$-\frac{(3a^2 + 12ab + 8b^2) \tanh^{-1}\left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right)}{8\sqrt{b}} + (a+b)^{3/2} \tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right) - \frac{1}{8}(5a+4b) \coth(x)$$

[Out] $(a+b)^{(3/2)}*\operatorname{arctanh}(\coth(x)*(a+b)^{(1/2)/(a+b*\coth(x)^2)^{(1/2))}-1/8*(3*a^2+12*a*b+8*b^2)*\operatorname{arctanh}(\coth(x)*b^{(1/2)/(a+b*\coth(x)^2)^{(1/2))}/b^{(1/2)}-1/8*(5*a+4*b)*\coth(x)*(a+b*\coth(x)^2)^{(1/2)}-1/4*b*\coth(x)^3*(a+b*\coth(x)^2)^{(1/2)}$

Rubi [A]

time = 0.17, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {3751, 488, 596, 537, 223, 212, 385}

$$-\frac{(3a^2 + 12ab + 8b^2) \tanh^{-1}\left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right)}{8\sqrt{b}} - \frac{1}{8}(5a + 4b) \coth(x) \sqrt{a + b \coth^2(x)} - \frac{1}{4}b \coth^3(x) \sqrt{a + b \coth^2(x)} + (a+b)^{3/2} \tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right)$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^2*(a + b*Coth[x]^2)^(3/2), x]

[Out] $-1/8*((3*a^2 + 12*a*b + 8*b^2)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Coth}[x])/\operatorname{Sqrt}[a + b*\operatorname{Coth}[x]^2]])/\operatorname{Sqrt}[b] + (a + b)^{(3/2)}*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a + b]*\operatorname{Coth}[x])/\operatorname{Sqrt}[a + b*\operatorname{Coth}[x]^2]] - ((5*a + 4*b)*\operatorname{Coth}[x]*\operatorname{Sqrt}[a + b*\operatorname{Coth}[x]^2])/8 - (b*\operatorname{Coth}[x]^3*\operatorname{Sqrt}[a + b*\operatorname{Coth}[x]^2])/4$

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 223

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b}

, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 488

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Simp[d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q - 1)/(b*e*(m + n*(p + q) + 1))), x] + Dist[1/(b*(m + n*(p + q) + 1)), Int[(e*x)^(m*(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*((c*b - a*d)*(m + 1) + c*b*n*(p + q)) + (d*(c*b - a*d)*(m + 1) + d*n*(q - 1)*(b*c - a*d) + c*b*d*n*(p + q))*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

Rule 537

Int[((e_) + (f_)*(x_)^(n_))/(((a_) + (b_)*(x_)^(n_))*Sqrt[(c_) + (d_)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

Rule 596

Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[f*g^(n - 1)*(g*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(b*d*(m + n*(p + q + 1) + 1))), x] - Dist[g^n/(b*d*(m + n*(p + q + 1) + 1)), Int[(g*x)^(m - n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m - n + 1) + (a*f*d*(m + n*q + 1) + b*(f*c*(m + n*p + 1) - e*d*(m + n*(p + q + 1) + 1)))*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && GtQ[m, n - 1]

Rule 3751

Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned}
\int \coth^2(x) (a + b \coth^2(x))^{3/2} dx &= \text{Subst} \left(\int \frac{x^2(a + bx^2)^{3/2}}{1 - x^2} dx, x, \coth(x) \right) \\
&= -\frac{1}{4}b \coth^3(x) \sqrt{a + b \coth^2(x)} - \frac{1}{4} \text{Subst} \left(\int \frac{x^2(-a(4a + 3b) - b(5a + 4b))}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \coth(x) \right) \\
&= -\frac{1}{8}(5a + 4b) \coth(x) \sqrt{a + b \coth^2(x)} - \frac{1}{4}b \coth^3(x) \sqrt{a + b \coth^2(x)} \\
&= -\frac{1}{8}(5a + 4b) \coth(x) \sqrt{a + b \coth^2(x)} - \frac{1}{4}b \coth^3(x) \sqrt{a + b \coth^2(x)} \\
&= -\frac{1}{8}(5a + 4b) \coth(x) \sqrt{a + b \coth^2(x)} - \frac{1}{4}b \coth^3(x) \sqrt{a + b \coth^2(x)} \\
&= -\frac{(3a^2 + 12ab + 8b^2) \tanh^{-1} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)}{8\sqrt{b}} + (a + b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)
\end{aligned}$$

Mathematica [A]

time = 0.67, size = 219, normalized size = 1.78

$$\frac{\sqrt{-a + b + (a + b) \cosh(2x)} \text{csch}^2(x) \left(-\sqrt{2} \sqrt{a + b} (3a^2 + 12ab + 8b^2) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{b} \coth(x)}{\sqrt{-a + b + (a + b) \cosh(2x)}} \right) + \sqrt{b} (8\sqrt{2} (a + b)^2 \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{a + b} \coth(x)}{\sqrt{-a + b + (a + b) \cosh(2x)}} \right) - \sqrt{a + b} \sqrt{-a + b + (a + b) \cosh(2x)} \coth(x) \text{csch}(x) (5a + 6b + 2b \text{csch}^2(x)) \right) \sinh(x)}{8\sqrt{2} \sqrt{b} \sqrt{a + b} \sqrt{-a + b + (a + b) \cosh(2x)}}$$

Antiderivative was successfully verified.

`[In] Integrate[Coth[x]^2*(a + b*Coth[x]^2)^(3/2), x]`

```
[Out] (Sqrt[(-a + b + (a + b)*Cosh[2*x])*Csch[x]^2]*(-(Sqrt[2]*Sqrt[a + b]*(3*a^2 + 12*a*b + 8*b^2)*ArcTanh[(Sqrt[2]*Sqrt[b]*Cosh[x])/Sqrt[-a + b + (a + b)*Cosh[2*x]]) + Sqrt[b]*(8*Sqrt[2]*(a + b)^2*ArcTanh[(Sqrt[2]*Sqrt[a + b]*Cosh[x])/Sqrt[-a + b + (a + b)*Cosh[2*x]]) - Sqrt[a + b]*Sqrt[-a + b + (a + b)*Cosh[2*x])*Coth[x]*Csch[x]*(5*a + 6*b + 2*b*Csch[x]^2))*Sinh[x])/(8*Sqrt[2]*Sqrt[b]*Sqrt[a + b]*Sqrt[-a + b + (a + b)*Cosh[2*x]])
```

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 528 vs. 2(101) = 202.

time = 0.63, size = 529, normalized size = 4.30 Too large to display

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(coth(x)^2*(a+b*coth(x)^2)^(3/2), x, method=_RETURNVERBOSE)`

```
[Out] -1/4*coth(x)*(a+b*coth(x)^2)^(3/2)-3/4*a*(1/2*coth(x)*(a+b*coth(x)^2)^(1/2)
+1/2*a/b^(1/2)*ln(b^(1/2)*coth(x)+(a+b*coth(x)^2)^(1/2)))+1/6*(b*(1+coth(x)
)^2-2*b*(1+coth(x))+a+b)^(3/2)-1/2*b*(1/4*(2*b*(1+coth(x))-2*b)/b*(b*(1+cot
h(x))^2-2*b*(1+coth(x))+a+b)^(1/2)+1/8*(4*b*(a+b)-4*b^2)/b^(3/2)*ln((b*(1+c
oth(x))-b)/b^(1/2)+(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)))+1/2*(a+b)*
((b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)-b^(1/2)*ln((b*(1+coth(x))-b)/b
^(1/2)+(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))-(a+b)^(1/2)*ln((2*a+2*b
-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)
/(1+coth(x)))))-1/6*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(3/2)-1/2*b*(1/4*(
2*b*(coth(x)-1)+2*b)/b*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)+1/8*(4*b
*(a+b)-4*b^2)/b^(3/2)*ln((b*(coth(x)-1)+b)/b^(1/2)+(b*(coth(x)-1)^2+2*b*(co
th(x)-1)+a+b)^(1/2)))-1/2*(a+b)*((b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2
)+b^(1/2)*ln((b*(coth(x)-1)+b)/b^(1/2)+(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b
)^(1/2))-(a+b)^(1/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-
1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1)))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^2*(a+b*coth(x)^2)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((b*coth(x)^2 + a)^(3/2)*coth(x)^2, x)
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 2260 vs. 2(101) = 202.

time = 0.77, size = 10286, normalized size = 83.63

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^2*(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")
```

```
[Out] [1/16*(4*((a*b + b^2)*cosh(x)^8 + 8*(a*b + b^2)*cosh(x)*sinh(x)^7 + (a*b +
b^2)*sinh(x)^8 - 4*(a*b + b^2)*cosh(x)^6 + 4*(7*(a*b + b^2)*cosh(x)^2 - a*b
- b^2)*sinh(x)^6 + 8*(7*(a*b + b^2)*cosh(x)^3 - 3*(a*b + b^2)*cosh(x))*sin
h(x)^5 + 6*(a*b + b^2)*cosh(x)^4 + 2*(35*(a*b + b^2)*cosh(x)^4 - 30*(a*b +
b^2)*cosh(x)^2 + 3*a*b + 3*b^2)*sinh(x)^4 + 8*(7*(a*b + b^2)*cosh(x)^5 - 10
*(a*b + b^2)*cosh(x)^3 + 3*(a*b + b^2)*cosh(x))*sinh(x)^3 - 4*(a*b + b^2)*c
osh(x)^2 + 4*(7*(a*b + b^2)*cosh(x)^6 - 15*(a*b + b^2)*cosh(x)^4 + 9*(a*b +
b^2)*cosh(x)^2 - a*b - b^2)*sinh(x)^2 + a*b + b^2 + 8*((a*b + b^2)*cosh(x)
^7 - 3*(a*b + b^2)*cosh(x)^5 + 3*(a*b + b^2)*cosh(x)^3 - (a*b + b^2)*cosh(x
))*sinh(x))*sqrt(a + b)*log(((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh
(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 + 2*(a*b^2 + 2*b^3)*cosh(x)^6 + 2*(
```

$$\begin{aligned}
& a*b^2 + 2*b^3 + 14*(a*b^2 + b^3)*\cosh(x)^2*\sinh(x)^6 + 4*(14*(a*b^2 + b^3) \\
& * \cosh(x)^3 + 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 \\
& + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + \\
& 6*b^3 + 30*(a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(\\
& x)^5 + 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(\\
& x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*\c \\
& osh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x)^6 + 15*(a*b^2 + 2*b^3)*\cosh(x)^4 - a \\
& ^3 + 3*a*b^2 + 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x) \\
& ^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6*b^2*\cosh(x))*\sinh(x)^5 + b^2*\sinh(x)^6 + 3*b \\
& ^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 + b^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 + 3 \\
& *b^2*\cosh(x))*\sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x) \\
& ^4 + 18*b^2*\cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 \\
& + 2*(3*b^2*\cosh(x)^5 + 6*b^2*\cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sin \\
& h(x))*\sqrt{a+b}*\sqrt{((a+b)*\cosh(x)^2 + (a+b)*\sinh(x)^2 - a + b)/(\cos \\
& h(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 + 3 \\
& *(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 - (a \\
& ^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + \\
& 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + \\
& 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + ((3*a^2 + 12*a*b + 8*b^2)*\cosh(x)^8 + 8 \\
& *(3*a^2 + 12*a*b + 8*b^2)*\cosh(x))*\sinh(x)^7 + (3*a^2 + 12*a*b + 8*b^2)*\sinh \\
& (x)^8 - 4*(3*a^2 + 12*a*b + 8*b^2)*\cosh(x)^6 + 4*(7*(3*a^2 + 12*a*b + 8*b^2) \\
&)*\cosh(x)^2 - 3*a^2 - 12*a*b - 8*b^2)*\sinh(x)^6 + 8*(7*(3*a^2 + 12*a*b + 8* \\
& b^2)*\cosh(x)^3 - 3*(3*a^2 + 12*a*b + 8*b^2)*\cosh(x))*\sinh(x)^5 + 6*(3*a^2 + \\
& 12*a*b + 8*b^2)*\cosh(x)^4 + 2*(35*(3*a^2 + 12*a*b + 8*b^2)*\cosh(x)^4 - 30* \\
& (3*a^2 + 12*a*b + 8*b^2)*\cosh(x)^2 + 9*a^2 + 36*a*b + 24*b^2)*\sinh(x)^4 + 8 \\
& *(7*(3*a^2 + 12*a*b + 8*b^2)*\cosh(x)^5 - 10*(3*a^2 + 12*a*b + 8*b^2)*\cosh(x) \\
&)^3 + 3*(3*a^2 + 12*a*b + 8*b^2)*\cosh(x))*\sinh(x)^3 - 4*(3*a^2 + 12*a*b + 8 \\
& *b^2)*\cosh(x)^2 + 4*(7*(3*a^2 + 12*a*b + 8*b^2)*\cosh(x)^6 - 15*(3*a^2 + 12* \\
& a*b + 8*b^2)*\cosh(x)^4 + 9*(3*a^2 + 12*a*b + 8*b^2)*\cosh(x)^2 - 3*a^2 - 12* \\
& a*b - 8*b^2)*\sinh(x)^2 + 3*a^2 + 12*a*b + 8*b^2 + 8*((3*a^2 + 12*a*b + 8*b^ \\
& 2)*\cosh(x)^7 - 3*(3*a^2 + 12*a*b + 8*b^2)*\cosh(x)^5 + 3*(3*a^2 + 12*a*b + 8 \\
& *b^2)*\cosh(x)^3 - (3*a^2 + 12*a*b + 8*b^2)*\cosh(x))*\sinh(x))*\sqrt{b}*\log(- \\
& (a + 2*b)*\cosh(x)^4 + 4*(a + 2*b)*\cosh(x))*\sinh(x)^3 + (a + 2*b)*\sinh(x)^4 - \\
& 2*(a - 2*b)*\cosh(x)^2 + 2*(3*(a + 2*b)*\cosh(x)^2 - a + 2*b)*\sinh(x)^2 - 2* \\
& \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{b}*\sqrt{((a + \\
& b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \\
& \sinh(x)^2))} + 4*((a + 2*b)*\cosh(x)^3 - (a - 2*b)*\cosh(x))*\sinh(x) + a + 2*b \\
&)/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x) \\
&)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x))*\sinh(x) + 1)) + 4*((a*b + b^2)* \\
& \cosh(x)^8 + 8*(a*b + b^2)*\cosh(x))*\sinh(x)^7 + (a*b + b^2)*\sinh(x)^8 - 4*(a* \\
& b + b^2)*\cosh(x)^6 + 4*(7*(a*b + b^2)*\cosh(x)^2 - a*b - b^2)*\sinh(x)^6 + 8* \\
& (7*(a*b + b^2)*\cosh(x)^3 - 3*(a*b + b^2)*\cosh(x))*\sinh(x)^5 + 6*(a*b + b^2) \\
& *\cosh(x)^4 + 2*(35*(a*b + b^2)*\cosh(x)^4 - 30*(a*b + b^2)*\cosh(x)^2 + 3*a*b \\
& + 3*b^2)*\sinh(x)^4 + 8*(7*(a*b + b^2)*\cosh(x)^5 - 10*(a*b + b^2)*\cosh(x)^3 \\
& + 3*(a*b + b^2)*\cosh(x))*\sinh(x)^3 - 4*(a*b + b^2)*\cosh(x)^2 + 4*(7*(a*b +
\end{aligned}$$

```

b^2)*cosh(x)^6 - 15*(a*b + b^2)*cosh(x)^4 + 9*(a*b + b^2)*cosh(x)^2 - a*b
- b^2)*sinh(x)^2 + a*b + b^2 + 8*((a*b + b^2)*cosh(x)^7 - 3*(a*b + b^2)*cos
h(x)^5 + 3*(a*b + b^2)*cosh(x)^3 - (a*b + b^2)*cosh(x))*sinh(x))*sqrt(a + b
)*log(-((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4
- 2*a*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a)*sinh(x)^2 + sqrt(2)*(cosh(x)
^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2
+ (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2))
+ 4*((a + b)*cosh(x)^3 - a*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)
*sinh(x) + sinh(x)^2)) - 2*sqrt(2)*((5*a*b + 6*b^2)*cosh(x)^6 + 6*(5*a*b +
6*b^2)*cosh(x)*sinh(x)^5 + (5*a*b + 6*b^2)*sinh(x)^6 - (5*a*b - 2*b^2)*cosh
(x)^4 + (15*(5*a*b + 6*b^2)*cosh(x)^2 - 5*a*b + ...

```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \coth^2(x))^{\frac{3}{2}} \coth^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)**2*(a+b*coth(x)**2)**(3/2),x)
```

```
[Out] Integral((a + b*coth(x)**2)**(3/2)*coth(x)**2, x)
```

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^2*(a+b*coth(x)^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx);OUTPUT:Warning, integration of abs or sign a
ssumes constant sign by intervals (correct if the argument is real):Check [
abs(ex

```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \coth(x)^2 (b \coth(x)^2 + a)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(x)^2*(a + b*coth(x)^2)^(3/2),x)
```

```
[Out] int(coth(x)^2*(a + b*coth(x)^2)^(3/2), x)
```

3.24 $\int \coth(x) (a + b \coth^2(x))^{3/2} dx$

Optimal. Leaf size=63

$$(a+b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right) - (a+b) \sqrt{a+b \coth^2(x)} - \frac{1}{3} (a+b \coth^2(x))^{3/2}$$

[Out] $(a+b)^{(3/2)} * \operatorname{arctanh}((a+b * \coth(x)^2)^{(1/2)} / (a+b)^{(1/2)}) - 1/3 * (a+b * \coth(x)^2)^{(3/2)} - (a+b) * (a+b * \coth(x)^2)^{(1/2)}$

Rubi [A]

time = 0.07, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3751, 455, 52, 65, 214}

$$-(a+b) \sqrt{a+b \coth^2(x)} - \frac{1}{3} (a+b \coth^2(x))^{3/2} + (a+b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Coth}[x] * (a + b * \operatorname{Coth}[x]^2)^{(3/2)}, x]$

[Out] $(a + b)^{(3/2)} * \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b * \operatorname{Coth}[x]^2] / \operatorname{Sqrt}[a + b]] - (a + b) * \operatorname{Sqrt}[a + b * \operatorname{Coth}[x]^2] - (a + b * \operatorname{Coth}[x]^2)^{(3/2)} / 3$

Rule 52

$\operatorname{Int}[(a_. + (b_.)(x_))^{(m_)} * ((c_.) + (d_.)(x_))^{(n_)}, x_Symbol] \rightarrow \operatorname{Simp}[(a + b*x)^{(m + 1)} * ((c + d*x)^n / (b*(m + n + 1))), x] + \operatorname{Dist}[n * ((b*c - a*d) / (b*(m + n + 1))), \operatorname{Int}[(a + b*x)^m * (c + d*x)^{(n - 1)}, x], x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 65

$\operatorname{Int}[(a_. + (b_.)(x_))^{(m_)} * ((c_.) + (d_.)(x_))^{(n_)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m + 1) - 1)} * (c - a*(d/b) + d*(x^{p/b})^n), x], x, (a + b*x)^{(1/p)}], x]] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 214

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 455

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]
```

Rule 3751

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned}
 \int \coth(x) (a + b \coth^2(x))^{3/2} dx &= \text{Subst} \left(\int \frac{x(a + bx^2)^{3/2}}{1 - x^2} dx, x, \coth(x) \right) \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{(a + bx)^{3/2}}{1 - x} dx, x, \coth^2(x) \right) \\
 &= -\frac{1}{3}(a + b \coth^2(x))^{3/2} + \frac{1}{2}(a + b) \text{Subst} \left(\int \frac{\sqrt{a + bx}}{1 - x} dx, x, \coth^2(x) \right) \\
 &= -(a + b) \sqrt{a + b \coth^2(x)} - \frac{1}{3}(a + b \coth^2(x))^{3/2} + \frac{1}{2}(a + b)^2 \text{Subst} \left(\int \frac{1}{1 - x} dx, x, \coth^2(x) \right) \\
 &= -(a + b) \sqrt{a + b \coth^2(x)} - \frac{1}{3}(a + b \coth^2(x))^{3/2} + \frac{(a + b)^2 \text{Subst} \left(\int \frac{1}{1 - x} dx, x, \coth^2(x) \right)}{2} \\
 &= (a + b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - (a + b) \sqrt{a + b \coth^2(x)} - \frac{1}{3}(a + b \coth^2(x))^{3/2}
 \end{aligned}$$

Mathematica [A]

time = 0.12, size = 59, normalized size = 0.94

$$(a+b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right) - \frac{1}{3} \sqrt{a+b \coth^2(x)} (4a+3b+b \coth^2(x))$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]*(a + b*Coth[x]^2)^(3/2), x]

[Out] (a + b)^(3/2)*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]] - (Sqrt[a + b*Coth[x]^2]*(4*a + 3*b + b*Coth[x]^2))/3

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 472 vs. 2(51) = 102.

time = 0.57, size = 473, normalized size = 7.51

method	result
derivativedivides	$-\frac{(b(1+\coth(x))^2-2b(1+\coth(x))+a+b)^{3/2}}{6} + \frac{b \left(\frac{(2b(1+\coth(x))-2b) \sqrt{b(1+\coth(x))^2-2b(1+\coth(x))}}{4b} \right)}{b}$
default	$-\frac{(b(1+\coth(x))^2-2b(1+\coth(x))+a+b)^{3/2}}{6} + \frac{b \left(\frac{(2b(1+\coth(x))-2b) \sqrt{b(1+\coth(x))^2-2b(1+\coth(x))}}{4b} \right)}{b}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)*(a+b*coth(x)^2)^(3/2), x, method=_RETURNVERBOSE)

[Out] -1/6*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(3/2)+1/2*b*(1/4*(2*b*(1+coth(x))-2*b)/b*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)+1/8*(4*b*(a+b)-4*b^2)/b^(3/2)*ln((b*(1+coth(x))-b)/b^(1/2)+(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))-1/2*(a+b)*((b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)-b^(1/2))*ln((b*(1+coth(x))-b)/b^(1/2)+(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))-(a+b)^(1/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x))))-1/6*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(3/2)-1/2*b*(1/4*(2*b*(coth(x)-1)+2*b)/b*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)+1/8*(4*b*(a+b)-4*b^2)/b^(3/2)*ln((b*(coth(x)-1)+b)/b^(1/2)+(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))-1/2*(a+b)*((b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)+b^(1/2))*ln((b*(coth(x)-1)+b)/b^(1/2)+(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))-(a+b)^(1/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1)))

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)*(a+b*coth(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate((b*coth(x)^2 + a)^(3/2)*coth(x), x)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 865 vs. 2(51) = 102.

time = 0.56, size = 2362, normalized size = 37.49

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)*(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")

[Out] [1/12*(3*((a + b)*cosh(x)^6 + 6*(a + b)*cosh(x)*sinh(x)^5 + (a + b)*sinh(x)^6 - 3*(a + b)*cosh(x)^4 + 3*(5*(a + b)*cosh(x)^2 - a - b)*sinh(x)^4 + 4*(5*(a + b)*cosh(x)^3 - 3*(a + b)*cosh(x))*sinh(x)^3 + 3*(a + b)*cosh(x)^2 + 3*(5*(a + b)*cosh(x)^4 - 6*(a + b)*cosh(x)^2 + a + b)*sinh(x)^2 + 6*((a + b)*cosh(x)^5 - 2*(a + b)*cosh(x)^3 + (a + b)*cosh(x))*sinh(x) - a - b)*sqrt(a + b)*log(-((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 - 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 - 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 - 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 - 15*(2*a^3 + a^2*b)*cosh(x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 - 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 - a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 - 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 - 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*cosh(x))^5 - 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 - 3*(2*a^3 + a^2*b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^3 - (2*a^3 + 3*a^2*b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + 3*((a + b)*cosh(x)^6 + 6*(a + b)*cosh(x)*sinh(x)^5 + (a

$$\begin{aligned}
& + b) \sinh(x)^6 - 3(a + b) \cosh(x)^4 + 3(5(a + b) \cosh(x)^2 - a - b) \sinh(x)^4 \\
& + 4(5(a + b) \cosh(x)^3 - 3(a + b) \cosh(x)) \sinh(x)^3 + 3(a + b) \cosh(x)^2 \\
& + 3(5(a + b) \cosh(x)^4 - 6(a + b) \cosh(x)^2 + a + b) \sinh(x)^2 \\
& + 6((a + b) \cosh(x)^5 - 2(a + b) \cosh(x)^3 + (a + b) \cosh(x)) \sinh(x) - a \\
& - b) \sqrt{a + b} \log(((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 \\
& + 2b \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + b) \sinh(x)^2 + \sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) \\
& + \sinh(x)^2 + 1) \sqrt{a + b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) \\
& + \sinh(x)^2)}) + 4((a + b) \cosh(x)^3 + b \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) \\
& + \sinh(x)^2)) - 16 \sqrt{2}((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 \\
& - (2a + b) \cosh(x)^2 + (6(a + b) \cosh(x)^2 - 2a - b) \sinh(x)^2 + 2(2(a + b) \cosh(x)^3 - (2a + b) \cosh(x)) \sinh(x) \\
& + a + b) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) \\
& + \sinh(x)^2))} / (\cosh(x)^6 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6 + 3(5 \cosh(x)^2 - 1) \sinh(x)^4 \\
& - 3 \cosh(x)^4 + 4(5 \cosh(x)^3 - 3 \cosh(x)) \sinh(x)^3 + 3(5 \cosh(x)^4 - 6 \cosh(x)^2 + 1) \sinh(x)^2 \\
& + 3 \cosh(x)^2 + 6(\cosh(x)^5 - 2 \cosh(x)^3 + \cosh(x)) \sinh(x) - 1), -1/6(3((a + b) \cosh(x)^6 \\
& + 6(a + b) \cosh(x) \sinh(x)^5 + (a + b) \sinh(x)^6 - 3(a + b) \cosh(x)^4 + 3(5(a + b) \cosh(x)^2 \\
& - a - b) \sinh(x)^4 + 4(5(a + b) \cosh(x)^3 - 3(a + b) \cosh(x)) \sinh(x)^3 + 3(a + b) \cosh(x)^2 \\
& + 3(5(a + b) \cosh(x)^4 - 6(a + b) \cosh(x)^2 + a + b) \sinh(x)^2 + 6((a + b) \cosh(x)^5 \\
& - 2(a + b) \cosh(x)^3 + (a + b) \cosh(x)) \sinh(x) - a - b) \sqrt{-a - b} \operatorname{arctan}(\sqrt{2}(a \cosh(x)^2 \\
& + 2a \cosh(x) \sinh(x) + a \sinh(x)^2 - a - b) \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 \\
& - a + b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a^2 + a*b) \cosh(x)^4 + 4(a^2 + a*b) \cosh(x) \sinh(x)^3 \\
& + (a^2 + a*b) \sinh(x)^4 - (2a^2 + a*b - b^2) \cosh(x)^2 + (6(a^2 + a*b) \cosh(x)^2 - 2a^2 - a*b \\
& + b^2) \sinh(x)^2 + a^2 + 2a*b + b^2 + 2(2(a^2 + a*b) \cosh(x)^3 - (2a^2 + a*b - b^2) \cosh(x)) \sinh(x)) \\
& + 3((a + b) \cosh(x)^6 + 6(a + b) \cosh(x) \sinh(x)^5 + (a + b) \sinh(x)^6 - 3(a + b) \cosh(x)^4 \\
& + 3(5(a + b) \cosh(x)^2 - a - b) \sinh(x)^4 + 4(5(a + b) \cosh(x)^3 - 3(a + b) \cosh(x)) \sinh(x)^3 \\
& + 3(a + b) \cosh(x)^2 + 3(5(a + b) \cosh(x)^4 - 6(a + b) \cosh(x)^2 + a + b) \sinh(x)^2 + 6((a + b) \cosh(x)^5 \\
& - 2(a + b) \cosh(x)^3 + (a + b) \cosh(x)) \sinh(x) - a - b) \sqrt{-a - b} \operatorname{arctan}(\sqrt{2} \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 \\
& + (a + b) \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a + b) \cosh(x)^2 \\
& + 2(a + b) \cosh(x) \sinh(x) + (a + b) \sinh(x)^2 + a + b)) + 8 \sqrt{2}((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x)^3 \\
& + (a + b) \sinh(x)^4 - (2a + b) \cosh(x)^2 + (6(a + b) \cosh(x)^2 - 2a - b) \sinh(x)^2 + 2(2(a + b) \cosh(x)^3 \\
& - (2a + b) \cosh(x)) \sinh(x) + a + b) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) \\
& + \sinh(x)^2)}) / (\cosh(x)^6 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6 + 3(5 \cosh(x)^2 - \dots
\end{aligned}$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \coth^2(x))^{\frac{3}{2}} \coth(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)*(a+b*coth(x)**2)**(3/2),x)

[Out] Integral((a + b*coth(x)**2)**(3/2)*coth(x), x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)*(a+b*coth(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx)::OUTPUT:Warning, integration of abs or sign a
ssumes constant sign by intervals (correct if the argument is real):Check [
abs(ex

Mupad [B]

time = 3.40, size = 64, normalized size = 1.02

$$\operatorname{atanh}\left(\frac{(a+b)^{3/2}\sqrt{b\coth(x)^2+a}}{a^2+2ab+b^2}\right) (a+b)^{3/2} - (a+b)\sqrt{b\coth(x)^2+a} - \frac{(b\coth(x)^2+a)^{3/2}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)*(a + b*coth(x)^2)^(3/2),x)

[Out] atanh(((a + b)^(3/2)*(a + b*coth(x)^2)^(1/2))/(2*a*b + a^2 + b^2))*(a + b)^(
3/2) - (a + b)*(a + b*coth(x)^2)^(1/2) - (a + b*coth(x)^2)^(3/2)/3

3.25 $\int (a + b \coth^2(x))^{3/2} dx$

Optimal. Leaf size=88

$$-\frac{1}{2}\sqrt{b}(3a+2b)\tanh^{-1}\left(\frac{\sqrt{b}\coth(x)}{\sqrt{a+b\coth^2(x)}}\right)+(a+b)^{3/2}\tanh^{-1}\left(\frac{\sqrt{a+b}\coth(x)}{\sqrt{a+b\coth^2(x)}}\right)-\frac{1}{2}b\coth(x)\sqrt{a+b\coth^2(x)}$$

[Out] (a+b)^(3/2)*arctanh(coth(x)*(a+b)^(1/2)/(a+b*coth(x)^2)^(1/2))-1/2*(3*a+2*b)*arctanh(coth(x)*b^(1/2)/(a+b*coth(x)^2)^(1/2))*b^(1/2)-1/2*b*coth(x)*(a+b*coth(x)^2)^(1/2)

Rubi [A]

time = 0.06, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3742, 427, 537, 223, 212, 385}

$$-\frac{1}{2}b\coth(x)\sqrt{a+b\coth^2(x)}+(a+b)^{3/2}\tanh^{-1}\left(\frac{\sqrt{a+b}\coth(x)}{\sqrt{a+b\coth^2(x)}}\right)-\frac{1}{2}\sqrt{b}(3a+2b)\tanh^{-1}\left(\frac{\sqrt{b}\coth(x)}{\sqrt{a+b\coth^2(x)}}\right)$$

Antiderivative was successfully verified.

[In] Int[(a + b*Coth[x]^2)^(3/2), x]

[Out] -1/2*(Sqrt[b]*(3*a + 2*b)*ArcTanh[(Sqrt[b]*Coth[x])/Sqrt[a + b*Coth[x]^2]]) + (a + b)^(3/2)*ArcTanh[(Sqrt[a + b]*Coth[x])/Sqrt[a + b*Coth[x]^2]] - (b*Coth[x]*Sqrt[a + b*Coth[x]^2])/2

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 223

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 427

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[d*x*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q - 1)/(b*(n*(p + q) + 1))),
x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp
[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q -
1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d,
0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a
, b, c, d, n, p, q, x]

```

Rule 537

```

Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x
_)^(n_)], x_Symbol] :> Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e
- a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d
, e, f, n}, x]

```

Rule 3742

```

Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :>
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])

```

Rubi steps

$$\begin{aligned}
\int (a + b \coth^2(x))^{3/2} dx &= \text{Subst} \left(\int \frac{(a + bx^2)^{3/2}}{1 - x^2} dx, x, \coth(x) \right) \\
&= -\frac{1}{2} b \coth(x) \sqrt{a + b \coth^2(x)} - \frac{1}{2} \text{Subst} \left(\int \frac{-a(2a + b) - b(3a + 2b)x^2}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \coth(x) \right) \\
&= -\frac{1}{2} b \coth(x) \sqrt{a + b \coth^2(x)} + (a + b)^2 \text{Subst} \left(\int \frac{1}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \coth(x) \right) \\
&= -\frac{1}{2} b \coth(x) \sqrt{a + b \coth^2(x)} + (a + b)^2 \text{Subst} \left(\int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} \right) \\
&= -\frac{1}{2} \sqrt{b} (3a + 2b) \tanh^{-1} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) + (a + b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)
\end{aligned}$$

Mathematica [A]

time = 0.44, size = 111, normalized size = 1.26

$$\frac{1}{2} \left(-2(-a-b)^{3/2} \operatorname{ArcTan} \left(\frac{\coth(x) \sqrt{a+b \coth^2(x)} - \sqrt{b} \operatorname{csch}^2(x)}{\sqrt{-a-b}} \right) - b \coth(x) \sqrt{a+b \coth^2(x)} + \sqrt{b} (3a+2b) \log \left(-\sqrt{b} \coth(x) + \sqrt{a+b \coth^2(x)} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Coth[x]^2)^(3/2), x]

[Out] (-2*(-a - b)^(3/2)*ArcTan[(Coth[x]*Sqrt[a + b*Coth[x]^2] - Sqrt[b]*Csch[x]^2)/Sqrt[-a - b]] - b*Coth[x]*Sqrt[a + b*Coth[x]^2] + Sqrt[b]*(3*a + 2*b)*Log[-(Sqrt[b]*Coth[x]) + Sqrt[a + b*Coth[x]^2]])/2

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 472 vs. 2(70) = 140.

time = 0.77, size = 473, normalized size = 5.38

method	result
derivativedivides	$\frac{(b(1+\coth(x))^2 - 2b(1+\coth(x)) + a + b)^{3/2}}{6} - \frac{b \left(\frac{(2b(1+\coth(x)) - 2b) \sqrt{b(1+\coth(x))^2 - 2b(1+\coth(x))}}{4b} \right)}{6}$
default	$\frac{(b(1+\coth(x))^2 - 2b(1+\coth(x)) + a + b)^{3/2}}{6} - \frac{b \left(\frac{(2b(1+\coth(x)) - 2b) \sqrt{b(1+\coth(x))^2 - 2b(1+\coth(x))}}{4b} \right)}{6}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*coth(x)^2)^(3/2), x, method=_RETURNVERBOSE)

[Out] 1/6*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(3/2)-1/2*b*(1/4*(2*b*(1+coth(x))-2*b)/b*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)+1/8*(4*b*(a+b)-4*b^2)/b^(3/2)*ln((b*(1+coth(x))-b)/b^(1/2)+(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)))+1/2*(a+b)*((b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)-b^(1/2)*ln((b*(1+coth(x))-b)/b^(1/2)+(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)))-(a+b)^(1/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x))))-1/6*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(3/2)-1/2*b*(1/4*(2*b*(coth(x)-1)+2*b)/b*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)+1/8*(4*b*(a+b)-4*b^2)/b^(3/2)*ln((b*(coth(x)-1)+b)/b^(1/2)+(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)))-1/2*(a+b)*((b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)+b^(1/2)*ln((b*(coth(x)-1)+b)/b^(1/2)+(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)))-(a+b)^(1/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1)))

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate((b*coth(x)^2 + a)^(3/2), x)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 947 vs. 2(70) = 140.

time = 0.56, size = 5037, normalized size = 57.24

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)^2)^(3/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 \\ & - 2*(a + b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - a - b)*\sinh(x)^2 + 4*((a + \\ & b)*\cosh(x)^3 - (a + b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a + b}*\log(((a*b^2 + \\ & b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x) \\ & ^8 + 2*(a*b^2 + 2*b^3)*\cosh(x)^6 + 2*(a*b^2 + 2*b^3 + 14*(a*b^2 + b^3)*\cosh \\ & (x)^2)*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 + 3*(a*b^2 + 2*b^3)*\cosh(x) \\ &))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3) \\ &)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 + 30*(a*b^2 + 2*b^3)*\cosh(x)^2) \\ & *\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 + 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + \\ & (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b \\ & ^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x) \\ &)^6 + 15*(a*b^2 + 2*b^3)*\cosh(x)^4 - a^3 + 3*a*b^2 + 2*b^3 + 3*(a^3 - a^2*b \\ & + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6*b^2*c \\ & osh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 + 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 + b \\ & ^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 + 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 - 2*a* \\ & b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 + 18*b^2*\cosh(x)^2 - a^2 + 2*a*b + \\ & 3*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*b^2*\cosh(x)^5 + 6*b^2*\cosh(x)^ \\ & 3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh \\ & (x)^2 + (a + b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^ \\ & 2)} + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 + 3*(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a \\ & ^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 - (a^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x) \\ &)/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3 \\ & *\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6) + (\\ & (3*a + 2*b)*\cosh(x)^4 + 4*(3*a + 2*b)*\cosh(x)*\sinh(x)^3 + (3*a + 2*b)*\sinh \\ & (x)^4 - 2*(3*a + 2*b)*\cosh(x)^2 + 2*(3*(3*a + 2*b)*\cosh(x)^2 - 3*a - 2*b)*\sinh \\ & (x)^2 + 4*((3*a + 2*b)*\cosh(x)^3 - (3*a + 2*b)*\cosh(x))*\sinh(x) + 3*a + 2 \end{aligned}$$

```

*b)*sqrt(b)*log(-((a + 2*b)*cosh(x)^4 + 4*(a + 2*b)*cosh(x)*sinh(x)^3 + (a
+ 2*b)*sinh(x)^4 - 2*(a - 2*b)*cosh(x)^2 + 2*(3*(a + 2*b)*cosh(x)^2 - a + 2
*b)*sinh(x)^2 - 2*sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*s
qrt(b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*
cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + 2*b)*cosh(x)^3 - (a - 2*b)*cosh(x))
*sinh(x) + a + 2*b)/(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cos
h(x)^2 - 1)*sinh(x)^2 - 2*cosh(x)^2 + 4*(cosh(x)^3 - cosh(x))*sinh(x) + 1))
+ ((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2
*(a + b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a - b)*sinh(x)^2 + 4*((a + b)
*cosh(x)^3 - (a + b)*cosh(x))*sinh(x) + a + b)*sqrt(a + b)*log(-((a + b)*co
sh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*a*cosh(x)^2 +
2*(3*(a + b)*cosh(x)^2 - a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sin
h(x) + sinh(x)^2 - 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)
^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(
x)^3 - a*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)
^2)) - 2*sqrt(2)*(b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 + b)*sqrt
(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sin
h(x) + sinh(x)^2)))/(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cos
h(x)^2 - 1)*sinh(x)^2 - 2*cosh(x)^2 + 4*(cosh(x)^3 - cosh(x))*sinh(x) + 1),
1/4*(2*((3*a + 2*b)*cosh(x)^4 + 4*(3*a + 2*b)*cosh(x)*sinh(x)^3 + (3*a + 2
*b)*sinh(x)^4 - 2*(3*a + 2*b)*cosh(x)^2 + 2*(3*(3*a + 2*b)*cosh(x)^2 - 3*a
- 2*b)*sinh(x)^2 + 4*((3*a + 2*b)*cosh(x)^3 - (3*a + 2*b)*cosh(x))*sinh(x)
+ 3*a + 2*b)*sqrt(-b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(
x)^2 + 1)*sqrt(-b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(co
sh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)*co
sh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*co
sh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 - (a - b)*cosh(x))*sinh(x)
) + a + b)) + ((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*si
nh(x)^4 - 2*(a + b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a - b)*sinh(x)^2 +
4*((a + b)*cosh(x)^3 - (a + b)*cosh(x))*sinh(x) + a + b)*sqrt(a + b)*log((
(a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)
*sinh(x)^8 + 2*(a*b^2 + 2*b^3)*cosh(x)^6 + 2*(a*b^2 + 2*b^3 + 14*(a*b^2 + b
^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 + 3*(a*b^2 + 2*b^3
)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b
^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 + 30*(a*b^2 + 2*b^3)*co
sh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 + 10*(a*b^2 + 2*b^3)*cos
h(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b
+ 3*a*b^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(14*(a*b^2 + b^3
)*cosh(x)^6 + 15*(a*b^2 + 2*b^3)*cosh(x)^4 - a^3 + 3*a*b^2 + 2*b^3 + 3*(a^3
- a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(b^2*cosh(x)^6 +
6*b^2*cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 + 3*b^...

```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \coth^2(x))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)**2)**(3/2),x)

[Out] Integral((a + b*coth(x)**2)**(3/2), x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx)::OUTPUT:Warning, integration of abs or sign a
 ssumes constant sign by intervals (correct if the argument is real):Check [
 abs(ex

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int (b \coth(x)^2 + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*coth(x)^2)^(3/2),x)

[Out] int((a + b*coth(x)^2)^(3/2), x)

3.26 $\int (a + b \coth^2(x))^{3/2} \tanh(x) dx$

Optimal. Leaf size=71

$$-a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}} \right) + (a+b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a+b}} \right) - b \sqrt{a + b \coth^2(x)}$$

[Out] $-a^{3/2} \operatorname{arctanh}((a+b \coth(x)^2)^{1/2}/a^{1/2}) + (a+b)^{3/2} \operatorname{arctanh}((a+b \coth(x)^2)^{1/2}/(a+b)^{1/2}) - b(a+b \coth(x)^2)^{1/2}$

Rubi [A]

time = 0.10, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {3751, 457, 86, 162, 65, 214}

$$a^{3/2} \left(-\tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}} \right) \right) - b \sqrt{a + b \coth^2(x)} + (a+b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a+b}} \right)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b \cdot \text{Coth}[x]^2)^{3/2} \cdot \text{Tanh}[x], x]$

[Out] $-(a^{3/2} \cdot \text{ArcTanh}[\text{Sqrt}[a + b \cdot \text{Coth}[x]^2]/\text{Sqrt}[a]]) + (a + b)^{3/2} \cdot \text{ArcTanh}[\text{Sqrt}[a + b \cdot \text{Coth}[x]^2]/\text{Sqrt}[a + b]] - b \cdot \text{Sqrt}[a + b \cdot \text{Coth}[x]^2]$

Rule 65

$\text{Int}[(a_. + (b_.)(x_.))^{(m_.)} \cdot ((c_.) + (d_.)(x_.))^{(n_.)}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p(m+1)-1)} \cdot (c - a(d/b) + d(x^p/b))^{1/p}], x], x, (a + b \cdot x)^{1/p}], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 86

$\text{Int}[(e_. + (f_.)(x_.))^{(p_.)} / ((a_.) + (b_.)(x_.)) \cdot ((c_.) + (d_.)(x_.)), x_Symbol] \rightarrow \text{Simp}[f \cdot (e + f \cdot x)^{(p-1)} / (b \cdot d \cdot (p-1)), x] + \text{Dist}[1/(b \cdot d), \text{Int}[(b \cdot d \cdot e^2 - a \cdot c \cdot f^2 + f \cdot (2 \cdot b \cdot d \cdot e - b \cdot c \cdot f - a \cdot d \cdot f) \cdot x) \cdot (e + f \cdot x)^{(p-2)} / ((a + b \cdot x) \cdot (c + d \cdot x))], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{GtQ}[p, 1]$

Rule 162

$\text{Int}[(e_. + (f_.)(x_.))^{(p_.)} \cdot ((g_.) + (h_.)(x_.)) / ((a_.) + (b_.)(x_.)) \cdot ((c_.) + (d_.)(x_.)), x_Symbol] \rightarrow \text{Dist}[(b \cdot g - a \cdot h) / (b \cdot c - a \cdot d), \text{Int}[(e + f \cdot x)^p / (a + b \cdot x), x], x] - \text{Dist}[(d \cdot g - c \cdot h) / (b \cdot c - a \cdot d), \text{Int}[(e + f \cdot x)^p / (c$

+ d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

Rule 214

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 457

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 3751

Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned}
 \int (a + b \coth^2(x))^{3/2} \tanh(x) dx &= \text{Subst} \left(\int \frac{(a + bx^2)^{3/2}}{x(1-x^2)} dx, x, \coth(x) \right) \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{(a + bx)^{3/2}}{(1-x)x} dx, x, \coth^2(x) \right) \\
 &= -b \sqrt{a + b \coth^2(x)} - \frac{1}{2} \text{Subst} \left(\int \frac{-a^2 + (-2a - b)bx}{(1-x)x\sqrt{a + bx}} dx, x, \coth^2(x) \right) \\
 &= -b \sqrt{a + b \coth^2(x)} + \frac{1}{2} a^2 \text{Subst} \left(\int \frac{1}{x\sqrt{a + bx}} dx, x, \coth^2(x) \right) + \frac{1}{2} (a + b) \text{Subst} \left(\int \frac{1}{\sqrt{a + bx}} dx, x, \coth^2(x) \right) \\
 &= -b \sqrt{a + b \coth^2(x)} + \frac{a^2 \text{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + b \coth^2(x)} \right)}{b} + \frac{(a + b) \text{Subst} \left(\int \frac{1}{\sqrt{a + bx}} dx, x, \coth^2(x) \right)}{2} \\
 &= -a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}} \right) + (a + b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right)
 \end{aligned}$$

Mathematica [A]

time = 0.04, size = 71, normalized size = 1.00

$$-a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}} \right) + (a + b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - b \sqrt{a + b \coth^2(x)}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*Coth[x]^2)^(3/2)*Tanh[x], x]`

```
[Out] -(a^(3/2)*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a]]) + (a + b)^(3/2)*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]] - b*Sqrt[a + b*Coth[x]^2]
```

Maple [F]

time = 1.93, size = 0, normalized size = 0.00

$$\int (a + b(\coth^2(x)))^{\frac{3}{2}} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*coth(x)^2)^(3/2)*tanh(x), x)``[Out] int((a+b*coth(x)^2)^(3/2)*tanh(x), x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*coth(x)^2)^(3/2)*tanh(x), x, algorithm="maxima")``[Out] integrate((b*coth(x)^2 + a)^(3/2)*tanh(x), x)`**Fricas [B]** Leaf count of result is larger than twice the leaf count of optimal. 641 vs. 2(57) = 114.

time = 0.52, size = 3949, normalized size = 55.62

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*coth(x)^2)^(3/2)*tanh(x), x, algorithm="fricas")`

```
[Out] [1/4*(((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x) + (a + b)*sinh(x)^2 - a - b)*sqrt(a + b)*log(-((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6 - 2*(2*a^
```



```
inh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*co
sh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 - 30*(2*a^3 + a^2*b)*cosh(x)^2)*sin
h(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 - 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*
a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 +
b^3 - 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6
- 15*(2*a^3 + a^2*b)*cosh(x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3*(6*a^3 + 4*a^2*b
- a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(
x)*sinh(x)^5 + a^2*sinh(x)^6 - 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 - a^2)*
sinh(x)^4 + 4*(5*a^2*cosh(x)^3 - 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b
- b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 - 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b
^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*cosh(x)^5 - 6*a^2*cosh(x)^3 +
(3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2
+ (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2))
+ 4*(2*(a^3 + a^2*b)*cosh(x)^7 - 3*(2*a^3 + a^2*b)*cosh(x)^5 + (6*a^3 + 4*a
^2*b - a*b^2 + b^3)*cosh(x)^3 - (2*a^3 + 3*a^2*b - b^3)*cosh(x))*sinh(x))/(
cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sin
h(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + ((a +
b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x) + (a + b)*sinh(x)^2 - a - b)*sqrt
(a + b)*log(((a + b)*cosh(x)^4 + 4*(a + b)*cosh...
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \coth^2(x))^{\frac{3}{2}} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)**2)**(3/2)*tanh(x), x)

[Out] Integral((a + b*coth(x)**2)**(3/2)*tanh(x), x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 470 vs. 2(57) = 114.

time = 3.57, size = 470, normalized size = 6.62

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)^2)^(3/2)*tanh(x), x, algorithm="giac")

[Out] -2*a^2*arctan(-1/2*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b))/sqrt(-a))*sgn(e^(2*x) - 1)/sqrt(-a) + 1/2*(a + b)^(3/2)*log(abs(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b)))*sgn(e^(2*x) - 1) - 1/2*(a + b)^(3/2)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b)))*sgn(e^(2*x) - 1

```

) - 1/2*(a^2 + 2*a*b + b^2)*log(abs(-(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x)
+ b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*(a + b) + sqrt(a + b)*(a
- b)))*sgn(e^(2*x) - 1)/sqrt(a + b) + 4*((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4
*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*b^2*sgn(e^(2*x) - 1)
+ sqrt(a + b)*b^2*sgn(e^(2*x) - 1))/((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x)
+ b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))^2 - 2*(sqrt(a + b)*e^(2*x)
) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*sqrt(a
+ b) + a - 3*b)

```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \tanh(x) (b \coth(x)^2 + a)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)*(a + b*coth(x)^2)^(3/2),x)

[Out] int(tanh(x)*(a + b*coth(x)^2)^(3/2), x)

3.27 $\int (a + b \coth^2(x))^{3/2} \tanh^2(x) dx$

Optimal. Leaf size=77

$$-b^{3/2} \tanh^{-1} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) + (a+b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) - a \sqrt{a + b \coth^2(x)} \tanh(x)$$

[Out] $-b^{(3/2)} * \operatorname{arctanh}(\coth(x) * b^{(1/2)} / (a + b * \coth(x)^2)^{(1/2)}) + (a + b)^{(3/2)} * \operatorname{arctanh}(\coth(x) * (a + b)^{(1/2)} / (a + b * \coth(x)^2)^{(1/2)}) - a * (a + b * \coth(x)^2)^{(1/2)} * \tanh(x)$

Rubi [A]

time = 0.09, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {3751, 485, 537, 223, 212, 385}

$$b^{3/2} \left(-\tanh^{-1} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) \right) + (a + b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) - a \tanh(x) \sqrt{a + b \coth^2(x)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b * \operatorname{Coth}[x]^2)^{(3/2)} * \operatorname{Tanh}[x]^2, x]$

[Out] $-(b^{(3/2)} * \operatorname{ArcTanh}[(\operatorname{Sqrt}[b] * \operatorname{Coth}[x]) / \operatorname{Sqrt}[a + b * \operatorname{Coth}[x]^2]]) + (a + b)^{(3/2)} * \operatorname{ArcTanh}[(\operatorname{Sqrt}[a + b] * \operatorname{Coth}[x]) / \operatorname{Sqrt}[a + b * \operatorname{Coth}[x]^2]] - a * \operatorname{Sqrt}[a + b * \operatorname{Coth}[x]^2] * \operatorname{Tanh}[x]$

Rule 212

$\operatorname{Int}[(a + b * x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1 / (\operatorname{Rt}[a, 2] * \operatorname{Rt}[-b, 2])) * \operatorname{ArcTanh}[\operatorname{Rt}[-b, 2] * (x / \operatorname{Rt}[a, 2])], x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 223

$\operatorname{Int}[1 / \operatorname{Sqrt}[a + b * x^2], x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1 / (1 - b * x^2), x], x, x / \operatorname{Sqrt}[a + b * x^2]] /;$ FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 385

$\operatorname{Int}[(a + b * x^n)^p / (c + d * x^n), x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1 / (c - (b * c - a * d) * x^n), x], x, x / (a + b * x^n)^{(1/n)}] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b * c - a * d, 0] && EqQ[n * p + 1, 0] && IntegerQ[n]

Rule 485

$\operatorname{Int}[(e * x)^m * (a + b * x^n)^p * (c + d * x^n)^q, x_Symbol] \rightarrow \operatorname{Simp}[c * (e * x)^{(m + 1)} * (a + b * x^n)^{(p + 1)} * (c + d * x^n)^q,$

```
(q - 1)/(a*e*(m + 1)), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a +
b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(c*b - a*d)*(m + 1) + c*n*(b*c*(p + 1)
+ a*d*(q - 1)) + d*((c*b - a*d)*(m + 1) + c*b*n*(p + q))*x^n, x], x] /
; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q,
1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 537

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*Sqrt[(c_) + (d_)*(x
_)^(n_)], x_Symbol] :> Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e
- a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d
, e, f, n}, x]
```

Rule 3751

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff
^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int (a + b \coth^2(x))^{3/2} \tanh^2(x) dx &= \text{Subst} \left(\int \frac{(a + bx^2)^{3/2}}{x^2(1-x^2)} dx, x, \coth(x) \right) \\
&= -a \sqrt{a + b \coth^2(x)} \tanh(x) + \text{Subst} \left(\int \frac{a(a + 2b) + b^2x^2}{(1-x^2)\sqrt{a + bx^2}} dx, x, \coth(x) \right) \\
&= -a \sqrt{a + b \coth^2(x)} \tanh(x) - b^2 \text{Subst} \left(\int \frac{1}{\sqrt{a + bx^2}} dx, x, \coth(x) \right) \\
&= -a \sqrt{a + b \coth^2(x)} \tanh(x) - b^2 \text{Subst} \left(\int \frac{1}{1 - bx^2} dx, x, \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} \right) \\
&= -b^{3/2} \tanh^{-1} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) + (a + b)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)
\end{aligned}$$

Mathematica [B] Leaf count is larger than twice the leaf count of optimal. 180 vs. 2(77) = 154.

time = 0.35, size = 180, normalized size = 2.34

$$\frac{\left(-\sqrt{2} b^{3/2} \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{2} \sqrt{b} \cosh(x)}{\sqrt{-a+b+(a+b) \cosh(2x)}}\right) \cosh(x) + \sqrt{2} (a+b)^2 \tanh^{-1}\left(\frac{\sqrt{2} \sqrt{a+b} \cosh(x)}{\sqrt{-a+b+(a+b) \cosh(2x)}}\right) \cosh(x) - a \sqrt{a+b} \sqrt{-a+b+(a+b) \cosh(2x)}\right) \sqrt{-a+b+(a+b) \cosh(2x)} \operatorname{csch}^2(x) \tanh(x)}{\sqrt{2} \sqrt{a+b} \sqrt{-a+b+(a+b) \cosh(2x)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Coth[x]^2)^(3/2)*Tanh[x]^2,x]

[Out] ((- (Sqrt[2]*b^(3/2)*Sqrt[a + b]*ArcTanh[(Sqrt[2]*Sqrt[b]*Cosh[x])/Sqrt[-a + b + (a + b)*Cosh[2*x]])*Cosh[x]) + Sqrt[2]*(a + b)^2*ArcTanh[(Sqrt[2]*Sqrt[a + b]*Cosh[x])/Sqrt[-a + b + (a + b)*Cosh[2*x]])*Cosh[x] - a*Sqrt[a + b]*Sqrt[-a + b + (a + b)*Cosh[2*x]])*Sqrt[(-a + b + (a + b)*Cosh[2*x])*Csch[x]^2]*Tanh[x])/(Sqrt[2]*Sqrt[a + b]*Sqrt[-a + b + (a + b)*Cosh[2*x]])

Maple [F]

time = 1.88, size = 0, normalized size = 0.00

$$\int (a + b(\operatorname{coth}^2(x)))^{\frac{3}{2}} (\tanh^2(x)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*coth(x)^2)^(3/2)*tanh(x)^2,x)

[Out] int((a+b*coth(x)^2)^(3/2)*tanh(x)^2,x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)^2)^(3/2)*tanh(x)^2,x, algorithm="maxima")

[Out] integrate((b*coth(x)^2 + a)^(3/2)*tanh(x)^2, x)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 695 vs. 2(63) = 126.

time = 0.53, size = 4025, normalized size = 52.27

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)^2)^(3/2)*tanh(x)^2,x, algorithm="fricas")

[Out] [1/4*((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x) + (a + b)*sinh(x)^2 + a + b)*sqrt(a + b)*log(((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 + 2*(a*b^2 + 2*b^3)*cosh(x)^6 + 2*(a*b^2

$$\begin{aligned} & \text{nh}(x)^5 + (a^3 - a^2b + 4ab^2 + 6b^3) \cosh(x)^4 + (70(a^2b^2 + b^3) \cos \\ & \text{h}(x)^4 + a^3 - a^2b + 4ab^2 + 6b^3 + 30(a^2b^2 + 2b^3) \cosh(x)^2) \sinh \\ & (x)^4 + 4(14(a^2b^2 + b^3) \cosh(x)^5 + 10(a^2b^2 + 2b^3) \cosh(x)^3 + (a^3 \\ & - a^2b + 4ab^2 + 6b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2b + 3ab^2 + \\ & b^3 - 2(a^3 - 3a^2b^2 - 2b^3) \cosh(x)^2 + 2(14(a^2b^2 + b^3) \cosh(x)^6 + \\ & 15(a^2b^2 + 2b^3) \cosh(x)^4 - a^3 + 3a^2b^2 + 2b^3 + 3(a^3 - a^2b + 4 \\ & ab^2 + 6b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2}(b^2 \cosh(x)^6 + 6b^2 \cosh(x) \\ &) \sinh(x)^5 + b^2 \sinh(x)^6 + 3b^2 \cosh(x)^4 + 3(5b^2 \cosh(x)^2 + b^2) \sinh \\ & (x)^4 + 4(5b^2 \cosh(x)^3 + 3b^2 \cosh(x)) \sinh(x)^3 - (a^2 - 2ab - 3 \\ & b^2) \cosh(x)^2 + (15b^2 \cosh(x)^4 + 18b^2 \cosh(x)^2 - a^2 + 2ab + 3b^2) \\ & \sinh(x)^2 + a^2 + 2ab + b^2 + 2(3b^2 \cosh(x)^5 + 6b^2 \cosh(x)^3 - (\\ & a^2 - 2ab - 3b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 \\ & + (a+b) \sinh(x)^2 - a+b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + \\ & 4(2(a^2b^2 + b^3) \cosh(x)^7 + 3(a^2b^2 + 2b^3) \cosh(x)^5 + (a^3 - a^2b \\ & + 4ab^2 + 6b^3) \cosh(x)^3 - (a^3 - 3a^2b^2 - 2b^3) \cosh(x)) \sinh(x)) / (\\ & \cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh \\ & (x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) + ((a + \\ & b) \cosh(x)^2 + 2(a+b) \cosh(x) \sinh(x) + (a+b) \sinh(x)^2 + a+b) \sqrt{a+b} \\ & \log(-((a+b) \cosh(x)^4 + 4(a+b) \cosh \dots \end{aligned}$$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)**2)**(3/2)*tanh(x)**2,x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*coth(x)^2)^(3/2)*tanh(x)^2,x, algorithm="giac")

[Out] sage0*x

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \tanh(x)^2 (b \coth(x)^2 + a)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^2*(a + b*coth(x)^2)^(3/2),x)

[Out] int(tanh(x)^2*(a + b*coth(x)^2)^(3/2), x)

3.28 $\int \sqrt{1 + \coth^2(x)} dx$

Optimal. Leaf size=31

$$-\sinh^{-1}(\coth(x)) + \sqrt{2} \tanh^{-1}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{1 + \coth^2(x)}}\right)$$

[Out] $-\operatorname{arcsinh}(\coth(x)) + \operatorname{arctanh}(\coth(x) * 2^{(1/2)} / (1 + \coth(x)^2)^{(1/2)}) * 2^{(1/2)}$

Rubi [A]

time = 0.02, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3742, 399, 221, 385, 212}

$$\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{\coth^2(x) + 1}}\right) - \sinh^{-1}(\coth(x))$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + Coth[x]^2], x]

[Out] -ArcSinh[Coth[x]] + Sqrt[2]*ArcTanh[(Sqrt[2]*Coth[x])/Sqrt[1 + Coth[x]^2]]

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[Rt[b, 2]*(x/Sqrt[a])]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 399

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Dist[b/d, Int[(a + b*x^n)^(p - 1), x], x] - Dist[(b*c - a*d)/d, Int[(a + b*x^n)^(p - 1)/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, p}, x] && NeQ[b*c - a*

d, 0] && EqQ[n*(p - 1) + 1, 0] && IntegerQ[n]

Rule 3742

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

Rubi steps

$$\begin{aligned}
\int \sqrt{1 + \coth^2(x)} \, dx &= \text{Subst} \left(\int \frac{\sqrt{1+x^2}}{1-x^2} \, dx, x, \coth(x) \right) \\
&= 2 \text{Subst} \left(\int \frac{1}{(1-x^2)\sqrt{1+x^2}} \, dx, x, \coth(x) \right) - \text{Subst} \left(\int \frac{1}{\sqrt{1+x^2}} \, dx, x, \coth(x) \right) \\
&= -\sinh^{-1}(\coth(x)) + 2 \text{Subst} \left(\int \frac{1}{1-2x^2} \, dx, x, \frac{\coth(x)}{\sqrt{1+\coth^2(x)}} \right) \\
&= -\sinh^{-1}(\coth(x)) + \sqrt{2} \tanh^{-1} \left(\frac{\sqrt{2} \coth(x)}{\sqrt{1+\coth^2(x)}} \right)
\end{aligned}$$

Mathematica [A]

time = 0.05, size = 60, normalized size = 1.94

$$\frac{\sqrt{1 + \coth^2(x)} \left(-\tanh^{-1} \left(\frac{\cosh(x)}{\sqrt{\cosh(2x)}} \right) + \sqrt{2} \log \left(\sqrt{2} \cosh(x) + \sqrt{\cosh(2x)} \right) \right) \sinh(x)}{\sqrt{\cosh(2x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + Coth[x]^2], x]

[Out] (Sqrt[1 + Coth[x]^2]*(-ArcTanh[Cosh[x]/Sqrt[Cosh[2*x]]) + Sqrt[2]*Log[Sqrt[2]*Cosh[x] + Sqrt[Cosh[2*x]]])*Sinh[x])/Sqrt[Cosh[2*x]]

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 96 vs. 2(25) = 50.

time = 0.95, size = 97, normalized size = 3.13

method	result
derivativedivides	$\frac{\sqrt{(1 + \coth(x))^2 - 2 \coth(x)}}{2} - \operatorname{arcsinh}(\coth(x)) - \frac{\sqrt{2} \operatorname{arctanh}\left(\frac{(2 - 2 \coth(x)) \sqrt{2}}{4 \sqrt{(1 + \coth(x))^2 - 2 \coth(x)}}\right)}{2}$
default	$\frac{\sqrt{(1 + \coth(x))^2 - 2 \coth(x)}}{2} - \operatorname{arcsinh}(\coth(x)) - \frac{\sqrt{2} \operatorname{arctanh}\left(\frac{(2 - 2 \coth(x)) \sqrt{2}}{4 \sqrt{(1 + \coth(x))^2 - 2 \coth(x)}}\right)}{2}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1+coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] 1/2*((1+coth(x))^2-2*coth(x))^(1/2)-arcsinh(coth(x))-1/2*2^(1/2)*arctanh(1/
4*(2-2*coth(x))*2^(1/2)/((1+coth(x))^2-2*coth(x))^(1/2))-1/2*((coth(x)-1)^2
+2*coth(x))^(1/2)+1/2*2^(1/2)*arctanh(1/4*(2+2*coth(x))*2^(1/2)/((coth(x)-1
)^2+2*coth(x))^(1/2))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+coth(x)^2)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(coth(x)^2 + 1), x)
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 683 vs. 2(25) = 50.

time = 0.36, size = 683, normalized size = 22.03

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+coth(x)^2)^(1/2),x, algorithm="fricas")
```

```
[Out] 1/4*sqrt(2)*log(2*(cosh(x)^8 + 8*cosh(x)*sinh(x)^7 + sinh(x)^8 + (28*cosh(x)
)^2 + 3)*sinh(x)^6 + 3*cosh(x)^6 + 2*(28*cosh(x)^3 + 9*cosh(x))*sinh(x)^5 +
5*(14*cosh(x)^4 + 9*cosh(x)^2 + 1)*sinh(x)^4 + 5*cosh(x)^4 + 4*(14*cosh(x)
^5 + 15*cosh(x)^3 + 5*cosh(x))*sinh(x)^3 + (28*cosh(x)^6 + 45*cosh(x)^4 + 3
0*cosh(x)^2 + 4)*sinh(x)^2 + 4*cosh(x)^2 + 2*(4*cosh(x)^7 + 9*cosh(x)^5 + 1
0*cosh(x)^3 + 4*cosh(x))*sinh(x) + (sqrt(2)*cosh(x)^6 + 6*sqrt(2)*cosh(x)*s
inh(x)^5 + sqrt(2)*sinh(x)^6 + 3*(5*sqrt(2)*cosh(x)^2 + sqrt(2))*sinh(x)^4
```

+ 3*sqrt(2)*cosh(x)^4 + 4*(5*sqrt(2)*cosh(x)^3 + 3*sqrt(2)*cosh(x))*sinh(x)^3 + (15*sqrt(2)*cosh(x)^4 + 18*sqrt(2)*cosh(x)^2 + 4*sqrt(2))*sinh(x)^2 + 4*sqrt(2)*cosh(x)^2 + 2*(3*sqrt(2)*cosh(x)^5 + 6*sqrt(2)*cosh(x)^3 + 4*sqrt(2)*cosh(x))*sinh(x) + 4*sqrt(2))*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4)/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + 1/4*sqrt(2)*log(-2*(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + (6*cosh(x)^2 - 1)*sinh(x)^2 - cosh(x)^2 + 2*(2*cosh(x)^3 - cosh(x))*sinh(x) + (sqrt(2)*cosh(x)^2 + 2*sqrt(2)*cosh(x)*sinh(x) + sqrt(2)*sinh(x)^2 - sqrt(2))*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 1)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)) - 1/2*log((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 2*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 1)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)) + 1/2*log((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 2*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 1)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2))

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{\coth^2(x) + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+coth(x)**2)**(1/2),x)

[Out] Integral(sqrt(coth(x)**2 + 1), x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 119 vs. 2(25) = 50.

time = 0.40, size = 119, normalized size = 3.84

$$\frac{1}{2}\sqrt{2} \left(\sqrt{2} \log \left(\frac{-2\sqrt{2} + 2\sqrt{e^{4x}+1} - 2e^{2x} + 2}{2(\sqrt{2} + \sqrt{e^{4x}+1} - e^{2x} + 1)} \right) + \log(\sqrt{e^{4x}+1} - e^{2x} + 1) - \log(\sqrt{e^{4x}+1} - e^{2x}) - \log(-\sqrt{e^{4x}+1} + e^{2x} + 1) \right) \operatorname{sgn}(e^{2x} - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+coth(x)^2)^(1/2),x, algorithm="giac")

[Out] 1/2*sqrt(2)*(sqrt(2)*log(1/2*abs(-2*sqrt(2) + 2*sqrt(e^(4*x) + 1) - 2*e^(2*x) + 2)/(sqrt(2) + sqrt(e^(4*x) + 1) - e^(2*x) + 1)) + log(sqrt(e^(4*x) + 1) - e^(2*x) + 1) - log(sqrt(e^(4*x) + 1) - e^(2*x)) - log(-sqrt(e^(4*x) + 1) + e^(2*x) + 1))*sgn(e^(2*x) - 1)

Mupad [B]

time = 1.34, size = 68, normalized size = 2.19

$$\frac{\sqrt{2} \left(\ln \left(\coth(x) + \sqrt{2} \sqrt{\coth(x)^2 + 1} + 1 \right) - \ln(\coth(x) - 1) \right)}{2} - \operatorname{asinh}(\coth(x)) + \frac{\sqrt{2} \left(\ln(\coth(x) + 1) - \ln \left(\sqrt{2} \sqrt{\coth(x)^2 + 1} - \coth(x) + 1 \right) \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((coth(x)^2 + 1)^(1/2),x)
```

```
[Out] (2^(1/2)*(log(coth(x) + 2^(1/2)*(coth(x)^2 + 1)^(1/2) + 1) - log(coth(x) - 1)))/2 - asinh(coth(x)) + (2^(1/2)*(log(coth(x) + 1) - log(2^(1/2)*(coth(x)^2 + 1)^(1/2) - coth(x) + 1)))/2
```


3.29 $\int \sqrt{-1 - \coth^2(x)} dx$

Optimal. Leaf size=45

$$\text{ArcTan}\left(\frac{\coth(x)}{\sqrt{-1 - \coth^2(x)}}\right) - \sqrt{2} \text{ArcTan}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{-1 - \coth^2(x)}}\right)$$

[Out] arctan(coth(x)/(-1-coth(x)^2)^(1/2))-arctan(coth(x)*2^(1/2)/(-1-coth(x)^2)^(1/2))*2^(1/2)

Rubi [A]

time = 0.02, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {3742, 399, 223, 209, 385}

$$\text{ArcTan}\left(\frac{\coth(x)}{\sqrt{-\coth^2(x) - 1}}\right) - \sqrt{2} \text{ArcTan}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{-\coth^2(x) - 1}}\right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-1 - Coth[x]^2], x]

[Out] ArcTan[Coth[x]/Sqrt[-1 - Coth[x]^2]] - Sqrt[2]*ArcTan[(Sqrt[2]*Coth[x])/Sqrt[-1 - Coth[x]^2]]

Rule 209

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*ArcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 223

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 399

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Dist[b/d, Int[(a + b*x^n)^(p - 1), x], x] - Dist[(b*c - a*d)/d, Int[(a + b*x^n)^(p - 1), x], x]

$n^{(p-1)/(c+d*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[n*(p-1) + 1, 0] \&\& \text{IntegerQ}[n]$

Rule 3742

$\text{Int}[(a_ + (b_)*(c_)*\tan[e_ + (f_)*(x_)])^{(n_)}^{(p_)}, x_Symbol] \rightarrow$
 $\text{With}\{\{ff = \text{FreeFactors}[\tan[e + f*x], x]\}, \text{Dist}[c*(ff/f), \text{Subst}[\text{Int}[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(\tan[e + f*x]/ff)], x]\} /; \text{FreeQ}\{a, b, c, e, f, n, p\}, x] \&\& (\text{IntegersQ}[n, p] \parallel \text{IGtQ}[p, 0] \parallel \text{EqQ}[n^2, 4] \parallel \text{EqQ}[n^2, 16])$

Rubi steps

$$\begin{aligned} \int \sqrt{-1 - \coth^2(x)} \, dx &= \text{Subst} \left(\int \frac{\sqrt{-1 - x^2}}{1 - x^2} \, dx, x, \coth(x) \right) \\ &= - \left(2 \text{Subst} \left(\int \frac{1}{\sqrt{-1 - x^2} (1 - x^2)} \, dx, x, \coth(x) \right) \right) + \text{Subst} \left(\int \frac{1}{\sqrt{-1 - x^2}} \, dx, x, \coth(x) \right) \\ &= - \left(2 \text{Subst} \left(\int \frac{1}{1 + 2x^2} \, dx, x, \frac{\coth(x)}{\sqrt{-1 - \coth^2(x)}} \right) \right) + \text{Subst} \left(\int \frac{1}{1 + x^2} \, dx, x, \frac{\coth(x)}{\sqrt{-1 - \coth^2(x)}} \right) \\ &= \tan^{-1} \left(\frac{\coth(x)}{\sqrt{-1 - \coth^2(x)}} \right) - \sqrt{2} \tan^{-1} \left(\frac{\sqrt{2} \coth(x)}{\sqrt{-1 - \coth^2(x)}} \right) \end{aligned}$$

Mathematica [A]

time = 0.03, size = 62, normalized size = 1.38

$$\frac{\sqrt{-1 - \coth^2(x)} \left(-\tanh^{-1} \left(\frac{\cosh(x)}{\sqrt{\cosh(2x)}} \right) + \sqrt{2} \log \left(\sqrt{2} \cosh(x) + \sqrt{\cosh(2x)} \right) \right) \sinh(x)}{\sqrt{\cosh(2x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-1 - Coth[x]^2], x]

[Out] (Sqrt[-1 - Coth[x]^2]*(-ArcTanh[Cosh[x]/Sqrt[Cosh[2*x]]) + Sqrt[2]*Log[Sqrt[2]*Cosh[x] + Sqrt[Cosh[2*x]])*Sinh[x])/Sqrt[Cosh[2*x]]

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 141 vs. 2(37) = 74.

time = 0.95, size = 142, normalized size = 3.16

method	result
derivativedivides	$\frac{\sqrt{-(1 + \coth(x))^2 + 2 \coth(x)}}{2} + \frac{\arctan\left(\frac{\coth(x)}{\sqrt{-(1 + \coth(x))^2 + 2 \coth(x)}}\right)}{2} - \frac{\sqrt{2} \operatorname{arctanh}\left(\frac{\coth(x)}{\sqrt{-(1 + \coth(x))^2 + 2 \coth(x)}}\right)}{2}$
default	$\frac{\sqrt{-(1 + \coth(x))^2 + 2 \coth(x)}}{2} + \frac{\arctan\left(\frac{\coth(x)}{\sqrt{-(1 + \coth(x))^2 + 2 \coth(x)}}\right)}{2} - \frac{\sqrt{2} \operatorname{arctanh}\left(\frac{\coth(x)}{\sqrt{-(1 + \coth(x))^2 + 2 \coth(x)}}\right)}{2}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-1-coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] 1/2*(-(1+coth(x))^2+2*coth(x))^(1/2)+1/2*arctan(coth(x)/(-(1+coth(x))^2+2*coth(x))^(1/2))-1/2*2^(1/2)*arctan(1/4*(-2+2*coth(x))*2^(1/2)/(-(1+coth(x))^2+2*coth(x))^(1/2))-1/2*(-(coth(x)-1)^2-2*coth(x))^(1/2)+1/2*arctan(coth(x)/(-(coth(x)-1)^2-2*coth(x))^(1/2))+1/2*2^(1/2)*arctan(1/4*(-2-2*coth(x))*2^(1/2)/(-(coth(x)-1)^2-2*coth(x))^(1/2))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1-coth(x)^2)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(-coth(x)^2 - 1), x)
```

Fricas [C] Result contains complex when optimal does not.

time = 0.35, size = 226, normalized size = 5.02

$-\frac{1}{4}\sqrt{2}\log(-(\sqrt{2}\sqrt{-2e^{4x}-2}+2e^{2x}))^{1/2})+\frac{1}{4}\sqrt{2}\log((\sqrt{2}\sqrt{-2e^{4x}-2}+2e^{2x}))^{1/2})+\frac{1}{4}\sqrt{2}\log(-2(\sqrt{-2e^{4x}-2}(e^{2x}+2)+\sqrt{2}e^{2x}+\sqrt{2}\sqrt{-2e^{4x}-2})^{1/2})-\frac{1}{4}\sqrt{2}\log(-2(\sqrt{-2e^{4x}-2}(e^{2x}+2)-\sqrt{2}e^{2x}-\sqrt{2}\sqrt{-2e^{4x}-2})^{1/2})+\frac{1}{4}\log(-4(1+\sqrt{-2e^{4x}-2}+e^{2x}))-\frac{1}{4}\log(-4(-1+\sqrt{-2e^{4x}-2}+e^{2x}))$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1-coth(x)^2)^(1/2),x, algorithm="fricas")
```

```
[Out] -1/4*sqrt(-2)*log(-(sqrt(-2)*sqrt(-2*e^(4*x) - 2) + 2*e^(2*x) - 2)*e^(-2*x)) + 1/4*sqrt(-2)*log((sqrt(-2)*sqrt(-2*e^(4*x) - 2) - 2*e^(2*x) + 2)*e^(-2*x)) + 1/4*sqrt(-2)*log(-2*(sqrt(-2*e^(4*x) - 2)*(e^(2*x) + 2) + sqrt(-2)*e^(4*x) + sqrt(-2)*e^(2*x) + 2*sqrt(-2))*e^(-4*x)) - 1/4*sqrt(-2)*log(-2*(sqrt(-2*e^(4*x) - 2)*(e^(2*x) + 2) - sqrt(-2)*e^(4*x) - sqrt(-2)*e^(2*x) - 2*sqrt(-2))*e^(-4*x)) + 1/2*I*log(-4*(I*sqrt(-2*e^(4*x) - 2) + e^(2*x) + 1)*e^(-2*x)) - 1/2*I*log(-4*(-I*sqrt(-2*e^(4*x) - 2) + e^(2*x) + 1)*e^(-2*x))
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-\coth^2(x) - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-coth(x)**2)**(1/2), x)

[Out] Integral(sqrt(-coth(x)**2 - 1), x)

Giac [C] Result contains complex when optimal does not.

time = 0.41, size = 124, normalized size = 2.76

$$-\frac{1}{2}\sqrt{2} \left(i\sqrt{2} \log \left(\frac{-2\sqrt{2} + 2\sqrt{e^{4x}+1} - 2e^{2x} + 2}{2(\sqrt{2} + \sqrt{e^{4x}+1} - e^{2x} + 1)} \right) + i \log(\sqrt{e^{4x}+1} - e^{2x} + 1) - i \log(\sqrt{e^{4x}+1} - e^{2x}) - i \log(-\sqrt{e^{4x}+1} + e^{2x} + 1) \right) \operatorname{sgn}(-e^{2x} + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-coth(x)^2)^(1/2), x, algorithm="giac")

[Out] $-1/2*\sqrt{2}*(I*\sqrt{2}*\log(1/2*\operatorname{abs}(-2*\sqrt{2} + 2*\sqrt{e^{4x} + 1} - 2*e^{2x} + 2)/(\sqrt{2} + \sqrt{e^{4x} + 1} - e^{2x} + 1)) + I*\log(\sqrt{e^{4x} + 1} - e^{2x} + 1) - e^{2x} + 1) - I*\log(\sqrt{e^{4x} + 1} - e^{2x}) - I*\log(-\sqrt{e^{4x} + 1} + e^{2x} + 1))*\operatorname{sgn}(-e^{2x} + 1)$

Mupad [B]

time = 1.30, size = 43, normalized size = 0.96

$$-\sqrt{2} \operatorname{atan} \left(\frac{\sqrt{2} \coth(x)}{\sqrt{-\coth(x)^2 - 1}} \right) - \ln \left(\coth(x) - \sqrt{-\coth(x)^2 - 1} \right) \operatorname{li}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((- coth(x)^2 - 1)^(1/2), x)

[Out] $-\log(\coth(x) - (-\coth(x)^2 - 1)^{1/2}) * \operatorname{li} - 2^{1/2} * \operatorname{atan}(2^{1/2} * \coth(x)) / (-\coth(x)^2 - 1)^{1/2}$

3.30 $\int (1 + \coth^2(x))^{3/2} dx$

Optimal. Leaf size=50

$$-\frac{5}{2} \sinh^{-1}(\coth(x)) + 2\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{1 + \coth^2(x)}}\right) - \frac{1}{2} \coth(x) \sqrt{1 + \coth^2(x)}$$

[Out] $-5/2*\operatorname{arcsinh}(\coth(x))+2*\operatorname{arctanh}(\coth(x)*2^{(1/2)}/(1+\coth(x)^2)^{(1/2}))*2^{(1/2)}-1/2*\coth(x)*(1+\coth(x)^2)^{(1/2)}$

Rubi [A]

time = 0.03, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {3742, 427, 537, 221, 385, 212}

$$-\frac{1}{2} \coth(x) \sqrt{\coth^2(x) + 1} + 2\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{\coth^2(x) + 1}}\right) - \frac{5}{2} \sinh^{-1}(\coth(x))$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(1 + \operatorname{Coth}[x]^2)^{(3/2)}, x]$

[Out] $(-5*\operatorname{ArcSinh}[\operatorname{Coth}[x]])/2 + 2*\operatorname{Sqrt}[2]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Coth}[x])/\operatorname{Sqrt}[1 + \operatorname{Coth}[x]^2]] - (\operatorname{Coth}[x]*\operatorname{Sqrt}[1 + \operatorname{Coth}[x]^2])/2$

Rule 212

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]))*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*(x/\operatorname{Rt}[a, 2])], x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 221

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_ + (b_)*(x_)^2)], x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSinh}[\operatorname{Rt}[b, 2]*(x/\operatorname{Sqrt}[a])]/\operatorname{Rt}[b, 2], x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{GtQ}[a, 0] \ \&\& \operatorname{PosQ}[b]$

Rule 385

$\operatorname{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}/((c_ + (d_)*(x_)^{(n_)}), x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] /; \operatorname{FreeQ}\{a, b, c, d\}, x \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{EqQ}[n*p + 1, 0] \ \&\& \operatorname{IntegerQ}[n]$

Rule 427

$\operatorname{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)*((c_ + (d_)*(x_)^{(n_)})^{(q_)}), x_Symbol] \rightarrow \operatorname{Simp}[d*x*(a + b*x^n)^{(p+1)}*((c + d*x^n)^{(q-1)}/(b*(n*(p+q)+1))],$

```
x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp
[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q -
1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d,
0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a
, b, c, d, n, p, q, x]
```

Rule 537

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x
_)^(n_)], x_Symbol] := Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e
- a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d
, e, f, n}, x]
```

Rule 3742

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

Rubi steps

$$\begin{aligned}
\int (1 + \coth^2(x))^{3/2} dx &= \text{Subst} \left(\int \frac{(1 + x^2)^{3/2}}{1 - x^2} dx, x, \coth(x) \right) \\
&= -\frac{1}{2} \coth(x) \sqrt{1 + \coth^2(x)} - \frac{1}{2} \text{Subst} \left(\int \frac{-3 - 5x^2}{(1 - x^2) \sqrt{1 + x^2}} dx, x, \coth(x) \right) \\
&= -\frac{1}{2} \coth(x) \sqrt{1 + \coth^2(x)} - \frac{5}{2} \text{Subst} \left(\int \frac{1}{\sqrt{1 + x^2}} dx, x, \coth(x) \right) + 4 \text{Subst} \left(\int \frac{1}{1 - 2x^2} dx, x, \frac{\coth(x)}{\sqrt{1 + \coth^2(x)}} \right) \\
&= -\frac{5}{2} \sinh^{-1}(\coth(x)) - \frac{1}{2} \coth(x) \sqrt{1 + \coth^2(x)} + 4 \text{Subst} \left(\int \frac{1}{1 - 2x^2} dx, x, \frac{\coth(x)}{\sqrt{1 + \coth^2(x)}} \right) \\
&= -\frac{5}{2} \sinh^{-1}(\coth(x)) + 2\sqrt{2} \tanh^{-1} \left(\frac{\sqrt{2} \coth(x)}{\sqrt{1 + \coth^2(x)}} \right) - \frac{1}{2} \coth(x) \sqrt{1 + \coth^2(x)}
\end{aligned}$$

Mathematica [B] Leaf count is larger than twice the leaf count of optimal. 116 vs. 2(50) = 100.

time = 0.23, size = 116, normalized size = 2.32

$$-\frac{1}{8}(1 + \coth^2(x))^{3/2} \text{sech}^2(2x) \left(16 \tanh^{-1} \left(\frac{\cosh(x)}{\sqrt{\cosh(2x)}} \right) \sqrt{\cosh(2x)} \sinh^3(x) + 4 \left(\text{ArcTan} \left(\frac{\cosh(x)}{\sqrt{-\cosh(2x)}} \right) \sqrt{-\cosh(2x)} - 4\sqrt{2} \sqrt{\cosh(2x)} \log \left(\sqrt{2} \cosh(x) + \sqrt{\cosh(2x)} \right) \right) \sinh^3(x) + \sinh(4x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Coth[x]^2)^(3/2), x]

[Out] $-1/8*((1 + \text{Coth}[x]^2)^{3/2}*\text{Sech}[2*x]^2*(16*\text{ArcTan}[\text{Cosh}[x]/\text{Sqrt}[\text{Cosh}[2*x]]]*\text{Sqrt}[\text{Cosh}[2*x]]*\text{Sinh}[x]^3 + 4*(\text{ArcTan}[\text{Cosh}[x]/\text{Sqrt}[-\text{Cosh}[2*x]])*\text{Sqrt}[-\text{Cosh}[2*x]] - 4*\text{Sqrt}[2]*\text{Sqrt}[\text{Cosh}[2*x]]*\text{Log}[\text{Sqrt}[2]*\text{Cosh}[x] + \text{Sqrt}[\text{Cosh}[2*x]]])*\text{Sinh}[x]^3 + \text{Sinh}[4*x]))$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 157 vs. $2(38) = 76$.

time = 0.83, size = 158, normalized size = 3.16

method	result
derivativedivides	$-\frac{((\coth(x)-1)^2+2\coth(x))^{\frac{3}{2}}}{6} - \frac{\coth(x)\sqrt{(\coth(x)-1)^2+2\coth(x)}}{4} - \frac{5\operatorname{arcsinh}(\coth(x))}{2} - \sqrt{(\coth(x)-1)^2+2\coth(x)}$
default	$-\frac{((\coth(x)-1)^2+2\coth(x))^{\frac{3}{2}}}{6} - \frac{\coth(x)\sqrt{(\coth(x)-1)^2+2\coth(x)}}{4} - \frac{5\operatorname{arcsinh}(\coth(x))}{2} - \sqrt{(\coth(x)-1)^2+2\coth(x)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+coth(x)^2)^(3/2), x, method=_RETURNVERBOSE)

[Out] $-1/6*((\coth(x)-1)^2+2*\coth(x))^{3/2}-1/4*\coth(x)*((\coth(x)-1)^2+2*\coth(x))^{1/2}-5/2*\operatorname{arcsinh}(\coth(x))-((\coth(x)-1)^2+2*\coth(x))^{1/2}+2^{1/2}*\operatorname{arctanh}(1/4*(2+2*\coth(x))*2^{1/2}/((\coth(x)-1)^2+2*\coth(x))^{1/2}))+1/6*((1+\coth(x))^{2-2*\coth(x)})^{3/2}-1/4*\coth(x)*((1+\coth(x))^{2-2*\coth(x)})^{1/2}+((1+\coth(x))^{2-2*\coth(x)})^{1/2}-2^{1/2}*\operatorname{arctanh}(1/4*(2-2*\coth(x))*2^{1/2}/((1+\coth(x))^{2-2*\coth(x)})^{1/2}))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+coth(x)^2)^(3/2), x, algorithm="maxima")

[Out] integrate((coth(x)^2 + 1)^(3/2), x)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 1043 vs. $2(38) = 76$.

time = 0.40, size = 1043, normalized size = 20.86

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+coth(x)^2)^(3/2),x, algorithm="fricas")
```

```
[Out] 1/4*(2*(sqrt(2)*cosh(x)^4 + 4*sqrt(2)*cosh(x)*sinh(x)^3 + sqrt(2)*sinh(x)^4
+ 2*(3*sqrt(2)*cosh(x)^2 - sqrt(2))*sinh(x)^2 - 2*sqrt(2)*cosh(x)^2 + 4*(s
qrt(2)*cosh(x)^3 - sqrt(2)*cosh(x))*sinh(x) + sqrt(2))*log(2*(cosh(x)^8 + 8
*cosh(x)*sinh(x)^7 + sinh(x)^8 + (28*cosh(x)^2 + 3)*sinh(x)^6 + 3*cosh(x)^6
+ 2*(28*cosh(x)^3 + 9*cosh(x))*sinh(x)^5 + 5*(14*cosh(x)^4 + 9*cosh(x)^2 +
1)*sinh(x)^4 + 5*cosh(x)^4 + 4*(14*cosh(x)^5 + 15*cosh(x)^3 + 5*cosh(x))*s
inh(x)^3 + (28*cosh(x)^6 + 45*cosh(x)^4 + 30*cosh(x)^2 + 4)*sinh(x)^2 + 4*c
osh(x)^2 + 2*(4*cosh(x)^7 + 9*cosh(x)^5 + 10*cosh(x)^3 + 4*cosh(x))*sinh(x)
+ (sqrt(2)*cosh(x)^6 + 6*sqrt(2)*cosh(x)*sinh(x)^5 + sqrt(2)*sinh(x)^6 + 3
*(5*sqrt(2)*cosh(x)^2 + sqrt(2))*sinh(x)^4 + 3*sqrt(2)*cosh(x)^4 + 4*(5*sq
rt(2)*cosh(x)^3 + 3*sqrt(2)*cosh(x))*sinh(x)^3 + (15*sqrt(2)*cosh(x)^4 + 18*
sqrt(2)*cosh(x)^2 + 4*sqrt(2))*sinh(x)^2 + 4*sqrt(2)*cosh(x)^2 + 2*(3*sqrt(
2)*cosh(x)^5 + 6*sqrt(2)*cosh(x)^3 + 4*sqrt(2)*cosh(x))*sinh(x) + 4*sqrt(2)
)*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2))
+ 4)/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)
)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6))
+ 2*(sqrt(2)*cosh(x)^4 + 4*sqrt(2)*cosh(x)*sinh(x)^3 + sqrt(2)*sinh(x)^4 +
2*(3*sqrt(2)*cosh(x)^2 - sqrt(2))*sinh(x)^2 - 2*sqrt(2)*cosh(x)^2 + 4*(sqrt
(2)*cosh(x)^3 - sqrt(2)*cosh(x))*sinh(x) + sqrt(2))*log(-2*(cosh(x)^4 + 4*c
osh(x)*sinh(x)^3 + sinh(x)^4 + (6*cosh(x)^2 - 1)*sinh(x)^2 - cosh(x)^2 + 2*
(2*cosh(x)^3 - cosh(x))*sinh(x) + (sqrt(2)*cosh(x)^2 + 2*sqrt(2)*cosh(x)*si
nh(x) + sqrt(2)*sinh(x)^2 - sqrt(2))*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^
2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 1)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + s
inh(x)^2)) - 5*(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^
2 - 1)*sinh(x)^2 - 2*cosh(x)^2 + 4*(cosh(x)^3 - cosh(x))*sinh(x) + 1)*log((
cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 2*sqrt((cosh(x)^2 + sinh(x)^2)/
(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 1)/(cosh(x)^2 + 2*cosh(x)*si
nh(x) + sinh(x)^2)) + 5*(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3
*cosh(x)^2 - 1)*sinh(x)^2 - 2*cosh(x)^2 + 4*(cosh(x)^3 - cosh(x))*sinh(x) +
1)*log((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 2*sqrt((cosh(x)^2 + si
nh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 1)/(cosh(x)^2 + 2*c
osh(x)*sinh(x) + sinh(x)^2)) - 4*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2
+ 1)*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)
^2)))/(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 - 1)*si
nh(x)^2 - 2*cosh(x)^2 + 4*(cosh(x)^3 - cosh(x))*sinh(x) + 1)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (\coth^2(x) + 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+coth(x)**2)**(3/2),x)

[Out] Integral((coth(x)**2 + 1)**(3/2), x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 265 vs. 2(38) = 76.

time = 0.41, size = 265, normalized size = 5.30

$$\frac{1}{4}\sqrt{2}\left(5\sqrt{2}\log\left(\frac{-2\sqrt{2}+2\sqrt{\coth(x)^2+1}-2e^{2x}+2}{2(\sqrt{2}+\sqrt{\coth(x)^2+1}-e^{2x})}\right)\operatorname{sgn}(e^{2x}-1)+4\log(\sqrt{\coth(x)^2+1}-e^{2x})\operatorname{sgn}(e^{2x}-1)-4\log(\sqrt{\coth(x)^2+1}-e^{2x})\operatorname{sgn}(e^{2x}-1)-4\log(-\sqrt{\coth(x)^2+1}+e^{2x})\operatorname{sgn}(e^{2x}-1)-\frac{4\left(2(\sqrt{\coth(x)^2+1}-e^{2x})^3\operatorname{sgn}(e^{2x}-1)+(\sqrt{\coth(x)^2+1}-e^{2x})^4\operatorname{sgn}(e^{2x}-1)-(\sqrt{\coth(x)^2+1}-e^{2x})\operatorname{sgn}(e^{2x}-1)+\operatorname{sgn}(e^{2x}-1)\right)}{\left((\sqrt{\coth(x)^2+1}-e^{2x})^2+2\sqrt{\coth(x)^2+1}-2e^{2x}-1\right)^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+coth(x)^2)^(3/2),x, algorithm="giac")

[Out] 1/4*sqrt(2)*(5*sqrt(2)*log(1/2*abs(-2*sqrt(2) + 2*sqrt(e^(4*x) + 1) - 2*e^(2*x) + 2)/(sqrt(2) + sqrt(e^(4*x) + 1) - e^(2*x) + 1))*sgn(e^(2*x) - 1) + 4*log(sqrt(e^(4*x) + 1) - e^(2*x) + 1)*sgn(e^(2*x) - 1) - 4*log(sqrt(e^(4*x) + 1) - e^(2*x))*sgn(e^(2*x) - 1) - 4*log(-sqrt(e^(4*x) + 1) + e^(2*x) + 1)*sgn(e^(2*x) - 1) - 4*(3*(sqrt(e^(4*x) + 1) - e^(2*x))^3*sgn(e^(2*x) - 1) + (sqrt(e^(4*x) + 1) - e^(2*x))^2*sgn(e^(2*x) - 1) - (sqrt(e^(4*x) + 1) - e^(2*x))*sgn(e^(2*x) - 1) + sgn(e^(2*x) - 1))/(sqrt(e^(4*x) + 1) - e^(2*x))^2 + 2*sqrt(e^(4*x) + 1) - 2*e^(2*x) - 1)^2)

Mupad [B]

time = 1.39, size = 78, normalized size = 1.56

$$\sqrt{2}\left(\ln\left(\coth(x)+\sqrt{2}\sqrt{\coth(x)^2+1}+1\right)-\ln(\coth(x)-1)\right)-\frac{\coth(x)\sqrt{\coth(x)^2+1}}{2}-\frac{5\operatorname{asinh}(\coth(x))}{2}+\sqrt{2}\left(\ln(\coth(x)+1)-\ln\left(\sqrt{2}\sqrt{\coth(x)^2+1}-\coth(x)+1\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((coth(x)^2 + 1)^(3/2),x)

[Out] 2^(1/2)*(log(coth(x) + 2^(1/2)*(coth(x)^2 + 1)^(1/2) + 1) - log(coth(x) - 1)) - (coth(x)*(coth(x)^2 + 1)^(1/2))/2 - (5*asinh(coth(x)))/2 + 2^(1/2)*(log(coth(x) + 1) - log(2^(1/2)*(coth(x)^2 + 1)^(1/2) - coth(x) + 1))

3.31 $\int (-1 - \coth^2(x))^{3/2} dx$

Optimal. Leaf size=67

$$-\frac{5}{2} \operatorname{ArcTan}\left(\frac{\coth(x)}{\sqrt{-1 - \coth^2(x)}}\right) + 2\sqrt{2} \operatorname{ArcTan}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{-1 - \coth^2(x)}}\right) + \frac{1}{2} \coth(x) \sqrt{-1 - \coth^2(x)}$$

[Out] $-5/2*\arctan(\coth(x)/(-1-\coth(x)^2)^{(1/2)})+2*\arctan(\coth(x)*2^{(1/2)/(-1-\coth(x)^2)^{(1/2)})*2^{(1/2)}+1/2*\coth(x)*(-1-\coth(x)^2)^{(1/2)}$

Rubi [A]

time = 0.03, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3742, 427, 537, 223, 209, 385}

$$-\frac{5}{2} \operatorname{ArcTan}\left(\frac{\coth(x)}{\sqrt{-\coth^2(x) - 1}}\right) + 2\sqrt{2} \operatorname{ArcTan}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{-\coth^2(x) - 1}}\right) + \frac{1}{2} \coth(x) \sqrt{-\coth^2(x) - 1}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(-1 - \operatorname{Coth}[x]^2)^{(3/2)}, x]$

[Out] $(-5*\operatorname{ArcTan}[\operatorname{Coth}[x]/\operatorname{Sqrt}[-1 - \operatorname{Coth}[x]^2]])/2 + 2*\operatorname{Sqrt}[2]*\operatorname{ArcTan}[(\operatorname{Sqrt}[2]*\operatorname{Coth}[x])/\operatorname{Sqrt}[-1 - \operatorname{Coth}[x]^2]] + (\operatorname{Coth}[x]*\operatorname{Sqrt}[-1 - \operatorname{Coth}[x]^2])/2$

Rule 209

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[b, 2]))*\operatorname{ArcTan}[\operatorname{Rt}[b, 2]*(x/\operatorname{Rt}[a, 2])], x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 223

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_ + (b_)*(x_)^2)], x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(1 - b*x^2), x], x, x/\operatorname{Sqrt}[a + b*x^2]] /;$ FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 385

$\operatorname{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}/((c_ + (d_)*(x_)^{(n_)})), x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 427

$\operatorname{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)*((c_ + (d_)*(x_)^{(n_)}))^{(q_)}], x_Symbol] \rightarrow \operatorname{Simp}[d*x*(a + b*x^n)^{(p+1)}*((c + d*x^n)^{(q-1)}/(b*(n*(p+q) + 1))),$

```
x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp
[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q -
1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d,
0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a
, b, c, d, n, p, q, x]
```

Rule 537

```
Int[((e_) + (f_)*(x_)^(n_))/(((a_) + (b_)*(x_)^(n_))*Sqrt[(c_) + (d_)*(x
_)^(n_)]), x_Symbol] :> Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e
- a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d
, e, f, n}, x]
```

Rule 3742

```
Int[((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] :>
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(
ff*x)^n)^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

Rubi steps

$$\begin{aligned}
\int (-1 - \coth^2(x))^{3/2} dx &= \text{Subst} \left(\int \frac{(-1 - x^2)^{3/2}}{1 - x^2} dx, x, \coth(x) \right) \\
&= \frac{1}{2} \coth(x) \sqrt{-1 - \coth^2(x)} - \frac{1}{2} \text{Subst} \left(\int \frac{-3 - 5x^2}{\sqrt{-1 - x^2} (1 - x^2)} dx, x, \coth(x) \right) \\
&= \frac{1}{2} \coth(x) \sqrt{-1 - \coth^2(x)} - \frac{5}{2} \text{Subst} \left(\int \frac{1}{\sqrt{-1 - x^2}} dx, x, \coth(x) \right) + 4 \text{Subst} \left(\int \frac{x}{1 - x^2} dx, x, \coth(x) \right) \\
&= \frac{1}{2} \coth(x) \sqrt{-1 - \coth^2(x)} - \frac{5}{2} \text{Subst} \left(\int \frac{1}{1 + x^2} dx, x, \frac{\coth(x)}{\sqrt{-1 - \coth^2(x)}} \right) + 2 \text{Subst} \left(\int \frac{x}{1 - x^2} dx, x, \frac{\coth(x)}{\sqrt{-1 - \coth^2(x)}} \right) \\
&= -\frac{5}{2} \tan^{-1} \left(\frac{\coth(x)}{\sqrt{-1 - \coth^2(x)}} \right) + 2\sqrt{2} \tan^{-1} \left(\frac{\sqrt{2} \coth(x)}{\sqrt{-1 - \coth^2(x)}} \right) + \frac{1}{2} \coth(x) \sqrt{-1 - \coth^2(x)}
\end{aligned}$$

Mathematica [A]

time = 0.13, size = 118, normalized size = 1.76

$$-\frac{1}{8}(-1 - \coth^2(x))^{3/2} \text{sech}^2(2x) \left(16 \tanh^{-1} \left(\frac{\cosh(x)}{\sqrt{\cosh(2x)}} \right) \sqrt{\cosh(2x)} \sinh^3(x) + 4 \left(\text{ArcTan} \left(\frac{\cosh(x)}{\sqrt{-\cosh(2x)}} \right) \sqrt{-\cosh(2x)} - 4\sqrt{2} \sqrt{\cosh(2x)} \log \left(\sqrt{2} \cosh(x) + \sqrt{\cosh(2x)} \right) \right) \sinh^3(x) + \sinh(4x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(-1 - Coth[x]^2)^(3/2), x]

[Out] -1/8*((-1 - Coth[x]^2)^(3/2)*Sech[2*x]^2*(16*ArcTanh[Cosh[x]/Sqrt[Cosh[2*x]])*Sqrt[Cosh[2*x]]*Sinh[x]^3 + 4*(ArcTan[Cosh[x]/Sqrt[-Cosh[2*x]])*Sqrt[-Cosh[2*x]] - 4*Sqrt[2]*Sqrt[Cosh[2*x]]*Log[Sqrt[2]*Cosh[x] + Sqrt[Cosh[2*x]])*Sinh[x]^3 + Sinh[4*x])

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 210 vs. 2(53) = 106.

time = 0.82, size = 211, normalized size = 3.15

method	result
derivativedivides	$\frac{(-1+\coth(x))^2+2\coth(x)}{6}^{\frac{3}{2}} + \frac{\coth(x)\sqrt{-(1+\coth(x))^2+2\coth(x)}}{4} - \frac{5\arctan\left(\frac{\coth(x)}{\sqrt{-(1+\coth(x))^2+2\coth(x)}}\right)}{1}$
default	$\frac{(-1+\coth(x))^2+2\coth(x)}{6}^{\frac{3}{2}} + \frac{\coth(x)\sqrt{-(1+\coth(x))^2+2\coth(x)}}{4} - \frac{5\arctan\left(\frac{\coth(x)}{\sqrt{-(1+\coth(x))^2+2\coth(x)}}\right)}{1}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1-coth(x)^2)^(3/2), x, method=_RETURNVERBOSE)

[Out] 1/6*(-(1+coth(x))^2+2*coth(x))^(3/2)+1/4*coth(x)*(-(1+coth(x))^2+2*coth(x))^(1/2)-5/4*arctan(coth(x)/(-(1+coth(x))^2+2*coth(x))^(1/2))-(-(1+coth(x))^2+2*coth(x))^(1/2)+2^(1/2)*arctan(1/4*(-2+2*coth(x))*2^(1/2)/(-(1+coth(x))^2+2*coth(x))^(1/2))-1/6*(-(coth(x)-1)^2-2*coth(x))^(3/2)+1/4*coth(x)*(-(coth(x)-1)^2-2*coth(x))^(1/2)-5/4*arctan(coth(x)/(-(coth(x)-1)^2-2*coth(x))^(1/2))+(-(coth(x)-1)^2-2*coth(x))^(1/2)-2^(1/2)*arctan(1/4*(-2-2*coth(x))*2^(1/2)/(-(coth(x)-1)^2-2*coth(x))^(1/2)))

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-coth(x)^2)^(3/2), x, algorithm="maxima")

[Out] integrate((-coth(x)^2 - 1)^(3/2), x)

Fricas [C] Result contains complex when optimal does not.

time = 0.39, size = 361, normalized size = 5.39

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-coth(x)^2)^(3/2),x, algorithm="fricas")

[Out] $\frac{1}{4}*(2*(\sqrt{-2}*e^{4*x} - 2*\sqrt{-2}*e^{2*x} + \sqrt{-2})*\log(2*(\sqrt{-2})*\sqrt{-2}*e^{4*x} - 2) + 2*e^{2*x} - 2)*e^{-2*x}) - 2*(\sqrt{-2}*e^{4*x} - 2*\sqrt{-2}*e^{2*x} + \sqrt{-2})*\log(-2*(\sqrt{-2})*\sqrt{-2}*e^{4*x} - 2) - 2*e^{2*x} + 2)*e^{-2*x}) - 5*(I*e^{4*x} - 2*I*e^{2*x} + I)*\log(-4*(I*\sqrt{-2}*e^{4*x} - 2) + e^{2*x} + 1)*e^{-2*x}) - 5*(-I*e^{4*x} + 2*I*e^{2*x} - I)*\log(-4*(-I*\sqrt{-2}*e^{4*x} - 2) + e^{2*x} + 1)*e^{-2*x}) - 2*(\sqrt{-2}*e^{4*x} - 2*\sqrt{-2}*e^{2*x} + \sqrt{-2})*\log(4*(\sqrt{-2}*e^{4*x} - 2)*(e^{2*x} + 2) + \sqrt{-2}*e^{4*x} + \sqrt{-2}*e^{2*x} + 2*\sqrt{-2})*e^{-4*x}) + 2*(\sqrt{-2}*e^{4*x} - 2*\sqrt{-2}*e^{2*x} + \sqrt{-2})*\log(4*(\sqrt{-2}*e^{4*x} - 2)*(e^{2*x} + 2) - \sqrt{-2}*e^{4*x} - \sqrt{-2}*e^{2*x} - 2*\sqrt{-2})*e^{-4*x}) + 2*\sqrt{-2}*(-2*e^{4*x} - 2)*(e^{2*x} + 1))/(e^{4*x} - 2*e^{2*x} + 1)$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (-\coth^2(x) - 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-coth(x)**2)**(3/2),x)

[Out] Integral((-coth(x)**2 - 1)**(3/2), x)

Giac [C] Result contains complex when optimal does not.

time = 0.42, size = 285, normalized size = 4.25

$$\frac{1}{4}\sqrt{2}\left(-5i\sqrt{2}\log\left(\frac{-2\sqrt{2}+2\sqrt{e^{2x}+1}-2e^{2x}+2}{2(\sqrt{2}+\sqrt{e^{2x}+1}-e^{2x}+1)}\right)\operatorname{sgn}(-e^{2x}+1)-4i\log(\sqrt{e^{2x}+1}-e^{2x}+1)\operatorname{sgn}(-e^{2x}+1)+4i\log(\sqrt{e^{2x}+1}-e^{2x})\operatorname{sgn}(-e^{2x}+1)+4i\log(-\sqrt{e^{2x}+1}+e^{2x}+1)\operatorname{sgn}(-e^{2x}+1)+\frac{4\left(3(\sqrt{e^{2x}+1}-e^{2x})\operatorname{sgn}(-e^{2x}+1)+(\sqrt{e^{2x}+1}-e^{2x})^3\operatorname{sgn}(-e^{2x}+1)+(-1\sqrt{e^{2x}+1}+e^{2x})\operatorname{sgn}(-e^{2x}+1)+\operatorname{sgn}(-e^{2x}+1)\right)}{((\sqrt{e^{2x}+1}-e^{2x})^3+2\sqrt{e^{2x}+1}-2e^{2x}-1)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-coth(x)^2)^(3/2),x, algorithm="giac")

[Out] $-1/4*\sqrt{2}*(-5*I*\sqrt{2}*\log(1/2*\operatorname{abs}(-2*\sqrt{2} + 2*\sqrt{e^{4*x} + 1}) - 2*e^{2*x} + 2)/(\sqrt{2} + \sqrt{e^{4*x} + 1}) - e^{2*x} + 1)*\operatorname{sgn}(-e^{2*x} + 1) - 4*I*\log(\sqrt{e^{4*x} + 1} - e^{2*x} + 1)*\operatorname{sgn}(-e^{2*x} + 1) + 4*I*\log(\sqrt{e^{4*x} + 1} - e^{2*x})*\operatorname{sgn}(-e^{2*x} + 1) + 4*I*\log(-\sqrt{e^{4*x} + 1} + e^{2*x} + 1)*\operatorname{sgn}(-e^{2*x} + 1) + 4*(3*I*(\sqrt{e^{4*x} + 1} - e^{2*x}))^3*\operatorname{sgn}(-e^{2*x} + 1) + I*(\sqrt{e^{4*x} + 1} - e^{2*x}))^2*\operatorname{sgn}(-e^{2*x} + 1) + (-I$

```
*sqrt(e^(4*x) + 1) + I*e^(2*x))*sgn(-e^(2*x) + 1) + I*sgn(-e^(2*x) + 1))/((
sqrt(e^(4*x) + 1) - e^(2*x))^2 + 2*sqrt(e^(4*x) + 1) - 2*e^(2*x) - 1)^2)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int (-\operatorname{coth}(x)^2 - 1)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((- coth(x)^2 - 1)^(3/2), x)

[Out] int((- coth(x)^2 - 1)^(3/2), x)

$$3.32 \quad \int \frac{\coth^3(x)}{\sqrt{a + b \coth^2(x)}} dx$$

Optimal. Leaf size=47

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}}\right)}{\sqrt{a + b}} - \frac{\sqrt{a + b \coth^2(x)}}{b}$$

[Out] arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(1/2)-(a+b*coth(x)^2)^(1/2)/b

Rubi [A]

time = 0.07, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {3751, 457, 81, 65, 214}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}}\right)}{\sqrt{a + b}} - \frac{\sqrt{a + b \coth^2(x)}}{b}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^3/Sqrt[a + b*Coth[x]^2],x]

[Out] ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]/Sqrt[a + b] - Sqrt[a + b*Coth[x]^2]/b

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 81

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[b*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(n + p + 2))), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 214

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 3751

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff
^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\coth^3(x)}{\sqrt{a + b \coth^2(x)}} dx &= \text{Subst} \left(\int \frac{x^3}{(1-x^2)\sqrt{a+bx^2}} dx, x, \coth(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{x}{(1-x)\sqrt{a+bx}} dx, x, \coth^2(x) \right) \\
&= -\frac{\sqrt{a + b \coth^2(x)}}{b} + \frac{1}{2} \text{Subst} \left(\int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \coth^2(x) \right) \\
&= -\frac{\sqrt{a + b \coth^2(x)}}{b} + \frac{\text{Subst} \left(\int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a + b \coth^2(x)} \right)}{b} \\
&= \frac{\tanh^{-1} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}} - \frac{\sqrt{a + b \coth^2(x)}}{b}
\end{aligned}$$

Mathematica [A]

time = 0.07, size = 47, normalized size = 1.00

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\sqrt{a+b\coth^2(x)}}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^3/Sqrt[a + b*Coth[x]^2], x]

[Out] ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]/Sqrt[a + b] - Sqrt[a + b*Coth[x]^2]/b

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 128 vs. $2(39) = 78$.

time = 0.79, size = 129, normalized size = 2.74

method	result
derivativedivides	$-\frac{\sqrt{a+b(\coth^2(x))}}{b} + \frac{\ln\left(\frac{2a+2b-2b(1+\coth(x))+2\sqrt{a+b}}{1+\coth(x)} \sqrt{b(1+\coth(x))^2 - 2b(1+\coth(x))}\right)}{2\sqrt{a+b}}$
default	$-\frac{\sqrt{a+b(\coth^2(x))}}{b} + \frac{\ln\left(\frac{2a+2b-2b(1+\coth(x))+2\sqrt{a+b}}{1+\coth(x)} \sqrt{b(1+\coth(x))^2 - 2b(1+\coth(x))}\right)}{2\sqrt{a+b}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^3/(a+b*coth(x)^2)^(1/2), x, method=_RETURNVERBOSE)

[Out] $-(a+b\coth(x)^2)^{1/2}/b+1/2/(a+b)^{1/2}*\ln((2*a+2*b-2*b*(1+\coth(x))+2*(a+b)^{1/2}*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{1/2})/(1+\coth(x)))+1/2/(a+b)^{1/2}*\ln((2*a+2*b+2*b*(\coth(x)-1)+2*(a+b)^{1/2}*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{1/2})/(\coth(x)-1))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^3/(a+b*coth(x)^2)^(1/2), x, algorithm="maxima")

[Out] integrate(coth(x)^3/sqrt(b*coth(x)^2 + a), x)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 472 vs. $2(39) = 78$.

time = 0.45, size = 1576, normalized size = 33.53

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^3/(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*((b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - b)*\sqrt{a + b})*\log \\ & (-((a^3 + a^2*b)*\cosh(x)^8 + 8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2 \\ & *b)*\sinh(x)^8 - 2*(2*a^3 + a^2*b)*\cosh(x)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + \\ & a^2*b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 - 3*(2*a^3 + a^ \\ & 2*b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 + (70*(\\ & a^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 - 30*(2*a^3 + a^2*b) \\ & *\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 - 10*(2*a^3 + a^2*b)* \\ & \cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^ \\ & 2*b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^ \\ & 2*b)*\cosh(x)^6 - 15*(2*a^3 + a^2*b)*\cosh(x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3*(\\ & 6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^ \\ & 6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 - 3*a^2*\cosh(x)^4 + 3*(5*a^2*\co \\ & sh(x)^2 - a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 - 3*a^2*\cosh(x))*\sinh(x)^3 + \\ & (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 - 18*a^2*\cosh(x)^2 + 3* \\ & a^2 + 2*a*b - b^2)*\sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*\cosh(x)^5 - 6*a \\ & ^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a \\ & + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) \\ & + \sinh(x)^2))} + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 - 3*(2*a^3 + a^2*b)*\cosh(x)^5 \\ & + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 - (2*a^3 + 3*a^2*b - b^3)*\cosh \\ & (x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 2 \\ & 0*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh \\ & (x)^6)) + (b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - b)*\sqrt{a + b} \\ & *\log(((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + \\ & 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 \\ & + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + \\ & (a + b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + \\ & 4*((a + b)*\cosh(x)^3 + b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\s \\ & inh(x) + \sinh(x)^2)) - 4*\sqrt{2}*(a + b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)* \\ & \sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a*b + b^ \\ & 2)*\cosh(x)^2 + 2*(a*b + b^2)*\cosh(x)*\sinh(x) + (a*b + b^2)*\sinh(x)^2 - a*b \\ & - b^2), -1/2*((b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - b)*\sqrt{-a \\ & - b})*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 - a - \\ & b)*\sqrt{-a - b})*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a + b)/(\cosh \\ & (x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a \\ & *b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 - (2*a^2 + a*b - b^2)*\cosh(x) \\ & ^2 + (6*(a^2 + a*b)*\cosh(x)^2 - 2*a^2 - a*b + b^2)*\sinh(x)^2 + a^2 + 2*a*b \end{aligned}$$

$$+ b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 - (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x)) \\ + (b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - b)*\sqrt{-a - b}*\arctan(\sqrt{2}*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a + b) / (\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}) / ((a + b)*\cosh(x)^2 + 2*(a + b)*\cosh(x)*\sinh(x) + (a + b)*\sinh(x)^2 + a + b)) + 2*\sqrt{2}*(a + b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a + b) / (\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}) / ((a*b + b^2)*\cosh(x)^2 + 2*(a*b + b^2)*\cosh(x)*\sinh(x) + (a*b + b^2)*\sinh(x)^2 - a*b - b^2)]$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^3(x)}{\sqrt{a + b \coth^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)**3/(a+b*coth(x)**2)**(1/2), x)

[Out] Integral(coth(x)**3/sqrt(a + b*coth(x)**2), x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^3/(a+b*coth(x)^2)^(1/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,sageVARx):;OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(ex

Mupad [B]

time = 1.69, size = 39, normalized size = 0.83

$$\frac{\operatorname{atanh}\left(\frac{\sqrt{b \coth(x)^2 + a}}{\sqrt{a + b}}\right)}{\sqrt{a + b}} - \frac{\sqrt{b \coth(x)^2 + a}}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^3/(a + b*coth(x)^2)^(1/2), x)

[Out] atanh((a + b*coth(x)^2)^(1/2)/(a + b)^(1/2))/(a + b)^(1/2) - (a + b*coth(x)^2)^(1/2)/b

$$3.33 \quad \int \frac{\coth^2(x)}{\sqrt{a + b \coth^2(x)}} dx$$

Optimal. Leaf size=60

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right)}{\sqrt{b}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right)}{\sqrt{a+b}}$$

[Out] $-\operatorname{arctanh}(\coth(x) * b^{(1/2)} / (a + b * \coth(x)^2)^{(1/2)}) / b^{(1/2)} + \operatorname{arctanh}(\coth(x) * (a + b)^{(1/2)} / (a + b * \coth(x)^2)^{(1/2)}) / (a + b)^{(1/2)}$

Rubi [A]

time = 0.06, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {3751, 494, 223, 212, 385}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right)}{\sqrt{a+b}} - \frac{\tanh^{-1}\left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right)}{\sqrt{b}}$$

Antiderivative was successfully verified.

[In] `Int[Coth[x]^2/Sqrt[a + b*Coth[x]^2],x]`

[Out] $-(\operatorname{ArcTanh}[(\operatorname{Sqrt}[b] * \operatorname{Coth}[x]) / \operatorname{Sqrt}[a + b * \operatorname{Coth}[x]^2]] / \operatorname{Sqrt}[b]) + \operatorname{ArcTanh}[(\operatorname{Sqrt}[a + b] * \operatorname{Coth}[x]) / \operatorname{Sqrt}[a + b * \operatorname{Coth}[x]^2]] / \operatorname{Sqrt}[a + b]$

Rule 212

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 223

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

Rule 385

`Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]`

Rule 494

```
Int[(((e_.)*(x_))^(m_)*((c_) + (d_.)*(x_)^(n_))^(q_.))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Dist[e^n/b, Int[(e*x)^(m-n)*(c+d*x^n)^q, x], x] - Dist[a*(e^n/b), Int[(e*x)^(m-n)*((c+d*x^n)^q/(a+b*x^n)), x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LeQ[n, m, 2*n - 1] && IntBinomialQ[a, b, c, d, e, m, n, -1, q, x]
```

Rule 3751

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned} \int \frac{\coth^2(x)}{\sqrt{a + b \coth^2(x)}} dx &= \text{Subst} \left(\int \frac{x^2}{(1-x^2)\sqrt{a+bx^2}} dx, x, \coth(x) \right) \\ &= -\text{Subst} \left(\int \frac{1}{\sqrt{a+bx^2}} dx, x, \coth(x) \right) + \text{Subst} \left(\int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \coth(x) \right) \\ &= -\text{Subst} \left(\int \frac{1}{1-bx^2} dx, x, \frac{\coth(x)}{\sqrt{a+b\coth^2(x)}} \right) + \text{Subst} \left(\int \frac{1}{1-(a+b)x^2} dx, x, \frac{\coth(x)}{\sqrt{a+b\coth^2(x)}} \right) \\ &= -\frac{\tanh^{-1} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a+b\coth^2(x)}} \right)}{\sqrt{b}} + \frac{\tanh^{-1} \left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b\coth^2(x)}} \right)}{\sqrt{a+b}} \end{aligned}$$

Mathematica [B] Leaf count is larger than twice the leaf count of optimal. 134 vs. 2(60) = 120.

time = 0.16, size = 134, normalized size = 2.23

$$\frac{\left(-\sqrt{a+b} \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{b} \cosh(x)}{\sqrt{-a+b+(a+b)\cosh(2x)}} \right) + \sqrt{b} \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{a+b} \cosh(x)}{\sqrt{-a+b+(a+b)\cosh(2x)}} \right) \right) \sqrt{(-a+b+(a+b)\cosh(2x)) \operatorname{csch}^2(x) \sinh(x)}}{\sqrt{b} \sqrt{a+b} \sqrt{-a+b+(a+b)\cosh(2x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^2/Sqrt[a + b*Coth[x]^2], x]

[Out] $((-\text{Sqrt}[a + b] \cdot \text{ArcTanh}[(\text{Sqrt}[2] \cdot \text{Sqrt}[b] \cdot \text{Cosh}[x]) / \text{Sqrt}[-a + b + (a + b) \cdot \text{Cos}h[2 \cdot x]]) + \text{Sqrt}[b] \cdot \text{ArcTanh}[(\text{Sqrt}[2] \cdot \text{Sqrt}[a + b] \cdot \text{Cosh}[x]) / \text{Sqrt}[-a + b + (a + b) \cdot \text{Cosh}[2 \cdot x]])] \cdot \text{Sqrt}[(-a + b + (a + b) \cdot \text{Cosh}[2 \cdot x]) \cdot \text{Csch}[x]^2 \cdot \text{Sinh}[x]) / (\text{Sqrt}[b] \cdot \text{Sqrt}[a + b] \cdot \text{Sqrt}[-a + b + (a + b) \cdot \text{Cosh}[2 \cdot x]])]$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 136 vs. 2(48) = 96.

time = 0.78, size = 137, normalized size = 2.28

method	result
derivativedivides	$-\frac{\ln\left(\sqrt{b} \coth(x) + \sqrt{a + b(\coth^2(x))}\right)}{\sqrt{b}} + \frac{\ln\left(\frac{2a + 2b + 2b(\coth(x) - 1) + 2\sqrt{a + b} \sqrt{b(\coth(x) - 1)^2}}{\coth(x) - 1}\right)}{2\sqrt{a + b}}$
default	$-\frac{\ln\left(\sqrt{b} \coth(x) + \sqrt{a + b(\coth^2(x))}\right)}{\sqrt{b}} + \frac{\ln\left(\frac{2a + 2b + 2b(\coth(x) - 1) + 2\sqrt{a + b} \sqrt{b(\coth(x) - 1)^2}}{\coth(x) - 1}\right)}{2\sqrt{a + b}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^2/(a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

[Out] $-\ln(b^{(1/2)} \cdot \coth(x) + (a + b \cdot \coth(x)^2)^{(1/2)}) / b^{(1/2)} + 1/2 / (a + b)^{(1/2)} \cdot \ln((2 \cdot a + 2 \cdot b + 2 \cdot b \cdot (\coth(x) - 1) + 2 \cdot (a + b)^{(1/2)} \cdot (b \cdot (\coth(x) - 1)^2 + 2 \cdot b \cdot (\coth(x) - 1) + a + b)^{(1/2)}) / (\coth(x) - 1)) - 1/2 / (a + b)^{(1/2)} \cdot \ln((2 \cdot a + 2 \cdot b - 2 \cdot b \cdot (1 + \coth(x)) + 2 \cdot (a + b)^{(1/2)} \cdot (b \cdot (1 + \coth(x))^2 - 2 \cdot b \cdot (1 + \coth(x)) + a + b)^{(1/2)}) / (1 + \coth(x)))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^2/(a+b*coth(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(coth(x)^2/sqrt(b*coth(x)^2 + a), x)`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 567 vs. 2(48) = 96.

time = 0.50, size = 3513, normalized size = 58.55

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^2/(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")`

```
[Out] [1/4*(sqrt(a + b)*b*log(((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*
sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 + 2*(a*b^2 + 2*b^3)*cosh(x)^6 + 2*(a*b^
2 + 2*b^3 + 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cos
h(x)^3 + 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*
b^3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^
3 + 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5
+ 10*(a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*
sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(
x)^2 + 2*(14*(a*b^2 + b^3)*cosh(x)^6 + 15*(a*b^2 + 2*b^3)*cosh(x)^4 - a^3 +
3*a*b^2 + 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2 +
sqrt(2)*(b^2*cosh(x)^6 + 6*b^2*cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 + 3*b^2*c
osh(x)^4 + 3*(5*b^2*cosh(x)^2 + b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 + 3*b^2
*cosh(x))*sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 +
18*b^2*cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*
(3*b^2*cosh(x)^5 + 6*b^2*cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x)
)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)
^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 + 3*(a*
b^2 + 2*b^3)*cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 - (a^3 -
3*a*b^2 - 2*b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*c
osh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*co
sh(x)*sinh(x)^5 + sinh(x)^6) + 2*(a + b)*sqrt(b)*log(-(a + 2*b)*cosh(x)^4
+ 4*(a + 2*b)*cosh(x)*sinh(x)^3 + (a + 2*b)*sinh(x)^4 - 2*(a - 2*b)*cosh(x)
)^2 + 2*(3*(a + 2*b)*cosh(x)^2 - a + 2*b)*sinh(x)^2 - 2*sqrt(2)*(cosh(x)^2
+ 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(b)*sqrt(((a + b)*cosh(x)^2 + (a +
b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a
+ 2*b)*cosh(x)^3 - (a - 2*b)*cosh(x))*sinh(x) + a + 2*b)/(cosh(x)^4 + 4*co
sh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 - 1)*sinh(x)^2 - 2*cosh(x)^2 +
4*(cosh(x)^3 - cosh(x))*sinh(x) + 1)) + sqrt(a + b)*b*log(-(a + b)*cosh(x)
)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*a*cosh(x)^2 + 2*(
3*(a + b)*cosh(x)^2 - a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x)
+ sinh(x)^2 - 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 -
a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3
- a*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2))
)/(a*b + b^2), 1/4*(4*(a + b)*sqrt(-b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)
)*sinh(x) + sinh(x)^2 + 1)*sqrt(-b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(
x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)
^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*cosh(x)^2
+ 2*(3*(a + b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 - (a - b)
)*cosh(x))*sinh(x) + a + b) + sqrt(a + b)*b*log(((a*b^2 + b^3)*cosh(x)^8 +
8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 + 2*(a*b^2 + 2
*b^3)*cosh(x)^6 + 2*(a*b^2 + 2*b^3 + 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6
+ 4*(14*(a*b^2 + b^3)*cosh(x)^3 + 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a
^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3
- a^2*b + 4*a*b^2 + 6*b^3 + 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(1
4*(a*b^2 + b^3)*cosh(x)^5 + 10*(a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 - a^2*b + 4
```

```

*a*b^2 + 6*b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(a^3
- 3*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(14*(a*b^2 + b^3)*cosh(x)^6 + 15*(a*b^2 +
2*b^3)*cosh(x)^4 - a^3 + 3*a*b^2 + 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^
3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(b^2*cosh(x)^6 + 6*b^2*cosh(x)*sinh(x)^5
+ b^2*sinh(x)^6 + 3*b^2*cosh(x)^4 + 3*(5*b^2*cosh(x)^2 + b^2)*sinh(x)^4 + 4
*(5*b^2*cosh(x)^3 + 3*b^2*cosh(x))*sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)
)^2 + (15*b^2*cosh(x)^4 + 18*b^2*cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*sinh(x)^2
+ a^2 + 2*a*b + b^2 + 2*(3*b^2*cosh(x)^5 + 6*b^2*cosh(x)^3 - (a^2 - 2*a*b
- 3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*si
nh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2
+ b^3)*cosh(x)^7 + 3*(a*b^2 + 2*b^3)*cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 +
6*b^3)*cosh(x)^3 - (a^3 - 3*a*b^2 - 2*b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6
*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*c
osh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + sqrt(a + b)*b*log(
-((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*a
*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2
*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a
+ b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((
a + b)*cosh(x)^3 - a*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(
x) + sinh(x)^2)))/(a*b + b^2), -1/2*(sqrt(-a - b)*b*arctan(sqrt(2)*(b*cosh(
x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 + a + b)*sqrt(-a - b)*sqrt(((a + b
)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(...

```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^2(x)}{\sqrt{a + b \coth^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)**2/(a+b*coth(x)**2)**(1/2),x)
```

```
[Out] Integral(coth(x)**2/sqrt(a + b*coth(x)**2), x)
```

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^2/(a+b*coth(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx);OUTPUT:Warning, integration of abs or sign a
ssumes constant sign by intervals (correct if the argument is real):Check [
abs(ex
```


Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\coth(x)^2}{\sqrt{b \coth(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^2/(a + b*coth(x)^2)^(1/2), x)

[Out] int(coth(x)^2/(a + b*coth(x)^2)^(1/2), x)

$$3.34 \quad \int \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} dx$$

Optimal. Leaf size=29

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}}\right)}{\sqrt{a + b}}$$

[Out] arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(1/2)

Rubi [A]

time = 0.05, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {3751, 455, 65, 214}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}}\right)}{\sqrt{a + b}}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]/Sqrt[a + b*Coth[x]^2],x]

[Out] ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]/Sqrt[a + b]

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 214

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 455

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]

Rule 3751

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)]^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff
^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} dx &= \text{Subst} \left(\int \frac{x}{(1-x^2)\sqrt{a+bx^2}} dx, x, \coth(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \coth^2(x) \right) \\
&= \frac{\text{Subst} \left(\int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b \coth^2(x)} \right)}{b} \\
&= \frac{\tanh^{-1} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}}
\end{aligned}$$

Mathematica [A]

time = 0.01, size = 29, normalized size = 1.00

$$\frac{\tanh^{-1} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]/Sqrt[a + b*Coth[x]^2], x]

[Out] ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]/Sqrt[a + b]

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 113 vs. 2(23) = 46.

time = 0.83, size = 114, normalized size = 3.93

method	result
derivativedivides	$\frac{\ln\left(\frac{2a+2b-2b(1+\coth(x))+2\sqrt{a+b}}{1+\coth(x)} \sqrt{\frac{b(1+\coth(x))^2-2b(1+\coth(x))+a+b}{1+\coth(x)}}\right)}{2\sqrt{a+b}} + \frac{\ln\left(\frac{2a+2b-2b(1+\coth(x))+2\sqrt{a+b}}{1+\coth(x)} \sqrt{\frac{b(1+\coth(x))^2-2b(1+\coth(x))+a+b}{1+\coth(x)}}\right)}{2\sqrt{a+b}}$
default	$\frac{\ln\left(\frac{2a+2b-2b(1+\coth(x))+2\sqrt{a+b}}{1+\coth(x)} \sqrt{\frac{b(1+\coth(x))^2-2b(1+\coth(x))+a+b}{1+\coth(x)}}\right)}{2\sqrt{a+b}} + \frac{\ln\left(\frac{2a+2b-2b(1+\coth(x))+2\sqrt{a+b}}{1+\coth(x)} \sqrt{\frac{b(1+\coth(x))^2-2b(1+\coth(x))+a+b}{1+\coth(x)}}\right)}{2\sqrt{a+b}}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(x)/(a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] 1/2/(a+b)^(1/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x)))+1/2/(a+b)^(1/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)/(a+b*coth(x)^2)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(coth(x)/sqrt(b*coth(x)^2 + a), x)
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 333 vs. $2(23) = 46$.

time = 0.40, size = 1298, normalized size = 44.76

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)/(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/4*(sqrt(a + b)*log(-((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 - 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 - 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5
```

```

- 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)*s
inh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x
)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 - 15*(2*a^3 + a^2*b)*cosh(x)^4 - 2*a^3
- 3*a^2*b + b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 +
sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 - 3*a^2*co
sh(x)^4 + 3*(5*a^2*cosh(x)^2 - a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 - 3*a^2*
cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 -
18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(
3*a^2*cosh(x)^5 - 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))
*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^
2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 - 3*(2*a
^3 + a^2*b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^3 - (2*a^3
+ 3*a^2*b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*co
sh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cos
h(x)*sinh(x)^5 + sinh(x)^6)) + sqrt(a + b)*log(((a + b)*cosh(x)^4 + 4*(a +
b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*b*cosh(x)^2 + 2*(3*(a + b)*cos
h(x)^2 + b)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2
+ 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh
(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3 + b*cosh(x))
*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)))/(a + b), -1
/2*(sqrt(-a - b)*arctan(sqrt(2)*(a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh
(x)^2 - a - b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a
+ b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^2 + a*b)*cosh(x)^4 +
4*(a^2 + a*b)*cosh(x)*sinh(x)^3 + (a^2 + a*b)*sinh(x)^4 - (2*a^2 + a*b - b
^2)*cosh(x)^2 + (6*(a^2 + a*b)*cosh(x)^2 - 2*a^2 - a*b + b^2)*sinh(x)^2 + a
^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*cosh(x)^3 - (2*a^2 + a*b - b^2)*cosh(x)
)*sinh(x))) + sqrt(-a - b)*arctan(sqrt(2)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)
)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2
)))/((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x) + (a + b)*sinh(x)^2 + a +
b)))/(a + b)]

```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b*coth(x)**2)**(1/2), x)

[Out] Integral(coth(x)/sqrt(a + b*coth(x)**2), x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 196 vs. 2(23) = 46.

time = 0.48, size = 196, normalized size = 6.76

$$\frac{\log\left(\frac{-\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} - 2ae^{2x} + 2be^{2x} + a + b}}{\sqrt{a+b}}\right)^{(a+b)\sqrt{a+b}(a-b)} + \log\left(\frac{-\sqrt{a+b}e^{2x} + \sqrt{ae^{4x} + be^{4x} - 2ae^{2x} + 2be^{2x} + a + b} + \sqrt{a+b}}{2\operatorname{sgn}(e^{2x}-1)\sqrt{a+b}}\right) - \log\left(\frac{-\sqrt{a+b}e^{2x} + \sqrt{ae^{4x} + be^{4x} - 2ae^{2x} + 2be^{2x} + a + b} - \sqrt{a+b}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b*coth(x)^2)^(1/2),x, algorithm="giac")

[Out]
$$-1/2*(\log(\text{abs}(-(\sqrt{a+b})e^{2x} - \sqrt{ae^{4x} + be^{4x} - 2ae^{2x} + 2be^{2x} + a + b)}*(a+b) + \sqrt{a+b}*(a-b)))/\sqrt{a+b} + \log(\text{abs}(-\sqrt{a+b})e^{2x} + \sqrt{ae^{4x} + be^{4x} - 2ae^{2x} + 2be^{2x} + a + b} + \sqrt{a+b}))/\sqrt{a+b} - \log(\text{abs}(-\sqrt{a+b})e^{2x} + \sqrt{ae^{4x} + be^{4x} - 2ae^{2x} + 2be^{2x} + a + b} - \sqrt{a+b}))/\sqrt{a+b})/\text{sgn}(e^{2x} - 1)$$

Mupad [B]

time = 1.74, size = 23, normalized size = 0.79

$$\frac{\text{atanh}\left(\frac{\sqrt{b \coth(x)^2 + a}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)/(a + b*coth(x)^2)^(1/2),x)

[Out] atanh((a + b*coth(x)^2)^(1/2)/(a + b)^(1/2))/(a + b)^(1/2)

$$3.35 \quad \int \frac{1}{\sqrt{a + b \coth^2(x)}} dx$$

Optimal. Leaf size=31

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{\sqrt{a+b}}$$

[Out] arctanh(coth(x)*(a+b)^(1/2)/(a+b*coth(x)^2)^(1/2))/(a+b)^(1/2)

Rubi [A]

time = 0.02, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3742, 385, 212}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[a + b*Coth[x]^2],x]

[Out] ArcTanh[(Sqrt[a + b]*Coth[x])/Sqrt[a + b*Coth[x]^2]]/Sqrt[a + b]

Rule 212

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 385

Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 3742

Int[((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegerQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

Rubi steps

$$\begin{aligned}
 \int \frac{1}{\sqrt{a + b \coth^2(x)}} dx &= \text{Subst} \left(\int \frac{1}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \coth(x) \right) \\
 &= \text{Subst} \left(\int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} \right) \\
 &= \frac{\tanh^{-1} \left(\frac{\sqrt{a + b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)}{\sqrt{a + b}}
 \end{aligned}$$

Mathematica [B] Leaf count is larger than twice the leaf count of optimal. 77 vs. 2(31) = 62.

time = 0.09, size = 77, normalized size = 2.48

$$\frac{\tanh^{-1} \left(\frac{\sqrt{\frac{(a + b) \coth^2(x)}{a}}}{\sqrt{1 + \frac{b \coth^2(x)}{a}}} \right) \coth(x) \sqrt{1 + \frac{b \coth^2(x)}{a}}}{\sqrt{\frac{(a + b) \coth^2(x)}{a}} \sqrt{a + b \coth^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[a + b*Coth[x]^2], x]

[Out] (ArcTanh[Sqrt[((a + b)*Coth[x]^2)/a]/Sqrt[1 + (b*Coth[x]^2)/a]]*Coth[x]*Sqrt[1 + (b*Coth[x]^2)/a])/(Sqrt[((a + b)*Coth[x]^2)/a]*Sqrt[a + b*Coth[x]^2])

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 113 vs. 2(25) = 50.

time = 0.86, size = 114, normalized size = 3.68

method	result
derivativedivides	$ \frac{\ln \left(\frac{2a+2b+2b(\coth(x)-1)+2\sqrt{a+b} \sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{\coth(x)-1} \right)}{2\sqrt{a+b}} - \ln \left(\frac{2a+2b}{\dots} \right) $

default	$\frac{\ln\left(\frac{2a+2b+2b(\coth(x)-1)+2\sqrt{a+b}\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{\coth(x)-1}\right)}{2\sqrt{a+b}} - \ln\left(\frac{2a+2b+2b(\coth(x)-1)+2\sqrt{a+b}\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{\coth(x)-1}\right)$
---------	---

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] 1/2/(a+b)^(1/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+
2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1))-1/2/(a+b)^(1/2)*ln((2*a+2*b-2*b*(1
+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+cot
h(x)))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*coth(x)^2)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(1/sqrt(b*coth(x)^2 + a), x)
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 399 vs. 2(25) = 50.

time = 0.41, size = 1357, normalized size = 43.77

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/4*(sqrt(a + b)*log(((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*si
nh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 + 2*(a*b^2 + 2*b^3)*cosh(x)^6 + 2*(a*b^2
+ 2*b^3 + 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(
x)^3 + 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^
3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3
+ 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 +
10*(a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*si
nh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(x)
^2 + 2*(14*(a*b^2 + b^3)*cosh(x)^6 + 15*(a*b^2 + 2*b^3)*cosh(x)^4 - a^3 + 3
*a*b^2 + 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2 + s
qrt(2)*(b^2*cosh(x)^6 + 6*b^2*cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 + 3*b^2*cos
h(x)^4 + 3*(5*b^2*cosh(x)^2 + b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 + 3*b^2*c
osh(x))*sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 + 1
```

```

8*b^2*cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3
*b^2*cosh(x)^5 + 6*b^2*cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x))*
sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2
- 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 + 3*(a*b^
2 + 2*b^3)*cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 - (a^3 - 3
*a*b^2 - 2*b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cos
h(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh
(x)*sinh(x)^5 + sinh(x)^6)) + sqrt(a + b)*log(-((a + b)*cosh(x)^4 + 4*(a +
b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*a*cosh(x)^2 + 2*(3*(a + b)*cos
h(x)^2 - a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2
- 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh
(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3 - a*cosh(x))
*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)))/(a + b), -1
/2*(sqrt(-a - b)*arctan(sqrt(2)*(b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh
(x)^2 + a + b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a
+ b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a*b + b^2)*cosh(x)^4 +
4*(a*b + b^2)*cosh(x)*sinh(x)^3 + (a*b + b^2)*sinh(x)^4 - (a^2 - a*b - 2*b
^2)*cosh(x)^2 + (6*(a*b + b^2)*cosh(x)^2 - a^2 + a*b + 2*b^2)*sinh(x)^2 + a
^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*cosh(x)^3 - (a^2 - a*b - 2*b^2)*cosh(x)
)*sinh(x))) + sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) +
sinh(x)^2 - 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a
+ b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(
a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*cosh(x)^2 + 2*(3*(
a + b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 - (a - b)*cosh(x)
)*sinh(x) + a + b)))/(a + b)]

```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + b \coth^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*coth(x)**2)**(1/2),x)

[Out] Integral(1/sqrt(a + b*coth(x)**2), x)

Giac [B] Leaf count of result is larger than twice the leaf count of optimal. 196 vs. 2(25) = 50.

time = 0.49, size = 196, normalized size = 6.32

$$\frac{\log\left(\frac{-\sqrt{a+b}e^{2x}-\sqrt{ae^{4x}+be^{4x}}-2ae^{2x}+2be^{2x}+a+b}{(a+b)\sqrt{a+b}(a-b)}\right) - \log\left(\frac{-\sqrt{a+b}e^{2x}+\sqrt{ae^{4x}+be^{4x}}-2ae^{2x}+2be^{2x}+a+b}{\sqrt{a+b}}\right)}{2\operatorname{sgn}(e^{2x}-1)} + \frac{\log\left(\frac{-\sqrt{a+b}e^{2x}+\sqrt{ae^{4x}+be^{4x}}-2ae^{2x}+2be^{2x}+a+b}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*coth(x)^2)^(1/2),x, algorithm="giac")

```
[Out] -1/2*(log(abs(-(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*(a + b) + sqrt(a + b)*(a - b)))/sqrt(a + b) - log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b)))/sqrt(a + b) + log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - sqrt(a + b)))/sqrt(a + b))/sgn(e^(2*x) - 1)
```

Mupad [B]

time = 1.48, size = 25, normalized size = 0.81

$$\frac{\operatorname{atanh}\left(\frac{\coth(x)\sqrt{a+b}}{\sqrt{b\coth(x)^2+a}}\right)}{\sqrt{a+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a + b*coth(x)^2)^(1/2),x)
```

```
[Out] atanh((coth(x)*(a + b)^(1/2))/(a + b*coth(x)^2)^(1/2))/(a + b)^(1/2)
```

$$3.36 \quad \int \frac{\tanh(x)}{\sqrt{a + b \coth^2(x)}} dx$$

Optimal. Leaf size=56

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}}\right)}{\sqrt{a}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}}\right)}{\sqrt{a + b}}$$

[Out] $-\operatorname{arctanh}\left(\frac{(a+b*\coth(x)^2)^{(1/2)} / a^{(1/2)}}{a^{(1/2)}}\right) / a^{(1/2)} + \operatorname{arctanh}\left(\frac{(a+b*\coth(x)^2)^{(1/2)} / (a+b)^{(1/2)}}{(a+b)^{(1/2)}}\right) / (a+b)^{(1/2)}$

Rubi [A]

time = 0.07, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3751, 457, 88, 65, 214}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}}\right)}{\sqrt{a + b}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}}\right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] `Int[Tanh[x]/Sqrt[a + b*Coth[x]^2],x]`

[Out] $-(\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*\operatorname{Coth}[x]^2] / \operatorname{Sqrt}[a]] / \operatorname{Sqrt}[a]) + \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*\operatorname{Coth}[x]^2] / \operatorname{Sqrt}[a + b]] / \operatorname{Sqrt}[a + b]$

Rule 65

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 88

`Int[((e_.) + (f_.)*(x_))^(p_)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] :> Dist[b/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && !IntegerQ[p]`

Rule 214

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 3751

```
Int[((d_)*tan[(e_) + (f_)*(x_)]^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)]^(n_))^(p_)), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff
^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\tanh(x)}{\sqrt{a + b \coth^2(x)}} dx &= \text{Subst} \left(\int \frac{1}{x(1-x^2)\sqrt{a+bx^2}} dx, x, \coth(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{(1-x)x\sqrt{a+bx}} dx, x, \coth^2(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \coth^2(x) \right) + \frac{1}{2} \text{Subst} \left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \coth^2(x) \right) \\
&= \frac{\text{Subst} \left(\int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b \coth^2(x)} \right)}{b} + \frac{\text{Subst} \left(\int \frac{1}{-\frac{a}{b}+\frac{x^2}{b}} dx, x, \sqrt{a+b \coth^2(x)} \right)}{b} \\
&= -\frac{\tanh^{-1} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a}} \right)}{\sqrt{a}} + \frac{\tanh^{-1} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}}
\end{aligned}$$

Mathematica [A]

time = 0.03, size = 56, normalized size = 1.00

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a}}\right)}{\sqrt{a}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]/Sqrt[a + b*Coth[x]^2], x]

[Out] -(ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a]]/Sqrt[a]) + ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]/Sqrt[a + b]

Maple [F]

time = 2.22, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{\sqrt{a+b(\coth^2(x))}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a+b*coth(x)^2)^(1/2), x)

[Out] int(tanh(x)/(a+b*coth(x)^2)^(1/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b*coth(x)^2)^(1/2), x, algorithm="maxima")

[Out] integrate(tanh(x)/sqrt(b*coth(x)^2 + a), x)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 503 vs. 2(44) = 88.

time = 0.49, size = 3397, normalized size = 60.66

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b*coth(x)^2)^(1/2), x, algorithm="fricas")

[Out] [1/4*(sqrt(a + b)*a*log(-(a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6 - 2*(2*a

$$\begin{aligned}
&^3 + a^2b - 14*(a^3 + a^2b)*\cosh(x)^2*\sinh(x)^6 + 4*(14*(a^3 + a^2b)*\cosh(x)^3 - 3*(2*a^3 + a^2b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2b)*\cosh(x)^4 + 6*a^3 + 4*a^2b - a*b^2 + b^3 - 30*(2*a^3 + a^2b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2b)*\cosh(x)^5 - 10*(2*a^3 + a^2b)*\cosh(x)^3 + (6*a^3 + 4*a^2b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2b)*\cosh(x)^6 - 15*(2*a^3 + a^2b)*\cosh(x)^4 - 2*a^3 - 3*a^2b + b^3 + 3*(6*a^3 + 4*a^2b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 - 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 - a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 - 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 - 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*\cosh(x)^5 - 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a+b}*\sqrt{((a+b)*\cosh(x)^2 + (a+b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*(2*(a^3 + a^2b)*\cosh(x)^7 - 3*(2*a^3 + a^2b)*\cosh(x)^5 + (6*a^3 + 4*a^2b - a*b^2 + b^3)*\cosh(x)^3 - (2*a^3 + 3*a^2b - b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + 2*(a+b)*\sqrt{a}*\log(-((2*a+b)*\cosh(x)^4 + 4*(2*a+b)*\cosh(x)*\sinh(x)^3 + (2*a+b)*\sinh(x)^4 - 2*(2*a-b)*\cosh(x)^2 + 2*(3*(2*a+b)*\cosh(x)^2 - 2*a+b)*\sinh(x)^2 - 2*\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{a}*\sqrt{((a+b)*\cosh(x)^2 + (a+b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*((2*a+b)*\cosh(x)^3 - (2*a-b)*\cosh(x))*\sinh(x) + 2*a + b)/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1)) + \sqrt{a+b}*a*\log(((a+b)*\cosh(x))^4 + 4*(a+b)*\cosh(x)*\sinh(x)^3 + (a+b)*\sinh(x)^4 + 2*b*\cosh(x)^2 + 2*(3*(a+b)*\cosh(x)^2 + b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1))*\sqrt{a+b}*\sqrt{((a+b)*\cosh(x)^2 + (a+b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*((a+b)*\cosh(x)^3 + b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^2 + a*b), 1/4*(4*\sqrt{-a}*(a+b)*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x))*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{-a}*\sqrt{((a+b)*\cosh(x)^2 + (a+b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a+b)*\cosh(x)^4 + 4*(a+b)*\cosh(x)*\sinh(x)^3 + (a+b)*\sinh(x)^4 - 2*(a-b)*\cosh(x)^2 + 2*(3*(a+b)*\cosh(x)^2 - a + b)*\sinh(x)^2 + 4*((a+b)*\cosh(x)^3 - (a-b)*\cosh(x))*\sinh(x) + a + b)) + \sqrt{a+b}*a*\log(-((a^3 + a^2b)*\cosh(x)^8 + 8*(a^3 + a^2b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2b)*\sinh(x)^8 - 2*(2*a^3 + a^2b)*\cosh(x)^6 - 2*(2*a^3 + a^2b - 14*(a^3 + a^2b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 + a^2b)*\cosh(x)^3 - 3*(2*a^3 + a^2b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2b)*\cosh(x)^4 + 6*a^3 + 4*a^2b - a*b^2 + b^3 - 30*(2*a^3 + a^2b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2b)*\cosh(x)^5 - 10*(2*a^3 + a^2b)*\cosh(x)^3 + (6*a^3 + 4*a^2b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2b)*\cosh(x)^6 - 15*(2*a^3
\end{aligned}$$

```

+ a^2*b)*cosh(x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b
^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5
+ a^2*sinh(x)^6 - 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 - a^2)*sinh(x)^4 +
4*(5*a^2*cosh(x)^3 - 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(
x)^2 + (15*a^2*cosh(x)^4 - 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^
2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*cosh(x)^5 - 6*a^2*cosh(x)^3 + (3*a^2 + 2*a
*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*s
inh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3
+ a^2*b)*cosh(x)^7 - 3*(2*a^3 + a^2*b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2
+ b^3)*cosh(x)^3 - (2*a^3 + 3*a^2*b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 +
6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*
cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + sqrt(a + b)*a*log
(((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*b
*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + b)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2
*cosh(x)*sinh(x) + sinh(x)^2 + 1))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a
+ b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((
a + b)*cosh(x)^3 + b*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(
x) + sinh(x)^2)))/(a^2 + a*b), -1/2*(a*sqrt(-a - b)*arctan(sqrt(2)*(a*cosh(
x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 - a - b)*sqrt(-a - b)*sqrt(((a + b
)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(...

```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{\sqrt{a + b \coth^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)/(a+b*coth(x)**2)**(1/2),x)
```

```
[Out] Integral(tanh(x)/sqrt(a + b*coth(x)**2), x)
```

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)/(a+b*coth(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx);OUTPUT:Warning, integration of abs or sign a
ssumes constant sign by intervals (correct if the argument is real):Check [
abs(ex
```


Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\tanh(x)}{\sqrt{b \coth(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a + b*coth(x)^2)^(1/2), x)

[Out] int(tanh(x)/(a + b*coth(x)^2)^(1/2), x)

$$3.37 \quad \int \frac{\tanh^2(x)}{\sqrt{a + b \coth^2(x)}} dx$$

Optimal. Leaf size=51

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{\sqrt{a+b}} - \frac{\sqrt{a+b \coth^2(x)} \tanh(x)}{a}$$

[Out] $\text{arctanh}(\coth(x) \cdot (a+b)^{(1/2)} / (a+b \cdot \coth(x)^2)^{(1/2)}) / (a+b)^{(1/2)} - (a+b \cdot \coth(x)^2)^{(1/2)} \cdot \tanh(x) / a$

Rubi [A]

time = 0.07, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {3751, 491, 12, 385, 212}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{\sqrt{a+b}} - \frac{\tanh(x) \sqrt{a+b \coth^2(x)}}{a}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tanh}[x]^2 / \text{Sqrt}[a + b \cdot \text{Coth}[x]^2], x]$

[Out] $\text{ArcTanh}[(\text{Sqrt}[a + b] \cdot \text{Coth}[x]) / \text{Sqrt}[a + b \cdot \text{Coth}[x]^2]] / \text{Sqrt}[a + b] - (\text{Sqrt}[a + b \cdot \text{Coth}[x]^2] \cdot \text{Tanh}[x]) / a$

Rule 12

$\text{Int}[(a_*) \cdot (u_*), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*) \cdot (v_*)] /; \text{FreeQ}[b, x]$

Rule 212

$\text{Int}[((a_*) + (b_*) \cdot (x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 / (\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2])) \cdot \text{ArcTanh}[\text{Rt}[-b, 2] \cdot (x / \text{Rt}[a, 2])], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 385

$\text{Int}[((a_*) + (b_*) \cdot (x_)^{(n_*)})^{(p_*)} / ((c_*) + (d_*) \cdot (x_)^{(n_*)}), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1 / (c - (b \cdot c - a \cdot d) \cdot x^n), x], x, x / (a + b \cdot x^n)^{(1/n)}] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ \text{EqQ}[n \cdot p + 1, 0] \ \&\& \ \text{IntegerQ}[n]$

Rule 491

```
Int[((e_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*e*(m + 1))), x] - Dist[1/(a*c*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[(b*c + a*d)*(m + n + 1) + n*(b*c*p + a*d*q) + b*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 3751

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned} \int \frac{\tanh^2(x)}{\sqrt{a + b \coth^2(x)}} dx &= \text{Subst} \left(\int \frac{1}{x^2 (1 - x^2) \sqrt{a + bx^2}} dx, x, \coth(x) \right) \\ &= -\frac{\sqrt{a + b \coth^2(x)} \tanh(x)}{a} + \frac{\text{Subst} \left(\int \frac{a}{(1-x^2)\sqrt{a+bx^2}} dx, x, \coth(x) \right)}{a} \\ &= -\frac{\sqrt{a + b \coth^2(x)} \tanh(x)}{a} + \text{Subst} \left(\int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \coth(x) \right) \\ &= -\frac{\sqrt{a + b \coth^2(x)} \tanh(x)}{a} + \text{Subst} \left(\int \frac{1}{1 - (a+b)x^2} dx, x, \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} \right) \\ &= \frac{\tanh^{-1} \left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)}{\sqrt{a+b}} - \frac{\sqrt{a + b \coth^2(x)} \tanh(x)}{a} \end{aligned}$$

Mathematica [C] Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

time = 1.02, size = 132, normalized size = 2.59

$$\frac{\left(1 + \frac{b \coth^2(x)}{a}\right) \sinh^2(x) \left(2(a+b)(-a+b+(a+b) \cosh(2x)) \coth^2(x) {}_2F_1\left(2, 2; \frac{5}{2}; \frac{(a+b) \cosh^2(x)}{a}\right) + \frac{{}_3a \operatorname{ArcSin}\left(\sqrt{\frac{(a+b) \cosh^2(x)}{a}}\right) (a+2b \coth^2(x))}{\sqrt{-\frac{(a+b) \cosh^2(x) (a+b \coth^2(x)) \sinh^2(x)}{a^2}}} \right) \tanh(x)}{3a^2 \sqrt{a+b \coth^2(x)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Tanh[x]^2/Sqrt[a + b*Coth[x]^2], x]

[Out] $((1 + (b \operatorname{Coth}[x]^2)/a) * \operatorname{Sinh}[x]^2 * (2 * (a + b) * (-a + b + (a + b) * \operatorname{Cosh}[2 * x])) * \operatorname{Coth}[x]^2 * \operatorname{Hypergeometric2F1}[2, 2, 5/2, ((a + b) * \operatorname{Cosh}[x]^2)/a] + (3 * a * \operatorname{ArcSin}[\operatorname{Sqrt}[(a + b) * \operatorname{Cosh}[x]^2/a]] * (a + 2 * b * \operatorname{Coth}[x]^2)) / \operatorname{Sqrt}[-((a + b) * \operatorname{Cosh}[x]^2 * (a + b * \operatorname{Coth}[x]^2) * \operatorname{Sinh}[x]^2)/a^2]) * \operatorname{Tanh}[x]) / (3 * a^2 * \operatorname{Sqrt}[a + b * \operatorname{Coth}[x]^2])$

Maple [F]

time = 2.27, size = 0, normalized size = 0.00

$$\int \frac{\tanh^2(x)}{\sqrt{a + b (\coth^2(x))}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^2/(a+b*coth(x)^2)^(1/2), x)

[Out] int(tanh(x)^2/(a+b*coth(x)^2)^(1/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b*coth(x)^2)^(1/2), x, algorithm="maxima")

[Out] integrate(tanh(x)^2/sqrt(b*coth(x)^2 + a), x)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 531 vs. 2(43) = 86.

time = 0.43, size = 1621, normalized size = 31.78

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b*coth(x)^2)^(1/2), x, algorithm="fricas")

```
[Out] [1/4*((a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 + a)*sqrt(a + b)*log
(((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^
3)*sinh(x)^8 + 2*(a*b^2 + 2*b^3)*cosh(x)^6 + 2*(a*b^2 + 2*b^3 + 14*(a*b^2 +
b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 + 3*(a*b^2 + 2*b
^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a
*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 + 30*(a*b^2 + 2*b^3)*
cosh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 + 10*(a*b^2 + 2*b^3)*c
osh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2
*b + 3*a*b^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(14*(a*b^2 + b
^3)*cosh(x)^6 + 15*(a*b^2 + 2*b^3)*cosh(x)^4 - a^3 + 3*a*b^2 + 2*b^3 + 3*(a
^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(b^2*cosh(x)^6
+ 6*b^2*cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 + 3*b^2*cosh(x)^4 + 3*(5*b^2*cos
h(x)^2 + b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 + 3*b^2*cosh(x))*sinh(x)^3 - (
a^2 - 2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 + 18*b^2*cosh(x)^2 - a^2
+ 2*a*b + 3*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*b^2*cosh(x)^5 + 6*b^
2*cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a
+ b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x)
+ sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 + 3*(a*b^2 + 2*b^3)*cosh(x)^5
+ (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 - (a^3 - 3*a*b^2 - 2*b^3)*cosh(
x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20
*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(
x)^6)) + (a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 + a)*sqrt(a + b)*
log(-((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 -
2*a*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2
+ 2*cosh(x)*sinh(x) + sinh(x)^2 - 1))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 +
(a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) +
4*((a + b)*cosh(x)^3 - a*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*s
inh(x) + sinh(x)^2)) - 4*sqrt(2)*(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*
sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^2 + a*
b)*cosh(x)^2 + 2*(a^2 + a*b)*cosh(x)*sinh(x) + (a^2 + a*b)*sinh(x)^2 + a^2
+ a*b), -1/2*((a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 + a)*sqrt(-a
- b)*arctan(sqrt(2)*(b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 + a +
b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh
(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a*b + b^2)*cosh(x)^4 + 4*(a*b + b
^2)*cosh(x)*sinh(x)^3 + (a*b + b^2)*sinh(x)^4 - (a^2 - a*b - 2*b^2)*cosh(x)
^2 + (6*(a*b + b^2)*cosh(x)^2 - a^2 + a*b + 2*b^2)*sinh(x)^2 + a^2 + 2*a*b
+ b^2 + 2*(2*(a*b + b^2)*cosh(x)^3 - (a^2 - a*b - 2*b^2)*cosh(x))*sinh(x))
+ (a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 + a)*sqrt(-a - b)*arcta
n(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1))*sqrt(-a - b)*sqrt
(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sin
h(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a +
b)*sinh(x)^4 - 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a + b)*sinh(x)
)^2 + 4*((a + b)*cosh(x)^3 - (a - b)*cosh(x))*sinh(x) + a + b)) + 2*sqrt(2)
*(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 -
2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^2 + a*b)*cosh(x)^2 + 2*(a^2 + a*b)*cos
```

$h(x)*\sinh(x) + (a^2 + a*b)*\sinh(x)^2 + a^2 + a*b]$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^2(x)}{\sqrt{a + b \coth^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)**2/(a+b*coth(x)**2)**(1/2),x)

[Out] Integral(tanh(x)**2/sqrt(a + b*coth(x)**2), x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b*coth(x)^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx)::OUTPUT:Warning, integration of abs or sign a
ssumes constant sign by intervals (correct if the argument is real):Check [
abs(ex

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\tanh(x)^2}{\sqrt{b \coth(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^2/(a + b*coth(x)^2)^(1/2),x)

[Out] int(tanh(x)^2/(a + b*coth(x)^2)^(1/2), x)

$$3.38 \quad \int \frac{\coth^3(x)}{(a+b \coth^2(x))^{3/2}} dx$$

Optimal. Leaf size=52

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} + \frac{a}{b(a+b)\sqrt{a+b \coth^2(x)}}$$

[Out] arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(3/2)+a/b/(a+b)/(a+b*coth(x)^2)^(1/2)

Rubi [A]

time = 0.09, antiderivative size = 52, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {3751, 457, 79, 65, 214}

$$\frac{a}{b(a+b)\sqrt{a+b \coth^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^3/(a + b*Coth[x]^2)^(3/2),x]

[Out] ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) + a/(b*(a + b)*Sqrt[a + b*Coth[x]^2])

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 79

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(-b*e - a*f)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(f*(p + 1)*(c*f - d*e))), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

))

Rule 214

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 3751

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{3/2}} dx &= \text{Subst} \left(\int \frac{x^3}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \coth(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{x}{(1-x)(a+bx)^{3/2}} dx, x, \coth^2(x) \right) \\
&= \frac{a}{b(a+b)\sqrt{a+b\coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \coth^2(x) \right)}{2(a+b)} \\
&= \frac{a}{b(a+b)\sqrt{a+b\coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b\coth^2(x)} \right)}{b(a+b)} \\
&= \frac{\tanh^{-1} \left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{3/2}} + \frac{a}{b(a+b)\sqrt{a+b\coth^2(x)}}
\end{aligned}$$

Mathematica [A]

time = 0.10, size = 52, normalized size = 1.00

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} + \frac{a}{b(a+b)\sqrt{a+b\coth^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^3/(a + b*Coth[x]^2)^(3/2), x]

[Out] ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) + a/(b*(a + b)*Sqrt[a + b*Coth[x]^2])

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 286 vs. 2(44) = 88.

time = 0.70, size = 287, normalized size = 5.52

method	result
derivativedivides	$\frac{1}{b\sqrt{a+b(\coth^2(x))}} - \frac{1}{2(a+b)\sqrt{b(1+\coth(x))^2 - 2b(1+\coth(x)) + a+b}} - \frac{1}{(a+b)(4b^2)}$
default	$\frac{1}{b\sqrt{a+b(\coth^2(x))}} - \frac{1}{2(a+b)\sqrt{b(1+\coth(x))^2 - 2b(1+\coth(x)) + a+b}} - \frac{1}{(a+b)(4b^2)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^3/(a+b*coth(x)^2)^(3/2), x, method=_RETURNVERBOSE)

[Out] $\frac{1}{b(a+b\coth(x)^2)^{1/2}} - \frac{1}{2(a+b)} \frac{1}{(b(1+\coth(x))^2 - 2b(1+\coth(x)) + a+b)^{1/2}} - \frac{1}{(a+b)(4b^2)}$

$-\frac{1}{(a+b)(4b^2)} \frac{1}{(b(1+\coth(x))^2 - 2b(1+\coth(x)) + a+b)^{1/2}} + \frac{1}{2(a+b)} \frac{1}{(a+b)^{3/2}} \ln\left(\frac{2a+2b-2b(1+\coth(x))+2(a+b)^{1/2}}{(b(1+\coth(x))^2 - 2b(1+\coth(x)) + a+b)^{1/2}}\right) - \frac{1}{2(a+b)} \frac{1}{(b(1+\coth(x))^2 - 2b(1+\coth(x)) + a+b)^{1/2}}$

$-\frac{1}{(a+b)(4b^2)} \frac{1}{(b(\coth(x)-1)^2 + 2b(\coth(x)-1) + a+b)^{1/2}} + \frac{1}{(a+b)} \frac{1}{(4b^2(a+b) - 4b^2)} \frac{1}{(b(\coth(x)-1)^2 + 2b(\coth(x)-1) + a+b)^{1/2}} + \frac{1}{2(a+b)} \frac{1}{(a+b)^{3/2}} \ln\left(\frac{2a+2b+2b(\coth(x)-1)+2(a+b)^{1/2}}{(b(\coth(x)-1)^2 + 2b(\coth(x)-1) + a+b)^{1/2}}\right) \frac{1}{(\coth(x)-1)}$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^3/(a+b*coth(x)^2)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate(coth(x)^3/(b*coth(x)^2 + a)^(3/2), x)
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 990 vs. $2(44) = 88$.

time = 0.47, size = 2541, normalized size = 48.87

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^3/(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")
```

```
[Out] [1/4*(((a*b + b^2)*cosh(x)^4 + 4*(a*b + b^2)*cosh(x)*sinh(x)^3 + (a*b + b^2)*sinh(x)^4 - 2*(a*b - b^2)*cosh(x)^2 + 2*(3*(a*b + b^2)*cosh(x)^2 - a*b + b^2)*sinh(x)^2 + a*b + b^2 + 4*((a*b + b^2)*cosh(x)^3 - (a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*log(-((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 - 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 - 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 - 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 - 15*(2*a^3 + a^2*b)*cosh(x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 - 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 - a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 - 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 - 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*cosh(x)^5 - 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 - 3*(2*a^3 + a^2*b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^3 - (2*a^3 + 3*a^2*b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + ((a*b + b^2)*cosh(x)^4 + 4*(a*b + b^2)*cosh(x)*sinh(x)^3 + (a*b + b^2)*sinh(x)^4 - 2*(a*b - b^2)*cosh(x)^2 + 2*(3*(a*b + b^2)*cosh(x)^2 - a*b + b^2)*sinh(x)^2 + a*b + b^2 + 4*((a*b + b^2)*cosh(x)^3 - (a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*log(((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*b*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + b)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3 +
```

```

b*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)) +
4*sqrt(2)*((a^2 + a*b)*cosh(x)^2 + 2*(a^2 + a*b)*cosh(x)*sinh(x) + (a^2 + a
*b)*sinh(x)^2 - a^2 - a*b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a
+ b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^3*b + 3*a^2*b^2 + 3*
a*b^3 + b^4)*cosh(x)^4 + 4*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*cosh(x)*sinh
(x)^3 + (a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*sinh(x)^4 + a^3*b + 3*a^2*b^2 +
3*a*b^3 + b^4 - 2*(a^3*b + a^2*b^2 - a*b^3 - b^4)*cosh(x)^2 - 2*(a^3*b + a
^2*b^2 - a*b^3 - b^4 - 3*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*cosh(x)^2)*sin
h(x)^2 + 4*((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*cosh(x)^3 - (a^3*b + a^2*b^
2 - a*b^3 - b^4)*cosh(x))*sinh(x)), -1/2*(((a*b + b^2)*cosh(x)^4 + 4*(a*b +
b^2)*cosh(x)*sinh(x)^3 + (a*b + b^2)*sinh(x)^4 - 2*(a*b - b^2)*cosh(x)^2 +
2*(3*(a*b + b^2)*cosh(x)^2 - a*b + b^2)*sinh(x)^2 + a*b + b^2 + 4*((a*b +
b^2)*cosh(x)^3 - (a*b - b^2)*cosh(x))*sinh(x))*sqrt(-a - b)*arctan(sqrt(2)*
(a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 - a - b)*sqrt(-a - b)*sqrt
(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sin
h(x) + sinh(x)^2)))/((a^2 + a*b)*cosh(x)^4 + 4*(a^2 + a*b)*cosh(x)*sinh(x)^3
+ (a^2 + a*b)*sinh(x)^4 - (2*a^2 + a*b - b^2)*cosh(x)^2 + (6*(a^2 + a*b)*c
osh(x)^2 - 2*a^2 - a*b + b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a
*b)*cosh(x)^3 - (2*a^2 + a*b - b^2)*cosh(x))*sinh(x)) + ((a*b + b^2)*cosh(
x)^4 + 4*(a*b + b^2)*cosh(x)*sinh(x)^3 + (a*b + b^2)*sinh(x)^4 - 2*(a*b - b
^2)*cosh(x)^2 + 2*(3*(a*b + b^2)*cosh(x)^2 - a*b + b^2)*sinh(x)^2 + a*b + b
^2 + 4*((a*b + b^2)*cosh(x)^3 - (a*b - b^2)*cosh(x))*sinh(x))*sqrt(-a - b)*
arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(-a - b)
*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)
)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 +
(a + b)*sinh(x)^4 - 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a + b)*s
inh(x)^2 + 4*((a + b)*cosh(x)^3 - (a - b)*cosh(x))*sinh(x) + a + b) - 2*sq
rt(2)*((a^2 + a*b)*cosh(x)^2 + 2*(a^2 + a*b)*cosh(x)*sinh(x) + (a^2 + a*b)*
sinh(x)^2 - a^2 - a*b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)
/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^3*b + 3*a^2*b^2 + 3*a*b^
3 + b^4)*cosh(x)^4 + 4*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*cosh(x)*sinh(x)^
3 + (a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*sinh(x)^4 + a^3*b + 3*a^2*b^2 + 3*a
*b^3 + b^4 - 2*(a^3*b + a^2*b^2 - a*b^3 - b^4)*cosh(x)^2 - 2*(a^3*b + a^2*b
^2 - a*b^3 - b^4 - 3*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*cosh(x)^2)*sinh(x)
^2 + 4*((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*cosh(x)^3 - (a^3*b + a^2*b^2 -
a*b^3 - b^4)*cosh(x))*sinh(x))]

```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)**3/(a+b*coth(x)**2)**(3/2), x)

[Out] `Integral(coth(x)**3/(a + b*coth(x)**2)**(3/2), x)`

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^3/(a+b*coth(x)^2)^(3/2),x, algorithm="giac")`

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx);OUTPUT:Warning, integration of abs or sign a
 ssumes constant sign by intervals (correct if the argument is real):Check [
 abs(ex

Mupad [B]

time = 2.00, size = 45, normalized size = 0.87

$$\frac{\operatorname{atanh}\left(\frac{\sqrt{b \coth(x)^2 + a}}{\sqrt{a + b}}\right)}{(a + b)^{3/2}} + \frac{a}{(b^2 + a b) \sqrt{b \coth(x)^2 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^3/(a + b*coth(x)^2)^(3/2),x)`

[Out] `atanh((a + b*coth(x)^2)^(1/2)/(a + b)^(1/2))/(a + b)^(3/2) + a/((a*b + b^2)
 *(a + b*coth(x)^2)^(1/2))`

$$3.39 \quad \int \frac{\coth^2(x)}{(a+b \coth^2(x))^{3/2}} dx$$

Optimal. Leaf size=53

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{(a+b)^{3/2}} - \frac{\coth(x)}{(a+b)\sqrt{a+b \coth^2(x)}}$$

[Out] arctanh(coth(x)*(a+b)^(1/2)/(a+b*coth(x)^2)^(1/2))/(a+b)^(3/2)-coth(x)/(a+b)/(a+b*coth(x)^2)^(1/2)

Rubi [A]

time = 0.07, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {3751, 482, 385, 212}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{(a+b)^{3/2}} - \frac{\coth(x)}{(a+b)\sqrt{a+b \coth^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^2/(a + b*Coth[x]^2)^(3/2),x]

[Out] ArcTanh[(Sqrt[a + b]*Coth[x])/Sqrt[a + b*Coth[x]^2]]/(a + b)^(3/2) - Coth[x]/((a + b)*Sqrt[a + b*Coth[x]^2])

Rule 212

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 385

Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 482

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Simp[e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*

```
((c + d*x^n)^(q + 1)/(n*(b*c - a*d)*(p + 1))), x] - Dist[e^n/(n*(b*c - a*d)
*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q* Simp[c*(m -
n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e,
q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n +
1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 3751

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff
^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{3/2}} dx &= \text{Subst} \left(\int \frac{x^2}{(1 - x^2)(a + bx^2)^{3/2}} dx, x, \coth(x) \right) \\
&= -\frac{\coth(x)}{(a + b)\sqrt{a + b \coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{(1 - x^2)\sqrt{a + bx^2}} dx, x, \coth(x) \right)}{a + b} \\
&= -\frac{\coth(x)}{(a + b)\sqrt{a + b \coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} \right)}{a + b} \\
&= \frac{\tanh^{-1} \left(\frac{\sqrt{a + b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)}{(a + b)^{3/2}} - \frac{\coth(x)}{(a + b)\sqrt{a + b \coth^2(x)}}
\end{aligned}$$

Mathematica [B] Leaf count is larger than twice the leaf count of optimal. 109 vs. 2(53) = 106.

time = 0.71, size = 109, normalized size = 2.06

$$\frac{-2(a+b)\coth(x) + \frac{\tanh^{-1}\left(\frac{\sqrt{\frac{(a+b)\coth^2(x)}{a}}}{\sqrt{1+\frac{b\coth^2(x)}{a}}}\right) (-a+b+(a+b)\cosh(2x)) \sqrt{\frac{(a+b)\coth^2(x)}{a}} \operatorname{csch}(x)\operatorname{sech}(x)}{\sqrt{1+\frac{b\coth^2(x)}{a}}}}{2(a+b)^2\sqrt{a+b\coth^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^2/(a + b*Coth[x]^2)^(3/2), x]

[Out] (-2*(a + b)*Coth[x] + (ArcTanh[Sqrt[((a + b)*Coth[x]^2)/a]/Sqrt[1 + (b*Coth[x]^2)/a]])*(-a + b + (a + b)*Cosh[2*x])*Sqrt[((a + b)*Coth[x]^2)/a]*Csch[x]*Sech[x])/Sqrt[1 + (b*Coth[x]^2)/a]/(2*(a + b)^2*Sqrt[a + b*Coth[x]^2])

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 288 vs. $2(45) = 90$.

time = 0.72, size = 289, normalized size = 5.45

method	result
derivativedivides	$-\frac{\coth(x)}{a\sqrt{a+b(\coth^2(x))}} - \frac{1}{2(a+b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} + \frac{1}{(a+b)}$
default	$-\frac{\coth(x)}{a\sqrt{a+b(\coth^2(x))}} - \frac{1}{2(a+b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} + \frac{1}{(a+b)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^2/(a+b*coth(x)^2)^(3/2), x, method=_RETURNVERBOSE)

[Out] -coth(x)/a/(a+b*coth(x)^2)^(1/2)-1/2/(a+b)/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)+b/(a+b)*(2*b*(coth(x)-1)+2*b)/(4*b*(a+b)-4*b^2)/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)+1/2/(a+b)^(3/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1))+1/2/(a+b)/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)+b/(a+b)*(2*b*(1+coth(x))-2*b)/(4*b*(a+b)-4*b^2)/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)-1/2/(a+b)^(3/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x)))

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2/(a+b*coth(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate(coth(x)^2/(b*coth(x)^2 + a)^(3/2), x)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 860 vs. 2(45) = 90.

time = 0.47, size = 2279, normalized size = 43.00

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2/(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 \\ & - 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - a + b)*\sinh(x)^2 + 4*((a + \\ & b)*\cosh(x)^3 - (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a + b}*\log(((a*b^2 + \\ & b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x) \\ & ^8 + 2*(a*b^2 + 2*b^3)*\cosh(x)^6 + 2*(a*b^2 + 2*b^3 + 14*(a*b^2 + b^3)*\cosh \\ & (x)^2)*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 + 3*(a*b^2 + 2*b^3)*\cosh(x) \\ &))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3) \\ &)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 + 30*(a*b^2 + 2*b^3)*\cosh(x)^2) \\ & *\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 + 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + \\ & (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b \\ & ^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x) \\ &)^6 + 15*(a*b^2 + 2*b^3)*\cosh(x)^4 - a^3 + 3*a*b^2 + 2*b^3 + 3*(a^3 - a^2*b \\ & + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6*b^2*c \\ & osh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 + 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 + b \\ & ^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 + 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 - 2*a \\ & b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 + 18*b^2*\cosh(x)^2 - a^2 + 2*a*b + \\ & 3*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*b^2*\cosh(x)^5 + 6*b^2*\cosh(x) \\ & ^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh \\ & (x)^2 + (a + b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x) \\ & ^2)} + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 + 3*(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a \\ & ^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 - (a^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x) \\ &)/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3 \\ & *\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6) + (\\ & (a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*(a \\ & - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - a + b)*\sinh(x)^2 + 4*((a + b)*\cosh \\ & (x)^3 - (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a + b}*\log(-((a + b)*\cosh(x) \end{aligned}$$


```

)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*a*cosh(x)^2 + 2*(
3*(a + b)*cosh(x)^2 - a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x)
+ sinh(x)^2 - 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 -
a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3
- a*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2))
- 4*sqrt(2)*((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x) + (a + b)*sinh(
x)^2 + a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)
^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh
(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)*sinh(x)^3 + (a^3 + 3*a^2*
b + 3*a*b^2 + b^3)*sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(a^3 + a^2
*b - a*b^2 - b^3)*cosh(x)^2 - 2*(a^3 + a^2*b - a*b^2 - b^3 - 3*(a^3 + 3*a^2
*b + 3*a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^
3)*cosh(x)^3 - (a^3 + a^2*b - a*b^2 - b^3)*cosh(x))*sinh(x)), -1/2*((a + b
)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*c
osh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3
- (a - b)*cosh(x))*sinh(x) + a + b)*sqrt(-a - b)*arctan(sqrt(2)*(b*cosh(x)
^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 + a + b)*sqrt(-a - b)*sqrt(((a + b)*
cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sin
h(x)^2)))/((a*b + b^2)*cosh(x)^4 + 4*(a*b + b^2)*cosh(x)*sinh(x)^3 + (a*b +
b^2)*sinh(x)^4 - (a^2 - a*b - 2*b^2)*cosh(x)^2 + (6*(a*b + b^2)*cosh(x)^2 -
a^2 + a*b + 2*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*cosh(x)
)^3 - (a^2 - a*b - 2*b^2)*cosh(x))*sinh(x))) + ((a + b)*cosh(x)^4 + 4*(a +
b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*cosh(x)^2 + 2*(3*(a +
b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 - (a - b)*cosh(x))*s
inh(x) + a + b)*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x)
+ sinh(x)^2 - 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 -
a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4
*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*cosh(x)^2 + 2*(3
*(a + b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 - (a - b)*cosh
(x))*sinh(x) + a + b)) + 2*sqrt(2)*((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*s
inh(x) + (a + b)*sinh(x)^2 + a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(
x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^3 + 3*a^2*b
+ 3*a*b^2 + b^3)*cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)*sin
h(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^
2 + b^3 - 2*(a^3 + a^2*b - a*b^2 - b^3)*cosh(x)^2 - 2*(a^3 + a^2*b - a*b^2
- b^3 - 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a^3 +
3*a^2*b + 3*a*b^2 + b^3)*cosh(x)^3 - (a^3 + a^2*b - a*b^2 - b^3)*cosh(x))*s
inh(x))]

```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)**2/(a+b*coth(x)**2)**(3/2),x)
```

```
[Out] Integral(coth(x)**2/(a + b*coth(x)**2)**(3/2), x)
```

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^2/(a+b*coth(x)^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx)::OUTPUT:Warning, integration of abs or sign a
ssumes constant sign by intervals (correct if the argument is real):Check [
abs(ex
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\coth(x)^2}{(b \coth(x)^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(x)^2/(a + b*coth(x)^2)^(3/2),x)
```

```
[Out] int(coth(x)^2/(a + b*coth(x)^2)^(3/2), x)
```

$$3.40 \quad \int \frac{\coth(x)}{(a+b \coth^2(x))^{3/2}} dx$$

Optimal. Leaf size=49

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} - \frac{1}{(a+b)\sqrt{a+b \coth^2(x)}}$$

[Out] arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(3/2)-1/(a+b)/(a+b*coth(x)^2)^(1/2)

Rubi [A]

time = 0.06, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3751, 455, 53, 65, 214}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} - \frac{1}{(a+b)\sqrt{a+b \coth^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]/(a + b*Coth[x]^2)^(3/2),x]

[Out] ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) - 1/((a + b)*Sqrt[a + b*Coth[x]^2])

Rule 53

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
(a + b*x)^(m + 1)*((c + d*x)^(n + 1)/((b*c - a*d)*(m + 1))), x] - Dist[d*((
m + n + 2)/((b*c - a*d)*(m + 1))), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
```

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 214

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 455

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]

Rule 3751

Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned}
 \int \frac{\coth(x)}{(a + b \coth^2(x))^{3/2}} dx &= \text{Subst} \left(\int \frac{x}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \coth(x) \right) \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{(1-x)(a+bx)^{3/2}} dx, x, \coth^2(x) \right) \\
 &= -\frac{1}{(a+b)\sqrt{a+b\coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \coth^2(x) \right)}{2(a+b)} \\
 &= -\frac{1}{(a+b)\sqrt{a+b\coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b\coth^2(x)} \right)}{b(a+b)} \\
 &= \frac{\tanh^{-1} \left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{3/2}} - \frac{1}{(a+b)\sqrt{a+b\coth^2(x)}}
 \end{aligned}$$

Mathematica [C] Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

time = 0.03, size = 41, normalized size = 0.84

$$-\frac{{}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{a+b \coth^2(x)}{a+b}\right)}{(a+b)\sqrt{a+b \coth^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]/(a + b*Coth[x]^2)^(3/2), x]

[Out] -(Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Coth[x]^2)/(a + b)]/((a + b)*Sqrt[a + b*Coth[x]^2]))

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 272 vs. $2(41) = 82$.

time = 0.63, size = 273, normalized size = 5.57

method	result
derivativedivides	$-\frac{1}{2(a+b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} + \frac{b(2b(\coth(x)-1)+a+b)}{(a+b)(4b(a+b)-4b^2)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}$
default	$-\frac{1}{2(a+b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} + \frac{b(2b(\coth(x)-1)+a+b)}{(a+b)(4b(a+b)-4b^2)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)/(a+b*coth(x)^2)^(3/2), x, method=_RETURNVERBOSE)

[Out]
$$-1/2/(a+b)/(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2)}+b/(a+b)*(2*b*(\coth(x)-1)+2*b)/(4*b*(a+b)-4*b^2)/(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2)}+1/2/(a+b)^{(3/2)}*\ln((2*a+2*b+2*b*(\coth(x)-1)+2*(a+b)^{(1/2)}*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2)))/(b*(\coth(x)-1))-1/2/(a+b)/(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2)}-b/(a+b)*(2*b*(1+\coth(x))-2*b)/(4*b*(a+b)-4*b^2)/(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2)}+1/2/(a+b)^{(3/2)}*\ln((2*a+2*b-2*b*(1+\coth(x))+2*(a+b)^{(1/2)}*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2)))/(1+\coth(x)))$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b*coth(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate(coth(x)/(b*coth(x)^2 + a)^(3/2), x)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 869 vs. 2(41) = 82.

time = 0.48, size = 2299, normalized size = 46.92

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")

[Out] [1/4*(((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 - (a - b)*cosh(x))*sinh(x) + a + b)*sqrt(a + b)*log(-((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 - 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 - 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 - 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 - 15*(2*a^3 + a^2*b)*cosh(x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 - 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 - a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 - 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 - 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*cosh(x)^5 - 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 - 3*(2*a^3 + a^2*b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^3 - (2*a^3 + 3*a^2*b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + ((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 - (a - b)*cosh(x))*sinh(x) + a + b)*sqrt(a + b)*log(((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*b*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + b)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3 + b*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2))

```

- 4*sqrt(2)*((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x) + (a + b)*sinh(
x)^2 - a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)
^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh
(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)*sinh(x)^3 + (a^3 + 3*a^2*
b + 3*a*b^2 + b^3)*sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(a^3 + a^2
*b - a*b^2 - b^3)*cosh(x)^2 - 2*(a^3 + a^2*b - a*b^2 - b^3 - 3*(a^3 + 3*a^2
*b + 3*a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^
3)*cosh(x)^3 - (a^3 + a^2*b - a*b^2 - b^3)*cosh(x))*sinh(x)), -1/2*((a + b
)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*c
osh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3
- (a - b)*cosh(x))*sinh(x) + a + b)*sqrt(-a - b)*arctan(sqrt(2)*(a*cosh(x)
^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 - a - b)*sqrt(-a - b)*sqrt(((a + b)*
cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sin
h(x)^2)))/((a^2 + a*b)*cosh(x)^4 + 4*(a^2 + a*b)*cosh(x)*sinh(x)^3 + (a^2 +
a*b)*sinh(x)^4 - (2*a^2 + a*b - b^2)*cosh(x)^2 + (6*(a^2 + a*b)*cosh(x)^2 -
2*a^2 - a*b + b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*cosh(x)
)^3 - (2*a^2 + a*b - b^2)*cosh(x))*sinh(x))) + ((a + b)*cosh(x)^4 + 4*(a +
b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*cosh(x)^2 + 2*(3*(a +
b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 - (a - b)*cosh(x))*s
inh(x) + a + b)*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x)
+ sinh(x)^2 + 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 -
a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4
*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*cosh(x)^2 + 2*(3
*(a + b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 - (a - b)*cosh
(x))*sinh(x) + a + b)) + 2*sqrt(2)*((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*s
inh(x) + (a + b)*sinh(x)^2 - a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(
x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^3 + 3*a^2*b
+ 3*a*b^2 + b^3)*cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)*sin
h(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^
2 + b^3 - 2*(a^3 + a^2*b - a*b^2 - b^3)*cosh(x)^2 - 2*(a^3 + a^2*b - a*b^2
- b^3 - 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a^3 +
3*a^2*b + 3*a*b^2 + b^3)*cosh(x)^3 - (a^3 + a^2*b - a*b^2 - b^3)*cosh(x))*s
inh(x))]

```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)}{(a + b \coth^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b*coth(x)**2)**(3/2), x)

[Out] Integral(coth(x)/(a + b*coth(x)**2)**(3/2), x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b*coth(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx):;OUTPUT:Warning, integration of abs or sign a
ssumes constant sign by intervals (correct if the argument is real):Check [
abs(ex

Mupad [B]

time = 1.94, size = 41, normalized size = 0.84

$$\frac{\operatorname{atanh}\left(\frac{\sqrt{b \coth(x)^2 + a}}{\sqrt{a + b}}\right)}{(a + b)^{3/2}} - \frac{1}{(a + b) \sqrt{b \coth(x)^2 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)/(a + b*coth(x)^2)^(3/2),x)

[Out] atanh((a + b*coth(x)^2)^(1/2)/(a + b)^(1/2))/(a + b)^(3/2) - 1/((a + b)*(a
+ b*coth(x)^2)^(1/2))

$$3.41 \quad \int \frac{\tanh(x)}{(a+b \coth^2(x))^{3/2}} dx$$

Optimal. Leaf size=78

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} + \frac{b}{a(a+b)\sqrt{a+b \coth^2(x)}}$$

[Out] $-\operatorname{arctanh}((a+b \coth(x)^2)^{(1/2)}/a^{(1/2)})/a^{(3/2)} + \operatorname{arctanh}((a+b \coth(x)^2)^{(1/2)}/(a+b)^{(1/2)})/(a+b)^{(3/2)} + b/a/(a+b)/(a+b \coth(x)^2)^{(1/2)}$

Rubi [A]

time = 0.10, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {3751, 457, 87, 162, 65, 214}

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{b}{a(a+b)\sqrt{a+b \coth^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] `Int[Tanh[x]/(a + b*Coth[x]^2)^(3/2), x]`

[Out] $-(\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b \operatorname{Coth}[x]^2]/\operatorname{Sqrt}[a]]/a^{(3/2)}) + \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b \operatorname{Coth}[x]^2]/\operatorname{Sqrt}[a + b]]/(a + b)^{(3/2)} + b/(a*(a + b)*\operatorname{Sqrt}[a + b \operatorname{Coth}[x]^2])$

Rule 65

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 87

`Int[((e_.) + (f_.)*(x_))^(p_)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] :> Simp[f*((e + f*x)^(p + 1)/((p + 1)*(b*e - a*f)*(d*e - c*f))), x] + Dist[1/((b*e - a*f)*(d*e - c*f)), Int[(b*d*e - b*c*f - a*d*f - b*d*f*x)*((e + f*x)^(p + 1)/((a + b*x)*(c + d*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && LtQ[p, -1]`

Rule 162

```
Int[(((e_.) + (f_.)*(x_))^(p_.)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*
((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e +
f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c
+ d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]
```

Rule 214

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 457

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 3751

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff
^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\tanh(x)}{(a + b \coth^2(x))^{3/2}} dx &= \text{Subst} \left(\int \frac{1}{x(1-x^2)(a+bx^2)^{3/2}} dx, x, \coth(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{(1-x)x(a+bx)^{3/2}} dx, x, \coth^2(x) \right) \\
&= \frac{b}{a(a+b)\sqrt{a+b\coth^2(x)}} - \frac{\text{Subst} \left(\int \frac{-a-b+bx}{(1-x)x\sqrt{a+bx}} dx, x, \coth^2(x) \right)}{2a(a+b)} \\
&= \frac{b}{a(a+b)\sqrt{a+b\coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \coth^2(x) \right)}{2a} + \frac{\text{Subst} \left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \coth^2(x) \right)}{2a} \\
&= \frac{b}{a(a+b)\sqrt{a+b\coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a+b\coth^2(x)} \right)}{ab} + \frac{\text{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a+b\coth^2(x)} \right)}{ab} \\
&= -\frac{\tanh^{-1} \left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a}} \right)}{a^{3/2}} + \frac{\tanh^{-1} \left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{3/2}} + \frac{\tanh^{-1} \left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a+b}} \right)}{a(a+b)\sqrt{a+b\coth^2(x)}}
\end{aligned}$$

Mathematica [C] Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

time = 0.04, size = 70, normalized size = 0.90

$$\frac{-a {}_2F_1 \left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{a+b\coth^2(x)}{a+b} \right) + (a+b) {}_2F_1 \left(-\frac{1}{2}, 1; \frac{1}{2}; 1 + \frac{b\coth^2(x)}{a} \right)}{a(a+b)\sqrt{a+b\coth^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]/(a + b*Coth[x]^2)^(3/2), x]

[Out] (-(a*Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Coth[x]^2)/(a + b)]) + (a + b)*Hypergeometric2F1[-1/2, 1, 1/2, 1 + (b*Coth[x]^2)/a])/(a*(a + b)*Sqrt[a + b*Coth[x]^2])

Maple [F]

time = 2.02, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{(a + b(\coth^2(x)))^{3/2}} dx$$

$$\begin{aligned}
&^3) * \cosh(x)^3 - (2*a^3 + 3*a^2*b - b^3) * \cosh(x) * \sinh(x)) / (\cosh(x)^6 + 6 * \cosh(x)^5 * \sinh(x) + 15 * \cosh(x)^4 * \sinh(x)^2 + 20 * \cosh(x)^3 * \sinh(x)^3 + 15 * \cosh(x)^2 * \sinh(x)^4 + 6 * \cosh(x) * \sinh(x)^5 + \sinh(x)^6) + 2 * ((a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(x)^4 + 4 * (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(x) * \sinh(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2 * (a^3 + a^2*b - a*b^2 - b^3) * \cosh(x)^2 - 2 * (a^3 + a^2*b - a*b^2 - b^3 - 3 * (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(x)^2) * \sinh(x)^2 + 4 * ((a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(x)^3 - (a^3 + a^2*b - a*b^2 - b^3) * \cosh(x)) * \sinh(x)) * \sqrt{a} * \log(-((2*a + b) * \cosh(x)^4 + 4 * (2*a + b) * \cosh(x) * \sinh(x)^3 + (2*a + b) * \sinh(x)^4 - 2 * (2*a - b) * \cosh(x)^2 + 2 * (3 * (2*a + b) * \cosh(x)^2 - 2*a + b) * \sinh(x)^2 - 2 * \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 - 1) * \sqrt{a} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)}) + 4 * ((2*a + b) * \cosh(x)^3 - (2*a - b) * \cosh(x)) * \sinh(x) + 2*a + b) / (\cosh(x)^4 + 4 * \cosh(x) * \sinh(x)^3 + \sinh(x)^4 + 2 * (3 * \cosh(x)^2 + 1) * \sinh(x)^2 + 2 * \cosh(x)^2 + 4 * (\cosh(x)^3 + \cosh(x)) * \sinh(x) + 1)) + ((a^3 + a^2*b) * \cosh(x)^4 + 4 * (a^3 + a^2*b) * \cosh(x) * \sinh(x)^3 + (a^3 + a^2*b) * \sinh(x)^4 + a^3 + a^2*b - 2 * (a^3 - a^2*b) * \cosh(x)^2 - 2 * (a^3 - a^2*b - 3 * (a^3 + a^2*b) * \cosh(x)^2) * \sinh(x)^2 + 4 * ((a^3 + a^2*b) * \cosh(x)^3 - (a^3 - a^2*b) * \cosh(x)) * \sinh(x)) * \sqrt{a + b} * \log(((a + b) * \cosh(x)^4 + 4 * (a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 + 2 * b * \cosh(x)^2 + 2 * (3 * (a + b) * \cosh(x)^2 + b) * \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 + 1) * \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)}) + 4 * ((a + b) * \cosh(x)^3 + b * \cosh(x)) * \sinh(x) + a + b) / (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) - 4 * \sqrt{2} * (a^2*b + a*b^2 - (a^2*b + a*b^2) * \cosh(x)^2 - 2 * (a^2*b + a*b^2) * \cosh(x) * \sinh(x) - (a^2*b + a*b^2) * \sinh(x)^2) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} / (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3) * \cosh(x)^4 + 4 * (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3) * \cosh(x) * \sinh(x)^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3) * \sinh(x)^4 - 2 * (a^5 + a^4*b - a^3*b^2 - a^2*b^3) * \cosh(x)^2 - 2 * (a^5 + a^4*b - a^3*b^2 - a^2*b^3 - 3 * (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3) * \cosh(x)^2) * \sinh(x)^2 + 4 * ((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3) * \cosh(x)^3 - (a^5 + a^4*b - a^3*b^2 - a^2*b^3) * \cosh(x)) * \sinh(x)), 1/4 * (4 * ((a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(x)^4 + 4 * (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(x) * \sinh(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2 * (a^3 + a^2*b - a*b^2 - b^3) * \cosh(x)^2 - 2 * (a^3 + a^2*b - a*b^2 - b^3 - 3 * (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(x)^2) * \sinh(x)^2 + 4 * ((a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(x)^3 - (a^3 + a^2*b - a*b^2 - b^3) * \cosh(x)) * \sinh(x)) * \sqrt{-a} * \arctan(\sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 - 1) * \sqrt{-a} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)}) / ((a + b) * \cosh(x)^4 + 4 * (a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 - 2 * (a - b) * \cosh(x)^2 + 2 * (3 * (a + b) * \cosh(x)^2 - a + b) * \sinh(x)^2 + 4 * ((a + b) * \cosh(x)^3 - (a - b) * \cosh(x)) * \sinh(x) + a + b)) + ((a^3 + a^2*b) * \cosh(x)^4 + 4 * (a^3 + a^2*b) * \cosh(x) * \sinh(x)^3 + (a^3 + a^2*b) * \sinh(x)^4 + a^3 + a^2*b - 2 * (a^3 - a^2*b) * \cosh(x)^2 - 2 * (a^3 -
\end{aligned}$$

$a^2*b - 3*(a^3 + a^2*b)*\cosh(x)^2*\sinh(x)^2 + \dots$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b*coth(x)**2)**(3/2),x)

[Out] Integral(tanh(x)/(a + b*coth(x)**2)**(3/2), x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b*coth(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx);OUTPUT:Warning, integration of abs or sign a
ssumes constant sign by intervals (correct if the argument is real):Check [
abs(ex

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\tanh(x)}{(b \coth(x)^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a + b*coth(x)^2)^(3/2),x)

[Out] int(tanh(x)/(a + b*coth(x)^2)^(3/2), x)

$$3.42 \quad \int \frac{\tanh^2(x)}{(a+b \coth^2(x))^{3/2}} dx$$

Optimal. Leaf size=85

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{(a+b)^{3/2}} + \frac{b \tanh(x)}{a(a+b)\sqrt{a+b \coth^2(x)}} - \frac{(a+2b)\sqrt{a+b \coth^2(x)} \tanh(x)}{a^2(a+b)}$$

[Out] arctanh(coth(x)*(a+b)^(1/2)/(a+b*coth(x)^2)^(1/2))/(a+b)^(3/2)+b*tanh(x)/a/(a+b)/(a+b*coth(x)^2)^(1/2)-(a+2*b)*(a+b*coth(x)^2)^(1/2)*tanh(x)/a^2/(a+b)

Rubi [A]

time = 0.11, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {3751, 483, 597, 12, 385, 212}

$$-\frac{(a+2b) \tanh(x) \sqrt{a+b \coth^2(x)}}{a^2(a+b)} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{(a+b)^{3/2}} + \frac{b \tanh(x)}{a(a+b)\sqrt{a+b \coth^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^2/(a + b*Coth[x]^2)^(3/2), x]

[Out] ArcTanh[(Sqrt[a + b]*Coth[x])/Sqrt[a + b*Coth[x]^2]]/(a + b)^(3/2) + (b*Tanh[x])/(a*(a + b)*Sqrt[a + b*Coth[x]^2]) - ((a + 2*b)*Sqrt[a + b*Coth[x]^2]*Tanh[x])/(a^2*(a + b))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b

, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 483

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Simp[(-b)*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*e*n*(b*c - a*d)*(p + 1))), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(e*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*b*(m + 1) + n*(b*c - a*d)*(p + 1) + d*b*(m + n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

Rule 597

Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]

Rule 3751

Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned}
\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{3/2}} dx &= \text{Subst} \left(\int \frac{1}{x^2 (1-x^2) (a + bx^2)^{3/2}} dx, x, \coth(x) \right) \\
&= \frac{b \tanh(x)}{a(a+b) \sqrt{a + b \coth^2(x)}} - \frac{\text{Subst} \left(\int \frac{-a-2b+2bx^2}{x^2(1-x^2) \sqrt{a + bx^2}} dx, x, \coth(x) \right)}{a(a+b)} \\
&= \frac{b \tanh(x)}{a(a+b) \sqrt{a + b \coth^2(x)}} - \frac{(a+2b) \sqrt{a + b \coth^2(x)} \tanh(x)}{a^2(a+b)} + \frac{\text{Subst} \left(\int \frac{1}{1-x^2} dx, x, \coth(x) \right)}{a} \\
&= \frac{b \tanh(x)}{a(a+b) \sqrt{a + b \coth^2(x)}} - \frac{(a+2b) \sqrt{a + b \coth^2(x)} \tanh(x)}{a^2(a+b)} + \frac{\text{Subst} \left(\int \frac{1}{1-x^2} dx, x, \coth(x) \right)}{a} \\
&= \frac{b \tanh(x)}{a(a+b) \sqrt{a + b \coth^2(x)}} - \frac{(a+2b) \sqrt{a + b \coth^2(x)} \tanh(x)}{a^2(a+b)} + \frac{\text{Subst} \left(\int \frac{1}{1-x^2} dx, x, \coth(x) \right)}{a} \\
&= \frac{\tanh^{-1} \left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)}{(a+b)^{3/2}} + \frac{b \tanh(x)}{a(a+b) \sqrt{a + b \coth^2(x)}} - \frac{(a+2b) \sqrt{a + b \coth^2(x)} \tanh(x)}{a^2(a+b)}
\end{aligned}$$

Mathematica [C] Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

time = 5.00, size = 240, normalized size = 2.82

$$\frac{\sinh^2(x) \left(8a(a+b) \cosh(x) (2a^2 + 5ab \coth^2(x) + 3b^2 \coth^4(x)) {}_2F_1\left(2, 2, \frac{5}{2}; \frac{a+b \coth^2(x)}{a}\right) + 8a(a+b) \cosh(x) (a + b \coth^2(x))^2 {}_2F_1\left(2, 2, 1, \frac{5}{2}; \frac{a+b \coth^2(x)}{a}\right) + \frac{15(a+b \coth^2(x))(2a^2 + 2ab \coth^2(x) + 8b^2 \coth^4(x)) \sinh^2(x) \left(-\text{ArcSin} \left(\sqrt{\frac{(a+b) \cosh^2(x)}{a}} \right) + \sqrt{\frac{(a+b) \cosh^2(x) (a + b \coth^2(x)) \sinh^2(x)}{a^2}} \right) \tanh(x)}{\left((a+b) \cosh^2(x) (a + b \coth^2(x)) \sinh^2(x) \right)^{3/2}} \right)}{15a^2 \sqrt{a + b \coth^2(x)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Tanh[x]^2/(a + b*Coth[x]^2)^(3/2), x]

[Out] (Sinh[x]^3*(8*a*(a + b)*Cosh[x]*(2*a^2 + 5*a*b*Coth[x]^2 + 3*b^2*Coth[x]^4) *Hypergeometric2F1[2, 2, 7/2, ((a + b)*Cosh[x]^2)/a] + 8*a*(a + b)*Cosh[x]*(a + b*Coth[x]^2)^2*HypergeometricPFQ[{2, 2, 2}, {1, 7/2}, ((a + b)*Cosh[x]^2)/a] + (15*(a + b*Coth[x]^2)*(3*a^2 + 12*a*b*Coth[x]^2 + 8*b^2*Coth[x]^4) *Sinh[x]^3*(-ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*(a + b*Coth[x]^2)) - a*Csch[x]^2*Sqrt[-((a + b)*Cosh[x]^2*(a + b*Coth[x]^2)*Sinh[x]^2)/a^2]))*Tanh[

x])/(-(((a + b)*Cosh[x]^2*(a + b*Coth[x]^2)*Sinh[x]^2)/a^2))^(3/2)))/(15*a^5*Sqrt[a + b*Coth[x]^2])

Maple [F]

time = 2.18, size = 0, normalized size = 0.00

$$\int \frac{\tanh^2(x)}{(a + b(\coth^2(x)))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^2/(a+b*coth(x)^2)^(3/2),x)

[Out] int(tanh(x)^2/(a+b*coth(x)^2)^(3/2),x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b*coth(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate(tanh(x)^2/(b*coth(x)^2 + a)^(3/2), x)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 1686 vs. 2(75) = 150.

time = 0.59, size = 3931, normalized size = 46.25

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")

[Out] [1/4*(((a^3 + a^2*b)*cosh(x)^6 + 6*(a^3 + a^2*b)*cosh(x)*sinh(x)^5 + (a^3 + a^2*b)*sinh(x)^6 - (a^3 - 3*a^2*b)*cosh(x)^4 - (a^3 - 3*a^2*b - 15*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(5*(a^3 + a^2*b)*cosh(x)^3 - (a^3 - 3*a^2*b)*cosh(x))*sinh(x)^3 + a^3 + a^2*b - (a^3 - 3*a^2*b)*cosh(x)^2 + (15*(a^3 + a^2*b)*cosh(x)^4 - a^3 + 3*a^2*b - 6*(a^3 - 3*a^2*b)*cosh(x)^2)*sinh(x)^2 + 2*(3*(a^3 + a^2*b)*cosh(x)^5 - 2*(a^3 - 3*a^2*b)*cosh(x)^3 - (a^3 - 3*a^2*b)*cosh(x))*sinh(x))*sqrt(a + b)*log(((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 + 2*(a*b^2 + 2*b^3)*cosh(x)^6 + 2*(a*b^2 + 2*b^3 + 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 + 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 + 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 + 10*(a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*

$$\begin{aligned}
& b^3) * \cosh(x)) * \sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(a^3 - 3*a*b^2 \\
& - 2*b^3) * \cosh(x)^2 + 2*(14*(a*b^2 + b^3) * \cosh(x)^6 + 15*(a*b^2 + 2*b^3) * \cos \\
& h(x)^4 - a^3 + 3*a*b^2 + 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3) * \cosh(x)^ \\
& 2) * \sinh(x)^2 + \sqrt{2}*(b^2 * \cosh(x)^6 + 6*b^2 * \cosh(x) * \sinh(x)^5 + b^2 * \sinh(\\
& x)^6 + 3*b^2 * \cosh(x)^4 + 3*(5*b^2 * \cosh(x)^2 + b^2) * \sinh(x)^4 + 4*(5*b^2 * \cos \\
& h(x)^3 + 3*b^2 * \cosh(x) * \sinh(x)^3 - (a^2 - 2*a*b - 3*b^2) * \cosh(x)^2 + (15*b \\
& ^2 * \cosh(x)^4 + 18*b^2 * \cosh(x)^2 - a^2 + 2*a*b + 3*b^2) * \sinh(x)^2 + a^2 + 2* \\
& a*b + b^2 + 2*(3*b^2 * \cosh(x)^5 + 6*b^2 * \cosh(x)^3 - (a^2 - 2*a*b - 3*b^2) * \co \\
& sh(x) * \sinh(x)) * \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 - a \\
& + b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} + 4*(2*(a*b^2 + b^3) * \cos \\
& h(x)^7 + 3*(a*b^2 + 2*b^3) * \cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3) * \cosh \\
& (x)^3 - (a^3 - 3*a*b^2 - 2*b^3) * \cosh(x) * \sinh(x) / (\cosh(x)^6 + 6 * \cosh(x)^5 * \\
& \sinh(x) + 15 * \cosh(x)^4 * \sinh(x)^2 + 20 * \cosh(x)^3 * \sinh(x)^3 + 15 * \cosh(x)^2 * \si \\
& nh(x)^4 + 6 * \cosh(x) * \sinh(x)^5 + \sinh(x)^6)) + ((a^3 + a^2*b) * \cosh(x)^6 + 6* \\
& (a^3 + a^2*b) * \cosh(x) * \sinh(x)^5 + (a^3 + a^2*b) * \sinh(x)^6 - (a^3 - 3*a^2*b) \\
& * \cosh(x)^4 - (a^3 - 3*a^2*b - 15*(a^3 + a^2*b) * \cosh(x)^2) * \sinh(x)^4 + 4*(5* \\
& (a^3 + a^2*b) * \cosh(x)^3 - (a^3 - 3*a^2*b) * \cosh(x) * \sinh(x)^3 + a^3 + a^2*b \\
& - (a^3 - 3*a^2*b) * \cosh(x)^2 + (15*(a^3 + a^2*b) * \cosh(x)^4 - a^3 + 3*a^2*b - \\
& 6*(a^3 - 3*a^2*b) * \cosh(x)^2) * \sinh(x)^2 + 2*(3*(a^3 + a^2*b) * \cosh(x)^5 - 2* \\
& (a^3 - 3*a^2*b) * \cosh(x)^3 - (a^3 - 3*a^2*b) * \cosh(x) * \sinh(x)) * \sqrt{a + b} * \ln \\
& \text{og}(-((a + b) * \cosh(x)^4 + 4*(a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 - \\
& 2*a * \cosh(x)^2 + 2*(3*(a + b) * \cosh(x)^2 - a) * \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 \\
& + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 - 1) * \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + \\
& (a + b) * \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} + 4 \\
& * ((a + b) * \cosh(x)^3 - a * \cosh(x) * \sinh(x) + a + b) / (\cosh(x)^2 + 2 * \cosh(x) * \si \\
& nh(x) + \sinh(x)^2)) - 4 * \sqrt{2} * ((a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3) * \cosh(x)^ \\
& 4 + 4*(a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3) * \cosh(x) * \sinh(x)^3 + (a^3 + 3*a^2*b \\
& + 4*a*b^2 + 2*b^3) * \sinh(x)^4 + a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3 - 2*(a^3 + a \\
& ^2*b - 2*a*b^2 - 2*b^3) * \cosh(x)^2 - 2*(a^3 + a^2*b - 2*a*b^2 - 2*b^3 - 3*(a \\
& ^3 + 3*a^2*b + 4*a*b^2 + 2*b^3) * \cosh(x)^2) * \sinh(x)^2 + 4*((a^3 + 3*a^2*b + \\
& 4*a*b^2 + 2*b^3) * \cosh(x)^3 - (a^3 + a^2*b - 2*a*b^2 - 2*b^3) * \cosh(x) * \sinh(\\
& x)) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 * \cos \\
& h(x) * \sinh(x) + \sinh(x)^2))} / ((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3) * \cosh(x)^ \\
& 6 + 6*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3) * \cosh(x) * \sinh(x)^5 + (a^5 + 3*a^ \\
& 4*b + 3*a^3*b^2 + a^2*b^3) * \sinh(x)^6 + a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3 \\
& - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3) * \cosh(x)^4 - (a^5 - a^4*b - 5*a^3*b^ \\
& 2 - 3*a^2*b^3 - 15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3) * \cosh(x)^2) * \sinh(x) \\
& ^4 + 4*(5*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3) * \cosh(x)^3 - (a^5 - a^4*b - \\
& 5*a^3*b^2 - 3*a^2*b^3) * \cosh(x) * \sinh(x)^3 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^ \\
& 2*b^3) * \cosh(x)^2 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3 - 15*(a^5 + 3*a^4*b \\
& + 3*a^3*b^2 + a^2*b^3) * \cosh(x)^4 + 6*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3) \\
& * \cosh(x)^2) * \sinh(x)^2 + 2*(3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3) * \cosh(x)^ \\
& 5 - 2*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3) * \cosh(x)^3 - (a^5 - a^4*b - 5*a^ \\
& 3*b^2 - 3*a^2*b^3) * \cosh(x) * \sinh(x)), -1/2 * (((a^3 + a^2*b) * \cosh(x)^6 + 6*(a \\
& ^3 + a^2*b) * \cosh(x) * \sinh(x)^5 + (a^3 + a^2*b) * \sinh(x)^6 - (a^3 - 3*a^2*b) * c
\end{aligned}$$

$\text{osh}(x)^4 - (a^3 - 3a^2b - 15(a^3 + a^2b)\cosh(x)^2)\sinh(x)^4 + 4(5(a^3 + a^2b)\cosh(x)^3 - (a^3 - 3a^2b)\cosh(x))\sinh(x)^3 + a^3 + a^2b - (a^3 - 3a^2b)\cosh(x)^2 + (15(a^3 + a^2b)\cosh(x)^4 - a^3 + 3a^2b - 6(a^3 - 3a^2b)\cosh(x)^2)\sinh(x)^2 + 2(3(a^3 + a^2b)\cosh(x)^5 - 2(a^3 - 3a^2b)\cosh(x)^3 - (a^3 - 3a^2b)\cosh(x))\sinh(x))\sqrt{-a - b}\arctan(\sqrt{2}(b\cosh(x)^2 + 2b\cosh(x)\sinh(x) + b\sinh(x)^2 + a + b)\sqrt{-a - b})\sqrt{((a + b)\cosh(x)^2 + (a + b)\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)}}/((a*b + b^2)\cosh(x)^4 + 4*(a*b + b^2)\cosh(x)\sinh(x)^3 + (a*b + b^2)\sinh(x)^4 - (a^2 - \dots$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)**2/(a+b*coth(x)**2)**(3/2),x)

[Out] Integral(tanh(x)**2/(a + b*coth(x)**2)**(3/2), x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b*coth(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx);;OUTPUT:Warning, integration of abs or sign a
 ssumes constant sign by intervals (correct if the argument is real):Check [
 abs(ex

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\tanh(x)^2}{(b \coth(x)^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^2/(a + b*coth(x)^2)^(3/2),x)

[Out] int(tanh(x)^2/(a + b*coth(x)^2)^(3/2), x)

$$3.43 \quad \int \frac{\coth^3(x)}{(a+b \coth^2(x))^{5/2}} dx$$

Optimal. Leaf size=74

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}} + \frac{a}{3b(a+b)(a+b \coth^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \coth^2(x)}}$$

[Out] arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(5/2)+1/3*a/b/(a+b)/(a+b*coth(x)^2)^(3/2)-1/(a+b)^2/(a+b*coth(x)^2)^(1/2)

Rubi [A]

time = 0.11, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {3751, 457, 79, 53, 65, 214}

$$\frac{a}{3b(a+b)(a+b \coth^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \coth^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^3/(a + b*Coth[x]^2)^(5/2), x]

[Out] ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]/(a + b)^(5/2) + a/(3*b*(a + b)*((a + b*Coth[x]^2)^(3/2))) - 1/((a + b)^2*Sqrt[a + b*Coth[x]^2])

Rule 53

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(a + b*x)^(m + 1)*((c + d*x)^(n + 1)/((b*c - a*d)*(m + 1))), x] - Dist[d*((m + n + 2)/((b*c - a*d)*(m + 1))), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 79

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(-b*e - a*f)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(f*(p + 1)*(c*f - d*e))), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

Rule 214

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 457

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 3751

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{5/2}} dx &= \text{Subst} \left(\int \frac{x^3}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \coth(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{x}{(1-x)(a+bx)^{5/2}} dx, x, \coth^2(x) \right) \\
&= \frac{a}{3b(a+b)(a+b \coth^2(x))^{3/2}} + \frac{\text{Subst} \left(\int \frac{1}{(1-x)(a+bx)^{3/2}} dx, x, \coth^2(x) \right)}{2(a+b)} \\
&= \frac{a}{3b(a+b)(a+b \coth^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \coth^2(x) \right)}{2(a+b)} \\
&= \frac{a}{3b(a+b)(a+b \coth^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \coth^2(x) \right)}{2(a+b)} \\
&= \frac{\tanh^{-1} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{5/2}} + \frac{a}{3b(a+b)(a+b \coth^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \coth^2(x)}}
\end{aligned}$$

Mathematica [C] Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

time = 0.08, size = 63, normalized size = 0.85

$$\frac{a(a+b) - 3b(a+b \coth^2(x)) {}_2F_1 \left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{a+b \coth^2(x)}{a+b} \right)}{3b(a+b)^2 (a+b \coth^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^3/(a + b*Coth[x]^2)^(5/2), x]

[Out] (a*(a + b) - 3*b*(a + b*Coth[x]^2)*Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Coth[x]^2)/(a + b)])/(3*b*(a + b)^2*(a + b*Coth[x]^2)^(3/2))

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 564 vs. 2(62) = 124.

time = 0.72, size = 565, normalized size = 7.64 Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^3/(a+b*coth(x)^2)^(5/2), x, method=_RETURNVERBOSE)

```
[Out] 1/3/b/(a+b*coth(x)^2)^(3/2)-1/6/(a+b)/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)
^(3/2)+1/2*b/(a+b)*(2/3*(2*b*(coth(x)-1)+2*b)/(4*b*(a+b)-4*b^2)/(b*(coth(x)
-1)^2+2*b*(coth(x)-1)+a+b)^(3/2)+16/3*b/(4*b*(a+b)-4*b^2)^2*(2*b*(coth(x)-1
)+2*b)/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))-1/2/(a+b)*(1/(a+b)/(b*(
coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)-2*b/(a+b)*(2*b*(coth(x)-1)+2*b)/(4*
b*(a+b)-4*b^2)/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)-1/(a+b)^(3/2)*ln
((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+
b)^(1/2))/(coth(x)-1))-1/6/(a+b)/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(3/
2)-1/2*b/(a+b)*(2/3*(2*b*(1+coth(x))-2*b)/(4*b*(a+b)-4*b^2)/(b*(1+coth(x))^
2-2*b*(1+coth(x))+a+b)^(3/2)+16/3*b/(4*b*(a+b)-4*b^2)^2*(2*b*(1+coth(x))-2*
b)/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))-1/2/(a+b)*(1/(a+b)/(b*(1+co
th(x))^2-2*b*(1+coth(x))+a+b)^(1/2)+2*b/(a+b)*(2*b*(1+coth(x))-2*b)/(4*b*(a
+b)-4*b^2)/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)-1/(a+b)^(3/2)*ln((2*
a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(
1/2))/(1+coth(x))))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^3/(a+b*coth(x)^2)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate(coth(x)^3/(b*coth(x)^2 + a)^(5/2), x)
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 2964 vs. 2(62) = 124.

time = 0.71, size = 6560, normalized size = 88.65

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^3/(a+b*coth(x)^2)^(5/2),x, algorithm="fricas")
```

```
[Out] [1/12*(3*((a^2*b + 2*a*b^2 + b^3)*cosh(x)^8 + 8*(a^2*b + 2*a*b^2 + b^3)*cos
h(x)*sinh(x)^7 + (a^2*b + 2*a*b^2 + b^3)*sinh(x)^8 - 4*(a^2*b - b^3)*cosh(x)
)^6 - 4*(a^2*b - b^3 - 7*(a^2*b + 2*a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 8*(
7*(a^2*b + 2*a*b^2 + b^3)*cosh(x)^3 - 3*(a^2*b - b^3)*cosh(x))*sinh(x)^5 +
2*(3*a^2*b - 2*a*b^2 + 3*b^3)*cosh(x)^4 + 2*(35*(a^2*b + 2*a*b^2 + b^3)*cos
h(x)^4 + 3*a^2*b - 2*a*b^2 + 3*b^3 - 30*(a^2*b - b^3)*cosh(x)^2)*sinh(x)^4
+ 8*(7*(a^2*b + 2*a*b^2 + b^3)*cosh(x)^5 - 10*(a^2*b - b^3)*cosh(x)^3 + (3*
a^2*b - 2*a*b^2 + 3*b^3)*cosh(x))*sinh(x)^3 + a^2*b + 2*a*b^2 + b^3 - 4*(a^
2*b - b^3)*cosh(x)^2 + 4*(7*(a^2*b + 2*a*b^2 + b^3)*cosh(x)^6 - 15*(a^2*b -
b^3)*cosh(x)^4 - a^2*b + b^3 + 3*(3*a^2*b - 2*a*b^2 + 3*b^3)*cosh(x)^2)*si
nh(x)^2 + 8*((a^2*b + 2*a*b^2 + b^3)*cosh(x)^7 - 3*(a^2*b - b^3)*cosh(x)^5
```


$$\begin{aligned}
& + (3a^2b - 2ab^2 + 3b^3)\cosh(x)^3 - (a^2b - b^3)\cosh(x)\sinh(x)*\sqrt{a+b}\log(-((a^3 + a^2b)\cosh(x)^8 + 8(a^3 + a^2b)\cosh(x)\sinh(x)^7 + (a^3 + a^2b)\sinh(x)^8 - 2(2a^3 + a^2b)\cosh(x)^6 - 2(2a^3 + a^2b)b - 14(a^3 + a^2b)\cosh(x)^2)\sinh(x)^6 + 4(14(a^3 + a^2b)\cosh(x)^3 - 3(2a^3 + a^2b)\cosh(x)\sinh(x)^5 + (6a^3 + 4a^2b - ab^2 + b^3)\cosh(x)^4 + (70(a^3 + a^2b)\cosh(x)^4 + 6a^3 + 4a^2b - ab^2 + b^3 - 30(2a^3 + a^2b)\cosh(x)^2)\sinh(x)^4 + 4(14(a^3 + a^2b)\cosh(x)^5 - 10(2a^3 + a^2b)\cosh(x)^3 + (6a^3 + 4a^2b - ab^2 + b^3)\cosh(x)\sinh(x)^3 + a^3 + 3a^2b + 3ab^2 + b^3 - 2(2a^3 + 3a^2b - b^3)\cosh(x)^2 + 2(14(a^3 + a^2b)\cosh(x)^6 - 15(2a^3 + a^2b)\cosh(x)^4 - 2a^3 - 3a^2b + b^3 + 3(6a^3 + 4a^2b - ab^2 + b^3)\cosh(x)^2)\sinh(x)^2 + \sqrt{2}(a^2\cosh(x)^6 + 6a^2\cosh(x)\sinh(x)^5 + a^2\sinh(x)^6 - 3a^2\cosh(x)^4 + 3(5a^2\cosh(x)^2 - a^2)\sinh(x)^4 + 4(5a^2\cosh(x)^3 - 3a^2\cosh(x))\sinh(x)^3 + (3a^2 + 2ab - b^2)\cosh(x)^2 + (15a^2\cosh(x)^4 - 18a^2\cosh(x)^2 + 3a^2 + 2ab - b^2)\sinh(x)^2 - a^2 - 2ab - b^2 + 2(3a^2\cosh(x)^5 - 6a^2\cosh(x)^3 + (3a^2 + 2ab - b^2)\cosh(x))\sinh(x))\sqrt{a+b}\sqrt{((a+b)\cosh(x)^2 + (a+b)\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2))} + 4(2(a^3 + a^2b)\cosh(x)^7 - 3(2a^3 + a^2b)\cosh(x)^5 + (6a^3 + 4a^2b - ab^2 + b^3)\cosh(x)^3 - (2a^3 + 3a^2b - b^3)\cosh(x)\sinh(x))/(\cosh(x)^6 + 6\cosh(x)^5\sinh(x) + 15\cosh(x)^4\sinh(x)^2 + 20\cosh(x)^3\sinh(x)^3 + 15\cosh(x)^2\sinh(x)^4 + 6\cosh(x)\sinh(x)^5 + \sinh(x)^6)) + 3((a^2b + 2ab^2 + b^3)\cosh(x)^8 + 8(a^2b + 2ab^2 + b^3)\cosh(x)\sinh(x)^7 + (a^2b + 2ab^2 + b^3)\sinh(x)^8 - 4(a^2b - b^3)\cosh(x)^6 - 4(a^2b - b^3 - 7(a^2b + 2ab^2 + b^3)\cosh(x)^2)\sinh(x)^6 + 8(7(a^2b + 2ab^2 + b^3)\cosh(x)^3 - 3(a^2b - b^3)\cosh(x)\sinh(x)^5 + 2(3a^2b - 2ab^2 + 3b^3)\cosh(x)^4 + 2(35(a^2b + 2ab^2 + b^3)\cosh(x)^4 + 3a^2b - 2ab^2 + 3b^3 - 30(a^2b - b^3)\cosh(x)^2)\sinh(x)^4 + 8(7(a^2b + 2ab^2 + b^3)\cosh(x)^5 - 10(a^2b - b^3)\cosh(x)^3 + (3a^2b - 2ab^2 + 3b^3)\cosh(x)\sinh(x)^3 + a^2b + 2ab^2 + b^3 - 4(a^2b - b^3)\cosh(x)^2 + 4(7(a^2b + 2ab^2 + b^3)\cosh(x))^6 - 15(a^2b - b^3)\cosh(x)^4 - a^2b + b^3 + 3(3a^2b - 2ab^2 + 3b^3)\cosh(x)^2)\sinh(x)^2 + 8((a^2b + 2ab^2 + b^3)\cosh(x)^7 - 3(a^2b - b^3)\cosh(x)^5 + (3a^2b - 2ab^2 + 3b^3)\cosh(x)^3 - (a^2b - b^3)\cosh(x)\sinh(x))\sqrt{a+b}\log(((a+b)\cosh(x)^4 + 4(a+b)\cosh(x)\sinh(x)^3 + (a+b)\sinh(x)^4 + 2b\cosh(x)^2 + 2(3(a+b)\cosh(x)^2 + b)\sinh(x)^2 + \sqrt{2}(\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2 + 1))\sqrt{a+b})\sqrt{((a+b)\cosh(x)^2 + (a+b)\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2))} + 4((a+b)\cosh(x)^3 + b\cosh(x))\sinh(x) + a + b)/(\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2)) + 4\sqrt{2}((a^3 - a^2b - 5ab^2 - 3b^3)\cosh(x)^6 + 6(a^3 - a^2b - 5ab^2 - 3b^3)\cosh(x)\sinh(x)^5 + (a^3 - a^2b - 5ab^2 - 3b^3)\sinh(x)^6 - 3(a^3 - a^2b - ab^2 + b^3)\cosh(x)^4 - 3(a^3 - a^2b - ab^2 + b^3 - 5(a^3 - a^2b - 5ab^2 - 3b^3)\cosh(x)^2)\sinh(x)^4 + 4(5(a^3 - a^2b - 5ab^2 - 3b^3)\cosh(x)^3 - 3(a^3 - a^2b - ab^2 + b^3)\cosh(x))\sinh(x)^3 - a^3 + a^2b + 5ab^2 + 3b^3 + 3(a^3 - a^2b - ab^2 + b^3)\cosh(x)^2 + 3(5(a^3 - a^2b
\end{aligned}$$

- 5*a*b^2 - 3*b^3)*cosh(x)^4 + a^3 - a^2*b - a*b^2 + b^3 - 6*(a^3 - a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 6*((a^3 - a^2*b - 5*a*b^2 - 3*b^3)*cosh(x)^5 - 2*(a^3 - a^2*b - a*b^2 + b^3)*cosh(x)^3 + (a^3 - a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x))*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^6)*cosh(x)^8 + 8*(a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^6)*cosh(x)*sinh(x)^7 + (a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^6)*sinh(x)^8 - 4*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 - 3*a*b^5 - b^6)*cosh(x)^6 - 4*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 - 3*a*b^5 - b^6 - 7*(a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^6)*cosh(x)^2)*sinh(x)...

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)**3/(a+b*coth(x)**2)**(5/2),x)

[Out] Integral(coth(x)**3/(a + b*coth(x)**2)**(5/2), x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^3/(a+b*coth(x)^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,sageVARx);OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(ex

Mupad [B]

time = 3.34, size = 82, normalized size = 1.11

$$\frac{\operatorname{atanh}\left(\frac{\sqrt{b \coth(x)^2 + a} (2a^2 + 4ab + 2b^2)}{2(a+b)^{5/2}}\right)}{(a+b)^{5/2}} + \frac{\frac{a}{3(a+b)} - \frac{b(b \coth(x)^2 + a)}{(a+b)^2}}{b(b \coth(x)^2 + a)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(x)^3/(a + b*coth(x)^2)^(5/2),x)
```

```
[Out] atanh(((a + b*coth(x)^2)^(1/2)*(4*a*b + 2*a^2 + 2*b^2))/(2*(a + b)^(5/2)))/  
(a + b)^(5/2) + (a/(3*(a + b)) - (b*(a + b*coth(x)^2))/(a + b)^2)/(b*(a + b  
*coth(x)^2)^(3/2))
```

$$3.44 \quad \int \frac{\coth^2(x)}{(a+b\coth^2(x))^{5/2}} dx$$

Optimal. Leaf size=88

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\coth(x)}{\sqrt{a+b\coth^2(x)}}\right)}{(a+b)^{5/2}} - \frac{\coth(x)}{3(a+b)(a+b\coth^2(x))^{3/2}} - \frac{(2a-b)\coth(x)}{3a(a+b)^2\sqrt{a+b\coth^2(x)}}$$

[Out] $\operatorname{arctanh}(\coth(x)*(a+b)^{(1/2)/(a+b*\coth(x)^2)^{(1/2))}/(a+b)^{(5/2)}-1/3*\coth(x)/(a+b)/(a+b*\coth(x)^2)^{(3/2)}-1/3*(2*a-b)*\coth(x)/a/(a+b)^2/(a+b*\coth(x)^2)^{(1/2)}$

Rubi [A]

time = 0.09, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {3751, 482, 541, 12, 385, 212}

$$-\frac{(2a-b)\coth(x)}{3a(a+b)^2\sqrt{a+b\coth^2(x)}} - \frac{\coth(x)}{3(a+b)(a+b\coth^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\coth(x)}{\sqrt{a+b\coth^2(x)}}\right)}{(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Coth}[x]^2/(a+b*\operatorname{Coth}[x]^2)^{(5/2)}, x]$

[Out] $\operatorname{ArcTanh}[(\operatorname{Sqrt}[a+b]*\operatorname{Coth}[x])/(\operatorname{Sqrt}[a+b*\operatorname{Coth}[x]^2])]/(a+b)^{(5/2)} - \operatorname{Coth}[x]/(3*(a+b)*(a+b*\operatorname{Coth}[x]^2)^{(3/2)}) - ((2*a-b)*\operatorname{Coth}[x])/(3*a*(a+b)^2*\operatorname{Sqrt}[a+b*\operatorname{Coth}[x]^2])$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] := \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& !\operatorname{Match}Q[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 212

$\operatorname{Int}[(a_*) + (b_*)(x_)^2)^{-1}, x_Symbol] := \operatorname{Simp}[(1/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]))*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*(x/\operatorname{Rt}[a, 2])], x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{Gt}Q[a, 0] \parallel \operatorname{Lt}Q[b, 0])$

Rule 385

$\operatorname{Int}[(a_*) + (b_*)(x_)^{(n_*)})^{(p_*)}/((c_*) + (d_*)(x_)^{(n_*)}), x_Symbol] := \operatorname{Subst}[\operatorname{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] /; \operatorname{FreeQ}[\{a, b$

, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 482

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(n*(b*c - a*d)*(p + 1))), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 541

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(-b*e - a*f)*x*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*n*(b*c - a*d)*(p + 1))), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 3751

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{5/2}} dx &= \text{Subst} \left(\int \frac{x^2}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \coth(x) \right) \\
&= -\frac{\coth(x)}{3(a+b)(a+b\coth^2(x))^{3/2}} + \frac{\text{Subst} \left(\int \frac{1+2x^2}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \coth(x) \right)}{3(a+b)} \\
&= -\frac{\coth(x)}{3(a+b)(a+b\coth^2(x))^{3/2}} - \frac{(2a-b)\coth(x)}{3a(a+b)^2 \sqrt{a+b\coth^2(x)}} - \frac{\text{Subst} \left(\int \frac{1}{1-x^2} dx, x, \coth(x) \right)}{3(a+b)} \\
&= -\frac{\coth(x)}{3(a+b)(a+b\coth^2(x))^{3/2}} - \frac{(2a-b)\coth(x)}{3a(a+b)^2 \sqrt{a+b\coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{1-x^2} dx, x, \coth(x) \right)}{3(a+b)} \\
&= -\frac{\coth(x)}{3(a+b)(a+b\coth^2(x))^{3/2}} - \frac{(2a-b)\coth(x)}{3a(a+b)^2 \sqrt{a+b\coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{1-(a+b)x^2} dx, x, \coth(x) \right)}{3(a+b)} \\
&= \frac{\tanh^{-1} \left(\frac{\sqrt{a+b}\coth(x)}{\sqrt{a+b\coth^2(x)}} \right)}{(a+b)^{5/2}} - \frac{\coth(x)}{3(a+b)(a+b\coth^2(x))^{3/2}} - \frac{(2a-b)\coth(x)}{3a(a+b)^2 \sqrt{a+b\coth^2(x)}}
\end{aligned}$$

Mathematica [C] Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

time = 5.29, size = 190, normalized size = 2.16

$$\left(-12(a+b)^3 \cosh^4(x) \coth^2(x) (a+b\coth^2(x)) {}_2F_1 \left(2, 2; \frac{9}{2}; \frac{(a+b)\cosh^2(x)}{a} \right) + \frac{35a(-5a-2b\cosh^2(x)) \sinh^2(x) \left(3 \text{ArcSin} \left(\sqrt{\frac{(a+b)\cosh^2(x)}{a}} \right) \right)_{(a+b\coth^2(x))^2 + a(3a+(a+4b)\coth^2(x)) \text{CSch}^2(x)} \sqrt{\frac{(a+b)\cosh^2(x)(a+b\coth^2(x)) \sinh^2(x)}{a^2}}}{\sqrt{\frac{(a+b)\cosh^2(x)(a+b\coth^2(x)) \sinh^2(x)}{a^2}}} \right) \tanh(x)$$

$315a^3(a+b)^2(a+b\coth^2(x))^{3/2}$

Warning: Unable to verify antiderivative.

[In] Integrate[Coth[x]^2/(a + b*Coth[x]^2)^(5/2), x]

[Out] ((-12*(a + b)^3*Cosh[x]^4*Coth[x]^2*(a + b*Coth[x]^2)*Hypergeometric2F1[2, 2, 9/2, ((a + b)*Cosh[x]^2)/a] + (35*a*(-5*a - 2*b*Coth[x]^2)*Sinh[x]^2*(3*ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*(a + b*Coth[x]^2)^2 + a*(3*a + (a + 4*b)*Coth[x]^2)*Csch[x]^2*Sqrt[-(((a + b)*Cosh[x]^2*(a + b*Coth[x]^2)*Sinh[x]^2)/a^2]]))/Sqrt[-(((a + b)*Cosh[x]^2*(a + b*Coth[x]^2)*Sinh[x]^2)/a^2]))*Tanh[x])/(315*a^3*(a + b)^2*(a + b*Coth[x]^2)^(3/2))

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 583 vs. $2(74) = 148$.

time = 0.73, size = 584, normalized size = 6.64 Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^2/(a+b*coth(x)^2)^(5/2),x,method=_RETURNVERBOSE)`

[Out]
$$\begin{aligned} & -1/3*\coth(x)/a/(a+b*\coth(x)^2)^{(3/2)} - 2/3/a^2*\coth(x)/(a+b*\coth(x)^2)^{(1/2)} + \\ & 1/6/(a+b)/(b*(1+\coth(x))^2 - 2*b*(1+\coth(x)) + a+b)^{(3/2)} + 1/2*b/(a+b)*(2/3*(2*b \\ & *(1+\coth(x)) - 2*b)/(4*b*(a+b) - 4*b^2)/(b*(1+\coth(x))^2 - 2*b*(1+\coth(x)) + a+b)^{(3/2)} \\ & + 16/3*b/(4*b*(a+b) - 4*b^2)^2*(2*b*(1+\coth(x)) - 2*b)/(b*(1+\coth(x))^2 - 2*b*(1+\coth(x)) \\ & + a+b)^{(1/2)} + 1/2/(a+b)*(1/(a+b)/(b*(1+\coth(x))^2 - 2*b*(1+\coth(x)) \\ & + a+b)^{(1/2)} + 2*b/(a+b)*(2*b*(1+\coth(x)) - 2*b)/(4*b*(a+b) - 4*b^2)/(b*(1+\coth(x)) \\ &)^2 - 2*b*(1+\coth(x)) + a+b)^{(1/2)} - 1/(a+b)^{(3/2)}*\ln((2*a+2*b-2*b*(1+\coth(x))+2* \\ & (a+b)^{(1/2)}*(b*(1+\coth(x))^2 - 2*b*(1+\coth(x)) + a+b)^{(1/2)})/(1+\coth(x)))) - 1/6/ \\ & (a+b)/(b*(\coth(x)-1)^2 + 2*b*(\coth(x)-1) + a+b)^{(3/2)} + 1/2*b/(a+b)*(2/3*(2*b*(\co \\ & th(x)-1) + 2*b)/(4*b*(a+b) - 4*b^2)/(b*(\coth(x)-1)^2 + 2*b*(\coth(x)-1) + a+b)^{(3/2)} \\ & + 16/3*b/(4*b*(a+b) - 4*b^2)^2*(2*b*(\coth(x)-1) + 2*b)/(b*(\coth(x)-1)^2 + 2*b*(\co \\ & th(x)-1) + a+b)^{(1/2)}) - 1/2/(a+b)*(1/(a+b)/(b*(\coth(x)-1)^2 + 2*b*(\coth(x)-1) + a+b \\ &)^2 - 2*b*(\coth(x)-1) + a+b)^{(1/2)} - 2*b/(a+b)*(2*b*(\coth(x)-1) + 2*b)/(4*b*(a+b) - 4*b^2)/(b*(\coth(x)-1)^2 + \\ & 2*b*(\coth(x)-1) + a+b)^{(1/2)} - 1/(a+b)^{(3/2)}*\ln((2*a+2*b+2*b*(\coth(x)-1)+2*(a+b) \\ &)^2*(b*(\coth(x)-1)^2 + 2*b*(\coth(x)-1) + a+b)^{(1/2)})/(\coth(x)-1))) \end{aligned}$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^2/(a+b*coth(x)^2)^(5/2),x, algorithm="maxima")`

[Out] `integrate(coth(x)^2/(b*coth(x)^2 + a)^(5/2), x)`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 3016 vs. $2(74) = 148$.

time = 0.69, size = 6591, normalized size = 74.90

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^2/(a+b*coth(x)^2)^(5/2),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [1/12*(3*((a^3 + 2*a^2*b + a*b^2)*\cosh(x)^8 + 8*(a^3 + 2*a^2*b + a*b^2)*\cos \\ & h(x)*\sinh(x)^7 + (a^3 + 2*a^2*b + a*b^2)*\sinh(x)^8 - 4*(a^3 - a*b^2)*\cosh(x) \\ &)^6 - 4*(a^3 - a*b^2 - 7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^2)*\sinh(x)^6 + 8*(\\ & 7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^3 - 3*(a^3 - a*b^2)*\cosh(x))*\sinh(x)^5 + \end{aligned}$$

$$\begin{aligned}
& 2*(3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x)^4 + 2*(35*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^4 + 3*a^3 - 2*a^2*b + 3*a*b^2 - 30*(a^3 - a*b^2)*\cosh(x)^2)*\sinh(x)^4 \\
& + 8*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^5 - 10*(a^3 - a*b^2)*\cosh(x)^3 + (3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x))*\sinh(x)^3 + a^3 + 2*a^2*b + a*b^2 - 4*(a^3 - a*b^2)*\cosh(x)^2 + 4*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^6 - 15*(a^3 - a*b^2)*\cosh(x)^4 - a^3 + a*b^2 + 3*(3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^3 + 2*a^2*b + a*b^2)*\cosh(x)^7 - 3*(a^3 - a*b^2)*\cosh(x)^5 + (3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x)^3 - (a^3 - a*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(((a*b^2 + b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 + 2*(a*b^2 + 2*b^3)*\cosh(x)^6 + 2*(a*b^2 + 2*b^3 + 14*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 + 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 + 30*(a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 + 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x)^6 + 15*(a*b^2 + 2*b^3)*\cosh(x)^4 - a^3 + 3*a*b^2 + 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6*b^2*\cosh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 + 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 + b^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 + 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 + 18*b^2*\cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*b^2*\cosh(x)^5 + 6*b^2*\cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 + 3*(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 - (a^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + 3*((a^3 + 2*a^2*b + a*b^2)*\cosh(x)^8 + 8*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)*\sinh(x)^7 + (a^3 + 2*a^2*b + a*b^2)*\sinh(x)^8 - 4*(a^3 - a*b^2)*\cosh(x)^6 - 4*(a^3 - a*b^2 - 7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^3 - 3*(a^3 - a*b^2)*\cosh(x))*\sinh(x)^5 + 2*(3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x)^4 + 2*(35*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^4 + 3*a^3 - 2*a^2*b + 3*a*b^2 - 30*(a^3 - a*b^2)*\cosh(x)^2)*\sinh(x)^4 + 8*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^5 - 10*(a^3 - a*b^2)*\cosh(x)^3 + (3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x))*\sinh(x)^3 + a^3 + 2*a^2*b + a*b^2 - 4*(a^3 - a*b^2)*\cosh(x)^2 + 4*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^6 - 15*(a^3 - a*b^2)*\cosh(x)^4 - a^3 + a*b^2 + 3*(3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^3 + 2*a^2*b + a*b^2)*\cosh(x)^7 - 3*(a^3 - a*b^2)*\cosh(x)^5 + (3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x)^3 - (a^3 - a*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*a*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - a)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{a + b})*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*((a + b)*\cosh(x)^3 - a*\cosh(x))*\sinh(x) + a +
\end{aligned}$$

$$\frac{b}{(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} - 4*\sqrt{2}*((3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)^6 + 6*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)*\sinh(x)^5 + (3*a^3 + 5*a^2*b + a*b^2 - b^3)*\sinh(x)^6 - 3*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^4 - 3*(a^3 - a^2*b - a*b^2 + b^3 - 5*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(5*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)^3 - 3*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + 3*a^3 + 5*a^2*b + a*b^2 - b^3 - 3*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^2 + 3*(5*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)^4 - a^3 + a^2*b + a*b^2 - b^3 - 6*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 6*((3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)^5 - 2*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^3 - (a^3 - a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 - a + b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^8 + 8*(a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)*\sinh(x)^7 + (a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\sinh(x)^8 - 4*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x)^6 - 4*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5 - 7*(a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^2)*\sinh(x)...$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)**2/(a+b*coth(x)**2)**(5/2),x)

[Out] Integral(coth(x)**2/(a + b*coth(x)**2)**(5/2), x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2/(a+b*coth(x)^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx):;OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(ex

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\coth(x)^2}{(b \coth(x)^2 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(x)^2/(a + b*coth(x)^2)^(5/2),x)
```

```
[Out] int(coth(x)^2/(a + b*coth(x)^2)^(5/2), x)
```

$$3.45 \quad \int \frac{\coth(x)}{(a+b \coth^2(x))^{5/2}} dx$$

Optimal. Leaf size=70

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}} - \frac{1}{3(a+b)(a+b \coth^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \coth^2(x)}}$$

[Out] arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(5/2)-1/3/(a+b)/(a+b*coth(x)^2)^(3/2)-1/(a+b)^2/(a+b*coth(x)^2)^(1/2)

Rubi [A]

time = 0.07, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3751, 455, 53, 65, 214}

$$-\frac{1}{(a+b)^2 \sqrt{a+b \coth^2(x)}} - \frac{1}{3(a+b)(a+b \coth^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]/(a + b*Coth[x]^2)^(5/2), x]

[Out] ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]/(a + b)^(5/2) - 1/(3*(a + b)*(a + b*Coth[x]^2)^(3/2)) - 1/((a + b)^2*Sqrt[a + b*Coth[x]^2])

Rule 53

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
(a + b*x)^(m + 1)*((c + d*x)^(n + 1)/((b*c - a*d)*(m + 1))), x] - Dist[d*((
m + n + 2)/((b*c - a*d)*(m + 1))), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
```

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 214

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 455

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]

Rule 3751

Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned}
\int \frac{\coth(x)}{(a + b \coth^2(x))^{5/2}} dx &= \text{Subst} \left(\int \frac{x}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \coth(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{(1-x)(a+bx)^{5/2}} dx, x, \coth^2(x) \right) \\
&= -\frac{1}{3(a+b)(a+b \coth^2(x))^{3/2}} + \frac{\text{Subst} \left(\int \frac{1}{(1-x)(a+bx)^{3/2}} dx, x, \coth^2(x) \right)}{2(a+b)} \\
&= -\frac{1}{3(a+b)(a+b \coth^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \coth^2(x) \right)}{2} \\
&= -\frac{1}{3(a+b)(a+b \coth^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{1+\frac{a-x^2}{b}} dx, x, \coth^2(x) \right)}{2} \\
&= -\frac{\tanh^{-1} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{5/2}} - \frac{1}{3(a+b)(a+b \coth^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \coth^2(x)}}
\end{aligned}$$

Mathematica [C] Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

time = 0.03, size = 43, normalized size = 0.61

$$-\frac{{}_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; \frac{a+b \coth^2(x)}{a+b}\right)}{3(a+b)(a+b \coth^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]/(a + b*Coth[x]^2)^(5/2), x]

[Out] -1/3*Hypergeometric2F1[-3/2, 1, -1/2, (a + b*Coth[x]^2)/(a + b)]/((a + b)*(a + b*Coth[x]^2)^(3/2))

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 549 vs. 2(58) = 116.

time = 0.64, size = 550, normalized size = 7.86 Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)/(a+b*coth(x)^2)^(5/2), x, method=_RETURNVERBOSE)

```
[Out] -1/6/(a+b)/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(3/2)-1/2*b/(a+b)*(2/3*(2*
b*(1+coth(x))-2*b)/(4*b*(a+b)-4*b^2)/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(
3/2)+16/3*b/(4*b*(a+b)-4*b^2)^2*(2*b*(1+coth(x))-2*b)/(b*(1+coth(x))^2-2*b
*(1+coth(x))+a+b)^(1/2))-1/2/(a+b)*(1/(a+b)/(b*(1+coth(x))^2-2*b*(1+coth(x)
)+a+b)^(1/2)+2*b/(a+b)*(2*b*(1+coth(x))-2*b)/(4*b*(a+b)-4*b^2)/(b*(1+coth(x)
))^2-2*b*(1+coth(x))+a+b)^(1/2)-1/(a+b)^(3/2)*ln((2*a+2*b-2*b*(1+coth(x))+2
*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x))))-1/6
/(a+b)/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(3/2)+1/2*b/(a+b)*(2/3*(2*b*(c
oth(x)-1)+2*b)/(4*b*(a+b)-4*b^2)/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(3/2
)+16/3*b/(4*b*(a+b)-4*b^2)^2*(2*b*(coth(x)-1)+2*b)/(b*(coth(x)-1)^2+2*b*(co
th(x)-1)+a+b)^(1/2))-1/2/(a+b)*(1/(a+b)/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a
+b)^(1/2)-2*b/(a+b)*(2*b*(coth(x)-1)+2*b)/(4*b*(a+b)-4*b^2)/(b*(coth(x)-1)^2
+2*b*(coth(x)-1)+a+b)^(1/2)-1/(a+b)^(3/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a
+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1)))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)/(a+b*coth(x)^2)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate(coth(x)/(b*coth(x)^2 + a)^(5/2), x)
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 2552 vs. 2(58) = 116.

time = 0.67, size = 5736, normalized size = 81.94

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)/(a+b*coth(x)^2)^(5/2),x, algorithm="fricas")
```

```
[Out] [1/12*(3*((a^2 + 2*a*b + b^2)*cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)*cosh(x)*sin
h(x)^7 + (a^2 + 2*a*b + b^2)*sinh(x)^8 - 4*(a^2 - b^2)*cosh(x)^6 + 4*(7*(a^
2 + 2*a*b + b^2)*cosh(x)^2 - a^2 + b^2)*sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2
)*cosh(x)^3 - 3*(a^2 - b^2)*cosh(x))*sinh(x)^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*
cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(x)^4 - 30*(a^2 - b^2)*cosh(x)^2
+ 3*a^2 - 2*a*b + 3*b^2)*sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(x)^5 - 1
0*(a^2 - b^2)*cosh(x)^3 + (3*a^2 - 2*a*b + 3*b^2)*cosh(x))*sinh(x)^3 - 4*(a
^2 - b^2)*cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(x)^6 - 15*(a^2 - b^2)*c
osh(x)^4 + 3*(3*a^2 - 2*a*b + 3*b^2)*cosh(x)^2 - a^2 + b^2)*sinh(x)^2 + a^2
+ 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*cosh(x)^7 - 3*(a^2 - b^2)*cosh(x)^5
+ (3*a^2 - 2*a*b + 3*b^2)*cosh(x)^3 - (a^2 - b^2)*cosh(x))*sinh(x))*sqrt(a
+ b)*log(-((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (
```

$$\begin{aligned}
& a^3 + a^2b) \sinh(x)^8 - 2*(2a^3 + a^2b) \cosh(x)^6 - 2*(2a^3 + a^2b - 1 \\
& 4*(a^3 + a^2b) \cosh(x)^2) \sinh(x)^6 + 4*(14*(a^3 + a^2b) \cosh(x)^3 - 3*(2 \\
& *a^3 + a^2b) \cosh(x)) \sinh(x)^5 + (6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)^4 \\
& 4 + (70*(a^3 + a^2b) \cosh(x)^4 + 6a^3 + 4a^2b - ab^2 + b^3 - 30*(2a^3 \\
& + a^2b) \cosh(x)^2) \sinh(x)^4 + 4*(14*(a^3 + a^2b) \cosh(x)^5 - 10*(2a^3 \\
& + a^2b) \cosh(x)^3 + (6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)) \sinh(x)^3 + a \\
& ^3 + 3a^2b + 3ab^2 + b^3 - 2*(2a^3 + 3a^2b - b^3) \cosh(x)^2 + 2*(14* \\
& (a^3 + a^2b) \cosh(x)^6 - 15*(2a^3 + a^2b) \cosh(x)^4 - 2a^3 - 3a^2b + \\
& b^3 + 3*(6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2}*(a^2 \\
& * \cosh(x)^6 + 6a^2 \cosh(x) \sinh(x)^5 + a^2 \sinh(x)^6 - 3a^2 \cosh(x)^4 + 3* \\
& (5a^2 \cosh(x)^2 - a^2) \sinh(x)^4 + 4*(5a^2 \cosh(x)^3 - 3a^2 \cosh(x)) \sin \\
& h(x)^3 + (3a^2 + 2ab - b^2) \cosh(x)^2 + (15a^2 \cosh(x)^4 - 18a^2 \cosh(\\
& x)^2 + 3a^2 + 2ab - b^2) \sinh(x)^2 - a^2 - 2ab - b^2 + 2*(3a^2 \cosh(x) \\
&)^5 - 6a^2 \cosh(x)^3 + (3a^2 + 2ab - b^2) \cosh(x)) \sinh(x)) \sqrt{a + b} \\
& * \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 \cosh(x) \\
&) \sinh(x) + \sinh(x)^2)} + 4*(2*(a^3 + a^2b) \cosh(x)^7 - 3*(2a^3 + a^2b) * \\
& \cosh(x)^5 + (6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)^3 - (2a^3 + 3a^2b - \\
& b^3) \cosh(x)) \sinh(x) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh \\
& (x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x) \\
& ^5 + \sinh(x)^6) + 3*((a^2 + 2ab + b^2) \cosh(x)^8 + 8*(a^2 + 2ab + b^2) \\
& * \cosh(x) \sinh(x)^7 + (a^2 + 2ab + b^2) \sinh(x)^8 - 4*(a^2 - b^2) \cosh(x)^6 \\
& + 4*(7*(a^2 + 2ab + b^2) \cosh(x)^2 - a^2 + b^2) \sinh(x)^6 + 8*(7*(a^2 + \\
& 2ab + b^2) \cosh(x)^3 - 3*(a^2 - b^2) \cosh(x)) \sinh(x)^5 + 2*(3a^2 - 2a \\
& *b + 3b^2) \cosh(x)^4 + 2*(35*(a^2 + 2ab + b^2) \cosh(x)^4 - 30*(a^2 - b^2) \\
&) \cosh(x)^2 + 3a^2 - 2ab + 3b^2) \sinh(x)^4 + 8*(7*(a^2 + 2ab + b^2) * \\
& \cosh(x)^5 - 10*(a^2 - b^2) \cosh(x)^3 + (3a^2 - 2ab + 3b^2) \cosh(x)) \sinh \\
& (x)^3 - 4*(a^2 - b^2) \cosh(x)^2 + 4*(7*(a^2 + 2ab + b^2) \cosh(x)^6 - 15*(\\
& a^2 - b^2) \cosh(x)^4 + 3*(3a^2 - 2ab + 3b^2) \cosh(x)^2 - a^2 + b^2) \sin \\
& h(x)^2 + a^2 + 2ab + b^2 + 8*((a^2 + 2ab + b^2) \cosh(x)^7 - 3*(a^2 - b^ \\
& 2) \cosh(x)^5 + (3a^2 - 2ab + 3b^2) \cosh(x)^3 - (a^2 - b^2) \cosh(x)) \sin \\
& h(x)) \sqrt{a + b} * \log(((a + b) \cosh(x)^4 + 4*(a + b) \cosh(x) \sinh(x)^3 + (a \\
& + b) \sinh(x)^4 + 2b \cosh(x)^2 + 2*(3*(a + b) \cosh(x)^2 + b) \sinh(x)^2 + s \\
& \sqrt{2}*(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a + b} \sqrt{((a \\
& + b) \cosh(x)^2 + (a + b) \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) \\
& + \sinh(x)^2)} + 4*((a + b) \cosh(x)^3 + b \cosh(x)) \sinh(x) + a + b) / (\cosh(x) \\
&)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)) - 16 \sqrt{2} * ((a^2 + 2ab + b^2) \cos \\
& h(x)^6 + 6*(a^2 + 2ab + b^2) \cosh(x) \sinh(x)^5 + (a^2 + 2ab + b^2) \sinh \\
& (x)^6 - 3*(a^2 + ab) \cosh(x)^4 + 3*(5*(a^2 + 2ab + b^2) \cosh(x)^2 - a^2 \\
& - ab) \sinh(x)^4 + 4*(5*(a^2 + 2ab + b^2) \cosh(x)^3 - 3*(a^2 + ab) \cosh(\\
& x)) \sinh(x)^3 + 3*(a^2 + ab) \cosh(x)^2 + 3*(5*(a^2 + 2ab + b^2) \cosh(x)^ \\
& 4 - 6*(a^2 + ab) \cosh(x)^2 + a^2 + ab) \sinh(x)^2 - a^2 - 2ab - b^2 + 6* \\
& ((a^2 + 2ab + b^2) \cosh(x)^5 - 2*(a^2 + ab) \cosh(x)^3 + (a^2 + ab) \cosh \\
& (x)) \sinh(x)) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 - a + b) / (\cosh(x) \\
& ^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / ((a^5 + 5a^4b + 10a^3b^2 + 10a^2 \\
& *b^3 + 5ab^4 + b^5) \cosh(x)^8 + 8*(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^
\end{aligned}$$

$3 + 5ab^4 + b^5) \cosh(x) \sinh(x)^7 + (a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \sinh(x)^8 - 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^6 - 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^2 \sinh(x)^6 + 8(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x)^3 - 3(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)) \sinh(x)^5 + a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5 + 2(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(x)^4 + 2(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5 + 35(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 \dots$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)}{(a + b \coth^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b*coth(x)**2)**(5/2),x)

[Out] Integral(coth(x)/(a + b*coth(x)**2)**(5/2), x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b*coth(x)^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,sageVARx);;OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(ex

Mupad [B]

time = 3.41, size = 76, normalized size = 1.09

$$\frac{\operatorname{atanh}\left(\frac{\sqrt{b \coth(x)^2 + a} (2a^2 + 4ab + 2b^2)}{2(a+b)^{5/2}}\right)}{(a+b)^{5/2}} - \frac{\frac{1}{3(a+b)} + \frac{b \coth(x)^2 + a}{(a+b)^2}}{(b \coth(x)^2 + a)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)/(a + b*coth(x)^2)^(5/2),x)

[Out] atanh(((a + b*coth(x)^2)^(1/2)*(4*a*b + 2*a^2 + 2*b^2))/(2*(a + b)^(5/2)))/(a + b)^(5/2) - (1/(3*(a + b)) + (a + b*coth(x)^2)/(a + b)^2)/(a + b*coth(x)^2)^(3/2)

$$3.46 \quad \int \frac{\tanh(x)}{(a+b \coth^2(x))^{5/2}} dx$$

Optimal. Leaf size=108

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}} + \frac{b}{3a(a+b)(a+b \coth^2(x))^{3/2}} + \frac{b}{a^2(a+b)^2}$$

[Out] $-\operatorname{arctanh}((a+b \coth(x)^2)^{(1/2)/a^{(1/2)})/a^{(5/2)} + \operatorname{arctanh}((a+b \coth(x)^2)^{(1/2)/(a+b)^{(1/2)})/(a+b)^{(5/2)} + 1/3*b/a/(a+b)/(a+b \coth(x)^2)^{(3/2)} + b*(2*a+b)/a^2/(a+b)^2/(a+b \coth(x)^2)^{(1/2)}$

Rubi [A]

time = 0.15, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {3751, 457, 87, 157, 162, 65, 214}

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{b(2a+b)}{a^2(a+b)^2 \sqrt{a+b \coth^2(x)}} + \frac{b}{3a(a+b)(a+b \coth^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Tanh}[x]/(a+b \operatorname{Coth}[x]^2)^{(5/2)}, x]$

[Out] $-(\operatorname{ArcTanh}[\operatorname{Sqrt}[a+b \operatorname{Coth}[x]^2]/\operatorname{Sqrt}[a]]/a^{(5/2)}) + \operatorname{ArcTanh}[\operatorname{Sqrt}[a+b \operatorname{Coth}[x]^2]/\operatorname{Sqrt}[a+b]]/(a+b)^{(5/2)} + b/(3*a*(a+b)*(a+b \operatorname{Coth}[x]^2)^{(3/2)}) + (b*(2*a+b))/(a^2*(a+b)^2*\operatorname{Sqrt}[a+b \operatorname{Coth}[x]^2])$

Rule 65

$\operatorname{Int}[(a_. + (b_.)(x_))^{(m_)}*((c_.) + (d_.)(x_))^{(n_)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - a*(d/b) + d*(x^p/b))^{(n)}, x], x, (a+b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 87

$\operatorname{Int}[(e_. + (f_.)(x_))^{(p_)} / ((a_.) + (b_.)(x_)) * ((c_.) + (d_.)(x_))], x_Symbol] \rightarrow \operatorname{Simp}[f*((e+f*x)^{(p+1)}) / ((p+1)*(b*e - a*f)*(d*e - c*f)), x] + \operatorname{Dist}[1 / ((b*e - a*f)*(d*e - c*f)), \operatorname{Int}[(b*d*e - b*c*f - a*d*f - b*d*f*x) * ((e+f*x)^{(p+1)}) / ((a+b*x)*(c+d*x)), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{LtQ}[p, -1]$

Rule 157

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 162

```
Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]
```

Rule 214

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 457

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 3751

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\tanh(x)}{(a + b \coth^2(x))^{5/2}} dx &= \text{Subst} \left(\int \frac{1}{x(1-x^2)(a+bx^2)^{5/2}} dx, x, \coth(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{(1-x)x(a+bx)^{5/2}} dx, x, \coth^2(x) \right) \\
&= \frac{b}{3a(a+b)(a+b \coth^2(x))^{3/2}} - \frac{\text{Subst} \left(\int \frac{-a-b+bx}{(1-x)x(a+bx)^{3/2}} dx, x, \coth^2(x) \right)}{2a(a+b)} \\
&= \frac{b}{3a(a+b)(a+b \coth^2(x))^{3/2}} + \frac{b(2a+b)}{a^2(a+b)^2 \sqrt{a+b \coth^2(x)}} - \frac{\text{Subst} \left(\int \frac{-\frac{1}{2}(a+bx)}{(1-x)} dx, x, \coth^2(x) \right)}{a(a+b)} \\
&= \frac{b}{3a(a+b)(a+b \coth^2(x))^{3/2}} + \frac{b(2a+b)}{a^2(a+b)^2 \sqrt{a+b \coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \coth^2(x) \right)}{a(a+b)} \\
&= \frac{b}{3a(a+b)(a+b \coth^2(x))^{3/2}} + \frac{b(2a+b)}{a^2(a+b)^2 \sqrt{a+b \coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \coth^2(x) \right)}{a(a+b)} \\
&= -\frac{\tanh^{-1} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a}} \right)}{a^{5/2}} + \frac{\tanh^{-1} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{5/2}} + \frac{\text{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \coth^2(x) \right)}{3a(a+b)}
\end{aligned}$$

Mathematica [C] Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

time = 0.05, size = 73, normalized size = 0.68

$$\frac{-a {}_2F_1 \left(-\frac{3}{2}, 1; -\frac{1}{2}; \frac{a+b \coth^2(x)}{a+b} \right) + (a+b) {}_2F_1 \left(-\frac{3}{2}, 1; -\frac{1}{2}; 1 + \frac{b \coth^2(x)}{a} \right)}{3a(a+b)(a+b \coth^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]/(a + b*Coth[x]^2)^(5/2), x]

[Out] $(-(a \text{Hypergeometric2F1}[-3/2, 1, -1/2, (a + b \text{Coth}[x]^2)/(a + b)]) + (a + b) \text{Hypergeometric2F1}[-3/2, 1, -1/2, 1 + (b \text{Coth}[x]^2)/a]) / (3a(a + b)(a + b \text{Coth}[x]^2)^{3/2})$

Maple [F]

time = 2.08, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{(a + b(\coth^2(x)))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a+b*coth(x)^2)^(5/2),x)

[Out] int(tanh(x)/(a+b*coth(x)^2)^(5/2),x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b*coth(x)^2)^(5/2),x, algorithm="maxima")

[Out] integrate(tanh(x)/(b*coth(x)^2 + a)^(5/2), x)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 4452 vs. 2(90) = 180.

time = 1.22, size = 19199, normalized size = 177.77

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b*coth(x)^2)^(5/2),x, algorithm="fricas")

[Out] [1/12*(3*((a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^8 + 8*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)*sinh(x)^7 + (a^5 + 2*a^4*b + a^3*b^2)*sinh(x)^8 - 4*(a^5 - a^3*b^2)*cosh(x)^6 - 4*(a^5 - a^3*b^2 - 7*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^2)*sinh(x)^6 + 8*(7*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^3 - 3*(a^5 - a^3*b^2)*cosh(x))*sinh(x)^5 + a^5 + 2*a^4*b + a^3*b^2 + 2*(3*a^5 - 2*a^4*b + 3*a^3*b^2)*cosh(x)^4 + 2*(3*a^5 - 2*a^4*b + 3*a^3*b^2 + 35*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^4 - 30*(a^5 - a^3*b^2)*cosh(x)^2)*sinh(x)^4 + 8*(7*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^5 - 10*(a^5 - a^3*b^2)*cosh(x)^3 + (3*a^5 - 2*a^4*b + 3*a^3*b^2)*cosh(x))*sinh(x)^3 - 4*(a^5 - a^3*b^2)*cosh(x)^2 + 4*(7*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^6 - a^5 + a^3*b^2 - 15*(a^5 - a^3*b^2)*cosh(x)^4 + 3*(3*a^5 - 2*a^4*b + 3*a^3*b^2)*cosh(x)^2)*sinh(x)^2 + 8*((a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^7 - 3*(a^5 - a^3*b^2)*cosh(x)^5 + (3*a^5 - 2*a^4*b + 3*a^3*b^2)*cosh(x)^3 - (a^5 - a^3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*log(-((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + a^2*b)*cosh

$$\begin{aligned}
& (x)^2) * \sinh(x)^6 + 4 * (14 * (a^3 + a^2 * b) * \cosh(x)^3 - 3 * (2 * a^3 + a^2 * b) * \cosh(x) \\
&) * \sinh(x)^5 + (6 * a^3 + 4 * a^2 * b - a * b^2 + b^3) * \cosh(x)^4 + (70 * (a^3 + a^2 * b) \\
&) * \cosh(x)^4 + 6 * a^3 + 4 * a^2 * b - a * b^2 + b^3 - 30 * (2 * a^3 + a^2 * b) * \cosh(x)^2) \\
& * \sinh(x)^4 + 4 * (14 * (a^3 + a^2 * b) * \cosh(x)^5 - 10 * (2 * a^3 + a^2 * b) * \cosh(x)^3 + \\
& (6 * a^3 + 4 * a^2 * b - a * b^2 + b^3) * \cosh(x)) * \sinh(x)^3 + a^3 + 3 * a^2 * b + 3 * a * b \\
& ^2 + b^3 - 2 * (2 * a^3 + 3 * a^2 * b - b^3) * \cosh(x)^2 + 2 * (14 * (a^3 + a^2 * b) * \cosh(x) \\
&)^6 - 15 * (2 * a^3 + a^2 * b) * \cosh(x)^4 - 2 * a^3 - 3 * a^2 * b + b^3 + 3 * (6 * a^3 + 4 * a \\
& ^2 * b - a * b^2 + b^3) * \cosh(x)^2) * \sinh(x)^2 + \sqrt{2} * (a^2 * \cosh(x)^6 + 6 * a^2 * c \\
& osh(x) * \sinh(x)^5 + a^2 * \sinh(x)^6 - 3 * a^2 * \cosh(x)^4 + 3 * (5 * a^2 * \cosh(x)^2 - a \\
& ^2) * \sinh(x)^4 + 4 * (5 * a^2 * \cosh(x)^3 - 3 * a^2 * \cosh(x)) * \sinh(x)^3 + (3 * a^2 + 2 * \\
& a * b - b^2) * \cosh(x)^2 + (15 * a^2 * \cosh(x)^4 - 18 * a^2 * \cosh(x)^2 + 3 * a^2 + 2 * a * b \\
& - b^2) * \sinh(x)^2 - a^2 - 2 * a * b - b^2 + 2 * (3 * a^2 * \cosh(x)^5 - 6 * a^2 * \cosh(x)^ \\
& 3 + (3 * a^2 + 2 * a * b - b^2) * \cosh(x)) * \sinh(x)) * \sqrt{a + b} * \sqrt{((a + b) * \cosh(\\
& x)^2 + (a + b) * \sinh(x)^2 - a + b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^ \\
& 2))} + 4 * (2 * (a^3 + a^2 * b) * \cosh(x)^7 - 3 * (2 * a^3 + a^2 * b) * \cosh(x)^5 + (6 * a^3 + \\
& 4 * a^2 * b - a * b^2 + b^3) * \cosh(x)^3 - (2 * a^3 + 3 * a^2 * b - b^3) * \cosh(x)) * \sinh(x) \\
&) / (\cosh(x)^6 + 6 * \cosh(x)^5 * \sinh(x) + 15 * \cosh(x)^4 * \sinh(x)^2 + 20 * \cosh(x)^3 \\
& * \sinh(x)^3 + 15 * \cosh(x)^2 * \sinh(x)^4 + 6 * \cosh(x) * \sinh(x)^5 + \sinh(x)^6) + 6 \\
& * ((a^5 + 5 * a^4 * b + 10 * a^3 * b^2 + 10 * a^2 * b^3 + 5 * a * b^4 + b^5) * \cosh(x)^8 + 8 * (\\
& a^5 + 5 * a^4 * b + 10 * a^3 * b^2 + 10 * a^2 * b^3 + 5 * a * b^4 + b^5) * \cosh(x) * \sinh(x)^7 \\
& + (a^5 + 5 * a^4 * b + 10 * a^3 * b^2 + 10 * a^2 * b^3 + 5 * a * b^4 + b^5) * \sinh(x)^8 - 4 * (\\
& a^5 + 3 * a^4 * b + 2 * a^3 * b^2 - 2 * a^2 * b^3 - 3 * a * b^4 - b^5) * \cosh(x)^6 - 4 * (a^5 + \\
& 3 * a^4 * b + 2 * a^3 * b^2 - 2 * a^2 * b^3 - 3 * a * b^4 - b^5 - 7 * (a^5 + 5 * a^4 * b + 10 * a^ \\
& 3 * b^2 + 10 * a^2 * b^3 + 5 * a * b^4 + b^5) * \cosh(x)^2) * \sinh(x)^6 + 8 * (7 * (a^5 + 5 * a^ \\
& 4 * b + 10 * a^3 * b^2 + 10 * a^2 * b^3 + 5 * a * b^4 + b^5) * \cosh(x)^3 - 3 * (a^5 + 3 * a^4 * b \\
& + 2 * a^3 * b^2 - 2 * a^2 * b^3 - 3 * a * b^4 - b^5) * \cosh(x)) * \sinh(x)^5 + a^5 + 5 * a^4 * \\
& b + 10 * a^3 * b^2 + 10 * a^2 * b^3 + 5 * a * b^4 + b^5 + 2 * (3 * a^5 + 7 * a^4 * b + 6 * a^3 * b^ \\
& 2 + 6 * a^2 * b^3 + 7 * a * b^4 + 3 * b^5) * \cosh(x)^4 + 2 * (3 * a^5 + 7 * a^4 * b + 6 * a^3 * b^2 \\
& + 6 * a^2 * b^3 + 7 * a * b^4 + 3 * b^5 + 35 * (a^5 + 5 * a^4 * b + 10 * a^3 * b^2 + 10 * a^2 * b^ \\
& 3 + 5 * a * b^4 + b^5) * \cosh(x)^4 - 30 * (a^5 + 3 * a^4 * b + 2 * a^3 * b^2 - 2 * a^2 * b^3 - \\
& 3 * a * b^4 - b^5) * \cosh(x)^2) * \sinh(x)^4 + 8 * (7 * (a^5 + 5 * a^4 * b + 10 * a^3 * b^2 + 10 \\
& * a^2 * b^3 + 5 * a * b^4 + b^5) * \cosh(x)^5 - 10 * (a^5 + 3 * a^4 * b + 2 * a^3 * b^2 - 2 * a^2 \\
& * b^3 - 3 * a * b^4 - b^5) * \cosh(x)^3 + (3 * a^5 + 7 * a^4 * b + 6 * a^3 * b^2 + 6 * a^2 * b^3 \\
& + 7 * a * b^4 + 3 * b^5) * \cosh(x)) * \sinh(x)^3 - 4 * (a^5 + 3 * a^4 * b + 2 * a^3 * b^2 - 2 * a^ \\
& 2 * b^3 - 3 * a * b^4 - b^5) * \cosh(x)^2 + 4 * (7 * (a^5 + 5 * a^4 * b + 10 * a^3 * b^2 + 10 * a^ \\
& 2 * b^3 + 5 * a * b^4 + b^5) * \cosh(x)^6 - a^5 - 3 * a^4 * b - 2 * a^3 * b^2 + 2 * a^2 * b^3 + \\
& 3 * a * b^4 + b^5 - 15 * (a^5 + 3 * a^4 * b + 2 * a^3 * b^2 - 2 * a^2 * b^3 - 3 * a * b^4 - b^5) * \\
& \cosh(x)^4 + 3 * (3 * a^5 + 7 * a^4 * b + 6 * a^3 * b^2 + 6 * a^2 * b^3 + 7 * a * b^4 + 3 * b^5) * c \\
& osh(x)^2) * \sinh(x)^2 + 8 * ((a^5 + 5 * a^4 * b + 10 * a^3 * b^2 + 10 * a^2 * b^3 + 5 * a * b^4 \\
& + b^5) * \cosh(x)^7 - 3 * (a^5 + 3 * a^4 * b + 2 * a^3 * b^2 - 2 * a^2 * b^3 - 3 * a * b^4 - b^ \\
& 5) * \cosh(x)^5 + (3 * a^5 + 7 * a^4 * b + 6 * a^3 * b^2 + 6 * a^2 * b^3 + 7 * a * b^4 + 3 * b^5) * \\
& \cosh(x)^3 - (a^5 + 3 * a^4 * b + 2 * a^3 * b^2 - 2 * a^2 * b^3 - 3 * a * b^4 - b^5) * \cosh(x) \\
&) * \sinh(x)) * \sqrt{a} * \log(-((2 * a + b) * \cosh(x)^4 + 4 * (2 * a + b) * \cosh(x) * \sinh(x)^ \\
& 3 + (2 * a + b) * \sinh(x)^4 - 2 * (2 * a - b) * \cosh(x)^2 + 2 * (3 * (2 * a + b) * \cosh(x)^2 \\
& - 2 * a + b) * \sinh(x)^2 - 2 * \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2
\end{aligned}$$

- 1)*sqrt(a)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((2*a + b)*cosh(x)^3 - (2*a - b)*cosh(x)*sinh(x) + 2*a + b)/(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 + 1)*sinh(x)^2 + 2*cosh(x)^2 + 4*(cosh(x)^3 + cosh(x))*sinh(x) + 1)) + 3*((a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^8 + 8*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)*sinh(x)^7 + (a^5 + 2*a^4*b + a^3*b^2)*sinh(x)^8 - 4*(a^5 - a^3*b^2)*cosh(x)^6 - 4*(a^5 - a^3*b^2 - 7*(a^5 + 2*...

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b*coth(x)**2)**(5/2),x)

[Out] Integral(tanh(x)/(a + b*coth(x)**2)**(5/2), x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b*coth(x)^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,sageVARx);OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(ex

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\tanh(x)}{(b \coth(x)^2 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a + b*coth(x)^2)^(5/2),x)

[Out] int(tanh(x)/(a + b*coth(x)^2)^(5/2), x)

$$3.47 \quad \int \frac{\tanh^2(x)}{(a+b \coth^2(x))^{5/2}} dx$$

Optimal. Leaf size=131

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{(a+b)^{5/2}} + \frac{b \tanh(x)}{3a(a+b)(a+b \coth^2(x))^{3/2}} + \frac{b(7a+4b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a+b \coth^2(x)}} - \frac{(3a+2b)(a+b)}{3a^3(a+b)^2}$$

[Out] arctanh(coth(x)*(a+b)^(1/2)/(a+b*coth(x)^2)^(1/2))/(a+b)^(5/2)+1/3*b*tanh(x)/a/(a+b)/(a+b*coth(x)^2)^(3/2)+1/3*b*(7*a+4*b)*tanh(x)/a^2/(a+b)^2/(a+b*coth(x)^2)^(1/2)-1/3*(3*a+2*b)*(a+4*b)*(a+b*coth(x)^2)^(1/2)*tanh(x)/a^3/(a+b)^2

Rubi [A]

time = 0.17, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {3751, 483, 593, 597, 12, 385, 212}

$$-\frac{(3a+2b)(a+4b) \tanh(x) \sqrt{a+b \coth^2(x)}}{3a^3(a+b)^2} + \frac{b(7a+4b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a+b \coth^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{(a+b)^{5/2}} + \frac{b \tanh(x)}{3a(a+b)(a+b \coth^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^2/(a + b*Coth[x]^2)^(5/2), x]

[Out] ArcTanh[(Sqrt[a + b]*Coth[x])/Sqrt[a + b*Coth[x]^2]]/(a + b)^(5/2) + (b*Tanh[x])/(3*a*(a + b)*(a + b*Coth[x]^2)^(3/2)) + (b*(7*a + 4*b)*Tanh[x])/(3*a^2*(a + b)^2*Sqrt[a + b*Coth[x]^2]) - ((3*a + 2*b)*(a + 4*b)*Sqrt[a + b*Coth[x]^2]*Tanh[x])/(3*a^3*(a + b)^2)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 212

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 483

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(-b)*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*e*n*(b*c - a*d)*(p + 1))), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(e*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*b*(m + 1) + n*(b*c - a*d)*(p + 1) + d*b*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 593

```
Int[((g_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(-b*e - a*f)*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*g*n*(b*c - a*d)*(p + 1))), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(g*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f)*(m + 1) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, q}, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 597

```
Int[((g_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3751

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{5/2}} dx &= \text{Subst} \left(\int \frac{1}{x^2 (1-x^2) (a + bx^2)^{5/2}} dx, x, \coth(x) \right) \\
&= \frac{b \tanh(x)}{3a(a+b) (a + b \coth^2(x))^{3/2}} - \frac{\text{Subst} \left(\int \frac{-3a-4b+4bx^2}{x^2(1-x^2)(a+bx^2)^{3/2}} dx, x, \coth(x) \right)}{3a(a+b)} \\
&= \frac{b \tanh(x)}{3a(a+b) (a + b \coth^2(x))^{3/2}} + \frac{b(7a+4b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a + b \coth^2(x)}} + \frac{\text{Subst} \left(\int \frac{(3a+2b)}{x^2} dx, x, \coth(x) \right)}{3a(a+b)} \\
&= \frac{b \tanh(x)}{3a(a+b) (a + b \coth^2(x))^{3/2}} + \frac{b(7a+4b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a + b \coth^2(x)}} - \frac{(3a+2b)(a+b)}{3a(a+b)} \\
&= \frac{b \tanh(x)}{3a(a+b) (a + b \coth^2(x))^{3/2}} + \frac{b(7a+4b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a + b \coth^2(x)}} - \frac{(3a+2b)(a+b)}{3a(a+b)} \\
&= \frac{b \tanh(x)}{3a(a+b) (a + b \coth^2(x))^{3/2}} + \frac{b(7a+4b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a + b \coth^2(x)}} - \frac{(3a+2b)(a+b)}{3a(a+b)} \\
&= \frac{b \tanh(x)}{3a(a+b) (a + b \coth^2(x))^{3/2}} + \frac{b(7a+4b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a + b \coth^2(x)}} - \frac{(3a+2b)(a+b)}{3a(a+b)} \\
&= \frac{b \tanh(x)}{3a(a+b) (a + b \coth^2(x))^{3/2}} + \frac{b(7a+4b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a + b \coth^2(x)}} - \frac{(3a+2b)(a+b)}{3a(a+b)} \\
&= \frac{\tanh^{-1} \left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)}{(a+b)^{5/2}} + \frac{b \tanh(x)}{3a(a+b) (a + b \coth^2(x))^{3/2}} + \frac{b(7a+4b)}{3a^2(a+b)^2 \sqrt{a + b \coth^2(x)}}
\end{aligned}$$

Mathematica [C] Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

time = 7.64, size = 1350, normalized size = 10.31

Warning: Unable to verify antiderivative.

[In] Integrate[Tanh[x]^2/(a + b*Coth[x]^2)^(5/2), x]

[Out] (Sinh[x]^2*((16*b^3*((-I)*Coth[x] + I*Coth[x]^3)^2)/(a*(a + b)^2) + (40*b*Csch[x]^2)/(a + b) + (160*b^2*Coth[x]^2*Csch[x]^2)/(3*a*(a + b)) + (64*b^3*Coth[x]^4*Csch[x]^2)/(3*a^2*(a + b)) - (40*b^2*Csch[x]^4)/(a + b)^2 + (92*(a + b)*Cosh[x]^2*Hypergeometric2F1[2, 2, 9/2, ((a + b)*Cosh[x]^2)/a])/(105*a

) + (124*b*(a + b)*Cosh[x]^2*Coth[x]^2*Hypergeometric2F1[2, 2, 9/2, ((a + b)*Cosh[x]^2)/a])/(35*a^2) + (152*b^2*(a + b)*Cosh[x]^2*Coth[x]^4*Hypergeometric2F1[2, 2, 9/2, ((a + b)*Cosh[x]^2)/a])/(35*a^3) + (176*b^3*(a + b)*Cosh[x]^2*Coth[x]^6*Hypergeometric2F1[2, 2, 9/2, ((a + b)*Cosh[x]^2)/a])/(105*a^4) + (24*(a + b)*Cosh[x]^2*HypergeometricPFQ[{2, 2, 2}, {1, 9/2}, ((a + b)*Cosh[x]^2)/a])/(35*a) + (16*b*(a + b)*Cosh[x]^2*Coth[x]^2*HypergeometricPFQ[{2, 2, 2}, {1, 9/2}, ((a + b)*Cosh[x]^2)/a])/(7*a^2) + (88*b^2*(a + b)*Cosh[x]^2*Coth[x]^4*HypergeometricPFQ[{2, 2, 2}, {1, 9/2}, ((a + b)*Cosh[x]^2)/a])/(35*a^3) + (32*b^3*(a + b)*Cosh[x]^2*Coth[x]^6*HypergeometricPFQ[{2, 2, 2}, {1, 9/2}, ((a + b)*Cosh[x]^2)/a])/(35*a^4) + (16*(a + b)*Cosh[x]^2*HypergeometricPFQ[{2, 2, 2, 2}, {1, 1, 9/2}, ((a + b)*Cosh[x]^2)/a])/(105*a) + (16*b*(a + b)*Cosh[x]^2*Coth[x]^2*HypergeometricPFQ[{2, 2, 2, 2}, {1, 1, 9/2}, ((a + b)*Cosh[x]^2)/a])/(35*a^2) + (16*b^2*(a + b)*Cosh[x]^2*Coth[x]^4*HypergeometricPFQ[{2, 2, 2, 2}, {1, 1, 9/2}, ((a + b)*Cosh[x]^2)/a])/(35*a^3) + (16*b^3*(a + b)*Cosh[x]^2*Coth[x]^6*HypergeometricPFQ[{2, 2, 2, 2}, {1, 1, 9/2}, ((a + b)*Cosh[x]^2)/a])/(105*a^4) + (20*a*Sech[x]^2)/(3*(a + b)) - (30*a*b*Csch[x]^2*Sech[x]^2)/(a + b)^2 - (5*a^2*Sech[x]^4)/(a + b)^2 + (5*ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]])/((((a + b)*Cosh[x]^2)/a)^(5/2)*Sqrt[-(((a + b)*Coth[x]^2)*Sinh[x]^2)/a]]) + (30*b*ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*Coth[x]^2)/(a*(((a + b)*Cosh[x]^2)/a)^(5/2)*Sqrt[-(((a + b)*Coth[x]^2)*Sinh[x]^2)/a]]) + (40*b^2*ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*Coth[x]^4)/(a^2*(((a + b)*Cosh[x]^2)/a)^(5/2)*Sqrt[-(((a + b)*Coth[x]^2)*Sinh[x]^2)/a]]) + (16*b^3*ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*Coth[x]^6)/(a^3*(((a + b)*Cosh[x]^2)/a)^(5/2)*Sqrt[-(((a + b)*Coth[x]^2)*Sinh[x]^2)/a]]) + (5*ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]])/Sqrt[-(((a + b)*Cosh[x]^2*(a + b)*Coth[x]^2)*Sinh[x]^2)/a^2]] + (30*b*ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*Coth[x]^2)/(a*Sqrt[-(((a + b)*Cosh[x]^2*(a + b)*Coth[x]^2)*Sinh[x]^2)/a^2]]) + (40*b^2*ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*Coth[x]^4)/(a^2*Sqrt[-(((a + b)*Cosh[x]^2*(a + b)*Coth[x]^2)*Sinh[x]^2)/a^2]]) + (16*b^3*ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*Coth[x]^6)/(a^3*Sqrt[-(((a + b)*Cosh[x]^2*(a + b)*Coth[x]^2)*Sinh[x]^2)/a^2]]) - (60*b*ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*Csch[x]^2)/((a + b)*Sqrt[-(((a + b)*Cosh[x]^2*(a + b)*Coth[x]^2)*Sinh[x]^2)/a^2]]) - (80*b^2*ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*Coth[x]^2*Csch[x]^2)/(a*(a + b)*Sqrt[-(((a + b)*Cosh[x]^2*(a + b)*Coth[x]^2)*Sinh[x]^2)/a^2]]) - (32*b^3*ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*Coth[x]^4*Csch[x]^2)/(a^2*(a + b)*Sqrt[-(((a + b)*Cosh[x]^2*(a + b)*Coth[x]^2)*Sinh[x]^2)/a^2]]) - (10*a*ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*Sech[x]^2)/((a + b)*Sqrt[-(((a + b)*Cosh[x]^2*(a + b)*Coth[x]^2)*Sinh[x]^2)/a^2]]))*Tanh[x])/(a^2*Sqrt[a + b*Coth[x]^2]*(1 + (b*Coth[x]^2)/a))

Maple [F]

time = 2.70, size = 0, normalized size = 0.00

$$\int \frac{\tanh^2(x)}{(a + b(\coth^2(x)))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\tanh(x)^2/(a+b*\coth(x)^2)^{(5/2)}, x)$

[Out] $\text{int}(\tanh(x)^2/(a+b*\coth(x)^2)^{(5/2)}, x)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tanh(x)^2/(a+b*\coth(x)^2)^{(5/2)}, x, \text{algorithm}="maxima")$

[Out] $\text{integrate}(\tanh(x)^2/(b*\coth(x)^2 + a)^{(5/2)}, x)$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 5085 vs. 2(113) = 226.

time = 1.19, size = 10729, normalized size = 81.90

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tanh(x)^2/(a+b*\coth(x)^2)^{(5/2)}, x, \text{algorithm}="fricas")$

[Out] $[1/12*(3*((a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^{10} + 10*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)*\sinh(x)^9 + (a^5 + 2*a^4*b + a^3*b^2)*\sinh(x)^{10} - (3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^8 - (3*a^5 - 2*a^4*b - 5*a^3*b^2 - 45*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^2)*\sinh(x)^8 + 8*(15*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^3 - (3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x))*\sinh(x)^7 + 2*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^6 + 2*(a^5 - 2*a^4*b + 5*a^3*b^2 + 105*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^4 - 14*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^2)*\sinh(x)^6 + 4*(63*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^5 - 14*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^3 + 3*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x))*\sinh(x)^5 + a^5 + 2*a^4*b + a^3*b^2 + 2*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^4 + 2*(105*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^6 + a^5 - 2*a^4*b + 5*a^3*b^2 - 35*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^4 + 15*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^2)*\sinh(x)^4 + 8*(15*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^7 - 7*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^5 + 5*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^3 + (a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x))*\sinh(x)^3 - (3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^2 + (45*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^8 - 28*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^6 - 3*a^5 + 2*a^4*b + 5*a^3*b^2 + 30*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^4 + 12*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^2)*\sinh(x)^2 + 2*(5*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^9 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^7 + 6*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^5 + 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^3 - (3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*1$

$$\log\left(\left((a*b^2 + b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 + 2*(a*b^2 + 2*b^3)*\cosh(x)^6 + 2*(a*b^2 + 2*b^3 + 14*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 + 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 + 30*(a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 + 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x)^6 + 15*(a*b^2 + 2*b^3)*\cosh(x)^4 - a^3 + 3*a*b^2 + 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6*b^2*\cosh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 + 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 + b^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 + 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 + 18*b^2*\cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*b^2*\cosh(x)^5 + 6*b^2*\cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{\left(\left(a + b\right)*\cosh(x)^2 + \left(a + b\right)*\sinh(x)^2 - a + b\right)/\left(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2\right)} + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 + 3*(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 - (a^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x))/\left(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6\right) + 3*\left(a^5 + 2*a^4*b + a^3*b^2\right)*\cosh(x)^{10} + 10*\left(a^5 + 2*a^4*b + a^3*b^2\right)*\cosh(x)*\sinh(x)^9 + \left(a^5 + 2*a^4*b + a^3*b^2\right)*\sinh(x)^{10} - \left(3*a^5 - 2*a^4*b - 5*a^3*b^2\right)*\cosh(x)^8 - \left(3*a^5 - 2*a^4*b - 5*a^3*b^2 - 45*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^2\right)*\sinh(x)^8 + 8*\left(15*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^3 - \left(3*a^5 - 2*a^4*b - 5*a^3*b^2\right)*\cosh(x)\right)*\sinh(x)^7 + 2*\left(a^5 - 2*a^4*b + 5*a^3*b^2\right)*\cosh(x)^6 + 2*\left(a^5 - 2*a^4*b + 5*a^3*b^2 + 105*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^4 - 14*\left(3*a^5 - 2*a^4*b - 5*a^3*b^2\right)*\cosh(x)^2\right)*\sinh(x)^6 + 4*\left(63*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^5 - 14*\left(3*a^5 - 2*a^4*b - 5*a^3*b^2\right)*\cosh(x)^3 + 3*\left(a^5 - 2*a^4*b + 5*a^3*b^2\right)*\cosh(x)\right)*\sinh(x)^5 + a^5 + 2*a^4*b + a^3*b^2 + 2*\left(a^5 - 2*a^4*b + 5*a^3*b^2\right)*\cosh(x)^4 + 2*\left(105*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^6 + a^5 - 2*a^4*b + 5*a^3*b^2 - 35*\left(3*a^5 - 2*a^4*b - 5*a^3*b^2\right)*\cosh(x)^4 + 15*\left(a^5 - 2*a^4*b + 5*a^3*b^2\right)*\cosh(x)^2\right)*\sinh(x)^4 + 8*\left(15*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^7 - 7*\left(3*a^5 - 2*a^4*b - 5*a^3*b^2\right)*\cosh(x)^5 + 5*\left(a^5 - 2*a^4*b + 5*a^3*b^2\right)*\cosh(x)^3 + \left(a^5 - 2*a^4*b + 5*a^3*b^2\right)*\cosh(x)\right)*\sinh(x)^3 - \left(3*a^5 - 2*a^4*b - 5*a^3*b^2\right)*\cosh(x)^2 + \left(45*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^8 - 28*\left(3*a^5 - 2*a^4*b - 5*a^3*b^2\right)*\cosh(x)^6 - 3*a^5 + 2*a^4*b + 5*a^3*b^2 + 30*\left(a^5 - 2*a^4*b + 5*a^3*b^2\right)*\cosh(x)^4 + 12*\left(a^5 - 2*a^4*b + 5*a^3*b^2\right)*\cosh(x)^2\right)*\sinh(x)^2 + 2*\left(5*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^9 - 4*\left(3*a^5 - 2*a^4*b - 5*a^3*b^2\right)*\cosh(x)^7 + 6*\left(a^5 - 2*a^4*b + 5*a^3*b^2\right)*\cosh(x)^5 + 4*\left(a^5 - 2*a^4*b + 5*a^3*b^2\right)*\cosh(x)^3 - \left(3*a^5 - 2*a^4*b - 5*a^3*b^2\right)*\cosh(x)\right)*\sinh(x))*\sqrt{a + b}*\log\left(-\left(a + b\right)*\cosh(x)^4 + 4*\left(a + b\right)*\cosh(x)*\sinh(x)^3 + \left(a + b\right)*\sinh(x)^4 - 2*a*\cosh(x)^2 + 2*\left(3*\left(a + b\right)*\cosh(x)^2 - a\right)*\sinh(x)^2 + \sqrt{2}*\left(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1\right)*\sqrt{a + b}*\sqrt{\left(\left(a + b\right)*\cosh(x)^2 + \left(a + b\right)*\sinh(x)^2 - a + b\right)/\left(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2\right)}\right)\right)$$

+ 4*((a + b)*cosh(x)^3 - a*cosh(x))*sinh(x) + ...

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)**2/(a+b*coth(x)**2)**(5/2),x)

[Out] Integral(tanh(x)**2/(a + b*coth(x)**2)**(5/2), x)

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b*coth(x)^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx):;OUTPUT:Warning, integration of abs or sign a
ssumes constant sign by intervals (correct if the argument is real):Check [
abs(ex

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\tanh(x)^2}{(b \coth(x)^2 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^2/(a + b*coth(x)^2)^(5/2),x)

[Out] int(tanh(x)^2/(a + b*coth(x)^2)^(5/2), x)

$$3.48 \quad \int \frac{1}{\sqrt{1 + \coth^2(x)}} dx$$

Optimal. Leaf size=25

$$\frac{\tanh^{-1}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{1 + \coth^2(x)}}\right)}{\sqrt{2}}$$

[Out] 1/2*arctanh(coth(x)*2^(1/2)/(1+coth(x)^2)^(1/2))*2^(1/2)

Rubi [A]

time = 0.01, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {3742, 385, 212}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{\coth^2(x) + 1}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[1 + Coth[x]^2],x]

[Out] ArcTanh[(Sqrt[2]*Coth[x])/Sqrt[1 + Coth[x]^2]]/Sqrt[2]

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 3742

Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{1 + \coth^2(x)}} dx &= \text{Subst} \left(\int \frac{1}{(1 - x^2) \sqrt{1 + x^2}} dx, x, \coth(x) \right) \\ &= \text{Subst} \left(\int \frac{1}{1 - 2x^2} dx, x, \frac{\coth(x)}{\sqrt{1 + \coth^2(x)}} \right) \\ &= \frac{\tanh^{-1} \left(\frac{\sqrt{2} \coth(x)}{\sqrt{1 + \coth^2(x)}} \right)}{\sqrt{2}} \end{aligned}$$

Mathematica [A]

time = 0.05, size = 44, normalized size = 1.76

$$\frac{\sqrt{\cosh(2x)} \operatorname{csch}(x) \log \left(\sqrt{2} \cosh(x) + \sqrt{\cosh(2x)} \right)}{\sqrt{2} \sqrt{1 + \coth^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[1 + Coth[x]^2], x]

[Out] (Sqrt[Cosh[2*x]]*Csch[x]*Log[Sqrt[2]*Cosh[x] + Sqrt[Cosh[2*x]])/(Sqrt[2]*Sqrt[1 + Coth[x]^2])

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 61 vs. 2(20) = 40.

time = 0.99, size = 62, normalized size = 2.48

method	result
derivativedivides	$-\frac{\sqrt{2} \operatorname{arctanh} \left(\frac{(2-2 \coth(x)) \sqrt{2}}{4 \sqrt{(1 + \coth(x))^2 - 2 \coth(x)}} \right)}{4} + \frac{\sqrt{2} \operatorname{arctanh} \left(\frac{(2+2 \coth(x)) \sqrt{2}}{4 \sqrt{(\coth(x) - 1)^2 + 2 \coth(x)}} \right)}{4}$
default	$-\frac{\sqrt{2} \operatorname{arctanh} \left(\frac{(2-2 \coth(x)) \sqrt{2}}{4 \sqrt{(1 + \coth(x))^2 - 2 \coth(x)}} \right)}{4} + \frac{\sqrt{2} \operatorname{arctanh} \left(\frac{(2+2 \coth(x)) \sqrt{2}}{4 \sqrt{(\coth(x) - 1)^2 + 2 \coth(x)}} \right)}{4}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(1+coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

[Out] $-1/4*2^{(1/2)}*\operatorname{arctanh}(1/4*(2-2*\operatorname{coth}(x))*2^{(1/2)})/((1+\operatorname{coth}(x))^2-2*\operatorname{coth}(x))^{(1/2)}+1/4*2^{(1/2)}*\operatorname{arctanh}(1/4*(2+2*\operatorname{coth}(x))*2^{(1/2)})/((\operatorname{coth}(x)-1)^2+2*\operatorname{coth}(x))^{(1/2)}$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1+coth(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/sqrt(coth(x)^2 + 1), x)`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 547 vs. $2(20) = 40$.

time = 0.37, size = 547, normalized size = 21.88

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1+coth(x)^2)^(1/2),x, algorithm="fricas")`

[Out] $1/8*\sqrt{2}*\log(2*(\cosh(x)^8 + 8*\cosh(x)*\sinh(x)^7 + \sinh(x)^8 + (28*\cosh(x))^2 + 3)*\sinh(x)^6 + 3*\cosh(x)^6 + 2*(28*\cosh(x)^3 + 9*\cosh(x))*\sinh(x)^5 + 5*(14*\cosh(x)^4 + 9*\cosh(x)^2 + 1)*\sinh(x)^4 + 5*\cosh(x)^4 + 4*(14*\cosh(x)^5 + 15*\cosh(x)^3 + 5*\cosh(x))*\sinh(x)^3 + (28*\cosh(x)^6 + 45*\cosh(x)^4 + 30*\cosh(x)^2 + 4)*\sinh(x)^2 + 4*\cosh(x)^2 + 2*(4*\cosh(x)^7 + 9*\cosh(x)^5 + 10*\cosh(x)^3 + 4*\cosh(x))*\sinh(x) + (\sqrt{2}*\cosh(x)^6 + 6*\sqrt{2}*\cosh(x)*\sinh(x)^5 + \sqrt{2}*\sinh(x)^6 + 3*(5*\sqrt{2}*\cosh(x)^2 + \sqrt{2})*\sinh(x)^4 + 3*\sqrt{2}*\cosh(x)^4 + 4*(5*\sqrt{2}*\cosh(x)^3 + 3*\sqrt{2}*\cosh(x))*\sinh(x)^3 + (15*\sqrt{2}*\cosh(x)^4 + 18*\sqrt{2}*\cosh(x)^2 + 4*\sqrt{2})*\sinh(x)^2 + 4*\sqrt{2}*\cosh(x)^2 + 2*(3*\sqrt{2}*\cosh(x)^5 + 6*\sqrt{2}*\cosh(x)^3 + 4*\sqrt{2}*\cosh(x))*\sinh(x) + 4*\sqrt{2})*\sqrt{((\cosh(x)^2 + \sinh(x)^2)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4}/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + 1/8*\sqrt{2}*\log(-2*(\cosh(x)^4 + 4*\cosh(x))*\sinh(x)^3 + \sinh(x)^4 + (6*\cosh(x)^2 - 1)*\sinh(x)^2 - \cosh(x)^2 + 2*(2*\cosh(x)^3 - \cosh(x))*\sinh(x) + (\sqrt{2}*\cosh(x)^2 + 2*\sqrt{2}*\cosh(x)*\sinh(x) + \sqrt{2}*\sinh(x)^2 - \sqrt{2})*\sqrt{((\cosh(x)^2 + \sinh(x)^2)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 1}/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2))$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\coth^2(x) + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+coth(x)**2)**(1/2),x)**[Out]** Integral(1/sqrt(coth(x)**2 + 1), x)**Giac [B]** Leaf count of result is larger than twice the leaf count of optimal. 69 vs. 2(20) = 40.
time = 0.38, size = 69, normalized size = 2.76

$$\frac{\sqrt{2} \left(\log \left(\sqrt{e^{4x} + 1} - e^{2x} + 1 \right) - \log \left(\sqrt{e^{4x} + 1} - e^{2x} \right) - \log \left(-\sqrt{e^{4x} + 1} + e^{2x} + 1 \right) \right)}{4 \operatorname{sgn}(e^{2x} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+coth(x)^2)^(1/2),x, algorithm="giac")**[Out]** 1/4*sqrt(2)*(log(sqrt(e^(4*x) + 1) - e^(2*x) + 1) - log(sqrt(e^(4*x) + 1) - e^(2*x)) - log(-sqrt(e^(4*x) + 1) + e^(2*x) + 1))/sgn(e^(2*x) - 1)**Mupad [B]**

time = 1.35, size = 63, normalized size = 2.52

$$\frac{\sqrt{2} \left(\ln \left(\coth(x) + \sqrt{2} \sqrt{\coth(x)^2 + 1} + 1 \right) - \ln(\coth(x) - 1) \right)}{4} + \frac{\sqrt{2} \left(\ln(\coth(x) + 1) - \ln \left(\sqrt{2} \sqrt{\coth(x)^2 + 1} - \coth(x) + 1 \right) \right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(coth(x)^2 + 1)^(1/2),x)**[Out]** (2^(1/2)*(log(coth(x) + 2^(1/2)*(coth(x)^2 + 1)^(1/2) + 1) - log(coth(x) - 1)))/4 + (2^(1/2)*(log(coth(x) + 1) - log(2^(1/2)*(coth(x)^2 + 1)^(1/2) - coth(x) + 1)))/4

$$3.49 \quad \int \frac{1}{\sqrt{-1 - \coth^2(x)}} dx$$

Optimal. Leaf size=27

$$\frac{\text{ArcTan}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{-1 - \coth^2(x)}}\right)}{\sqrt{2}}$$

[Out] 1/2*arctan(coth(x)*2^(1/2)/(-1-coth(x)^2)^(1/2))*2^(1/2)

Rubi [A]

time = 0.01, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3742, 385, 209}

$$\frac{\text{ArcTan}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{-\coth^2(x) - 1}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[-1 - Coth[x]^2],x]

[Out] ArcTan[(Sqrt[2]*Coth[x])/Sqrt[-1 - Coth[x]^2]]/Sqrt[2]

Rule 209

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1/(Rt[a, 2]*Rt[b, 2]))*ArcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 3742

Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{-1 - \coth^2(x)}} dx &= \text{Subst} \left(\int \frac{1}{\sqrt{-1 - x^2} (1 - x^2)} dx, x, \coth(x) \right) \\ &= \text{Subst} \left(\int \frac{1}{1 + 2x^2} dx, x, \frac{\coth(x)}{\sqrt{-1 - \coth^2(x)}} \right) \\ &= \frac{\tan^{-1} \left(\frac{\sqrt{2} \coth(x)}{\sqrt{-1 - \coth^2(x)}} \right)}{\sqrt{2}} \end{aligned}$$

Mathematica [A]

time = 0.03, size = 46, normalized size = 1.70

$$\frac{\sqrt{\cosh(2x)} \operatorname{csch}(x) \log \left(\sqrt{2} \cosh(x) + \sqrt{\cosh(2x)} \right)}{\sqrt{2} \sqrt{-1 - \coth^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[-1 - Coth[x]^2], x]

[Out] (Sqrt[Cosh[2*x]]*Csch[x]*Log[Sqrt[2]*Cosh[x] + Sqrt[Cosh[2*x]])/(Sqrt[2]*Sqrt[-1 - Coth[x]^2])

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 65 vs. 2(22) = 44.

time = 1.04, size = 66, normalized size = 2.44

method	result
derivativedivides	$\frac{\sqrt{2} \arctan \left(\frac{(-2+2 \coth(x)) \sqrt{2}}{4 \sqrt{-(1 + \coth(x))^2 + 2 \coth(x)}} \right)}{4} - \frac{\sqrt{2} \arctan \left(\frac{(-2-2 \coth(x)) \sqrt{2}}{4 \sqrt{-(\coth(x) - 1)^2 - 2}} \right)}{4}$
default	$\frac{\sqrt{2} \arctan \left(\frac{(-2+2 \coth(x)) \sqrt{2}}{4 \sqrt{-(1 + \coth(x))^2 + 2 \coth(x)}} \right)}{4} - \frac{\sqrt{2} \arctan \left(\frac{(-2-2 \coth(x)) \sqrt{2}}{4 \sqrt{-(\coth(x) - 1)^2 - 2}} \right)}{4}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(-1-coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{4} \cdot 2^{(1/2)} \cdot \arctan\left(\frac{1}{4} \cdot (-2 + 2 \cdot \coth(x)) \cdot 2^{(1/2)} / (-1 + \coth(x))^2 + 2 \cdot \coth(x)\right)^{(1/2)} - \frac{1}{4} \cdot 2^{(1/2)} \cdot \arctan\left(\frac{1}{4} \cdot (-2 - 2 \cdot \coth(x)) \cdot 2^{(1/2)} / (-\coth(x) - 1)^2 - 2 \cdot \coth(x)\right)^{(1/2)}$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-1-coth(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/sqrt(-coth(x)^2 - 1), x)`

Fricas [C] Result contains complex when optimal does not.

time = 0.37, size = 175, normalized size = 6.48

$\frac{1}{8} i \sqrt{2} \log\left(\frac{1}{2} (i \sqrt{2} \sqrt{-2e^{4x} - 2} + 2e^{2x} - 2)e^{-2x}\right) - \frac{1}{8} i \sqrt{2} \log\left(\frac{1}{2} (-i \sqrt{2} \sqrt{-2e^{4x} - 2} + 2e^{2x} - 2)e^{-2x}\right) - \frac{1}{8} i \sqrt{2} \log\left(\frac{1}{2} (\sqrt{-2e^{4x} - 2} (e^{2x} + 2) + i \sqrt{2} e^{4x} + i \sqrt{2} e^{2x} + 2i \sqrt{2})e^{-4x}\right) + \frac{1}{8} i \sqrt{2} \log\left(\frac{1}{2} (\sqrt{-2e^{4x} - 2} (e^{2x} + 2) - i \sqrt{2} e^{4x} - i \sqrt{2} e^{2x} - 2i \sqrt{2})e^{-4x}\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-1-coth(x)^2)^(1/2),x, algorithm="fricas")`

[Out] $\frac{1}{8} I \sqrt{2} \log\left(\frac{1}{2} (I \sqrt{2} \sqrt{-2e^{4x} - 2} + 2e^{2x} - 2)e^{-2x}\right) - \frac{1}{8} I \sqrt{2} \log\left(\frac{1}{2} (-I \sqrt{2} \sqrt{-2e^{4x} - 2} + 2e^{2x} - 2)e^{-2x}\right) - \frac{1}{8} I \sqrt{2} \log\left(\frac{1}{2} (\sqrt{-2e^{4x} - 2} (e^{2x} + 2) + I \sqrt{2} e^{4x} + I \sqrt{2} e^{2x} + 2I \sqrt{2})e^{-4x}\right) + \frac{1}{8} I \sqrt{2} \log\left(\frac{1}{2} (\sqrt{-2e^{4x} - 2} (e^{2x} + 2) - I \sqrt{2} e^{4x} - I \sqrt{2} e^{2x} - 2I \sqrt{2})e^{-4x}\right)$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\coth^2(x) - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-1-coth(x)**2)**(1/2),x)`

[Out] `Integral(1/sqrt(-coth(x)**2 - 1), x)`

Giac [C] Result contains complex when optimal does not.

time = 0.39, size = 73, normalized size = 2.70

$$\frac{\sqrt{2} \left(-i \log\left(\sqrt{e^{4x} + 1} - e^{2x} + 1\right) + i \log\left(\sqrt{e^{4x} + 1} - e^{2x}\right) + i \log\left(-\sqrt{e^{4x} + 1} + e^{2x} + 1\right) \right)}{4 \operatorname{sgn}(-e^{2x} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-1-coth(x)^2)^(1/2),x, algorithm="giac")

[Out] -1/4*sqrt(2)*(-I*log(sqrt(e^(4*x) + 1) - e^(2*x) + 1) + I*log(sqrt(e^(4*x) + 1) - e^(2*x))) + I*log(-sqrt(e^(4*x) + 1) + e^(2*x) + 1))/sgn(-e^(2*x) + 1)

Mupad [B]

time = 1.25, size = 22, normalized size = 0.81

$$\frac{\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2} \operatorname{coth}(x)}{\sqrt{-\operatorname{coth}(x)^2 - 1}}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-coth(x)^2 - 1)^(1/2),x)

[Out] (2^(1/2)*atan((2^(1/2)*coth(x))/(-coth(x)^2 - 1)^(1/2)))/2

$$3.50 \quad \int \frac{1}{1+\coth^3(x)} dx$$

Optimal. Leaf size=38

$$\frac{x}{2} - \frac{2\text{ArcTan}\left(\frac{1-2\coth(x)}{\sqrt{3}}\right)}{3\sqrt{3}} - \frac{1}{6(1+\coth(x))}$$

[Out] 1/2*x-1/6/(1+coth(x))-2/9*arctan(1/3*(1-2*coth(x))*3^(1/2))*3^(1/2)

Rubi [A]

time = 0.04, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {3742, 2099, 213, 632, 210}

$$-\frac{2\text{ArcTan}\left(\frac{1-2\coth(x)}{\sqrt{3}}\right)}{3\sqrt{3}} + \frac{x}{2} - \frac{1}{6(\coth(x)+1)}$$

Antiderivative was successfully verified.

[In] Int[(1 + Coth[x]^3)^(-1), x]

[Out] x/2 - (2*ArcTan[(1 - 2*Coth[x])/Sqrt[3]])/(3*Sqrt[3]) - 1/(6*(1 + Coth[x]))

Rule 210

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^(-1))*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 213

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[b, 2])^(-1))*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 632

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 2099

Int[(P_)^(p_)*(Q_)^(q_.), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]]] /; FreeQ[q, x] &&

PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]

Rule 3742

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[c*(ff/f), Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegerQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{1 + \coth^3(x)} dx &= \text{Subst}\left(\int \frac{1}{(1-x^2)(1+x^3)} dx, x, \coth(x)\right) \\
&= \text{Subst}\left(\int \left(\frac{1}{6(1+x)^2} - \frac{1}{2(-1+x^2)} + \frac{1}{3(1-x+x^2)}\right) dx, x, \coth(x)\right) \\
&= -\frac{1}{6(1+\coth(x))} + \frac{1}{3}\text{Subst}\left(\int \frac{1}{1-x+x^2} dx, x, \coth(x)\right) - \frac{1}{2}\text{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \coth(x)\right) \\
&= \frac{x}{2} - \frac{1}{6(1+\coth(x))} - \frac{2}{3}\text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, -1+2\coth(x)\right) \\
&= \frac{x}{2} - \frac{2 \tan^{-1}\left(\frac{1-2\coth(x)}{\sqrt{3}}\right)}{3\sqrt{3}} - \frac{1}{6(1+\coth(x))}
\end{aligned}$$

Mathematica [A]

time = 0.06, size = 40, normalized size = 1.05

$$\frac{2 \text{ArcTan}\left(\frac{1-2 \tanh(x)}{\sqrt{3}}\right)}{3\sqrt{3}} + \frac{1}{2} \tanh^{-1}(\tanh(x)) + \frac{1}{6(1+\tanh(x))}$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 + Coth[x]^3)^(-1), x]
```

```
[Out] (2*ArcTan[(1 - 2*Tanh[x])/Sqrt[3]])/(3*Sqrt[3]) + ArcTanh[Tanh[x]]/2 + 1/(6*(1 + Tanh[x]))
```

Maple [A]

time = 0.38, size = 41, normalized size = 1.08

method	result	size
--------	--------	------

derivativedivides	$-\frac{\ln(\coth(x)-1)}{4} - \frac{1}{6(1+\coth(x))} + \frac{\ln(1+\coth(x))}{4} + \frac{2\sqrt{3} \arctan\left(\frac{(2\coth(x)-1)\sqrt{3}}{3}\right)}{9}$	41
default	$-\frac{\ln(\coth(x)-1)}{4} - \frac{1}{6(1+\coth(x))} + \frac{\ln(1+\coth(x))}{4} + \frac{2\sqrt{3} \arctan\left(\frac{(2\coth(x)-1)\sqrt{3}}{3}\right)}{9}$	41
risch	$\frac{x}{2} + \frac{e^{-2x}}{12} + \frac{i\sqrt{3} \ln(e^{2x}-i\sqrt{3})}{9} - \frac{i\sqrt{3} \ln(e^{2x}+i\sqrt{3})}{9}$	47

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(1+coth(x)^3),x,method=_RETURNVERBOSE)`

[Out] $-1/4*\ln(\coth(x)-1)-1/6/(1+\coth(x))+1/4*\ln(1+\coth(x))+2/9*3^{(1/2)}*\arctan(1/3*(2*\coth(x)-1)*3^{(1/2)})$

Maxima [B] Leaf count of result is larger than twice the leaf count of optimal. 73 vs. 2(29) = 58.

time = 0.49, size = 73, normalized size = 1.92

$$-\frac{2}{9}\sqrt{3} \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}}\sqrt{2} \left(2\sqrt{3}e^{-x} + 3^{\frac{1}{4}}\sqrt{2}\right)\right) + \frac{2}{9}\sqrt{3} \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}}\sqrt{2} \left(2\sqrt{3}e^{-x} - 3^{\frac{1}{4}}\sqrt{2}\right)\right) + \frac{1}{2}x + \frac{1}{12}e^{-2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1+coth(x)^3),x, algorithm="maxima")`

[Out] $-2/9*\sqrt{3}*\arctan(1/6*3^{(3/4)}*\sqrt{2}*(2*\sqrt{3}*e^{-x} + 3^{(1/4)}*\sqrt{2})) + 2/9*\sqrt{3}*\arctan(1/6*3^{(3/4)}*\sqrt{2}*(2*\sqrt{3}*e^{-x} - 3^{(1/4)}*\sqrt{2})) + 1/2*x + 1/12*e^{-2*x}$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 95 vs. 2(29) = 58.

time = 0.36, size = 95, normalized size = 2.50

$$\frac{18x \cosh(x)^2 + 36x \cosh(x) \sinh(x) + 18x \sinh(x)^2 + 8\left(\sqrt{3} \cosh(x)^2 + 2\sqrt{3} \cosh(x) \sinh(x) + \sqrt{3} \sinh(x)^2\right) \arctan\left(\frac{-\sqrt{3} \cosh(x) + \sqrt{3} \sinh(x)}{3(\cosh(x) - \sinh(x))}\right) + 3}{36(\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1+coth(x)^3),x, algorithm="fricas")`

[Out] $1/36*(18*x*\cosh(x)^2 + 36*x*\cosh(x)*\sinh(x) + 18*x*\sinh(x)^2 + 8*(\sqrt{3}*\cosh(x)^2 + 2*\sqrt{3}*\cosh(x)*\sinh(x) + \sqrt{3}*\sinh(x)^2)*\arctan(-1/3*(\sqrt{3}*\cosh(x) + \sqrt{3}*\sinh(x))/(\cosh(x) - \sinh(x))) + 3)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)$

Sympy [B] Leaf count of result is larger than twice the leaf count of optimal. 102 vs. $2(36) = 72$.

time = 0.57, size = 102, normalized size = 2.68

$$\frac{9x \tanh(x)}{18 \tanh(x) + 18} + \frac{9x}{18 \tanh(x) + 18} - \frac{4\sqrt{3} \tanh(x) \operatorname{atan}\left(\frac{2\sqrt{3} \tanh(x)}{3} - \frac{\sqrt{3}}{3}\right)}{18 \tanh(x) + 18} - \frac{4\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3} \tanh(x)}{3} - \frac{\sqrt{3}}{3}\right)}{18 \tanh(x) + 18} + \frac{3}{18 \tanh(x) + 18}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+coth(x)**3),x)

[Out] $9*x*\tanh(x)/(18*\tanh(x) + 18) + 9*x/(18*\tanh(x) + 18) - 4*\sqrt{3}*\tanh(x)*\operatorname{atan}(2*\sqrt{3}*\tanh(x)/3 - \sqrt{3}/3)/(18*\tanh(x) + 18) - 4*\sqrt{3}*\operatorname{atan}(2*\sqrt{3}*\tanh(x)/3 - \sqrt{3}/3)/(18*\tanh(x) + 18) + 3/(18*\tanh(x) + 18)$

Giac [A]

time = 0.40, size = 25, normalized size = 0.66

$$-\frac{2}{9} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} e^{(2x)}\right) + \frac{1}{2} x + \frac{1}{12} e^{(-2x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+coth(x)^3),x, algorithm="giac")

[Out] $-2/9*\sqrt{3}*\arctan(1/3*\sqrt{3}*e^{(2*x)}) + 1/2*x + 1/12*e^{(-2*x)}$

Mupad [B]

time = 0.09, size = 38, normalized size = 1.00

$$\frac{\frac{x}{2} + \frac{\operatorname{coth}(x)}{6} + \frac{x \operatorname{coth}(x)}{2}}{\operatorname{coth}(x) + 1} + \frac{2 \sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3} (2 \operatorname{coth}(x) - 1)}{3}\right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(coth(x)^3 + 1),x)

[Out] $(x/2 + \operatorname{coth}(x)/6 + (x*\operatorname{coth}(x))/2)/(\operatorname{coth}(x) + 1) + (2*3^{(1/2)}*\operatorname{atan}((3^{(1/2)}*(2*\operatorname{coth}(x) - 1))/3))/9$

3.51 $\int \coth(x) \sqrt{a + b \coth^4(x)} dx$

Optimal. Leaf size=89

$$-\frac{1}{2}\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \coth^2(x)}{\sqrt{a + b \coth^4(x)}}\right) + \frac{1}{2}\sqrt{a+b} \tanh^{-1}\left(\frac{a + b \coth^2(x)}{\sqrt{a+b} \sqrt{a + b \coth^4(x)}}\right) - \frac{1}{2}\sqrt{a + b \coth^4(x)}$$

[Out] $-1/2*\operatorname{arctanh}(\coth(x)^2*b^{(1/2)/(a+b*\coth(x)^4)^{(1/2)})}*b^{(1/2)}+1/2*\operatorname{arctanh}((a+b*\coth(x)^2)/(a+b)^{(1/2)/(a+b*\coth(x)^4)^{(1/2)})*(a+b)^{(1/2)}-1/2*(a+b*\coth(x)^4)^{(1/2)})$

Rubi [A]

time = 0.10, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {3751, 1262, 749, 858, 223, 212, 739}

$$-\frac{1}{2}\sqrt{a + b \coth^4(x)} - \frac{1}{2}\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \coth^2(x)}{\sqrt{a + b \coth^4(x)}}\right) + \frac{1}{2}\sqrt{a+b} \tanh^{-1}\left(\frac{a + b \coth^2(x)}{\sqrt{a+b} \sqrt{a + b \coth^4(x)}}\right)$$

Antiderivative was successfully verified.

[In] `Int[Coth[x]*Sqrt[a + b*Coth[x]^4], x]`

[Out] $-1/2*(\operatorname{Sqrt}[b]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Coth}[x]^2)/\operatorname{Sqrt}[a + b*\operatorname{Coth}[x]^4]]) + (\operatorname{Sqrt}[a + b]*\operatorname{ArcTanh}[(a + b*\operatorname{Coth}[x]^2)/(\operatorname{Sqrt}[a + b]*\operatorname{Sqrt}[a + b*\operatorname{Coth}[x]^4])])/2 - \operatorname{Sqrt}[a + b*\operatorname{Coth}[x]^4]/2$

Rule 212

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 223

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

Rule 739

`Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]`

Rule 749

```

Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[
(d + e*x)^(m + 1)*((a + c*x^2)^p/(e*(m + 2*p + 1))), x] + Dist[2*(p/(e*(m +
2*p + 1))), Int[(d + e*x)^m*Simp[a*e - c*d*x, x]*(a + c*x^2)^(p - 1), x],
x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && Ne
Q[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0] &&
IntQuadraticQ[a, 0, c, d, e, m, p, x]

```

Rule 858

```

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

```

Rule 1262

```

Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]

```

Rule 3751

```

Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff
^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))

```

Rubi steps

$$\begin{aligned}
\int \coth(x) \sqrt{a + b \coth^4(x)} \, dx &= \text{Subst} \left(\int \frac{x \sqrt{a + bx^4}}{1 - x^2} \, dx, x, \coth(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{a + bx^2}}{1 - x} \, dx, x, \coth^2(x) \right) \\
&= -\frac{1}{2} \sqrt{a + b \coth^4(x)} - \frac{1}{2} \text{Subst} \left(\int \frac{-a - bx}{(1 - x) \sqrt{a + bx^2}} \, dx, x, \coth^2(x) \right) \\
&= -\frac{1}{2} \sqrt{a + b \coth^4(x)} - \frac{1}{2} (-a - b) \text{Subst} \left(\int \frac{1}{(1 - x) \sqrt{a + bx^2}} \, dx, x, \coth^2(x) \right) \\
&= -\frac{1}{2} \sqrt{a + b \coth^4(x)} - \frac{1}{2} b \text{Subst} \left(\int \frac{1}{1 - bx^2} \, dx, x, \frac{\coth^2(x)}{\sqrt{a + b \coth^4(x)}} \right) - \\
&= -\frac{1}{2} \sqrt{b} \tanh^{-1} \left(\frac{\sqrt{b} \coth^2(x)}{\sqrt{a + b \coth^4(x)}} \right) + \frac{1}{2} \sqrt{a + b} \tanh^{-1} \left(\frac{a + b \coth^2(x)}{\sqrt{a + b} \sqrt{a + b \coth^4(x)}} \right)
\end{aligned}$$

Mathematica [A]

time = 0.11, size = 86, normalized size = 0.97

$$\frac{1}{2} \left(-\sqrt{b} \tanh^{-1} \left(\frac{\sqrt{b} \coth^2(x)}{\sqrt{a + b \coth^4(x)}} \right) + \sqrt{a + b} \tanh^{-1} \left(\frac{a + b \coth^2(x)}{\sqrt{a + b} \sqrt{a + b \coth^4(x)}} \right) - \sqrt{a + b \coth^4(x)} \right)$$

Antiderivative was successfully verified.

`[In] Integrate[Coth[x]*Sqrt[a + b*Coth[x]^4], x]`

```
[Out] (-(Sqrt[b]*ArcTanh[(Sqrt[b]*Coth[x]^2)/Sqrt[a + b*Coth[x]^4]]) + Sqrt[a + b]
)*ArcTanh[(a + b*Coth[x]^2)/(Sqrt[a + b]*Sqrt[a + b*Coth[x]^4])] - Sqrt[a +
b*Coth[x]^4])/2
```

Maple [C] Result contains higher order function than in optimal. Order 4 vs. order 3.

time = 3.25, size = 333, normalized size = 3.74

method	result
--------	--------

derivativedivides	$\frac{\sqrt{a+b(\coth^4(x))}}{2} - \frac{\sqrt{b} \ln\left(2\sqrt{b}(\coth^2(x))+2\sqrt{a+b(\coth^4(x))}\right)}{2}$	$\frac{\operatorname{arctanh}\left(\frac{\coth(x)}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$
default	$\frac{\sqrt{a+b(\coth^4(x))}}{2} - \frac{\sqrt{b} \ln\left(2\sqrt{b}(\coth^2(x))+2\sqrt{a+b(\coth^4(x))}\right)}{2}$	$\frac{\operatorname{arctanh}\left(\frac{\coth(x)}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)*(a+b*coth(x)^4)^(1/2),x,method=_RETURNVERBOSE)`

[Out]
$$\begin{aligned} & -1/2*(a+b*\coth(x)^4)^{(1/2)} - 1/2*b^{(1/2)}*\ln(2*b^{(1/2)}*\coth(x)^2+2*(a+b*\coth(x)^4)^{(1/2)}) \\ & - 1/2*(a+b)*(-1/2/(a+b)^{(1/2)}*\operatorname{arctanh}(1/2*(2*b*\coth(x)^2+2*a)/(a+b)^{(1/2)}/(a+b*\coth(x)^4)^{(1/2)})) \\ & + 1/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(1-I/a^{(1/2)}*b^{(1/2)}*\coth(x)^2)^{(1/2)} \\ & / (a+b*\coth(x)^4)^{(1/2)}*EllipticPi(\coth(x)*(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}, -I*a^{(1/2)}/b^{(1/2)}, (-I/a^{(1/2)}*b^{(1/2)})^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}) \\ & - 1/2*(a+b)*(-1/2/(a+b)^{(1/2)}*\operatorname{arctanh}(1/2*(2*b*\coth(x)^2+2*a)/(a+b)^{(1/2)}/(a+b*\coth(x)^4)^{(1/2)})) \\ & - 1/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(1-I/a^{(1/2)}*b^{(1/2)}*\coth(x)^2)^{(1/2)} \\ & / (a+b*\coth(x)^4)^{(1/2)}*EllipticPi(\coth(x)*(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}, -I*a^{(1/2)}/b^{(1/2)}, (-I/a^{(1/2)}*b^{(1/2)})^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}) \end{aligned}$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)*(a+b*coth(x)^4)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*coth(x)^4 + a)*coth(x), x)`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 1053 vs. 2(69) = 138.

time = 0.52, size = 5172, normalized size = 58.11

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)*(a+b*coth(x)^4)^(1/2),x, algorithm="fricas")

[Out]
$$\frac{1}{4} \left((\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + 4(\cosh(x)^3 - \cosh(x)) \sinh(x) + 1) \sqrt{b} \log(-((a + 2b) \cosh(x)^8 + 8(a + 2b) \cosh(x) \sinh(x)^7 + (a + 2b) \sinh(x)^8 - 4(a - 2b) \cosh(x)^6 + 4(7(a + 2b) \cosh(x)^2 - a + 2b) \sinh(x)^6 + 8(7(a + 2b) \cosh(x)^3 - 3(a - 2b) \cosh(x)) \sinh(x)^5 + 6(a + 2b) \cosh(x)^4 + 2(35(a + 2b) \cosh(x)^4 - 30(a - 2b) \cosh(x)^2 + 3a + 6b) \sinh(x)^4 + 8(7(a + 2b) \cosh(x)^5 - 10(a - 2b) \cosh(x)^3 + 3(a + 2b) \cosh(x) \sinh(x))^3 - 4(a - 2b) \cosh(x)^2 + 4(7(a + 2b) \cosh(x)^6 - 15(a - 2b) \cosh(x)^4 + 9(a + 2b) \cosh(x)^2 - a + 2b) \sinh(x)^2 - 2\sqrt{2}(\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) \sqrt{b} \sqrt{((a + b) \cosh(x)^4 + (a + b) \sinh(x)^4 - 4(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 - 2a + 2b) \sinh(x)^2 + 3a + 3b) / (\cosh(x)^4 - 4 \cosh(x)^3 \sinh(x) + 6 \cosh(x)^2 \sinh(x)^2 - 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4)} + 8((a + 2b) \cosh(x)^7 - 3(a - 2b) \cosh(x)^5 + 3(a + 2b) \cosh(x)^3 - (a - 2b) \cosh(x) \sinh(x) + a + 2b) / (\cosh(x)^8 + 8 \cosh(x) \sinh(x)^7 + \sinh(x)^8 + 4(7 \cosh(x)^2 - 1) \sinh(x)^6 - 4 \cosh(x)^6 + 8(7 \cosh(x)^3 - 3 \cosh(x)) \sinh(x)^5 + 2(35 \cosh(x)^4 - 30 \cosh(x)^2 + 3) \sinh(x)^4 + 6 \cosh(x)^4 + 8(7 \cosh(x)^5 - 10 \cosh(x)^3 + 3 \cosh(x)) \sinh(x)^3 + 4(7 \cosh(x)^6 - 15 \cosh(x)^4 + 9 \cosh(x)^2 - 1) \sinh(x)^2 - 4 \cosh(x)^2 + 8(\cosh(x)^7 - 3 \cosh(x)^5 + 3 \cosh(x)^3 - \cosh(x)) \sinh(x) + 1) + (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + 4(\cosh(x)^3 - \cosh(x)) \sinh(x) + 1) \sqrt{a + b} \log(((a^2 + 2ab + b^2) \cosh(x)^8 + 8(a^2 + 2ab + b^2) \cosh(x) \sinh(x)^7 + (a^2 + 2ab + b^2) \sinh(x)^8 - 4(a^2 - b^2) \cosh(x)^6 + 4(7(a^2 + 2ab + b^2) \cosh(x)^2 - a^2 + b^2) \sinh(x)^6 + 8(7(a^2 + 2ab + b^2) \cosh(x)^3 - 3(a^2 - b^2) \cosh(x)) \sinh(x)^5 + 2(3a^2 + 2ab + 3b^2) \cosh(x)^4 + 2(35(a^2 + 2ab + b^2) \cosh(x)^4 - 30(a^2 - b^2) \cosh(x)^2 + 3a^2 + 2ab + 3b^2) \sinh(x)^4 + 8(7(a^2 + 2ab + b^2) \cosh(x)^5 - 10(a^2 - b^2) \cosh(x)^3 + (3a^2 + 2ab + 3b^2) \cosh(x) \sinh(x))^3 - 4(a^2 - b^2) \cosh(x)^2 + 4(7(a^2 + 2ab + b^2) \cosh(x)^6 - 15(a^2 - b^2) \cosh(x)^4 + 3(3a^2 + 2ab + 3b^2) \cosh(x)^2 - a^2 + b^2) \sinh(x)^2 + \sqrt{2}((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x))^3 + (a + b) \sinh(x)^4 - 2(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 - a + b) \sinh(x)^2 + 4((a + b) \cosh(x)^3 - (a - b) \cosh(x)) \sinh(x) + a + b) \sqrt{a + b} \sqrt{((a + b) \cosh(x)^4 + (a + b) \sinh(x)^4 - 4(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 - 2a + 2b) \sinh(x)^2 + 3a + 3b) / (\cosh(x)^4 -$$

$$\begin{aligned}
& 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4) + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(x)^7 - 3*(a^2 - b^2)*\cosh(x)^5 + (3*a^2 + 2*a*b + 3*b^2)*\cosh(x)^3 - (a^2 - b^2)*\cosh(x))*\sinh(x))/(\cosh(x)^4 + 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)) - 2*\sqrt{2}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 - 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - 2*a + 2*b)*\sinh(x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)))/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x))*\sinh(x) + 1), -1/4*(2*(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x))*\sinh(x) + 1)*\sqrt{-a - b}*\arctan(\sqrt{2}*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - a + b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 - (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 - 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - 2*a + 2*b)*\sinh(x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)))/((a^2 + 2*a*b + b^2)*\cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*\sinh(x)^8 - 4*(a^2 - b^2)*\cosh(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 - a^2 + b^2)*\sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^3 - 3*(a^2 - b^2)*\cosh(x))*\sinh(x)^5 + 6*(a^2 + 2*a*b + b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(x)^4 - 30*(a^2 - b^2)*\cosh(x)^2 + 3*a^2 + 6*a*b + 3*b^2)*\sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^5 - 10*(a^2 - b^2)*\cosh(x)^3 + 3*(a^2 + 2*a*b + b^2)*\cosh(x))*\sinh(x)^3 - 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^6 - 15*(a^2 - b^2)*\cosh(x)^4 + 9*(a^2 + 2*a*b + b^2)*\cosh(x)^2 - a^2 + b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(x)^7 - 3*(a^2 - b^2)*\cosh(x)^5 + 3*(a^2 + 2*a*b + b^2)*\cosh(x)^3 - (a^2 - b^2)*\cosh(x))*\sinh(x)) - (\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x))*\sinh(x) + 1)*\sqrt{b}*\log(-((a + 2*b)*\cosh(x)^8 + 8*(a + 2*b)*\cosh(x)*\sinh(x)^7 + (a + 2*b)*\sinh(x)^8 + \dots
\end{aligned}$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \coth^4(x)} \coth(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)*(a+b*coth(x)**4)**(1/2),x)

[Out] Integral(sqrt(a + b*coth(x)**4)*coth(x), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)*(a+b*coth(x)^4)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(b*coth(x)^4 + a)*coth(x), x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \coth(x) \sqrt{b \coth(x)^4 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(x)*(a + b*coth(x)^4)^(1/2),x)
```

```
[Out] int(coth(x)*(a + b*coth(x)^4)^(1/2), x)
```


$$3.52 \quad \int \frac{\coth(x)}{\sqrt{a + b \coth^4(x)}} dx$$

Optimal. Leaf size=40

$$\frac{\tanh^{-1}\left(\frac{a+b\coth^2(x)}{\sqrt{a+b}\sqrt{a+b\coth^4(x)}}\right)}{2\sqrt{a+b}}$$

[Out] 1/2*arctanh((a+b*coth(x)^2)/(a+b)^(1/2)/(a+b*coth(x)^4)^(1/2))/(a+b)^(1/2)

Rubi [A]

time = 0.05, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {3751, 1262, 739, 212}

$$\frac{\tanh^{-1}\left(\frac{a+b\coth^2(x)}{\sqrt{a+b}\sqrt{a+b\coth^4(x)}}\right)}{2\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]/Sqrt[a + b*Coth[x]^4], x]

[Out] ArcTanh[(a + b*Coth[x]^2)/(Sqrt[a + b]*Sqrt[a + b*Coth[x]^4])]/(2*Sqrt[a + b])

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 739

Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 1262

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rule 3751

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.))*((a_.) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff
^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned} \int \frac{\coth(x)}{\sqrt{a + b \coth^4(x)}} dx &= \text{Subst} \left(\int \frac{x}{(1-x^2)\sqrt{a+bx^4}} dx, x, \coth(x) \right) \\ &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{(1-x)\sqrt{a+bx^2}} dx, x, \coth^2(x) \right) \\ &= - \left(\frac{1}{2} \text{Subst} \left(\int \frac{1}{a+b-x^2} dx, x, \frac{-a-b\coth^2(x)}{\sqrt{a+b\coth^4(x)}} \right) \right) \\ &= \frac{\tanh^{-1} \left(\frac{a+b\coth^2(x)}{\sqrt{a+b}\sqrt{a+b\coth^4(x)}} \right)}{2\sqrt{a+b}} \end{aligned}$$

Mathematica [A]

time = 0.01, size = 40, normalized size = 1.00

$$\frac{\tanh^{-1} \left(\frac{a+b\coth^2(x)}{\sqrt{a+b}\sqrt{a+b\coth^4(x)}} \right)}{2\sqrt{a+b}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[x]/Sqrt[a + b*Coth[x]^4], x]
```

```
[Out] ArcTanh[(a + b*Coth[x]^2)/(Sqrt[a + b]*Sqrt[a + b*Coth[x]^4])]/(2*Sqrt[a +
b])
```

Maple [A]

time = 2.81, size = 37, normalized size = 0.92


```

osh(x)^4 + 3*(3*a^2 + 2*a*b + 3*b^2)*cosh(x)^2 - a^2 + b^2)*sinh(x)^2 + sqrt
t(2)*((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 -
2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a +
b)*cosh(x)^3 - (a - b)*cosh(x))*sinh(x) + a + b)*sqrt(a + b)*sqrt(((a + b)*
cosh(x)^4 + (a + b)*sinh(x)^4 - 4*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^
2 - 2*a + 2*b)*sinh(x)^2 + 3*a + 3*b)/(cosh(x)^4 - 4*cosh(x)^3*sinh(x) + 6*
cosh(x)^2*sinh(x)^2 - 4*cosh(x)*sinh(x)^3 + sinh(x)^4)) + a^2 + 2*a*b + b^2
+ 8*((a^2 + 2*a*b + b^2)*cosh(x)^7 - 3*(a^2 - b^2)*cosh(x)^5 + (3*a^2 + 2*
a*b + 3*b^2)*cosh(x)^3 - (a^2 - b^2)*cosh(x))*sinh(x))/(cosh(x)^4 + 4*cosh(
x)^3*sinh(x) + 6*cosh(x)^2*sinh(x)^2 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4))/sq
rt(a + b), -1/2*sqrt(-a - b)*arctan(sqrt(2)*((a + b)*cosh(x)^4 + 4*(a + b)*
cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*
cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 - (a - b)*cosh(x))*sinh
(x) + a + b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^4 + (a + b)*sinh(x)^4 - 4*(
a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - 2*a + 2*b)*sinh(x)^2 + 3*a + 3*
b)/(cosh(x)^4 - 4*cosh(x)^3*sinh(x) + 6*cosh(x)^2*sinh(x)^2 - 4*cosh(x)*sin
h(x)^3 + sinh(x)^4)))/((a^2 + 2*a*b + b^2)*cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)
*cosh(x)*sinh(x)^7 + (a^2 + 2*a*b + b^2)*sinh(x)^8 - 4*(a^2 - b^2)*cosh(x)^
6 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(x)^2 - a^2 + b^2)*sinh(x)^6 + 8*(7*(a^2 +
2*a*b + b^2)*cosh(x)^3 - 3*(a^2 - b^2)*cosh(x))*sinh(x)^5 + 6*(a^2 + 2*a*b
+ b^2)*cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(x)^4 - 30*(a^2 - b^2)*co
sh(x)^2 + 3*a^2 + 6*a*b + 3*b^2)*sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(
x)^5 - 10*(a^2 - b^2)*cosh(x)^3 + 3*(a^2 + 2*a*b + b^2)*cosh(x))*sinh(x)^3
- 4*(a^2 - b^2)*cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(x)^6 - 15*(a^2 -
b^2)*cosh(x)^4 + 9*(a^2 + 2*a*b + b^2)*cosh(x)^2 - a^2 + b^2)*sinh(x)^2 + a
^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*cosh(x)^7 - 3*(a^2 - b^2)*cosh(x)
^5 + 3*(a^2 + 2*a*b + b^2)*cosh(x)^3 - (a^2 - b^2)*cosh(x))*sinh(x)))/(a +
b)]

```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)}{\sqrt{a + b \coth^4(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b*coth(x)**4)**(1/2),x)

[Out] Integral(coth(x)/sqrt(a + b*coth(x)**4), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)/(a+b*coth(x)^4)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(coth(x)/sqrt(b*coth(x)^4 + a), x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\coth(x)}{\sqrt{b \coth(x)^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(x)/(a + b*coth(x)^4)^(1/2),x)
```

```
[Out] int(coth(x)/(a + b*coth(x)^4)^(1/2), x)
```

$$3.53 \quad \int \frac{\coth(x)}{(a+b\coth^4(x))^{3/2}} dx$$

Optimal. Leaf size=74

$$\frac{\tanh^{-1}\left(\frac{a+b\coth^2(x)}{\sqrt{a+b}\sqrt{a+b\coth^4(x)}}\right)}{2(a+b)^{3/2}} - \frac{a-b\coth^2(x)}{2a(a+b)\sqrt{a+b\coth^4(x)}}$$

[Out] 1/2*arctanh((a+b*coth(x)^2)/(a+b)^(1/2)/(a+b*coth(x)^4)^(1/2))/(a+b)^(3/2)+
1/2*(-a+b*coth(x)^2)/a/(a+b)/(a+b*coth(x)^4)^(1/2)

Rubi [A]

time = 0.09, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {3751, 1262, 755, 12, 739, 212}

$$\frac{\tanh^{-1}\left(\frac{a+b\coth^2(x)}{\sqrt{a+b}\sqrt{a+b\coth^4(x)}}\right)}{2(a+b)^{3/2}} - \frac{a-b\coth^2(x)}{2a(a+b)\sqrt{a+b\coth^4(x)}}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]/(a + b*Coth[x]^4)^(3/2),x]

[Out] ArcTanh[(a + b*Coth[x]^2)/(Sqrt[a + b]*Sqrt[a + b*Coth[x]^4])]/(2*(a + b)^(3/2)) - (a - b*Coth[x]^2)/(2*a*(a + b)*Sqrt[a + b*Coth[x]^4])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 212

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 739

Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 755

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
(-d + e*x)^(m + 1)*(a*e + c*d*x)*((a + c*x^2)^(p + 1)/(2*a*(p + 1)*(c*d^2
+ a*e^2))), x] + Dist[1/(2*a*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*Simp
p[c*d^2*(2*p + 3) + a*e^2*(m + 2*p + 3) + c*e*d*(m + 2*p + 4)*x, x]*(a + c*
x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0]
&& LtQ[p, -1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]
```

Rule 1262

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 3751

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[c*(ff/f), Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + ff
^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\coth(x)}{(a + b \coth^4(x))^{3/2}} dx &= \text{Subst} \left(\int \frac{x}{(1-x^2)(a+bx^4)^{3/2}} dx, x, \coth(x) \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{(1-x)(a+bx^2)^{3/2}} dx, x, \coth^2(x) \right) \\
&= -\frac{a - b \coth^2(x)}{2a(a+b)\sqrt{a+b\coth^4(x)}} + \frac{\text{Subst} \left(\int \frac{a}{(1-x)\sqrt{a+bx^2}} dx, x, \coth^2(x) \right)}{2a(a+b)} \\
&= -\frac{a - b \coth^2(x)}{2a(a+b)\sqrt{a+b\coth^4(x)}} + \frac{\text{Subst} \left(\int \frac{1}{(1-x)\sqrt{a+bx^2}} dx, x, \coth^2(x) \right)}{2(a+b)} \\
&= -\frac{a - b \coth^2(x)}{2a(a+b)\sqrt{a+b\coth^4(x)}} - \frac{\text{Subst} \left(\int \frac{1}{a+b-x^2} dx, x, \frac{-a-b\coth^2(x)}{\sqrt{a+b\coth^4(x)}} \right)}{2(a+b)} \\
&= \frac{\tanh^{-1} \left(\frac{a+b\coth^2(x)}{\sqrt{a+b}\sqrt{a+b\coth^4(x)}} \right)}{2(a+b)^{3/2}} - \frac{a - b \coth^2(x)}{2a(a+b)\sqrt{a+b\coth^4(x)}}
\end{aligned}$$

Mathematica [A]

time = 0.37, size = 73, normalized size = 0.99

$$\frac{1}{2} \left(\frac{\tanh^{-1} \left(\frac{a+b\coth^2(x)}{\sqrt{a+b}\sqrt{a+b\coth^4(x)}} \right)}{(a+b)^{3/2}} - \frac{a - b \coth^2(x)}{a(a+b)\sqrt{a+b\coth^4(x)}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]/(a + b*Coth[x]^4)^(3/2), x]**[Out]** (ArcTanh[(a + b*Coth[x]^2)/(Sqrt[a + b]*Sqrt[a + b*Coth[x]^4])]/(a + b)^(3/2) - (a - b*Coth[x]^2)/(a*(a + b)*Sqrt[a + b*Coth[x]^4]))/2**Maple [C]** Result contains higher order function than in optimal. Order 4 vs. order 3.

time = 3.04, size = 431, normalized size = 5.82

method	result
derivativedivides	$\frac{b \left(-\frac{\coth^3(x)}{4a(a+b)} + \frac{\coth^2(x)}{4a(a+b)} - \frac{\coth(x)}{4a(a+b)} - \frac{1}{4(a+b)b} \right)}{\sqrt{\left(\coth^4(x) + \frac{a}{b} \right) b}}$ $- \frac{\operatorname{arctanh} \left(\frac{2b(\coth^2(x)+2a)}{2\sqrt{a+b} \sqrt{a+b(\coth^4(x))}} \right)}{2\sqrt{a+b}} + \frac{\sqrt{1 - \frac{i\sqrt{b}}{a+b}}}{2\sqrt{a+b}}$
default	$\frac{b \left(-\frac{\coth^3(x)}{4a(a+b)} + \frac{\coth^2(x)}{4a(a+b)} - \frac{\coth(x)}{4a(a+b)} - \frac{1}{4(a+b)b} \right)}{\sqrt{\left(\coth^4(x) + \frac{a}{b} \right) b}}$ $- \frac{\operatorname{arctanh} \left(\frac{2b(\coth^2(x)+2a)}{2\sqrt{a+b} \sqrt{a+b(\coth^4(x))}} \right)}{2\sqrt{a+b}} + \frac{\sqrt{1 - \frac{i\sqrt{b}}{a+b}}}{2\sqrt{a+b}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)/(a+b*coth(x)^4)^(3/2),x,method=_RETURNVERBOSE)`

[Out]
$$b \cdot (-1/4/a/(a+b) \cdot \coth(x)^3 + 1/4/a/(a+b) \cdot \coth(x)^2 - 1/4/a/(a+b) \cdot \coth(x) - 1/4/(a+b)/b) / ((\coth(x)^4 + a/b) \cdot b)^{(1/2)} - 1/2/(a+b) \cdot (-1/2/(a+b))^{(1/2)} \cdot \operatorname{arctanh}(1/2 \cdot (2 \cdot b \cdot \coth(x)^2 + 2 \cdot a)/(a+b))^{(1/2)} / (a+b \cdot \coth(x)^4)^{(1/2)} + 1/(I/a^{(1/2)} \cdot b^{(1/2)})^{(1/2)} \cdot (1 - I/a^{(1/2)} \cdot b^{(1/2)} \cdot \coth(x)^2)^{(1/2)} \cdot (1 + I/a^{(1/2)} \cdot b^{(1/2)} \cdot \coth(x)^2)^{(1/2)} / (a+b \cdot \coth(x)^4)^{(1/2)} \cdot \operatorname{EllipticPi}(\coth(x) \cdot (I/a^{(1/2)} \cdot b^{(1/2)})^{(1/2)}, -I \cdot a^{(1/2)}/b^{(1/2)}, (-I/a^{(1/2)} \cdot b^{(1/2)})^{(1/2)} / (I/a^{(1/2)} \cdot b^{(1/2)})^{(1/2)}) + b \cdot (1/4/a/(a+b) \cdot \coth(x)^3 + 1/4/a/(a+b) \cdot \coth(x)^2 + 1/4/a/(a+b) \cdot \coth(x) - 1/4/(a+b)/b) / ((\coth(x)^4 + a/b) \cdot b)^{(1/2)} - 1/2/(a+b) \cdot (-1/2/(a+b))^{(1/2)} \cdot \operatorname{arctanh}(1/2 \cdot (2 \cdot b \cdot \coth(x)^2 + 2 \cdot a)/(a+b))^{(1/2)} / (a+b \cdot \coth(x)^4)^{(1/2)} - 1/(I/a^{(1/2)} \cdot b^{(1/2)})^{(1/2)} \cdot (1 - I/a^{(1/2)} \cdot b^{(1/2)} \cdot \coth(x)^2)^{(1/2)} \cdot (1 + I/a^{(1/2)} \cdot b^{(1/2)} \cdot \coth(x)^2)^{(1/2)} / (a+b \cdot \coth(x)^4)^{(1/2)} \cdot \operatorname{EllipticPi}(\coth(x) \cdot (I/a^{(1/2)} \cdot b^{(1/2)})^{(1/2)}, -I \cdot a^{(1/2)}/b^{(1/2)}, (-I/a^{(1/2)} \cdot b^{(1/2)})^{(1/2)} / (I/a^{(1/2)} \cdot b^{(1/2)})^{(1/2)})$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)/(a+b*coth(x)^4)^(3/2),x, algorithm="maxima")`

[Out] `integrate(coth(x)/(b*coth(x)^4 + a)^(3/2), x)`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 1947 vs. 2(63) = 126.

time = 0.59, size = 3938, normalized size = 53.22

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b*coth(x)^4)^(3/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*((a^2 + a*b)*\cosh(x)^8 + 8*(a^2 + a*b)*\cosh(x)*\sinh(x)^7 + (a^2 + a*b) \\ & *\sinh(x)^8 - 4*(a^2 - a*b)*\cosh(x)^6 + 4*(7*(a^2 + a*b)*\cosh(x)^2 - a^2 + \\ & a*b)*\sinh(x)^6 + 8*(7*(a^2 + a*b)*\cosh(x)^3 - 3*(a^2 - a*b)*\cosh(x))*\sinh(x) \\ & ^5 + 6*(a^2 + a*b)*\cosh(x)^4 + 2*(35*(a^2 + a*b)*\cosh(x)^4 - 30*(a^2 - a*b) \\ & *\cosh(x)^2 + 3*a^2 + 3*a*b)*\sinh(x)^4 + 8*(7*(a^2 + a*b)*\cosh(x)^5 - 10*(a \\ & ^2 - a*b)*\cosh(x)^3 + 3*(a^2 + a*b)*\cosh(x))*\sinh(x)^3 - 4*(a^2 - a*b)*\cosh \\ & (x)^2 + 4*(7*(a^2 + a*b)*\cosh(x)^6 - 15*(a^2 - a*b)*\cosh(x)^4 + 9*(a^2 + a \\ & b)*\cosh(x)^2 - a^2 + a*b)*\sinh(x)^2 + a^2 + a*b + 8*((a^2 + a*b)*\cosh(x)^7 \\ & - 3*(a^2 - a*b)*\cosh(x)^5 + 3*(a^2 + a*b)*\cosh(x)^3 - (a^2 - a*b)*\cosh(x))* \\ & \sinh(x))*\sqrt{a + b}*\log(((a^2 + 2*a*b + b^2)*\cosh(x)^8 + 8*(a^2 + 2*a*b + \\ & b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*\sinh(x)^8 - 4*(a^2 - b^2)*\cosh \\ & (x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 - a^2 + b^2)*\sinh(x)^6 + 8*(7*(a \\ & ^2 + 2*a*b + b^2)*\cosh(x)^3 - 3*(a^2 - b^2)*\cosh(x))*\sinh(x)^5 + 2*(3*a^2 + \\ & 2*a*b + 3*b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(x)^4 - 30*(a^2 - \\ & b^2)*\cosh(x)^2 + 3*a^2 + 2*a*b + 3*b^2)*\sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^ \\ & 2)*\cosh(x)^5 - 10*(a^2 - b^2)*\cosh(x)^3 + (3*a^2 + 2*a*b + 3*b^2)*\cosh(x))* \\ & \sinh(x)^3 - 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^6 - \\ & 15*(a^2 - b^2)*\cosh(x)^4 + 3*(3*a^2 + 2*a*b + 3*b^2)*\cosh(x)^2 - a^2 + b^2) \\ & *\sinh(x)^2 + \sqrt{2}*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a \\ & + b)*\sinh(x)^4 - 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - a + b)*\sinh \\ & (x)^2 + 4*((a + b)*\cosh(x)^3 - (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a + b} \\ & *\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 - 4*(a - b)*\cosh(x)^2 + 2*(3* \\ & (a + b)*\cosh(x)^2 - 2*a + 2*b)*\sinh(x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x) \\ &)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)} + a \\ & ^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(x)^7 - 3*(a^2 - b^2)*\cosh(x) \\ & ^5 + (3*a^2 + 2*a*b + 3*b^2)*\cosh(x)^3 - (a^2 - b^2)*\cosh(x))*\sinh(x))/(\cos \\ & h(x)^4 + 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 + 4*\cosh(x)*\sinh(x)^3 \\ & + \sinh(x)^4) - 2*\sqrt{2}*((a^2 - b^2)*\cosh(x)^4 + 4*(a^2 - b^2)*\cosh(x)*\si \\ & nh(x)^3 + (a^2 - b^2)*\sinh(x)^4 - 2*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + 2*(3*(a \\ & ^2 - b^2)*\cosh(x)^2 - a^2 - 2*a*b - b^2)*\sinh(x)^2 + a^2 - b^2 + 4*((a^2 - \\ & b^2)*\cosh(x)^3 - (a^2 + 2*a*b + b^2)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x) \\ &)^4 + (a + b)*\sinh(x)^4 - 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - 2* \\ & a + 2*b)*\sinh(x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x) \\ &)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)}))/((a^4 + 3*a^3*b + 3*a^2*b^2 \\ & + a*b^3)*\cosh(x)^8 + 8*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)*\sinh \\ & (x)^7 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\sinh(x)^8 - 4*(a^4 + a^3*b - a^ \\ & \end{aligned}$$

$2*b^2 - a*b^3)*\cosh(x)^6 - 4*(a^4 + a^3*b - a^2*b^2 - a*b^3 - 7*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^3 - 3*(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x))*\sinh(x)^5 + 6*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^4 + 2*(35*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^4 + 3*a^4 + 9*a^3*b + 9*a^2*b^2 + 3*a*b^3 - 30*(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x)^2)*\sinh(x)^4 + a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3 + 8*(7*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^5 - 10*(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x)^3 + 3*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x))*\sinh(x)^3 - 4*(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x)^2 + 4*(7*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^6 - 15*(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x)^4 - a^4 - a^3*b + a^2*b^2 + a*b^3 + 9*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^7 - 3*(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x)^5 + 3*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^3 - (a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x))*\sinh(x)), -1/2*((a^2 + a*b)*\cosh(x)^8 + 8*(a^2 + a*b)*\cosh(x)*\sinh(x)^7 + (a^2 + a*b)*\sinh(x)^8 - 4*(a^2 - a*b)*\cosh(x)^6 + 4*(7*(a^2 + a*b)*\cosh(x)^2 - a^2 + a*b)*\sinh(x)^6 + 8*(7*(a^2 + a*b)*\cosh(x)^3 - 3*(a^2 - a*b)*\cosh(x))*\sinh(x)^5 + 6*(a^2 + a*b)*\cosh(x)^4 + 2*(35*(a^2 + a*b)*\cosh(x)^4 - 30*(a^2 - a*b)*\cosh(x)^2 + 3*a^2 + 3*a*b)*\sinh(x)^4 + 8*(7*(a^2 + a*b)*\cosh(x)^5 - 10*(a^2 - a*b)*\cosh(x)^3 + 3*(a^2 + a*b)*\cosh(x))*\sinh(x)^3 - 4*(a^2 - a*b)*\cosh(x)^2 + 4*(7*(a^2 + a*b)*\cosh(x)^6 - 15*(a^2 - a*b)*\cosh(x)^4 + 9*(a^2 + a*b)*\cosh(x)^2 - a^2 + a*b)*\sinh(x)^2 + a^2 + a*b + 8*((a^2 + a*b)*\cosh(x)^7 - 3*(a^2 - a*b)*\cosh(x)^5 + 3*(a^2 + a*b)*\cosh(x)^3 - (a^2 - a*b)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - a + b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 - (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 - 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - 2*a + 2*b)*\sinh(x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)))/((a^2 + 2*a*b + b^2)*\cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)...$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)}{(a + b \coth^4(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b*coth(x)**4)**(3/2),x)

[Out] Integral(coth(x)/(a + b*coth(x)**4)**(3/2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b*coth(x)^4)^(3/2),x, algorithm="giac")

[Out] integrate(coth(x)/(b*coth(x)^4 + a)^(3/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\coth(x)}{(b \coth(x)^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)/(a + b*coth(x)^4)^(3/2),x)

[Out] int(coth(x)/(a + b*coth(x)^4)^(3/2), x)

Chapter 4

Appendix

Local contents

4.1	Download section	324
4.2	Listing of Grading functions	324

4.1 Download section

The following zip files contain the raw integrals used in this test.

Mathematica format Mathematica_syntax.zip

Maple and Mupad format Maple_syntax.zip

Sympy format SYMPY_syntax.zip

Sage math format SAGE_syntax.zip

4.2 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.2.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*           Small rewrite of logic in main function to make it*)
(*           match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*           GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*           is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*           antiderivative*)
(* "A" if result can be considered optimal*)
```

```

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafC
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A","none"}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
        ]
        ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
      ,(*ELSE*)(*result does not contains complex*)
      If[leafCountResult<=2*leafCountOptimal,
        finalresult={"A","none"}
        ,(*ELSE*)
        finalresult={"B","Leaf count is larger than twice the leaf count of optimal. $
      ]
    ]
    ,(*ELSE*)(*expnResult>expnOptimal*)
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      finalresult={"C","Result contains higher order function than in optimal. Order "<
    ,
    finalresult={"F","Contains unresolved integral."}
  ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)

```



```

ExpIntegralE, ExpIntegralEi, LogIntegral,
SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
Gamma, LogGamma, PolyGamma,
Zeta, PolyLog, ProductLog,
EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
  MemberQ[{AppellF1},func]

```

4.2.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems
#Nasser 4/07/2022 add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

  leaf_count_result:=leafcount(result);
  #do NOT call ExpnType() if leaf size is too large. Recursion problem
  if leaf_count_result > 500000 then
    return "B","result has leaf size over 500,000. Avoiding possible recursion issues";
  fi;

  leaf_count_optimal := leafcount(optimal);
  ExpnType_result := ExpnType(result);
  ExpnType_optimal := ExpnType(optimal);

```

```

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#   is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
#   antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A","";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of r
                    convert(leaf_count_result,string)," vs. $2 (" ,
                    convert(leaf_count_optimal,string)," ) = ",convert(2*leaf_c

        end if
    else #result contains complex but optimal is not
        if debug then
            print("result contains complex but optimal is not");
        fi;
        return "C","Result contains complex when optimal does not.";
    fi;
else # result do not contain complex

```

```

    # this assumes optimal do not as well. No check is needed here.
    if debug then
        print("result do not contain complex, this assumes optimal do not as well")
    fi;
    if leaf_count_result<=2*leaf_count_optimal then
        if debug then
            print("leaf_count_result<=2*leaf_count_optimal");
        fi;
        return "A","";
    else
        if debug then
            print("leaf_count_result>2*leaf_count_optimal");
        fi;
        return "B",cat("Leaf count of result is larger than twice the leaf count of o
                        convert(leaf_count_result,string)," $ vs. $2(",
                        convert(leaf_count_optimal,string),")=",convert(2*leaf_cou

    fi;
    fi;
else #ExpnType(result) > ExpnType(optimal)
    if debug then
        print("ExpnType(result) > ExpnType(optimal)");
    fi;
    return "C",cat("Result contains higher order function than in optimal. Order ",
                  convert(ExpnType_result,string)," vs. order ",
                  convert(ExpnType_optimal,string),".");
fi;

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function

```

```

# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+`) or type(expn,'*`) then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9
  end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,

```

```

    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product.  rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```

4.2.3 Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
    ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
    ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

```

```

except AttributeError as error:
    return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnT
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+' or type(expn,'*')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:

```

```

    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print ("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""
    else:
        if expnType_result <= expnType_optimal:
            if result.has(I):
                if optimal.has(I): #both result and optimal complex
                    if leaf_count_result <= 2*leaf_count_optimal:
                        grade = "A"
                        grade_annotation = ""
                    else:
                        grade = "B"
                        grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
                else: #result contains complex but optimal is not
                    grade = "C"
                    grade_annotation = "Result contains complex when optimal does not."
            else: # result do not contain complex, this assumes optimal do not as well
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result)
            else:
                grade = "C"
                grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType_result)

```



```

# print("Before returning. grade=", grade, " grade_annotation=", grade_annotation)

return grade, grade_annotation

```

4.2.4 SageMath grading function

```

# Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fracas, Giac and Maxima results.
# Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
# June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
# July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    # print("Enter tree_size, expr is ", expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: # isinstance(expr, Pow):
        if expr.operands()[1] == 1/2: # expr.args[1] == Rational(1,2):
            if debug: print("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

```

```

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func , " is special_function")
        else:
            print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

```

```

def is_atom(expn):

    #debug=False
    if debug:
        print ("Enter is_atom, expn=",expn)

    if not hasattr(expn, 'parent'):
        return False

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
            if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)

```

```

    return 1
else:
    return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn.op
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or instan
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    if debug:
        print ("Enter grade_antiderivative for sagemath")
        print("Enter grade_antiderivative, result=",result)
        print("Enter grade_antiderivative, optimal=",optimal)
        print("type(anti)=",type(result))
        print("type(optimal)=",type(optimal))

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    #if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

```

```

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger t
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_
else:
    grade = "C"
    grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_resu

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```