

Computer algebra independent integration tests

Summer 2022 edition

7-Inverse-hyperbolic-functions/7.5-Inverse-hyperbolic-secant/200-
7.5.1-u-a+b-arcsech-c-x-^n

Nasser M. Abbasi

September 27, 2022

Compiled on September 27, 2022 at 8:23am

Contents

1	Introduction	3
2	detailed summary tables of results	19
3	Listing of integrals	69
4	Appendix	985

Chapter 1

Introduction

Local contents

1.1	Listing of CAS systems tested	4
1.2	Results	5
1.3	Time and leaf size Performance	9
1.4	list of integrals that has no closed form antiderivative	11
1.5	List of integrals solved by CAS but has no known antiderivative	12
1.6	list of integrals solved by CAS but failed verification	13
1.7	Timing	13
1.8	Verification	14
1.9	Important notes about some of the results	14
1.10	Design of the test system	17

This report gives the result of running the computer algebra independent integration test. The download section in the appendix contains links to download the problems in plain text format used for all CAS systems.

The number of integrals in this report is [190]. This is test number [200].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 13.1 (June 29, 2022) on windows 10.
2. Rubi 4.16.1 (Dec 19, 2018) on Mathematica 13.0.1 on windows 10.
3. Maple 2022.1 (June 1, 2022) on windows 10.
4. Maxima 5.46 (April 13, 2022) using Lisp SBCL 2.1.11.debian on Linux via sagemath 9.6.
5. Fricas 1.3.8 (June 21, 2022) based on sbcl 2.1.11.debian on Linux via sagemath 9.6.
6. Giac/Xcas 1.9.0-13 (July 3, 2022) on Linux via sagemath 9.6.
7. Sympy 1.10.1 (March 20, 2022) Using Python 3.10.4 on Linux.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly from Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or `Hypergeometric2F1` functions. `RootSum` and `RootOf` are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (190)	0.00 (0)
Mathematica	97.37 (185)	2.63 (5)
Maple	81.05 (154)	18.95 (36)
Fricas	63.68 (121)	36.32 (69)
Maxima	45.26 (86)	54.74 (104)
Mupad	27.37 (52)	72.63 (138)
Sympy	25.79 (49)	74.21 (141)
Giac	23.68 (45)	76.32 (145)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	71.58	0.53	25.26	2.63
Maple	59.47	12.11	9.47	18.95
Maxima	45.26	0.00	0.00	54.74
Fricas	39.47	24.21	0.00	36.32
Sympy	25.79	0.00	0.00	74.21
Mupad	N/A	3.68	0.00	72.63
Giac	23.68	0.00	0.00	76.32

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and

Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	5	100.00 %	0.00 %	0.00 %
Maple	36	100.00 %	0.00 %	0.00 %
Fricas	69	84.06 %	2.90 %	13.04 %
Giac	145	98.62 %	0.00 %	1.38 %
Maxima	104	82.69 %	7.69 %	9.62 %
Sympy	141	85.11 %	14.18 %	0.71 %
Mupad	138	100.00 %	0.00 %	0.00 %

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.



Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.27	196.01	0.76	138.50	1.00
Mathematica	5.51	359.65	1.31	137.00	0.98
Maple	5.29	415.32	1.47	150.00	1.07
Maxima	0.15	59.50	0.42	0.00	0.00
Fricas	0.32	396.17	2.03	125.00	1.14
Sympy	0.17	29.88	0.21	0.00	0.00
Giac	0.00	0.00	0.00	0.00	0.00
Mupad	0.20	7.63	0.09	-1.00	-0.04

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used from the above table.



1.4 list of integrals that has no closed form antiderivative

{51, 52, 53, 57, 58, 59, 63, 64, 65, 69, 70, 72, 73, 87, 133, 134, 135, 136, 137, 142, 143, 144, 145, 146, 147, 153, 154, 155, 156, 162, 163, 164, 165, 171, 172, 173, 174, 180, 181, 182, 183, 184, 185, 189, 190}

1.5 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {81, 82, 83, 84, 85, 86, 115, 116, 119, 120, 121, 122, 123, 127, 128, 129}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for `Rubi` and `Mathematica`.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
```

```
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand,the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified.

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,..}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Chapter 2

detailed summary tables of results

Local contents

2.1	List of integrals sorted by grade for each CAS	20
2.2	Detailed conclusion table per each integral for all CAS systems	24
2.3	Detailed conclusion table specific for Rubi results	63

2.1 List of integrals sorted by grade for each CAS

Local contents

2.1.1	Rubi	21
2.1.2	Mathematica	21
2.1.3	Maple	21
2.1.4	Maxima	22
2.1.5	FriCAS	22
2.1.6	Sympy	22
2.1.7	Giac	23
2.1.8	Mupad	23

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20, 22, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 76, 77, 79, 87, 91, 92, 93, 94, 95, 96, 97, 98, 99, 104, 105, 106, 107, 108, 109, 130, 131, 132, 133, 134, 135, 136, 137, 140, 141, 142, 143, 144, 145, 146, 147, 150, 151, 152, 153, 154, 155, 156, 159, 160, 161, 162, 163, 164, 165, 168, 169, 170, 171, 172, 173, 174, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190 }

B grade: { 45 }

C grade: { 19, 21, 23, 74, 75, 78, 80, 81, 82, 83, 84, 85, 86, 88, 89, 90, 100, 101, 102, 103, 110, 111, 112, 113, 114, 115, 116, 117, 119, 120, 121, 122, 123, 124, 125, 127, 128, 129, 138, 139, 148, 149, 157, 158, 166, 167, 175, 176 }

F grade: { 118, 126, 177, 178, 179 }

2.1.3 Maple

A grade: { 1, 2, 3, 5, 6, 7, 8, 9, 11, 13, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 34, 36, 37, 39, 40, 41, 42, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63, 64, 65, 69, 70, 72, 73, 74, 75, 76, 77, 79, 82, 83, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 133, 134, 135, 136, 137, 142, 143, 144, 145, 146, 147, 153, 154, 155, 156, 162, 163, 164, 165, 171, 172, 173, 174, 180, 181, 182, 183, 184, 185, 189, 190 }

B grade: { 4, 33, 35, 38, 44, 46, 47, 48, 49, 50, 61, 62, 66, 67, 68, 80, 81, 84, 85, 86, 117, 124, 125 }

C grade: { 78, 110, 111, 112, 113, 114, 115, 116, 118, 119, 120, 121, 122, 123, 126, 127, 128, 129 }

F grade: { 10, 12, 14, 43, 45, 71, 130, 131, 132, 138, 139, 140, 141, 148, 149, 150, 151, 152, 157, 158, 159, 160, 161, 166, 167, 168, 169, 170, 175, 176, 177, 178, 179, 186, 187, 188 }

2.1.4 Maxima

A grade: { 4, 7, 16, 19, 20, 21, 22, 23, 24, 25, 27, 28, 29, 30, 31, 32, 35, 38, 47, 51, 52, 53, 57, 58, 59, 63, 64, 65, 69, 70, 72, 73, 74, 75, 76, 77, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 100, 101, 102, 103, 104, 105, 106, 107, 133, 134, 135, 136, 137, 142, 143, 144, 145, 146, 147, 153, 154, 155, 156, 162, 163, 164, 165, 171, 172, 173, 174, 180, 181, 182, 183, 184, 185, 189, 190 }

B grade: { }

C grade: { }

F grade: { 1, 2, 3, 5, 6, 8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 26, 33, 34, 36, 37, 39, 40, 41, 42, 43, 44, 45, 46, 48, 49, 50, 54, 55, 56, 60, 61, 62, 66, 67, 68, 71, 78, 79, 80, 81, 82, 83, 84, 85, 86, 98, 99, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 138, 139, 140, 141, 148, 149, 150, 151, 152, 157, 158, 159, 160, 161, 166, 167, 168, 169, 170, 175, 176, 177, 178, 179, 186, 187, 188 }

2.1.5 FriCAS

A grade: { 2, 8, 9, 16, 17, 18, 19, 20, 22, 27, 28, 29, 30, 31, 32, 39, 40, 41, 48, 49, 50, 51, 52, 53, 57, 58, 59, 63, 64, 65, 69, 70, 72, 73, 87, 92, 93, 94, 95, 96, 97, 105, 133, 134, 135, 136, 137, 142, 143, 144, 145, 146, 147, 153, 154, 155, 156, 162, 163, 164, 165, 171, 172, 173, 174, 180, 181, 182, 183, 184, 185, 186, 187, 189, 190 }

B grade: { 4, 7, 21, 23, 24, 25, 33, 35, 38, 47, 74, 75, 76, 77, 79, 80, 88, 89, 90, 91, 100, 101, 102, 103, 104, 106, 107, 117, 124, 125, 130, 131, 132, 140, 141, 150, 151, 152, 159, 160, 161, 166, 168, 169, 170, 188 }

C grade: { }

F grade: { 1, 3, 5, 6, 10, 11, 12, 13, 14, 15, 26, 34, 36, 37, 42, 43, 44, 45, 46, 54, 55, 56, 60, 61, 62, 66, 67, 68, 71, 78, 81, 82, 83, 84, 85, 86, 98, 99, 108, 109, 110, 111, 112, 113, 114, 115, 116, 118, 119, 120, 121, 122, 123, 126, 127, 128, 129, 138, 139, 148, 149, 157, 158, 167, 175, 176, 177, 178, 179 }

2.1.6 Sympy

A grade: { 4, 20, 22, 24, 35, 51, 52, 53, 57, 58, 59, 63, 64, 65, 69, 70, 72, 73, 87, 95, 96, 97, 106, 107, 133, 134, 135, 136, 137, 142, 143, 144, 145, 146, 147, 153, 154, 155, 156, 162, 163, 164, 165, 180, 183, 184, 185, 189, 190 }

B grade: { }

C grade: { }

F grade: { 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 23, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 54, 55, 56, 60, 61, 62, 66, 67, 68, 71, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 88, 89, 90, 91, 92, 93, 94, 98, 99, 100, 101, 102, 103, 104, 105, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 138, 139, 140, 141, 148, 149, 150, 151, 152, 157, 158, 159, 160, 161, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 181, 182, 186, 187, 188 }

2.1.7 Giac

A grade: { 51, 52, 53, 57, 58, 59, 63, 64, 65, 69, 70, 72, 73, 87, 133, 134, 135, 136, 137, 142, 143, 144, 145, 146, 147, 153, 154, 155, 156, 162, 163, 164, 165, 171, 172, 173, 174, 180, 181, 182, 183, 184, 185, 189, 190 }

B grade: { }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 54, 55, 56, 60, 61, 62, 66, 67, 68, 71, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 138, 139, 140, 141, 148, 149, 150, 151, 152, 157, 158, 159, 160, 161, 166, 167, 168, 169, 170, 175, 176, 177, 178, 179, 186, 187, 188 }

2.1.8 Mupad

A grade: { 51, 52, 53, 57, 58, 59, 63, 64, 65, 69, 70, 72, 73, 87, 133, 134, 135, 136, 137, 142, 143, 144, 145, 146, 147, 153, 154, 155, 156, 162, 163, 164, 165, 171, 172, 173, 174, 180, 181, 182, 183, 184, 185, 189, 190 }

B grade: { 24, 25, 27, 28, 76, 77, 91 }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 26, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 54, 55, 56, 60, 61, 62, 66, 67, 68, 71, 74, 75, 78, 79, 80, 81, 82, 83, 84, 85, 86, 88, 89, 90, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 138, 139, 140, 141, 148, 149, 150, 151, 152, 157, 158, 159, 160, 161, 166, 167, 168, 169, 170, 175, 176, 177, 178, 179, 186, 187, 188 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column N.S. in the table below, which stands for **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To help make the table fit, **Mathematica** was abbreviated to **MMA**.

	Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
viated to MMA.	grade	A	A	A	A	F(-1)	F	F	F	F
	verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
	size	164	164	182	280	0	0	0	0	-1
	N.S.	1	1.00	1.11	1.71	0.00	0.00	0.00	0.00	-0.01
	time (sec)	N/A	0.083	0.264	0.487	0.000	0.000	0.000	0.000	0.000

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	104	104	77	150	0	125	0	0	-1
N.S.	1	1.00	0.74	1.44	0.00	1.20	0.00	0.00	-0.01
time (sec)	N/A	0.059	0.073	0.372	0.000	0.366	0.000	0.000	0.000

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	117	117	138	230	0	0	0	0	-1
N.S.	1	1.00	1.18	1.97	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.066	0.171	0.436	0.000	0.000	0.000	0.000	0.000

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	53	100	40	106	42	0	-1
N.S.	1	1.00	1.00	1.89	0.75	2.00	0.79	0.00	-0.02
time (sec)	N/A	0.040	0.040	0.323	0.264	0.340	0.260	0.000	0.000

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	90	183	0	0	0	0	-1
N.S.	1	1.00	1.43	2.90	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.037	0.134	0.288	0.000	0.000	0.000	0.000	0.000

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	64	64	63	136	0	0	0	0	-1
N.S.	1	1.00	0.98	2.12	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.062	0.026	0.142	0.000	0.000	0.000	0.000	0.000

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	42	61	35	97	0	0	-1
N.S.	1	1.00	0.86	1.24	0.71	1.98	0.00	0.00	-0.02
time (sec)	N/A	0.033	0.059	0.155	0.258	0.344	0.000	0.000	0.000

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	90	90	54	77	0	106	0	0	-1
N.S.	1	1.00	0.60	0.86	0.00	1.18	0.00	0.00	-0.01
time (sec)	N/A	0.040	0.030	0.151	0.000	0.347	0.000	0.000	0.000

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	73	112	0	116	0	0	-1
N.S.	1	1.00	0.72	1.10	0.00	1.14	0.00	0.00	-0.01
time (sec)	N/A	0.053	0.068	0.227	0.000	0.348	0.000	0.000	0.000

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	281	0	0	0	0	0	-1
N.S.	1	1.00	0.95	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.140	0.393	0.532	0.000	0.000	0.000	0.000	0.000

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	184	184	188	236	0	0	0	0	-1
N.S.	1	1.00	1.02	1.28	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.125	0.397	0.403	0.000	0.000	0.000	0.000	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	199	0	0	0	0	0	-1
N.S.	1	1.00	1.01	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.104	0.334	0.384	0.000	0.000	0.000	0.000	0.000

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	101	149	0	0	0	0	-1
N.S.	1	1.00	0.99	1.46	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.086	0.254	0.317	0.000	0.000	0.000	0.000	0.000

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	111	111	128	0	0	0	0	0	-1
N.S.	1	1.00	1.15	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.062	0.089	0.175	0.000	0.000	0.000	0.000	0.000

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	84	181	0	0	0	0	-1
N.S.	1	1.00	0.95	2.06	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.074	0.060	0.143	0.000	0.000	0.000	0.000	0.000

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	75	98	55	155	0	0	-1
N.S.	1	1.00	0.90	1.18	0.66	1.87	0.00	0.00	-0.01
time (sec)	N/A	0.052	0.109	0.158	0.270	0.360	0.000	0.000	0.000

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	137	137	147	126	0	174	0	0	-1
N.S.	1	1.00	1.07	0.92	0.00	1.27	0.00	0.00	-0.01
time (sec)	N/A	0.060	0.229	0.154	0.000	0.391	0.000	0.000	0.000

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	179	179	120	192	0	186	0	0	-1
N.S.	1	1.00	0.67	1.07	0.00	1.04	0.00	0.00	-0.01
time (sec)	N/A	0.088	0.079	0.219	0.000	0.373	0.000	0.000	0.000

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	143	138	135	183	0	0	-1
N.S.	1	1.00	1.01	0.97	0.95	1.29	0.00	0.00	-0.01
time (sec)	N/A	0.041	0.143	0.178	0.466	0.364	0.000	0.000	0.000

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	97	81	78	100	94	0	-1
N.S.	1	1.00	0.89	0.74	0.72	0.92	0.86	0.00	-0.01
time (sec)	N/A	0.034	0.058	0.170	0.257	0.376	0.930	0.000	0.000

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	123	118	106	174	0	0	-1
N.S.	1	1.00	1.12	1.07	0.96	1.58	0.00	0.00	-0.01
time (sec)	N/A	0.028	0.080	0.186	0.464	0.372	0.000	0.000	0.000

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	77	72	57	90	68	0	-1
N.S.	1	1.00	1.00	0.94	0.74	1.17	0.88	0.00	-0.01
time (sec)	N/A	0.022	0.050	0.172	0.270	0.354	0.412	0.000	0.000

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	103	96	73	162	0	0	-1
N.S.	1	1.00	1.32	1.23	0.94	2.08	0.00	0.00	-0.01
time (sec)	N/A	0.019	0.055	0.165	0.456	0.383	0.000	0.000	0.000

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	57	63	36	73	46	0	50
N.S.	1	1.00	1.27	1.40	0.80	1.62	1.02	0.00	1.11
time (sec)	N/A	0.010	0.036	0.165	0.259	0.354	0.187	0.000	1.391

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	77	42	31	119	0	0	44
N.S.	1	1.00	1.92	1.05	0.78	2.98	0.00	0.00	1.10
time (sec)	N/A	0.010	0.105	0.062	0.254	0.356	0.000	0.000	1.344

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	47	100	0	0	0	0	-1
N.S.	1	1.00	0.84	1.79	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.092	0.033	0.172	0.000	0.000	0.000	0.000	0.000

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	42	58	32	66	0	0	46
N.S.	1	1.00	1.05	1.45	0.80	1.65	0.00	0.00	1.15
time (sec)	N/A	0.015	0.039	0.165	0.267	0.343	0.000	0.000	1.476

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	94	94	117	112	105	77	0	0	61
N.S.	1	1.00	1.24	1.19	1.12	0.82	0.00	0.00	0.65
time (sec)	N/A	0.026	0.048	0.168	0.257	0.371	0.000	0.000	1.464

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	74	77	56	79	0	0	-1
N.S.	1	1.00	0.96	1.00	0.73	1.03	0.00	0.00	-0.01
time (sec)	N/A	0.023	0.042	0.165	0.256	0.356	0.000	0.000	0.000

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	137	135	147	90	0	0	-1
N.S.	1	1.00	1.09	1.07	1.17	0.71	0.00	0.00	-0.01
time (sec)	N/A	0.036	0.070	0.171	0.261	0.336	0.000	0.000	0.000

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	94	85	73	89	0	0	-1
N.S.	1	1.00	0.86	0.78	0.67	0.82	0.00	0.00	-0.01
time (sec)	N/A	0.034	0.058	0.171	0.255	0.346	0.000	0.000	0.000

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	158	158	157	155	185	100	0	0	-1
N.S.	1	1.00	0.99	0.98	1.17	0.63	0.00	0.00	-0.01
time (sec)	N/A	0.050	0.096	0.175	0.253	0.365	0.000	0.000	0.000

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	212	238	0	244	0	0	-1
N.S.	1	1.00	1.71	1.92	0.00	1.97	0.00	0.00	-0.01
time (sec)	N/A	0.081	0.204	0.490	0.000	0.381	0.000	0.000	0.000

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	241	349	0	0	0	0	-1
N.S.	1	1.00	1.72	2.49	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.087	0.866	0.552	0.000	0.000	0.000	0.000	0.000

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	112	173	84	205	99	0	-1
N.S.	1	1.00	1.72	2.66	1.29	3.15	1.52	0.00	-0.02
time (sec)	N/A	0.056	0.142	0.443	0.257	0.417	0.271	0.000	0.000

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	126	242	0	0	0	0	-1
N.S.	1	1.00	1.62	3.10	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.048	0.164	0.348	0.000	0.000	0.000	0.000	0.000

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	116	250	0	0	0	0	-1
N.S.	1	1.00	1.40	3.01	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.089	0.100	0.218	0.000	0.000	0.000	0.000	0.000

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	61	61	87	124	78	143	0	0	-1
N.S.	1	1.00	1.43	2.03	1.28	2.34	0.00	0.00	-0.02
time (sec)	N/A	0.053	0.145	0.250	0.263	0.349	0.000	0.000	0.000

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	183	192	0	165	0	0	-1
N.S.	1	1.00	1.55	1.63	0.00	1.40	0.00	0.00	-0.01
time (sec)	N/A	0.062	0.103	0.234	0.000	0.422	0.000	0.000	0.000

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	134	192	0	181	0	0	-1
N.S.	1	1.00	1.10	1.57	0.00	1.48	0.00	0.00	-0.01
time (sec)	N/A	0.076	0.158	0.278	0.000	0.346	0.000	0.000	0.000

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	151	268	264	0	204	0	0	-1
N.S.	1	1.00	1.77	1.75	0.00	1.35	0.00	0.00	-0.01
time (sec)	N/A	0.085	0.173	0.328	0.000	0.352	0.000	0.000	0.000

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	337	503	0	0	0	0	-1
N.S.	1	1.00	1.51	2.26	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.156	1.400	0.624	0.000	0.000	0.000	0.000	0.000

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	242	242	440	0	0	0	0	0	-1
N.S.	1	1.00	1.82	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.141	0.753	0.014	0.000	0.000	0.000	0.000	0.000

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	219	337	0	0	0	0	-1
N.S.	1	1.00	1.74	2.67	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.111	0.608	0.503	0.000	0.000	0.000	0.000	0.000

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	282	0	0	0	0	0	-1
N.S.	1	1.00	2.01	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.087	0.283	0.013	0.000	0.000	0.000	0.000	0.000

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	182	454	0	0	0	0	-1
N.S.	1	1.00	1.60	3.98	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.106	0.146	0.231	0.000	0.000	0.000	0.000	0.000

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	165	227	144	228	0	0	-1
N.S.	1	1.00	1.62	2.23	1.41	2.24	0.00	0.00	-0.01
time (sec)	N/A	0.071	0.218	0.260	0.281	0.352	0.000	0.000	0.000

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	245	321	0	271	0	0	-1
N.S.	1	1.00	1.50	1.97	0.00	1.66	0.00	0.00	-0.01
time (sec)	N/A	0.085	0.312	0.296	0.000	0.351	0.000	0.000	0.000

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	213	213	256	387	0	305	0	0	-1
N.S.	1	1.00	1.20	1.82	0.00	1.43	0.00	0.00	-0.00
time (sec)	N/A	0.120	0.244	0.260	0.000	0.353	0.000	0.000	0.000

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	242	242	332	485	0	351	0	0	-1
N.S.	1	1.00	1.37	2.00	0.00	1.45	0.00	0.00	-0.00
time (sec)	N/A	0.140	0.493	0.358	0.000	0.352	0.000	0.000	0.000

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.012	1.618	0.391	0.000	0.000	0.000	0.000	0.000

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.005	0.026	0.239	0.000	0.000	0.000	0.000	0.000

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.018	0.221	0.163	0.000	0.000	0.000	0.000	0.000

Problem 54	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	43	54	0	0	0	0	-1
N.S.	1	1.00	0.93	1.17	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.082	0.062	0.303	0.000	0.000	0.000	0.000	0.000

Problem 55	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	56	60	0	0	0	0	-1
N.S.	1	1.00	0.89	0.95	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.111	0.060	0.355	0.000	0.000	0.000	0.000	0.000

Problem 56	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	117	117	91	110	0	0	0	0	-1
N.S.	1	1.00	0.78	0.94	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.181	0.119	0.480	0.000	0.000	0.000	0.000	0.000

Problem 57	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.012	12.267	0.430	0.000	0.000	0.000	0.000	0.000

Problem 58	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.005	6.522	0.239	0.000	0.000	0.000	0.000	0.000

Problem 59	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.018	3.523	0.158	0.000	0.000	0.000	0.000	0.000

Problem 60	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	82	164	0	0	0	0	-1
N.S.	1	1.00	0.95	1.91	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.106	0.226	0.362	0.000	0.000	0.000	0.000	0.000

Problem 61	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	92	186	0	0	0	0	-1
N.S.	1	1.00	1.08	2.19	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.125	0.254	0.401	0.000	0.000	0.000	0.000	0.000

Problem 62	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	190	190	250	420	0	0	0	0	-1
N.S.	1	1.00	1.32	2.21	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.226	0.378	0.552	0.000	0.000	0.000	0.000	0.000

Problem 63	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.011	4.385	0.379	0.000	0.000	0.000	0.000	0.000

Problem 64	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.005	2.704	0.272	0.000	0.000	0.000	0.000	0.000

Problem 65	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.017	1.886	0.168	0.000	0.000	0.000	0.000	0.000

Problem 66	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	103	244	0	0	0	0	-1
N.S.	1	1.00	0.90	2.14	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.123	0.193	0.353	0.000	0.000	0.000	0.000	0.000

Problem 67	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	112	112	122	277	0	0	0	0	-1
N.S.	1	1.00	1.09	2.47	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.148	0.281	0.434	0.000	0.000	0.000	0.000	0.000

Problem 68	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	240	240	204	628	0	0	0	0	-1
N.S.	1	1.00	0.85	2.62	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.276	0.396	0.591	0.000	0.000	0.000	0.000	0.000

Problem 69	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.018	4.112	0.487	0.000	0.000	0.000	0.000	0.000

Problem 70	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.018	2.409	0.372	0.000	0.000	0.000	0.000	0.000

Problem 71	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	97	0	0	0	0	0	-1
N.S.	1	1.00	1.11	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.029	0.100	0.329	0.000	0.000	0.000	0.000	0.000

Problem 72	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.019	0.287	0.664	0.000	0.000	0.000	0.000	0.000

Problem 73	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.018	0.559	0.605	0.000	0.000	0.000	0.000	0.000

Problem 74	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	264	264	190	283	219	753	0	0	-1
N.S.	1	1.00	0.72	1.07	0.83	2.85	0.00	0.00	-0.00
time (sec)	N/A	0.241	0.231	0.244	0.465	0.449	0.000	0.000	0.000

Problem 75	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	201	201	147	215	152	464	0	0	-1
N.S.	1	1.00	0.73	1.07	0.76	2.31	0.00	0.00	-0.00
time (sec)	N/A	0.150	0.138	0.280	0.474	0.416	0.000	0.000	0.000

Problem 76	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	139	125	72	216	0	0	99
N.S.	1	1.00	0.98	0.88	0.51	1.52	0.00	0.00	0.70
time (sec)	N/A	0.080	0.240	0.178	0.270	0.376	0.000	0.000	1.527

Problem 77	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	77	42	31	119	0	0	44
N.S.	1	1.00	1.92	1.05	0.78	2.98	0.00	0.00	1.10
time (sec)	N/A	0.011	0.050	0.059	0.253	0.378	0.000	0.000	1.392

Problem 78	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	229	229	393	527	0	0	0	0	-1
N.S.	1	1.00	1.72	2.30	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.616	0.378	0.600	0.000	0.000	0.000	0.000	0.000

Problem 79	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	222	243	0	1161	0	0	-1
N.S.	1	1.00	1.51	1.65	0.00	7.90	0.00	0.00	-0.01
time (sec)	N/A	0.083	0.153	1.546	0.000	0.398	0.000	0.000	0.000

Problem 80	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	306	306	342	1094	0	4375	0	0	-1
N.S.	1	1.00	1.12	3.58	0.00	14.30	0.00	0.00	-0.00
time (sec)	N/A	0.140	0.442	1.474	0.000	0.719	0.000	0.000	0.000

Problem 81	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	343	343	2653	818	0	0	0	0	-1
N.S.	1	1.00	7.73	2.38	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.452	18.894	0.492	0.000	0.000	0.000	0.000	0.000

Problem 82	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	279	279	2938	413	0	0	0	0	-1
N.S.	1	1.00	10.53	1.48	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.264	22.765	0.444	0.000	0.000	0.000	0.000	0.000

Problem 83	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	187	187	1707	286	0	0	0	0	-1
N.S.	1	1.00	9.13	1.53	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.173	14.183	0.438	0.000	0.000	0.000	0.000	0.000

Problem 84	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	1675	251	0	0	0	0	-1
N.S.	1	1.00	15.95	2.39	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.119	13.644	0.425	0.000	0.000	0.000	0.000	0.000

Problem 85	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	278	278	4527	890	0	0	0	0	-1
N.S.	1	1.00	16.28	3.20	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.219	22.552	0.457	0.000	0.000	0.000	0.000	0.000

Problem 86	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	609	609	8675	1612	0	0	0	0	-1
N.S.	1	1.00	14.24	2.65	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.417	22.877	0.510	0.000	0.000	0.000	0.000	0.000

Problem 87	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	87	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.033	9.062	0.294	0.000	0.000	0.000	0.000	0.000

Problem 88	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	229	229	162	224	246	341	0	0	-1
N.S.	1	1.00	0.71	0.98	1.07	1.49	0.00	0.00	-0.00
time (sec)	N/A	0.086	0.243	0.318	0.471	0.504	0.000	0.000	0.000

Problem 89	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	174	174	144	182	184	313	0	0	-1
N.S.	1	1.00	0.83	1.05	1.06	1.80	0.00	0.00	-0.01
time (sec)	N/A	0.071	0.148	0.309	0.470	0.559	0.000	0.000	0.000

Problem 90	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	112	112	186	135	109	267	0	0	-1
N.S.	1	1.00	1.66	1.21	0.97	2.38	0.00	0.00	-0.01
time (sec)	N/A	0.035	0.322	0.201	0.514	0.585	0.000	0.000	0.000

Problem 91	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	96	96	124	114	68	224	0	0	98
N.S.	1	1.00	1.29	1.19	0.71	2.33	0.00	0.00	1.02
time (sec)	N/A	0.044	0.155	0.194	0.254	0.468	0.000	0.000	1.809

Problem 92	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	76	123	93	135	0	0	-1
N.S.	1	1.00	0.60	0.98	0.74	1.07	0.00	0.00	-0.01
time (sec)	N/A	0.054	0.079	0.197	0.262	0.522	0.000	0.000	0.000

Problem 93	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	183	183	101	142	134	169	0	0	-1
N.S.	1	1.00	0.55	0.78	0.73	0.92	0.00	0.00	-0.01
time (sec)	N/A	0.074	0.110	0.197	0.262	0.469	0.000	0.000	0.000

Problem 94	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	238	238	117	160	167	199	0	0	-1
N.S.	1	1.00	0.49	0.67	0.70	0.84	0.00	0.00	-0.00
time (sec)	N/A	0.086	0.140	0.198	0.253	0.452	0.000	0.000	0.000

Problem 95	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	232	232	126	150	179	227	228	0	-1
N.S.	1	1.00	0.54	0.65	0.77	0.98	0.98	0.00	-0.00
time (sec)	N/A	0.113	0.146	0.322	0.260	0.367	1.958	0.000	0.000

Problem 96	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	106	281	140	199	177	0	-1
N.S.	1	1.00	0.59	1.56	0.78	1.11	0.98	0.00	-0.01
time (sec)	N/A	0.092	0.129	0.338	0.255	0.375	1.033	0.000	0.000

Problem 97	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	164	164	85	206	98	165	126	0	-1
N.S.	1	1.00	0.52	1.26	0.60	1.01	0.77	0.00	-0.01
time (sec)	N/A	0.134	0.092	0.333	0.267	0.376	0.440	0.000	0.000

Problem 98	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	296	296	98	166	0	0	0	0	-1
N.S.	1	1.00	0.33	0.56	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.601	0.196	0.755	0.000	0.000	0.000	0.000	0.000

Problem 99	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	309	309	164	191	0	0	0	0	-1
N.S.	1	1.00	0.53	0.62	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.530	0.505	0.575	0.000	0.000	0.000	0.000	0.000

Problem 100	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	275	275	207	300	328	600	0	0	-1
N.S.	1	1.00	0.75	1.09	1.19	2.18	0.00	0.00	-0.00
time (sec)	N/A	0.163	0.282	0.384	0.472	0.570	0.000	0.000	0.000

Problem 101	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	204	204	174	228	224	534	0	0	-1
N.S.	1	1.00	0.85	1.12	1.10	2.62	0.00	0.00	-0.00
time (sec)	N/A	0.085	0.170	0.248	0.470	0.545	0.000	0.000	0.000

Problem 102	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	177	177	158	197	152	483	0	0	-1
N.S.	1	1.00	0.89	1.11	0.86	2.73	0.00	0.00	-0.01
time (sec)	N/A	0.092	0.153	0.248	0.471	0.428	0.000	0.000	0.000

Problem 103	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	176	176	149	205	134	440	0	0	-1
N.S.	1	1.00	0.85	1.16	0.76	2.50	0.00	0.00	-0.01
time (sec)	N/A	0.094	0.168	0.244	0.262	0.581	0.000	0.000	0.000

Problem 104	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	213	213	134	193	175	278	0	0	-1
N.S.	1	1.00	0.63	0.91	0.82	1.31	0.00	0.00	-0.00
time (sec)	N/A	0.115	0.155	0.250	0.271	0.447	0.000	0.000	0.000

Problem 105	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	281	281	160	225	232	347	0	0	-1
N.S.	1	1.00	0.57	0.80	0.83	1.23	0.00	0.00	-0.00
time (sec)	N/A	0.146	0.201	0.298	0.259	0.448	0.000	0.000	0.000

Problem 106	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	278	278	168	395	245	415	332	0	-1
N.S.	1	1.00	0.60	1.42	0.88	1.49	1.19	0.00	-0.00
time (sec)	N/A	0.168	0.163	0.397	0.274	0.535	2.027	0.000	0.000

Problem 107	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	230	230	139	295	185	349	252	0	-1
N.S.	1	1.00	0.60	1.28	0.80	1.52	1.10	0.00	-0.00
time (sec)	N/A	0.171	0.154	0.385	0.258	0.492	0.947	0.000	0.000

Problem 108	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	370	370	176	286	0	0	0	0	-1
N.S.	1	1.00	0.48	0.77	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.743	0.264	1.033	0.000	0.000	0.000	0.000	0.000

Problem 109	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	373	373	227	279	0	0	0	0	-1
N.S.	1	1.00	0.61	0.75	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.700	0.511	0.955	0.000	0.000	0.000	0.000	0.000

Problem 110	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	519	519	921	428	0	0	0	0	-1
N.S.	1	1.00	1.77	0.82	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.965	1.059	40.175	0.000	0.000	0.000	0.000	0.000

Problem 111	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	459	459	860	535	0	0	0	0	-1
N.S.	1	1.00	1.87	1.17	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.895	0.278	0.698	0.000	0.000	0.000	0.000	0.000

Problem 112	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	469	469	849	311	0	0	0	0	-1
N.S.	1	1.00	1.81	0.66	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.684	0.316	14.984	0.000	0.000	0.000	0.000	0.000

Problem 113	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	417	417	386	3157	0	0	0	0	-1
N.S.	1	1.00	0.93	7.57	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.680	0.618	0.862	0.000	0.000	0.000	0.000	0.000

Problem 114	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	523	523	933	380	0	0	0	0	-1
N.S.	1	1.00	1.78	0.73	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.890	1.281	38.872	0.000	0.000	0.000	0.000	0.000

Problem 115	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	631	631	1278	908	0	0	0	0	-1
N.S.	1	1.00	2.03	1.44	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.068	3.257	4.485	0.000	0.000	0.000	0.000	0.000

Problem 116	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	580	580	1208	686	0	0	0	0	-1
N.S.	1	1.00	2.08	1.18	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.989	0.835	0.878	0.000	0.000	0.000	0.000	0.000

Problem 117	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	345	854	0	1044	0	0	-1
N.S.	1	1.00	2.35	5.81	0.00	7.10	0.00	0.00	-0.01
time (sec)	N/A	0.158	0.736	3.702	0.000	0.517	0.000	0.000	0.000

Problem 118	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	C	F(-2)	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	542	542	0	3326	0	0	0	0	-1
N.S.	1	1.00	0.00	6.14	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.928	32.981	4.667	0.000	0.000	0.000	0.000	0.000

Problem 119	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	840	840	1270	2016	0	0	0	0	-1
N.S.	1	1.00	1.51	2.40	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.124	1.073	15.943	0.000	0.000	0.000	0.000	0.000

Problem 120	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	786	786	1226	1879	0	0	0	0	-1
N.S.	1	1.00	1.56	2.39	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.014	1.160	46.976	0.000	0.000	0.000	0.000	0.000

Problem 121	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	786	786	1216	1879	0	0	0	0	-1
N.S.	1	1.00	1.55	2.39	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.886	1.272	51.618	0.000	0.000	0.000	0.000	0.000

Problem 122	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	844	844	1305	1952	0	0	0	0	-1
N.S.	1	1.00	1.55	2.31	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.995	0.885	17.991	0.000	0.000	0.000	0.000	0.000

Problem 123	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	778	778	2000	1804	0	0	0	0	-1
N.S.	1	1.00	2.57	2.32	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.205	7.157	5.816	0.000	0.000	0.000	0.000	0.000

Problem 124	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	B	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	173	173	486	3348	0	3769	0	0	-1
N.S.	1	1.00	2.81	19.35	0.00	21.79	0.00	0.00	-0.01
time (sec)	N/A	0.136	1.582	4.600	0.000	0.711	0.000	0.000	0.000

Problem 125	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	B	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	217	217	486	3305	0	3218	0	0	-1
N.S.	1	1.00	2.24	15.23	0.00	14.83	0.00	0.00	-0.00
time (sec)	N/A	0.216	0.746	4.543	0.000	0.560	0.000	0.000	0.000

Problem 126	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	C	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	741	741	0	5713	0	0	0	0	-1
N.S.	1	1.00	0.00	7.71	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.085	56.145	2.167	0.000	0.000	0.000	0.000	0.000

Problem 127	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1272	1272	2022	3468	0	0	0	0	-1
N.S.	1	1.00	1.59	2.73	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.499	6.081	160.544	0.000	0.000	0.000	0.000	0.000

Problem 128	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1276	1276	2030	2550	0	0	0	0	-1
N.S.	1	1.00	1.59	2.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.619	6.054	172.572	0.000	0.000	0.000	0.000	0.000

Problem 129	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1272	1272	2015	3461	0	0	0	0	-1
N.S.	1	1.00	1.58	2.72	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	3.348	6.038	163.691	0.000	0.000	0.000	0.000	0.000

Problem 130	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	447	447	340	0	0	2105	0	0	-1
N.S.	1	1.00	0.76	0.00	0.00	4.71	0.00	0.00	-0.00
time (sec)	N/A	0.933	41.977	0.803	0.000	2.411	0.000	0.000	0.000

Problem 131	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	329	329	365	0	0	1476	0	0	-1
N.S.	1	1.00	1.11	0.00	0.00	4.49	0.00	0.00	-0.00
time (sec)	N/A	0.289	21.148	0.748	0.000	0.933	0.000	0.000	0.000

Problem 132	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	221	221	307	0	0	1060	0	0	-1
N.S.	1	1.00	1.39	0.00	0.00	4.80	0.00	0.00	-0.00
time (sec)	N/A	0.222	20.858	0.475	0.000	0.668	0.000	0.000	0.000

Problem 133	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.064	3.808	0.394	0.000	0.000	0.000	0.000	0.000

Problem 134	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.069	3.958	0.243	0.000	0.000	0.000	0.000	0.000

Problem 135	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.066	9.576	0.686	0.000	0.000	0.000	0.000	0.000

Problem 136	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.025	2.720	0.360	0.000	0.000	0.000	0.000	0.000

Problem 137	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.061	1.261	0.309	0.000	0.000	0.000	0.000	0.000

Problem 138	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	312	312	576	0	0	0	0	0	-1
N.S.	1	1.00	1.85	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.265	22.109	0.382	0.000	0.000	0.000	0.000	0.000

Problem 139	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	446	446	641	0	0	0	0	0	-1
N.S.	1	1.00	1.44	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.380	24.177	0.432	0.000	0.000	0.000	0.000	0.000

Problem 140	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	418	418	313	0	0	2076	0	0	-1
N.S.	1	1.00	0.75	0.00	0.00	4.97	0.00	0.00	-0.00
time (sec)	N/A	0.361	41.763	0.777	0.000	1.594	0.000	0.000	0.000

Problem 141	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	342	0	0	1441	0	0	-1
N.S.	1	1.00	1.15	0.00	0.00	4.85	0.00	0.00	-0.00
time (sec)	N/A	0.288	21.022	0.753	0.000	0.922	0.000	0.000	0.000

Problem 142	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.081	4.617	0.376	0.000	0.000	0.000	0.000	0.000

Problem 143	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.080	3.903	0.221	0.000	0.000	0.000	0.000	0.000

Problem 144	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.077	9.794	0.651	0.000	0.000	0.000	0.000	0.000

Problem 145	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.029	3.453	0.359	0.000	0.000	0.000	0.000	0.000

Problem 146	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.069	5.754	0.310	0.000	0.000	0.000	0.000	0.000

Problem 147	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.070	9.840	0.364	0.000	0.000	0.000	0.000	0.000

Problem 148	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	409	409	620	0	0	0	0	0	-1
N.S.	1	1.00	1.52	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.345	24.059	0.425	0.000	0.000	0.000	0.000	0.000

Problem 149	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	556	556	728	0	0	0	0	0	-1
N.S.	1	1.00	1.31	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.504	24.965	0.417	0.000	0.000	0.000	0.000	0.000

Problem 150	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	356	356	366	0	0	1509	0	0	-1
N.S.	1	1.00	1.03	0.00	0.00	4.24	0.00	0.00	-0.00
time (sec)	N/A	0.772	21.054	1.365	0.000	1.191	0.000	0.000	0.000

Problem 151	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	251	251	406	0	0	1092	0	0	-1
N.S.	1	1.00	1.62	0.00	0.00	4.35	0.00	0.00	-0.00
time (sec)	N/A	0.221	20.861	1.303	0.000	0.620	0.000	0.000	0.000

Problem 152	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	239	0	0	834	0	0	-1
N.S.	1	1.00	1.56	0.00	0.00	5.45	0.00	0.00	-0.01
time (sec)	N/A	0.191	19.382	0.556	0.000	0.459	0.000	0.000	0.000

Problem 153	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.064	2.212	0.405	0.000	0.000	0.000	0.000	0.000

Problem 154	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.075	16.158	0.259	0.000	0.000	0.000	0.000	0.000

Problem 155	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.061	6.004	1.100	0.000	0.000	0.000	0.000	0.000

Problem 156	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.022	0.687	0.639	0.000	0.000	0.000	0.000	0.000

Problem 157	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	221	221	501	0	0	0	0	0	-1
N.S.	1	1.00	2.27	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.147	22.416	0.400	0.000	0.000	0.000	0.000	0.000

Problem 158	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	346	346	612	0	0	0	0	0	-1
N.S.	1	1.00	1.77	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.279	22.608	0.475	0.000	0.000	0.000	0.000	0.000

Problem 159	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	278	278	436	0	0	1665	0	0	-1
N.S.	1	1.00	1.57	0.00	0.00	5.99	0.00	0.00	-0.00
time (sec)	N/A	0.746	20.960	1.378	0.000	0.800	0.000	0.000	0.000

Problem 160	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	177	177	249	0	0	1095	0	0	-1
N.S.	1	1.00	1.41	0.00	0.00	6.19	0.00	0.00	-0.01
time (sec)	N/A	0.182	21.062	1.293	0.000	0.491	0.000	0.000	0.000

Problem 161	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	135	0	0	575	0	0	-1
N.S.	1	1.00	1.55	0.00	0.00	6.61	0.00	0.00	-0.01
time (sec)	N/A	0.158	20.415	0.496	0.000	0.566	0.000	0.000	0.000

Problem 162	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.075	21.533	0.361	0.000	0.000	0.000	0.000	0.000

Problem 163	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.084	29.713	0.289	0.000	0.000	0.000	0.000	0.000

Problem 164	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.072	7.344	1.191	0.000	0.000	0.000	0.000	0.000

Problem 165	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.067	2.806	1.083	0.000	0.000	0.000	0.000	0.000

Problem 166	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	92	92	334	0	0	143	0	0	-1
N.S.	1	1.00	3.63	0.00	0.00	1.55	0.00	0.00	-0.01
time (sec)	N/A	0.052	46.616	0.704	0.000	0.137	0.000	0.000	0.000

Problem 167	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	249	249	501	0	0	0	0	0	-1
N.S.	1	1.00	2.01	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.192	22.402	0.395	0.000	0.000	0.000	0.000	0.000

Problem 168	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	272	272	348	0	0	2999	0	0	-1
N.S.	1	1.00	1.28	0.00	0.00	11.03	0.00	0.00	-0.00
time (sec)	N/A	0.839	21.224	1.381	0.000	0.876	0.000	0.000	0.000

Problem 169	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	179	179	218	0	0	1834	0	0	-1
N.S.	1	1.00	1.22	0.00	0.00	10.25	0.00	0.00	-0.01
time (sec)	N/A	0.176	10.156	1.240	0.000	0.642	0.000	0.000	0.000

Problem 170	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	154	154	204	0	0	1456	0	0	-1
N.S.	1	1.00	1.32	0.00	0.00	9.45	0.00	0.00	-0.01
time (sec)	N/A	0.190	0.197	0.486	0.000	0.584	0.000	0.000	0.000

Problem 171	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.084	34.539	0.391	0.000	0.000	0.000	0.000	0.000

Problem 172	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.095	45.933	0.282	0.000	0.000	0.000	0.000	0.000

Problem 173	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.079	10.990	1.368	0.000	0.000	0.000	0.000	0.000

Problem 174	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.072	10.210	1.213	0.000	0.000	0.000	0.000	0.000

Problem 175	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	246	246	488	0	0	0	0	0	-1
N.S.	1	1.00	1.98	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.167	1.786	1.120	0.000	0.000	0.000	0.000	0.000

Problem 176	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	266	266	517	0	0	0	0	0	-1
N.S.	1	1.00	1.94	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.150	22.949	0.654	0.000	0.000	0.000	0.000	0.000

Problem 177	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	596	576	0	0	0	0	0	0	-1
N.S.	1	0.97	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.569	0.098	1.365	0.000	0.000	0.000	0.000	0.000

Problem 178	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	372	352	0	0	0	0	0	0	-1
N.S.	1	0.95	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.311	0.080	1.006	0.000	0.000	0.000	0.000	0.000

Problem 179	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	206	192	0	0	0	0	0	0	-1
N.S.	1	0.93	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.129	0.066	0.697	0.000	0.000	0.000	0.000	0.000

Problem 180	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.052	1.576	1.201	0.000	0.000	0.000	0.000	0.000

Problem 181	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.052	5.167	1.888	0.000	0.000	0.000	0.000	0.000

Problem 182	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.075	0.651	0.914	0.000	0.000	0.000	0.000	0.000

Problem 183	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.067	0.071	0.913	0.000	0.000	0.000	0.000	0.000

Problem 184	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.071	0.854	1.249	0.000	0.000	0.000	0.000	0.000

Problem 185	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.074	1.114	1.342	0.000	0.000	0.000	0.000	0.000

Problem 186	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F(-2)	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	473	473	213	0	0	393	0	0	-1
N.S.	1	1.00	0.45	0.00	0.00	0.83	0.00	0.00	-0.00
time (sec)	N/A	1.095	0.275	2.136	0.000	0.461	0.000	0.000	0.000

Problem 187	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	316	316	178	0	0	336	0	0	-1
N.S.	1	1.00	0.56	0.00	0.00	1.06	0.00	0.00	-0.00
time (sec)	N/A	0.933	0.226	1.980	0.000	0.395	0.000	0.000	0.000

Problem 188	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	159	159	140	0	0	279	0	0	-1
N.S.	1	1.00	0.88	0.00	0.00	1.75	0.00	0.00	-0.01
time (sec)	N/A	0.110	0.224	0.780	0.000	0.396	0.000	0.000	0.000

Problem 189	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.060	0.274	1.047	0.000	0.000	0.000	0.000	0.000

Problem 190	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.068	2.359	0.781	0.000	0.000	0.000	0.000	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [186] had the largest ratio of [26]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	9	6	1.00	10	0.600
2	A	5	5	1.00	10	0.500
3	A	8	6	1.00	10	0.600
4	A	4	4	1.00	8	0.500
5	A	7	5	1.00	6	0.833
6	A	6	6	1.00	10	0.600
7	A	4	3	1.00	10	0.300
8	A	4	4	1.00	10	0.400
9	A	5	5	1.00	10	0.500
10	A	14	9	1.00	10	0.900
11	A	10	10	1.00	10	1.000
12	A	11	8	1.00	10	0.800
13	A	7	7	1.00	8	0.875
14	A	9	6	1.00	6	1.000
15	A	7	7	1.00	10	0.700
16	A	5	3	1.00	10	0.300
17	A	6	6	1.00	10	0.600
18	A	8	6	1.00	10	0.600
19	A	8	6	1.00	12	0.500
20	A	6	4	1.00	12	0.333
21	A	6	6	1.00	12	0.500
22	A	4	4	1.00	12	0.333
23	A	4	4	1.00	12	0.333
24	A	2	2	1.00	10	0.200
25	A	3	2	1.00	8	0.250

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
26	A	6	6	1.00	12	0.500
27	A	2	2	1.00	12	0.167
28	A	5	5	1.00	12	0.417
29	A	4	4	1.00	12	0.333
30	A	7	5	1.00	12	0.417
31	A	6	4	1.00	12	0.333
32	A	9	5	1.00	12	0.417
33	A	5	5	1.00	14	0.357
34	A	8	6	1.00	14	0.429
35	A	4	4	1.00	12	0.333
36	A	7	5	1.00	10	0.500
37	A	6	6	1.00	14	0.429
38	A	4	3	1.00	14	0.214
39	A	4	3	1.00	14	0.214
40	A	5	5	1.00	14	0.357
41	A	5	3	1.00	14	0.214
42	A	10	10	1.00	14	0.714
43	A	11	8	1.00	14	0.571
44	A	7	7	1.00	12	0.583
45	A	9	6	1.00	10	0.600
46	A	7	7	1.00	14	0.500
47	A	5	3	1.00	14	0.214
48	A	6	6	1.00	14	0.429
49	A	8	6	1.00	14	0.429
50	A	10	6	1.00	14	0.429
51	A	0	0	0.00	0	0.000
52	A	0	0	0.00	0	0.000
53	A	0	0	0.00	0	0.000
54	A	4	4	1.00	14	0.286
55	A	6	6	1.00	14	0.429
56	A	9	5	1.00	14	0.357
57	A	0	0	0.00	0	0.000
58	A	0	0	0.00	0	0.000
59	A	0	0	0.00	0	0.000
60	A	5	5	1.00	14	0.357

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
61	A	7	7	1.00	14	0.500
62	A	11	6	1.00	14	0.429
63	A	0	0	0.00	0	0.000
64	A	0	0	0.00	0	0.000
65	A	0	0	0.00	0	0.000
66	A	6	5	1.00	14	0.357
67	A	8	7	1.00	14	0.500
68	A	13	6	1.00	14	0.429
69	A	0	0	0.00	0	0.000
70	A	0	0	0.00	0	0.000
71	A	3	3	1.00	14	0.214
72	A	0	0	0.00	0	0.000
73	A	0	0	0.00	0	0.000
74	A	9	7	1.00	16	0.438
75	A	8	7	1.00	16	0.438
76	A	7	7	1.00	14	0.500
77	A	3	2	1.00	8	0.250
78	A	4	2	1.00	16	0.125
79	A	8	7	1.00	16	0.438
80	A	11	8	1.00	16	0.500
81	A	21	12	1.00	18	0.667
82	A	14	10	1.00	18	0.556
83	A	8	8	1.00	18	0.444
84	A	5	5	1.00	18	0.278
85	A	11	10	1.00	18	0.556
86	A	18	13	1.00	18	0.722
87	A	0	0	0.00	0	0.000
88	A	6	6	1.00	19	0.316
89	A	5	6	1.00	19	0.316
90	A	4	4	1.00	16	0.250
91	A	3	4	1.00	19	0.210
92	A	4	5	1.00	19	0.263
93	A	5	6	1.00	19	0.316
94	A	6	6	1.00	19	0.316
95	A	5	5	1.00	19	0.263

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
96	A	5	5	1.00	19	0.263
97	A	7	6	1.00	17	0.353
98	A	12	12	1.00	19	0.632
99	A	14	14	1.00	19	0.737
100	A	6	7	1.00	21	0.333
101	A	5	6	1.00	18	0.333
102	A	5	6	1.00	21	0.286
103	A	5	6	1.00	21	0.286
104	A	5	6	1.00	21	0.286
105	A	6	7	1.00	21	0.333
106	A	5	6	1.00	21	0.286
107	A	7	6	1.00	19	0.316
108	A	13	14	1.00	21	0.667
109	A	15	16	1.00	21	0.762
110	A	24	11	1.00	21	0.524
111	A	26	9	1.00	19	0.474
112	A	19	7	1.00	18	0.389
113	A	19	7	1.00	21	0.333
114	A	24	10	1.00	21	0.476
115	A	32	15	1.00	21	0.714
116	A	30	13	1.00	21	0.619
117	A	8	6	1.00	19	0.316
118	A	25	11	1.00	21	0.524
119	A	50	13	1.00	21	0.619
120	A	27	10	1.00	21	0.476
121	A	47	11	1.00	18	0.611
122	A	50	13	1.00	21	0.619
123	A	35	14	1.00	21	0.667
124	A	6	7	1.00	21	0.333
125	A	9	7	1.00	19	0.368
126	A	30	12	1.00	21	0.571
127	A	35	11	1.00	21	0.524
128	A	63	12	1.00	21	0.571
129	A	81	12	1.00	18	0.667
130	A	12	12	1.00	23	0.522

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
131	A	11	12	1.00	23	0.522
132	A	10	10	1.00	21	0.476
133	A	0	0	0.00	0	0.000
134	A	0	0	0.00	0	0.000
135	A	0	0	0.00	0	0.000
136	A	0	0	0.00	0	0.000
137	A	0	0	0.00	0	0.000
138	A	9	10	1.00	23	0.435
139	A	10	11	1.00	23	0.478
140	A	12	12	1.00	23	0.522
141	A	11	11	1.00	21	0.524
142	A	0	0	0.00	0	0.000
143	A	0	0	0.00	0	0.000
144	A	0	0	0.00	0	0.000
145	A	0	0	0.00	0	0.000
146	A	0	0	0.00	0	0.000
147	A	0	0	0.00	0	0.000
148	A	10	11	1.00	23	0.478
149	A	11	11	1.00	23	0.478
150	A	11	12	1.00	23	0.522
151	A	10	12	1.00	23	0.522
152	A	10	10	1.00	21	0.476
153	A	0	0	0.00	0	0.000
154	A	0	0	0.00	0	0.000
155	A	0	0	0.00	0	0.000
156	A	0	0	0.00	0	0.000
157	A	9	10	1.00	23	0.435
158	A	9	11	1.00	23	0.478
159	A	10	11	1.00	23	0.478
160	A	9	11	1.00	23	0.478
161	A	5	5	1.00	21	0.238
162	A	0	0	0.00	0	0.000
163	A	0	0	0.00	0	0.000
164	A	0	0	0.00	0	0.000
165	A	0	0	0.00	0	0.000

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
166	A	4	5	1.00	20	0.250
167	A	8	10	1.00	23	0.435
168	A	10	11	1.00	23	0.478
169	A	7	8	1.00	23	0.348
170	A	6	6	1.00	21	0.286
171	A	0	0	0.00	0	0.000
172	A	0	0	0.00	0	0.000
173	A	0	0	0.00	0	0.000
174	A	0	0	0.00	0	0.000
175	A	8	9	1.00	23	0.391
176	A	8	10	1.00	20	0.500
177	A	5	6	0.97	23	0.261
178	A	5	6	0.95	23	0.261
179	A	4	5	0.93	21	0.238
180	A	0	0	0.00	0	0.000
181	A	0	0	0.00	0	0.000
182	A	0	0	0.00	0	0.000
183	A	0	0	0.00	0	0.000
184	A	0	0	0.00	0	0.000
185	A	0	0	0.00	0	0.000
186	A	15	10	1.00	26	0.385
187	A	12	10	1.00	26	0.385
188	A	7	8	1.00	26	0.308
189	A	0	0	0.00	0	0.000
190	A	0	0	0.00	0	0.000

Chapter 3

Listing of integrals

Local contents

3.1	$\int x^4 \operatorname{sech}^{-1}(ax)^2 dx$	70
3.2	$\int x^3 \operatorname{sech}^{-1}(ax)^2 dx$	75
3.3	$\int x^2 \operatorname{sech}^{-1}(ax)^2 dx$	79
3.4	$\int x \operatorname{sech}^{-1}(ax)^2 dx$	83
3.5	$\int \operatorname{sech}^{-1}(ax)^2 dx$	87
3.6	$\int \frac{\operatorname{sech}^{-1}(ax)^2}{x} dx$	91
3.7	$\int \frac{\operatorname{sech}^{-1}(ax)^2}{x^2} dx$	95
3.8	$\int \frac{\operatorname{sech}^{-1}(ax)^2}{x^3} dx$	99
3.9	$\int \frac{\operatorname{sech}^{-1}(ax)^2}{x^4} dx$	103
3.10	$\int x^4 \operatorname{sech}^{-1}(ax)^3 dx$	107
3.11	$\int x^3 \operatorname{sech}^{-1}(ax)^3 dx$	113
3.12	$\int x^2 \operatorname{sech}^{-1}(ax)^3 dx$	118
3.13	$\int x \operatorname{sech}^{-1}(ax)^3 dx$	123
3.14	$\int \operatorname{sech}^{-1}(ax)^3 dx$	128
3.15	$\int \frac{\operatorname{sech}^{-1}(ax)^3}{x} dx$	132
3.16	$\int \frac{\operatorname{sech}^{-1}(ax)^3}{x^2} dx$	137
3.17	$\int \frac{\operatorname{sech}^{-1}(ax)^3}{x^3} dx$	141
3.18	$\int \frac{\operatorname{sech}^{-1}(ax)^3}{x^4} dx$	145
3.19	$\int x^6 (a + b \operatorname{sech}^{-1}(cx)) dx$	149
3.20	$\int x^5 (a + b \operatorname{sech}^{-1}(cx)) dx$	154
3.21	$\int x^4 (a + b \operatorname{sech}^{-1}(cx)) dx$	158
3.22	$\int x^3 (a + b \operatorname{sech}^{-1}(cx)) dx$	163
3.23	$\int x^2 (a + b \operatorname{sech}^{-1}(cx)) dx$	167
3.24	$\int x (a + b \operatorname{sech}^{-1}(cx)) dx$	171
3.25	$\int (a + b \operatorname{sech}^{-1}(cx)) dx$	174

3.26	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x} dx$	177
3.27	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^2} dx$	181
3.28	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^3} dx$	184
3.29	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^4} dx$	188
3.30	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^5} dx$	192
3.31	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^6} dx$	196
3.32	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^7} dx$	200
3.33	$\int x^3(a+b\operatorname{sech}^{-1}(cx))^2 dx$	205
3.34	$\int x^2(a+b\operatorname{sech}^{-1}(cx))^2 dx$	209
3.35	$\int x(a+b\operatorname{sech}^{-1}(cx))^2 dx$	213
3.36	$\int (a+b\operatorname{sech}^{-1}(cx))^2 dx$	217
3.37	$\int \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{x} dx$	221
3.38	$\int \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{x^2} dx$	225
3.39	$\int \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{x^3} dx$	229
3.40	$\int \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{x^4} dx$	233
3.41	$\int \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{x^5} dx$	237
3.42	$\int x^3(a+b\operatorname{sech}^{-1}(cx))^3 dx$	241
3.43	$\int x^2(a+b\operatorname{sech}^{-1}(cx))^3 dx$	246
3.44	$\int x(a+b\operatorname{sech}^{-1}(cx))^3 dx$	251
3.45	$\int (a+b\operatorname{sech}^{-1}(cx))^3 dx$	256
3.46	$\int \frac{(a+b\operatorname{sech}^{-1}(cx))^3}{x} dx$	261
3.47	$\int \frac{(a+b\operatorname{sech}^{-1}(cx))^3}{x^2} dx$	266
3.48	$\int \frac{(a+b\operatorname{sech}^{-1}(cx))^3}{x^3} dx$	270
3.49	$\int \frac{(a+b\operatorname{sech}^{-1}(cx))^3}{x^4} dx$	274
3.50	$\int \frac{(a+b\operatorname{sech}^{-1}(cx))^3}{x^5} dx$	279
3.51	$\int \frac{x}{a+b\operatorname{sech}^{-1}(cx)} dx$	284
3.52	$\int \frac{1}{a+b\operatorname{sech}^{-1}(cx)} dx$	287
3.53	$\int \frac{1}{x(a+b\operatorname{sech}^{-1}(cx))} dx$	290
3.54	$\int \frac{1}{x^2(a+b\operatorname{sech}^{-1}(cx))} dx$	293
3.55	$\int \frac{1}{x^3(a+b\operatorname{sech}^{-1}(cx))} dx$	296

3.56	$\int \frac{1}{x^4(a+b\operatorname{sech}^{-1}(cx))} dx$	300
3.57	$\int \frac{x}{(a+b\operatorname{sech}^{-1}(cx))^2} dx$	304
3.58	$\int \frac{1}{(a+b\operatorname{sech}^{-1}(cx))^2} dx$	307
3.59	$\int \frac{1}{x(a+b\operatorname{sech}^{-1}(cx))^2} dx$	310
3.60	$\int \frac{1}{x^2(a+b\operatorname{sech}^{-1}(cx))^2} dx$	313
3.61	$\int \frac{1}{x^3(a+b\operatorname{sech}^{-1}(cx))^2} dx$	317
3.62	$\int \frac{1}{x^4(a+b\operatorname{sech}^{-1}(cx))^2} dx$	322
3.63	$\int \frac{x}{(a+b\operatorname{sech}^{-1}(cx))^3} dx$	327
3.64	$\int \frac{1}{(a+b\operatorname{sech}^{-1}(cx))^3} dx$	331
3.65	$\int \frac{1}{x(a+b\operatorname{sech}^{-1}(cx))^3} dx$	335
3.66	$\int \frac{1}{x^2(a+b\operatorname{sech}^{-1}(cx))^3} dx$	339
3.67	$\int \frac{1}{x^3(a+b\operatorname{sech}^{-1}(cx))^3} dx$	344
3.68	$\int \frac{1}{x^4(a+b\operatorname{sech}^{-1}(cx))^3} dx$	350
3.69	$\int (dx)^m (a + b\operatorname{sech}^{-1}(cx))^3 dx$	357
3.70	$\int (dx)^m (a + b\operatorname{sech}^{-1}(cx))^2 dx$	360
3.71	$\int (dx)^m (a + b\operatorname{sech}^{-1}(cx)) dx$	363
3.72	$\int \frac{(dx)^m}{a+b\operatorname{sech}^{-1}(cx)} dx$	366
3.73	$\int \frac{(dx)^m}{(a+b\operatorname{sech}^{-1}(cx))^2} dx$	369
3.74	$\int (d + ex)^3 (a + b\operatorname{sech}^{-1}(cx)) dx$	372
3.75	$\int (d + ex)^2 (a + b\operatorname{sech}^{-1}(cx)) dx$	378
3.76	$\int (d + ex) (a + b\operatorname{sech}^{-1}(cx)) dx$	383
3.77	$\int (a + b\operatorname{sech}^{-1}(cx)) dx$	388
3.78	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{d+ex} dx$	391
3.79	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex)^2} dx$	395
3.80	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex)^3} dx$	401
3.81	$\int (d + ex)^{3/2} (a + b\operatorname{sech}^{-1}(cx)) dx$	408
3.82	$\int \sqrt{d + ex} (a + b\operatorname{sech}^{-1}(cx)) dx$	416
3.83	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{\sqrt{d + ex}} dx$	424
3.84	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex)^{3/2}} dx$	430
3.85	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex)^{5/2}} dx$	435

3.86	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex)^{7/2}} dx$	443
3.87	$\int (d+ex)^m (a+b\operatorname{sech}^{-1}(cx)) dx$	451
3.88	$\int x^4(d+ex^2) (a+b\operatorname{sech}^{-1}(cx)) dx$	454
3.89	$\int x^2(d+ex^2) (a+b\operatorname{sech}^{-1}(cx)) dx$	459
3.90	$\int (d+ex^2) (a+b\operatorname{sech}^{-1}(cx)) dx$	464
3.91	$\int \frac{(d+ex^2)(a+b\operatorname{sech}^{-1}(cx))}{x^2} dx$	468
3.92	$\int \frac{(d+ex^2)(a+b\operatorname{sech}^{-1}(cx))}{x^4} dx$	472
3.93	$\int \frac{(d+ex^2)(a+b\operatorname{sech}^{-1}(cx))}{x^6} dx$	476
3.94	$\int \frac{(d+ex^2)(a+b\operatorname{sech}^{-1}(cx))}{x^8} dx$	481
3.95	$\int x^5(d+ex^2) (a+b\operatorname{sech}^{-1}(cx)) dx$	486
3.96	$\int x^3(d+ex^2) (a+b\operatorname{sech}^{-1}(cx)) dx$	490
3.97	$\int x(d+ex^2) (a+b\operatorname{sech}^{-1}(cx)) dx$	494
3.98	$\int \frac{(d+ex^2)(a+b\operatorname{sech}^{-1}(cx))}{x} dx$	499
3.99	$\int \frac{(d+ex^2)(a+b\operatorname{sech}^{-1}(cx))}{x^3} dx$	505
3.100	$\int x^2(d+ex^2)^2 (a+b\operatorname{sech}^{-1}(cx)) dx$	511
3.101	$\int (d+ex^2)^2 (a+b\operatorname{sech}^{-1}(cx)) dx$	516
3.102	$\int \frac{(d+ex^2)^2(a+b\operatorname{sech}^{-1}(cx))}{x^2} dx$	521
3.103	$\int \frac{(d+ex^2)^2(a+b\operatorname{sech}^{-1}(cx))}{x^4} dx$	526
3.104	$\int \frac{(d+ex^2)^2(a+b\operatorname{sech}^{-1}(cx))}{x^6} dx$	531
3.105	$\int \frac{(d+ex^2)^2(a+b\operatorname{sech}^{-1}(cx))}{x^8} dx$	536
3.106	$\int x^3(d+ex^2)^2 (a+b\operatorname{sech}^{-1}(cx)) dx$	541
3.107	$\int x(d+ex^2)^2 (a+b\operatorname{sech}^{-1}(cx)) dx$	546
3.108	$\int \frac{(d+ex^2)^2(a+b\operatorname{sech}^{-1}(cx))}{x} dx$	551
3.109	$\int \frac{(d+ex^2)^2(a+b\operatorname{sech}^{-1}(cx))}{x^3} dx$	558
3.110	$\int \frac{x^2(a+b\operatorname{sech}^{-1}(cx))}{d+ex^2} dx$	565
3.111	$\int \frac{x(a+b\operatorname{sech}^{-1}(cx))}{d+ex^2} dx$	572
3.112	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{d+ex^2} dx$	579
3.113	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x(d+ex^2)} dx$	585
3.114	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^2(d+ex^2)} dx$	591
3.115	$\int \frac{x^5(a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^2} dx$	598
3.116	$\int \frac{x^3(a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^2} dx$	606

3.117	$\int \frac{x(a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^2} dx$	614
3.118	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x(d+ex^2)^2} dx$	620
3.119	$\int \frac{x^4(a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^2} dx$	627
3.120	$\int \frac{x^2(a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^2} dx$	635
3.121	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex^2)^2} dx$	642
3.122	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^2(d+ex^2)^2} dx$	650
3.123	$\int \frac{x^5(a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^3} dx$	658
3.124	$\int \frac{x^3(a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^3} dx$	667
3.125	$\int \frac{x(a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^3} dx$	675
3.126	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x(d+ex^2)^3} dx$	683
3.127	$\int \frac{x^4(a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^3} dx$	690
3.128	$\int \frac{x^2(a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^3} dx$	699
3.129	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex^2)^3} dx$	708
3.130	$\int x^5 \sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx)) dx$	717
3.131	$\int x^3 \sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx)) dx$	724
3.132	$\int x \sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx)) dx$	731
3.133	$\int \frac{\sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx))}{x} dx$	737
3.134	$\int \frac{\sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx))}{x^3} dx$	740
3.135	$\int x^2 \sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx)) dx$	743
3.136	$\int \sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx)) dx$	746
3.137	$\int \frac{\sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx))}{x^2} dx$	749
3.138	$\int \frac{\sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx))}{x^4} dx$	752
3.139	$\int \frac{\sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx))}{x^6} dx$	758
3.140	$\int x^3 (d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx)) dx$	764
3.141	$\int x (d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx)) dx$	771
3.142	$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x} dx$	778
3.143	$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^3} dx$	781
3.144	$\int x^2 (d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx)) dx$	784

3.145	$\int (d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx)) dx$	787
3.146	$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^2} dx$	790
3.147	$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^4} dx$	793
3.148	$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^6} dx$	796
3.149	$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^8} dx$	802
3.150	$\int \frac{x^5 (a+b\operatorname{sech}^{-1}(cx))}{\sqrt{d+ex^2}} dx$	808
3.151	$\int \frac{x^3 (a+b\operatorname{sech}^{-1}(cx))}{\sqrt{d+ex^2}} dx$	815
3.152	$\int \frac{x (a+b\operatorname{sech}^{-1}(cx))}{\sqrt{d+ex^2}} dx$	822
3.153	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x\sqrt{d+ex^2}} dx$	828
3.154	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^3\sqrt{d+ex^2}} dx$	831
3.155	$\int \frac{x^2 (a+b\operatorname{sech}^{-1}(cx))}{\sqrt{d+ex^2}} dx$	834
3.156	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{\sqrt{d+ex^2}} dx$	837
3.157	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^2\sqrt{d+ex^2}} dx$	840
3.158	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^4\sqrt{d+ex^2}} dx$	845
3.159	$\int \frac{x^5 (a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	851
3.160	$\int \frac{x^3 (a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	858
3.161	$\int \frac{x (a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	864
3.162	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x(d+ex^2)^{3/2}} dx$	868
3.163	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^3(d+ex^2)^{3/2}} dx$	871
3.164	$\int \frac{x^4 (a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	874
3.165	$\int \frac{x^2 (a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	877
3.166	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex^2)^{3/2}} dx$	880
3.167	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^2(d+ex^2)^{3/2}} dx$	884
3.168	$\int \frac{x^5 (a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	889
3.169	$\int \frac{x^3 (a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	896

3.170	$\int \frac{x(a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	902
3.171	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x(d+ex^2)^{5/2}} dx$	907
3.172	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^3(d+ex^2)^{5/2}} dx$	910
3.173	$\int \frac{x^6(a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	913
3.174	$\int \frac{x^4(a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	916
3.175	$\int \frac{x^2(a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	919
3.176	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex^2)^{5/2}} dx$	924
3.177	$\int (fx)^m (d+ex^2)^3 (a+b\operatorname{sech}^{-1}(cx)) dx$	929
3.178	$\int (fx)^m (d+ex^2)^2 (a+b\operatorname{sech}^{-1}(cx)) dx$	934
3.179	$\int (fx)^m (d+ex^2) (a+b\operatorname{sech}^{-1}(cx)) dx$	939
3.180	$\int \frac{(fx)^m (a+b\operatorname{sech}^{-1}(cx))}{d+ex^2} dx$	943
3.181	$\int \frac{(fx)^m (a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^2} dx$	946
3.182	$\int (fx)^m (d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx)) dx$	949
3.183	$\int (fx)^m \sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx)) dx$	952
3.184	$\int \frac{(fx)^m (a+b\operatorname{sech}^{-1}(cx))}{\sqrt{d+ex^2}} dx$	955
3.185	$\int \frac{(fx)^m (a+b\operatorname{sech}^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	958
3.186	$\int \frac{x^{11}(a+b\operatorname{sech}^{-1}(cx))}{\sqrt{1-c^4x^4}} dx$	961
3.187	$\int \frac{x^7(a+b\operatorname{sech}^{-1}(cx))}{\sqrt{1-c^4x^4}} dx$	967
3.188	$\int \frac{x^3(a+b\operatorname{sech}^{-1}(cx))}{\sqrt{1-c^4x^4}} dx$	973
3.189	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x\sqrt{1-c^4x^4}} dx$	978
3.190	$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^5\sqrt{1-c^4x^4}} dx$	981

3.1 $\int x^4 \operatorname{sech}^{-1}(ax)^2 dx$

Optimal. Leaf size=164

$$-\frac{3x}{20a^4} - \frac{x^3}{30a^2} - \frac{3x\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{20a^4} - \frac{x^3\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{10a^2} + \frac{1}{5}x^5\operatorname{sech}^{-1}(ax)^2 - \frac{3\operatorname{sech}^{-1}(ax)\operatorname{ArcTan}\left(\frac{e^{\operatorname{sech}^{-1}(ax)}}{1+e^{\operatorname{sech}^{-1}(ax)}}\right)}{10a^5} + \frac{3i\operatorname{Li}_2\left(-ie^{\operatorname{sech}^{-1}(ax)}\right)}{20a^5} - \frac{3i\operatorname{Li}_2\left(ie^{\operatorname{sech}^{-1}(ax)}\right)}{20a^5} - \frac{3x}{20a^4} - \frac{3x\sqrt{\frac{1-ax}{ax+1}}(ax+1)\operatorname{sech}^{-1}(ax)}{20a^4} - \frac{x^3}{30a^2} - \frac{x^3\sqrt{\frac{1-ax}{ax+1}}(ax+1)\operatorname{sech}^{-1}(ax)}{10a^2} + \frac{1}{5}x^5\operatorname{sech}^{-1}(ax)^2$$

[Out] $-3/20*x/a^4-1/30*x^3/a^2+1/5*x^5*\operatorname{arcsech}(a*x)^2-3/10*\operatorname{arcsech}(a*x)*\arctan(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)})/a^5+3/20*I*\operatorname{polylog}(2,-I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))/a^5-3/20*I*\operatorname{polylog}(2,I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))/a^5-3/20*x*(a*x+1)*\operatorname{arcsech}(a*x)*((-a*x+1)/(a*x+1))^{(1/2)}/a^4-1/10*x^3*(a*x+1)*\operatorname{arcsech}(a*x)*((-a*x+1)/(a*x+1))^{(1/2)}/a^2$

Rubi [A]

time = 0.08, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {6420, 5526, 4270, 4265, 2317, 2438}

$$-\frac{3\operatorname{sech}^{-1}(ax)\operatorname{ArcTan}\left(\frac{e^{\operatorname{sech}^{-1}(ax)}}{1+e^{\operatorname{sech}^{-1}(ax)}}\right)}{10a^5} + \frac{3i\operatorname{Li}_2\left(-ie^{\operatorname{sech}^{-1}(ax)}\right)}{20a^5} - \frac{3i\operatorname{Li}_2\left(ie^{\operatorname{sech}^{-1}(ax)}\right)}{20a^5} - \frac{3x}{20a^4} - \frac{3x\sqrt{\frac{1-ax}{ax+1}}(ax+1)\operatorname{sech}^{-1}(ax)}{20a^4} - \frac{x^3}{30a^2} - \frac{x^3\sqrt{\frac{1-ax}{ax+1}}(ax+1)\operatorname{sech}^{-1}(ax)}{10a^2} + \frac{1}{5}x^5\operatorname{sech}^{-1}(ax)^2$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^4*\operatorname{ArcSech}[a*x]^2,x]$

[Out] $(-3*x)/(20*a^4) - x^3/(30*a^2) - (3*x*\operatorname{Sqrt}[(1-ax)/(1+ax)]*(1+ax)*\operatorname{ArcSech}[a*x])/(20*a^4) - (x^3*\operatorname{Sqrt}[(1-ax)/(1+ax)]*(1+ax)*\operatorname{ArcSech}[a*x])/(10*a^2) + (x^5*\operatorname{ArcSech}[a*x]^2)/5 - (3*\operatorname{ArcSech}[a*x]*\operatorname{ArcTan}[E^{\operatorname{ArcSech}[a*x]}])/(10*a^5) + (((3*I)/20)*\operatorname{PolyLog}[2, (-I)*E^{\operatorname{ArcSech}[a*x]}])/a^5 - (((3*I)/20)*\operatorname{PolyLog}[2, I*E^{\operatorname{ArcSech}[a*x]}])/a^5$

Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4265

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m-1)*Log[1
```

```
- E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[d*(m/(f*fz*I)), Int[(c +
d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] /; FreeQ[{c,
d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4270

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_)), x_Symbol] :>
Simp[(-b^2)*(c + d*x)*Cot[e + f*x]*((b*Csc[e + f*x])^(n - 2)/(f*(n - 1))),
x] + (Dist[b^2*((n - 2)/(n - 1)), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2),
x], x] - Simp[b^2*d*((b*Csc[e + f*x])^(n - 2)/(f^2*(n - 1)*(n - 2))), x]) /
; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rule 5526

```
Int[(x_)^(m_.)*Sech[(a_.) + (b_.)*(x_)^(n_.)]^(p_.)*Tanh[(a_.) + (b_.)*(x_)
^(n_.)]^(q_.), x_Symbol] :> Simp[(-x^(m - n + 1))*(Sech[a + b*x^n]^p/(b*n*p
)), x] + Dist[(m - n + 1)/(b*n*p), Int[x^(m - n)*Sech[a + b*x^n]^p, x], x]
/; FreeQ[{a, b, p}, x] && RationalQ[m] && IntegerQ[n] && GeQ[m - n, 0] && E
qQ[q, 1]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] :> Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
 \int x^4 \operatorname{sech}^{-1}(ax)^2 dx &= -\frac{\operatorname{Subst}\left(\int x^2 \operatorname{sech}^5(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^5} \\
 &= \frac{1}{5} x^5 \operatorname{sech}^{-1}(ax)^2 - \frac{2 \operatorname{Subst}\left(\int x \operatorname{sech}^5(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{5a^5} \\
 &= -\frac{x^3}{30a^2} - \frac{x^3 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{10a^2} + \frac{1}{5} x^5 \operatorname{sech}^{-1}(ax)^2 - \frac{3 \operatorname{Subst}\left(\int x \operatorname{sech}^3(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{10a^5} \\
 &= -\frac{3x}{20a^4} - \frac{x^3}{30a^2} - \frac{3x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{20a^4} - \frac{x^3 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{10a^2} \\
 &= -\frac{3x}{20a^4} - \frac{x^3}{30a^2} - \frac{3x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{20a^4} - \frac{x^3 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{10a^2} \\
 &= -\frac{3x}{20a^4} - \frac{x^3}{30a^2} - \frac{3x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{20a^4} - \frac{x^3 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{10a^2} \\
 &= -\frac{3x}{20a^4} - \frac{x^3}{30a^2} - \frac{3x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{20a^4} - \frac{x^3 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{10a^2}
 \end{aligned}$$

Mathematica [A]

time = 0.26, size = 182, normalized size = 1.11

$$\frac{-9ax - 2a^3x^3 - 9ax \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax) - 6a^3x^3 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax) + 12a^3x^2 \operatorname{sech}^{-1}(ax)^2 + 9 \operatorname{sech}^{-1}(ax) \log(1 - i e^{-\operatorname{sech}^{-1}(ax)}) - 9 \operatorname{sech}^{-1}(ax) \log(1 + i e^{-\operatorname{sech}^{-1}(ax)}) + 9i \operatorname{PolyLog}(2, -i e^{-\operatorname{sech}^{-1}(ax)}) - 9i \operatorname{PolyLog}(2, i e^{-\operatorname{sech}^{-1}(ax)})}{60a^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^4*ArcSech[a*x]^2,x]
```

```
[Out] (-9*a*x - 2*a^3*x^3 - 9*a*x*Sqrt[(1 - a*x)/(1 + a*x)]*(1 + a*x)*ArcSech[a*x] - 6*a^3*x^3*Sqrt[(1 - a*x)/(1 + a*x)]*(1 + a*x)*ArcSech[a*x] + 12*a^5*x^5*ArcSech[a*x]^2 + (9*I)*ArcSech[a*x]*Log[1 - I/E^ArcSech[a*x]] - (9*I)*ArcSech[a*x]*Log[1 + I/E^ArcSech[a*x]] + (9*I)*PolyLog[2, (-I)/E^ArcSech[a*x]] - (9*I)*PolyLog[2, I/E^ArcSech[a*x]])/(60*a^5)
```

Maple [A]

time = 0.49, size = 280, normalized size = 1.71

method	result
derivativedivides	$ \frac{\left(12a^4x^4 \operatorname{arcsech}(ax)^2 - 6 \operatorname{arcsech}(ax) \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} a^3x^3 - 9 \operatorname{arcsech}(ax) \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} ax - 2a^2x^2 - 9\right) ax^3}{60} + \dots $

default	$\frac{\left(12a^4x^4\operatorname{arcsech}(ax)^2-6\operatorname{arcsech}(ax)\sqrt{-\frac{ax-1}{ax}}\sqrt{\frac{ax+1}{ax}}a^3x^3-9\operatorname{arcsech}(ax)\sqrt{-\frac{ax-1}{ax}}\sqrt{\frac{ax+1}{ax}}ax-2a^2x^2-9\right)ax}{60} +$
---------	--

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*arcsech(a*x)^2,x,method=_RETURNVERBOSE)
```

```
[Out] 1/a^5*(1/60*(12*a^4*x^4*arcsech(a*x)^2-6*arcsech(a*x)*(-(a*x-1)/a/x)^(1/2)*
((a*x+1)/a/x)^(1/2)*a^3*x^3-9*arcsech(a*x)*(-(a*x-1)/a/x)^(1/2)*((a*x+1)/a/
x)^(1/2)*a*x-2*a^2*x^2-9)*a*x+3/20*I*arcsech(a*x)*ln(1+I*(1/a/x+(1/a/x-1)^(
1/2)*(1+1/a/x)^(1/2)))-3/20*I*arcsech(a*x)*ln(1-I*(1/a/x+(1/a/x-1)^(1/2)*(1
+1/a/x)^(1/2)))+3/20*I*dilog(1+I*(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2)))-3
/20*I*dilog(1-I*(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2))))
```

Maxima [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*arcsech(a*x)^2,x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*arcsech(a*x)^2,x, algorithm="fricas")
```

```
[Out] integral(x^4*arcsech(a*x)^2, x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{asech}^2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*asech(a*x)**2,x)
```

```
[Out] Integral(x**4*asech(a*x)**2, x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arcsech(a*x)^2,x, algorithm="giac")

[Out] integrate(x^4*arcsech(a*x)^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 \operatorname{acosh}\left(\frac{1}{ax}\right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*acosh(1/(a*x))^2,x)

[Out] int(x^4*acosh(1/(a*x))^2, x)

3.2 $\int x^3 \operatorname{sech}^{-1}(ax)^2 dx$

Optimal. Leaf size=104

$$\frac{x^2}{12a^2} - \frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{3a^4} - \frac{x^2 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{6a^2} + \frac{1}{4} x^4 \operatorname{sech}^{-1}(ax)^2 - \frac{\log(x)}{3a^4}$$

[Out] $-1/12*x^2/a^2+1/4*x^4*\operatorname{arcsech}(a*x)^2-1/3*\ln(x)/a^4-1/3*(a*x+1)*\operatorname{arcsech}(a*x)*((-a*x+1)/(a*x+1))^{(1/2)}/a^4-1/6*x^2*(a*x+1)*\operatorname{arcsech}(a*x)*((-a*x+1)/(a*x+1))^{(1/2)}/a^2$

Rubi [A]

time = 0.06, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6420, 5526, 4270, 4269, 3556}

$$\frac{\log(x)}{3a^4} - \frac{\sqrt{\frac{1-ax}{ax+1}} (ax+1) \operatorname{sech}^{-1}(ax)}{3a^4} - \frac{x^2}{12a^2} - \frac{x^2 \sqrt{\frac{1-ax}{ax+1}} (ax+1) \operatorname{sech}^{-1}(ax)}{6a^2} + \frac{1}{4} x^4 \operatorname{sech}^{-1}(ax)^2$$

Antiderivative was successfully verified.

[In] `Int[x^3*ArcSech[a*x]^2,x]`

[Out] $-1/12*x^2/a^2 - (\operatorname{Sqrt}[(1 - a*x)/(1 + a*x)]*(1 + a*x)*\operatorname{ArcSech}[a*x])/(3*a^4) - (x^2*\operatorname{Sqrt}[(1 - a*x)/(1 + a*x)]*(1 + a*x)*\operatorname{ArcSech}[a*x])/(6*a^2) + (x^4*\operatorname{ArcSech}[a*x]^2)/4 - \operatorname{Log}[x]/(3*a^4)$

Rule 3556

`Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := Simp[-Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]`

Rule 4269

`Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Simp[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 4270

`Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[(-b^2)*(c + d*x)*Cot[e + f*x]*((b*Csc[e + f*x])^(n - 2)/(f*(n - 1))), x] + (Dist[b^2*((n - 2)/(n - 1)), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[b^2*d*((b*Csc[e + f*x])^(n - 2)/(f^2*(n - 1)*(n - 2))), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]`

Rule 5526

```
Int[(x_)^(m_)*Sech[(a_) + (b_)*(x_)^(n_)]^(p_)*Tanh[(a_) + (b_)*(x_)
^(n_)]^(q_), x_Symbol] := Simp[(-x^(m - n + 1))*(Sech[a + b*x^n]^p/(b*n*p
)), x] + Dist[(m - n + 1)/(b*n*p), Int[x^(m - n)*Sech[a + b*x^n]^p, x], x]
/; FreeQ[{a, b, p}, x] && RationalQ[m] && IntegerQ[n] && GeQ[m - n, 0] && E
qQ[q, 1]
```

Rule 6420

```
Int[((a_) + ArcSech[(c_)*(x_)]*(b_))^(n_)*(x_)^(m_), x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int x^3 \operatorname{sech}^{-1}(ax)^2 dx &= -\frac{\operatorname{Subst}\left(\int x^2 \operatorname{sech}^4(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^4} \\
&= \frac{1}{4} x^4 \operatorname{sech}^{-1}(ax)^2 - \frac{\operatorname{Subst}\left(\int x \operatorname{sech}^4(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{2a^4} \\
&= -\frac{x^2}{12a^2} - \frac{x^2 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{6a^2} + \frac{1}{4} x^4 \operatorname{sech}^{-1}(ax)^2 - \frac{\operatorname{Subst}\left(\int x \operatorname{sech}^2(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{3a^4} \\
&= -\frac{x^2}{12a^2} - \frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{3a^4} - \frac{x^2 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{6a^2} + \frac{1}{4} x^4 \operatorname{sech}^{-1}(ax)^2 \\
&= -\frac{x^2}{12a^2} - \frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{3a^4} - \frac{x^2 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{6a^2} + \frac{1}{4} x^4 \operatorname{sech}^{-1}(ax)^2
\end{aligned}$$

Mathematica [A]

time = 0.07, size = 77, normalized size = 0.74

$$\frac{a^2 x^2 + 2 \sqrt{\frac{1-ax}{1+ax}} (2 + 2ax + a^2 x^2 + a^3 x^3) \operatorname{sech}^{-1}(ax) - 3a^4 x^4 \operatorname{sech}^{-1}(ax)^2 + 4 \log(x)}{12a^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^3*ArcSech[a*x]^2,x]
```

```
[Out] -1/12*(a^2*x^2 + 2*sqrt[(1 - a*x)/(1 + a*x)]*(2 + 2*a*x + a^2*x^2 + a^3*x^3
)*ArcSech[a*x] - 3*a^4*x^4*ArcSech[a*x]^2 + 4*Log[x])/a^4
```

Maple [A]

time = 0.37, size = 150, normalized size = 1.44

method	result
derivativedivides	$\frac{-\frac{\operatorname{arcsech}(ax)}{3} + \frac{a^4 x^4 \operatorname{arcsech}(ax)^2}{4} - \frac{\operatorname{arcsech}(ax) \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} a^3 x^3}{6} - \frac{\operatorname{arcsech}(ax) \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} ax}{3} - \frac{a^2 x}{12}}{a^4}$
default	$\frac{-\frac{\operatorname{arcsech}(ax)}{3} + \frac{a^4 x^4 \operatorname{arcsech}(ax)^2}{4} - \frac{\operatorname{arcsech}(ax) \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} a^3 x^3}{6} - \frac{\operatorname{arcsech}(ax) \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} ax}{3} - \frac{a^2 x}{12}}{a^4}$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^3*arcsech(a*x)^2,x,method=_RETURNVERBOSE)`

```
[Out] 1/a^4*(-1/3*arcsech(a*x)+1/4*a^4*x^4*arcsech(a*x)^2-1/6*arcsech(a*x)*(-(a*x-1)/a/x)^(1/2)*((a*x+1)/a/x)^(1/2)*a^3*x^3-1/3*arcsech(a*x)*(-(a*x-1)/a/x)^(1/2)*((a*x+1)/a/x)^(1/2)*a*x-1/12*a^2*x^2+1/3*ln(1+(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2))^2))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^3*arcsech(a*x)^2,x, algorithm="maxima")``[Out] integrate(x^3*arcsech(a*x)^2, x)`**Fricas [A]**

time = 0.37, size = 125, normalized size = 1.20

$$\frac{3 a^4 x^4 \log \left(\frac{ax \sqrt{-\frac{a^2 x^2 - 1}{a^2 x^2}} + 1}{ax} \right)^2 - a^2 x^2 - 2 (a^3 x^3 + 2 ax) \sqrt{-\frac{a^2 x^2 - 1}{a^2 x^2}} \log \left(\frac{ax \sqrt{-\frac{a^2 x^2 - 1}{a^2 x^2}} + 1}{ax} \right) - 4 \log(x)}{12 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^3*arcsech(a*x)^2,x, algorithm="fricas")`

```
[Out] 1/12*(3*a^4*x^4*log((a*x*sqrt(-(a^2*x^2 - 1)/(a^2*x^2)) + 1)/(a*x))^2 - a^2*x^2 - 2*(a^3*x^3 + 2*a*x)*sqrt(-(a^2*x^2 - 1)/(a^2*x^2))*log((a*x*sqrt(-(a^2*x^2 - 1)/(a^2*x^2)) + 1)/(a*x)) - 4*log(x))/a^4
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{asech}^2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*asech(a*x)**2,x)**[Out]** Integral(x**3*asech(a*x)**2, x)**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arcsech(a*x)^2,x, algorithm="giac")**[Out]** integrate(x^3*arcsech(a*x)^2, x)**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{acosh}\left(\frac{1}{ax}\right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*acosh(1/(a*x))^2,x)**[Out]** int(x^3*acosh(1/(a*x))^2, x)

3.3 $\int x^2 \operatorname{sech}^{-1}(ax)^2 dx$

Optimal. Leaf size=117

$$-\frac{x}{3a^2} - \frac{x\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{3a^2} + \frac{1}{3}x^3\operatorname{sech}^{-1}(ax)^2 - \frac{2\operatorname{sech}^{-1}(ax)\operatorname{ArcTan}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{3a^3} + \frac{i\operatorname{PolyLog}\left(2, -\frac{1}{a/x+(1/a/x-1)^{(1/2)}(1+1/a/x)^{(1/2)}}\right)}{3a^3}$$

[Out] $-1/3*x/a^2+1/3*x^3*\operatorname{arcsech}(a*x)^2-2/3*\operatorname{arcsech}(a*x)*\arctan(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)})/a^3+1/3*I*\operatorname{polylog}(2,-I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))/a^3-1/3*I*\operatorname{polylog}(2,I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))/a^3-1/3*x*(a*x+1)*\operatorname{arcsech}(a*x)*((-a*x+1)/(a*x+1))^{(1/2)}/a^2$

Rubi [A]

time = 0.07, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {6420, 5526, 4270, 4265, 2317, 2438}

$$-\frac{2\operatorname{sech}^{-1}(ax)\operatorname{ArcTan}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{3a^3} + \frac{i\operatorname{Li}_2\left(-ie^{\operatorname{sech}^{-1}(ax)}\right)}{3a^3} - \frac{i\operatorname{Li}_2\left(ie^{\operatorname{sech}^{-1}(ax)}\right)}{3a^3} - \frac{x}{3a^2} - \frac{x\sqrt{\frac{1-ax}{ax+1}}(ax+1)\operatorname{sech}^{-1}(ax)}{3a^2} + \frac{1}{3}x^3\operatorname{sech}^{-1}(ax)^2$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2*\operatorname{ArcSech}[a*x]^2, x]$

[Out] $-1/3*x/a^2 - (x*\operatorname{Sqrt}[(1 - a*x)/(1 + a*x)]*(1 + a*x)*\operatorname{ArcSech}[a*x])/(3*a^2) + (x^3*\operatorname{ArcSech}[a*x]^2)/3 - (2*\operatorname{ArcSech}[a*x]*\operatorname{ArcTan}[E^{\operatorname{ArcSech}[a*x]}])/(3*a^3) + ((I/3)*\operatorname{PolyLog}[2, (-I)*E^{\operatorname{ArcSech}[a*x]}])/a^3 - ((I/3)*\operatorname{PolyLog}[2, I*E^{\operatorname{ArcSech}[a*x]}])/a^3$

Rule 2317

$\operatorname{Int}[\operatorname{Log}[(a_) + (b_)*((F_)^{((e_)*((c_) + (d_)*(x_)))})^{(n_)}], x_Symbol]$
 $\rightarrow \operatorname{Dist}[1/(d*e*n*\operatorname{Log}[F]), \operatorname{Subst}[\operatorname{Int}[\operatorname{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^{(n)}, x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \operatorname{GtQ}[a, 0]$

Rule 2438

$\operatorname{Int}[\operatorname{Log}[(c_)*((d_) + (e_)*(x_)^{(n_)})]/(x_), x_Symbol] \rightarrow \operatorname{Simp}[-\operatorname{PolyLog}[2, (-c)*e*x^n]/n, x] /; \operatorname{FreeQ}\{c, d, e, n\}, x] \&\& \operatorname{EqQ}[c*d, 1]$

Rule 4265

$\operatorname{Int}[\operatorname{csc}[(e_) + \operatorname{Pi}*(k_) + (\operatorname{Complex}[0, fz_])*(f_)*(x_)]*((c_) + (d_)*(x_))^{(m_)}, x_Symbol] \rightarrow \operatorname{Simp}[-2*(c + d*x)^m*(\operatorname{ArcTanh}[E^{((-I)*e + f*fz*x)}/E^{(I*k*Pi)}]/(f*fz*I)), x] + (-\operatorname{Dist}[d*(m/(f*fz*I)), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 - E^{((-I)*e + f*fz*x)}/E^{(I*k*Pi)}], x], x] + \operatorname{Dist}[d*(m/(f*fz*I)), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 + E^{((-I)*e + f*fz*x)}/E^{(I*k*Pi)}], x], x]) /; \operatorname{FreeQ}\{c,$

d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 4270

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.)), x_Symbol] :>
  Simp[(-b^2)*(c + d*x)*Cot[e + f*x]*((b*Csc[e + f*x])^(n - 2)/(f*(n - 1))),
  x] + (Dist[b^2*((n - 2)/(n - 1)), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2),
  x], x] - Simp[b^2*d*((b*Csc[e + f*x])^(n - 2)/(f^2*(n - 1)*(n - 2))), x]) /
; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rule 5526

```
Int[(x_)^(m_.)*Sech[(a_.) + (b_.)*(x_)^(n_.)]^(p_.)*Tanh[(a_.) + (b_.)*(x_)
^(n_.)]^(q_.), x_Symbol] :> Simp[(-x^(m - n + 1))*(Sech[a + b*x^n]^p/(b*n*p
)), x] + Dist[(m - n + 1)/(b*n*p), Int[x^(m - n)*Sech[a + b*x^n]^p, x], x]
;/; FreeQ[{a, b, p}, x] && RationalQ[m] && IntegerQ[n] && GeQ[m - n, 0] && E
qQ[q, 1]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
 \int x^2 \operatorname{sech}^{-1}(ax)^2 dx &= -\frac{\operatorname{Subst}\left(\int x^2 \operatorname{sech}^3(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^3} \\
 &= \frac{1}{3} x^3 \operatorname{sech}^{-1}(ax)^2 - \frac{2 \operatorname{Subst}\left(\int x \operatorname{sech}^3(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{3a^3} \\
 &= -\frac{x}{3a^2} - \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{3a^2} + \frac{1}{3} x^3 \operatorname{sech}^{-1}(ax)^2 - \frac{\operatorname{Subst}\left(\int x \operatorname{sech}(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{3a^3} \\
 &= -\frac{x}{3a^2} - \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{3a^2} + \frac{1}{3} x^3 \operatorname{sech}^{-1}(ax)^2 - \frac{2 \operatorname{sech}^{-1}(ax) \tan^{-1}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{3a^3} \\
 &= -\frac{x}{3a^2} - \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{3a^2} + \frac{1}{3} x^3 \operatorname{sech}^{-1}(ax)^2 - \frac{2 \operatorname{sech}^{-1}(ax) \tan^{-1}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{3a^3} \\
 &= -\frac{x}{3a^2} - \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{3a^2} + \frac{1}{3} x^3 \operatorname{sech}^{-1}(ax)^2 - \frac{2 \operatorname{sech}^{-1}(ax) \tan^{-1}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{3a^3}
 \end{aligned}$$

Mathematica [A]

time = 0.17, size = 138, normalized size = 1.18

$$\frac{-ax - ax\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax) + a^3x^3\operatorname{sech}^{-1}(ax)^2 + i\operatorname{sech}^{-1}(ax)\log(1 - ie^{-\operatorname{sech}^{-1}(ax)}) - i\operatorname{sech}^{-1}(ax)\log(1 + ie^{-\operatorname{sech}^{-1}(ax)}) + iPolyLog(2, -ie^{-\operatorname{sech}^{-1}(ax)}) - iPolyLog(2, ie^{-\operatorname{sech}^{-1}(ax)})}{3a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcSech[a*x]^2,x]

[Out] $(-(a*x) - a*x*\sqrt{(1 - a*x)/(1 + a*x)})*(1 + a*x)*\operatorname{ArcSech}[a*x] + a^3*x^3*\operatorname{ArcSech}[a*x]^2 + I*\operatorname{ArcSech}[a*x]*\operatorname{Log}[1 - I/E^{\operatorname{ArcSech}[a*x]}] - I*\operatorname{ArcSech}[a*x]*\operatorname{Log}[1 + I/E^{\operatorname{ArcSech}[a*x]}] + I*\operatorname{PolyLog}[2, (-I)/E^{\operatorname{ArcSech}[a*x]}] - I*\operatorname{PolyLog}[2, I/E^{\operatorname{ArcSech}[a*x]}])/(3*a^3)$

Maple [A]

time = 0.44, size = 230, normalized size = 1.97

method	result
derivativedivides	$\frac{\left(a^2x^2\operatorname{arcsech}(ax)^2 - \operatorname{arcsech}(ax)\sqrt{-\frac{ax-1}{ax}}\sqrt{\frac{ax+1}{ax}}ax - 1\right)ax + i\operatorname{arcsech}(ax)\ln\left(1+i\left(\frac{1}{ax} + \sqrt{\frac{1}{ax} - 1}\sqrt{1 + \frac{1}{ax}}\right)\right)}{3}$
default	$\frac{\left(a^2x^2\operatorname{arcsech}(ax)^2 - \operatorname{arcsech}(ax)\sqrt{-\frac{ax-1}{ax}}\sqrt{\frac{ax+1}{ax}}ax - 1\right)ax + i\operatorname{arcsech}(ax)\ln\left(1+i\left(\frac{1}{ax} + \sqrt{\frac{1}{ax} - 1}\sqrt{1 + \frac{1}{ax}}\right)\right)}{3}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arcsech(a*x)^2,x,method=_RETURNVERBOSE)

[Out] $1/a^3*(1/3*(a^2*x^2*\operatorname{arcsech}(a*x)^2 - \operatorname{arcsech}(a*x)*(-a*x-1)/a/x)^{(1/2)}*((a*x+1)/a/x)^{(1/2)}*a*x-1/3*I*\operatorname{arcsech}(a*x)*\ln(1+I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))-1/3*I*\operatorname{arcsech}(a*x)*\ln(1-I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))+1/3*I*\operatorname{dilog}(1+I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))-1/3*I*\operatorname{dilog}(1-I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)})))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arcsech(a*x)^2,x, algorithm="maxima")**[Out]** integrate(x^2*arcsech(a*x)^2, x)**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arcsech(a*x)^2,x, algorithm="fricas")

[Out] integral(x^2*arcsech(a*x)^2, x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{asech}^2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*asech(a*x)**2,x)

[Out] Integral(x**2*asech(a*x)**2, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arcsech(a*x)^2,x, algorithm="giac")

[Out] integrate(x^2*arcsech(a*x)^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{acosh}\left(\frac{1}{ax}\right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*acosh(1/(a*x))^2,x)

[Out] int(x^2*acosh(1/(a*x))^2, x)

3.4 $\int x \operatorname{sech}^{-1}(ax)^2 dx$

Optimal. Leaf size=53

$$-\frac{\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{a^2} + \frac{1}{2}x^2\operatorname{sech}^{-1}(ax)^2 - \frac{\log(x)}{a^2}$$

[Out] $1/2*x^2*\operatorname{arcsech}(a*x)^2 - \ln(x)/a^2 - (a*x+1)*\operatorname{arcsech}(a*x)*((-a*x+1)/(a*x+1))^{(1/2)}/a^2$

Rubi [A]

time = 0.04, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6420, 5526, 4269, 3556}

$$-\frac{\log(x)}{a^2} - \frac{\sqrt{\frac{1-ax}{ax+1}}(ax+1)\operatorname{sech}^{-1}(ax)}{a^2} + \frac{1}{2}x^2\operatorname{sech}^{-1}(ax)^2$$

Antiderivative was successfully verified.

[In] `Int[x*ArcSech[a*x]^2,x]`

[Out] $-((\operatorname{Sqrt}[(1-ax)/(1+ax)]*(1+ax)*\operatorname{ArcSech}[a*x])/a^2) + (x^2*\operatorname{ArcSech}[a*x]^2)/2 - \operatorname{Log}[x]/a^2$

Rule 3556

`Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := Simp[-Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]`

Rule 4269

`Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Simp[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m-1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 5526

`Int[(x_)^(m_.)*Sech[(a_.) + (b_.)*(x_)^(n_.)]^(p_.)*Tanh[(a_.) + (b_.)*(x_)^(n_.)]^(q_.), x_Symbol] := Simp[(-x^(m-n+1))*(Sech[a + b*x^n]^p/(b*n*p)), x] + Dist[(m-n+1)/(b*n*p), Int[x^(m-n)*Sech[a + b*x^n]^p, x], x] /; FreeQ[{a, b, p}, x] && RationalQ[m] && IntegerQ[n] && GeQ[m-n, 0] && EqQ[q, 1]`

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_)^(m_.), x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int x \operatorname{sech}^{-1}(ax)^2 dx &= -\frac{\operatorname{Subst}\left(\int x^2 \operatorname{sech}^2(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^2} \\
&= \frac{1}{2} x^2 \operatorname{sech}^{-1}(ax)^2 - \frac{\operatorname{Subst}\left(\int x \operatorname{sech}^2(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^2} \\
&= -\frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{a^2} + \frac{1}{2} x^2 \operatorname{sech}^{-1}(ax)^2 + \frac{\operatorname{Subst}\left(\int \tanh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^2} \\
&= -\frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{a^2} + \frac{1}{2} x^2 \operatorname{sech}^{-1}(ax)^2 - \frac{\log(x)}{a^2}
\end{aligned}$$

Mathematica [A]

time = 0.04, size = 53, normalized size = 1.00

$$-\frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{a^2} + \frac{1}{2} x^2 \operatorname{sech}^{-1}(ax)^2 - \frac{\log(x)}{a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcSech[a*x]^2,x]

[Out] -((Sqrt[(1 - a*x)/(1 + a*x)]*(1 + a*x)*ArcSech[a*x])/a^2) + (x^2*ArcSech[a*x]^2)/2 - Log[x]/a^2

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 99 vs. 2(49) = 98.

time = 0.32, size = 100, normalized size = 1.89

method	result
derivativedivides	$ -2 \operatorname{arcsech}(ax) + \frac{\operatorname{arcsech}(ax) \left(\operatorname{arcsech}(ax) a^2 x^2 - 2 \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} a^{x+2} \right)}{2} + \ln \left(1 + \left(\frac{1}{ax} + \sqrt{\frac{1}{ax} - 1} \sqrt{1 + \frac{1}{ax}} \right) \right) $

default	$-2 \operatorname{arcsech}(ax) + \frac{\operatorname{arcsech}(ax) \left(\operatorname{arcsech}(ax) a^2 x^2 - 2 \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} a x + 2 \right)}{2 a^2} + \ln \left(1 + \left(\frac{1}{ax} + \sqrt{\frac{1}{ax} - 1} \sqrt{1 + \frac{1}{ax}} \right) \right)$
---------	--

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*arcsech(a*x)^2,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{a^2} (-2 \operatorname{arcsech}(ax) + \frac{1}{2} \operatorname{arcsech}(ax) * (\operatorname{arcsech}(ax) * a^2 x^2 - 2 * (-\frac{ax-1}{a/x})^{(1/2)} * ((\frac{ax+1}{a/x})^{(1/2)} * a x + 2) + \ln(1 + (\frac{1}{a/x} + (\frac{1}{a/x} - 1)^{(1/2)} * (1 + \frac{1}{a/x})^{(1/2)})^2))$

Maxima [A]

time = 0.26, size = 40, normalized size = 0.75

$$\frac{1}{2} x^2 \operatorname{arsech}(ax)^2 - \frac{x \sqrt{\frac{1}{a^2 x^2} - 1} \operatorname{arsech}(ax)}{a} - \frac{\log(x)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsech(a*x)^2,x, algorithm="maxima")`

[Out] $\frac{1}{2} x^2 \operatorname{arcsech}(ax)^2 - x \sqrt{1/(a^2 x^2) - 1} \operatorname{arcsech}(ax)/a - \log(x)/a^2$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 106 vs. 2(49) = 98.

time = 0.34, size = 106, normalized size = 2.00

$$\frac{a^2 x^2 \log \left(\frac{ax \sqrt{-\frac{a^2 x^2 - 1}{a^2 x^2}} + 1}{ax} \right)^2 - 2 ax \sqrt{-\frac{a^2 x^2 - 1}{a^2 x^2}} \log \left(\frac{ax \sqrt{-\frac{a^2 x^2 - 1}{a^2 x^2}} + 1}{ax} \right) - 2 \log(x)}{2 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsech(a*x)^2,x, algorithm="fricas")`

[Out] $\frac{1}{2} * (a^2 x^2 * \log((ax * \sqrt{-(a^2 x^2 - 1)/(a^2 x^2)} + 1)/(ax))^2 - 2 * ax * \sqrt{-(a^2 x^2 - 1)/(a^2 x^2)} * \log((ax * \sqrt{-(a^2 x^2 - 1)/(a^2 x^2)} + 1)/(ax)) - 2 * \log(x))/a^2$

Sympy [A]

time = 0.26, size = 42, normalized size = 0.79

$$\begin{cases} \frac{x^2 \operatorname{asech}^2(ax)}{2} - \frac{\sqrt{-a^2 x^2 + 1} \operatorname{asech}(ax)}{a^2} - \frac{\log(x)}{a^2} & \text{for } a \neq 0 \\ \infty x^2 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*asech(a*x)**2,x)

[Out] Piecewise((x**2*asech(a*x)**2/2 - sqrt(-a**2*x**2 + 1)*asech(a*x)/a**2 - log(x)/a**2, Ne(a, 0)), (oo*x**2, True))

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arcsech(a*x)^2,x, algorithm="giac")

[Out] integrate(x*arcsech(a*x)^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int x \operatorname{acosh}\left(\frac{1}{ax}\right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*acosh(1/(a*x))^2,x)

[Out] int(x*acosh(1/(a*x))^2, x)

3.5 $\int \operatorname{sech}^{-1}(ax)^2 dx$

Optimal. Leaf size=63

$$x \operatorname{sech}^{-1}(ax)^2 - \frac{4 \operatorname{sech}^{-1}(ax) \operatorname{ArcTan}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{a} + \frac{2i \operatorname{PolyLog}\left(2, -ie^{\operatorname{sech}^{-1}(ax)}\right)}{a} - \frac{2i \operatorname{PolyLog}\left(2, ie^{\operatorname{sech}^{-1}(ax)}\right)}{a}$$

[Out] $x \operatorname{arcsech}(a*x)^2 - 4 \operatorname{arcsech}(a*x) \operatorname{arctan}(1/a/x + (1/a/x - 1)^{1/2} * (1 + 1/a/x)^{1/2}) / a + 2 * I * \operatorname{polylog}(2, -I * (1/a/x + (1/a/x - 1)^{1/2} * (1 + 1/a/x)^{1/2})) / a - 2 * I * \operatorname{polylog}(2, I * (1/a/x + (1/a/x - 1)^{1/2} * (1 + 1/a/x)^{1/2})) / a$

Rubi [A]

time = 0.04, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$, Rules used = {6414, 5526, 4265, 2317, 2438}

$$-\frac{4 \operatorname{sech}^{-1}(ax) \operatorname{ArcTan}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{a} + \frac{2i \operatorname{Li}_2\left(-ie^{\operatorname{sech}^{-1}(ax)}\right)}{a} - \frac{2i \operatorname{Li}_2\left(ie^{\operatorname{sech}^{-1}(ax)}\right)}{a} + x \operatorname{sech}^{-1}(ax)^2$$

Antiderivative was successfully verified.

[In] Int[ArcSech[a*x]^2, x]

[Out] $x \operatorname{ArcSech}[a*x]^2 - (4 \operatorname{ArcSech}[a*x] \operatorname{ArcTan}[E^{\operatorname{ArcSech}[a*x]}]) / a + ((2 * I) * \operatorname{PolyLog}[2, (-I) * E^{\operatorname{ArcSech}[a*x]}]) / a - ((2 * I) * \operatorname{PolyLog}[2, I * E^{\operatorname{ArcSech}[a*x]}]) / a$

Rule 2317

Int[Log[(a_) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))]^(n_.), x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4265

Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 5526

```
Int[(x_)^(m_)*Sech[(a_) + (b_)*(x_)^(n_)]^(p_)*Tanh[(a_) + (b_)*(x_)
^(n_)]^(q_), x_Symbol] := Simp[(-x^(m - n + 1))*(Sech[a + b*x^n]^p/(b*n*p
)), x] + Dist[(m - n + 1)/(b*n*p), Int[x^(m - n)*Sech[a + b*x^n]^p, x], x]
/; FreeQ[{a, b, p}, x] && RationalQ[m] && IntegerQ[n] && GeQ[m - n, 0] && E
qQ[q, 1]
```

Rule 6414

```
Int[((a_) + ArcSech[(c_)*(x_)*(b_)])^(n_), x_Symbol] := Dist[-c^(-1), Su
bst[Int[(a + b*x)^n*Sech[x]*Tanh[x], x], x, ArcSech[c*x]], x] /; FreeQ[{a,
b, c, n}, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \operatorname{sech}^{-1}(ax)^2 dx &= -\frac{\operatorname{Subst}\left(\int x^2 \operatorname{sech}(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a} \\
&= x \operatorname{sech}^{-1}(ax)^2 - \frac{2 \operatorname{Subst}\left(\int x \operatorname{sech}(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a} \\
&= x \operatorname{sech}^{-1}(ax)^2 - \frac{4 \operatorname{sech}^{-1}(ax) \tan^{-1}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{a} + \frac{(2i) \operatorname{Subst}\left(\int \log(1 - ie^x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a} \\
&= x \operatorname{sech}^{-1}(ax)^2 - \frac{4 \operatorname{sech}^{-1}(ax) \tan^{-1}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{a} + \frac{(2i) \operatorname{Subst}\left(\int \frac{\log(1-ix)}{x} dx, x, e^{\operatorname{sech}^{-1}(ax)}\right)}{a} \\
&= x \operatorname{sech}^{-1}(ax)^2 - \frac{4 \operatorname{sech}^{-1}(ax) \tan^{-1}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{a} + \frac{2i \operatorname{Li}_2\left(-ie^{\operatorname{sech}^{-1}(ax)}\right)}{a} - \frac{2i \operatorname{Li}_2\left(ie^{\operatorname{sech}^{-1}(ax)}\right)}{a}
\end{aligned}$$

Mathematica [A]

time = 0.13, size = 90, normalized size = 1.43

$$\frac{i \left(\operatorname{sech}^{-1}(ax) \left(-iax \operatorname{sech}^{-1}(ax) + 2 \log(1 - ie^{-\operatorname{sech}^{-1}(ax)}) - 2 \log(1 + ie^{-\operatorname{sech}^{-1}(ax)}) \right) + 2 \operatorname{PolyLog}\left(2, -ie^{-\operatorname{sech}^{-1}(ax)}\right) - 2 \operatorname{PolyLog}\left(2, ie^{-\operatorname{sech}^{-1}(ax)}\right) \right)}{a}$$

Antiderivative was successfully verified.

```
[In] Integrate[ArcSech[a*x]^2, x]
```

```
[Out] (I*(ArcSech[a*x]*((-I)*a*x*ArcSech[a*x] + 2*Log[1 - I/E^ArcSech[a*x]] - 2*Log[1 + I/E^ArcSech[a*x]]) + 2*PolyLog[2, (-I)/E^ArcSech[a*x]] - 2*PolyLog[2, I/E^ArcSech[a*x]]))/a
```

Maple [A]

time = 0.29, size = 183, normalized size = 2.90

method	result
derivativedivides	$\text{arcsech}(ax)^2 ax + 2i \text{arcsech}(ax) \ln\left(1+i\left(\frac{1}{ax} + \sqrt{\frac{1}{ax} - 1}\sqrt{1 + \frac{1}{ax}}\right)\right) - 2i \text{arcsech}(ax) \ln\left(1-i\left(\frac{1}{ax} + \sqrt{\frac{1}{ax} - 1}\sqrt{1 + \frac{1}{ax}}\right)\right)$
default	$\text{arcsech}(ax)^2 ax + 2i \text{arcsech}(ax) \ln\left(1+i\left(\frac{1}{ax} + \sqrt{\frac{1}{ax} - 1}\sqrt{1 + \frac{1}{ax}}\right)\right) - 2i \text{arcsech}(ax) \ln\left(1-i\left(\frac{1}{ax} + \sqrt{\frac{1}{ax} - 1}\sqrt{1 + \frac{1}{ax}}\right)\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsech(a*x)^2,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{a} * (\text{arcsech}(a*x)^2 * a*x + 2*I*\text{arcsech}(a*x)*\ln(1+I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)})) - 2*I*\text{arcsech}(a*x)*\ln(1-I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))) + 2*I*\text{dilog}(1+I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)})) - 2*I*\text{dilog}(1-I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)})))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsech(a*x)^2,x, algorithm="maxima")`

[Out] $x*\log(\sqrt{a*x + 1}*\sqrt{-a*x + 1} + 1)^2 - \text{integrate}(-a^2*x^2*\log(a)^2 + (a^2*x^2 - 1)*\log(x)^2 + (a^2*x^2*\log(a)^2 + (a^2*x^2 - 1)*\log(x)^2 - \log(a)^2 + 2*(a^2*x^2*\log(a) - \log(a))*\log(x))*\sqrt{a*x + 1}*\sqrt{-a*x + 1} - 2*(a^2*x^2*\log(a) + (a^2*x^2*(\log(a) + 1) + (a^2*x^2 - 1)*\log(x) - \log(a))*\sqrt{a*x + 1}*\sqrt{-a*x + 1} + (a^2*x^2 - 1)*\log(x) - \log(a))*\log(\sqrt{a*x + 1}*\sqrt{-a*x + 1} + 1) - \log(a)^2 + 2*(a^2*x^2*\log(a) - \log(a))*\log(x))/(a^2*x^2 + (a^2*x^2 - 1)*\sqrt{a*x + 1}*\sqrt{-a*x + 1} - 1), x)$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsech(a*x)^2,x, algorithm="fricas")`

[Out] `integral(arcsech(a*x)^2, x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \text{asech}^2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asech(a*x)**2,x)

[Out] Integral(asech(a*x)**2, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^2,x, algorithm="giac")

[Out] integrate(arcsech(a*x)^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \operatorname{acosh}\left(\frac{1}{ax}\right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(1/(a*x))^2,x)

[Out] int(acosh(1/(a*x))^2, x)

3.6 $\int \frac{\operatorname{sech}^{-1}(ax)^2}{x} dx$

Optimal. Leaf size=64

$$\frac{1}{3}\operatorname{sech}^{-1}(ax)^3 - \operatorname{sech}^{-1}(ax)^2 \log\left(1 + e^{2\operatorname{sech}^{-1}(ax)}\right) - \operatorname{sech}^{-1}(ax)\operatorname{PolyLog}\left(2, -e^{2\operatorname{sech}^{-1}(ax)}\right) + \frac{1}{2}\operatorname{PolyLog}\left(3, -e^{2\operatorname{sech}^{-1}(ax)}\right)$$

[Out] 1/3*arcsech(a*x)^3-arcsech(a*x)^2*ln(1+(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2))^2)-arcsech(a*x)*polylog(2,-(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2))^2)+1/2*polylog(3,-(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2))^2)

Rubi [A]

time = 0.06, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {6420, 3799, 2221, 2611, 2320, 6724}

$$-\operatorname{sech}^{-1}(ax)\operatorname{Li}_2\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) + \frac{1}{2}\operatorname{Li}_3\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) + \frac{1}{3}\operatorname{sech}^{-1}(ax)^3 - \operatorname{sech}^{-1}(ax)^2 \log\left(e^{2\operatorname{sech}^{-1}(ax)} + 1\right)$$

Antiderivative was successfully verified.

[In] Int[ArcSech[a*x]^2/x,x]

[Out] ArcSech[a*x]^3/3 - ArcSech[a*x]^2*Log[1 + E^(2*ArcSech[a*x])] - ArcSech[a*x]*PolyLog[2, -E^(2*ArcSech[a*x])] + PolyLog[3, -E^(2*ArcSech[a*x])]/2

Rule 2221

Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2320

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2611

Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)*(x_))^(m_), x_Symbol] :> Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,

f, g, n}, x] && GtQ[m, 0]

Rule 3799

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (Complex[0, fz_])*(f_.)*(x_)], x_Symbol] :> Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c + d*x)^m*(E^(2*((-I)*e + f*fz*x)))/(1 + E^(2*((-I)*e + f*fz*x)))], x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

Rule 6420

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, ArcSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 6724

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
 \int \frac{\operatorname{sech}^{-1}(ax)^2}{x} dx &= -\operatorname{Subst}\left(\int x^2 \tanh(x) dx, x, \operatorname{sech}^{-1}(ax)\right) \\
 &= \frac{1}{3}\operatorname{sech}^{-1}(ax)^3 - 2\operatorname{Subst}\left(\int \frac{e^{2x}x^2}{1 + e^{2x}} dx, x, \operatorname{sech}^{-1}(ax)\right) \\
 &= \frac{1}{3}\operatorname{sech}^{-1}(ax)^3 - \operatorname{sech}^{-1}(ax)^2 \log\left(1 + e^{2\operatorname{sech}^{-1}(ax)}\right) + 2\operatorname{Subst}\left(\int x \log(1 + e^{2x}) dx, x, \operatorname{sech}^{-1}(ax)\right) \\
 &= \frac{1}{3}\operatorname{sech}^{-1}(ax)^3 - \operatorname{sech}^{-1}(ax)^2 \log\left(1 + e^{2\operatorname{sech}^{-1}(ax)}\right) - \operatorname{sech}^{-1}(ax)\operatorname{Li}_2\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) + \operatorname{Subst}\left(\int x \log(1 + e^{2x}) dx, x, \operatorname{sech}^{-1}(ax)\right) \\
 &= \frac{1}{3}\operatorname{sech}^{-1}(ax)^3 - \operatorname{sech}^{-1}(ax)^2 \log\left(1 + e^{2\operatorname{sech}^{-1}(ax)}\right) - \operatorname{sech}^{-1}(ax)\operatorname{Li}_2\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) + \frac{1}{2}\operatorname{PolyLog}\left(3, -e^{2\operatorname{sech}^{-1}(ax)}\right) \\
 &= \frac{1}{3}\operatorname{sech}^{-1}(ax)^3 - \operatorname{sech}^{-1}(ax)^2 \log\left(1 + e^{2\operatorname{sech}^{-1}(ax)}\right) - \operatorname{sech}^{-1}(ax)\operatorname{Li}_2\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) + \frac{1}{2}\operatorname{PolyLog}\left(3, -e^{2\operatorname{sech}^{-1}(ax)}\right)
 \end{aligned}$$

Mathematica [A]

time = 0.03, size = 63, normalized size = 0.98

$$-\frac{1}{3}\operatorname{sech}^{-1}(ax)^3 - \operatorname{sech}^{-1}(ax)^2 \log\left(1 + e^{-2\operatorname{sech}^{-1}(ax)}\right) + \operatorname{sech}^{-1}(ax)\operatorname{PolyLog}\left(2, -e^{-2\operatorname{sech}^{-1}(ax)}\right) + \frac{1}{2}\operatorname{PolyLog}\left(3, -e^{-2\operatorname{sech}^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[ArcSech[a*x]^2/x,x]
```

```
[Out] -1/3*ArcSech[a*x]^3 - ArcSech[a*x]^2*Log[1 + E^(-2*ArcSech[a*x])] + ArcSech[a*x]*PolyLog[2, -E^(-2*ArcSech[a*x])] + PolyLog[3, -E^(-2*ArcSech[a*x])]/2
```

Maple [A]

time = 0.14, size = 136, normalized size = 2.12

method	result
derivativedivides	$\frac{\operatorname{arcsech}(ax)^3}{3} - \operatorname{arcsech}(ax)^2 \ln \left(1 + \left(\frac{1}{ax} + \sqrt{\frac{1}{ax} - 1} \sqrt{1 + \frac{1}{ax}} \right)^2 \right) - \operatorname{arcsech}(ax) \operatorname{polylog}$
default	$\frac{\operatorname{arcsech}(ax)^3}{3} - \operatorname{arcsech}(ax)^2 \ln \left(1 + \left(\frac{1}{ax} + \sqrt{\frac{1}{ax} - 1} \sqrt{1 + \frac{1}{ax}} \right)^2 \right) - \operatorname{arcsech}(ax) \operatorname{polylog}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arcsech(a*x)^2/x,x,method=_RETURNVERBOSE)
```

```
[Out] 1/3*arcsech(a*x)^3-arcsech(a*x)^2*ln(1+(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2))^2)-arcsech(a*x)*polylog(2,-(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2))^2)+1/2*polylog(3,-(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2))^2)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsech(a*x)^2/x,x, algorithm="maxima")
```

```
[Out] integrate(arcsech(a*x)^2/x, x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsech(a*x)^2/x,x, algorithm="fricas")
```

```
[Out] integral(arcsech(a*x)^2/x, x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asech}^2(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(asech(a*x)**2/x,x)``[Out] Integral(asech(a*x)**2/x, x)`**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(arcsech(a*x)^2/x,x, algorithm="giac")``[Out] integrate(arcsech(a*x)^2/x, x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\operatorname{acosh}\left(\frac{1}{ax}\right)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(acosh(1/(a*x))^2/x,x)``[Out] int(acosh(1/(a*x))^2/x, x)`

3.7 $\int \frac{\operatorname{sech}^{-1}(ax)^2}{x^2} dx$

Optimal. Leaf size=49

$$-\frac{2}{x} + \frac{2\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{x} - \frac{\operatorname{sech}^{-1}(ax)^2}{x}$$

[Out] $-2/x - \operatorname{arcsech}(a*x)^2/x + 2*(a*x+1)*\operatorname{arcsech}(a*x)*((-a*x+1)/(a*x+1))^{(1/2)}/x$

Rubi [A]

time = 0.03, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {6420, 3377, 2718}

$$-\frac{\operatorname{sech}^{-1}(ax)^2}{x} + \frac{2\sqrt{\frac{1-ax}{ax+1}}(ax+1)\operatorname{sech}^{-1}(ax)}{x} - \frac{2}{x}$$

Antiderivative was successfully verified.

[In] Int[ArcSech[a*x]^2/x^2,x]

[Out] $-2/x + (2*\operatorname{Sqrt}[(1 - a*x)/(1 + a*x)]*(1 + a*x)*\operatorname{ArcSech}[a*x])/x - \operatorname{ArcSech}[a*x]^2/x$

Rule 2718

Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] := Simp[-Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3377

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[(-(c + d*x)^m)*(Cos[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 6420

Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Dist[-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, ArcSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{sech}^{-1}(ax)^2}{x^2} dx &= -\left(a \operatorname{Subst}\left(\int x^2 \sinh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)\right) \\
&= -\frac{\operatorname{sech}^{-1}(ax)^2}{x} + (2a) \operatorname{Subst}\left(\int x \cosh(x) dx, x, \operatorname{sech}^{-1}(ax)\right) \\
&= \frac{2\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{x} - \frac{\operatorname{sech}^{-1}(ax)^2}{x} - (2a) \operatorname{Subst}\left(\int \sinh(x) dx, x, \operatorname{sech}^{-1}(ax)\right) \\
&= -\frac{2}{x} + \frac{2\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{x} - \frac{\operatorname{sech}^{-1}(ax)^2}{x}
\end{aligned}$$

Mathematica [A]

time = 0.06, size = 42, normalized size = 0.86

$$-\frac{2 - 2\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax) + \operatorname{sech}^{-1}(ax)^2}{x}$$

Antiderivative was successfully verified.

`[In] Integrate[ArcSech[a*x]^2/x^2,x]`

```
[Out] -((2 - 2*Sqrt[(1 - a*x)/(1 + a*x)]*(1 + a*x)*ArcSech[a*x] + ArcSech[a*x]^2)/x)
```

Maple [A]

time = 0.16, size = 61, normalized size = 1.24

method	result	size
derivativedivides	$a\left(-\frac{\operatorname{arcsech}(ax)^2}{ax} + 2 \operatorname{arcsech}(ax) \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} - \frac{2}{ax}\right)$	61
default	$a\left(-\frac{\operatorname{arcsech}(ax)^2}{ax} + 2 \operatorname{arcsech}(ax) \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} - \frac{2}{ax}\right)$	61

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(arcsech(a*x)^2/x^2,x,method=_RETURNVERBOSE)`

```
[Out] a*(-arcsech(a*x)^2/a/x+2*arcsech(a*x)*(-(a*x-1)/a/x)^(1/2)*((a*x+1)/a/x)^(1/2)-2/a/x)
```

Maxima [A]

time = 0.26, size = 35, normalized size = 0.71

$$2a\sqrt{\frac{1}{a^2x^2} - 1} \operatorname{arosech}(ax) - \frac{\operatorname{arosech}(ax)^2}{x} - \frac{2}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^2/x^2,x, algorithm="maxima")

[Out] 2*a*sqrt(1/(a^2*x^2) - 1)*arcsech(a*x) - arcsech(a*x)^2/x - 2/x

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 97 vs. 2(47) = 94.

time = 0.34, size = 97, normalized size = 1.98

$$\frac{2ax\sqrt{-\frac{a^2x^2-1}{a^2x^2}} \log\left(\frac{ax\sqrt{-\frac{a^2x^2-1}{a^2x^2}}+1}{ax}\right) - \log\left(\frac{ax\sqrt{-\frac{a^2x^2-1}{a^2x^2}}+1}{ax}\right)^2 - 2}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^2/x^2,x, algorithm="fricas")

[Out] (2*a*x*sqrt(-(a^2*x^2 - 1)/(a^2*x^2))*log((a*x*sqrt(-(a^2*x^2 - 1)/(a^2*x^2)) + 1)/(a*x)) - log((a*x*sqrt(-(a^2*x^2 - 1)/(a^2*x^2)) + 1)/(a*x))^2 - 2)/x

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asech}^2(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asech(a*x)**2/x**2,x)

[Out] Integral(asech(a*x)**2/x**2, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^2/x^2,x, algorithm="giac")

[Out] integrate(arcsech(a*x)^2/x^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\operatorname{acosh}\left(\frac{1}{ax}\right)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(acosh(1/(a*x))^2/x^2,x)
```

```
[Out] int(acosh(1/(a*x))^2/x^2, x)
```


3.8 $\int \frac{\operatorname{sech}^{-1}(ax)^2}{x^3} dx$

Optimal. Leaf size=90

$$-\frac{(1-ax)(1+ax)}{4x^2} + \frac{\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{2x^2} - \frac{1}{4}a^2\operatorname{sech}^{-1}(ax)^2 - \frac{(1-ax)(1+ax)\operatorname{sech}^{-1}(ax)^2}{2x^2}$$

[Out] $-1/4*(-a*x+1)*(a*x+1)/x^2-1/4*a^2*\operatorname{arcsech}(a*x)^2-1/2*(-a*x+1)*(a*x+1)*\operatorname{arcsech}(a*x)^2/x^2+1/2*(a*x+1)*\operatorname{arcsech}(a*x)*((-a*x+1)/(a*x+1))^{(1/2)}/x^2$

Rubi [A]

time = 0.04, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {6420, 5480, 3391, 30}

$$-\frac{1}{4}a^2\operatorname{sech}^{-1}(ax)^2 - \frac{(1-ax)(ax+1)}{4x^2} - \frac{(1-ax)(ax+1)\operatorname{sech}^{-1}(ax)^2}{2x^2} + \frac{\sqrt{\frac{1-ax}{ax+1}}(ax+1)\operatorname{sech}^{-1}(ax)}{2x^2}$$

Antiderivative was successfully verified.

[In] `Int[ArcSech[a*x]^2/x^3,x]`

[Out] $-1/4*((1-a*x)*(1+a*x))/x^2 + (\operatorname{Sqrt}[(1-a*x)/(1+a*x)]*(1+a*x)*\operatorname{ArcSech}[a*x])/(2*x^2) - (a^2*\operatorname{ArcSech}[a*x]^2)/4 - ((1-a*x)*(1+a*x)*\operatorname{ArcSech}[a*x]^2)/(2*x^2)$

Rule 30

`Int[(x_)^(m_), x_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]`

Rule 3391

`Int[((c_) + (d_)*(x_))*((b_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[d*((b*Sine[e + f*x])^n/(f^2*n^2)), x] + (Dist[b^2*((n-1)/n), Int[(c + d*x)*(b*Sine[e + f*x])^(n-2), x], x] - Simp[b*(c + d*x)*Cos[e + f*x]*((b*Sine[e + f*x])^(n-1)/(f*n)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]`

Rule 5480

`Int[Cosh[(a_) + (b_)*(x_)^(n_)]*(x_)^(m_)*Sinh[(a_) + (b_)*(x_)^(n_)]^(p_), x_Symbol] := Simp[x^(m-n+1)*(Sinh[a + b*x^n]^(p+1)/(b*n*(p+1))), x] - Dist[(m-n+1)/(b*n*(p+1)), Int[x^(m-n)*Sinh[a + b*x^n]^(p+1), x], x] /; FreeQ[{a, b, p}, x] && LtQ[0, n, m+1] && NeQ[p, -1]`

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_)^(m_.), x_Symbol] :> Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{sech}^{-1}(ax)^2}{x^3} dx &= -\left(a^2 \operatorname{Subst}\left(\int x^2 \cosh(x) \sinh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)\right) \\
&= -\frac{(1-ax)(1+ax)\operatorname{sech}^{-1}(ax)^2}{2x^2} + a^2 \operatorname{Subst}\left(\int x \sinh^2(x) dx, x, \operatorname{sech}^{-1}(ax)\right) \\
&= -\frac{(1-ax)(1+ax)}{4x^2} + \frac{\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{2x^2} - \frac{(1-ax)(1+ax)\operatorname{sech}^{-1}(ax)^2}{2x^2} \\
&= -\frac{(1-ax)(1+ax)}{4x^2} + \frac{\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{2x^2} - \frac{1}{4}a^2\operatorname{sech}^{-1}(ax)^2 - \frac{(1-ax)(1+ax)}{4x^2}
\end{aligned}$$

Mathematica [A]

time = 0.03, size = 54, normalized size = 0.60

$$\frac{-1 + 2\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax) + (-2 + a^2x^2)\operatorname{sech}^{-1}(ax)^2}{4x^2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSech[a*x]^2/x^3,x]

[Out] (-1 + 2*Sqrt[(1 - a*x)/(1 + a*x)]*(1 + a*x)*ArcSech[a*x] + (-2 + a^2*x^2)*ArcSech[a*x]^2)/(4*x^2)

Maple [A]

time = 0.15, size = 77, normalized size = 0.86

method	result	size
derivativedivides	$a^2 \left(-\frac{\operatorname{arcsech}(ax)^2}{2a^2x^2} + \frac{\operatorname{arcsech}(ax)\sqrt{\frac{-ax-1}{ax}}\sqrt{\frac{ax+1}{ax}}}{2ax} + \frac{\operatorname{arcsech}(ax)^2}{4} - \frac{1}{4a^2x^2} \right)$	77

default	$a^2 \left(-\frac{\operatorname{arcsech}(ax)^2}{2a^2x^2} + \frac{\operatorname{arcsech}(ax) \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}}}{2ax} + \frac{\operatorname{arcsech}(ax)^2}{4} - \frac{1}{4a^2x^2} \right)$	77
---------	---	----

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsech(a*x)^2/x^3,x,method=_RETURNVERBOSE)`

[Out] $a^2 * (-1/2 * \operatorname{arcsech}(a*x)^2 / a^2 / x^2 + 1/2 * \operatorname{arcsech}(a*x) / a / x * (- (a*x-1) / a / x)^{(1/2)} * ((a*x+1) / a / x)^{(1/2)} + 1/4 * \operatorname{arcsech}(a*x)^2 - 1/4 / a^2 / x^2)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsech(a*x)^2/x^3,x, algorithm="maxima")`

[Out] `integrate(arcsech(a*x)^2/x^3, x)`

Fricas [A]

time = 0.35, size = 106, normalized size = 1.18

$$\frac{2ax \sqrt{-\frac{a^2x^2-1}{a^2x^2}} \log\left(\frac{ax \sqrt{-\frac{a^2x^2-1}{a^2x^2}} + 1}{ax}\right) + (a^2x^2 - 2) \log\left(\frac{ax \sqrt{-\frac{a^2x^2-1}{a^2x^2}} + 1}{ax}\right)^2 - 1}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsech(a*x)^2/x^3,x, algorithm="fricas")`

[Out] $1/4 * (2 * a * x * \sqrt{-(a^2 * x^2 - 1) / (a^2 * x^2)}) * \log((a * x * \sqrt{-(a^2 * x^2 - 1) / (a^2 * x^2)}) + 1) / (a * x) + (a^2 * x^2 - 2) * \log((a * x * \sqrt{-(a^2 * x^2 - 1) / (a^2 * x^2)}) + 1) / (a * x) - 1) / x^2$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asech}^2(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asech(a*x)**2/x**3,x)`

[Out] Integral(asech(a*x)**2/x**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^2/x^3,x, algorithm="giac")

[Out] integrate(arcsech(a*x)^2/x^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}\left(\frac{1}{ax}\right)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(1/(a*x))^2/x^3,x)

[Out] int(acosh(1/(a*x))^2/x^3, x)

3.9 $\int \frac{\operatorname{sech}^{-1}(ax)^2}{x^4} dx$

Optimal. Leaf size=102

$$-\frac{2}{27x^3} - \frac{4a^2}{9x} + \frac{2\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{9x^3} + \frac{4a^2\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{9x} - \frac{\operatorname{sech}^{-1}(ax)^2}{3x^3}$$

[Out] $-2/27/x^3-4/9*a^2/x-1/3*\operatorname{arcsech}(a*x)^2/x^3+2/9*(a*x+1)*\operatorname{arcsech}(a*x)*((-a*x+1)/(a*x+1))^{(1/2)}/x^3+4/9*a^2*(a*x+1)*\operatorname{arcsech}(a*x)*((-a*x+1)/(a*x+1))^{(1/2)}/x$

Rubi [A]

time = 0.05, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6420, 5481, 3391, 3377, 2718}

$$-\frac{4a^2}{9x} + \frac{4a^2\sqrt{\frac{1-ax}{ax+1}}(ax+1)\operatorname{sech}^{-1}(ax)}{9x} - \frac{\operatorname{sech}^{-1}(ax)^2}{3x^3} + \frac{2\sqrt{\frac{1-ax}{ax+1}}(ax+1)\operatorname{sech}^{-1}(ax)}{9x^3} - \frac{2}{27x^3}$$

Antiderivative was successfully verified.

[In] `Int[ArcSech[a*x]^2/x^4,x]`

[Out] $-2/(27*x^3) - (4*a^2)/(9*x) + (2*\sqrt{[(1 - a*x)/(1 + a*x)]}*(1 + a*x)*\operatorname{ArcSech}[a*x])/(9*x^3) + (4*a^2*\sqrt{[(1 - a*x)/(1 + a*x)]}*(1 + a*x)*\operatorname{ArcSech}[a*x])/(9*x) - \operatorname{ArcSech}[a*x]^2/(3*x^3)$

Rule 2718

`Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] := Simp[-Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

Rule 3377

`Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[(-(c + d*x)^m)*(Cos[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 3391

`Int[((c_.) + (d_.)*(x_.))*((b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[d*((b*Sin[e + f*x])^n/(f^2*n^2)), x] + (Dist[b^2*((n - 1)/n), Int[(c + d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[b*(c + d*x)*Cos[e + f*x]*((b*Sin[e + f*x])^(n - 1)/(f*n)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]`

Rule 5481

```
Int[Cosh[(a_.) + (b_.)*(x_)^(n_.)]^(p_.)*(x_)^(m_.)*Sinh[(a_.) + (b_.)*(x_)
^(n_.)], x_Symbol] := Simp[x^(m - n + 1)*(Cosh[a + b*x^n]^(p + 1)/(b*n*(p +
1))), x] - Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*Cosh[a + b*x^n]^(
p + 1), x], x] /; FreeQ[{a, b, p}, x] && LtQ[0, n, m + 1] && NeQ[p, -1]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{sech}^{-1}(ax)^2}{x^4} dx &= -\left(a^3 \operatorname{Subst}\left(\int x^2 \cosh^2(x) \sinh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)\right) \\
&= -\frac{\operatorname{sech}^{-1}(ax)^2}{3x^3} + \frac{1}{3}(2a^3) \operatorname{Subst}\left(\int x \cosh^3(x) dx, x, \operatorname{sech}^{-1}(ax)\right) \\
&= -\frac{2}{27x^3} + \frac{2\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{9x^3} - \frac{\operatorname{sech}^{-1}(ax)^2}{3x^3} + \frac{1}{9}(4a^3) \operatorname{Subst}\left(\int x \cosh(x) dx, x, \operatorname{sech}^{-1}(ax)\right) \\
&= -\frac{2}{27x^3} + \frac{2\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{9x^3} + \frac{4a^2\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{9x} - \frac{\operatorname{sech}^{-1}(ax)^2}{3x^3} \\
&= -\frac{2}{27x^3} - \frac{4a^2}{9x} + \frac{2\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{9x^3} + \frac{4a^2\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{9x}
\end{aligned}$$

Mathematica [A]

time = 0.07, size = 73, normalized size = 0.72

$$\frac{-2(1 + 6a^2x^2) + 6\sqrt{\frac{1-ax}{1+ax}}(1 + ax + 2a^2x^2 + 2a^3x^3)\operatorname{sech}^{-1}(ax) - 9\operatorname{sech}^{-1}(ax)^2}{27x^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[ArcSech[a*x]^2/x^4, x]
```

```
[Out] (-2*(1 + 6*a^2*x^2) + 6*Sqrt[(1 - a*x)/(1 + a*x)]*(1 + a*x + 2*a^2*x^2 + 2*
a^3*x^3)*ArcSech[a*x] - 9*ArcSech[a*x]^2)/(27*x^3)
```

Maple [A]

time = 0.23, size = 112, normalized size = 1.10

method	result
derivativedivides	$a^3 \left(-\frac{\operatorname{arcsech}(ax)^2}{3a^3x^3} + \frac{4 \operatorname{arcsech}(ax) \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}}}{9} + \frac{2 \operatorname{arcsech}(ax) \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}}}{9a^2x^2} - \frac{4}{9ax} \right)$
default	$a^3 \left(-\frac{\operatorname{arcsech}(ax)^2}{3a^3x^3} + \frac{4 \operatorname{arcsech}(ax) \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}}}{9} + \frac{2 \operatorname{arcsech}(ax) \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}}}{9a^2x^2} - \frac{4}{9ax} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsech(a*x)^2/x^4,x,method=_RETURNVERBOSE)

[Out] $a^3 \left(-\frac{1}{3} \operatorname{arcsech}(ax)^2 / a^3 / x^3 + \frac{4}{9} \operatorname{arcsech}(ax) \left(-\frac{ax-1}{ax} \right)^{1/2} \left(\frac{ax+1}{ax} \right)^{1/2} + \frac{2}{9} \operatorname{arcsech}(ax) / a^2 / x^2 \left(-\frac{ax-1}{ax} \right)^{1/2} \left(\frac{ax+1}{ax} \right)^{1/2} - \frac{4}{9} / a / x - \frac{2}{27} / a^3 / x^3 \right)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^2/x^4,x, algorithm="maxima")

[Out] integrate(arcsech(a*x)^2/x^4, x)

Fricas [A]

time = 0.35, size = 116, normalized size = 1.14

$$\frac{12a^2x^2 - 6(2a^3x^3 + ax) \sqrt{-\frac{a^2x^2 - 1}{a^2x^2}} \log\left(\frac{ax \sqrt{-\frac{a^2x^2 - 1}{a^2x^2}} + 1}{ax}\right) + 9 \log\left(\frac{ax \sqrt{-\frac{a^2x^2 - 1}{a^2x^2}} + 1}{ax}\right)^2 + 2}{27x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^2/x^4,x, algorithm="fricas")

[Out] $-\frac{1}{27} \left(12a^2x^2 - 6(2a^3x^3 + ax) \sqrt{-(a^2x^2 - 1)/(a^2x^2)} \log\left(\frac{ax \sqrt{-(a^2x^2 - 1)/(a^2x^2)} + 1}{ax}\right) + 9 \log\left(\frac{ax \sqrt{-(a^2x^2 - 1)/(a^2x^2)} + 1}{ax}\right)^2 + 2 \right) / x^3$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asech}^2(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asech(a*x)**2/x**4,x)**[Out]** Integral(asech(a*x)**2/x**4, x)**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^2/x^4,x, algorithm="giac")**[Out]** integrate(arcsech(a*x)^2/x^4, x)**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}\left(\frac{1}{ax}\right)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(1/(a*x))^2/x^4,x)**[Out]** int(acosh(1/(a*x))^2/x^4, x)

3.10 $\int x^4 \operatorname{sech}^{-1}(ax)^3 dx$

Optimal. Leaf size=297

$$\frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax)}{20a^4} - \frac{9x \operatorname{sech}^{-1}(ax)}{20a^4} - \frac{x^3 \operatorname{sech}^{-1}(ax)}{10a^2} - \frac{9x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{40a^4} - \frac{3x^3 \sqrt{\frac{1-ax}{1+ax}} (1+ax)}{20a^4}$$

[Out] $-9/20*x*\operatorname{arcsech}(a*x)/a^4-1/10*x^3*\operatorname{arcsech}(a*x)/a^2+1/5*x^5*\operatorname{arcsech}(a*x)^3-9/20*\operatorname{arcsech}(a*x)^2*\arctan(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)})/a^5+1/2*\arctan((a*x+1)*((-a*x+1)/(a*x+1))^{(1/2)}/a/x)/a^5+9/20*I*\operatorname{arcsech}(a*x)*\operatorname{polylog}(2,-I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))/a^5-9/20*I*\operatorname{arcsech}(a*x)*\operatorname{polylog}(2,I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))/a^5-9/20*I*\operatorname{polylog}(3,-I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))/a^5+9/20*I*\operatorname{polylog}(3,I*(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))/a^5+1/20*x*(a*x+1)*((-a*x+1)/(a*x+1))^{(1/2)}/a^4-9/40*x*(a*x+1)*\operatorname{arcsech}(a*x)^2*((-a*x+1)/(a*x+1))^{(1/2)}/a^4-3/20*x^3*(a*x+1)*\operatorname{arcsech}(a*x)^2*((-a*x+1)/(a*x+1))^{(1/2)}/a^2$

Rubi [A]

time = 0.14, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 9, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.900$, Rules used = {6420, 5526, 4271, 3853, 3855, 4265, 2611, 2320, 6724}

$$\operatorname{ArcTan}\left(\frac{\sqrt{\frac{1-ax}{1+ax}}}{ax}\right) - \frac{9 \operatorname{sech}^{-1}(ax)^2 \operatorname{ArcTan}(e^{\operatorname{arcsech}^{-1}(ax)})}{20a^5} + \frac{9 \operatorname{sech}^{-1}(ax) \operatorname{Li}_2(-e^{\operatorname{arcsech}^{-1}(ax)})}{20a^5} - \frac{9 \operatorname{sech}^{-1}(ax) \operatorname{Li}_2(e^{\operatorname{arcsech}^{-1}(ax)})}{20a^5} - \frac{9 \operatorname{Li}_2(-e^{\operatorname{arcsech}^{-1}(ax)})}{20a^5} + \frac{9 \operatorname{Li}_2(e^{\operatorname{arcsech}^{-1}(ax)})}{20a^5} + \frac{x \sqrt{\frac{1-ax}{1+ax}} (ax+1)}{20a^4} - \frac{9x \sqrt{\frac{1-ax}{1+ax}} (ax+1) \operatorname{sech}^{-1}(ax)^2}{40a^4} - \frac{9 \operatorname{sech}^{-1}(ax)}{20a^4} - \frac{3x^2 \sqrt{\frac{1-ax}{1+ax}} (ax+1) \operatorname{sech}^{-1}(ax)^2}{20a^4} - \frac{x^3 \operatorname{sech}^{-1}(ax)}{10a^2} + \frac{1}{5} x^5 \operatorname{sech}^{-1}(ax)^3$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^4 * \operatorname{ArcSech}[a*x]^3, x]$

[Out] $(x*\operatorname{Sqrt}[(1-ax)/(1+ax)]*(1+ax))/(20*a^4) - (9*x*\operatorname{ArcSech}[a*x])/(20*a^4) - (x^3*\operatorname{ArcSech}[a*x])/(10*a^2) - (9*x*\operatorname{Sqrt}[(1-ax)/(1+ax)]*(1+ax)*\operatorname{ArcSech}[a*x]^2)/(40*a^4) - (3*x^3*\operatorname{Sqrt}[(1-ax)/(1+ax)]*(1+ax)*\operatorname{ArcSech}[a*x]^2)/(20*a^2) + (x^5*\operatorname{ArcSech}[a*x]^3)/5 - (9*\operatorname{ArcSech}[a*x]^2*\operatorname{ArcTan}[E^{\operatorname{ArcSech}[a*x]}])/(20*a^5) + \operatorname{ArcTan}[(\operatorname{Sqrt}[(1-ax)/(1+ax)]*(1+ax))/(a*x)]/(2*a^5) + (((9*I)/20)*\operatorname{ArcSech}[a*x]*\operatorname{PolyLog}[2, (-I)*E^{\operatorname{ArcSech}[a*x]}])/a^5 - (((9*I)/20)*\operatorname{ArcSech}[a*x]*\operatorname{PolyLog}[2, I*E^{\operatorname{ArcSech}[a*x]}])/a^5 - (((9*I)/20)*\operatorname{PolyLog}[3, (-I)*E^{\operatorname{ArcSech}[a*x]}])/a^5 + (((9*I)/20)*\operatorname{PolyLog}[3, I*E^{\operatorname{ArcSech}[a*x]}])/a^5$

Rule 2320

$\operatorname{Int}[u, x_Symbol] := \operatorname{With}[\{v = \operatorname{FunctionOfExponential}[u, x]\}, \operatorname{Dist}[v/D[v, x], \operatorname{Subst}[\operatorname{Int}[\operatorname{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \operatorname{FunctionOfExponentialQ}[u, x] \&\& !\operatorname{MatchQ}[u, (w_)*((a_)*(v_)^{(n_))}^{(m_)} /; \operatorname{FreeQ}[\{a, m, n\}, x] \&\& \operatorname{IntegerQ}[m*n]] \&\& !\operatorname{MatchQ}[u, E^{(c_)*((a_)+(b_)*x)}]$

$(F_)[v_]$ /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2611

Int[Log[1 + (e_)*((F_)^((c_)*(a_) + (b_)*(x_)))^(n_)]*((f_) + (g_) * (x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 3853

Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] := Simp[(-b)*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[b^2*((n - 2)/(n - 1)), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3855

Int[csc[(c_) + (d_)*(x_)], x_Symbol] := Simp[-ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4265

Int[csc[(e_) + Pi*(k_) + (Complex[0, fz_])*(f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 4271

Int[(csc[(e_) + (f_)*(x_)]*(b_))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(-b^2)*(c + d*x)^m*Cot[e + f*x]*((b*Csc[e + f*x])^(n - 2)/(f*(n - 1))), x] + (Dist[b^2*d^2*m*((m - 1)/(f^2*(n - 1)*(n - 2))), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[b^2*((n - 2)/(n - 1)), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[b^2*d*m*(c + d*x)^(m - 1)*((b*Csc[e + f*x])^(n - 2)/(f^2*(n - 1)*(n - 2))), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]

Rule 5526

Int[(x_)^(m_)*Sech[(a_) + (b_)*(x_)]^(n_)]^(p_)*Tanh[(a_) + (b_)*(x_)]^(q_), x_Symbol] := Simp[(-x^(m - n + 1))*(Sech[a + b*x^n]^p/(b*n*p)), x] + Dist[(m - n + 1)/(b*n*p), Int[x^(m - n)*Sech[a + b*x^n]^p, x], x]

```

/; FreeQ[{a, b, p}, x] && RationalQ[m] && IntegerQ[n] && GeQ[m - n, 0] && EqQ[q, 1]

```

Rule 6420

```

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])

```

Rule 6724

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

```

Rubi steps

$$\begin{aligned}
\int x^4 \operatorname{sech}^{-1}(ax)^3 dx &= -\frac{\operatorname{Subst}\left(\int x^3 \operatorname{sech}^5(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^5} \\
&= \frac{1}{5} x^5 \operatorname{sech}^{-1}(ax)^3 - \frac{3 \operatorname{Subst}\left(\int x^2 \operatorname{sech}^5(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{5a^5} \\
&= -\frac{x^3 \operatorname{sech}^{-1}(ax)}{10a^2} - \frac{3x^3 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{20a^2} + \frac{1}{5} x^5 \operatorname{sech}^{-1}(ax)^3 + \frac{\operatorname{Subst}\left(\int \operatorname{sech}^5(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{5a^5} \\
&= \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax)}{20a^4} - \frac{9x \operatorname{sech}^{-1}(ax)}{20a^4} - \frac{x^3 \operatorname{sech}^{-1}(ax)}{10a^2} - \frac{9x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{40a^4} \\
&= \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax)}{20a^4} - \frac{9x \operatorname{sech}^{-1}(ax)}{20a^4} - \frac{x^3 \operatorname{sech}^{-1}(ax)}{10a^2} - \frac{9x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{40a^4} \\
&= \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax)}{20a^4} - \frac{9x \operatorname{sech}^{-1}(ax)}{20a^4} - \frac{x^3 \operatorname{sech}^{-1}(ax)}{10a^2} - \frac{9x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{40a^4} \\
&= \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax)}{20a^4} - \frac{9x \operatorname{sech}^{-1}(ax)}{20a^4} - \frac{x^3 \operatorname{sech}^{-1}(ax)}{10a^2} - \frac{9x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{40a^4} \\
&= \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax)}{20a^4} - \frac{9x \operatorname{sech}^{-1}(ax)}{20a^4} - \frac{x^3 \operatorname{sech}^{-1}(ax)}{10a^2} - \frac{9x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{40a^4}
\end{aligned}$$

Mathematica [A]

time = 0.39, size = 281, normalized size = 0.95

$$\frac{2ax \sqrt{\frac{1-ax}{1+ax}} (1+ax) - 18a^2 x \operatorname{sech}^{-1}(ax) - 4a^3 x \operatorname{sech}^{-1}(ax)^2 - 9a^4 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2 - 6a^5 x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^3 + 40 \operatorname{ArcTanh}\left(\frac{\operatorname{sech}^{-1}(ax)}{1+ax}\right) + 30 \operatorname{sech}^{-1}(ax)^2 \log(1-ax^{-2}) - 30 \operatorname{sech}^{-1}(ax)^2 \log(1+ax^{-2}) + 18 \operatorname{sech}^{-1}(ax) \operatorname{PolyLog}\left(2, -ax^{-2}\right) - 18 \operatorname{sech}^{-1}(ax) \operatorname{PolyLog}\left(2, ax^{-2}\right) + 18 \operatorname{PolyLog}\left(3, -ax^{-2}\right) - 18 \operatorname{PolyLog}\left(3, ax^{-2}\right)}{40a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*ArcSech[a*x]^3,x]

[Out] (2*a*x*Sqrt[(1 - a*x)/(1 + a*x)]*(1 + a*x) - 18*a*x*ArcSech[a*x] - 4*a^3*x^3*ArcSech[a*x] - 9*a*x*Sqrt[(1 - a*x)/(1 + a*x)]*(1 + a*x)*ArcSech[a*x]^2 -

$$6a^3x^3\sqrt{(1-ax)/(1+ax)}(1+ax)\operatorname{ArcSech}[ax]^2 + 8a^5x^5\operatorname{ArcSech}[ax]^3 + 40\operatorname{ArcTan}[\operatorname{Tanh}[\operatorname{ArcSech}[ax]/2]] + (9I)\operatorname{ArcSech}[ax]^2\operatorname{Log}[1 - I/E^{\operatorname{ArcSech}[ax]}] - (9I)\operatorname{ArcSech}[ax]^2\operatorname{Log}[1 + I/E^{\operatorname{ArcSech}[ax]}] + (18I)\operatorname{ArcSech}[ax]\operatorname{PolyLog}[2, (-I)/E^{\operatorname{ArcSech}[ax]}] - (18I)\operatorname{ArcSech}[ax]\operatorname{PolyLog}[2, I/E^{\operatorname{ArcSech}[ax]}] + (18I)\operatorname{PolyLog}[3, (-I)/E^{\operatorname{ArcSech}[ax]}] - (18I)\operatorname{PolyLog}[3, I/E^{\operatorname{ArcSech}[ax]}]/(40a^5)$$

Maple [F]

time = 0.53, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{arcsech}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*arcsech(a*x)^3,x)`

[Out] `int(x^4*arcsech(a*x)^3,x)`

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arcsech(a*x)^3,x, algorithm="maxima")`

[Out] `integrate(x^4*arcsech(a*x)^3, x)`

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arcsech(a*x)^3,x, algorithm="fricas")`

[Out] `integral(x^4*arcsech(a*x)^3, x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{asech}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*asech(a*x)**3,x)`

[Out] Integral(x**4*asech(a*x)**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arcsech(a*x)^3,x, algorithm="giac")

[Out] integrate(x^4*arcsech(a*x)^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \operatorname{acosh}\left(\frac{1}{ax}\right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*acosh(1/(a*x))^3,x)

[Out] int(x^4*acosh(1/(a*x))^3, x)

3.11 $\int x^3 \operatorname{sech}^{-1}(ax)^3 dx$

Optimal. Leaf size=184

$$\frac{\sqrt{\frac{1-ax}{1+ax}}(1+ax)}{4a^4} - \frac{x^2 \operatorname{sech}^{-1}(ax)}{4a^2} - \frac{\operatorname{sech}^{-1}(ax)^2}{2a^4} - \frac{\sqrt{\frac{1-ax}{1+ax}}(1+ax) \operatorname{sech}^{-1}(ax)^2}{2a^4} - \frac{x^2 \sqrt{\frac{1-ax}{1+ax}}(1+ax)}{4a^2}$$

[Out] $-1/4*x^2*\operatorname{arcsech}(a*x)/a^2-1/2*\operatorname{arcsech}(a*x)^2/a^4+1/4*x^4*\operatorname{arcsech}(a*x)^3+\operatorname{arcsech}(a*x)*\ln(1+(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2}))^2)/a^4+1/2*\operatorname{polylog}(2, -(1/a/x+(1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2}))^2)/a^4+1/4*(a*x+1)*((-a*x+1)/(a*x+1))^{(1/2)}/a^4-1/2*(a*x+1)*\operatorname{arcsech}(a*x)^2*((-a*x+1)/(a*x+1))^{(1/2)}/a^4-1/4*x^2*(a*x+1)*\operatorname{arcsech}(a*x)^2*((-a*x+1)/(a*x+1))^{(1/2)}/a^2$

Rubi [A]

time = 0.12, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$, Rules used = {6420, 5526, 4271, 3852, 8, 4269, 3799, 2221, 2317, 2438}

$$\frac{\operatorname{Li}_2(-e^{2\operatorname{sech}^{-1}(ax)})}{2a^4} + \frac{\sqrt{\frac{1-ax}{ax+1}}(ax+1)}{4a^4} - \frac{\sqrt{\frac{1-ax}{ax+1}}(ax+1)\operatorname{sech}^{-1}(ax)^2}{2a^4} - \frac{\operatorname{sech}^{-1}(ax)^2}{2a^4} + \frac{\operatorname{sech}^{-1}(ax)\log(e^{2\operatorname{sech}^{-1}(ax)}+1)}{a^4} - \frac{x^2\sqrt{\frac{1-ax}{ax+1}}(ax+1)\operatorname{sech}^{-1}(ax)^2}{4a^2} - \frac{x^2\operatorname{sech}^{-1}(ax)}{4a^2} + \frac{1}{4}x^4\operatorname{sech}^{-1}(ax)^3$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^3*\operatorname{ArcSech}[a*x]^3, x]$

[Out] $(\operatorname{Sqrt}[(1-ax)/(1+ax)]*(1+ax))/(4*a^4) - (x^2*\operatorname{ArcSech}[a*x])/(4*a^2) - \operatorname{ArcSech}[a*x]^2/(2*a^4) - (\operatorname{Sqrt}[(1-ax)/(1+ax)]*(1+ax)*\operatorname{ArcSech}[a*x]^2)/(2*a^4) - (x^2*\operatorname{Sqrt}[(1-ax)/(1+ax)]*(1+ax)*\operatorname{ArcSech}[a*x]^2)/(4*a^2) + (x^4*\operatorname{ArcSech}[a*x]^3)/4 + (\operatorname{ArcSech}[a*x]*\operatorname{Log}[1+E^(2*\operatorname{ArcSech}[a*x])])/a^4 + \operatorname{PolyLog}[2, -E^(2*\operatorname{ArcSech}[a*x])]/(2*a^4)$

Rule 8

$\operatorname{Int}[a_, x_Symbol] := \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 2221

$\operatorname{Int}[\frac{(F_1)^{((g_1)*(e_1) + (f_1)*(x_1))} * ((c_1) + (d_1)*(x_1))^{(m_1)}}{((a_1) + (b_1)*((F_1)^{((g_1)*(e_1) + (f_1)*(x_1))})^{(n_1)})}, x_Symbol] := \operatorname{Simp}[\frac{(c + d*x)^m}{(b*f*g*n*\operatorname{Log}[F])} * \operatorname{Log}[1 + b*((F^{(g*(e + f*x)))^n/a}], x] - \operatorname{Dist}[\frac{d*(m/(b*f*g*n*\operatorname{Log}[F]))}{(c + d*x)^{m-1}} * \operatorname{Log}[1 + b*((F^{(g*(e + f*x)))^n/a}], x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \operatorname{IGTQ}[m, 0]$

Rule 2317

$\operatorname{Int}[\operatorname{Log}[(a_1) + (b_1)*((F_1)^{((e_1)*(c_1) + (d_1)*(x_1))})^{(n_1)}], x_Symbol] := \operatorname{Dist}[1/(d*e*n*\operatorname{Log}[F]), \operatorname{Subst}[\operatorname{Int}[\operatorname{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))}]$

)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3799

Int[((c_.) + (d_.)*(x_)^(m_.))*tan[(e_.) + (Complex[0, fz_])*(f_.)*(x_)], x_Symbol] := Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c + d*x)^m*(E^(2*((-I)*e + f*fz*x)))/(1 + E^(2*((-I)*e + f*fz*x))), x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

Rule 3852

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Dist[-d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 4269

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_)^(m_.)), x_Symbol] := Simp[(-c + d*x)^m*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 4271

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_)^(m_.)), x_Symbol] := Simp[(-b^2)*(c + d*x)^m*Cot[e + f*x]*((b*Csc[e + f*x])^(n - 2)/(f*(n - 1))), x] + (Dist[b^2*d^2*m*((m - 1)/(f^2*(n - 1)*(n - 2))), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[b^2*((n - 2)/(n - 1)), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[b^2*d*m*(c + d*x)^(m - 1)*((b*Csc[e + f*x])^(n - 2)/(f^2*(n - 1)*(n - 2))), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]

Rule 5526

Int[(x_)^(m_.)*Sech[(a_.) + (b_.)*(x_)^(n_.)]^(p_.)*Tanh[(a_.) + (b_.)*(x_)^(n_.)]^(q_.), x_Symbol] := Simp[(-x^(m - n + 1))*(Sech[a + b*x^n]^p/(b*n*p)), x] + Dist[(m - n + 1)/(b*n*p), Int[x^(m - n)*Sech[a + b*x^n]^p, x], x] /; FreeQ[{a, b, p}, x] && RationalQ[m] && IntegerQ[n] && GeQ[m - n, 0] && EqQ[q, 1]

Rule 6420


```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int x^3 \operatorname{sech}^{-1}(ax)^3 dx &= -\frac{\operatorname{Subst}\left(\int x^3 \operatorname{sech}^4(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^4} \\
&= \frac{1}{4} x^4 \operatorname{sech}^{-1}(ax)^3 - \frac{3 \operatorname{Subst}\left(\int x^2 \operatorname{sech}^4(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{4a^4} \\
&= -\frac{x^2 \operatorname{sech}^{-1}(ax)}{4a^2} - \frac{x^2 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{4a^2} + \frac{1}{4} x^4 \operatorname{sech}^{-1}(ax)^3 + \frac{\operatorname{Subst}\left(\int s\right)}{4a^4} \\
&= -\frac{x^2 \operatorname{sech}^{-1}(ax)}{4a^2} - \frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{2a^4} - \frac{x^2 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{4a^2} \\
&= \frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax)}{4a^4} - \frac{x^2 \operatorname{sech}^{-1}(ax)}{4a^2} - \frac{\operatorname{sech}^{-1}(ax)^2}{2a^4} - \frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{2a^4} \\
&= \frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax)}{4a^4} - \frac{x^2 \operatorname{sech}^{-1}(ax)}{4a^2} - \frac{\operatorname{sech}^{-1}(ax)^2}{2a^4} - \frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{2a^4} \\
&= \frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax)}{4a^4} - \frac{x^2 \operatorname{sech}^{-1}(ax)}{4a^2} - \frac{\operatorname{sech}^{-1}(ax)^2}{2a^4} - \frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{2a^4} \\
&= \frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax)}{4a^4} - \frac{x^2 \operatorname{sech}^{-1}(ax)}{4a^2} - \frac{\operatorname{sech}^{-1}(ax)^2}{2a^4} - \frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{2a^4}
\end{aligned}$$

Mathematica [A]

time = 0.40, size = 188, normalized size = 1.02

$$\frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax) - \left(-2 + 2\sqrt{\frac{1-ax}{1+ax}} + 2ax\sqrt{\frac{1-ax}{1+ax}} + a^2x^2\sqrt{\frac{1-ax}{1+ax}} + a^3x^3\sqrt{\frac{1-ax}{1+ax}}\right) \operatorname{sech}^{-1}(ax)^2 + a^4x^4 \operatorname{sech}^{-1}(ax)^3 + \operatorname{sech}^{-1}(ax) \left(-a^2x^2 + 4 \log(1 + e^{-2\operatorname{sech}^{-1}(ax)})\right) - 2 \operatorname{PolyLog}(2, -e^{-2\operatorname{sech}^{-1}(ax)})}{4a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*ArcSech[a*x]^3, x]

[Out] (Sqrt[(1 - a*x)/(1 + a*x)]*(1 + a*x) - (-2 + 2*Sqrt[(1 - a*x)/(1 + a*x)]) + 2*a*x*Sqrt[(1 - a*x)/(1 + a*x)] + a^2*x^2*Sqrt[(1 - a*x)/(1 + a*x)] + a^3*x

$$\frac{3\sqrt{(1-ax)/(1+ax)}\operatorname{ArcSech}[ax]^2 + a^4x^4\operatorname{ArcSech}[ax]^3 + \operatorname{ArcSech}[ax]*(-a^2x^2 + 4\operatorname{Log}[1 + E^{(-2\operatorname{ArcSech}[ax])}]) - 2\operatorname{PolyLog}[2, -E^{(-2\operatorname{ArcSech}[ax])}])}{(4a^4)}$$

Maple [A]

time = 0.40, size = 236, normalized size = 1.28

method	result
derivativedivides	$\frac{a^4x^4\operatorname{arcsech}(ax)^3}{4} - \frac{\operatorname{arcsech}(ax)^2\sqrt{-\frac{ax-1}{ax}}\sqrt{\frac{ax+1}{ax}}}{4} a^3x^3 - \frac{\operatorname{arcsech}(ax)^2\sqrt{-\frac{ax-1}{ax}}\sqrt{\frac{ax+1}{ax}}}{2} ax - \frac{\operatorname{arcsech}(ax)a^2x^2}{4} + \dots$
default	$\frac{a^4x^4\operatorname{arcsech}(ax)^3}{4} - \frac{\operatorname{arcsech}(ax)^2\sqrt{-\frac{ax-1}{ax}}\sqrt{\frac{ax+1}{ax}}}{4} a^3x^3 - \frac{\operatorname{arcsech}(ax)^2\sqrt{-\frac{ax-1}{ax}}\sqrt{\frac{ax+1}{ax}}}{2} ax - \frac{\operatorname{arcsech}(ax)a^2x^2}{4} + \dots$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*arcsech(a*x)^3,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{a^4} * (\frac{1}{4} a^4 x^4 \operatorname{arcsech}(a x)^3 - \frac{1}{4} \operatorname{arcsech}(a x)^2 * (- (a x - 1) / a / x)^{(1/2)} * ((a x + 1) / a / x)^{(1/2)} * a^3 x^3 - \frac{1}{2} \operatorname{arcsech}(a x)^2 * (- (a x - 1) / a / x)^{(1/2)} * ((a x + 1) / a / x)^{(1/2)} * a x - \frac{1}{4} \operatorname{arcsech}(a x) * a^2 x^2 + \frac{1}{4} * (- (a x - 1) / a / x)^{(1/2)} * ((a x + 1) / a / x)^{(1/2)} * a x - \frac{1}{2} \operatorname{arcsech}(a x)^2 - \frac{1}{4} + \operatorname{arcsech}(a x) * \ln(1 + (1/a/x + (1/a/x - 1)^{(1/2)})^{(1/2)} * (1 + 1/a/x)^{(1/2)})^2 + \frac{1}{2} * \operatorname{polylog}(2, - (1/a/x + (1/a/x - 1)^{(1/2)})^{(1/2)} * (1 + 1/a/x)^{(1/2)})^2))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arcsech(a*x)^3,x, algorithm="maxima")`

[Out] `integrate(x^3*arcsech(a*x)^3, x)`

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arcsech(a*x)^3,x, algorithm="fricas")`

[Out] `integral(x^3*arcsech(a*x)^3, x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{asech}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*asech(a*x)**3,x)**[Out]** Integral(x**3*asech(a*x)**3, x)**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arcsech(a*x)^3,x, algorithm="giac")**[Out]** integrate(x^3*arcsech(a*x)^3, x)**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{acosh}\left(\frac{1}{ax}\right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*acosh(1/(a*x))^3,x)**[Out]** int(x^3*acosh(1/(a*x))^3, x)

3.12 $\int x^2 \operatorname{sech}^{-1}(ax)^3 dx$

Optimal. Leaf size=198

$$\frac{x \operatorname{sech}^{-1}(ax)}{a^2} - \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{2a^2} + \frac{1}{3} x^3 \operatorname{sech}^{-1}(ax)^3 - \frac{\operatorname{sech}^{-1}(ax)^2 \operatorname{ArcTan}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{a^3} + \dots$$

[Out] $-x \operatorname{arcsech}(a*x)/a^2 + 1/3*x^3*\operatorname{arcsech}(a*x)^3 - \operatorname{arcsech}(a*x)^2*\operatorname{arctan}(1/a/x + (1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)})/a^3 + \operatorname{arctan}((a*x+1)*((-a*x+1)/(a*x+1))^{(1/2)}/a/x)/a^3 + I*\operatorname{arcsech}(a*x)*\operatorname{polylog}(2, -I*(1/a/x + (1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))/a^3 - I*\operatorname{arcsech}(a*x)*\operatorname{polylog}(2, I*(1/a/x + (1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))/a^3 - I*\operatorname{polylog}(3, -I*(1/a/x + (1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))/a^3 + I*\operatorname{polylog}(3, I*(1/a/x + (1/a/x-1)^{(1/2)}*(1+1/a/x)^{(1/2)}))/a^3 - 1/2*x*(a*x+1)*\operatorname{arcsech}(a*x)^2*((-a*x+1)/(a*x+1))^{(1/2)}/a^2$

Rubi [A]

time = 0.10, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$,

Rules used = {6420, 5526, 4271, 3855, 4265, 2611, 2320, 6724}

$$\frac{\operatorname{ArcTan}\left(\frac{\sqrt{\frac{1-ax}{ax+1}}(ax+1)}{ax}\right)}{a^3} - \frac{\operatorname{sech}^{-1}(ax)^2 \operatorname{ArcTan}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{a^3} + \frac{i \operatorname{sech}^{-1}(ax) \operatorname{Li}_2(-i e^{\operatorname{sech}^{-1}(ax)})}{a^3} - \frac{i \operatorname{sech}^{-1}(ax) \operatorname{Li}_2(i e^{\operatorname{sech}^{-1}(ax)})}{a^3} - \frac{i \operatorname{Li}_2(-i e^{\operatorname{sech}^{-1}(ax)})}{a^3} + \frac{i \operatorname{Li}_2(i e^{\operatorname{sech}^{-1}(ax)})}{a^3} - \frac{x \sqrt{\frac{1-ax}{ax+1}} (ax+1) \operatorname{sech}^{-1}(ax)^2}{2a^2} - \frac{x \operatorname{sech}^{-1}(ax)}{a^2} + \frac{1}{3} x^3 \operatorname{sech}^{-1}(ax)^3$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2*\operatorname{ArcSech}[a*x]^3, x]$

[Out] $-((x*\operatorname{ArcSech}[a*x])/a^2) - (x*\operatorname{Sqrt}[(1-a*x)/(1+a*x)]*(1+a*x)*\operatorname{ArcSech}[a*x]^2)/(2*a^2) + (x^3*\operatorname{ArcSech}[a*x]^3)/3 - (\operatorname{ArcSech}[a*x]^2*\operatorname{ArcTan}[E^{\operatorname{ArcSech}[a*x]}])/a^3 + \operatorname{ArcTan}[(\operatorname{Sqrt}[(1-a*x)/(1+a*x)]*(1+a*x))/(a*x])/a^3 + (I*\operatorname{ArcSech}[a*x]*\operatorname{PolyLog}[2, (-I)*E^{\operatorname{ArcSech}[a*x]}])/a^3 - (I*\operatorname{ArcSech}[a*x]*\operatorname{PolyLog}[2, I*E^{\operatorname{ArcSech}[a*x]}])/a^3 - (I*\operatorname{PolyLog}[3, (-I)*E^{\operatorname{ArcSech}[a*x]}])/a^3 + (I*\operatorname{PolyLog}[3, I*E^{\operatorname{ArcSech}[a*x]}])/a^3$

Rule 2320

$\operatorname{Int}[u_, x_Symbol] := \operatorname{With}\{v = \operatorname{FunctionOfExponential}[u, x]\}, \operatorname{Dist}[v/D[v, x], \operatorname{Subst}[\operatorname{Int}[\operatorname{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /;$ $\operatorname{FunctionOfExponentialQ}[u, x] \&\& \operatorname{!MatchQ}[u, (w_)*((a_)*(v_)^{(n_)})^{(m_)} /;$ $\operatorname{FreeQ}\{a, m, n\}, x] \&\& \operatorname{IntegerQ}[m*n] \&\& \operatorname{!MatchQ}[u, E^{(c_)*((a_)*(b_)*x)}*(F_)[v_] /;$ $\operatorname{FreeQ}\{a, b, c\}, x] \&\& \operatorname{InverseFunctionQ}[F[x]]]$

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 3855

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[-ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 4265

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_
))^m, x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(
I*k*Pi)]/(f*fz*I)), x] + (-Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1
- E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[d*(m/(f*fz*I)), Int[(c +
d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c,
d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4271

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^n*((c_.) + (d_.)*(x_))^m, x_Symbol] := Simp[(-b^2)*(c + d*x)^m*Cot[e + f*x]*((b*Csc[e + f*x])^(n - 2)/(f*(n
- 1))), x] + (Dist[b^2*d^2*m*((m - 1)/(f^2*(n - 1)*(n - 2))), Int[(c + d*x)
^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[b^2*((n - 2)/(n - 1)), Int
[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[b^2*d*m*(c + d*x)^(m -
1)*((b*Csc[e + f*x])^(n - 2)/(f^2*(n - 1)*(n - 2))), x]) /; FreeQ[{b, c, d
, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 5526

```
Int[(x_)^m*Sech[(a_.) + (b_.)*(x_)^n]^p*Tanh[(a_.) + (b_.)*(x_)
^n]^q, x_Symbol] := Simp[(-x^(m - n + 1))*(Sech[a + b*x^n]^p/(b*n*p
)), x] + Dist[(m - n + 1)/(b*n*p), Int[x^(m - n)*Sech[a + b*x^n]^p, x], x]
/; FreeQ[{a, b, p}, x] && RationalQ[m] && IntegerQ[n] && GeQ[m - n, 0] && E
qQ[q, 1]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^n*(x_)^m, x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int x^2 \operatorname{sech}^{-1}(ax)^3 dx &= -\frac{\operatorname{Subst}\left(\int x^3 \operatorname{sech}^3(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^3} \\
&= \frac{1}{3} x^3 \operatorname{sech}^{-1}(ax)^3 - \frac{\operatorname{Subst}\left(\int x^2 \operatorname{sech}^3(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^3} \\
&= -\frac{x \operatorname{sech}^{-1}(ax)}{a^2} - \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{2a^2} + \frac{1}{3} x^3 \operatorname{sech}^{-1}(ax)^3 - \frac{\operatorname{Subst}\left(\int x^2 \operatorname{sech}^3(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^3} \\
&= -\frac{x \operatorname{sech}^{-1}(ax)}{a^2} - \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{2a^2} + \frac{1}{3} x^3 \operatorname{sech}^{-1}(ax)^3 - \frac{\operatorname{sech}^{-1}(ax)^2 \operatorname{Subst}\left(\int x^2 \operatorname{sech}^3(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^3} \\
&= -\frac{x \operatorname{sech}^{-1}(ax)}{a^2} - \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{2a^2} + \frac{1}{3} x^3 \operatorname{sech}^{-1}(ax)^3 - \frac{\operatorname{sech}^{-1}(ax)^2 \operatorname{Subst}\left(\int x^2 \operatorname{sech}^3(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^3} \\
&= -\frac{x \operatorname{sech}^{-1}(ax)}{a^2} - \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{2a^2} + \frac{1}{3} x^3 \operatorname{sech}^{-1}(ax)^3 - \frac{\operatorname{sech}^{-1}(ax)^2 \operatorname{Subst}\left(\int x^2 \operatorname{sech}^3(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^3} \\
&= -\frac{x \operatorname{sech}^{-1}(ax)}{a^2} - \frac{x \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{2a^2} + \frac{1}{3} x^3 \operatorname{sech}^{-1}(ax)^3 - \frac{\operatorname{sech}^{-1}(ax)^2 \operatorname{Subst}\left(\int x^2 \operatorname{sech}^3(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^3}
\end{aligned}$$

Mathematica [A]

time = 0.33, size = 199, normalized size = 1.01

$$\frac{-6a^2 \operatorname{sech}^{-1}(ax) - 3a^2 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2 + 2a^2 x \operatorname{sech}^{-1}(ax)^2 + 3(-4i \operatorname{ArcTan}(\tanh(\frac{1}{2} \operatorname{sech}^{-1}(ax))) + \operatorname{sech}^{-1}(ax)^2 \log(1 - ic^{-\operatorname{sech}^{-1}(ax)}) - \operatorname{sech}^{-1}(ax)^2 \log(1 + ic^{-\operatorname{sech}^{-1}(ax)}) + 2 \operatorname{sech}^{-1}(ax) \operatorname{PolyLog}(2, -ic^{-\operatorname{sech}^{-1}(ax)}) - 2 \operatorname{sech}^{-1}(ax) \operatorname{PolyLog}(2, ic^{-\operatorname{sech}^{-1}(ax)}) + 2 \operatorname{PolyLog}(3, -ic^{-\operatorname{sech}^{-1}(ax)}) - 2 \operatorname{PolyLog}(3, ic^{-\operatorname{sech}^{-1}(ax)})}{6a^3}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcSech[a*x]^3,x]

```
[Out] (-6*a*x*ArcSech[a*x] - 3*a*x*Sqrt[(1 - a*x)/(1 + a*x)]*(1 + a*x)*ArcSech[a*x]^2 + 2*a^3*x^3*ArcSech[a*x]^3 + (3*I)*((-4*I)*ArcTan[Tanh[ArcSech[a*x]/2]] + ArcSech[a*x]^2*Log[1 - I/E^ArcSech[a*x]] - ArcSech[a*x]^2*Log[1 + I/E^ArcSech[a*x]] + 2*ArcSech[a*x]*PolyLog[2, (-I)/E^ArcSech[a*x]] - 2*ArcSech[a*x]*PolyLog[2, I/E^ArcSech[a*x]] + 2*PolyLog[3, (-I)/E^ArcSech[a*x]] - 2*PolyLog[3, I/E^ArcSech[a*x]])/(6*a^3)
```

Maple [F]

time = 0.38, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{arcsech}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*arcsech(a*x)^3,x)
```

```
[Out] int(x^2*arcsech(a*x)^3,x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arcsech(a*x)^3,x, algorithm="maxima")
```

```
[Out] integrate(x^2*arcsech(a*x)^3, x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arcsech(a*x)^3,x, algorithm="fricas")
```

```
[Out] integral(x^2*arcsech(a*x)^3, x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{asech}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*asech(a*x)**3,x)
```

[Out] Integral(x**2*asech(a*x)**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arcsech(a*x)^3,x, algorithm="giac")

[Out] integrate(x^2*arcsech(a*x)^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{acosh}\left(\frac{1}{ax}\right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*acosh(1/(a*x))^3,x)

[Out] int(x^2*acosh(1/(a*x))^3, x)

3.13 $\int x \operatorname{sech}^{-1}(ax)^3 dx$

Optimal. Leaf size=102

$$-\frac{3 \operatorname{sech}^{-1}(ax)^2}{2a^2} - \frac{3 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{2a^2} + \frac{1}{2} x^2 \operatorname{sech}^{-1}(ax)^3 + \frac{3 \operatorname{sech}^{-1}(ax) \log\left(1 + e^{2 \operatorname{sech}^{-1}(ax)}\right)}{a^2} + \dots$$

[Out] $-3/2 \operatorname{arcsech}(ax)^2/a^2 + 1/2 x^2 \operatorname{arcsech}(ax)^3 + 3 \operatorname{arcsech}(ax) \ln(1 + (1/a/x + (1/a/x - 1)^{1/2}) \cdot (1 + 1/a/x)^{1/2})^2/a^2 + 3/2 \operatorname{polylog}(2, -(1/a/x + (1/a/x - 1)^{1/2}) \cdot (1 + 1/a/x)^{1/2})^2/a^2 - 3/2 (ax + 1) \operatorname{arcsech}(ax)^2 \cdot ((-ax + 1)/(ax + 1))^{1/2}/a^2$

Rubi [A]

time = 0.09, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$, Rules used = {6420, 5526, 4269, 3799, 2221, 2317, 2438}

$$\frac{3 \operatorname{Li}_2(-e^{2 \operatorname{sech}^{-1}(ax)})}{2a^2} - \frac{3 \sqrt{\frac{1-ax}{ax+1}} (ax+1) \operatorname{sech}^{-1}(ax)^2}{2a^2} - \frac{3 \operatorname{sech}^{-1}(ax)^2}{2a^2} + \frac{3 \operatorname{sech}^{-1}(ax) \log(e^{2 \operatorname{sech}^{-1}(ax)} + 1)}{a^2} + \frac{1}{2} x^2 \operatorname{sech}^{-1}(ax)^3$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x \operatorname{ArcSech}[a x]^3, x]$

[Out] $(-3 \operatorname{ArcSech}[a x]^2)/(2 a^2) - (3 \operatorname{Sqrt}[(1 - a x)/(1 + a x)] \cdot (1 + a x) \operatorname{ArcSech}[a x]^2)/(2 a^2) + (x^2 \operatorname{ArcSech}[a x]^3)/2 + (3 \operatorname{ArcSech}[a x] \operatorname{Log}[1 + E^{(2 \operatorname{ArcSech}[a x])}])/a^2 + (3 \operatorname{PolyLog}[2, -E^{(2 \operatorname{ArcSech}[a x])}])/ (2 a^2)$

Rule 2221

$\operatorname{Int}[\frac{(F)^{(g \cdot (e \cdot (e \cdot (f \cdot (x)))})^{(n \cdot ((c \cdot (d \cdot (x)))^{(m \cdot (a \cdot (b \cdot (F)^{(g \cdot (e \cdot (f \cdot (x)))})^{(n \cdot (c + d \cdot x)^m / (b \cdot f \cdot g \cdot n \cdot \operatorname{Log}[F])}) \cdot \operatorname{Log}[1 + b \cdot ((F^{(g \cdot (e + f \cdot x)))^n / a)]}, x] - \operatorname{Dist}[d \cdot (m / (b \cdot f \cdot g \cdot n \cdot \operatorname{Log}[F])), \operatorname{Int}[(c + d \cdot x)^{(m - 1)} \cdot \operatorname{Log}[1 + b \cdot ((F^{(g \cdot (e + f \cdot x)))^n / a)]}, x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \operatorname{IGtQ}[m, 0]$

Rule 2317

$\operatorname{Int}[\operatorname{Log}[a \cdot (b \cdot (F)^{(e \cdot (c \cdot (d \cdot (x)))^{(n \cdot (a \cdot (d \cdot e \cdot n \cdot \operatorname{Log}[F])}) \cdot \operatorname{Subst}[\operatorname{Int}[\operatorname{Log}[a + b \cdot x]/x, x], x, (F^{(e \cdot (c + d \cdot x)))^n}], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \operatorname{GtQ}[a, 0]$

Rule 2438

$\operatorname{Int}[\operatorname{Log}[c \cdot (d \cdot (e \cdot (x)^{(n \cdot (c \cdot (d \cdot (e \cdot x)^n)]/n, x] /; \operatorname{FreeQ}\{c, d, e, n\}, x] \&\& \operatorname{EqQ}[c \cdot d, 1]$

Rule 3799

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (Complex[0, fz_])*(f_.)*(x_)], x
_Symbol] := Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(
c + d*x)^m*(E^(2*((-I)*e + f*fz*x))/(1 + E^(2*((-I)*e + f*fz*x))))], x], x]
/; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]
```

Rule 4269

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp
[(-c + d*x)^m*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*
Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 5526

```
Int[(x_)^(m_.)*Sech[(a_.) + (b_.)*(x_)^(n_.)]^(p_.)*Tanh[(a_.) + (b_.)*(x_)
^(n_.)]^(q_.), x_Symbol] := Simp[(-x^(m - n + 1))*(Sech[a + b*x^n]^p/(b*n*p
)), x] + Dist[(m - n + 1)/(b*n*p), Int[x^(m - n)*Sech[a + b*x^n]^p, x], x]
/; FreeQ[{a, b, p}, x] && RationalQ[m] && IntegerQ[n] && GeQ[m - n, 0] && E
qQ[q, 1]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[
-(c^(m + 1))^( -1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int x \operatorname{sech}^{-1}(ax)^3 dx &= -\frac{\operatorname{Subst}\left(\int x^3 \operatorname{sech}^2(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^2} \\
&= \frac{1}{2} x^2 \operatorname{sech}^{-1}(ax)^3 - \frac{3 \operatorname{Subst}\left(\int x^2 \operatorname{sech}^2(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{2a^2} \\
&= -\frac{3 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{2a^2} + \frac{1}{2} x^2 \operatorname{sech}^{-1}(ax)^3 + \frac{3 \operatorname{Subst}\left(\int x \tanh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^2} \\
&= -\frac{3 \operatorname{sech}^{-1}(ax)^2}{2a^2} - \frac{3 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{2a^2} + \frac{1}{2} x^2 \operatorname{sech}^{-1}(ax)^3 + \frac{6 \operatorname{Subst}\left(\int \frac{e^x}{1+e^x} dx, x, \operatorname{sech}^{-1}(ax)\right)}{a^2} \\
&= -\frac{3 \operatorname{sech}^{-1}(ax)^2}{2a^2} - \frac{3 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{2a^2} + \frac{1}{2} x^2 \operatorname{sech}^{-1}(ax)^3 + \frac{3 \operatorname{sech}^{-1}(ax)}{a^2} \\
&= -\frac{3 \operatorname{sech}^{-1}(ax)^2}{2a^2} - \frac{3 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{2a^2} + \frac{1}{2} x^2 \operatorname{sech}^{-1}(ax)^3 + \frac{3 \operatorname{sech}^{-1}(ax)}{a^2} \\
&= -\frac{3 \operatorname{sech}^{-1}(ax)^2}{2a^2} - \frac{3 \sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{2a^2} + \frac{1}{2} x^2 \operatorname{sech}^{-1}(ax)^3 + \frac{3 \operatorname{sech}^{-1}(ax)}{a^2}
\end{aligned}$$

Mathematica [A]

time = 0.25, size = 101, normalized size = 0.99

$$\frac{\operatorname{sech}^{-1}(ax) \left(-3 \left(-1 + \sqrt{\frac{1-ax}{1+ax}} + ax \sqrt{\frac{1-ax}{1+ax}} \right) \operatorname{sech}^{-1}(ax) + a^2 x^2 \operatorname{sech}^{-1}(ax)^2 + 6 \log \left(1 + e^{-2 \operatorname{sech}^{-1}(ax)} \right) \right) - 3 \operatorname{PolyLog} \left(2, -e^{-2 \operatorname{sech}^{-1}(ax)} \right)}{2a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcSech[a*x]^3,x]

[Out] (ArcSech[a*x]*(-3*(-1 + Sqrt[(1 - a*x)/(1 + a*x)] + a*x*Sqrt[(1 - a*x)/(1 + a*x)]))*ArcSech[a*x] + a^2*x^2*ArcSech[a*x]^2 + 6*Log[1 + E^(-2*ArcSech[a*x])]) - 3*PolyLog[2, -E^(-2*ArcSech[a*x])])/(2*a^2)

Maple [A]

time = 0.32, size = 149, normalized size = 1.46

method	result
derivativedivides	$ \frac{\operatorname{arcsech}(ax)^2 \left(\operatorname{arcsech}(ax) a^2 x^2 - 3 \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} \operatorname{arcsech}(ax) \right) - 3 \operatorname{arcsech}(ax)^2 + 3 \operatorname{arcsech}(ax) \ln \left(1 + \left(\frac{1}{ax} + \sqrt{\frac{1}{ax}} - \right) \right)}{a^2} $

default	$\frac{\operatorname{arcsech}(ax)^2 \left(\operatorname{arcsech}(ax) a^2 x^2 - 3 \sqrt{\frac{-ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} a x + 3 \right)}{2} - 3 \operatorname{arcsech}(ax)^2 + 3 \operatorname{arcsech}(ax) \ln \left(1 + \left(\frac{1}{ax} + \sqrt{\frac{1}{ax} - 1} \right) \right)$
---------	--

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*arcsech(a*x)^3,x,method=_RETURNVERBOSE)`

[Out] $1/a^2 * (1/2 * \operatorname{arcsech}(a*x)^2 * (\operatorname{arcsech}(a*x) * a^2 * x^2 - 3 * (- (a*x-1)/a/x)^{(1/2)} * ((a*x+1)/a/x)^{(1/2)} * a*x+3) - 3 * \operatorname{arcsech}(a*x)^2 + 3 * \operatorname{arcsech}(a*x) * \ln(1 + (1/a/x + (1/a/x-1))^{(1/2)} * (1+1/a/x)^{(1/2)})^2) + 3/2 * \operatorname{polylog}(2, -(1/a/x + (1/a/x-1))^{(1/2)} * (1+1/a/x)^{(1/2)})^2)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsech(a*x)^3,x, algorithm="maxima")`

[Out] `integrate(x*arcsech(a*x)^3, x)`

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsech(a*x)^3,x, algorithm="fricas")`

[Out] `integral(x*arcsech(a*x)^3, x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{asech}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*asech(a*x)**3,x)`

[Out] `Integral(x*asech(a*x)**3, x)`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsech(a*x)^3,x, algorithm="giac")
```

```
[Out] integrate(x*arcsech(a*x)^3, x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x \operatorname{acosh}\left(\frac{1}{ax}\right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*acosh(1/(a*x))^3,x)
```

```
[Out] int(x*acosh(1/(a*x))^3, x)
```

3.14 $\int \operatorname{sech}^{-1}(ax)^3 dx$

Optimal. Leaf size=111

$$x \operatorname{sech}^{-1}(ax)^3 - \frac{6 \operatorname{sech}^{-1}(ax)^2 \operatorname{ArcTan}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{a} + \frac{6i \operatorname{sech}^{-1}(ax) \operatorname{PolyLog}\left(2, -ie^{\operatorname{sech}^{-1}(ax)}\right)}{a} - \frac{6i \operatorname{sech}^{-1}(ax) \operatorname{PolyLog}\left(2, Ie^{\operatorname{sech}^{-1}(ax)}\right)}{a} - \frac{6i \operatorname{sech}^{-1}(ax) \operatorname{PolyLog}\left(3, -Ie^{\operatorname{sech}^{-1}(ax)}\right)}{a} + \frac{6i \operatorname{sech}^{-1}(ax) \operatorname{PolyLog}\left(3, Ie^{\operatorname{sech}^{-1}(ax)}\right)}{a}$$

```
[Out] x*arcsech(a*x)^3-6*arcsech(a*x)^2*arctan(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2))/a+6*I*arcsech(a*x)*polylog(2,-I*(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2)))/a-6*I*arcsech(a*x)*polylog(2,I*(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2)))/a-6*I*polylog(3,-I*(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2)))/a+6*I*polylog(3,I*(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2)))/a
```

Rubi [A]

time = 0.06, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$, Rules used = {6414, 5526, 4265, 2611, 2320, 6724}

$$-\frac{6 \operatorname{sech}^{-1}(ax)^2 \operatorname{ArcTan}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{a} + \frac{6i \operatorname{sech}^{-1}(ax) \operatorname{Li}_2\left(-ie^{\operatorname{sech}^{-1}(ax)}\right)}{a} - \frac{6i \operatorname{sech}^{-1}(ax) \operatorname{Li}_2\left(ie^{\operatorname{sech}^{-1}(ax)}\right)}{a} - \frac{6i \operatorname{Li}_3\left(-ie^{\operatorname{sech}^{-1}(ax)}\right)}{a} + \frac{6i \operatorname{Li}_3\left(ie^{\operatorname{sech}^{-1}(ax)}\right)}{a} + x \operatorname{sech}^{-1}(ax)^3$$

Antiderivative was successfully verified.

[In] Int[ArcSech[a*x]^3,x]

```
[Out] x*ArcSech[a*x]^3 - (6*ArcSech[a*x]^2*ArcTan[E^ArcSech[a*x]])/a + ((6*I)*ArcSech[a*x]*PolyLog[2, (-I)*E^ArcSech[a*x]])/a - ((6*I)*ArcSech[a*x]*PolyLog[2, I*E^ArcSech[a*x]])/a - ((6*I)*PolyLog[3, (-I)*E^ArcSech[a*x]])/a + ((6*I)*PolyLog[3, I*E^ArcSech[a*x]])/a
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m-1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 4265

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_
))^ (m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(
I*k*Pi)]/(f*fz*I)), x] + (-Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1
- E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[d*(m/(f*fz*I)), Int[(c +
d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c,
d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 5526

```
Int[(x_)^(m_.)*Sech[(a_.) + (b_.)*(x_)^(n_.)]^(p_.)*Tanh[(a_.) + (b_.)*(x_)
^(n_.)]^(q_.), x_Symbol] := Simp[(-x^(m - n + 1))*(Sech[a + b*x^n]^p/(b*n*p
)), x] + Dist[(m - n + 1)/(b*n*p), Int[x^(m - n)*Sech[a + b*x^n]^p, x], x]
/; FreeQ[{a, b, p}, x] && RationalQ[m] && IntegerQ[n] && GeQ[m - n, 0] && E
qQ[q, 1]
```

Rule 6414

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[-c^(-1), Su
bst[Int[(a + b*x)^n*Sech[x]*Tanh[x], x], x, ArcSech[c*x]], x] /; FreeQ[{a,
b, c, n}, x] && IGtQ[n, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \operatorname{sech}^{-1}(ax)^3 dx &= -\frac{\operatorname{Subst}\left(\int x^3 \operatorname{sech}(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a} \\
&= x \operatorname{sech}^{-1}(ax)^3 - \frac{3 \operatorname{Subst}\left(\int x^2 \operatorname{sech}(x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a} \\
&= x \operatorname{sech}^{-1}(ax)^3 - \frac{6 \operatorname{sech}^{-1}(ax)^2 \tan^{-1}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{a} + \frac{(6i) \operatorname{Subst}\left(\int x \log(1 - ie^x) dx, x, \operatorname{sech}^{-1}(ax)\right)}{a} \\
&= x \operatorname{sech}^{-1}(ax)^3 - \frac{6 \operatorname{sech}^{-1}(ax)^2 \tan^{-1}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{a} + \frac{6i \operatorname{sech}^{-1}(ax) \operatorname{Li}_2\left(-ie^{\operatorname{sech}^{-1}(ax)}\right)}{a} \\
&= x \operatorname{sech}^{-1}(ax)^3 - \frac{6 \operatorname{sech}^{-1}(ax)^2 \tan^{-1}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{a} + \frac{6i \operatorname{sech}^{-1}(ax) \operatorname{Li}_2\left(-ie^{\operatorname{sech}^{-1}(ax)}\right)}{a} \\
&= x \operatorname{sech}^{-1}(ax)^3 - \frac{6 \operatorname{sech}^{-1}(ax)^2 \tan^{-1}\left(e^{\operatorname{sech}^{-1}(ax)}\right)}{a} + \frac{6i \operatorname{sech}^{-1}(ax) \operatorname{Li}_2\left(-ie^{\operatorname{sech}^{-1}(ax)}\right)}{a}
\end{aligned}$$

Mathematica [A]

time = 0.09, size = 128, normalized size = 1.15

$$\operatorname{arcsech}^{-1}(ax)^3 - \frac{3i(-\operatorname{sech}^{-1}(ax))^2 (\log(1 - i e^{-\operatorname{sech}^{-1}(ax)}) - \log(1 + i e^{-\operatorname{sech}^{-1}(ax)})) - 2\operatorname{sech}^{-1}(ax) (\operatorname{PolyLog}(2, -i e^{-\operatorname{sech}^{-1}(ax)}) - \operatorname{PolyLog}(2, i e^{-\operatorname{sech}^{-1}(ax)})) - 2(\operatorname{PolyLog}(3, -i e^{-\operatorname{sech}^{-1}(ax)}) - \operatorname{PolyLog}(3, i e^{-\operatorname{sech}^{-1}(ax)})))}{a}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSech[a*x]^3,x]

[Out] x*ArcSech[a*x]^3 - ((3*I)*(-(ArcSech[a*x]^2*(Log[1 - I/E^ArcSech[a*x]] - Log[1 + I/E^ArcSech[a*x]])) - 2*ArcSech[a*x]*(PolyLog[2, (-I)/E^ArcSech[a*x]] - PolyLog[2, I/E^ArcSech[a*x]])) - 2*(PolyLog[3, (-I)/E^ArcSech[a*x]] - PolyLog[3, I/E^ArcSech[a*x]])))/a

Maple [F]

time = 0.18, size = 0, normalized size = 0.00

$$\int \operatorname{arcsech}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsech(a*x)^3,x)**[Out]** int(arcsech(a*x)^3,x)**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^3,x, algorithm="maxima")

[Out] x*log(sqrt(a*x + 1)*sqrt(-a*x + 1) + 1)^3 - integrate((a^2*x^2*log(a)^3 + (a^2*x^2 - 1)*log(x)^3 + 3*(a^2*x^2*log(a) + (a^2*x^2*(log(a) + 1) + (a^2*x^2 - 1)*log(x) - log(a))*sqrt(a*x + 1)*sqrt(-a*x + 1) + (a^2*x^2 - 1)*log(x) - log(a))*log(sqrt(a*x + 1)*sqrt(-a*x + 1) + 1)^2 - log(a)^3 + 3*(a^2*x^2*log(a) - log(a))*log(x)^2 + (a^2*x^2*log(a)^3 + (a^2*x^2 - 1)*log(x)^3 - log(a)^3 + 3*(a^2*x^2*log(a) - log(a))*log(x)^2 + 3*(a^2*x^2*log(a)^2 - log(a)^2)*log(x))*sqrt(a*x + 1)*sqrt(-a*x + 1) - 3*(a^2*x^2*log(a)^2 + (a^2*x^2 - 1)*log(x)^2 + (a^2*x^2*log(a)^2 + (a^2*x^2 - 1)*log(x)^2 - log(a)^2 + 2*(a^2*x^2*log(a) - log(a))*log(x))*sqrt(a*x + 1)*sqrt(-a*x + 1) - log(a)^2 + 2*(a^2*x^2*log(a) - log(a))*log(x))*log(sqrt(a*x + 1)*sqrt(-a*x + 1) + 1) + 3*(a^2*x^2*log(a)^2 - log(a)^2)*log(x))/(a^2*x^2 + (a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(-a*x + 1) - 1), x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(arcsech(a*x)^3,x, algorithm="fricas")``[Out] integral(arcsech(a*x)^3, x)`**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{asech}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(asech(a*x)**3,x)``[Out] Integral(asech(a*x)**3, x)`**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(arcsech(a*x)^3,x, algorithm="giac")``[Out] integrate(arcsech(a*x)^3, x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{acosh}\left(\frac{1}{ax}\right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(acosh(1/(a*x))^3,x)``[Out] int(acosh(1/(a*x))^3, x)`

3.15 $\int \frac{\operatorname{sech}^{-1}(ax)^3}{x} dx$

Optimal. Leaf size=88

$$\frac{1}{4}\operatorname{sech}^{-1}(ax)^4 - \operatorname{sech}^{-1}(ax)^3 \log\left(1 + e^{2\operatorname{sech}^{-1}(ax)}\right) - \frac{3}{2}\operatorname{sech}^{-1}(ax)^2 \operatorname{PolyLog}\left(2, -e^{2\operatorname{sech}^{-1}(ax)}\right) + \frac{3}{2}\operatorname{sech}^{-1}(ax) \operatorname{PolyLog}\left(3, -e^{2\operatorname{sech}^{-1}(ax)}\right) - \frac{3}{4}\operatorname{sech}^{-1}(ax) \operatorname{PolyLog}\left(4, -e^{2\operatorname{sech}^{-1}(ax)}\right)$$

[Out] 1/4*arcsech(a*x)^4-arcsech(a*x)^3*ln(1+(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2))^2)-3/2*arcsech(a*x)^2*polylog(2,-(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2))^2)+3/2*arcsech(a*x)*polylog(3,-(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2))^2)-3/4*polylog(4,-(1/a/x+(1/a/x-1)^(1/2)*(1+1/a/x)^(1/2))^2)

Rubi [A]

time = 0.07, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {6420, 3799, 2221, 2611, 6744, 2320, 6724}

$$-\frac{3}{2}\operatorname{sech}^{-1}(ax)^2 \operatorname{Li}_2\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) + \frac{3}{2}\operatorname{sech}^{-1}(ax) \operatorname{Li}_3\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) - \frac{3}{4}\operatorname{Li}_4\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) + \frac{1}{4}\operatorname{sech}^{-1}(ax)^4 - \operatorname{sech}^{-1}(ax)^3 \log\left(e^{2\operatorname{sech}^{-1}(ax)} + 1\right)$$

Antiderivative was successfully verified.

[In] Int[ArcSech[a*x]^3/x,x]

[Out] ArcSech[a*x]^4/4 - ArcSech[a*x]^3*Log[1 + E^(2*ArcSech[a*x])] - (3*ArcSech[a*x]^2*PolyLog[2, -E^(2*ArcSech[a*x])])/2 + (3*ArcSech[a*x]*PolyLog[3, -E^(2*ArcSech[a*x])])/2 - (3*PolyLog[4, -E^(2*ArcSech[a*x])])/4

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2320

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)
*(x_))^(m_), x_Symbol] :> Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
```

```
b*x)))^n)/(b*c*n*Log[F]), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 3799

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (Complex[0, fz_])*(f_.)*(x_)], x
_Symbol] := Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c
+ d*x)^m*(E^(2*((-I)*e + f*fz*x)))/(1 + E^(2*((-I)*e + f*fz*x)))], x], x]
/; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)^(n_.)*(x_)^(m_.), x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6744

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_))))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{sech}^{-1}(ax)^3}{x} dx &= -\operatorname{Subst}\left(\int x^3 \tanh(x) dx, x, \operatorname{sech}^{-1}(ax)\right) \\
&= \frac{1}{4}\operatorname{sech}^{-1}(ax)^4 - 2\operatorname{Subst}\left(\int \frac{e^{2x}x^3}{1+e^{2x}} dx, x, \operatorname{sech}^{-1}(ax)\right) \\
&= \frac{1}{4}\operatorname{sech}^{-1}(ax)^4 - \operatorname{sech}^{-1}(ax)^3 \log\left(1+e^{2\operatorname{sech}^{-1}(ax)}\right) + 3\operatorname{Subst}\left(\int x^2 \log(1+e^{2x}) dx, x, \operatorname{sech}^{-1}(ax)\right) \\
&= \frac{1}{4}\operatorname{sech}^{-1}(ax)^4 - \operatorname{sech}^{-1}(ax)^3 \log\left(1+e^{2\operatorname{sech}^{-1}(ax)}\right) - \frac{3}{2}\operatorname{sech}^{-1}(ax)^2 \operatorname{Li}_2\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) + \frac{3}{2}\operatorname{sech}^{-1}(ax) \operatorname{Li}_2\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) \\
&= \frac{1}{4}\operatorname{sech}^{-1}(ax)^4 - \operatorname{sech}^{-1}(ax)^3 \log\left(1+e^{2\operatorname{sech}^{-1}(ax)}\right) - \frac{3}{2}\operatorname{sech}^{-1}(ax)^2 \operatorname{Li}_2\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) + \frac{3}{2}\operatorname{sech}^{-1}(ax) \operatorname{Li}_2\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) \\
&= \frac{1}{4}\operatorname{sech}^{-1}(ax)^4 - \operatorname{sech}^{-1}(ax)^3 \log\left(1+e^{2\operatorname{sech}^{-1}(ax)}\right) - \frac{3}{2}\operatorname{sech}^{-1}(ax)^2 \operatorname{Li}_2\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) + \frac{3}{2}\operatorname{sech}^{-1}(ax) \operatorname{Li}_2\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) \\
&= \frac{1}{4}\operatorname{sech}^{-1}(ax)^4 - \operatorname{sech}^{-1}(ax)^3 \log\left(1+e^{2\operatorname{sech}^{-1}(ax)}\right) - \frac{3}{2}\operatorname{sech}^{-1}(ax)^2 \operatorname{Li}_2\left(-e^{2\operatorname{sech}^{-1}(ax)}\right) + \frac{3}{2}\operatorname{sech}^{-1}(ax) \operatorname{Li}_2\left(-e^{2\operatorname{sech}^{-1}(ax)}\right)
\end{aligned}$$

Mathematica [A]

time = 0.06, size = 84, normalized size = 0.95

$$\frac{1}{4}\left(-\operatorname{sech}^{-1}(ax)^4 - 4\operatorname{sech}^{-1}(ax)^3 \log\left(1+e^{-2\operatorname{sech}^{-1}(ax)}\right) + 6\operatorname{sech}^{-1}(ax)^2 \operatorname{PolyLog}\left(2, -e^{-2\operatorname{sech}^{-1}(ax)}\right) + 6\operatorname{sech}^{-1}(ax) \operatorname{PolyLog}\left(3, -e^{-2\operatorname{sech}^{-1}(ax)}\right) + 3\operatorname{PolyLog}\left(4, -e^{-2\operatorname{sech}^{-1}(ax)}\right)\right)$$

Antiderivative was successfully verified.

`[In] Integrate[ArcSech[a*x]^3/x, x]`

```
[Out] (-ArcSech[a*x]^4 - 4*ArcSech[a*x]^3*Log[1 + E^(-2*ArcSech[a*x])]) + 6*ArcSech[a*x]^2*PolyLog[2, -E^(-2*ArcSech[a*x])] + 6*ArcSech[a*x]*PolyLog[3, -E^(-2*ArcSech[a*x])] + 3*PolyLog[4, -E^(-2*ArcSech[a*x])]/4
```

Maple [A]

time = 0.14, size = 181, normalized size = 2.06

method	result
derivativedivides	$\frac{\operatorname{arcsech}(ax)^4}{4} - \operatorname{arcsech}(ax)^3 \ln\left(1 + \left(\frac{1}{ax} + \sqrt{\frac{1}{ax} - 1} \sqrt{1 + \frac{1}{ax}}\right)^2\right) - \frac{3\operatorname{arcsech}(ax)^2 \operatorname{polylog}\left(2, -e^{-2\operatorname{arcsech}(ax)}\right)}{2}$
default	$\frac{\operatorname{arcsech}(ax)^4}{4} - \operatorname{arcsech}(ax)^3 \ln\left(1 + \left(\frac{1}{ax} + \sqrt{\frac{1}{ax} - 1} \sqrt{1 + \frac{1}{ax}}\right)^2\right) - \frac{3\operatorname{arcsech}(ax)^2 \operatorname{polylog}\left(2, -e^{-2\operatorname{arcsech}(ax)}\right)}{2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsech(a*x)^3/x,x,method=_RETURNVERBOSE)

[Out] $\frac{1}{4}\operatorname{arcsech}(ax)^4 - \operatorname{arcsech}(ax)^3 \ln\left(1 + \frac{1}{a/x} + \left(\frac{1}{a/x} - 1\right)^{1/2} \left(1 + \frac{1}{a/x}\right)^{1/2}\right)^2 - \frac{3}{2}\operatorname{arcsech}(ax)^2 \operatorname{polylog}\left(2, -\left(\frac{1}{a/x} + \left(\frac{1}{a/x} - 1\right)^{1/2} \left(1 + \frac{1}{a/x}\right)^{1/2}\right)^2\right) + \frac{3}{2}\operatorname{arcsech}(ax) \operatorname{polylog}\left(3, -\left(\frac{1}{a/x} + \left(\frac{1}{a/x} - 1\right)^{1/2} \left(1 + \frac{1}{a/x}\right)^{1/2}\right)^2\right) - \frac{3}{4}\operatorname{polylog}\left(4, -\left(\frac{1}{a/x} + \left(\frac{1}{a/x} - 1\right)^{1/2} \left(1 + \frac{1}{a/x}\right)^{1/2}\right)^2\right)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^3/x,x, algorithm="maxima")

[Out] integrate(arcsech(a*x)^3/x, x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^3/x,x, algorithm="fricas")

[Out] integral(arcsech(a*x)^3/x, x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asech}^3(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asech(a*x)**3/x,x)

[Out] Integral(asech(a*x)**3/x, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^3/x,x, algorithm="giac")

[Out] integrate(arcsech(a*x)^3/x, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}\left(\frac{1}{ax}\right)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(acosh(1/(a*x))^3/x,x)`

[Out] `int(acosh(1/(a*x))^3/x, x)`

3.16 $\int \frac{\operatorname{sech}^{-1}(ax)^3}{x^2} dx$

Optimal. Leaf size=83

$$\frac{6\sqrt{\frac{1-ax}{1+ax}}(1+ax)}{x} - \frac{6\operatorname{sech}^{-1}(ax)}{x} + \frac{3\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)^2}{x} - \frac{\operatorname{sech}^{-1}(ax)^3}{x}$$

[Out] $-6*\operatorname{arcsech}(a*x)/x-\operatorname{arcsech}(a*x)^3/x+6*(a*x+1)*((-a*x+1)/(a*x+1))^{(1/2)}/x+3*(a*x+1)*\operatorname{arcsech}(a*x)^2*((-a*x+1)/(a*x+1))^{(1/2)}/x$

Rubi [A]

time = 0.05, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {6420, 3377, 2717}

$$\frac{6\sqrt{\frac{1-ax}{ax+1}}(ax+1)}{x} - \frac{\operatorname{sech}^{-1}(ax)^3}{x} + \frac{3\sqrt{\frac{1-ax}{ax+1}}(ax+1)\operatorname{sech}^{-1}(ax)^2}{x} - \frac{6\operatorname{sech}^{-1}(ax)}{x}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{ArcSech}[a*x]^3/x^2, x]$

[Out] $(6*\operatorname{Sqrt}[(1-a*x)/(1+a*x)]*(1+a*x))/x - (6*\operatorname{ArcSech}[a*x])/x + (3*\operatorname{Sqrt}[(1-a*x)/(1+a*x)]*(1+a*x)*\operatorname{ArcSech}[a*x]^2)/x - \operatorname{ArcSech}[a*x]^3/x$

Rule 2717

$\operatorname{Int}[\sin[\operatorname{Pi}/2 + (c_.) + (d_.)*(x_)], x_Symbol] \rightarrow \operatorname{Simp}[\sin[c + d*x]/d, x] /;$
 $\operatorname{FreeQ}[\{c, d\}, x]$

Rule 3377

$\operatorname{Int}[(c_.) + (d_.)*(x_)]^{(m_.)} \sin[(e_.) + (f_.)*(x_)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^m * (\cos[e + f*x]/f), x] + \operatorname{Dist}[d*(m/f), \operatorname{Int}[(c + d*x)^{m-1} * \cos[e + f*x], x], x] /;$
 $\operatorname{FreeQ}[\{c, d, e, f\}, x] \ \&\& \operatorname{GtQ}[m, 0]$

Rule 6420

$\operatorname{Int}[(a_.) + \operatorname{ArcSech}[(c_.)*(x_)]*(b_.)]^{(n_.)}*(x_)]^{(m_.)}, x_Symbol] \rightarrow \operatorname{Dist}[-(c^{m+1})^{-1}, \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n * \operatorname{Sech}[x]^{m+1} * \operatorname{Tanh}[x], x], x, \operatorname{ArcSech}[c*x]], x] /;$
 $\operatorname{FreeQ}[\{a, b, c\}, x] \ \&\& \operatorname{IntegerQ}[n] \ \&\& \operatorname{IntegerQ}[m] \ \&\& (\operatorname{GtQ}[n, 0] \ || \operatorname{LtQ}[m, -1])$

Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{sech}^{-1}(ax)^3}{x^2} dx &= -\left(a \operatorname{Subst} \left(\int x^3 \sinh(x) dx, x, \operatorname{sech}^{-1}(ax) \right) \right) \\
&= -\frac{\operatorname{sech}^{-1}(ax)^3}{x} + (3a) \operatorname{Subst} \left(\int x^2 \cosh(x) dx, x, \operatorname{sech}^{-1}(ax) \right) \\
&= \frac{3\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{x} - \frac{\operatorname{sech}^{-1}(ax)^3}{x} - (6a) \operatorname{Subst} \left(\int x \sinh(x) dx, x, \operatorname{sech}^{-1}(ax) \right) \\
&= -\frac{6\operatorname{sech}^{-1}(ax)}{x} + \frac{3\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{x} - \frac{\operatorname{sech}^{-1}(ax)^3}{x} + (6a) \operatorname{Subst} \left(\int \cosh(x) dx, x, \operatorname{sech}^{-1}(ax) \right) \\
&= \frac{6\sqrt{\frac{1-ax}{1+ax}} (1+ax)}{x} - \frac{6\operatorname{sech}^{-1}(ax)}{x} + \frac{3\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2}{x} - \frac{\operatorname{sech}^{-1}(ax)^3}{x}
\end{aligned}$$

Mathematica [A]

time = 0.11, size = 75, normalized size = 0.90

$$\frac{6\sqrt{\frac{1-ax}{1+ax}} (1+ax) - 6\operatorname{sech}^{-1}(ax) + 3\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)^2 - \operatorname{sech}^{-1}(ax)^3}{x}$$

Antiderivative was successfully verified.

`[In] Integrate[ArcSech[a*x]^3/x^2,x]`

```
[Out] (6*Sqrt[(1 - a*x)/(1 + a*x)]*(1 + a*x) - 6*ArcSech[a*x] + 3*Sqrt[(1 - a*x)/(1 + a*x)]*(1 + a*x)*ArcSech[a*x]^2 - ArcSech[a*x]^3)/x
```

Maple [A]

time = 0.16, size = 98, normalized size = 1.18

method	result
derivativedivides	$a \left(-\frac{\operatorname{arcsech}(ax)^3}{ax} + 3\operatorname{arcsech}(ax)^2 \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} - \frac{6\operatorname{arcsech}(ax)}{ax} + 6\sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} \right)$
default	$a \left(-\frac{\operatorname{arcsech}(ax)^3}{ax} + 3\operatorname{arcsech}(ax)^2 \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} - \frac{6\operatorname{arcsech}(ax)}{ax} + 6\sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}} \right)$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(arcsech(a*x)^3/x^2,x,method=_RETURNVERBOSE)`

```
[Out] a*(-arcsech(a*x)^3/a/x+3*arcsech(a*x)^2*(-(a*x-1)/a/x)^(1/2)*((a*x+1)/a/x)^(1/2)-6/a/x*arcsech(a*x)+6*(-(a*x-1)/a/x)^(1/2)*((a*x+1)/a/x)^(1/2))
```


Maxima [A]

time = 0.27, size = 55, normalized size = 0.66

$$3a\sqrt{\frac{1}{a^2x^2}-1}\operatorname{ar}\operatorname{sech}(ax)^2 - \frac{\operatorname{ar}\operatorname{sech}(ax)^3}{x} + 6a\sqrt{\frac{1}{a^2x^2}-1} - \frac{6\operatorname{ar}\operatorname{sech}(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(arcsech(a*x)^3/x^2,x, algorithm="maxima")``[Out] 3*a*sqrt(1/(a^2*x^2) - 1)*arcsech(a*x)^2 - arcsech(a*x)^3/x + 6*a*sqrt(1/(a^2*x^2) - 1) - 6*arcsech(a*x)/x`**Fricas [A]**

time = 0.36, size = 155, normalized size = 1.87

$$\frac{3ax\sqrt{-\frac{a^2x^2-1}{a^2x^2}}\log\left(\frac{ax\sqrt{-\frac{a^2x^2-1}{a^2x^2}+1}}{ax}\right)^2 - \log\left(\frac{ax\sqrt{-\frac{a^2x^2-1}{a^2x^2}+1}}{ax}\right)^3 + 6ax\sqrt{-\frac{a^2x^2-1}{a^2x^2}} - 6\log\left(\frac{ax\sqrt{-\frac{a^2x^2-1}{a^2x^2}+1}}{ax}\right)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(arcsech(a*x)^3/x^2,x, algorithm="fricas")``[Out] (3*a*x*sqrt(-(a^2*x^2 - 1)/(a^2*x^2))*log((a*x*sqrt(-(a^2*x^2 - 1)/(a^2*x^2)) + 1)/(a*x))^2 - log((a*x*sqrt(-(a^2*x^2 - 1)/(a^2*x^2)) + 1)/(a*x))^3 + 6*a*x*sqrt(-(a^2*x^2 - 1)/(a^2*x^2)) - 6*log((a*x*sqrt(-(a^2*x^2 - 1)/(a^2*x^2)) + 1)/(a*x)))/x`**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asech}^3(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(asech(a*x)**3/x**2,x)``[Out] Integral(asech(a*x)**3/x**2, x)`**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(arcsech(a*x)^3/x^2,x, algorithm="giac")`

[Out] integrate(arcsech(a*x)^3/x^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}\left(\frac{1}{ax}\right)^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(1/(a*x))^3/x^2,x)

[Out] int(acosh(1/(a*x))^3/x^2, x)

3.17 $\int \frac{\operatorname{sech}^{-1}(ax)^3}{x^3} dx$

Optimal. Leaf size=137

$$\frac{3\sqrt{\frac{1-ax}{1+ax}}(1+ax)}{8x^2} - \frac{3}{8}a^2\operatorname{sech}^{-1}(ax) - \frac{3(1-ax)(1+ax)\operatorname{sech}^{-1}(ax)}{4x^2} + \frac{3\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)^2}{4x^2} - \frac{1}{4}$$

[Out] $-3/8*a^2*\operatorname{arcsech}(a*x)-3/4*(-a*x+1)*(a*x+1)*\operatorname{arcsech}(a*x)/x^2-1/4*a^2*\operatorname{arcsech}(a*x)^3-1/2*(-a*x+1)*(a*x+1)*\operatorname{arcsech}(a*x)^3/x^2+3/8*(a*x+1)*((-a*x+1)/(a*x+1))^{(1/2)}/x^2+3/4*(a*x+1)*\operatorname{arcsech}(a*x)^2*((-a*x+1)/(a*x+1))^{(1/2)}/x^2$

Rubi [A]

time = 0.06, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {6420, 5480, 3392, 30, 2715, 8}

$$-\frac{1}{4}a^2\operatorname{sech}^{-1}(ax)^3 - \frac{3}{8}a^2\operatorname{sech}^{-1}(ax) + \frac{3\sqrt{\frac{1-ax}{ax+1}}(ax+1)}{8x^2} - \frac{(1-ax)(ax+1)\operatorname{sech}^{-1}(ax)^3}{2x^2} + \frac{3\sqrt{\frac{1-ax}{ax+1}}(ax+1)\operatorname{sech}^{-1}(ax)^2}{4x^2} - \frac{3(1-ax)(ax+1)\operatorname{sech}^{-1}(ax)}{4x^2}$$

Antiderivative was successfully verified.

[In] Int[ArcSech[a*x]^3/x^3,x]

[Out] $(3*\operatorname{Sqrt}[(1-a*x)/(1+a*x)]*(1+a*x))/(8*x^2) - (3*a^2*\operatorname{ArcSech}[a*x])/8 - (3*(1-a*x)*(1+a*x)*\operatorname{ArcSech}[a*x])/(4*x^2) + (3*\operatorname{Sqrt}[(1-a*x)/(1+a*x)]*(1+a*x)*\operatorname{ArcSech}[a*x]^2)/(4*x^2) - (a^2*\operatorname{ArcSech}[a*x]^3)/4 - ((1-a*x)*(1+a*x)*\operatorname{ArcSech}[a*x]^3)/(2*x^2)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 2715

Int[((b_)*sin[(c_)+(d_)*(x_)])^(n_), x_Symbol] := Simp[(-b)*Cos[c+d*x]*(b*SIN[c+d*x])^(n-1)/(d*n), x] + Dist[b^2*((n-1)/n), Int[(b*SIN[c+d*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3392

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[d*m*(c + d*x)^(m - 1)*((b*Sine[e + f*x])^n/(f^2*n^2)), x] + (Dist
[b^2*((n - 1)/n), Int[(c + d*x)^m*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[d
^2*m*((m - 1)/(f^2*n^2)), Int[(c + d*x)^(m - 2)*(b*Sine[e + f*x])^n, x], x]
- Simp[b*(c + d*x)^m*Cos[e + f*x]*((b*Sine[e + f*x])^(n - 1)/(f*n)), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 5480

```
Int[Cosh[(a_.) + (b_.)*(x_)^(n_.)]*(x_)^(m_.)*Sinh[(a_.) + (b_.)*(x_)^(n_.)
]^(p_.), x_Symbol] :> Simp[x^(m - n + 1)*(Sinh[a + b*x^n]^(p + 1)/(b*n*(p +
1))), x] - Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*Sinh[a + b*x^n]^(
p + 1), x], x] /; FreeQ[{a, b, p}, x] && LtQ[0, n, m + 1] && NeQ[p, -1]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_), x_Symbol] :> Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{sech}^{-1}(ax)^3}{x^3} dx &= -\left(a^2 \operatorname{Subst}\left(\int x^3 \cosh(x) \sinh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)\right) \\
&= -\frac{(1-ax)(1+ax)\operatorname{sech}^{-1}(ax)^3}{2x^2} + \frac{1}{2}(3a^2) \operatorname{Subst}\left(\int x^2 \sinh^2(x) dx, x, \operatorname{sech}^{-1}(ax)\right) \\
&= -\frac{3(1-ax)(1+ax)\operatorname{sech}^{-1}(ax)}{4x^2} + \frac{3\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)^2}{4x^2} - \frac{(1-ax)(1+ax)}{2x^2} \\
&= \frac{3\sqrt{\frac{1-ax}{1+ax}}(1+ax)}{8x^2} - \frac{3(1-ax)(1+ax)\operatorname{sech}^{-1}(ax)}{4x^2} + \frac{3\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)}{4x^2} \\
&= \frac{3\sqrt{\frac{1-ax}{1+ax}}(1+ax)}{8x^2} - \frac{3}{8}a^2\operatorname{sech}^{-1}(ax) - \frac{3(1-ax)(1+ax)\operatorname{sech}^{-1}(ax)}{4x^2} + \frac{3\sqrt{\frac{1-ax}{1+ax}}(1+ax)}{4x^2}
\end{aligned}$$

Mathematica [A]

time = 0.23, size = 147, normalized size = 1.07

$$\frac{3\sqrt{\frac{1-ax}{1+ax}}(1+ax) - 6\operatorname{sech}^{-1}(ax) + 6\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)^2 + 2(-2 + a^2x^2)\operatorname{sech}^{-1}(ax)^3 - 3a^2x^2\log(x) + 3a^2x^2\log\left(1 + \sqrt{\frac{1-ax}{1+ax}} + ax\sqrt{\frac{1-ax}{1+ax}}\right)}{8x^2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSech[a*x]^3/x^3,x]

[Out] $(3\sqrt{(1-ax)/(1+ax)}*(1+ax) - 6\text{ArcSech}[ax] + 6\sqrt{(1-ax)/(1+ax)}*(1+ax)*\text{ArcSech}[ax]^2 + 2*(-2+a^2x^2)*\text{ArcSech}[ax]^3 - 3a^2x^2*\text{Log}[x] + 3a^2x^2*\text{Log}[1+\sqrt{(1-ax)/(1+ax)}] + ax*\sqrt{(1-ax)/(1+ax)}]/(8x^2)$

Maple [A]

time = 0.15, size = 126, normalized size = 0.92

method	result
derivativedivides	$a^2 \left(-\frac{\text{arcsech}(ax)^3}{2a^2x^2} + \frac{3\text{arcsech}(ax)^2 \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}}}{4ax} + \frac{\text{arcsech}(ax)^3}{4} - \frac{3\text{arcsech}(ax)}{4a^2x^2} + \frac{3\sqrt{-\frac{ax-1}{ax}}}{8a} \right)$
default	$a^2 \left(-\frac{\text{arcsech}(ax)^3}{2a^2x^2} + \frac{3\text{arcsech}(ax)^2 \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}}}{4ax} + \frac{\text{arcsech}(ax)^3}{4} - \frac{3\text{arcsech}(ax)}{4a^2x^2} + \frac{3\sqrt{-\frac{ax-1}{ax}}}{8a} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsech(a*x)^3/x^3,x,method=_RETURNVERBOSE)

[Out] $a^2*(-1/2*\text{arcsech}(a*x)^3/a^2/x^2+3/4*\text{arcsech}(a*x)^2/a/x*(-(a*x-1)/a/x)^(1/2))*((a*x+1)/a/x)^(1/2)+1/4*\text{arcsech}(a*x)^3-3/4/a^2/x^2*\text{arcsech}(a*x)+3/8/a/x*(-(a*x-1)/a/x)^(1/2)*((a*x+1)/a/x)^(1/2)+3/8*\text{arcsech}(a*x)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^3/x^3,x, algorithm="maxima")

[Out] integrate(arcsech(a*x)^3/x^3, x)

Fricas [A]

time = 0.39, size = 174, normalized size = 1.27

$$\frac{6ax\sqrt{\frac{a^2x^2-1}{a^2x^2}} \log\left(\frac{ax\sqrt{\frac{a^2x^2-1}{a^2x^2}+1}}{ax}\right)^2 + 2(a^2x^2-2) \log\left(\frac{ax\sqrt{\frac{a^2x^2-1}{a^2x^2}+1}}{ax}\right)^3 + 3ax\sqrt{\frac{a^2x^2-1}{a^2x^2}} + 3(a^2x^2-2) \log\left(\frac{ax\sqrt{\frac{a^2x^2-1}{a^2x^2}+1}}{ax}\right)}{8x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^3/x^3,x, algorithm="fricas")

[Out] $\frac{1}{8}(6ax\sqrt{-(a^2x^2-1)/(a^2x^2)}\log((ax\sqrt{-(a^2x^2-1)/(a^2x^2)}+1)/(ax))^2 + 2(a^2x^2-2)\log((ax\sqrt{-(a^2x^2-1)/(a^2x^2)}+1)/(ax))^3 + 3ax\sqrt{-(a^2x^2-1)/(a^2x^2)} + 3(a^2x^2-2)\log((ax\sqrt{-(a^2x^2-1)/(a^2x^2)}+1)/(ax)))/x^2$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asech}^3(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asech(a*x)**3/x**3,x)

[Out] Integral(asech(a*x)**3/x**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^3/x^3,x, algorithm="giac")

[Out] integrate(arcsech(a*x)^3/x^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}\left(\frac{1}{ax}\right)^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(1/(a*x))^3/x^3,x)

[Out] int(acosh(1/(a*x))^3/x^3, x)

3.18 $\int \frac{\operatorname{sech}^{-1}(ax)^3}{x^4} dx$

Optimal. Leaf size=179

$$\frac{14a^2 \sqrt{\frac{1-ax}{1+ax}} (1+ax)}{9x} + \frac{2\left(\frac{1-ax}{1+ax}\right)^{3/2} (1+ax)^3}{27x^3} - \frac{2\operatorname{sech}^{-1}(ax)}{9x^3} - \frac{4a^2 \operatorname{sech}^{-1}(ax)}{3x} + \frac{\sqrt{\frac{1-ax}{1+ax}} (1+ax) \operatorname{sech}^{-1}(ax)}{3x^3}$$

[Out] $2/27*((-a*x+1)/(a*x+1))^{(3/2)}*(a*x+1)^3/x^3-2/9*\operatorname{arcsech}(a*x)/x^3-4/3*a^2*\operatorname{arcsech}(a*x)/x-1/3*\operatorname{arcsech}(a*x)^3/x^3+14/9*a^2*(a*x+1)*((-a*x+1)/(a*x+1))^{(1/2)}/x+1/3*(a*x+1)*\operatorname{arcsech}(a*x)^2*((-a*x+1)/(a*x+1))^{(1/2)}/x^3+2/3*a^2*(a*x+1)*\operatorname{arcsech}(a*x)^2*((-a*x+1)/(a*x+1))^{(1/2)}/x$

Rubi [A]

time = 0.09, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {6420, 5481, 3392, 3377, 2717, 2713}

$$\frac{14a^2 \sqrt{\frac{1-ax}{ax+1}} (ax+1)}{9x} + \frac{2a^2 \sqrt{\frac{1-ax}{ax+1}} (ax+1) \operatorname{sech}^{-1}(ax)^2}{3x} - \frac{4a^2 \operatorname{sech}^{-1}(ax)}{3x} + \frac{2\left(\frac{1-ax}{ax+1}\right)^{3/2} (ax+1)^3}{27x^3} + \frac{\sqrt{\frac{1-ax}{ax+1}} (ax+1) \operatorname{sech}^{-1}(ax)^2}{3x^3} - \frac{\operatorname{sech}^{-1}(ax)^3}{3x^3} - \frac{2\operatorname{sech}^{-1}(ax)}{9x^3}$$

Antiderivative was successfully verified.

[In] `Int[ArcSech[a*x]^3/x^4, x]`

[Out] $(14*a^2*\sqrt{(1-a*x)/(1+a*x)}*(1+a*x))/(9*x) + (2*((1-a*x)/(1+a*x))^{(3/2)}*(1+a*x)^3)/(27*x^3) - (2*\operatorname{ArcSech}[a*x])/(9*x^3) - (4*a^2*\operatorname{ArcSech}[a*x])/(3*x) + (\sqrt{(1-a*x)/(1+a*x)}*(1+a*x)*\operatorname{ArcSech}[a*x]^2)/(3*x^3) + (2*a^2*\sqrt{(1-a*x)/(1+a*x)}*(1+a*x)*\operatorname{ArcSech}[a*x]^2)/(3*x) - \operatorname{ArcSech}[a*x]^3/(3*x^3)$

Rule 2713

`Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Dist[-d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]`

Rule 2717

`Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

Rule 3377

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(-(c + d*x)^m)*(Cos[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 3392

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[d*m*(c + d*x)^(m - 1)*((b*Sine[e + f*x])^n/(f^2*n^2)), x] + (Dist
[b^2*((n - 1)/n), Int[(c + d*x)^m*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[d
^2*m*((m - 1)/(f^2*n^2)), Int[(c + d*x)^(m - 2)*(b*Sine[e + f*x])^n, x], x]
- Simp[b*(c + d*x)^m*Cose[e + f*x]*((b*Sine[e + f*x])^(n - 1)/(f*n)), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 5481

```
Int[Cosh[(a_.) + (b_.)*(x_)^(n_.)]^(p_.)*(x_)^(m_.)*Sinh[(a_.) + (b_.)*(x_)
^(n_.)], x_Symbol] :> Simp[x^(m - n + 1)*(Cosh[a + b*x^n]^(p + 1)/(b*n*(p +
1))), x] - Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*Cosh[a + b*x^n]^(
p + 1), x], x] /; FreeQ[{a, b, p}, x] && LtQ[0, n, m + 1] && NeQ[p, -1]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] :> Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{sech}^{-1}(ax)^3}{x^4} dx &= -\left(a^3 \operatorname{Subst}\left(\int x^3 \cosh^2(x) \sinh(x) dx, x, \operatorname{sech}^{-1}(ax)\right)\right) \\
&= -\frac{\operatorname{sech}^{-1}(ax)^3}{3x^3} + a^3 \operatorname{Subst}\left(\int x^2 \cosh^3(x) dx, x, \operatorname{sech}^{-1}(ax)\right) \\
&= -\frac{2\operatorname{sech}^{-1}(ax)}{9x^3} + \frac{\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)^2}{3x^3} - \frac{\operatorname{sech}^{-1}(ax)^3}{3x^3} + \frac{1}{9}(2a^3) \operatorname{Subst}\left(\int \cos^3(x) dx, x, \operatorname{sech}^{-1}(ax)\right) \\
&= -\frac{2\operatorname{sech}^{-1}(ax)}{9x^3} + \frac{\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)^2}{3x^3} + \frac{2a^2\sqrt{\frac{1-ax}{1+ax}}(1+ax)\operatorname{sech}^{-1}(ax)^2}{3x} \\
&= \frac{2a^2\sqrt{\frac{1-ax}{1+ax}}(1+ax)}{9x} + \frac{2\left(\frac{1-ax}{1+ax}\right)^{3/2}(1+ax)^3}{27x^3} - \frac{2\operatorname{sech}^{-1}(ax)}{9x^3} - \frac{4a^2\operatorname{sech}^{-1}(ax)}{3x} + \frac{\sqrt{\frac{1-ax}{1+ax}}(1+ax)}{9x} \\
&= \frac{14a^2\sqrt{\frac{1-ax}{1+ax}}(1+ax)}{9x} + \frac{2\left(\frac{1-ax}{1+ax}\right)^{3/2}(1+ax)^3}{27x^3} - \frac{2\operatorname{sech}^{-1}(ax)}{9x^3} - \frac{4a^2\operatorname{sech}^{-1}(ax)}{3x} + \frac{\sqrt{\frac{1-ax}{1+ax}}(1+ax)}{9x}
\end{aligned}$$

Mathematica [A]

time = 0.08, size = 120, normalized size = 0.67

$$\frac{2\sqrt{\frac{1-ax}{1+ax}}(1+ax+20a^2x^2+20a^3x^3) - 6(1+6a^2x^2)\operatorname{sech}^{-1}(ax) + 9\sqrt{\frac{1-ax}{1+ax}}(1+ax+2a^2x^2+2a^3x^3)\operatorname{sech}^{-1}(ax)^2 - 9\operatorname{sech}^{-1}(ax)^3}{27x^3}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSech[a*x]^3/x^4,x]

[Out] (2*sqrt[(1 - a*x)/(1 + a*x)]*(1 + a*x + 20*a^2*x^2 + 20*a^3*x^3) - 6*(1 + 6*a^2*x^2)*ArcSech[a*x] + 9*sqrt[(1 - a*x)/(1 + a*x)]*(1 + a*x + 2*a^2*x^2 + 2*a^3*x^3)*ArcSech[a*x]^2 - 9*ArcSech[a*x]^3)/(27*x^3)

Maple [A]

time = 0.22, size = 192, normalized size = 1.07

method	result
derivativedivides	$a^3 \left(-\frac{\operatorname{arcsech}(ax)^3}{3a^3x^3} + \frac{2\operatorname{arcsech}(ax)^2 \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}}}{3} + \frac{\operatorname{arcsech}(ax)^2 \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}}}{3a^2x^2} - \frac{4\operatorname{arcsech}(ax)}{3a} \right)$
default	$a^3 \left(-\frac{\operatorname{arcsech}(ax)^3}{3a^3x^3} + \frac{2\operatorname{arcsech}(ax)^2 \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}}}{3} + \frac{\operatorname{arcsech}(ax)^2 \sqrt{-\frac{ax-1}{ax}} \sqrt{\frac{ax+1}{ax}}}{3a^2x^2} - \frac{4\operatorname{arcsech}(ax)}{3a} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsech(a*x)^3/x^4,x,method=_RETURNVERBOSE)

[Out] a^3*(-1/3*arcsech(a*x)^3/a^3/x^3+2/3*arcsech(a*x)^2*(-(a*x-1)/a/x)^(1/2)*((a*x+1)/a/x)^(1/2)+1/3*arcsech(a*x)^2/a^2/x^2*(-(a*x-1)/a/x)^(1/2)*((a*x+1)/a/x)^(1/2)-4/3/a/x*arcsech(a*x)+40/27*(-(a*x-1)/a/x)^(1/2)*((a*x+1)/a/x)^(1/2)-2/9*arcsech(a*x)/a^3/x^3+2/27*(-(a*x-1)/a/x)^(1/2)*((a*x+1)/a/x)^(1/2)/a^2/x^2)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^3/x^4,x, algorithm="maxima")**[Out]** integrate(arcsech(a*x)^3/x^4, x)

Fricas [A]

time = 0.37, size = 186, normalized size = 1.04

$$\frac{9(2a^3x^3 + ax)\sqrt{-\frac{a^2x^2-1}{a^2x^2}} \log\left(\frac{ax\sqrt{-\frac{a^2x^2-1}{a^2x^2}}+1}{ax}\right)^2 - 9 \log\left(\frac{ax\sqrt{-\frac{a^2x^2-1}{a^2x^2}}+1}{ax}\right)^3 - 6(6a^2x^2+1) \log\left(\frac{ax\sqrt{-\frac{a^2x^2-1}{a^2x^2}}+1}{ax}\right) + 2(20a^3x^3 + ax)\sqrt{-\frac{a^2x^2-1}{a^2x^2}}}{27x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^3/x^4,x, algorithm="fricas")

[Out] $\frac{1}{27} * (9 * (2 * a^3 * x^3 + a * x) * \sqrt{-(a^2 * x^2 - 1) / (a^2 * x^2)}) * \log((a * x * \sqrt{-(a^2 * x^2 - 1) / (a^2 * x^2)}) + 1) / (a * x))^2 - 9 * \log((a * x * \sqrt{-(a^2 * x^2 - 1) / (a^2 * x^2)}) + 1) / (a * x))^3 - 6 * (6 * a^2 * x^2 + 1) * \log((a * x * \sqrt{-(a^2 * x^2 - 1) / (a^2 * x^2)}) + 1) / (a * x) + 2 * (20 * a^3 * x^3 + a * x) * \sqrt{-(a^2 * x^2 - 1) / (a^2 * x^2)}) / x^3$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asech}^3(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asech(a*x)**3/x**4,x)**[Out]** Integral(asech(a*x)**3/x**4, x)**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsech(a*x)^3/x^4,x, algorithm="giac")**[Out]** integrate(arcsech(a*x)^3/x^4, x)**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}\left(\frac{1}{ax}\right)^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(1/(a*x))^3/x^4,x)**[Out]** int(acosh(1/(a*x))^3/x^4, x)

3.19 $\int x^6 (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=142

$$-\frac{5bx\sqrt{1-cx}}{112c^6\sqrt{\frac{1}{1+cx}}} - \frac{5bx^3\sqrt{1-cx}}{168c^4\sqrt{\frac{1}{1+cx}}} - \frac{bx^5\sqrt{1-cx}}{42c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{7}x^7(a + b \operatorname{sech}^{-1}(cx)) + \frac{5b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\operatorname{ArcSin}(cx)}{112c^7}$$

[Out] $\frac{1}{7}x^7(a+b*\operatorname{arcsech}(c*x))-5/112*b*x*(-c*x+1)^{(1/2)}/c^6/(1/(c*x+1))^{(1/2)}-5/168*b*x^3*(-c*x+1)^{(1/2)}/c^4/(1/(c*x+1))^{(1/2)}-1/42*b*x^5*(-c*x+1)^{(1/2)}/c^2/(1/(c*x+1))^{(1/2)}+5/112*b*\operatorname{arcsin}(c*x)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^7$

Rubi [A]

time = 0.04, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6418, 102, 12, 92, 41, 222}

$$\frac{1}{7}x^7(a + b \operatorname{sech}^{-1}(cx)) + \frac{5b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcSin}(cx)}{112c^7} - \frac{5bx\sqrt{1-cx}}{112c^6\sqrt{\frac{1}{cx+1}}} - \frac{5bx^3\sqrt{1-cx}}{168c^4\sqrt{\frac{1}{cx+1}}} - \frac{bx^5\sqrt{1-cx}}{42c^2\sqrt{\frac{1}{cx+1}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^6*(a + b*\operatorname{ArcSech}[c*x]),x]$

[Out] $(-5*b*x*\operatorname{Sqrt}[1 - c*x])/(112*c^6*\operatorname{Sqrt}[(1 + c*x)^{-1}]) - (5*b*x^3*\operatorname{Sqrt}[1 - c*x])/(168*c^4*\operatorname{Sqrt}[(1 + c*x)^{-1}]) - (b*x^5*\operatorname{Sqrt}[1 - c*x])/(42*c^2*\operatorname{Sqrt}[(1 + c*x)^{-1}]) + (x^7*(a + b*\operatorname{ArcSech}[c*x]))/7 + (5*b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcSin}[c*x])/(112*c^7)$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 41

$\operatorname{Int}[(a_*) + (b_*)(x_)^{(m_*)}((c_*) + (d_*)(x_)^{(n_*)}), x_Symbol] \rightarrow \operatorname{Int}[(a*c + b*d*x^2)^m, x] /;$ FreeQ[{a, b, c, d, m}, x] && EqQ[b*c + a*d, 0] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

Rule 92

$\operatorname{Int}[(a_*) + (b_*)(x_)^{(p_*)}((c_*) + (d_*)(x_)^{(n_*)}((e_*) + (f_*)(x_)^{(q_*)}))^{(r_*)}), x_Symbol] \rightarrow \operatorname{Simp}[b*(a + b*x)*(c + d*x)^{(n+1)}*((e + f*x)^{(p+1})/($

```
d*f*(n + p + 3))), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)^n*(e + f*x)
^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b
*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ
[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]
```

Rule 102

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*((e + f*x)
)^(p + 1)/(d*f*(m + n + p + 1)), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a
+ b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b
*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*
(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p
}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]
```

Rule 222

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt
[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 6418

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((d_.)*(x_))^(m_), x_Symbol] := Si
mp[(d*x)^(m + 1)*((a + b*ArcSech[c*x])/(d*(m + 1))), x] + Dist[b*(Sqrt[1 +
c*x]/(m + 1))*Sqrt[1/(1 + c*x)], Int[(d*x)^m/(Sqrt[1 - c*x]*Sqrt[1 + c*x]),
x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int x^6(a + b\operatorname{sech}^{-1}(cx)) dx &= \frac{1}{7}x^7(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{7}\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{x^6}{\sqrt{1-cx}\sqrt{1+cx}} dx \\
&= -\frac{bx^5\sqrt{1-cx}}{42c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{7}x^7(a + b\operatorname{sech}^{-1}(cx)) - \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int -\frac{1}{\sqrt{1-cx}} dx}{42c^2} \\
&= -\frac{bx^5\sqrt{1-cx}}{42c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{7}x^7(a + b\operatorname{sech}^{-1}(cx)) + \frac{\left(5b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{\sqrt{1-cx}} dx}{42c^2} \\
&= -\frac{5bx^3\sqrt{1-cx}}{168c^4\sqrt{\frac{1}{1+cx}}} - \frac{bx^5\sqrt{1-cx}}{42c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{7}x^7(a + b\operatorname{sech}^{-1}(cx)) - \frac{\left(5b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{\sqrt{1-cx}} dx}{42c^2} \\
&= -\frac{5bx^3\sqrt{1-cx}}{168c^4\sqrt{\frac{1}{1+cx}}} - \frac{bx^5\sqrt{1-cx}}{42c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{7}x^7(a + b\operatorname{sech}^{-1}(cx)) + \frac{\left(5b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{\sqrt{1-cx}} dx}{42c^2} \\
&= -\frac{5bx\sqrt{1-cx}}{112c^6\sqrt{\frac{1}{1+cx}}} - \frac{5bx^3\sqrt{1-cx}}{168c^4\sqrt{\frac{1}{1+cx}}} - \frac{bx^5\sqrt{1-cx}}{42c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{7}x^7(a + b\operatorname{sech}^{-1}(cx)) \\
&= -\frac{5bx\sqrt{1-cx}}{112c^6\sqrt{\frac{1}{1+cx}}} - \frac{5bx^3\sqrt{1-cx}}{168c^4\sqrt{\frac{1}{1+cx}}} - \frac{bx^5\sqrt{1-cx}}{42c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{7}x^7(a + b\operatorname{sech}^{-1}(cx)) \\
&= -\frac{5bx\sqrt{1-cx}}{112c^6\sqrt{\frac{1}{1+cx}}} - \frac{5bx^3\sqrt{1-cx}}{168c^4\sqrt{\frac{1}{1+cx}}} - \frac{bx^5\sqrt{1-cx}}{42c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{7}x^7(a + b\operatorname{sech}^{-1}(cx))
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.14, size = 143, normalized size = 1.01

$$\frac{ax^7}{7} + b\sqrt{\frac{1-cx}{1+cx}} \left(-\frac{5x}{112c^6} - \frac{5x^2}{112c^5} - \frac{5x^3}{168c^4} - \frac{5x^4}{168c^3} - \frac{x^5}{42c^2} - \frac{x^6}{42c} \right) + \frac{1}{7}bx^7 \operatorname{sech}^{-1}(cx) + \frac{5ib \log \left(-2icx + 2\sqrt{\frac{1-cx}{1+cx}}(1+cx) \right)}{112c^7}$$

Antiderivative was successfully verified.

[In] Integrate[x^6*(a + b*ArcSech[c*x]),x]

[Out] (a*x^7)/7 + b*Sqrt[(1 - c*x)/(1 + c*x)]*((-5*x)/(112*c^6) - (5*x^2)/(112*c^5) - (5*x^3)/(168*c^4) - (5*x^4)/(168*c^3) - x^5/(42*c^2) - x^6/(42*c)) + (b*x^7*ArcSech[c*x])/7 + (((5*I)/112)*b*Log[(-2*I)*c*x + 2*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)])/c^7

Maple [A]

time = 0.18, size = 138, normalized size = 0.97

method	result
derivativedivides	$\frac{c^7 x^7 a + b \left(\frac{c^7 x^7 \operatorname{arcsech}(cx)}{7} + \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \left(-8\sqrt{-c^2 x^2 + 1} c^5 x^5 - 10c^3 x^3 \sqrt{-c^2 x^2 + 1} - 15cx \sqrt{-c^2 x^2 + 1} \right) \right)}{336 \sqrt{-c^2 x^2 + 1} c^7}$
default	$\frac{c^7 x^7 a + b \left(\frac{c^7 x^7 \operatorname{arcsech}(cx)}{7} + \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \left(-8\sqrt{-c^2 x^2 + 1} c^5 x^5 - 10c^3 x^3 \sqrt{-c^2 x^2 + 1} - 15cx \sqrt{-c^2 x^2 + 1} \right) \right)}{336 \sqrt{-c^2 x^2 + 1} c^7}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)

[Out] 1/c^7*(1/7*c^7*x^7*a+b*(1/7*c^7*x^7*arcsech(c*x)+1/336*(-(c*x-1)/c/x)^(1/2)*c*x*((c*x+1)/c/x)^(1/2)*(-8*(-c^2*x^2+1)^(1/2)*c^5*x^5-10*c^3*x^3*(-c^2*x^2+1)^(1/2)-15*c*x*(-c^2*x^2+1)^(1/2)+15*arcsin(c*x))/(-c^2*x^2+1)^(1/2))

Maxima [A]

time = 0.47, size = 135, normalized size = 0.95

$$\frac{1}{7}ax^7 + \frac{1}{336} \left(48x^7 \operatorname{ar} \operatorname{sech}(cx) - \frac{15 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{5}{2}} + 40 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{3}{2}} + 33 \sqrt{\frac{1}{c^2 x^2} - 1}}{c^6 \left(\frac{1}{c^2 x^2} - 1 \right)^3 + 3c^6 \left(\frac{1}{c^2 x^2} - 1 \right)^2 + 3c^6 \left(\frac{1}{c^2 x^2} - 1 \right) + c^6} + \frac{15 \arctan \left(\sqrt{\frac{1}{c^2 x^2} - 1} \right)}{c^6} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(a+b*arcsech(c*x)),x, algorithm="maxima")

[Out] $\frac{1}{7}ax^7 + \frac{1}{336}(48x^7\text{arcsech}(cx) - ((15(1/(c^2x^2) - 1))^{5/2} + 40(1/(c^2x^2) - 1)^{3/2} + 33\sqrt{1/(c^2x^2) - 1}))/c^6(1/(c^2x^2) - 1)^3 + 3c^6(1/(c^2x^2) - 1)^2 + 3c^6(1/(c^2x^2) - 1) + c^6) + 15\arctan(\sqrt{1/(c^2x^2) - 1})/c^6/c)*b$

Fricas [A]

time = 0.36, size = 183, normalized size = 1.29

$$\frac{48ac^7x^7 - 48bc^7 \log\left(\frac{cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}}}{x}\right) - 30b \arctan\left(\frac{cx\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{cx}\right) + 48(bc^7x^7 - bc^7) \log\left(\frac{cx\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{cx}\right) - (8bc^6x^6 + 10bc^4x^4 + 15bc^2x^2)\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{336c^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] $\frac{1}{336}(48ac^7x^7 - 48bc^7 \log((cx\sqrt{-(c^2x^2 - 1)/(c^2x^2)}) - 1)/x) - 30b \arctan((cx\sqrt{-(c^2x^2 - 1)/(c^2x^2)}) - 1)/(cx)) + 48(bc^7x^7 - bc^7) \log((cx\sqrt{-(c^2x^2 - 1)/(c^2x^2)}) + 1)/(cx)) - (8bc^6x^6 + 10bc^4x^4 + 15bc^2x^2)\sqrt{-(c^2x^2 - 1)/(c^2x^2)})/c^7$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^6(a + b \operatorname{asech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6*(a+b*asech(c*x)),x)

[Out] Integral(x**6*(a + b*asech(c*x)), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x^6, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^6 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6*(a + b*acosh(1/(c*x))),x)

[Out] int(x^6*(a + b*acosh(1/(c*x))), x)

3.20 $\int x^5 (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=109

$$-\frac{4b\sqrt{1-cx}}{45c^6\sqrt{\frac{1}{1+cx}}} - \frac{2bx^2\sqrt{1-cx}}{45c^4\sqrt{\frac{1}{1+cx}}} - \frac{bx^4\sqrt{1-cx}}{30c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{6}x^6(a + b \operatorname{sech}^{-1}(cx))$$

[Out] $\frac{1}{6}x^6(a+b\operatorname{arcsech}(cx)) - \frac{4}{45}b(-cx+1)^{(1/2)}/c^6/(1/(cx+1))^{(1/2)} - \frac{2}{45}bx^2(-cx+1)^{(1/2)}/c^4/(1/(cx+1))^{(1/2)} - \frac{1}{30}bx^4(-cx+1)^{(1/2)}/c^2/(1/(cx+1))^{(1/2)}$

Rubi [A]

time = 0.03, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6418, 102, 12, 75}

$$\frac{1}{6}x^6(a + b \operatorname{sech}^{-1}(cx)) - \frac{4b\sqrt{1-cx}}{45c^6\sqrt{\frac{1}{cx+1}}} - \frac{2bx^2\sqrt{1-cx}}{45c^4\sqrt{\frac{1}{cx+1}}} - \frac{bx^4\sqrt{1-cx}}{30c^2\sqrt{\frac{1}{cx+1}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^5(a + b \operatorname{ArcSech}[cx]), x]$

[Out] $(-4b\sqrt{1-cx})/(45c^6\sqrt{(1+cx)^{-1}}) - (2bx^2\sqrt{1-cx})/(45c^4\sqrt{(1+cx)^{-1}}) - (bx^4\sqrt{1-cx})/(30c^2\sqrt{(1+cx)^{-1}}) + (x^6(a + b \operatorname{ArcSech}[cx]))/6$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{Match} Q[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 75

$\operatorname{Int}[((a_.) + (b_*)(x_))*((c_.) + (d_*)(x_))^{(n_.)}*((e_.) + (f_*)(x_))^{(p_.)}, x_Symbol] \rightarrow \operatorname{Simp}[b*(c + d*x)^{(n + 1)}*((e + f*x)^{(p + 1)})/(d*f*(n + p + 2))], x] /; \operatorname{FreeQ}[\{a, b, c, d, e, f, n, p\}, x] \ \&\& \ \operatorname{NeQ}[n + p + 2, 0] \ \&\& \ \operatorname{EqQ}[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]$

Rule 102

$\operatorname{Int}[((a_.) + (b_*)(x_))^{(m_.)}*((c_.) + (d_*)(x_))^{(n_.)}*((e_.) + (f_*)(x_))^{(p_.)}, x_Symbol] \rightarrow \operatorname{Simp}[b*(a + b*x)^{(m - 1)}*(c + d*x)^{(n + 1)}*((e + f*x)^{(p + 1)})/(d*f*(m + n + p + 1))], x] + \operatorname{Dist}[1/(d*f*(m + n + p + 1)), \operatorname{Int}[(a + b*x)^{(m - 2)}*(c + d*x)^n*(e + f*x)^p * \operatorname{Simp}[a^2*d*f*(m + n + p + 1) - b*(b$


```
*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1)) + b*(a*d*f*(2*m + n + p) - b*
(d*e*(m + n) + c*f*(m + p))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p
}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]
```

Rule 6418

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*((d_.)*(x_)^(m_.), x_Symbol] := Si
mp[(d*x)^(m + 1)*((a + b*ArcSech[c*x])/(d*(m + 1))), x] + Dist[b*(Sqrt[1 +
c*x]/(m + 1))*Sqrt[1/(1 + c*x)], Int[(d*x)^m/(Sqrt[1 - c*x]*Sqrt[1 + c*x]),
x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int x^5 (a + b \operatorname{sech}^{-1}(cx)) dx &= \frac{1}{6} x^6 (a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{6} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{x^5}{\sqrt{1-cx} \sqrt{1+cx}} dx \\
&= -\frac{bx^4 \sqrt{1-cx}}{30c^2 \sqrt{\frac{1}{1+cx}}} + \frac{1}{6} x^6 (a + b \operatorname{sech}^{-1}(cx)) - \frac{\left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int -\sqrt{1-cx}}{30c^2} \\
&= -\frac{bx^4 \sqrt{1-cx}}{30c^2 \sqrt{\frac{1}{1+cx}}} + \frac{1}{6} x^6 (a + b \operatorname{sech}^{-1}(cx)) + \frac{\left(2b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \sqrt{1-cx}}{15c^2} \\
&= -\frac{2bx^2 \sqrt{1-cx}}{45c^4 \sqrt{\frac{1}{1+cx}}} - \frac{bx^4 \sqrt{1-cx}}{30c^2 \sqrt{\frac{1}{1+cx}}} + \frac{1}{6} x^6 (a + b \operatorname{sech}^{-1}(cx)) - \frac{\left(2b \sqrt{\frac{1}{1+cx}} \right)}{15c^2} \\
&= -\frac{2bx^2 \sqrt{1-cx}}{45c^4 \sqrt{\frac{1}{1+cx}}} - \frac{bx^4 \sqrt{1-cx}}{30c^2 \sqrt{\frac{1}{1+cx}}} + \frac{1}{6} x^6 (a + b \operatorname{sech}^{-1}(cx)) + \frac{\left(4b \sqrt{\frac{1}{1+cx}} \right)}{15c^2} \\
&= -\frac{4b \sqrt{1-cx}}{45c^6 \sqrt{\frac{1}{1+cx}}} - \frac{2bx^2 \sqrt{1-cx}}{45c^4 \sqrt{\frac{1}{1+cx}}} - \frac{bx^4 \sqrt{1-cx}}{30c^2 \sqrt{\frac{1}{1+cx}}} + \frac{1}{6} x^6 (a + b \operatorname{sech}^{-1}(cx))
\end{aligned}$$

Mathematica [A]

time = 0.06, size = 97, normalized size = 0.89

$$\frac{ax^6}{6} + b\sqrt{\frac{1-cx}{1+cx}} \left(-\frac{4}{45c^6} - \frac{4x}{45c^5} - \frac{2x^2}{45c^4} - \frac{2x^3}{45c^3} - \frac{x^4}{30c^2} - \frac{x^5}{30c} \right) + \frac{1}{6}bx^6\operatorname{sech}^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x^5*(a + b*ArcSech[c*x]),x]

[Out] (a*x^6)/6 + b*Sqrt[(1 - c*x)/(1 + c*x)]*(-4/(45*c^6) - (4*x)/(45*c^5) - (2*x^2)/(45*c^4) - (2*x^3)/(45*c^3) - x^4/(30*c^2) - x^5/(30*c)) + (b*x^6*ArcSech[c*x])/6

Maple [A]

time = 0.17, size = 81, normalized size = 0.74

method	result	size
derivativedivides	$\frac{\frac{c^6 x^6 a}{6} + b \left(\frac{c^6 x^6 \operatorname{arcsech}(cx)}{6} - \frac{\sqrt{-\frac{cx-1}{cx}} cx \sqrt{\frac{cx+1}{cx}} (3c^4 x^4 + 4c^2 x^2 + 8)}{90} \right)}{c^6}$	81
default	$\frac{\frac{c^6 x^6 a}{6} + b \left(\frac{c^6 x^6 \operatorname{arcsech}(cx)}{6} - \frac{\sqrt{-\frac{cx-1}{cx}} cx \sqrt{\frac{cx+1}{cx}} (3c^4 x^4 + 4c^2 x^2 + 8)}{90} \right)}{c^6}$	81

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)

[Out] 1/c^6*(1/6*c^6*x^6*a+b*(1/6*c^6*x^6*arcsech(c*x)-1/90*(-(c*x-1)/c/x)^(1/2)*c*x*((c*x+1)/c/x)^(1/2)*(3*c^4*x^4+4*c^2*x^2+8)))

Maxima [A]

time = 0.26, size = 78, normalized size = 0.72

$$\frac{1}{6}ax^6 + \frac{1}{90} \left(15x^6 \operatorname{ar} \operatorname{sech}(cx) - \frac{3c^4 x^5 \left(\frac{1}{c^2 x^2} - 1\right)^{\frac{5}{2}} - 10c^2 x^3 \left(\frac{1}{c^2 x^2} - 1\right)^{\frac{3}{2}} + 15x \sqrt{\frac{1}{c^2 x^2} - 1}}{c^5} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsech(c*x)),x, algorithm="maxima")

[Out] 1/6*a*x^6 + 1/90*(15*x^6*arcsech(c*x) - (3*c^4*x^5*(1/(c^2*x^2) - 1)^(5/2) - 10*c^2*x^3*(1/(c^2*x^2) - 1)^(3/2) + 15*x*sqrt(1/(c^2*x^2) - 1))/c^5)*b

Fricas [A]

time = 0.38, size = 100, normalized size = 0.92

$$\frac{15 bc^5 x^6 \log\left(\frac{cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 1}{cx}\right) + 15 ac^5 x^6 - (3 bc^4 x^5 + 4 bc^2 x^3 + 8 bx) \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}}}{90 c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^5*(a+b*arcsech(c*x)),x, algorithm="fricas")`

```
[Out] 1/90*(15*b*c^5*x^6*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + 15
*a*c^5*x^6 - (3*b*c^4*x^5 + 4*b*c^2*x^3 + 8*b*x)*sqrt(-(c^2*x^2 - 1)/(c^2*x
^2)))/c^5
```

Sympy [A]

time = 0.93, size = 94, normalized size = 0.86

$$\begin{cases} \frac{ax^6}{6} + \frac{bx^6 \operatorname{asech}(cx)}{6} - \frac{bx^4 \sqrt{-c^2 x^2 + 1}}{30c^2} - \frac{2bx^2 \sqrt{-c^2 x^2 + 1}}{45c^4} - \frac{4b \sqrt{-c^2 x^2 + 1}}{45c^6} & \text{for } c \neq 0 \\ \frac{x^6(a+\infty b)}{6} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x**5*(a+b*asech(c*x)),x)`

```
[Out] Piecewise((a*x**6/6 + b*x**6*asech(c*x)/6 - b*x**4*sqrt(-c**2*x**2 + 1)/(30
*c**2) - 2*b*x**2*sqrt(-c**2*x**2 + 1)/(45*c**4) - 4*b*sqrt(-c**2*x**2 + 1)
/(45*c**6), Ne(c, 0)), (x**6*(a + oo*b)/6, True))
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^5*(a+b*arcsech(c*x)),x, algorithm="giac")``[Out] integrate((b*arcsech(c*x) + a)*x^5, x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x^5 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^5*(a + b*acosh(1/(c*x))),x)``[Out] int(x^5*(a + b*acosh(1/(c*x))), x)`

3.21 $\int x^4 (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=110

$$-\frac{3bx\sqrt{1-cx}}{40c^4\sqrt{\frac{1}{1+cx}}} - \frac{bx^3\sqrt{1-cx}}{20c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{5}x^5(a + b \operatorname{sech}^{-1}(cx)) + \frac{3b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\operatorname{ArcSin}(cx)}{40c^5}$$

[Out] $\frac{1}{5}x^5(a+b\operatorname{arcsech}(c*x)) - \frac{3}{40}b*x*(-c*x+1)^{(1/2)}/c^4/(1/(c*x+1))^{(1/2)} - \frac{1}{20}b*x^3*(-c*x+1)^{(1/2)}/c^2/(1/(c*x+1))^{(1/2)} + \frac{3}{40}b*\arcsin(c*x)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^5$

Rubi [A]

time = 0.03, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6418, 102, 12, 92, 41, 222}

$$\frac{1}{5}x^5(a + b \operatorname{sech}^{-1}(cx)) + \frac{3b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcSin}(cx)}{40c^5} - \frac{3bx\sqrt{1-cx}}{40c^4\sqrt{\frac{1}{cx+1}}} - \frac{bx^3\sqrt{1-cx}}{20c^2\sqrt{\frac{1}{cx+1}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^4*(a + b*\operatorname{ArcSech}[c*x]), x]$

[Out] $(-3*b*x*\operatorname{Sqrt}[1 - c*x])/(40*c^4*\operatorname{Sqrt}[(1 + c*x)^{-1}]) - (b*x^3*\operatorname{Sqrt}[1 - c*x])/(20*c^2*\operatorname{Sqrt}[(1 + c*x)^{-1}]) + (x^5*(a + b*\operatorname{ArcSech}[c*x]))/5 + (3*b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcSin}[c*x])/(40*c^5)$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{Match}Q[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 41

$\operatorname{Int}[(a_*) + (b_*)(x_)^{(m_)*((c_*) + (d_*)(x_)^{(m_*)}), x_Symbol] \rightarrow \operatorname{Int}[(a*c + b*d*x^2)^m, x] /; \operatorname{FreeQ}\{a, b, c, d, m\}, x] \ \&\& \ \operatorname{EqQ}[b*c + a*d, 0] \ \&\& \ (\operatorname{IntegerQ}[m] \ || \ (\operatorname{GtQ}[a, 0] \ \&\& \ \operatorname{GtQ}[c, 0]))$

Rule 92

$\operatorname{Int}[(a_*) + (b_*)(x_)^2*((c_*) + (d_*)(x_)^{(n_*)*((e_*) + (f_*)(x_)^{(p_*)}), x_Symbol] \rightarrow \operatorname{Simp}[b*(a + b*x)*(c + d*x)^{(n+1)}*((e + f*x)^{(p+1)})/(d*f*(n + p + 3)), x] + \operatorname{Dist}[1/(d*f*(n + p + 3)), \operatorname{Int}[(c + d*x)^n*(e + f*x)$

```

^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b
*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ
[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]

```

Rule 102

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*((e + f*x
)^(p + 1)/(d*f*(m + n + p + 1))), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a
+ b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b
*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*
(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p
}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

```

Rule 222

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt
[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

```

Rule 6418

```

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*((d_.)*(x_))^(m_), x_Symbol] := Si
mp[(d*x)^(m + 1)*((a + b*ArcSech[c*x])/(d*(m + 1))), x] + Dist[b*(Sqrt[1 +
c*x]/(m + 1))*Sqrt[1/(1 + c*x)], Int[(d*x)^m/(Sqrt[1 - c*x]*Sqrt[1 + c*x]),
x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

```

Rubi steps

$$\begin{aligned}
\int x^4(a + b\operatorname{sech}^{-1}(cx)) dx &= \frac{1}{5}x^5(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{5}\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{x^4}{\sqrt{1-cx}\sqrt{1+cx}} dx \\
&= -\frac{bx^3\sqrt{1-cx}}{20c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{5}x^5(a + b\operatorname{sech}^{-1}(cx)) - \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int -\frac{1}{\sqrt{1-cx}} dx}{20c^2} \\
&= -\frac{bx^3\sqrt{1-cx}}{20c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{5}x^5(a + b\operatorname{sech}^{-1}(cx)) + \frac{\left(3b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{\sqrt{1-cx}} dx}{20c^2} \\
&= -\frac{3bx\sqrt{1-cx}}{40c^4\sqrt{\frac{1}{1+cx}}} - \frac{bx^3\sqrt{1-cx}}{20c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{5}x^5(a + b\operatorname{sech}^{-1}(cx)) + \frac{\left(3b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{\sqrt{1-cx}} dx}{20c^2} \\
&= -\frac{3bx\sqrt{1-cx}}{40c^4\sqrt{\frac{1}{1+cx}}} - \frac{bx^3\sqrt{1-cx}}{20c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{5}x^5(a + b\operatorname{sech}^{-1}(cx)) + \frac{\left(3b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{\sqrt{1-cx}} dx}{20c^2} \\
&= -\frac{3bx\sqrt{1-cx}}{40c^4\sqrt{\frac{1}{1+cx}}} - \frac{bx^3\sqrt{1-cx}}{20c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{5}x^5(a + b\operatorname{sech}^{-1}(cx)) + \frac{3b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{40c^5}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.08, size = 123, normalized size = 1.12

$$\frac{ax^5}{5} + b\sqrt{\frac{1-cx}{1+cx}} \left(-\frac{3x}{40c^4} - \frac{3x^2}{40c^3} - \frac{x^3}{20c^2} - \frac{x^4}{20c} \right) + \frac{1}{5}bx^5\operatorname{sech}^{-1}(cx) + \frac{3ib \log\left(-2icx + 2\sqrt{\frac{1-cx}{1+cx}}(1+cx)\right)}{40c^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*ArcSech[c*x]),x]

[Out] (a*x^5)/5 + b*Sqrt[(1 - c*x)/(1 + c*x)]*((-3*x)/(40*c^4) - (3*x^2)/(40*c^3) - x^3/(20*c^2) - x^4/(20*c)) + (b*x^5*ArcSech[c*x])/5 + (((3*I)/40)*b*Log[(-2*I)*c*x + 2*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)])/c^5

Maple [A]

time = 0.19, size = 118, normalized size = 1.07

method	result
derivativedivides	$\frac{c^5 x^5 a + b \left(\frac{c^5 x^5 \operatorname{arcsech}(cx)}{5} + \frac{\sqrt{-\frac{cx-1}{cx}}}{cx} \sqrt{\frac{cx+1}{cx}} \left(-2c^3 x^3 \sqrt{-c^2 x^2 + 1} - 3cx \sqrt{-c^2 x^2 + 1} + 3 \arcsin(cx) \right) \right)}{40 \sqrt{-c^2 x^2 + 1}}$
default	$\frac{c^5 x^5 a + b \left(\frac{c^5 x^5 \operatorname{arcsech}(cx)}{5} + \frac{\sqrt{-\frac{cx-1}{cx}}}{cx} \sqrt{\frac{cx+1}{cx}} \left(-2c^3 x^3 \sqrt{-c^2 x^2 + 1} - 3cx \sqrt{-c^2 x^2 + 1} + 3 \arcsin(cx) \right) \right)}{40 \sqrt{-c^2 x^2 + 1}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)`

[Out] $1/c^5 * (1/5 * c^5 * x^5 * a + b * (1/5 * c^5 * x^5 * \operatorname{arcsech}(c * x) + 1/40 * (- (c * x - 1) / c / x)^{(1/2)} * c * x * ((c * x + 1) / c / x)^{(1/2)} * (-2 * c^3 * x^3 * (-c^2 * x^2 + 1)^{(1/2)} - 3 * c * x * (-c^2 * x^2 + 1)^{(1/2)} + 3 * \arcsin(c * x)) / (-c^2 * x^2 + 1)^{(1/2)}))$

Maxima [A]

time = 0.46, size = 106, normalized size = 0.96

$$\frac{1}{5} a x^5 + \frac{1}{40} \left(8 x^5 \operatorname{arsech}(cx) - \frac{3 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{3}{2}} + 5 \sqrt{\frac{1}{c^2 x^2} - 1}}{c^4 \left(\frac{1}{c^2 x^2} - 1 \right)^2 + 2 c^4 \left(\frac{1}{c^2 x^2} - 1 \right) + c^4} + \frac{3 \arctan \left(\sqrt{\frac{1}{c^2 x^2} - 1} \right)}{c^4} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] $1/5 * a * x^5 + 1/40 * (8 * x^5 * \operatorname{arcsech}(c * x) - ((3 * (1 / (c^2 * x^2) - 1))^{(3/2)} + 5 * \operatorname{sqrt}(1 / (c^2 * x^2) - 1)) / (c^4 * (1 / (c^2 * x^2) - 1)^2 + 2 * c^4 * (1 / (c^2 * x^2) - 1) + c^4) + 3 * \operatorname{arctan}(\operatorname{sqrt}(1 / (c^2 * x^2) - 1)) / c^4) / c * b$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 174 vs. $2(70) = 140$.

time = 0.37, size = 174, normalized size = 1.58

$$8 a c^5 x^5 - 8 b c^5 \log \left(\frac{c x \sqrt{\frac{c^2 x^2 - 1}{x}}}{x} - 1 \right) - 6 b \arctan \left(\frac{c x \sqrt{\frac{c^2 x^2 - 1}{c x}}}{c x} - 1 \right) + 8 (b c^5 x^5 - b c^5) \log \left(\frac{c x \sqrt{\frac{c^2 x^2 - 1}{c x}}}{c x} + 1 \right) - (2 b c^4 x^4 + 3 b c^2 x^2) \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}}$$

$40 c^5$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] 1/40*(8*a*c^5*x^5 - 8*b*c^5*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/x) - 6*b*arctan((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/(c*x)) + 8*(b*c^5*x^5 - b*c^5)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) - (2*b*c^4*x^4 + 3*b*c^2*x^2)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/c^5

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^4(a + b \operatorname{asech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(a+b*asech(c*x)),x)

[Out] Integral(x**4*(a + b*asech(c*x)), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x^4, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a + b*acosh(1/(c*x))),x)

[Out] int(x^4*(a + b*acosh(1/(c*x))), x)

3.22 $\int x^3 (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=77

$$-\frac{b\sqrt{1-cx}}{6c^4\sqrt{\frac{1}{1+cx}}} - \frac{bx^2\sqrt{1-cx}}{12c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{4}x^4(a + b\operatorname{sech}^{-1}(cx))$$

[Out] $1/4*x^4*(a+b*\operatorname{arcsech}(c*x))-1/6*b*(-c*x+1)^{(1/2)}/c^4/(1/(c*x+1))^{(1/2)}-1/12*b*x^2*(-c*x+1)^{(1/2)}/c^2/(1/(c*x+1))^{(1/2)}$

Rubi [A]

time = 0.02, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6418, 102, 12, 75}

$$\frac{1}{4}x^4(a + b\operatorname{sech}^{-1}(cx)) - \frac{b\sqrt{1-cx}}{6c^4\sqrt{\frac{1}{cx+1}}} - \frac{bx^2\sqrt{1-cx}}{12c^2\sqrt{\frac{1}{cx+1}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^3*(a + b*\operatorname{ArcSech}[c*x]), x]$

[Out] $-1/6*(b*\operatorname{Sqrt}[1 - c*x])/(c^4*\operatorname{Sqrt}[(1 + c*x)^{-1}]) - (b*x^2*\operatorname{Sqrt}[1 - c*x])/(12*c^2*\operatorname{Sqrt}[(1 + c*x)^{-1}]) + (x^4*(a + b*\operatorname{ArcSech}[c*x]))/4$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!Match} Q[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 75

$\operatorname{Int}[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^{(n_.)}*((e_.) + (f_.)*(x_))^{(p_.)}, x_Symbol] \rightarrow \operatorname{Simp}[b*(c + d*x)^{(n + 1)}*((e + f*x)^{(p + 1)})/(d*f*(n + p + 2))], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, n, p\}, x] \&\& \operatorname{NeQ}[n + p + 2, 0] \&\& \operatorname{EqQ}[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]$

Rule 102

$\operatorname{Int}[((a_.) + (b_.)*(x_))^{(m_.)}*((c_.) + (d_.)*(x_))^{(n_.)}*((e_.) + (f_.)*(x_))^{(p_.)}, x_Symbol] \rightarrow \operatorname{Simp}[b*(a + b*x)^{(m - 1)}*(c + d*x)^{(n + 1)}*((e + f*x)^{(p + 1)})/(d*f*(m + n + p + 1))], x] + \operatorname{Dist}[1/(d*f*(m + n + p + 1)), \operatorname{Int}[(a + b*x)^{(m - 2)}*(c + d*x)^n*(e + f*x)^p*\operatorname{Simp}[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p))]*x, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, n, p$

}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

Rule 6418

Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))*((d_.)*(x_.))^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcSech[c*x])/(d*(m + 1))), x] + Dist[b*(Sqrt[1 + c*x]/(m + 1))*Sqrt[1/(1 + c*x)], Int[(d*x)^m/(Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
 \int x^3(a + b \operatorname{sech}^{-1}(cx)) dx &= \frac{1}{4}x^4(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{4} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{x^3}{\sqrt{1-cx} \sqrt{1+cx}} dx \\
 &= -\frac{bx^2 \sqrt{1-cx}}{12c^2 \sqrt{\frac{1}{1+cx}}} + \frac{1}{4}x^4(a + b \operatorname{sech}^{-1}(cx)) - \frac{\left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int -\frac{1}{\sqrt{1-cx}} dx}{12c^2} \\
 &= -\frac{bx^2 \sqrt{1-cx}}{12c^2 \sqrt{\frac{1}{1+cx}}} + \frac{1}{4}x^4(a + b \operatorname{sech}^{-1}(cx)) + \frac{\left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{\sqrt{1-cx}} dx}{6c^2} \\
 &= -\frac{b \sqrt{1-cx}}{6c^4 \sqrt{\frac{1}{1+cx}}} - \frac{bx^2 \sqrt{1-cx}}{12c^2 \sqrt{\frac{1}{1+cx}}} + \frac{1}{4}x^4(a + b \operatorname{sech}^{-1}(cx))
 \end{aligned}$$

Mathematica [A]

time = 0.05, size = 77, normalized size = 1.00

$$\frac{ax^4}{4} + b \sqrt{\frac{1-cx}{1+cx}} \left(-\frac{1}{6c^4} - \frac{x}{6c^3} - \frac{x^2}{12c^2} - \frac{x^3}{12c} \right) + \frac{1}{4}bx^4 \operatorname{sech}^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*ArcSech[c*x]),x]

[Out] (a*x^4)/4 + b*Sqrt[(1 - c*x)/(1 + c*x)]*(-1/6*1/c^4 - x/(6*c^3) - x^2/(12*c^2) - x^3/(12*c)) + (b*x^4*ArcSech[c*x])/4

Maple [A]

time = 0.17, size = 72, normalized size = 0.94

method	result	size
derivativedivides	$\frac{\frac{c^4 x^4 a}{4} + b \left(\frac{c^4 x^4 \operatorname{arcsech}(cx)}{4} - \frac{\sqrt{-\frac{cx-1}{cx}} cx \sqrt{\frac{cx+1}{cx}} (c^2 x^2 + 2)}{12} \right)}{c^4}$	72
default	$\frac{\frac{c^4 x^4 a}{4} + b \left(\frac{c^4 x^4 \operatorname{arcsech}(cx)}{4} - \frac{\sqrt{-\frac{cx-1}{cx}} cx \sqrt{\frac{cx+1}{cx}} (c^2 x^2 + 2)}{12} \right)}{c^4}$	72

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)`

[Out] `1/c^4*(1/4*c^4*x^4*a+b*(1/4*c^4*x^4*arcsech(c*x)-1/12*(-(c*x-1)/c/x)^(1/2)*c*x*((c*x+1)/c/x)^(1/2)*(c^2*x^2+2)))`

Maxima [A]

time = 0.27, size = 57, normalized size = 0.74

$$\frac{1}{4} a x^4 + \frac{1}{12} \left(3 x^4 \operatorname{ar} \operatorname{sech}(c x) + \frac{c^2 x^3 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{3}{2}} - 3 x \sqrt{\frac{1}{c^2 x^2} - 1}}{c^3} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] `1/4*a*x^4 + 1/12*(3*x^4*arcsech(c*x) + (c^2*x^3*(1/(c^2*x^2) - 1)^(3/2) - 3*x*sqrt(1/(c^2*x^2) - 1))/c^3)*b`

Fricas [A]

time = 0.35, size = 90, normalized size = 1.17

$$\frac{3 b c^3 x^4 \log \left(\frac{c x \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 1}{c x} \right) + 3 a c^3 x^4 - (b c^2 x^3 + 2 b x) \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}}}{12 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsech(c*x)),x, algorithm="fricas")`

[Out] `1/12*(3*b*c^3*x^4*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + 3*a*c^3*x^4 - (b*c^2*x^3 + 2*b*x)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/c^3`

Sympy [A]

time = 0.41, size = 68, normalized size = 0.88

$$\begin{cases} \frac{ax^4}{4} + \frac{bx^4 \operatorname{asech}(cx)}{4} - \frac{bx^2 \sqrt{-c^2x^2 + 1}}{12c^2} - \frac{b\sqrt{-c^2x^2 + 1}}{6c^4} & \text{for } c \neq 0 \\ \frac{x^4(a + \infty b)}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asech(c*x)),x)

[Out] Piecewise((a*x**4/4 + b*x**4*asech(c*x)/4 - b*x**2*sqrt(-c**2*x**2 + 1)/(12*c**2) - b*sqrt(-c**2*x**2 + 1)/(6*c**4), Ne(c, 0)), (x**4*(a + oo*b)/4, True))

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*acosh(1/(c*x))),x)

[Out] int(x^3*(a + b*acosh(1/(c*x))), x)

3.23 $\int x^2 (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=78

$$-\frac{bx\sqrt{1-cx}}{6c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{3}x^3(a + b\operatorname{sech}^{-1}(cx)) + \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\operatorname{ArcSin}(cx)}{6c^3}$$

[Out] 1/3*x^3*(a+b*arcsech(c*x))-1/6*b*x*(-c*x+1)^(1/2)/c^2/(1/(c*x+1))^(1/2)+1/6*b*arcsin(c*x)*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/c^3

Rubi [A]

time = 0.02, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6418, 92, 41, 222}

$$\frac{1}{3}x^3(a + b\operatorname{sech}^{-1}(cx)) + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcSin}(cx)}{6c^3} - \frac{bx\sqrt{1-cx}}{6c^2\sqrt{\frac{1}{cx+1}}}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*ArcSech[c*x]),x]

[Out] -1/6*(b*x*Sqrt[1 - c*x])/(c^2*Sqrt[(1 + c*x)^(-1)]) + (x^3*(a + b*ArcSech[c*x]))/3 + (b*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcSin[c*x])/(6*c^3)

Rule 41

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Int[(a*c + b*d*x^2)^m, x] /; FreeQ[{a, b, c, d, m}, x] && EqQ[b*c + a*d, 0] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

Rule 92

Int[((a_) + (b_)*(x_))^(2)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Simp[b*(a + b*x)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(n + p + 3))), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]

Rule 222

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 6418

```
Int[((a_) + ArcSech[(c_)*(x_)])*(b_))*((d_)*(x_)^(m_), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcSech[c*x])/(d*(m + 1))), x] + Dist[b*(Sqrt[1 + c*x]/(m + 1))*Sqrt[1/(1 + c*x)], Int[(d*x)^m/(Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int x^2(a + b \operatorname{sech}^{-1}(cx)) dx &= \frac{1}{3}x^3(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{3} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{x^2}{\sqrt{1-cx} \sqrt{1+cx}} dx \\ &= -\frac{bx\sqrt{1-cx}}{6c^2 \sqrt{\frac{1}{1+cx}}} + \frac{1}{3}x^3(a + b \operatorname{sech}^{-1}(cx)) + \frac{\left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{\sqrt{1-cx}} dx}{6c^2} \\ &= -\frac{bx\sqrt{1-cx}}{6c^2 \sqrt{\frac{1}{1+cx}}} + \frac{1}{3}x^3(a + b \operatorname{sech}^{-1}(cx)) + \frac{\left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{\sqrt{1-cx}} dx}{6c^2} \\ &= -\frac{bx\sqrt{1-cx}}{6c^2 \sqrt{\frac{1}{1+cx}}} + \frac{1}{3}x^3(a + b \operatorname{sech}^{-1}(cx)) + \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sin^{-1}(cx)}{6c^3} \end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.05, size = 103, normalized size = 1.32

$$\frac{ax^3}{3} + b \sqrt{\frac{1-cx}{1+cx}} \left(-\frac{x}{6c^2} - \frac{x^2}{6c} \right) + \frac{1}{3}bx^3 \operatorname{sech}^{-1}(cx) + \frac{ib \log \left(-2icx + 2 \sqrt{\frac{1-cx}{1+cx}} (1+cx) \right)}{6c^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*(a + b*ArcSech[c*x]),x]
```

```
[Out] (a*x^3)/3 + b*Sqrt[(1 - c*x)/(1 + c*x)]*(-1/6*x/c^2 - x^2/(6*c)) + (b*x^3*ArcSech[c*x])/3 + ((I/6)*b*Log[(-2*I)*c*x + 2*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)])/c^3
```

Maple [A]

time = 0.16, size = 96, normalized size = 1.23

method	result	size
derivativedivides	$\frac{\frac{c^3 x^3 a + b \left(\frac{c^3 x^3 \operatorname{arcsech}(cx)}{3} + \frac{\sqrt{-\frac{cx-1}{cx}} \operatorname{cx} \sqrt{\frac{cx+1}{cx}} \left(-cx \sqrt{-c^2 x^2 + 1} + \arcsin(cx) \right)}{6 \sqrt{-c^2 x^2 + 1}} \right)}{c^3}}$	96
default	$\frac{\frac{c^3 x^3 a + b \left(\frac{c^3 x^3 \operatorname{arcsech}(cx)}{3} + \frac{\sqrt{-\frac{cx-1}{cx}} \operatorname{cx} \sqrt{\frac{cx+1}{cx}} \left(-cx \sqrt{-c^2 x^2 + 1} + \arcsin(cx) \right)}{6 \sqrt{-c^2 x^2 + 1}} \right)}{c^3}}$	96

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^3} \left(\frac{1}{3} c^3 x^3 a + b \left(\frac{1}{3} c^3 x^3 \operatorname{arcsech}(cx) + \frac{1}{6} \left(-\frac{cx-1}{cx} \right)^{1/2} c x \left(\frac{cx+1}{cx} \right)^{1/2} \left(-cx \sqrt{-c^2 x^2 + 1} + \arcsin(cx) \right) \right) \right) / \left(-c^2 x^2 + 1 \right)^{1/2}$

Maxima [A]

time = 0.46, size = 73, normalized size = 0.94

$$\frac{1}{3} a x^3 + \frac{1}{6} \left(2 x^3 \operatorname{arsech}(cx) - \frac{\frac{\sqrt{\frac{1}{c^2 x^2} - 1}}{c^2 \left(\frac{1}{c^2 x^2} - 1 \right) + c^2} + \frac{\arctan\left(\sqrt{\frac{1}{c^2 x^2} - 1}\right)}{c^2}}{c} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{3} a x^3 + \frac{1}{6} \left(2 x^3 \operatorname{arcsech}(cx) - \frac{\left(\sqrt{1/(c^2 x^2) - 1} \right) / \left(c^2 \left(1/(c^2 x^2) - 1 \right) + c^2 \right) + \arctan\left(\sqrt{1/(c^2 x^2) - 1}\right) / c^2}{c} \right) b$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 162 vs. 2(46) = 92.

time = 0.38, size = 162, normalized size = 2.08

$$\frac{2 a c^3 x^3 - b c^2 x^2 \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} - 2 b c^3 \log\left(\frac{\operatorname{cx} \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} - 1}{x}\right) - 2 b \arctan\left(\frac{\operatorname{cx} \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} - 1}{\operatorname{cx}}\right) + 2 (b c^3 x^3 - b c^3) \log\left(\frac{\operatorname{cx} \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 1}{\operatorname{cx}}\right)}{6 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] $\frac{1}{6}(2ac^3x^3 - bc^2x^2\sqrt{-(c^2x^2 - 1)/(c^2x^2)}) - 2bc^3\log\left(\frac{cx\sqrt{-(c^2x^2 - 1)/(c^2x^2)} - 1}{x}\right) - 2b\arctan\left(\frac{cx\sqrt{-(c^2x^2 - 1)/(c^2x^2)} - 1}{cx}\right) + 2(bc^3x^3 - bc^3)\log\left(\frac{cx\sqrt{-(c^2x^2 - 1)/(c^2x^2)} + 1}{cx}\right)/c^3$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2(a + b \operatorname{asech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*asech(c*x)),x)

[Out] Integral(x**2*(a + b*asech(c*x)), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*acosh(1/(c*x))),x)

[Out] int(x^2*(a + b*acosh(1/(c*x))), x)

3.24 $\int x(a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=45

$$-\frac{b\sqrt{1-cx}}{2c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{2}x^2(a + b \operatorname{sech}^{-1}(cx))$$

[Out] $1/2*x^2*(a+b*\operatorname{arcsech}(c*x))-1/2*b*(-c*x+1)^{(1/2)}/c^2/(1/(c*x+1))^{(1/2)}$

Rubi [A]

time = 0.01, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6418, 75}

$$\frac{1}{2}x^2(a + b \operatorname{sech}^{-1}(cx)) - \frac{b\sqrt{1-cx}}{2c^2\sqrt{\frac{1}{cx+1}}}$$

Antiderivative was successfully verified.

[In] `Int[x*(a + b*ArcSech[c*x]),x]`

[Out] $-1/2*(b*\operatorname{Sqrt}[1 - c*x])/(c^2*\operatorname{Sqrt}[(1 + c*x)^{-1}]) + (x^2*(a + b*\operatorname{ArcSech}[c*x]))/2$

Rule 75

`Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[b*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(n + p + 2))), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]`

Rule 6418

`Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[(d*x)^(m + 1)*((a + b*ArcSech[c*x])/(d*(m + 1))), x] + Dist[b*(Sqrt[1 + c*x]/(m + 1))*Sqrt[1/(1 + c*x)], Int[(d*x)^m/(Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]`

Rubi steps

$$\begin{aligned} \int x(a + b \operatorname{sech}^{-1}(cx)) dx &= \frac{1}{2}x^2(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{2} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{x}{\sqrt{1-cx} \sqrt{1+cx}} dx \\ &= -\frac{b\sqrt{1-cx}}{2c^2\sqrt{\frac{1}{1+cx}}} + \frac{1}{2}x^2(a + b \operatorname{sech}^{-1}(cx)) \end{aligned}$$

Mathematica [A]

time = 0.04, size = 57, normalized size = 1.27

$$\frac{ax^2}{2} + b \left(-\frac{1}{2c^2} - \frac{x}{2c} \right) \sqrt{\frac{1-cx}{1+cx}} + \frac{1}{2}bx^2 \operatorname{sech}^{-1}(cx)$$

Antiderivative was successfully verified.

`[In] Integrate[x*(a + b*ArcSech[c*x]),x]``[Out] (a*x^2)/2 + b*(-1/2*1/c^2 - x/(2*c))*Sqrt[(1 - c*x)/(1 + c*x)] + (b*x^2*ArcSech[c*x])/2`**Maple [A]**

time = 0.16, size = 63, normalized size = 1.40

method	result	size
derivativedivides	$\frac{\frac{a c^2 x^2}{2} + b \left(\frac{c^2 x^2 \operatorname{arcsech}(cx)}{2} - \frac{\sqrt{-\frac{cx-1}{cx}}}{2} c x \sqrt{\frac{cx+1}{cx}} \right)}{c^2}$	63
default	$\frac{\frac{a c^2 x^2}{2} + b \left(\frac{c^2 x^2 \operatorname{arcsech}(cx)}{2} - \frac{\sqrt{-\frac{cx-1}{cx}}}{2} c x \sqrt{\frac{cx+1}{cx}} \right)}{c^2}$	63

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)``[Out] 1/c^2*(1/2*a*c^2*x^2+b*(1/2*c^2*x^2*arcsech(c*x)-1/2*(-(c*x-1)/c/x)^(1/2)*c*x*((c*x+1)/c/x)^(1/2)))`**Maxima [A]**

time = 0.26, size = 36, normalized size = 0.80

$$\frac{1}{2}ax^2 + \frac{1}{2} \left(x^2 \operatorname{arsech}(cx) - \frac{x \sqrt{\frac{1}{c^2 x^2} - 1}}{c} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x*(a+b*arcsech(c*x)),x, algorithm="maxima")``[Out] 1/2*a*x^2 + 1/2*(x^2*arcsech(c*x) - x*sqrt(1/(c^2*x^2) - 1)/c)*b`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 73 vs. 2(35) = 70.

time = 0.35, size = 73, normalized size = 1.62

$$\frac{bcx^2 \log\left(\frac{cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}}+1}{cx}\right) + acx^2 - bx\sqrt{-\frac{c^2x^2-1}{c^2x^2}}}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] 1/2*(b*c*x^2*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + a*c*x^2 - b*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/c

Sympy [A]

time = 0.19, size = 46, normalized size = 1.02

$$\begin{cases} \frac{ax^2}{2} + \frac{bx^2 \operatorname{asech}(cx)}{2} - \frac{b\sqrt{-c^2x^2+1}}{2c^2} & \text{for } c \neq 0 \\ \frac{x^2(a+\infty b)}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asech(c*x)),x)

[Out] Piecewise((a*x**2/2 + b*x**2*asech(c*x)/2 - b*sqrt(-c**2*x**2 + 1)/(2*c**2), Ne(c, 0)), (x**2*(a + oo*b)/2, True))

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x, x)

Mupad [B]

time = 1.39, size = 50, normalized size = 1.11

$$\frac{ax^2}{2} + \frac{bx^2 \operatorname{acosh}\left(\frac{1}{cx}\right)}{2} - \frac{bx\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*acosh(1/(c*x))),x)

[Out] (a*x^2)/2 + (b*x^2*acosh(1/(c*x)))/2 - (b*x*(1/(c*x) - 1)^(1/2)*(1/(c*x) + 1)^(1/2))/(2*c)

3.25 $\int (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=40

$$ax + b \operatorname{sech}^{-1}(cx) + \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \operatorname{ArcSin}(cx)}{c}$$

[Out] a*x+b*x*arcsech(c*x)+b*arcsin(c*x)*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/c

Rubi [A]

time = 0.01, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {6412, 222}

$$ax + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \operatorname{ArcSin}(cx)}{c} + b \operatorname{sech}^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[a + b*ArcSech[c*x], x]

[Out] a*x + b*x*ArcSech[c*x] + (b*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcSin[c*x])/c

Rule 222

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 6412

Int[ArcSech[(c_.)*(x_)], x_Symbol] := Simp[x*ArcSech[c*x], x] + Dist[Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[1/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[c, x]

Rubi steps

$$\begin{aligned} \int (a + b \operatorname{sech}^{-1}(cx)) dx &= ax + b \int \operatorname{sech}^{-1}(cx) dx \\ &= ax + b \operatorname{sech}^{-1}(cx) + \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{\sqrt{1-c^2x^2}} dx \\ &= ax + b \operatorname{sech}^{-1}(cx) + \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sin^{-1}(cx)}{c} \end{aligned}$$

Mathematica [A]

time = 0.10, size = 77, normalized size = 1.92

$$ax + bx \operatorname{sech}^{-1}(cx) - \frac{2b \sqrt{\frac{1-cx}{1+cx}} \sqrt{1-c^2x^2} \operatorname{ArcTan}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{c - c^2x}$$

Antiderivative was successfully verified.

`[In] Integrate[a + b*ArcSech[c*x], x]`

```
[Out] a*x + b*x*ArcSech[c*x] - (2*b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^2*x^2]*ArcTan[Sqrt[1 - c*x]/Sqrt[1 + c*x]])/(c - c^2*x)
```

Maple [A]

time = 0.06, size = 42, normalized size = 1.05

method	result	size
default	$ax + bx \operatorname{arcsech}(cx) - \frac{b \arctan\left(\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}\right)}{c}$	42
derivativedivides	$\frac{acx + \operatorname{arcsech}(cx)bcx - \arctan\left(\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}\right)b}{c}$	45

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(a+b*arcsech(c*x), x, method=_RETURNVERBOSE)`

```
[Out] a*x+b*x*arcsech(c*x)-b/c*arctan((-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))
```

Maxima [A]

time = 0.25, size = 31, normalized size = 0.78

$$ax + \frac{\left(cx \operatorname{arsech}(cx) - \arctan\left(\sqrt{\frac{1}{c^2x^2} - 1}\right)\right)b}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(a+b*arcsech(c*x), x, algorithm="maxima")`

```
[Out] a*x + (c*x*arcsech(c*x) - arctan(sqrt(1/(c^2*x^2) - 1)))*b/c
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 119 vs. 2(20) = 40.

time = 0.36, size = 119, normalized size = 2.98

$$acx - bc \log\left(\frac{cx \sqrt{-\frac{c^2x^2 - 1}{c^2x^2}} - 1}{x}\right) - 2b \arctan\left(\frac{cx \sqrt{-\frac{c^2x^2 - 1}{c^2x^2}} - 1}{cx}\right) + (bcx - bc) \log\left(\frac{cx \sqrt{-\frac{c^2x^2 - 1}{c^2x^2}} + 1}{cx}\right)$$

c

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*arcsech(c*x),x, algorithm="fricas")

[Out] (a*c*x - b*c*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/x) - 2*b*arctan((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/(c*x)) + (b*c*x - b*c)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)))/c

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*asech(c*x),x)

[Out] Integral(a + b*asech(c*x), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*arcsech(c*x),x, algorithm="giac")

[Out] integrate(b*arcsech(c*x) + a, x)

Mupad [B]

time = 1.34, size = 44, normalized size = 1.10

$$ax + bx \operatorname{acosh}\left(\frac{1}{cx}\right) + \frac{b \operatorname{atan}\left(\frac{1}{\sqrt{\frac{1}{cx} - 1} \sqrt{\frac{1}{cx} + 1}}\right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a + b*acosh(1/(c*x)),x)

[Out] a*x + b*x*acosh(1/(c*x)) + (b*atan(1/((1/(c*x) - 1)^(1/2)*(1/(c*x) + 1)^(1/2))))/c

3.26 $\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x} dx$

Optimal. Leaf size=56

$$-\frac{(a+b\operatorname{sech}^{-1}(cx))^2}{2b} - (a+b\operatorname{sech}^{-1}(cx)) \log\left(1+e^{-2\operatorname{sech}^{-1}(cx)}\right) + \frac{1}{2}b\operatorname{PolyLog}\left(2, -e^{-2\operatorname{sech}^{-1}(cx)}\right)$$

[Out] $-1/2*(a+b*\operatorname{arcsech}(c*x))^2/b - (a+b*\operatorname{arcsech}(c*x))*\ln(1+1/(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}))^2 + 1/2*b*\operatorname{polylog}(2, -1/(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}))^2$

Rubi [A]

time = 0.09, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6416, 5882, 3799, 2221, 2317, 2438}

$$-\frac{(a+b\operatorname{sech}^{-1}(cx))^2}{2b} - \log\left(e^{-2\operatorname{sech}^{-1}(cx)} + 1\right) (a+b\operatorname{sech}^{-1}(cx)) + \frac{1}{2}b\operatorname{Li}_2\left(-e^{-2\operatorname{sech}^{-1}(cx)}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSech}[c*x])/x, x]$

[Out] $-1/2*(a + b*\operatorname{ArcSech}[c*x])^2/b - (a + b*\operatorname{ArcSech}[c*x])*Log[1 + E^{(-2*\operatorname{ArcSech}[c*x])}] + (b*\operatorname{PolyLog}[2, -E^{(-2*\operatorname{ArcSech}[c*x])}])/2$

Rule 2221

$\operatorname{Int}[(((F_)^\wedge((g_)*(e_) + (f_)*(x_)))^\wedge(n_))*((c_) + (d_)*(x_))^\wedge(m_)] / ((a_) + (b_)*((F_)^\wedge((g_)*(e_) + (f_)*(x_)))^\wedge(n_)), x_Symbol] \rightarrow \operatorname{Simp} [((c + d*x)^\wedge m / (b*f*g*n*Log[F]))*Log[1 + b*((F)^\wedge(g*(e + f*x)))^\wedge n/a], x] - \operatorname{Dist}[d*(m/(b*f*g*n*Log[F])), \operatorname{Int}[(c + d*x)^\wedge(m - 1)*Log[1 + b*((F)^\wedge(g*(e + f*x)))^\wedge n/a], x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \operatorname{IGtQ}[m, 0]$

Rule 2317

$\operatorname{Int}[Log[(a_) + (b_)*((F_)^\wedge((e_)*((c_) + (d_)*(x_)))^\wedge(n_)]], x_Symbol] \rightarrow \operatorname{Dist}[1/(d*e*n*Log[F]), \operatorname{Subst}[\operatorname{Int}[Log[a + b*x]/x, x], x, (F)^\wedge(e*(c + d*x))^\wedge n], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \operatorname{GtQ}[a, 0]$

Rule 2438

$\operatorname{Int}[Log[(c_)*((d_) + (e_)*(x_))^\wedge(n_)]/(x_), x_Symbol] \rightarrow \operatorname{Simp}[-\operatorname{PolyLog}[2, (-c)*e*x^\wedge n]/n, x] /; \operatorname{FreeQ}\{c, d, e, n\}, x] \&\& \operatorname{EqQ}[c*d, 1]$

Rule 3799

```
Int[((c_.) + (d_.)*(x_)^(m_.)*tan[(e_.) + (Complex[0, fz_])*(f_.)*(x_)], x
_Symbol] :> Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c + d*x)^m*(E^(2*((-I)*e + f*fz*x)))/(1 + E^(2*((-I)*e + f*fz*x)))], x], x]
/; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]
```

Rule 5882

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] :> Dist[1/b,
Subst[Int[x^n*Tanh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a,
b, c}, x] && IGtQ[n, 0]
```

Rule 6416

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))/(x_), x_Symbol] :> -Subst[Int[(a +
b*ArcCosh[x/c])/x, x], x, 1/x] /; FreeQ[{a, b, c}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x} dx &= -\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{x} dx, x, \frac{1}{x} \right) \\
&= -\operatorname{Subst} \left(\int (a + bx) \tanh(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{2b} - 2 \operatorname{Subst} \left(\int \frac{e^{2x}(a + bx)}{1 + e^{2x}} dx, x, \operatorname{sech}^{-1}(cx) \right) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{2b} - (a + b \operatorname{sech}^{-1}(cx)) \log \left(1 + e^{2 \operatorname{sech}^{-1}(cx)} \right) + b \operatorname{Subst} \left(\int \log(1 + x) dx, x, \operatorname{sech}^{-1}(cx) \right) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{2b} - (a + b \operatorname{sech}^{-1}(cx)) \log \left(1 + e^{2 \operatorname{sech}^{-1}(cx)} \right) + \frac{1}{2} b \operatorname{Subst} \left(\int \frac{\log(1 + x)}{x} dx, x, \operatorname{sech}^{-1}(cx) \right) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{2b} - (a + b \operatorname{sech}^{-1}(cx)) \log \left(1 + e^{2 \operatorname{sech}^{-1}(cx)} \right) - \frac{1}{2} b \operatorname{Li}_2 \left(-e^{2 \operatorname{sech}^{-1}(cx)} \right)
\end{aligned}$$

Mathematica [A]

time = 0.03, size = 47, normalized size = 0.84

$$a \log(x) + \frac{1}{2} b \left(-\operatorname{sech}^{-1}(cx) \left(\operatorname{sech}^{-1}(cx) + 2 \log \left(1 + e^{-2 \operatorname{sech}^{-1}(cx)} \right) \right) + \operatorname{PolyLog} \left(2, -e^{-2 \operatorname{sech}^{-1}(cx)} \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSech[c*x])/x,x]
```


[Out] $a \cdot \text{Log}[x] + (b \cdot (-\text{ArcSech}[c \cdot x] \cdot (\text{ArcSech}[c \cdot x] + 2 \cdot \text{Log}[1 + E^{(-2 \cdot \text{ArcSech}[c \cdot x])}]))) + \text{PolyLog}[2, -E^{(-2 \cdot \text{ArcSech}[c \cdot x])}]))/2$

Maple [A]

time = 0.17, size = 100, normalized size = 1.79

method	result
derivativedivides	$a \ln(cx) + \frac{b \operatorname{arcsech}(cx)^2}{2} - b \operatorname{arcsech}(cx) \ln \left(1 + \left(\frac{1}{cx} + \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} \right)^2 \right) - \frac{b \operatorname{polylog}(2, -E^{(-2 \cdot \operatorname{arcsech}(cx)})}}{2}$
default	$a \ln(cx) + \frac{b \operatorname{arcsech}(cx)^2}{2} - b \operatorname{arcsech}(cx) \ln \left(1 + \left(\frac{1}{cx} + \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} \right)^2 \right) - \frac{b \operatorname{polylog}(2, -E^{(-2 \cdot \operatorname{arcsech}(cx)})}}{2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/x,x,method=_RETURNVERBOSE)`

[Out] $a \cdot \ln(c \cdot x) + 1/2 \cdot b \cdot \operatorname{arcsech}(c \cdot x)^2 - b \cdot \operatorname{arcsech}(c \cdot x) \cdot \ln(1 + (1/c/x + (-1 + 1/c/x)^{1/2}) \cdot (1 + 1/c/x)^{1/2})^2) - 1/2 \cdot b \cdot \operatorname{polylog}(2, -(1/c/x + (-1 + 1/c/x)^{1/2}) \cdot (1 + 1/c/x)^{1/2})^2)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x,x, algorithm="maxima")`

[Out] $b \cdot \int \log(\sqrt{1/(c \cdot x)} + 1) \cdot \sqrt{1/(c \cdot x)} - 1 + 1/(c \cdot x) dx + a \cdot \log(x)$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x,x, algorithm="fricas")`

[Out] $\int (b \cdot \operatorname{arcsech}(c \cdot x) + a) / x dx$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/x,x)

[Out] Integral((a + b*asech(c*x))/x, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/x, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/x,x)

[Out] int((a + b*acosh(1/(c*x)))/x, x)

$$3.27 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^2} dx$$

Optimal. Leaf size=40

$$\frac{b\sqrt{1-cx}}{x\sqrt{\frac{1}{1+cx}}} - \frac{a+b\operatorname{sech}^{-1}(cx)}{x}$$

[Out] $(-a-b*\operatorname{arcsech}(c*x))/x+b*(-c*x+1)^{(1/2)}/x/(1/(c*x+1))^{(1/2)}$

Rubi [A]

time = 0.02, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {6418, 97}

$$\frac{b\sqrt{1-cx}}{x\sqrt{\frac{1}{cx+1}}} - \frac{a+b\operatorname{sech}^{-1}(cx)}{x}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSech}[c*x])/x^2, x]$

[Out] $(b*\operatorname{Sqrt}[1 - c*x])/(x*\operatorname{Sqrt}[(1 + c*x)^{-1}]) - (a + b*\operatorname{ArcSech}[c*x])/x$

Rule 97

$\operatorname{Int}[(a_.) + (b_.)*(x_.)^{(m_.)}*((c_.) + (d_.)*(x_.)^{(n_.)}*((e_.) + (f_.)*(x_.)^{(p_.)}), x_Symbol] \rightarrow \operatorname{Simp}[b*(a + b*x)^{(m+1)}*(c + d*x)^{(n+1)}*((e + f*x)^{(p+1})/((m+1)*(b*c - a*d)*(b*e - a*f))), x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& \operatorname{EqQ}[\operatorname{Simplify}[m + n + p + 3], 0] \&\& \operatorname{EqQ}[a*d*f*(m+1) + b*c*f*(n+1) + b*d*e*(p+1), 0] \&\& \operatorname{NeQ}[m, -1]$

Rule 6418

$\operatorname{Int}[(a_.) + \operatorname{ArcSech}[(c_.)*(x_.)]*(b_.)]*((d_.)*(x_.)^{(m_.)}), x_Symbol] \rightarrow \operatorname{Simp}[(d*x)^{(m+1)}*(a + b*\operatorname{ArcSech}[c*x])/(d*(m+1)), x] + \operatorname{Dist}[b*(\operatorname{Sqrt}[1 + c*x]/(m+1))*\operatorname{Sqrt}[1/(1 + c*x)], \operatorname{Int}[(d*x)^m/(\operatorname{Sqrt}[1 - c*x]*\operatorname{Sqrt}[1 + c*x]), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, m\}, x] \&\& \operatorname{NeQ}[m, -1]$

Rubi steps

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^2} dx = -\frac{a + b \operatorname{sech}^{-1}(cx)}{x} - \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x^2 \sqrt{1-cx} \sqrt{1+cx}} dx$$

$$= \frac{b \sqrt{1-cx}}{x \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{x}$$

Mathematica [A]

time = 0.04, size = 42, normalized size = 1.05

$$-\frac{a}{x} + b \left(c + \frac{1}{x} \right) \sqrt{\frac{1-cx}{1+cx}} - \frac{b \operatorname{sech}^{-1}(cx)}{x}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSech[c*x])/x^2,x]``[Out] -(a/x) + b*(c + x^(-1))*Sqrt[(1 - c*x)/(1 + c*x)] - (b*ArcSech[c*x])/x`**Maple [A]**

time = 0.16, size = 58, normalized size = 1.45

method	result	size
derivativedivides	$c \left(-\frac{a}{cx} + b \left(-\frac{\operatorname{arcsech}(cx)}{cx} + \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \right) \right)$	58
default	$c \left(-\frac{a}{cx} + b \left(-\frac{\operatorname{arcsech}(cx)}{cx} + \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \right) \right)$	58

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*arcsech(c*x))/x^2,x,method=_RETURNVERBOSE)``[Out] c*(-a/c/x+b*(-1/c/x*arcsech(c*x)+(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)))`**Maxima [A]**

time = 0.27, size = 32, normalized size = 0.80

$$\left(c \sqrt{\frac{1}{c^2 x^2} - 1} - \frac{\operatorname{arosech}(cx)}{x} \right) b - \frac{a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsech(c*x))/x^2,x, algorithm="maxima")``[Out] (c*sqrt(1/(c^2*x^2) - 1) - arcsech(c*x)/x)*b - a/x`

Fricas [A]

time = 0.34, size = 66, normalized size = 1.65

$$\frac{bcx\sqrt{-\frac{c^2x^2-1}{c^2x^2}} - b\log\left(\frac{cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}}+1}{cx}\right) - a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsech(c*x))/x^2,x, algorithm="fricas")``[Out] (b*c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - b*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) - a)/x`**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*asech(c*x))/x**2,x)``[Out] Integral((a + b*asech(c*x))/x**2, x)`**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsech(c*x))/x^2,x, algorithm="giac")``[Out] integrate((b*arcsech(c*x) + a)/x^2, x)`**Mupad [B]**

time = 1.48, size = 46, normalized size = 1.15

$$bc\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1} - \frac{b\operatorname{acosh}\left(\frac{1}{cx}\right)}{x} - \frac{a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a + b*acosh(1/(c*x)))/x^2,x)``[Out] b*c*(1/(c*x) - 1)^(1/2)*(1/(c*x) + 1)^(1/2) - (b*acosh(1/(c*x)))/x - a/x`

3.28 $\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^3} dx$

Optimal. Leaf size=94

$$\frac{b\sqrt{1-cx}}{4x^2\sqrt{\frac{1}{1+cx}}} - \frac{a+b\operatorname{sech}^{-1}(cx)}{2x^2} + \frac{1}{4}bc^2\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\tanh^{-1}\left(\sqrt{1-cx}\sqrt{1+cx}\right)$$

[Out] 1/2*(-a-b*arcsech(c*x))/x^2+1/4*b*(-c*x+1)^(1/2)/x^2/(1/(c*x+1))^(1/2)+1/4*b*c^2*arctanh((-c*x+1)^(1/2)*(c*x+1)^(1/2))*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)

Rubi [A]

time = 0.03, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$,

Rules used = {6418, 105, 12, 94, 214}

$$-\frac{a+b\operatorname{sech}^{-1}(cx)}{2x^2} + \frac{1}{4}bc^2\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\tanh^{-1}\left(\sqrt{1-cx}\sqrt{cx+1}\right) + \frac{b\sqrt{1-cx}}{4x^2\sqrt{\frac{1}{cx+1}}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])/x^3,x]

[Out] (b*Sqrt[1 - c*x])/(4*x^2*Sqrt[(1 + c*x)^(-1)]) - (a + b*ArcSech[c*x])/(2*x^2) + (b*c^2*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcTanh[Sqrt[1 - c*x]*Sqrt[1 + c*x]])/4

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 94

Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*((e_) + (f_)*(x_))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 105

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*

```
(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x,
x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && ILtQ[m, -1] && (Integer
Q[n] || IntegersQ[2*n, 2*p] || ILtQ[m + n + p + 3, 0])
```

Rule 214

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 6418

```
Int[((a_) + ArcSech[(c_)*(x_)])*(b_))*((d_)*(x_)^(m_), x_Symbol] := Si
mp[(d*x)^(m + 1)*((a + b*ArcSech[c*x])/(d*(m + 1))), x] + Dist[b*(Sqrt[1 +
c*x]/(m + 1))*Sqrt[1/(1 + c*x)], Int[(d*x)^m/(Sqrt[1 - c*x]*Sqrt[1 + c*x]),
x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^3} dx &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{2x^2} - \frac{1}{2} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x^3 \sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{4x^2 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2x^2} - \frac{1}{4} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{c^2}{x \sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{4x^2 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2x^2} - \frac{1}{4} \left(bc^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x \sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{4x^2 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2x^2} + \frac{1}{4} \left(bc^3 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \operatorname{Subst} \left(\int \frac{1}{c - cx} dx \right) \\
&= \frac{b \sqrt{1-cx}}{4x^2 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2x^2} + \frac{1}{4} bc^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \tanh^{-1} \left(\sqrt{1-cx} \sqrt{1+cx} \right)
\end{aligned}$$

Mathematica [A]

time = 0.05, size = 117, normalized size = 1.24

$$-\frac{a}{2x^2} + b \left(\frac{1}{4x^2} + \frac{c}{4x} \right) \sqrt{\frac{1-cx}{1+cx}} - \frac{b \operatorname{sech}^{-1}(cx)}{2x^2} - \frac{1}{4} bc^2 \log(x) + \frac{1}{4} bc^2 \log \left(1 + \sqrt{\frac{1-cx}{1+cx}} + cx \sqrt{\frac{1-cx}{1+cx}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])/x^3,x]

[Out] $-1/2*a/x^2 + b*(1/(4*x^2) + c/(4*x))*\text{Sqrt}[(1 - c*x)/(1 + c*x)] - (b*\text{ArcSech}[c*x])/(2*x^2) - (b*c^2*\text{Log}[x])/4 + (b*c^2*\text{Log}[1 + \text{Sqrt}[(1 - c*x)/(1 + c*x)]] + c*x*\text{Sqrt}[(1 - c*x)/(1 + c*x)])/4$

Maple [A]

time = 0.17, size = 112, normalized size = 1.19

method	result
derivativedivides	$c^2 \left(-\frac{a}{2c^2x^2} + b \left(-\frac{\text{arcsech}(cx)}{2c^2x^2} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \left(\text{arctanh}\left(\frac{1}{\sqrt{-c^2x^2+1}}\right) c^2x^2 + \sqrt{-c^2x^2+1} \right)}{4cx\sqrt{-c^2x^2+1}} \right) \right)$
default	$c^2 \left(-\frac{a}{2c^2x^2} + b \left(-\frac{\text{arcsech}(cx)}{2c^2x^2} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \left(\text{arctanh}\left(\frac{1}{\sqrt{-c^2x^2+1}}\right) c^2x^2 + \sqrt{-c^2x^2+1} \right)}{4cx\sqrt{-c^2x^2+1}} \right) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))/x^3,x,method=_RETURNVERBOSE)

[Out] $c^2*(-1/2*a/c^2/x^2+b*(-1/2/c^2/x^2*arcsech(c*x)+1/4*(-(c*x-1)/c/x)^(1/2)/c/x*((c*x+1)/c/x)^(1/2)*(arctanh(1/(-c^2*x^2+1)^(1/2))*c^2*x^2+(-c^2*x^2+1)^(1/2))/(-c^2*x^2+1)^(1/2)))$

Maxima [A]

time = 0.26, size = 105, normalized size = 1.12

$$-\frac{1}{8}b \left(\frac{2c^4x\sqrt{\frac{1}{c^2x^2}-1}}{c^2x^2\left(\frac{1}{c^2x^2}-1\right)-1} - c^3 \log\left(cx\sqrt{\frac{1}{c^2x^2}-1} + 1\right) + c^3 \log\left(cx\sqrt{\frac{1}{c^2x^2}-1} - 1\right) + \frac{4 \text{arsech}(cx)}{x^2} \right) - \frac{a}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^3,x, algorithm="maxima")

[Out] $-1/8*b*((2*c^4*x*\text{sqrt}(1/(c^2*x^2) - 1)/(c^2*x^2*(1/(c^2*x^2) - 1) - 1) - c^3*\text{log}(c*x*\text{sqrt}(1/(c^2*x^2) - 1) + 1) + c^3*\text{log}(c*x*\text{sqrt}(1/(c^2*x^2) - 1) - 1))/c + 4*\text{arcsech}(c*x)/x^2) - 1/2*a/x^2$

Fricas [A]

time = 0.37, size = 77, normalized size = 0.82

$$\frac{bcx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + (bc^2 x^2 - 2b) \log\left(\frac{cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 1}{cx}\right) - 2a}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^3,x, algorithm="fricas")

[Out] 1/4*(b*c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + (b*c^2*x^2 - 2*b)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) - 2*a)/x^2

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/x**3,x)

[Out] Integral((a + b*asech(c*x))/x**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^3,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/x^3, x)

Mupad [B]

time = 1.46, size = 61, normalized size = 0.65

$$\frac{b \operatorname{acosh}\left(\frac{1}{cx}\right) \left(\frac{c^2 x}{4} - \frac{1}{2x}\right)}{x} - \frac{a}{2x^2} + \frac{bc \sqrt{\frac{1}{cx} - 1} \sqrt{\frac{1}{cx} + 1}}{4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/x^3,x)

[Out] (b*acosh(1/(c*x))*((c^2*x)/4 - 1/(2*x)))/x - a/(2*x^2) + (b*c*(1/(c*x) - 1)^(1/2)*(1/(c*x) + 1)^(1/2))/(4*x)

$$3.29 \quad \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^4} dx$$

Optimal. Leaf size=77

$$\frac{b\sqrt{1-cx}}{9x^3\sqrt{\frac{1}{1+cx}}} + \frac{2bc^2\sqrt{1-cx}}{9x\sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{3x^3}$$

[Out] 1/3*(-a-b*arcsech(c*x))/x^3+1/9*b*(-c*x+1)^(1/2)/x^3/(1/(c*x+1))^(1/2)+2/9*b*c^2*(-c*x+1)^(1/2)/x/(1/(c*x+1))^(1/2)

Rubi [A]

time = 0.02, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6418, 105, 12, 97}

$$-\frac{a + b \operatorname{sech}^{-1}(cx)}{3x^3} + \frac{2bc^2\sqrt{1-cx}}{9x\sqrt{\frac{1}{cx+1}}} + \frac{b\sqrt{1-cx}}{9x^3\sqrt{\frac{1}{cx+1}}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])/x^4,x]

[Out] (b*Sqrt[1 - c*x])/(9*x^3*Sqrt[(1 + c*x)^(-1)]) + (2*b*c^2*Sqrt[1 - c*x])/(9*x*Sqrt[(1 + c*x)^(-1)]) - (a + b*ArcSech[c*x])/(3*x^3)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 97

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1), 0] && NeQ[m, -1]

Rule 105

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*

```
(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x,
x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && ILtQ[m, -1] && (Integer
Q[n] || IntegersQ[2*n, 2*p] || ILtQ[m + n + p + 3, 0])
```

Rule 6418

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*((d_.)*(x_)^(m_.), x_Symbol] :> Si
mp[(d*x)^(m + 1)*((a + b*ArcSech[c*x])/(d*(m + 1))), x] + Dist[b*(Sqrt[1 +
c*x]/(m + 1))*Sqrt[1/(1 + c*x)], Int[(d*x)^m/(Sqrt[1 - c*x]*Sqrt[1 + c*x]),
x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^4} dx &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{3x^3} - \frac{1}{3} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x^4 \sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{9x^3 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{3x^3} + \frac{1}{9} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int -\frac{2c^2}{x^2 \sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{9x^3 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{3x^3} - \frac{1}{9} \left(2bc^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x^2 \sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{9x^3 \sqrt{\frac{1}{1+cx}}} + \frac{2bc^2 \sqrt{1-cx}}{9x \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{3x^3}
\end{aligned}$$

Mathematica [A]

time = 0.04, size = 74, normalized size = 0.96

$$-\frac{a}{3x^3} + b \left(\frac{2c^3}{9} + \frac{1}{9x^3} + \frac{c}{9x^2} + \frac{2c^2}{9x} \right) \sqrt{\frac{1-cx}{1+cx}} - \frac{b \operatorname{sech}^{-1}(cx)}{3x^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSech[c*x])/x^4,x]
```

```
[Out] -1/3*a/x^3 + b*((2*c^3)/9 + 1/(9*x^3) + c/(9*x^2) + (2*c^2)/(9*x))*Sqrt[(1
- c*x)/(1 + c*x)] - (b*ArcSech[c*x])/(3*x^3)
```

Maple [A]

time = 0.16, size = 77, normalized size = 1.00

method	result	size
derivativedivides	$c^3 \left(-\frac{a}{3c^3x^3} + b \left(-\frac{\operatorname{arcsech}(cx)}{3c^3x^3} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} (2c^2x^2+1)}{9c^2x^2} \right) \right)$	77
default	$c^3 \left(-\frac{a}{3c^3x^3} + b \left(-\frac{\operatorname{arcsech}(cx)}{3c^3x^3} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} (2c^2x^2+1)}{9c^2x^2} \right) \right)$	77

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/x^4,x,method=_RETURNVERBOSE)`

[Out] $c^3 \left(-\frac{1}{3} \frac{a}{c^3 x^3} + b \left(-\frac{1}{3} \frac{\operatorname{arcsech}(cx)}{c^3 x^3} + \frac{1}{9} \frac{(-cx-1)/c/x^{1/2}}{c^2 x^2} \sqrt{\frac{cx+1}{c/x}} (2c^2 x^2 + 1) \right) \right)$

Maxima [A]

time = 0.26, size = 56, normalized size = 0.73

$$\frac{1}{9} b \left(\frac{c^4 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{3}{2}} + 3 c^4 \sqrt{\frac{1}{c^2 x^2} - 1}}{c} - \frac{3 \operatorname{arcsch}(cx)}{x^3} \right) - \frac{a}{3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^4,x, algorithm="maxima")`

[Out] $\frac{1}{9} b \left(\frac{c^4 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{3}{2}} + 3 c^4 \sqrt{\frac{1}{c^2 x^2} - 1}}{c} - \frac{3 \operatorname{arcsch}(cx)}{x^3} \right) - \frac{a}{3 x^3}$

Fricas [A]

time = 0.36, size = 79, normalized size = 1.03

$$\frac{3 b \log \left(\frac{cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 1}{cx} \right) - (2 b c^3 x^3 + b c x) \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 3 a}{9 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^4,x, algorithm="fricas")`

[Out] $-\frac{1}{9} \left(\frac{3 b \log \left(\frac{cx \sqrt{-(c^2 x^2 - 1)/(c^2 x^2)} + 1}{cx} \right) - (2 b c^3 x^3 + b c x) \sqrt{-(c^2 x^2 - 1)/(c^2 x^2)} + 3 a}{x^3} \right)$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/x**4,x)

[Out] Integral((a + b*asech(c*x))/x**4, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^4,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/x^4, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/x^4,x)

[Out] int((a + b*acosh(1/(c*x)))/x^4, x)

3.30 $\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^5} dx$

Optimal. Leaf size=126

$$\frac{b\sqrt{1-cx}}{16x^4\sqrt{\frac{1}{1+cx}}} + \frac{3bc^2\sqrt{1-cx}}{32x^2\sqrt{\frac{1}{1+cx}}} - \frac{a+b\operatorname{sech}^{-1}(cx)}{4x^4} + \frac{3}{32}bc^4\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\tanh^{-1}\left(\sqrt{1-cx}\sqrt{1+cx}\right)$$

[Out] 1/4*(-a-b*arcsech(c*x))/x^4+1/16*b*(-c*x+1)^(1/2)/x^4/(1/(c*x+1))^(1/2)+3/32*b*c^2*(-c*x+1)^(1/2)/x^2/(1/(c*x+1))^(1/2)+3/32*b*c^4*arctanh((-c*x+1)^(1/2)*(c*x+1)^(1/2))*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)

Rubi [A]

time = 0.04, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {6418, 105, 12, 94, 214}

$$-\frac{a+b\operatorname{sech}^{-1}(cx)}{4x^4} + \frac{3}{32}bc^4\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\tanh^{-1}\left(\sqrt{1-cx}\sqrt{cx+1}\right) + \frac{3bc^2\sqrt{1-cx}}{32x^2\sqrt{\frac{1}{cx+1}}} + \frac{b\sqrt{1-cx}}{16x^4\sqrt{\frac{1}{cx+1}}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])/x^5,x]

[Out] (b*Sqrt[1 - c*x])/(16*x^4*Sqrt[(1 + c*x)^(-1)]) + (3*b*c^2*Sqrt[1 - c*x])/(32*x^2*Sqrt[(1 + c*x)^(-1)]) - (a + b*ArcSech[c*x])/(4*x^4) + (3*b*c^4*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcTanh[Sqrt[1 - c*x]*Sqrt[1 + c*x]])/32

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 94

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 105

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*

$(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x,$
 $x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n, p\}, x] \ \&\& \ \text{ILtQ}[m, -1] \ \&\& \ (\text{Integer}$
 $\text{Q}[n] \ || \ \text{IntegersQ}[2*n, 2*p] \ || \ \text{ILtQ}[m + n + p + 3, 0])$

Rule 214

$\text{Int}[\{(a_.) + (b_.)*(x_)^2\}^{-1}, x_Symbol] \ :> \ \text{Simp}[\text{Rt}[-a/b, 2]/a*\text{ArcTanh}[x$
 $/\text{Rt}[-a/b, 2]], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 6418

$\text{Int}[\{(a_.) + \text{ArcSech}[(c_.)*(x_)]*(b_.)\}*((d_.)*(x_))^{(m_.)}, x_Symbol] \ :> \ \text{Si}$
 $\text{mp}[(d*x)^{(m+1)}*((a + b*\text{ArcSech}[c*x])/(d*(m+1))), x] + \text{Dist}[b*(\text{Sqrt}[1 +$
 $c*x]/(m+1))*\text{Sqrt}[1/(1 + c*x)], \text{Int}[(d*x)^m/(\text{Sqrt}[1 - c*x]*\text{Sqrt}[1 + c*x]),$
 $x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \ \&\& \ \text{NeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^5} dx &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{4x^4} - \frac{1}{4} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x^5 \sqrt{1-cx} \sqrt{1+cx}} dx \\ &= \frac{b \sqrt{1-cx}}{16x^4 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4x^4} + \frac{1}{16} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int -\frac{3c^2}{x^3 \sqrt{1-cx}} dx \\ &= \frac{b \sqrt{1-cx}}{16x^4 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4x^4} - \frac{1}{16} \left(3bc^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x^3 \sqrt{1-cx}} dx \\ &= \frac{b \sqrt{1-cx}}{16x^4 \sqrt{\frac{1}{1+cx}}} + \frac{3bc^2 \sqrt{1-cx}}{32x^2 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4x^4} - \frac{1}{32} \left(3bc^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x^2 \sqrt{1-cx}} dx \\ &= \frac{b \sqrt{1-cx}}{16x^4 \sqrt{\frac{1}{1+cx}}} + \frac{3bc^2 \sqrt{1-cx}}{32x^2 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4x^4} - \frac{1}{32} \left(3bc^4 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x \sqrt{1-cx}} dx \\ &= \frac{b \sqrt{1-cx}}{16x^4 \sqrt{\frac{1}{1+cx}}} + \frac{3bc^2 \sqrt{1-cx}}{32x^2 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4x^4} + \frac{1}{32} \left(3bc^5 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{\sqrt{1-cx}} dx \\ &= \frac{b \sqrt{1-cx}}{16x^4 \sqrt{\frac{1}{1+cx}}} + \frac{3bc^2 \sqrt{1-cx}}{32x^2 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4x^4} + \frac{3}{32} bc^4 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \end{aligned}$$

Mathematica [A]

time = 0.07, size = 137, normalized size = 1.09

$$-\frac{a}{4x^4} + b\left(\frac{1}{16x^4} + \frac{c}{16x^3} + \frac{3c^2}{32x^2} + \frac{3c^3}{32x}\right)\sqrt{\frac{1-cx}{1+cx}} - \frac{b\operatorname{sech}^{-1}(cx)}{4x^4} - \frac{3}{32}bc^4\log(x) + \frac{3}{32}bc^4\log\left(1 + \sqrt{\frac{1-cx}{1+cx}} + cx\sqrt{\frac{1-cx}{1+cx}}\right)$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSech[c*x])/x^5,x]`

```
[Out] -1/4*a/x^4 + b*(1/(16*x^4) + c/(16*x^3) + (3*c^2)/(32*x^2) + (3*c^3)/(32*x))
)*Sqrt[(1 - c*x)/(1 + c*x)] - (b*ArcSech[c*x])/(4*x^4) - (3*b*c^4*Log[x])/3
2 + (3*b*c^4*Log[1 + Sqrt[(1 - c*x)/(1 + c*x)] + c*x*Sqrt[(1 - c*x)/(1 + c*
x)]])/32
```

Maple [A]

time = 0.17, size = 135, normalized size = 1.07

method	result
derivativedivides	$c^4\left(-\frac{a}{4c^4x^4} + b\left(-\frac{\operatorname{arcsech}(cx)}{4c^4x^4} + \frac{\sqrt{-\frac{cx-1}{cx}}\sqrt{\frac{cx+1}{cx}}\left(3\operatorname{arctanh}\left(\frac{1}{\sqrt{-c^2x^2+1}}\right)c^4x^4 + 3\sqrt{-c^2x^2-1}\right)}{32c^3x^3\sqrt{-c^2x^2+1}}\right)\right)$
default	$c^4\left(-\frac{a}{4c^4x^4} + b\left(-\frac{\operatorname{arcsech}(cx)}{4c^4x^4} + \frac{\sqrt{-\frac{cx-1}{cx}}\sqrt{\frac{cx+1}{cx}}\left(3\operatorname{arctanh}\left(\frac{1}{\sqrt{-c^2x^2+1}}\right)c^4x^4 + 3\sqrt{-c^2x^2-1}\right)}{32c^3x^3\sqrt{-c^2x^2+1}}\right)\right)$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*arcsech(c*x))/x^5,x,method=_RETURNVERBOSE)`

```
[Out] c^4*(-1/4*a/c^4/x^4+b*(-1/4/c^4/x^4*arcsech(c*x)+1/32*(-(c*x-1)/c/x)^(1/2)/
c^3/x^3*((c*x+1)/c/x)^(1/2)*(3*arctanh(1/(-c^2*x^2+1)^(1/2))*c^4*x^4+3*(-c^
2*x^2+1)^(1/2)*c^2*x^2+2*(-c^2*x^2+1)^(1/2))/(-c^2*x^2+1)^(1/2)))
```

Maxima [A]

time = 0.26, size = 147, normalized size = 1.17

$$\frac{1}{64}b\left(\frac{3c^5\log\left(cx\sqrt{\frac{1}{c^2x^2}-1}+1\right)-3c^5\log\left(cx\sqrt{\frac{1}{c^2x^2}-1}-1\right)-\frac{2\left(3c^8x^3\left(\frac{1}{c^2x^2}-1\right)^{\frac{3}{2}}-5c^6x\sqrt{\frac{1}{c^2x^2}-1}\right)}{c^4x^4\left(\frac{1}{c^2x^2}-1\right)^2-2c^2x^2\left(\frac{1}{c^2x^2}-1\right)+1}}{c}-\frac{16\operatorname{arosech}(cx)}{x^4}\right)-\frac{a}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsech(c*x))/x^5,x, algorithm="maxima")`

[Out] $\frac{1}{64}b \left((3c^5 \log(cx \sqrt{1/(c^2x^2) - 1}) + 1) - 3c^5 \log(cx \sqrt{1/(c^2x^2) - 1}) - 1 \right) - 2(3c^8x^3(1/(c^2x^2) - 1)^{3/2} - 5c^6x \sqrt{1/(c^2x^2) - 1}) / (c^4x^4(1/(c^2x^2) - 1)^2 - 2c^2x^2(1/(c^2x^2) - 1) + 1) / c - 16 \operatorname{arcsech}(cx) / x^4 - 1/4a/x^4$

Fricas [A]

time = 0.34, size = 90, normalized size = 0.71

$$\frac{(3bc^4x^4 - 8b) \log\left(\frac{cx \sqrt{-\frac{c^2x^2 - 1}{c^2x^2}} + 1}{cx}\right) + (3bc^3x^3 + 2bcx) \sqrt{-\frac{c^2x^2 - 1}{c^2x^2}} - 8a}{32x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^5,x, algorithm="fricas")`

[Out] $\frac{1}{32} \left((3b \cdot c^4 x^4 - 8b) \cdot \log\left(\frac{cx \sqrt{-(c^2x^2 - 1)/(c^2x^2)} + 1}{cx}\right) + (3b \cdot c^3 x^3 + 2b \cdot cx) \sqrt{-(c^2x^2 - 1)/(c^2x^2)} - 8a \right) / x^4$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asech(c*x))/x**5,x)`

[Out] `Integral((a + b*asech(c*x))/x**5, x)`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^5,x, algorithm="giac")`

[Out] `integrate((b*arcsech(c*x) + a)/x^5, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acosh(1/(c*x)))/x^5,x)`

[Out] `int((a + b*acosh(1/(c*x)))/x^5, x)`

3.31 $\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^6} dx$

Optimal. Leaf size=109

$$\frac{b\sqrt{1-cx}}{25x^5\sqrt{\frac{1}{1+cx}}} + \frac{4bc^2\sqrt{1-cx}}{75x^3\sqrt{\frac{1}{1+cx}}} + \frac{8bc^4\sqrt{1-cx}}{75x\sqrt{\frac{1}{1+cx}}} - \frac{a+b\operatorname{sech}^{-1}(cx)}{5x^5}$$

[Out] $1/5*(-a-b*\operatorname{arcsech}(c*x))/x^5+1/25*b*(-c*x+1)^{(1/2)}/x^5/(1/(c*x+1))^{(1/2)}+4/75*b*c^2*(-c*x+1)^{(1/2)}/x^3/(1/(c*x+1))^{(1/2)}+8/75*b*c^4*(-c*x+1)^{(1/2)}/x/(1/(c*x+1))^{(1/2)}$

Rubi [A]

time = 0.03, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6418, 105, 12, 97}

$$-\frac{a+b\operatorname{sech}^{-1}(cx)}{5x^5} + \frac{8bc^4\sqrt{1-cx}}{75x\sqrt{\frac{1}{cx+1}}} + \frac{4bc^2\sqrt{1-cx}}{75x^3\sqrt{\frac{1}{cx+1}}} + \frac{b\sqrt{1-cx}}{25x^5\sqrt{\frac{1}{cx+1}}}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*ArcSech[c*x])/x^6, x]`

[Out] $(b*\operatorname{Sqrt}[1 - c*x])/(25*x^5*\operatorname{Sqrt}[(1 + c*x)^{-1}]) + (4*b*c^2*\operatorname{Sqrt}[1 - c*x])/(75*x^3*\operatorname{Sqrt}[(1 + c*x)^{-1}]) + (8*b*c^4*\operatorname{Sqrt}[1 - c*x])/(75*x*\operatorname{Sqrt}[(1 + c*x)^{-1}]) - (a + b*\operatorname{ArcSech}[c*x])/(5*x^5)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 97

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1), 0] && NeQ[m, -1]`

Rule 105

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)`

```

)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a
*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*
(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x,
x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && ILtQ[m, -1] && (Integer
Q[n] || IntegersQ[2*n, 2*p] || ILtQ[m + n + p + 3, 0])

```

Rule 6418

```

Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))*((d_.)*(x_.))^(m_.), x_Symbol] := Si
mp[(d*x)^(m + 1)*((a + b*ArcSech[c*x])/(d*(m + 1))), x] + Dist[b*(Sqrt[1 +
c*x]/(m + 1))*Sqrt[1/(1 + c*x)], Int[(d*x)^m/(Sqrt[1 - c*x]*Sqrt[1 + c*x]),
x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^6} dx &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{5x^5} - \frac{1}{5} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x^6 \sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{25x^5 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{5x^5} + \frac{1}{25} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int -\frac{4c^2}{x^4 \sqrt{1-cx}} dx \\
&= \frac{b \sqrt{1-cx}}{25x^5 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{5x^5} - \frac{1}{25} \left(4bc^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x^4 \sqrt{1-cx}} dx \\
&= \frac{b \sqrt{1-cx}}{25x^5 \sqrt{\frac{1}{1+cx}}} + \frac{4bc^2 \sqrt{1-cx}}{75x^3 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{5x^5} + \frac{1}{75} \left(4bc^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x^3 \sqrt{1-cx}} dx \\
&= \frac{b \sqrt{1-cx}}{25x^5 \sqrt{\frac{1}{1+cx}}} + \frac{4bc^2 \sqrt{1-cx}}{75x^3 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{5x^5} - \frac{1}{75} \left(8bc^4 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x^2 \sqrt{1-cx}} dx \\
&= \frac{b \sqrt{1-cx}}{25x^5 \sqrt{\frac{1}{1+cx}}} + \frac{4bc^2 \sqrt{1-cx}}{75x^3 \sqrt{\frac{1}{1+cx}}} + \frac{8bc^4 \sqrt{1-cx}}{75x \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{5x^5}
\end{aligned}$$

Mathematica [A]

time = 0.06, size = 94, normalized size = 0.86

$$-\frac{a}{5x^5} + b \left(\frac{8c^5}{75} + \frac{1}{25x^5} + \frac{c}{25x^4} + \frac{4c^2}{75x^3} + \frac{4c^3}{75x^2} + \frac{8c^4}{75x} \right) \sqrt{\frac{1-cx}{1+cx}} - \frac{b \operatorname{sech}^{-1}(cx)}{5x^5}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])/x^6,x]

[Out] $-1/5*a/x^5 + b*((8*c^5)/75 + 1/(25*x^5) + c/(25*x^4) + (4*c^2)/(75*x^3) + (4*c^3)/(75*x^2) + (8*c^4)/(75*x))*\text{Sqrt}[(1 - c*x)/(1 + c*x)] - (b*\text{ArcSech}[c*x])/ (5*x^5)$

Maple [A]

time = 0.17, size = 85, normalized size = 0.78

method	result	size
derivativedivides	$c^5 \left(-\frac{a}{5c^5 x^5} + b \left(-\frac{\text{arcsech}(cx)}{5c^5 x^5} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} (8c^4 x^4 + 4c^2 x^2 + 3)}{75c^4 x^4} \right) \right)$	85
default	$c^5 \left(-\frac{a}{5c^5 x^5} + b \left(-\frac{\text{arcsech}(cx)}{5c^5 x^5} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} (8c^4 x^4 + 4c^2 x^2 + 3)}{75c^4 x^4} \right) \right)$	85

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))/x^6,x,method=_RETURNVERBOSE)

[Out] $c^5*(-1/5*a/c^5/x^5+b*(-1/5/c^5/x^5*\text{arcsech}(c*x)+1/75*(-(c*x-1)/c/x)^(1/2)/c^4/x^4*((c*x+1)/c/x)^(1/2)*(8*c^4*x^4+4*c^2*x^2+3)))$

Maxima [A]

time = 0.25, size = 73, normalized size = 0.67

$$\frac{1}{75} b \left(\frac{3 c^6 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{5}{2}} + 10 c^6 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{3}{2}} + 15 c^6 \sqrt{\frac{1}{c^2 x^2} - 1}}{c} - \frac{15 \text{arsech}(cx)}{x^5} \right) - \frac{a}{5 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^6,x, algorithm="maxima")

[Out] $1/75*b*((3*c^6*(1/(c^2*x^2) - 1)^(5/2) + 10*c^6*(1/(c^2*x^2) - 1)^(3/2) + 15*c^6*\text{sqrt}(1/(c^2*x^2) - 1))/c - 15*\text{arcsech}(c*x)/x^5) - 1/5*a/x^5$

Fricas [A]

time = 0.35, size = 89, normalized size = 0.82

$$\frac{15 b \log \left(\frac{cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 1}{cx} \right) - (8 b c^5 x^5 + 4 b c^3 x^3 + 3 b c x) \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 15 a}{75 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^6,x, algorithm="fricas")

[Out] $-1/75*(15*b*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) - (8*b*c^5*x^5 + 4*b*c^3*x^3 + 3*b*c*x)*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 15*a)/x^5$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/x**6,x)

[Out] Integral((a + b*asech(c*x))/x**6, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^6,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/x^6, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/x^6,x)

[Out] int((a + b*acosh(1/(c*x)))/x^6, x)

3.32 $\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^7} dx$

Optimal. Leaf size=158

$$\frac{b\sqrt{1-cx}}{36x^6\sqrt{\frac{1}{1+cx}}} + \frac{5bc^2\sqrt{1-cx}}{144x^4\sqrt{\frac{1}{1+cx}}} + \frac{5bc^4\sqrt{1-cx}}{96x^2\sqrt{\frac{1}{1+cx}}} - \frac{a+b\operatorname{sech}^{-1}(cx)}{6x^6} + \frac{5}{96}bc^6\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\tanh^{-1}\left(\sqrt{\frac{1-cx}{1+cx}}\right)$$

[Out] $1/6*(-a-b*\operatorname{arcsech}(c*x))/x^6+1/36*b*(-c*x+1)^{(1/2)}/x^6/(1/(c*x+1))^{(1/2)}+5/144*b*c^2*(-c*x+1)^{(1/2)}/x^4/(1/(c*x+1))^{(1/2)}+5/96*b*c^4*(-c*x+1)^{(1/2)}/x^2/(1/(c*x+1))^{(1/2)}+5/96*b*c^6*\operatorname{arctanh}((-c*x+1)^{(1/2)}*(c*x+1)^{(1/2))}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}$

Rubi [A]

time = 0.05, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {6418, 105, 12, 94, 214}

$$-\frac{a+b\operatorname{sech}^{-1}(cx)}{6x^6} + \frac{5}{96}bc^6\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\tanh^{-1}\left(\sqrt{1-cx}\sqrt{cx+1}\right) + \frac{5bc^4\sqrt{1-cx}}{96x^2\sqrt{\frac{1}{cx+1}}} + \frac{5bc^2\sqrt{1-cx}}{144x^4\sqrt{\frac{1}{cx+1}}} + \frac{b\sqrt{1-cx}}{36x^6\sqrt{\frac{1}{cx+1}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSech}[c*x])/x^7, x]$

[Out] $(b*\operatorname{Sqrt}[1 - c*x])/(36*x^6*\operatorname{Sqrt}[(1 + c*x)^{-1}]) + (5*b*c^2*\operatorname{Sqrt}[1 - c*x])/(144*x^4*\operatorname{Sqrt}[(1 + c*x)^{-1}]) + (5*b*c^4*\operatorname{Sqrt}[1 - c*x])/(96*x^2*\operatorname{Sqrt}[(1 + c*x)^{-1}]) - (a + b*\operatorname{ArcSech}[c*x])/(6*x^6) + (5*b*c^6*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTanh}[\operatorname{Sqrt}[1 - c*x]*\operatorname{Sqrt}[1 + c*x]])/96$

Rule 12

$\operatorname{Int}[(a_*)*(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{Match}Q[u, (b_*)*(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 94

$\operatorname{Int}[1/(\operatorname{Sqrt}[(a_*) + (b_*)*(x_*)]*\operatorname{Sqrt}[(c_*) + (d_*)*(x_*)]*((e_*) + (f_*)*(x_*)^2)), x_Symbol] \rightarrow \operatorname{Dist}[b*f, \operatorname{Subst}[\operatorname{Int}[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, \operatorname{Sqrt}[a + b*x]*\operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \operatorname{EqQ}[2*b*d*e - f*(b*c + a*d), 0]$

Rule 105

$\operatorname{Int}(((a_*) + (b_*)*(x_*)^m)^n*((c_*) + (d_*)*(x_*)^n)^p*((e_*) + (f_*)*(x_*)^q), x_Symbol] \rightarrow \operatorname{Simp}[b*(a + b*x)^{m+1}*(c + d*x)^{n+1}*((e + f*x)^q), x]$

```
)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a
*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*
(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x,
x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && ILtQ[m, -1] && (Integer
Q[n] || IntegersQ[2*n, 2*p] || ILtQ[m + n + p + 3, 0])
```

Rule 214

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 6418

```
Int[((a_) + ArcSech[(c_)*(x_)])*(b_))*((d_)*(x_)^(m_), x_Symbol] := Si
mp[(d*x)^(m + 1)*((a + b*ArcSech[c*x])/(d*(m + 1))), x] + Dist[b*(Sqrt[1 +
c*x]/(m + 1))*Sqrt[1/(1 + c*x)], Int[(d*x)^m/(Sqrt[1 - c*x]*Sqrt[1 + c*x]),
x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^7} dx &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{6x^6} - \frac{1}{6} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x^7 \sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{36x^6 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{6x^6} + \frac{1}{36} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int -\frac{5c^2}{x^5 \sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{36x^6 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{6x^6} - \frac{1}{36} \left(5bc^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x^5 \sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{36x^6 \sqrt{\frac{1}{1+cx}}} + \frac{5bc^2 \sqrt{1-cx}}{144x^4 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{6x^6} + \frac{1}{144} \left(5bc^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x^3 \sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{36x^6 \sqrt{\frac{1}{1+cx}}} + \frac{5bc^2 \sqrt{1-cx}}{144x^4 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{6x^6} - \frac{1}{48} \left(5bc^4 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{x \sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{36x^6 \sqrt{\frac{1}{1+cx}}} + \frac{5bc^2 \sqrt{1-cx}}{144x^4 \sqrt{\frac{1}{1+cx}}} + \frac{5bc^4 \sqrt{1-cx}}{96x^2 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{6x^6} - \frac{1}{96} \left(5bc^4 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{\sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{36x^6 \sqrt{\frac{1}{1+cx}}} + \frac{5bc^2 \sqrt{1-cx}}{144x^4 \sqrt{\frac{1}{1+cx}}} + \frac{5bc^4 \sqrt{1-cx}}{96x^2 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{6x^6} - \frac{1}{96} \left(5bc^4 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{\sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{36x^6 \sqrt{\frac{1}{1+cx}}} + \frac{5bc^2 \sqrt{1-cx}}{144x^4 \sqrt{\frac{1}{1+cx}}} + \frac{5bc^4 \sqrt{1-cx}}{96x^2 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{6x^6} + \frac{1}{96} \left(5bc^4 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{\sqrt{1-cx} \sqrt{1+cx}} dx \\
&= \frac{b \sqrt{1-cx}}{36x^6 \sqrt{\frac{1}{1+cx}}} + \frac{5bc^2 \sqrt{1-cx}}{144x^4 \sqrt{\frac{1}{1+cx}}} + \frac{5bc^4 \sqrt{1-cx}}{96x^2 \sqrt{\frac{1}{1+cx}}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{6x^6} + \frac{5}{96} bc^6 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx}
\end{aligned}$$

Mathematica [A]

time = 0.10, size = 157, normalized size = 0.99

$$-\frac{a}{6x^6} + b \left(\frac{1}{36x^6} + \frac{c}{36x^5} + \frac{5c^2}{144x^4} + \frac{5c^3}{144x^3} + \frac{5c^4}{96x^2} + \frac{5c^5}{96x} \right) \sqrt{\frac{1-cx}{1+cx}} - \frac{b \operatorname{sech}^{-1}(cx)}{6x^6} - \frac{5}{96} bc^6 \log(x) + \frac{5}{96} bc^6 \log \left(1 + \sqrt{\frac{1-cx}{1+cx}} + cx \sqrt{\frac{1-cx}{1+cx}} \right)$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSech[c*x])/x^7, x]`

```
[Out] -1/6*a/x^6 + b*(1/(36*x^6) + c/(36*x^5) + (5*c^2)/(144*x^4) + (5*c^3)/(144*x^3) + (5*c^4)/(96*x^2) + (5*c^5)/(96*x))*Sqrt[(1 - c*x)/(1 + c*x)] - (b*Ar
```


$c\text{Sech}[c*x]]/(6*x^6) - (5*b*c^6*\text{Log}[x])/96 + (5*b*c^6*\text{Log}[1 + \text{Sqrt}[(1 - c*x)/(1 + c*x)] + c*x*\text{Sqrt}[(1 - c*x)/(1 + c*x])])/96$

Maple [A]

time = 0.18, size = 155, normalized size = 0.98

method	result
derivativedivides	$c^6 \left(-\frac{a}{6c^6x^6} + b \left(-\frac{\text{arcsech}(cx)}{6c^6x^6} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \left(15 \text{arctanh} \left(\frac{1}{\sqrt{-c^2x^2+1}} \right) \right) c^6x^6 + 15 \sqrt{-c^2x^2}}{288c^5x^5 \sqrt{-c^2x^2}} \right) \right)$
default	$c^6 \left(-\frac{a}{6c^6x^6} + b \left(-\frac{\text{arcsech}(cx)}{6c^6x^6} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \left(15 \text{arctanh} \left(\frac{1}{\sqrt{-c^2x^2+1}} \right) \right) c^6x^6 + 15 \sqrt{-c^2x^2}}{288c^5x^5 \sqrt{-c^2x^2}} \right) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/x^7,x,method=_RETURNVERBOSE)`

[Out]
$$c^6*(-1/6*a/c^6/x^6+b*(-1/6/c^6/x^6*\text{arcsech}(c*x)+1/288*(-(c*x-1)/c/x)^(1/2)/c^5/x^5*((c*x+1)/c/x)^(1/2)*(15*\text{arctanh}(1/(-c^2*x^2+1)^(1/2))*c^6*x^6+15*(-c^2*x^2+1)^(1/2)*c^4*x^4+10*(-c^2*x^2+1)^(1/2)*c^2*x^2+8*(-c^2*x^2+1)^(1/2)))/(-c^2*x^2+1)^(1/2))$$

Maxima [A]

time = 0.25, size = 185, normalized size = 1.17

$$\frac{1}{576} b \left(\frac{15 c^7 \log \left(c x \sqrt{\frac{1}{c^2 x^2} - 1} + 1 \right) - 15 c^7 \log \left(c x \sqrt{\frac{1}{c^2 x^2} - 1} - 1 \right) - \frac{2 \left(15 c^{12} x^5 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{5}{2}} - 40 c^{10} x^3 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{3}{2}} + 33 c^8 x \sqrt{\frac{1}{c^2 x^2} - 1} \right)}{c^6 x^6 \left(\frac{1}{c^2 x^2} - 1 \right)^3 - 3 c^4 x^4 \left(\frac{1}{c^2 x^2} - 1 \right)^2 + 3 c^2 x^2 \left(\frac{1}{c^2 x^2} - 1 \right) - 1}}{c} - \frac{96 \text{arcsch}(cx)}{x^6} \right) - \frac{a}{6x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^7,x, algorithm="maxima")`

[Out]
$$\frac{1}{576} b * \left((15 * c^7 * \log(c * x * \text{sqrt}(1 / (c^2 * x^2) - 1) + 1) - 15 * c^7 * \log(c * x * \text{sqrt}(1 / (c^2 * x^2) - 1) - 1) - 2 * (15 * c^12 * x^5 * (1 / (c^2 * x^2) - 1)^(5/2) - 40 * c^10 * x^3 * (1 / (c^2 * x^2) - 1)^(3/2) + 33 * c^8 * x * \text{sqrt}(1 / (c^2 * x^2) - 1))) / (c^6 * x^6 * (1 / (c^2 * x^2) - 1)^3 - 3 * c^4 * x^4 * (1 / (c^2 * x^2) - 1)^2 + 3 * c^2 * x^2 * (1 / (c^2 * x^2) - 1) - 1) / c - 96 * \text{arcsech}(c * x) / x^6 - 1 / 6 * a / x^6 \right)$$

Fricas [A]

time = 0.36, size = 100, normalized size = 0.63

$$\frac{3(5bc^6x^6 - 16b) \log \left(\frac{cx \sqrt{-\frac{c^2x^2-1}{c^2x^2}} + 1}{cx} \right) + (15bc^5x^5 + 10bc^3x^3 + 8bcx) \sqrt{-\frac{c^2x^2-1}{c^2x^2}} - 48a}{288x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^7,x, algorithm="fricas")

[Out] $\frac{1}{288} * (3 * (5 * b * c^6 * x^6 - 16 * b) * \log((c * x * \sqrt{-(c^2 * x^2 - 1) / (c^2 * x^2)}) + 1) / (c * x)) + (15 * b * c^5 * x^5 + 10 * b * c^3 * x^3 + 8 * b * c * x) * \sqrt{-(c^2 * x^2 - 1) / (c^2 * x^2)} - 48 * a) / x^6$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/x**7,x)

[Out] Integral((a + b*asech(c*x))/x**7, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^7,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/x^7, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/x^7,x)

[Out] int((a + b*acosh(1/(c*x)))/x^7, x)

3.33 $\int x^3 (a + b \operatorname{sech}^{-1}(cx))^2 dx$

Optimal. Leaf size=124

$$\frac{b^2 x^2}{12c^2} - \frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{3c^4} - \frac{bx^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{6c^2} + \frac{1}{4} x^4 (a + b \operatorname{sech}^{-1}(cx))^2$$

[Out] $-1/12*b^2*x^2/c^2+1/4*x^4*(a+b*\operatorname{arcsech}(c*x))^2-1/3*b^2*\ln(x)/c^4-1/3*b*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))*((-c*x+1)/(c*x+1))^{(1/2)}/c^4-1/6*b*x^2*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))*((-c*x+1)/(c*x+1))^{(1/2)}/c^2$

Rubi [A]

time = 0.08, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {6420, 5559, 4270, 4269, 3556}

$$\frac{b \sqrt{\frac{1-cx}{cx+1}} (cx+1) (a + b \operatorname{sech}^{-1}(cx))}{3c^4} - \frac{bx^2 \sqrt{\frac{1-cx}{cx+1}} (cx+1) (a + b \operatorname{sech}^{-1}(cx))}{6c^2} + \frac{1}{4} x^4 (a + b \operatorname{sech}^{-1}(cx))^2 - \frac{b^2 \log(x)}{3c^4} - \frac{b^2 x^2}{12c^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(a + b*\text{ArcSech}[c*x])^2,x]$

[Out] $-1/12*(b^2*x^2)/c^2 - (b*\text{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(a + b*\text{ArcSech}[c*x]))/(3*c^4) - (b*x^2*\text{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(a + b*\text{ArcSech}[c*x]))/(6*c^2) + (x^4*(a + b*\text{ArcSech}[c*x])^2)/4 - (b^2*\text{Log}[x])/(3*c^4)$

Rule 3556

$\text{Int}[\tan[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[-\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 4269

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(-(c + d*x)^m)*(\text{Cot}[e + f*x]/f), x] + \text{Dist}[d*(m/f), \text{Int}[(c + d*x)^{(m-1)}*\text{Cot}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{GtQ}[m, 0]$

Rule 4270

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(n_.)}*((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[(-b^2)*(c + d*x)*\text{Cot}[e + f*x]*((b*\text{Csc}[e + f*x])^{(n-2)})/(f*(n-1)), x] + (\text{Dist}[b^2*((n-2)/(n-1)), \text{Int}[(c + d*x)*(b*\text{Csc}[e + f*x])^{(n-2)}, x], x] - \text{Simp}[b^2*d*((b*\text{Csc}[e + f*x])^{(n-2)})/(f^2*(n-1)*(n-2)), x]) /; \text{FreeQ}\{b, c, d, e, f\}, x \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{NeQ}[n, 2]$

Rule 5559

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*Sech[(a_.) + (b_.)*(x_.)]^(n_.)*Tanh[(a_.) +
(b_.)*(x_.)]^(p_.), x_Symbol] := Simp[(-(c + d*x)^m)*(Sech[a + b*x]^n/(b*n))
, x] + Dist[d*(m/(b*n)), Int[(c + d*x)^(m - 1)*Sech[a + b*x]^n, x], x] /; F
reeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned} \int x^3 (a + b \operatorname{sech}^{-1}(cx))^2 dx &= -\frac{\operatorname{Subst}(\int (a + bx)^2 \operatorname{sech}^4(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(cx))}{c^4} \\ &= \frac{1}{4} x^4 (a + b \operatorname{sech}^{-1}(cx))^2 - \frac{b \operatorname{Subst}(\int (a + bx) \operatorname{sech}^4(x) dx, x, \operatorname{sech}^{-1}(cx))}{2c^4} \\ &= -\frac{b^2 x^2}{12c^2} - \frac{b x^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{6c^2} + \frac{1}{4} x^4 (a + b \operatorname{sech}^{-1}(cx))^2 - \\ &= -\frac{b^2 x^2}{12c^2} - \frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{3c^4} - \frac{b x^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{6c^2} \\ &= -\frac{b^2 x^2}{12c^2} - \frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{3c^4} - \frac{b x^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{6c^2} \end{aligned}$$

Mathematica [A]

time = 0.20, size = 212, normalized size = 1.71

$$\frac{b^2 c^2 x^2 - 3a^2 c^4 x^4 + 4ab \sqrt{\frac{1-cx}{1+cx}} + 4abcx \sqrt{\frac{1-cx}{1+cx}} + 2abc^2 x^2 \sqrt{\frac{1-cx}{1+cx}} + 2abc^3 x^3 \sqrt{\frac{1-cx}{1+cx}} + 2b \left(-3ac^4 x^4 + b \sqrt{\frac{1-cx}{1+cx}} (2 + 2cx + c^2 x^2 + c^3 x^3) \right) \operatorname{sech}^{-1}(cx) - 3b^2 c^4 x^4 \operatorname{sech}^{-1}(cx)^2 + 4b^2 \log(x)}{12c^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^3*(a + b*ArcSech[c*x])^2,x]
```

```
[Out] -1/12*(b^2*c^2*x^2 - 3*a^2*c^4*x^4 + 4*a*b*Sqrt[(1 - c*x)/(1 + c*x)] + 4*a*
b*c*x*Sqrt[(1 - c*x)/(1 + c*x)] + 2*a*b*c^2*x^2*Sqrt[(1 - c*x)/(1 + c*x)] +
2*a*b*c^3*x^3*Sqrt[(1 - c*x)/(1 + c*x)] + 2*b*(-3*a*c^4*x^4 + b*Sqrt[(1 -
```

$c*x)/(1 + c*x)]*(2 + 2*c*x + c^2*x^2 + c^3*x^3))*ArcSech[c*x] - 3*b^2*c^4*x^4*ArcSech[c*x]^2 + 4*b^2*Log[x])/c^4$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 237 vs. 2(110) = 220.

time = 0.49, size = 238, normalized size = 1.92

method	result
derivativedivides	$\frac{c^4 x^4 a^2}{4} - \frac{b^2 \operatorname{arcsech}(cx)}{3} + \frac{b^2 \operatorname{arcsech}(cx)^2 c^4 x^4}{4} - \frac{b^2 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} c^3 x^3}{6} - \frac{b^2 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} c^3 x^3}{3}$
default	$\frac{c^4 x^4 a^2}{4} - \frac{b^2 \operatorname{arcsech}(cx)}{3} + \frac{b^2 \operatorname{arcsech}(cx)^2 c^4 x^4}{4} - \frac{b^2 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} c^3 x^3}{6} - \frac{b^2 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} c^3 x^3}{3}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arcsech(c*x))^2,x,method=_RETURNVERBOSE)`

[Out] $1/c^4*(1/4*c^4*x^4*a^2-1/3*b^2*arcsech(c*x)+1/4*b^2*arcsech(c*x)^2*c^4*x^4-1/6*b^2*arcsech(c*x)*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*c^3*x^3-1/3*b^2*arcsech(c*x)*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*c*x-1/12*b^2*c^2*x^2+1/3*b^2*\ln(1+(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2)+2*a*b*(1/4*c^4*x^4*arcsech(c*x)-1/12*(-(c*x-1)/c/x)^(1/2)*c*x*((c*x+1)/c/x)^(1/2)*(c^2*x^2+2)))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsech(c*x))^2,x, algorithm="maxima")`

[Out] $1/4*a^2*x^4 + 1/6*(3*x^4*arcsech(c*x) + (c^2*x^3*(1/(c^2*x^2) - 1))^(3/2) - 3*x*\sqrt{1/(c^2*x^2) - 1})/c^3)*a*b + b^2*\integrate(x^3*\log(\sqrt{1/(c*x) + 1})*\sqrt{1/(c*x) - 1} + 1/(c*x))^2, x)$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 244 vs. 2(110) = 220.

time = 0.38, size = 244, normalized size = 1.97

$$3b^2c^4x^4 \log\left(\frac{c\sqrt{-\frac{c^2x^2-1}{c^2x^2}}+1}{c}\right)^2 + 3a^2c^4x^4 - 6abc^4 \log\left(\frac{c\sqrt{-\frac{c^2x^2-1}{c^2x^2}}-1}{c}\right) - b^2c^2x^2 - 4b^2 \log(x) + 2\left(3abc^4x^4 - 3abc^4 - (b^2c^3x^3 + 2b^2cx)\sqrt{-\frac{c^2x^2-1}{c^2x^2}}\right) \log\left(\frac{c\sqrt{-\frac{c^2x^2-1}{c^2x^2}}+1}{c}\right) - 2(abc^3x^3 + 2abcx)\sqrt{-\frac{c^2x^2-1}{c^2x^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsech(c*x))^2,x, algorithm="fricas")

[Out] $\frac{1}{12}*(3*b^2*c^4*x^4*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x))^2 + 3*a^2*c^4*x^4 - 6*a*b*c^4*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - 1)/x) - b^2*c^2*x^2 - 4*b^2*\log(x) + 2*(3*a*b*c^4*x^4 - 3*a*b*c^4 - (b^2*c^3*x^3 + 2*b^2*c*x)*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) - 2*(a*b*c^3*x^3 + 2*a*b*c*x)*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})/c^4$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^3(a + b \operatorname{asech}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asech(c*x))**2,x)

[Out] Integral(x**3*(a + b*asech(c*x))**2, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsech(c*x))^2,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^2*x^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*acosh(1/(c*x)))^2,x)

[Out] int(x^3*(a + b*acosh(1/(c*x)))^2, x)

3.34 $\int x^2 (a + b \operatorname{sech}^{-1}(cx))^2 dx$

Optimal. Leaf size=140

$$\frac{b^2 x}{3c^2} - \frac{bx \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{3c^2} + \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^2 - \frac{2b(a + b \operatorname{sech}^{-1}(cx)) \operatorname{ArcTan}(e^{\operatorname{sech}^{-1}(cx)})}{3c^3}$$

[Out] $-1/3*b^2*x/c^2+1/3*x^3*(a+b*\operatorname{arcsech}(c*x))^2-2/3*b*(a+b*\operatorname{arcsech}(c*x))*\operatorname{arctan}(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})/c^3+1/3*I*b^2*\operatorname{polylog}(2,-I*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}))/c^3-1/3*I*b^2*\operatorname{polylog}(2,I*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}))/c^3-1/3*b*x*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))*((-c*x+1)/(c*x+1))^{(1/2)}/c^2$

Rubi [A]

time = 0.09, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {6420, 5559, 4270, 4265, 2317, 2438}

$$\frac{2b \operatorname{ArcTan}(e^{\operatorname{sech}^{-1}(cx)}) (a + b \operatorname{sech}^{-1}(cx))}{3c^3} - \frac{bx \sqrt{\frac{1-cx}{cx+1}} (cx+1) (a + b \operatorname{sech}^{-1}(cx))}{3c^2} + \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^2 + \frac{ib^2 \operatorname{Li}_2(-ie^{\operatorname{sech}^{-1}(cx)})}{3c^3} - \frac{ib^2 \operatorname{Li}_2(ie^{\operatorname{sech}^{-1}(cx)})}{3c^3} - \frac{b^2 x}{3c^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2*(a + b*\operatorname{ArcSech}[c*x])^2, x]$

[Out] $-1/3*(b^2*x)/c^2 - (b*x*\operatorname{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(a + b*\operatorname{ArcSech}[c*x]))/(3*c^2) + (x^3*(a + b*\operatorname{ArcSech}[c*x])^2)/3 - (2*b*(a + b*\operatorname{ArcSech}[c*x])*\operatorname{ArcTan}[E^{\operatorname{ArcSech}[c*x]}])/(3*c^3) + ((I/3)*b^2*\operatorname{PolyLog}[2, (-I)*E^{\operatorname{ArcSech}[c*x]}])/c^3 - ((I/3)*b^2*\operatorname{PolyLog}[2, I*E^{\operatorname{ArcSech}[c*x]}])/c^3$

Rule 2317

$\operatorname{Int}[\operatorname{Log}[(a_) + (b_)*((F_)^{((e_)*((c_) + (d_)*(x_)))})^{(n_)}], x_Symbol]$
 $\rightarrow \operatorname{Dist}[1/(d*e*n*\operatorname{Log}[F]), \operatorname{Subst}[\operatorname{Int}[\operatorname{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, n\}, x \ \&\& \ \operatorname{GtQ}[a, 0]$

Rule 2438

$\operatorname{Int}[\operatorname{Log}[(c_)*((d_) + (e_)*(x_)^{(n_)})]/(x_), x_Symbol] \rightarrow \operatorname{Simp}[-\operatorname{PolyLog}[2, (-c)*e*x^n]/n, x] /;$ $\operatorname{FreeQ}\{c, d, e, n\}, x \ \&\& \ \operatorname{EqQ}[c*d, 1]$

Rule 4265

$\operatorname{Int}[\operatorname{csc}[(e_) + \operatorname{Pi}*(k_) + (\operatorname{Complex}[0, fz_])*(f_)*(x_)]*((c_) + (d_)*(x_))^{(m_)}, x_Symbol] \rightarrow \operatorname{Simp}[-2*(c + d*x)^m*(\operatorname{ArcTanh}[E^{((-I)*e + f*fz*x)}/E^{(I*k*\operatorname{Pi})}]/(f*fz*I)), x] + (-\operatorname{Dist}[d*(m/(f*fz*I)), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 - E^{((-I)*e + f*fz*x)}/E^{(I*k*\operatorname{Pi})}], x], x] + \operatorname{Dist}[d*(m/(f*fz*I)), \operatorname{Int}[(c +$

$d*x)^{(m-1)}*\text{Log}[1 + E^{((-I)*e + f*fz*x)/E^{(I*k*Pi)}}], x], x] /; \text{FreeQ}\{c, d, e, f, fz\}, x] \&\& \text{IntegerQ}[2*k] \&\& \text{IGtQ}[m, 0]$

Rule 4270

$\text{Int}[(\text{csc}[e_] + (f_)*(x_)]*(b_))^{(n_)}*((c_.) + (d_)*(x_)), x_Symbol] :> \text{Simp}[(-b^2)*(c + d*x)*\text{Cot}[e + f*x]*((b*\text{Csc}[e + f*x])^{(n-2)}/(f*(n-1))), x] + (\text{Dist}[b^2*((n-2)/(n-1)), \text{Int}[(c + d*x)*(b*\text{Csc}[e + f*x])^{(n-2)}, x], x] - \text{Simp}[b^2*d*((b*\text{Csc}[e + f*x])^{(n-2)}/(f^2*(n-1)*(n-2))), x]) /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{NeQ}[n, 2]$

Rule 5559

$\text{Int}[(c_.) + (d_)*(x_)]^{(m_)}*\text{Sech}[(a_.) + (b_)*(x_)]^{(n_)}*\text{Tanh}[(a_.) + (b_)*(x_)]^{(p_)}, x_Symbol] :> \text{Simp}[(-c + d*x)^m*(\text{Sech}[a + b*x]^n/(b^n)), x] + \text{Dist}[d*(m/(b^n)), \text{Int}[(c + d*x)^{(m-1)}*\text{Sech}[a + b*x]^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[p, 1] \&\& \text{GtQ}[m, 0]$

Rule 6420

$\text{Int}[(a_.) + \text{ArcSech}[c_)*(x_)]*(b_))^{(n_)}*(x_)^{(m_)}, x_Symbol] :> \text{Dist}[-(c^{(m+1)})^{(-1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sech}[x]^{(m+1)}*\text{Tanh}[x], x], x, \text{ArcSech}[c*x]], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IntegerQ}[n] \&\& \text{IntegerQ}[m] \&\& (\text{GtQ}[n, 0] \parallel \text{LtQ}[m, -1])$

Rubi steps

$$\begin{aligned} \int x^2 (a + b \operatorname{sech}^{-1}(cx))^2 dx &= -\frac{\text{Subst}(\int (a + bx)^2 \operatorname{sech}^3(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(cx))}{c^3} \\ &= \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^2 - \frac{(2b) \text{Subst}(\int (a + bx) \operatorname{sech}^3(x) dx, x, \operatorname{sech}^{-1}(cx))}{3c^3} \\ &= -\frac{b^2 x}{3c^2} - \frac{bx \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{3c^2} + \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^2 - \dots \\ &= -\frac{b^2 x}{3c^2} - \frac{bx \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{3c^2} + \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^2 - \dots \\ &= -\frac{b^2 x}{3c^2} - \frac{bx \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{3c^2} + \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^2 - \dots \\ &= -\frac{b^2 x}{3c^2} - \frac{bx \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{3c^2} + \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^2 - \dots \end{aligned}$$

Mathematica [A]

time = 0.87, size = 241, normalized size = 1.72

$$\frac{1}{3} \left(a^2 x^3 + ab \left(2x^3 \operatorname{sech}^{-1}(cx) + \frac{\sqrt{1-cx}}{1+cx} \left(cx - c^2 x^3 + 2\sqrt{1-c^2 x^2} \operatorname{ArcTan} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right) \right) \right) + \frac{b^2 \left(-cx - cx \sqrt{\frac{1-cx}{1+cx}} (1+cx) \operatorname{sech}^{-1}(cx) + c^2 x^3 \operatorname{sech}^{-1}(cx)^2 + \operatorname{sech}^{-1}(cx) \log \left(\frac{1 - ie^{-\operatorname{sech}^{-1}(cx)}}{1 + ie^{-\operatorname{sech}^{-1}(cx)}} \right) - \operatorname{sech}^{-1}(cx) \log \left(\frac{1 + ie^{-\operatorname{sech}^{-1}(cx)}}{1 - ie^{-\operatorname{sech}^{-1}(cx)}} \right) + i \operatorname{PolyLog} \left(2, -ie^{-\operatorname{sech}^{-1}(cx)} \right) - i \operatorname{PolyLog} \left(2, ie^{-\operatorname{sech}^{-1}(cx)} \right) \right)}{c^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*ArcSech[c*x])^2,x]

[Out] (a^2*x^3 + a*b*(2*x^3*ArcSech[c*x] + (Sqrt[(1 - c*x)/(1 + c*x)]*(c*x - c^3*x^3 + 2*Sqrt[1 - c^2*x^2]*ArcTan[Sqrt[1 - c*x]/Sqrt[1 + c*x]])))/(c^3*(-1 + c*x)) + (b^2*(-(c*x) - c*x*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*ArcSech[c*x] + c^3*x^3*ArcSech[c*x]^2 + I*ArcSech[c*x]*Log[1 - I/E^ArcSech[c*x]] - I*ArcSech[c*x]*Log[1 + I/E^ArcSech[c*x]] + I*PolyLog[2, (-I)/E^ArcSech[c*x]] - I*PolyLog[2, I/E^ArcSech[c*x]]))/c^3)/3

Maple [A]

time = 0.55, size = 349, normalized size = 2.49

method	result
derivativedivides	$\frac{a^2 c^3 x^3}{3} + \frac{b^2 \operatorname{arcsech}(cx)^2 c^3 x^3}{3} - \frac{b^2 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} c^2 x^2}{3} - \frac{b^2 cx}{3} + \frac{ib^2 \operatorname{arcsech}(cx) \ln \left(1+i \left(\frac{1}{cx} + \sqrt{-1 + \frac{1}{cx}} \right) \right)}{3}$
default	$\frac{a^2 c^3 x^3}{3} + \frac{b^2 \operatorname{arcsech}(cx)^2 c^3 x^3}{3} - \frac{b^2 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} c^2 x^2}{3} - \frac{b^2 cx}{3} + \frac{ib^2 \operatorname{arcsech}(cx) \ln \left(1+i \left(\frac{1}{cx} + \sqrt{-1 + \frac{1}{cx}} \right) \right)}{3}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arcsech(c*x))^2,x,method=_RETURNVERBOSE)

[Out] 1/c^3*(1/3*a^2*c^3*x^3+1/3*b^2*arcsech(c*x)^2*c^3*x^3-1/3*b^2*arcsech(c*x)*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*c^2*x^2-1/3*b^2*c*x+1/3*I*b^2*arcsech(c*x)*ln(1+I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)))-1/3*I*b^2*arcsech(c*x)*ln(1-I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)))+1/3*I*b^2*dilog(1+I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)))-1/3*I*b^2*dilog(1-I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)))+2*a*b*(1/3*c^3*x^3*arcsech(c*x)-1/6*(-(c*x-1)/c/x)^(1/2)*c*x*((c*x+1)/c/x)^(1/2)*(c*x*(-c^2*x^2+1)^(1/2)-arcsin(c*x))/(-c^2*x^2+1)^(1/2)))

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsech(c*x))^2,x, algorithm="maxima")

[Out] 1/3*a^2*x^3 + 1/3*(2*x^3*arcsech(c*x) - (sqrt(1/(c^2*x^2) - 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + arctan(sqrt(1/(c^2*x^2) - 1))/c^2)/c)*a*b + b^2*integrate(x^2*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))^2, x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsech(c*x))^2,x, algorithm="fricas")

[Out] integral(b^2*x^2*arcsech(c*x)^2 + 2*a*b*x^2*arcsech(c*x) + a^2*x^2, x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2(a + b \operatorname{asech}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*asech(c*x))**2,x)

[Out] Integral(x**2*(a + b*asech(c*x))**2, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsech(c*x))^2,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^2*x^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*acosh(1/(c*x)))^2,x)

[Out] int(x^2*(a + b*acosh(1/(c*x)))^2, x)

3.35 $\int x(a + b \operatorname{sech}^{-1}(cx))^2 dx$

Optimal. Leaf size=65

$$-\frac{b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(a+b\operatorname{sech}^{-1}(cx))}{c^2} + \frac{1}{2}x^2(a+b\operatorname{sech}^{-1}(cx))^2 - \frac{b^2 \log(x)}{c^2}$$

[Out] $1/2*x^2*(a+b*\operatorname{arcsech}(c*x))^2 - b^2*\ln(x)/c^2 - b*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))*((-c*x+1)/(c*x+1))^{(1/2)}/c^2$

Rubi [A]

time = 0.06, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6420, 5559, 4269, 3556}

$$-\frac{b\sqrt{\frac{1-cx}{cx+1}}(cx+1)(a+b\operatorname{sech}^{-1}(cx))}{c^2} + \frac{1}{2}x^2(a+b\operatorname{sech}^{-1}(cx))^2 - \frac{b^2 \log(x)}{c^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*(a + b*\operatorname{ArcSech}[c*x])^2, x]$

[Out] $-((b*\sqrt{(1-c*x)/(1+c*x)}*(1+c*x)*(a+b*\operatorname{ArcSech}[c*x]))/c^2) + (x^2*(a+b*\operatorname{ArcSech}[c*x])^2)/2 - (b^2*\operatorname{Log}[x])/c^2$

Rule 3556

$\operatorname{Int}[\tan[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[-\operatorname{Log}[\operatorname{RemoveContent}[\operatorname{Cos}[c + d*x], x]]/d, x] /; \operatorname{FreeQ}[\{c, d\}, x]$

Rule 4269

$\operatorname{Int}[\operatorname{csc}[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(-(c + d*x)^m)*(\operatorname{Cot}[e + f*x]/f), x] + \operatorname{Dist}[d*(m/f), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Cot}[e + f*x], x], x] /; \operatorname{FreeQ}[\{c, d, e, f\}, x] \&\& \operatorname{GtQ}[m, 0]$

Rule 5559

$\operatorname{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\operatorname{Sech}[(a_.) + (b_.)*(x_.)]^{(n_.)}*\operatorname{Tanh}[(a_.) + (b_.)*(x_.)]^{(p_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(-(c + d*x)^m)*(\operatorname{Sech}[a + b*x]^n/(b^n)), x] + \operatorname{Dist}[d*(m/(b^n)), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Sech}[a + b*x]^n, x], x] /; \operatorname{FreeQ}[\{a, b, c, d, n\}, x] \&\& \operatorname{EqQ}[p, 1] \&\& \operatorname{GtQ}[m, 0]$

Rule 6420

$\operatorname{Int}[((a_.) + \operatorname{ArcSech}[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}, x_Symbol] \rightarrow \operatorname{Dist}[-(c^{(m+1)})^{(-1)}, \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n*\operatorname{Sech}[x]^{(m+1)}*\operatorname{Tanh}[x], x], x, \operatorname{Ar}$

`cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt Q[n, 0] || LtQ[m, -1])`

Rubi steps

$$\begin{aligned}
 \int x(a + b\operatorname{sech}^{-1}(cx))^2 dx &= -\frac{\operatorname{Subst}\left(\int (a + bx)^2 \operatorname{sech}^2(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(cx)\right)}{c^2} \\
 &= \frac{1}{2}x^2(a + b\operatorname{sech}^{-1}(cx))^2 - \frac{b\operatorname{Subst}\left(\int (a + bx)\operatorname{sech}^2(x) dx, x, \operatorname{sech}^{-1}(cx)\right)}{c^2} \\
 &= -\frac{b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(a + b\operatorname{sech}^{-1}(cx))}{c^2} + \frac{1}{2}x^2(a + b\operatorname{sech}^{-1}(cx))^2 + \frac{b^2\operatorname{Subst}\left(\int \frac{1}{1+bx} dx, x, \operatorname{sech}^{-1}(cx)\right)}{c^2} \\
 &= -\frac{b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(a + b\operatorname{sech}^{-1}(cx))}{c^2} + \frac{1}{2}x^2(a + b\operatorname{sech}^{-1}(cx))^2 - \frac{b^2 \log(x)}{c^2}
 \end{aligned}$$

Mathematica [A]

time = 0.14, size = 112, normalized size = 1.72

$$\frac{a\left(ac^2x^2 - 2b\sqrt{\frac{1-cx}{1+cx}}(1+cx)\right) - 2b\left(-ac^2x^2 + b\sqrt{\frac{1-cx}{1+cx}}(1+cx)\right)\operatorname{sech}^{-1}(cx) + b^2c^2x^2\operatorname{sech}^{-1}(cx)^2 - 2b^2\log(cx)}{2c^2}$$

Antiderivative was successfully verified.

`[In] Integrate[x*(a + b*ArcSech[c*x])^2, x]`

`[Out] (a*(a*c^2*x^2 - 2*b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)) - 2*b*(-(a*c^2*x^2) + b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x))*ArcSech[c*x] + b^2*c^2*x^2*ArcSech[c*x]^2 - 2*b^2*Log[c*x])/(2*c^2)`

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 172 vs. 2(61) = 122.

time = 0.44, size = 173, normalized size = 2.66

method	result
derivativedivides	$ \frac{\frac{a^2c^2x^2}{2} - b^2\operatorname{arcsech}(cx) + \frac{b^2\operatorname{arcsech}(cx)^2c^2x^2}{2} - b^2\operatorname{arcsech}(cx)\sqrt{-\frac{cx-1}{cx}}\sqrt{\frac{cx+1}{cx}}}{c^2} + b^2 \ln\left(1 + \left(\frac{1}{cx} + \sqrt{-1 + \frac{1}{cx}}\right)\right) $

default	$\frac{\frac{a^2 c^2 x^2}{2} - b^2 \operatorname{arcsech}(cx) + \frac{b^2 \operatorname{arcsech}(cx)^2 c^2 x^2}{2} - b^2 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{c^2} + cx + b^2 \ln\left(1 + \left(\frac{1}{cx} + \sqrt{-1 + \frac{1}{cx}}\right)\right)$
---------	---

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsech(c*x))^2,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^2} * \left(\frac{1}{2} a^2 c^2 x^2 - b^2 \operatorname{arcsech}(c*x) + \frac{1}{2} b^2 \operatorname{arcsech}(c*x)^2 c^2 x^2 - b^2 \operatorname{arcsech}(c*x) * \left(-\frac{c*x-1}{c/x} \right)^{(1/2)} * \left(\frac{c*x+1}{c/x} \right)^{(1/2)} * c*x + b^2 * \ln\left(1 + \left(\frac{1}{c/x} + \left(-1 + \frac{1}{c/x}\right)^{(1/2)} * \left(1 + \frac{1}{c/x}\right)^{(1/2)}\right)^2\right) + 2*a*b * \left(\frac{1}{2} \operatorname{arcsech}(c*x) * c^2 x^2 - \frac{1}{2} * \left(-\frac{c*x-1}{c/x}\right)^{(1/2)} * \left(\frac{c*x+1}{c/x}\right)^{(1/2)} * c*x\right) \right)$

Maxima [A]

time = 0.26, size = 84, normalized size = 1.29

$$\frac{1}{2} b^2 x^2 \operatorname{arsh}(cx)^2 + \frac{1}{2} a^2 x^2 + \left(x^2 \operatorname{arsh}(cx) - \frac{x \sqrt{\frac{1}{c^2 x^2} - 1}}{c} \right) ab - \left(\frac{x \sqrt{\frac{1}{c^2 x^2} - 1} \operatorname{arsh}(cx)}{c} + \frac{\log(x)}{c^2} \right) b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsech(c*x))^2,x, algorithm="maxima")`

[Out] $\frac{1}{2} b^2 x^2 \operatorname{arsh}(c*x)^2 + \frac{1}{2} a^2 x^2 + \left(x^2 \operatorname{arsh}(c*x) - x \sqrt{\frac{1}{c^2 x^2} - 1} \right) / c * a * b - \left(x \sqrt{\frac{1}{c^2 x^2} - 1} \operatorname{arsh}(c*x) / c + \log(x) / c^2 \right) * b^2$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 205 vs. 2(61) = 122.

time = 0.42, size = 205, normalized size = 3.15

$$\frac{b^2 c^2 x^2 \log\left(\frac{cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 1}{cx}\right)^2 + a^2 c^2 x^2 - 2 abc^2 \log\left(\frac{cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} - 1}{x}\right) - 2 abc x \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} - 2 b^2 \log(x) + 2 \left(abc^2 x^2 - b^2 cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} - abc^2 \right) \log\left(\frac{cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 1}{cx}\right)}{2 c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsech(c*x))^2,x, algorithm="fricas")`

[Out] $\frac{1}{2} * \left(b^2 c^2 x^2 * \log\left(\frac{c*x * \sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1}{(c*x)}\right)^2 + a^2 c^2 x^2 - 2*a*b*c^2 * \log\left(\frac{c*x * \sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - 1}{x}\right) - 2*a*b*c*x * \sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - 2*b^2 * \log(x) + 2*(a*b*c^2*x^2 - b^2*c*x * \sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - a*b*c^2) * \log\left(\frac{c*x * \sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1}{(c^2*x^2)}\right) \right) / c^2$

Sympy [A]

time = 0.27, size = 99, normalized size = 1.52

$$\begin{cases} \frac{a^2x^2}{2} + abx^2 \operatorname{asech}(cx) - \frac{ab\sqrt{-c^2x^2+1}}{c^2} + \frac{b^2x^2 \operatorname{asech}^2(cx)}{2} - \frac{b^2\sqrt{-c^2x^2+1} \operatorname{asech}(cx)}{c^2} - \frac{b^2 \log(x)}{c^2} & \text{for } c \neq 0 \\ \frac{x^2(a+\infty b)^2}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asech(c*x))**2,x)

[Out] Piecewise((a**2*x**2/2 + a*b*x**2*asech(c*x) - a*b*sqrt(-c**2*x**2 + 1)/c**2 + b**2*x**2*asech(c*x)**2/2 - b**2*sqrt(-c**2*x**2 + 1)*asech(c*x)/c**2 - b**2*log(x)/c**2, Ne(c, 0)), (x**2*(a + oo*b)**2/2, True))

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x))^2,x, algorithm="giac")**[Out]** integrate((b*arcsech(c*x) + a)^2*x, x)**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int x \left(a + b \operatorname{acosh} \left(\frac{1}{cx} \right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*acosh(1/(c*x)))^2,x)**[Out]** int(x*(a + b*acosh(1/(c*x)))^2, x)

3.36 $\int (a + b \operatorname{sech}^{-1}(cx))^2 dx$

Optimal. Leaf size=78

$$x(a + b \operatorname{sech}^{-1}(cx))^2 - \frac{4b(a + b \operatorname{sech}^{-1}(cx)) \operatorname{ArcTan}(e^{\operatorname{sech}^{-1}(cx)})}{c} + \frac{2ib^2 \operatorname{PolyLog}(2, -ie^{\operatorname{sech}^{-1}(cx)})}{c} - \frac{2ib^2 \operatorname{PolyLog}(2, ie^{\operatorname{sech}^{-1}(cx)})}{c}$$

```
[Out] x*(a+b*arcsech(c*x))^2-4*b*(a+b*arcsech(c*x))*arctan(1/c/x+(-1+1/c/x)^(1/2)
*(1+1/c/x)^(1/2))/c+2*I*b^2*polylog(2,-I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)))/c-2*I*b^2*polylog(2,I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)))/c
```

Rubi [A]

time = 0.05, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6414, 5559, 4265, 2317, 2438}

$$-\frac{4b \operatorname{ArcTan}(e^{\operatorname{sech}^{-1}(cx)}) (a + b \operatorname{sech}^{-1}(cx))}{c} + x(a + b \operatorname{sech}^{-1}(cx))^2 + \frac{2ib^2 \operatorname{Li}_2(-ie^{\operatorname{sech}^{-1}(cx)})}{c} - \frac{2ib^2 \operatorname{Li}_2(ie^{\operatorname{sech}^{-1}(cx)})}{c}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSech[c*x])^2,x]
```

```
[Out] x*(a + b*ArcSech[c*x])^2 - (4*b*(a + b*ArcSech[c*x])*ArcTan[E^ArcSech[c*x]])/c + ((2*I)*b^2*PolyLog[2, (-I)*E^ArcSech[c*x]])/c - ((2*I)*b^2*PolyLog[2, I*E^ArcSech[c*x]])/c
```

Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4265

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 5559

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sech[(a_.) + (b_.)*(x_)]^(n_.)*Tanh[(a_.) +
(b_.)*(x_)]^(p_.), x_Symbol] := Simp[(-c + d*x)^m*(Sech[a + b*x]^n/(b*n))
, x] + Dist[d*(m/(b*n)), Int[(c + d*x)^(m - 1)*Sech[a + b*x]^n, x], x] /; F
reeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 6414

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[-c^(-1), Su
bst[Int[(a + b*x)^n*Sech[x]*Tanh[x], x], x, ArcSech[c*x]], x] /; FreeQ[{a,
b, c, n}, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned} \int (a + b \operatorname{sech}^{-1}(cx))^2 dx &= -\frac{\operatorname{Subst}(\int (a + bx)^2 \operatorname{sech}(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(cx))}{c} \\ &= x(a + b \operatorname{sech}^{-1}(cx))^2 - \frac{(2b) \operatorname{Subst}(\int (a + bx) \operatorname{sech}(x) dx, x, \operatorname{sech}^{-1}(cx))}{c} \\ &= x(a + b \operatorname{sech}^{-1}(cx))^2 - \frac{4b(a + b \operatorname{sech}^{-1}(cx)) \tan^{-1}\left(e^{\operatorname{sech}^{-1}(cx)}\right)}{c} + \frac{(2ib^2) \operatorname{Subst}(\int (a + bx) \operatorname{sech}(x) dx, x, \operatorname{sech}^{-1}(cx))}{c} \\ &= x(a + b \operatorname{sech}^{-1}(cx))^2 - \frac{4b(a + b \operatorname{sech}^{-1}(cx)) \tan^{-1}\left(e^{\operatorname{sech}^{-1}(cx)}\right)}{c} + \frac{(2ib^2) \operatorname{Subst}(\int (a + bx) \operatorname{sech}(x) dx, x, \operatorname{sech}^{-1}(cx))}{c} \\ &= x(a + b \operatorname{sech}^{-1}(cx))^2 - \frac{4b(a + b \operatorname{sech}^{-1}(cx)) \tan^{-1}\left(e^{\operatorname{sech}^{-1}(cx)}\right)}{c} + \frac{2ib^2 \operatorname{Li}_2\left(-ie^{\operatorname{sech}^{-1}(cx)}\right)}{c} \end{aligned}$$

Mathematica [A]

time = 0.16, size = 126, normalized size = 1.62

$$a^2 x + \frac{2ab(cx \operatorname{sech}^{-1}(cx) - 2 \operatorname{ArcTan}(\tanh(\frac{1}{2} \operatorname{sech}^{-1}(cx))))}{c} + \frac{ib^2(\operatorname{sech}^{-1}(cx)(-icx \operatorname{sech}^{-1}(cx) + 2 \log(1 - ie^{-\operatorname{sech}^{-1}(cx)}) - 2 \log(1 + ie^{-\operatorname{sech}^{-1}(cx)})) + 2 \operatorname{PolyLog}(2, -ie^{-\operatorname{sech}^{-1}(cx)}) - 2 \operatorname{PolyLog}(2, ie^{-\operatorname{sech}^{-1}(cx)}))}{c}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSech[c*x])^2, x]
```

```
[Out] a^2*x + (2*a*b*(c*x*ArcSech[c*x] - 2*ArcTan[Tanh[ArcSech[c*x]/2]]))/c + (I*
b^2*(ArcSech[c*x]*((-I)*c*x*ArcSech[c*x] + 2*Log[1 - I/E^ArcSech[c*x]] - 2*
Log[1 + I/E^ArcSech[c*x]]) + 2*PolyLog[2, (-I)/E^ArcSech[c*x]] - 2*PolyLog[
2, I/E^ArcSech[c*x]]))/c
```

Maple [A]

time = 0.35, size = 242, normalized size = 3.10

method	result
derivativedivides	$c a^2 x - 2 i b^2 \operatorname{arcsech}(c x) \ln \left(1 - i \left(\frac{1}{c x} + \sqrt{-1 + \frac{1}{c x}} \sqrt{1 + \frac{1}{c x}} \right) \right) + 2 i b^2 \operatorname{arcsech}(c x) \ln \left(1 + i \left(\frac{1}{c x} + \sqrt{-1 + \frac{1}{c x}} \sqrt{1 + \frac{1}{c x}} \right) \right)$
default	$c a^2 x - 2 i b^2 \operatorname{arcsech}(c x) \ln \left(1 - i \left(\frac{1}{c x} + \sqrt{-1 + \frac{1}{c x}} \sqrt{1 + \frac{1}{c x}} \right) \right) + 2 i b^2 \operatorname{arcsech}(c x) \ln \left(1 + i \left(\frac{1}{c x} + \sqrt{-1 + \frac{1}{c x}} \sqrt{1 + \frac{1}{c x}} \right) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))^2,x,method=_RETURNVERBOSE)`

[Out]
$$\frac{1}{c} \left(c a^2 x - 2 I b^2 \operatorname{arcsech}(c x) \ln \left(1 - I \left(\frac{1}{c x} + \sqrt{-1 + \frac{1}{c x}} \sqrt{1 + \frac{1}{c x}} \right) \right) \right) * b^2 + 2 I b^2 \operatorname{arcsech}(c x) \ln \left(1 + I \left(\frac{1}{c x} + \sqrt{-1 + \frac{1}{c x}} \sqrt{1 + \frac{1}{c x}} \right) \right) * b^2 + \operatorname{arcsech}(c x)^2 * b^2 * c x - 2 I \operatorname{dilog} \left(1 - I \left(\frac{1}{c x} + \sqrt{-1 + \frac{1}{c x}} \sqrt{1 + \frac{1}{c x}} \right) \right) * b^2 + 2 I \operatorname{dilog} \left(1 + I \left(\frac{1}{c x} + \sqrt{-1 + \frac{1}{c x}} \sqrt{1 + \frac{1}{c x}} \right) \right) * b^2 + 2 * \operatorname{arcsech}(c x) * a * b * c x - 2 * \arctan \left(\sqrt{-1 + \frac{1}{c x}} \sqrt{1 + \frac{1}{c x}} \right) * a * b$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))^2,x, algorithm="maxima")`

[Out]
$$\left(x \log(\sqrt{c x + 1} \sqrt{-c x + 1} + 1) \right)^2 - \operatorname{integrate} \left(- \left(c^2 x^2 \log(c) \right)^2 + \left(c^2 x^2 - 1 \right) \log(x)^2 + \left(c^2 x^2 \log(c) \right)^2 + \left(c^2 x^2 - 1 \right) \log(x)^2 - \log(c)^2 + 2 \left(c^2 x^2 \log(c) - \log(c) \right) \log(x) \sqrt{c x + 1} \sqrt{-c x + 1} - 2 \left(c^2 x^2 \log(c) + \left(c^2 x^2 \left(\log(c) + 1 \right) + \left(c^2 x^2 - 1 \right) \log(x) - \log(c) \right) \sqrt{c x + 1} \sqrt{-c x + 1} + \left(c^2 x^2 - 1 \right) \log(x) - \log(c) \right) \log(\sqrt{c x + 1} \sqrt{-c x + 1} + 1) - \log(c)^2 + 2 \left(c^2 x^2 \log(c) - \log(c) \right) \log(x) \right) / \left(c^2 x^2 + \left(c^2 x^2 - 1 \right) \sqrt{c x + 1} \sqrt{-c x + 1} - 1 \right), x) * b^2 + a^2 x + 2 \left(c x \operatorname{arcsech}(c x) - \arctan(\sqrt{1 / (c^2 x^2) - 1}) \right) * a * b / c$$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))^2,x, algorithm="fricas")`

[Out] `integral(b^2*arcsech(c*x)^2 + 2*a*b*arcsech(c*x) + a^2, x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asech}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))**2,x)

[Out] Integral((a + b*asech(c*x))**2, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^2,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))^2,x)

[Out] int((a + b*acosh(1/(c*x)))^2, x)

$$3.37 \quad \int \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{x} dx$$

Optimal. Leaf size=83

$$\frac{(a + b \operatorname{sech}^{-1}(cx))^3}{3b} - (a + b \operatorname{sech}^{-1}(cx))^2 \log(1 + e^{2 \operatorname{sech}^{-1}(cx)}) - b(a + b \operatorname{sech}^{-1}(cx)) \operatorname{PolyLog}\left(2, -e^{2 \operatorname{sech}^{-1}(cx)}\right)$$

```
[Out] 1/3*(a+b*arcsech(c*x))^3/b-(a+b*arcsech(c*x))^2*ln(1+(1/c/x+(-1+1/c/x)^(1/2)
)*(1+1/c/x)^(1/2))^2)-b*(a+b*arcsech(c*x))*polylog(2,-(1/c/x+(-1+1/c/x)^(1/2)
)*2*(1+1/c/x)^(1/2))^2)+1/2*b^2*polylog(3,-(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)
^(1/2))^2)
```

Rubi [A]

time = 0.09, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {6420, 3799, 2221, 2611, 2320, 6724}

$$-b \operatorname{Li}_2\left(-e^{2 \operatorname{sech}^{-1}(cx)}\right) (a + b \operatorname{sech}^{-1}(cx)) + \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{3b} - \log\left(e^{2 \operatorname{sech}^{-1}(cx)} + 1\right) (a + b \operatorname{sech}^{-1}(cx))^2 + \frac{1}{2} b^2 \operatorname{Li}_3\left(-e^{2 \operatorname{sech}^{-1}(cx)}\right)$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSech[c*x])^2/x,x]
```

```
[Out] (a + b*ArcSech[c*x])^3/(3*b) - (a + b*ArcSech[c*x])^2*Log[1 + E^(2*ArcSech[
c*x])] - b*(a + b*ArcSech[c*x])*PolyLog[2, -E^(2*ArcSech[c*x])] + (b^2*Poly
Log[3, -E^(2*ArcSech[c*x])])/2
```

Rule 2221

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2320

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] :> Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a +
```

```
b*x)))^n]/(b*c*n*Log[F]), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 3799

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (Complex[0, fz_])*(f_.)*(x_)], x
_Symbol] :> Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c
+ d*x)^m*(E^(2*((-I)*e + f*fz*x)))/(1 + E^(2*((-I)*e + f*fz*x))), x], x]
/; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{x} dx &= -\operatorname{Subst}\left(\int (a + bx)^2 \tanh(x) dx, x, \operatorname{sech}^{-1}(cx)\right) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{3b} - 2\operatorname{Subst}\left(\int \frac{e^{2x}(a + bx)^2}{1 + e^{2x}} dx, x, \operatorname{sech}^{-1}(cx)\right) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{3b} - (a + b \operatorname{sech}^{-1}(cx))^2 \log\left(1 + e^{2 \operatorname{sech}^{-1}(cx)}\right) + (2b)\operatorname{Subst}\left(\int (a + bx) \tanh(x) dx, x, \operatorname{sech}^{-1}(cx)\right) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{3b} - (a + b \operatorname{sech}^{-1}(cx))^2 \log\left(1 + e^{2 \operatorname{sech}^{-1}(cx)}\right) - b(a + b \operatorname{sech}^{-1}(cx)) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{3b} - (a + b \operatorname{sech}^{-1}(cx))^2 \log\left(1 + e^{2 \operatorname{sech}^{-1}(cx)}\right) - b(a + b \operatorname{sech}^{-1}(cx)) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{3b} - (a + b \operatorname{sech}^{-1}(cx))^2 \log\left(1 + e^{2 \operatorname{sech}^{-1}(cx)}\right) - b(a + b \operatorname{sech}^{-1}(cx))
\end{aligned}$$

Mathematica [A]

time = 0.10, size = 116, normalized size = 1.40

$$a^2 \log(cx) + ab(-\operatorname{sech}^{-1}(cx)(\operatorname{sech}^{-1}(cx) + 2\log(1 + e^{-2\operatorname{sech}^{-1}(cx)})) + \operatorname{PolyLog}(2, -e^{-2\operatorname{sech}^{-1}(cx)})) + b^2(-\frac{1}{3}\operatorname{sech}^{-1}(cx)^3 - \operatorname{sech}^{-1}(cx)^2 \log(1 + e^{-2\operatorname{sech}^{-1}(cx)}) + \operatorname{sech}^{-1}(cx)\operatorname{PolyLog}(2, -e^{-2\operatorname{sech}^{-1}(cx)}) + \frac{1}{2}\operatorname{PolyLog}(3, -e^{-2\operatorname{sech}^{-1}(cx)}))$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])^2/x, x]

[Out] a^2*Log[c*x] + a*b*(-(ArcSech[c*x]*(ArcSech[c*x] + 2*Log[1 + E^(-2*ArcSech[c*x])])) + PolyLog[2, -E^(-2*ArcSech[c*x])]) + b^2*(-1/3*ArcSech[c*x]^3 - ArcSech[c*x]^2*Log[1 + E^(-2*ArcSech[c*x])]) + ArcSech[c*x]*PolyLog[2, -E^(-2*ArcSech[c*x])] + PolyLog[3, -E^(-2*ArcSech[c*x])]/2)

Maple [A]

time = 0.22, size = 250, normalized size = 3.01

method	result
derivativedivides	$a^2 \ln(cx) + \frac{b^2 \operatorname{arcsech}(cx)^3}{3} - b^2 \operatorname{arcsech}(cx)^2 \ln\left(1 + \left(\frac{1}{cx} + \sqrt{-1 + \frac{1}{cx}}\right) \sqrt{1 + \frac{1}{cx}}\right)^2 - b^2$
default	$a^2 \ln(cx) + \frac{b^2 \operatorname{arcsech}(cx)^3}{3} - b^2 \operatorname{arcsech}(cx)^2 \ln\left(1 + \left(\frac{1}{cx} + \sqrt{-1 + \frac{1}{cx}}\right) \sqrt{1 + \frac{1}{cx}}\right)^2 - b^2$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))^2/x,x,method=_RETURNVERBOSE)

[Out] a^2*ln(c*x)+1/3*b^2*arcsech(c*x)^3-b^2*arcsech(c*x)^2*ln(1+(1/c/x+(-1+1/c/x)^(1/2))*(1+1/c/x)^(1/2))^2)-b^2*arcsech(c*x)*polylog(2,-(1/c/x+(-1+1/c/x)^(1/2))*(1+1/c/x)^(1/2))^2)+1/2*b^2*polylog(3,-(1/c/x+(-1+1/c/x)^(1/2))*(1+1/c/x)^(1/2))^2)+a*b*arcsech(c*x)^2-2*a*b*arcsech(c*x)*ln(1+(1/c/x+(-1+1/c/x)^(1/2))*(1+1/c/x)^(1/2))^2)-a*b*polylog(2,-(1/c/x+(-1+1/c/x)^(1/2))*(1+1/c/x)^(1/2))^2)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^2/x,x, algorithm="maxima")

[Out] a^2*log(x) + integrate(b^2*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))^2/x + 2*a*b*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/x, x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^2/x,x, algorithm="fricas")

[Out] integral((b^2*arcsech(c*x)^2 + 2*a*b*arcsech(c*x) + a^2)/x, x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))**2/x,x)

[Out] Integral((a + b*asech(c*x))**2/x, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^2/x,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^2/x, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{acosh}(\frac{1}{cx}))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))^2/x,x)

[Out] int((a + b*acosh(1/(c*x)))^2/x, x)

$$3.38 \quad \int \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{x^2} dx$$

Optimal. Leaf size=61

$$-\frac{2b^2}{x} + \frac{2b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(a+b\operatorname{sech}^{-1}(cx))}{x} - \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{x}$$

[Out] $-2*b^2/x - (a+b*\operatorname{arcsech}(c*x))^2/x + 2*b*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))*((-c*x+1)/(c*x+1))^{(1/2)}/x$

Rubi [A]

time = 0.05, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {6420, 3377, 2718}

$$\frac{2b\sqrt{\frac{1-cx}{cx+1}}(cx+1)(a+b\operatorname{sech}^{-1}(cx))}{x} - \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{x} - \frac{2b^2}{x}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSech}[c*x])^2/x^2, x]$

[Out] $(-2*b^2)/x + (2*b*\operatorname{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(a + b*\operatorname{ArcSech}[c*x]))/x - (a + b*\operatorname{ArcSech}[c*x])^2/x$

Rule 2718

$\operatorname{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[-\operatorname{Cos}[c + d*x]/d, x] /;$ FreeQ[{c, d}, x]

Rule 3377

$\operatorname{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[(-c + d*x)^m*(\operatorname{Cos}[e + f*x]/f), x] + \operatorname{Dist}[d*(m/f), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 6420

$\operatorname{Int}[(a_.) + \operatorname{ArcSech}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x_Symbol] \rightarrow \operatorname{Dist}[-(c^{(m+1)})^{(-1)}, \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n*\operatorname{Sech}[x]^{(m+1)}*\operatorname{Tanh}[x], x], x, \operatorname{ArcSech}[c*x]], x] /;$ FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{x^2} dx &= -\left(c \operatorname{Subst} \left(\int (a + bx)^2 \sinh(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= -\frac{(a + b \operatorname{sech}^{-1}(cx))^2}{x} + (2bc) \operatorname{Subst} \left(\int (a + bx) \cosh(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \\
&= \frac{2b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{x} - \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{x} - (2b^2c) \operatorname{Subst} \left(\int \frac{1}{x} dx, x, \operatorname{sech}^{-1}(cx) \right) \\
&= -\frac{2b^2}{x} + \frac{2b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{x} - \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{x}
\end{aligned}$$

Mathematica [A]

time = 0.15, size = 87, normalized size = 1.43

$$\frac{a^2 + 2b^2 - 2ab \sqrt{\frac{1-cx}{1+cx}} (1+cx) - 2b \left(-a + b \sqrt{\frac{1-cx}{1+cx}} (1+cx) \right) \operatorname{sech}^{-1}(cx) + b^2 \operatorname{sech}^{-1}(cx)^2}{x}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSech[c*x])^2/x^2,x]`

```
[Out] -((a^2 + 2*b^2 - 2*a*b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x) - 2*b*(-a + b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x))*ArcSech[c*x] + b^2*ArcSech[c*x]^2)/x)
```

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 123 vs. 2(59) = 118.

time = 0.25, size = 124, normalized size = 2.03

method	result
derivativedivides	$c \left(-\frac{a^2}{cx} + b^2 \left(-\frac{\operatorname{arcsech}(cx)^2}{cx} + 2 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} - \frac{2}{cx} \right) + 2ab \left(-\frac{\operatorname{arcsech}(cx)}{cx} + \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \right) \right)$
default	$c \left(-\frac{a^2}{cx} + b^2 \left(-\frac{\operatorname{arcsech}(cx)^2}{cx} + 2 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} - \frac{2}{cx} \right) + 2ab \left(-\frac{\operatorname{arcsech}(cx)}{cx} + \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \right) \right)$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*arcsech(c*x))^2/x^2,x,method=_RETURNVERBOSE)`

```
[Out] c*(-a^2/c/x+b^2*(-arcsech(c*x)^2/c/x+2*arcsech(c*x)*(-(c*x-1)/c/x)^(1/2))*((c*x+1)/c/x)^(1/2)-2/c/x)+2*a*b*(-1/c/x*arcsech(c*x)+(-(c*x-1)/c/x)^(1/2))*((c*x+1)/c/x)^(1/2))
```


Maxima [A]

time = 0.26, size = 78, normalized size = 1.28

$$2 \left(c \sqrt{\frac{1}{c^2 x^2} - 1} - \frac{\operatorname{arsech}(cx)}{x} \right) ab + 2 \left(c \sqrt{\frac{1}{c^2 x^2} - 1} \operatorname{arsech}(cx) - \frac{1}{x} \right) b^2 - \frac{b^2 \operatorname{arsech}(cx)^2}{x} - \frac{a^2}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^2/x^2,x, algorithm="maxima")

[Out] 2*(c*sqrt(1/(c^2*x^2) - 1) - arcsech(c*x)/x)*a*b + 2*(c*sqrt(1/(c^2*x^2) - 1)*arcsech(c*x) - 1/x)*b^2 - b^2*arcsech(c*x)^2/x - a^2/x

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 143 vs. 2(59) = 118.

time = 0.35, size = 143, normalized size = 2.34

$$\frac{2abcx\sqrt{-\frac{c^2x^2-1}{c^2x^2}} - b^2\log\left(\frac{cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}}+1}{cx}\right)^2 - a^2 - 2b^2 + 2\left(b^2cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}} - ab\right)\log\left(\frac{cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}}+1}{cx}\right)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^2/x^2,x, algorithm="fricas")

[Out] (2*a*b*c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - b^2*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x))^2 - a^2 - 2*b^2 + 2*(b^2*c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - a*b)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)))/x

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))^2/x**2,x)

[Out] Integral((a + b*asech(c*x))^2/x**2, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^2/x^2,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^2/x^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(a + b \operatorname{acosh}(\frac{1}{cx}))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))^2/x^2,x)

[Out] int((a + b*acosh(1/(c*x)))^2/x^2, x)

$$3.39 \quad \int \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{x^3} dx$$

Optimal. Leaf size=118

$$-\frac{b^2(1-cx)(1+cx)}{4x^2} - \frac{1}{2}abc^2 \operatorname{sech}^{-1}(cx) - \frac{1}{4}b^2c^2 \operatorname{sech}^{-1}(cx)^2 + \frac{b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(a+b \operatorname{sech}^{-1}(cx))}{2x^2} - \frac{(1-cx)(1+cx)}{4x^2}$$

[Out] $-1/4*b^2*(-c*x+1)*(c*x+1)/x^2-1/2*a*b*c^2*\operatorname{arcsech}(c*x)-1/4*b^2*c^2*\operatorname{arcsech}(c*x)^2-1/2*(-c*x+1)*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))^2/x^2+1/2*b*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))*((-c*x+1)/(c*x+1))^{(1/2)}/x^2$

Rubi [A]

time = 0.06, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {6420, 5554, 3391}

$$-\frac{1}{2}abc^2 \operatorname{sech}^{-1}(cx) + \frac{b\sqrt{\frac{1-cx}{cx+1}}(cx+1)(a+b \operatorname{sech}^{-1}(cx))}{2x^2} - \frac{(1-cx)(cx+1)(a+b \operatorname{sech}^{-1}(cx))^2}{2x^2} - \frac{1}{4}b^2c^2 \operatorname{sech}^{-1}(cx)^2 - \frac{b^2(1-cx)(cx+1)}{4x^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSech}[c*x])^2/x^3, x]$

[Out] $-1/4*(b^2*(1-c*x)*(1+c*x))/x^2 - (a*b*c^2*\operatorname{ArcSech}[c*x])/2 - (b^2*c^2*\operatorname{ArcSech}[c*x]^2)/4 + (b*\operatorname{Sqrt}[(1-c*x)/(1+c*x)]*(1+c*x)*(a+b*\operatorname{ArcSech}[c*x]))/(2*x^2) - ((1-c*x)*(1+c*x)*(a+b*\operatorname{ArcSech}[c*x])^2)/(2*x^2)$

Rule 3391

$\operatorname{Int}[(c_. + (d_.)*(x_.))*((b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[d*((b*\sin[e + f*x])^n/(f^2*n^2)), x] + (\operatorname{Dist}[b^2*((n-1)/n), \operatorname{Int}[(c + d*x)*(b*\sin[e + f*x])^{(n-2)}, x], x] - \operatorname{Simp}[b*(c + d*x)*\cos[e + f*x]*((b*\sin[e + f*x])^{(n-1)})/(f*n), x]) /; \operatorname{FreeQ}\{b, c, d, e, f\}, x] \&\& \operatorname{GtQ}[n, 1]$

Rule 5554

$\operatorname{Int}[\operatorname{Cosh}[(a_.) + (b_.)*(x_.)]*((c_.) + (d_.)*(x_.))^{(m_.)*\operatorname{Sinh}[(a_.) + (b_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^m*(\operatorname{Sinh}[a + b*x]^{(n+1)})/(b*(n+1)), x] - \operatorname{Dist}[d*(m/(b*(n+1))), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Sinh}[a + b*x]^{(n+1)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, n\}, x] \&\& \operatorname{IGtQ}[m, 0] \&\& \operatorname{NeQ}[n, -1]$

Rule 6420

$\operatorname{Int}[(c_. + \operatorname{ArcSech}[(c_.)*(x_.)]*(b_.))^{(n_.)*(x_.)^{(m_.)}, x_Symbol] \rightarrow \operatorname{Dist}[-(c^{(m+1)})^{(-1)}, \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n*\operatorname{Sech}[x]^{(m+1)}*\operatorname{Tanh}[x], x], x, \operatorname{Ar}$

`cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt Q[n, 0] || LtQ[m, -1])`

Rubi steps

$$\begin{aligned} \int \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{x^3} dx &= - \left(c^2 \operatorname{Subst} \left(\int (a + bx)^2 \cosh(x) \sinh(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\ &= - \frac{(1 - cx)(1 + cx) (a + b \operatorname{sech}^{-1}(cx))^2}{2x^2} + (bc^2) \operatorname{Subst} \left(\int (a + bx) \sinh^2(x) dx, x, \right. \\ &= - \frac{b^2(1 - cx)(1 + cx)}{4x^2} + \frac{b \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx) (a + b \operatorname{sech}^{-1}(cx))}{2x^2} - \frac{(1 - cx)(1 + cx)}{4x^2} \\ &= - \frac{b^2(1 - cx)(1 + cx)}{4x^2} - \frac{1}{2} abc^2 \operatorname{sech}^{-1}(cx) - \frac{1}{4} b^2 c^2 \operatorname{sech}^{-1}(cx)^2 + \frac{b \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{4x^2} \end{aligned}$$

Mathematica [A]

time = 0.10, size = 183, normalized size = 1.55

$$\frac{-2a^2 - b^2 + 2ab \sqrt{\frac{1 - cx}{1 + cx}} + 2abcx \sqrt{\frac{1 - cx}{1 + cx}} + 2b \left(-2a + b \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx) \right) \operatorname{sech}^{-1}(cx) + b^2 (-2 + c^2 x^2) \operatorname{sech}^{-1}(cx)^2 - 2abc^2 x^2 \log(x) + 2abc^2 x^2 \log \left(1 + \sqrt{\frac{1 - cx}{1 + cx}} + cx \sqrt{\frac{1 - cx}{1 + cx}} \right)}{4x^2}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSech[c*x])^2/x^3,x]`

`[Out] (-2*a^2 - b^2 + 2*a*b*Sqrt[(1 - c*x)/(1 + c*x)] + 2*a*b*c*x*Sqrt[(1 - c*x)/(1 + c*x)] + 2*b*(-2*a + b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x))*ArcSech[c*x] + b^2*(-2 + c^2*x^2)*ArcSech[c*x]^2 - 2*a*b*c^2*x^2*Log[x] + 2*a*b*c^2*x^2*Log[1 + Sqrt[(1 - c*x)/(1 + c*x)] + c*x*Sqrt[(1 - c*x)/(1 + c*x)]])/(4*x^2)`

Maple [A]

time = 0.23, size = 192, normalized size = 1.63

method	result
derivativedivides	$c^2 \left(-\frac{a^2}{2c^2 x^2} + b^2 \left(-\frac{\operatorname{arcsech}(cx)^2}{2c^2 x^2} + \frac{\operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{2cx} + \frac{\operatorname{arcsech}(cx)^2}{4} - \frac{1}{4c^2 x^2} \right) \right) + 2ab$

default	$c^2 \left(-\frac{a^2}{2c^2x^2} + b^2 \left(-\frac{\operatorname{arcsech}(cx)^2}{2c^2x^2} + \frac{\operatorname{arcsech}(cx) \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{2cx} + \frac{\operatorname{arcsech}(cx)^2}{4} - \frac{1}{4c^2x^2} \right) \right) + 2a$
---------	--

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))^2/x^3,x,method=_RETURNVERBOSE)`

[Out] $c^2 * (-1/2 * a^2 / c^2 / x^2 + b^2 * (-1/2 * \operatorname{arcsech}(c*x)^2 / c^2 / x^2 + 1/2 * \operatorname{arcsech}(c*x) / c/x * (- (c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} + 1/4 * \operatorname{arcsech}(c*x)^2 - 1/4 / c^2 / x^2) + 2 * a * b * (-1/2 / c^2 / x^2 * \operatorname{arcsech}(c*x) + 1/4 * (- (c*x-1)/c/x)^{(1/2)} / c/x * ((c*x+1)/c/x)^{(1/2)} * (\operatorname{arctanh}(1 / (-c^2*x^2+1)^{(1/2)})) * c^2 * x^2 + (-c^2*x^2+1)^{(1/2)} / (-c^2*x^2+1)^{(1/2)})$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))^2/x^3,x, algorithm="maxima")`

[Out] $-1/4 * a * b * ((2 * c^4 * x * \sqrt{1 / (c^2 * x^2) - 1} / (c^2 * x^2 * (1 / (c^2 * x^2) - 1) - 1) - c^3 * \log(c * x * \sqrt{1 / (c^2 * x^2) - 1} + 1) + c^3 * \log(c * x * \sqrt{1 / (c^2 * x^2) - 1} - 1)) / c + 4 * \operatorname{arcsech}(c*x) / x^2) + b^2 * \operatorname{integrate}(\log(\sqrt{1 / (c*x) + 1} * \sqrt{1 / (c*x) - 1} + 1 / (c*x))^2 / x^3, x) - 1/2 * a^2 / x^2$

Fricas [A]

time = 0.42, size = 165, normalized size = 1.40

$$\frac{2abcx\sqrt{\frac{c^2x^2-1}{c^2x^2}} + (b^2c^2x^2 - 2b^2)\log\left(\frac{cx\sqrt{\frac{c^2x^2-1}{c^2x^2}} + 1}{cx}\right)^2 - 2a^2 - b^2 + 2\left(abc^2x^2 + b^2cx\sqrt{\frac{c^2x^2-1}{c^2x^2}} - 2ab\right)\log\left(\frac{cx\sqrt{\frac{c^2x^2-1}{c^2x^2}} + 1}{cx}\right)}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))^2/x^3,x, algorithm="fricas")`

[Out] $1/4 * (2 * a * b * c * x * \sqrt{-(c^2 * x^2 - 1) / (c^2 * x^2)}) + (b^2 * c^2 * x^2 - 2 * b^2) * \log((c * x * \sqrt{-(c^2 * x^2 - 1) / (c^2 * x^2)}) + 1) / (c * x))^2 - 2 * a^2 - b^2 + 2 * (a * b * c^2 * x^2 + b^2 * c * x * \sqrt{-(c^2 * x^2 - 1) / (c^2 * x^2)}) - 2 * a * b * \log((c * x * \sqrt{-(c^2 * x^2 - 1) / (c^2 * x^2)}) + 1) / (c * x)) / x^2$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))**2/x**3,x)

[Out] Integral((a + b*asech(c*x))**2/x**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^2/x^3,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^2/x^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{acosh}(\frac{1}{cx}))^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))^2/x^3,x)

[Out] int((a + b*acosh(1/(c*x)))^2/x^3, x)

$$3.40 \quad \int \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{x^4} dx$$

Optimal. Leaf size=122

$$-\frac{2b^2}{27x^3} - \frac{4b^2c^2}{9x} + \frac{2b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(a+b\operatorname{sech}^{-1}(cx))}{9x^3} + \frac{4bc^2\sqrt{\frac{1-cx}{1+cx}}(1+cx)(a+b\operatorname{sech}^{-1}(cx))}{9x} - \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{3x^3} - \frac{4b^2c^2}{9x} - \frac{2b^2}{27x^3}$$

[Out] $-2/27*b^2/x^3-4/9*b^2*c^2/x-1/3*(a+b*\operatorname{arcsech}(c*x))^2/x^3+2/9*b*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))*((-c*x+1)/(c*x+1))^{(1/2)}/x^3+4/9*b*c^2*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))*((-c*x+1)/(c*x+1))^{(1/2)}/x$

Rubi [A]

time = 0.08, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {6420, 5555, 3391, 3377, 2718}

$$\frac{4bc^2\sqrt{\frac{1-cx}{cx+1}}(cx+1)(a+b\operatorname{sech}^{-1}(cx))}{9x} + \frac{2b\sqrt{\frac{1-cx}{cx+1}}(cx+1)(a+b\operatorname{sech}^{-1}(cx))}{9x^3} - \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{3x^3} - \frac{4b^2c^2}{9x} - \frac{2b^2}{27x^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSech}[c*x])^2/x^4, x]$

[Out] $(-2*b^2)/(27*x^3) - (4*b^2*c^2)/(9*x) + (2*b*\operatorname{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(a + b*\operatorname{ArcSech}[c*x]))/(9*x^3) + (4*b*c^2*\operatorname{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(a + b*\operatorname{ArcSech}[c*x]))/(9*x) - (a + b*\operatorname{ArcSech}[c*x])^2/(3*x^3)$

Rule 2718

$\operatorname{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[-\operatorname{Cos}[c + d*x]/d, x] /;$ FreeQ[{c, d}, x]

Rule 3377

$\operatorname{Int}[(c_.) + (d_.)*(x_.)]^{(m_.)*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[(-c + d*x)^m*(\operatorname{Cos}[e + f*x]/f), x] + \operatorname{Dist}[d*(m/f), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3391

$\operatorname{Int}[(c_.) + (d_.)*(x_.)]*((b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[d*((b*\operatorname{Sin}[e + f*x])^n/(f^2*n^2)), x] + (\operatorname{Dist}[b^2*((n-1)/n), \operatorname{Int}[(c + d*x)*(b*\operatorname{Sin}[e + f*x])^{(n-2)}, x], x] - \operatorname{Simp}[b*(c + d*x)*\operatorname{Cos}[e + f*x]*(b*\operatorname{Sin}[e + f*x])^{(n-1)}/(f*n), x]) /;$ FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 5555

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)], x_Symbol] := Simp[(c + d*x)^m*(Cosh[a + b*x]^(n + 1)/(b*(n +
1))), x] - Dist[d*(m/(b*(n + 1))), Int[(c + d*x)^(m - 1)*Cosh[a + b*x]^(n +
1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{x^4} dx &= - \left(c^3 \operatorname{Subst} \left(\int (a + bx)^2 \cosh^2(x) \sinh(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\ &= - \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{3x^3} + \frac{1}{3} (2bc^3) \operatorname{Subst} \left(\int (a + bx) \cosh^3(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \\ &= - \frac{2b^2}{27x^3} + \frac{2b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{9x^3} - \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{3x^3} + \frac{1}{9} (4bc^2) \operatorname{Subst} \left(\int (a + bx) \cosh^2(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \\ &= - \frac{2b^2}{27x^3} + \frac{2b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{9x^3} + \frac{4bc^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{9x} \\ &= - \frac{2b^2}{27x^3} - \frac{4b^2 c^2}{9x} + \frac{2b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{9x^3} + \frac{4bc^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{9x} \end{aligned}$$

Mathematica [A]

time = 0.16, size = 134, normalized size = 1.10

$$\frac{-9a^2 - 2b^2(1 + 6c^2x^2) + 6ab\sqrt{\frac{1-cx}{1+cx}}(1+cx+2c^2x^2+2c^3x^3) + 6b\left(-3a + b\sqrt{\frac{1-cx}{1+cx}}(1+cx+2c^2x^2+2c^3x^3)\right)\operatorname{sech}^{-1}(cx) - 9b^2\operatorname{sech}^{-1}(cx)^2}{27x^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSech[c*x])^2/x^4, x]
```

```
[Out] (-9*a^2 - 2*b^2*(1 + 6*c^2*x^2) + 6*a*b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x
+ 2*c^2*x^2 + 2*c^3*x^3) + 6*b*(-3*a + b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x
+ 2*c^2*x^2 + 2*c^3*x^3))*ArcSech[c*x] - 9*b^2*ArcSech[c*x]^2)/(27*x^3)
```


Maple [A]

time = 0.28, size = 192, normalized size = 1.57

method	result
derivativedivides	$c^3 \left(-\frac{a^2}{3c^3x^3} + b^2 \left(-\frac{\operatorname{arcsech}(cx)^2}{3c^3x^3} + \frac{4 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{9} + \frac{2 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{9c^2x^2} \right) \right)$
default	$c^3 \left(-\frac{a^2}{3c^3x^3} + b^2 \left(-\frac{\operatorname{arcsech}(cx)^2}{3c^3x^3} + \frac{4 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{9} + \frac{2 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{9c^2x^2} \right) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))^2/x^4,x,method=_RETURNVERBOSE)

[Out] $c^3 * (-1/3 * a^2 / c^3 / x^3 + b^2 * (-1/3 * \operatorname{arcsech}(c*x)^2 / c^3 / x^3 + 4/9 * \operatorname{arcsech}(c*x) * (-((c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} + 2/9 * \operatorname{arcsech}(c*x) / c^2 / x^2 * (-((c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} - 4/9 / c/x - 2/27 / c^3 / x^3) + 2 * a * b * (-1/3 / c^3 / x^3 * \operatorname{arcsech}(c*x) + 1/9 * (-((c*x-1)/c/x)^{(1/2)} / c^2 / x^2 * ((c*x+1)/c/x)^{(1/2)} * (2 * c^2 * x^2 + 1)))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^2/x^4,x, algorithm="maxima")

[Out] $2/9 * a * b * ((c^4 * (1/(c^2 * x^2) - 1))^{(3/2)} + 3 * c^4 * \sqrt{1/(c^2 * x^2) - 1}) / c - 3 * \operatorname{arcsech}(c*x) / x^3 + b^2 * \operatorname{integrate}(\log(\sqrt{1/(c*x) + 1}) * \sqrt{1/(c*x) - 1} + 1/(c*x))^{(2)} / x^4, x) - 1/3 * a^2 / x^3$

Fricas [A]

time = 0.35, size = 181, normalized size = 1.48

$$\frac{12b^2c^2x^2 + 9b^2 \log\left(\frac{cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}} + 1}{cx}\right)^2 + 9a^2 + 2b^2 + 6\left(3ab - (2b^2c^3x^3 + b^2cx)\sqrt{-\frac{c^2x^2-1}{c^2x^2}}\right) \log\left(\frac{cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}} + 1}{cx}\right) - 6(2abc^3x^3 + abcx)\sqrt{-\frac{c^2x^2-1}{c^2x^2}}}{27x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^2/x^4,x, algorithm="fricas")

[Out] $-1/27 * (12 * b^2 * c^2 * x^2 + 9 * b^2 * \log((c*x * \sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x))^{(2)} + 9 * a^2 + 2 * b^2 + 6 * (3 * a * b - (2 * b^2 * c^3 * x^3 + b^2 * c * x) * \sqrt{-(c^2 * x^2 - 1)/(c^2 * x^2)}))$

$x^2 - 1)/(c^2*x^2)))*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) - 6*(2*a*b*c^3*x^3 + a*b*c*x)*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})/x^3$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))**2/x**4,x)

[Out] Integral((a + b*asech(c*x))**2/x**4, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^2/x^4,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^2/x^4, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{acosh}(\frac{1}{cx}))^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))^2/x^4,x)

[Out] int((a + b*acosh(1/(c*x)))^2/x^4, x)

$$3.41 \quad \int \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{x^5} dx$$

Optimal. Leaf size=151

$$-\frac{b^2}{32x^4} - \frac{3b^2c^2}{32x^2} + \frac{3}{16}abc^4\operatorname{sech}^{-1}(cx) + \frac{3}{32}b^2c^4\operatorname{sech}^{-1}(cx)^2 + \frac{b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(a+b\operatorname{sech}^{-1}(cx))}{8x^4} + \frac{3bc^2\sqrt{\frac{1-cx}{1+cx}}}{8x^4}$$

[Out] $-1/32*b^2/x^4-3/32*b^2*c^2/x^2+3/16*a*b*c^4*\operatorname{arcsech}(c*x)+3/32*b^2*c^4*\operatorname{arcsech}(c*x)^2-1/4*(a+b*\operatorname{arcsech}(c*x))^2/x^4+1/8*b*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))*((-c*x+1)/(c*x+1))^(1/2)/x^4+3/16*b*c^2*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))*((-c*x+1)/(c*x+1))^(1/2)/x^2$

Rubi [A]

time = 0.08, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {6420, 5555, 3391}

$$\frac{3}{16}abc^4\operatorname{sech}^{-1}(cx) + \frac{3bc^2\sqrt{\frac{1-cx}{cx+1}}(cx+1)(a+b\operatorname{sech}^{-1}(cx))}{16x^2} - \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{4x^4} + \frac{b\sqrt{\frac{1-cx}{cx+1}}(cx+1)(a+b\operatorname{sech}^{-1}(cx))}{8x^4} + \frac{3}{32}b^2c^4\operatorname{sech}^{-1}(cx)^2 - \frac{3b^2c^2}{32x^2} - \frac{b^2}{32x^4}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])^2/x^5,x]

[Out] $-1/32*b^2/x^4 - (3*b^2*c^2)/(32*x^2) + (3*a*b*c^4*ArcSech[c*x])/16 + (3*b^2*c^4*ArcSech[c*x]^2)/32 + (b*sqrt[(1-c*x)/(1+c*x)]*(1+c*x)*(a+b*ArcSech[c*x]))/(8*x^4) + (3*b*c^2*sqrt[(1-c*x)/(1+c*x)]*(1+c*x)*(a+b*ArcSech[c*x]))/(16*x^2) - (a+b*ArcSech[c*x])^2/(4*x^4)$

Rule 3391

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :>
  Simp[d*((b*Sine[e + f*x])^n/(f^2*n^2)), x] + (Dist[b^2*((n - 1)/n), Int[(c
+ d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[b*(c + d*x)*Cos[e + f*x]*((b
*Sine[e + f*x])^(n - 1)/(f*n)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rule 5555

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)], x_Symbol] :> Simp[(c + d*x)^m*(Cosh[a + b*x]^(n + 1)/(b*(n + 1
))), x] - Dist[d*(m/(b*(n + 1))), Int[(c + d*x)^(m - 1)*Cosh[a + b*x]^(n +
1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))^n_*(x_)^m_.), x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{x^5} dx &= - \left(c^4 \operatorname{Subst} \left(\int (a + bx)^2 \cosh^3(x) \sinh(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\ &= - \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{4x^4} + \frac{1}{2} (bc^4) \operatorname{Subst} \left(\int (a + bx) \cosh^4(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \\ &= - \frac{b^2}{32x^4} + \frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{8x^4} - \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{4x^4} + \frac{1}{8} (3bc^4) \\ &= - \frac{b^2}{32x^4} - \frac{3b^2c^2}{32x^2} + \frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{8x^4} + \frac{3bc^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{16x^4} \\ &= - \frac{b^2}{32x^4} - \frac{3b^2c^2}{32x^2} + \frac{3}{16} abc^4 \operatorname{sech}^{-1}(cx) + \frac{3}{32} b^2 c^4 \operatorname{sech}^{-1}(cx)^2 + \frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{8x^4} \end{aligned}$$

Mathematica [A]

time = 0.17, size = 268, normalized size = 1.77

$$\frac{-8a^2 - b^2 - 3b^2c^2x^2 + 4ab\sqrt{\frac{1-cx}{1+cx}} + 4abcx\sqrt{\frac{1-cx}{1+cx}} + 6abc^2x^2\sqrt{\frac{1-cx}{1+cx}} + 6abc^2x^3\sqrt{\frac{1-cx}{1+cx}} + 2b\left(-8a + b\sqrt{\frac{1-cx}{1+cx}}(2+2cx+3c^2x^2+3c^2x^3)\right)\operatorname{sech}^{-1}(cx) + b^2(-8+3c^4x^4)\operatorname{sech}^{-1}(cx)^2 - 6abc^4x^4\log(x) + 6abc^4x^4\log\left(1 + \sqrt{\frac{1-cx}{1+cx}} + cx\sqrt{\frac{1-cx}{1+cx}}\right)}{32x^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSech[c*x])^2/x^5,x]
```

```
[Out] (-8*a^2 - b^2 - 3*b^2*c^2*x^2 + 4*a*b*Sqrt[(1 - c*x)/(1 + c*x)] + 4*a*b*c*x
*Sqrt[(1 - c*x)/(1 + c*x)] + 6*a*b*c^2*x^2*Sqrt[(1 - c*x)/(1 + c*x)] + 6*a*
b*c^3*x^3*Sqrt[(1 - c*x)/(1 + c*x)] + 2*b*(-8*a + b*Sqrt[(1 - c*x)/(1 + c*x
)])*(2 + 2*c*x + 3*c^2*x^2 + 3*c^3*x^3))*ArcSech[c*x] + b^2*(-8 + 3*c^4*x^4)
*ArcSech[c*x]^2 - 6*a*b*c^4*x^4*Log[x] + 6*a*b*c^4*x^4*Log[1 + Sqrt[(1 - c*
x)/(1 + c*x)] + c*x*Sqrt[(1 - c*x)/(1 + c*x)]])/(32*x^4)
```

Maple [A]

time = 0.33, size = 264, normalized size = 1.75

method	result
--------	--------

derivativedivides	$c^4 \left(-\frac{a^2}{4c^4x^4} + b^2 \left(-\frac{\operatorname{arcsech}(cx)^2}{4c^4x^4} + \frac{\operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{8c^3x^3} + \frac{3 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{16cx} \right) \right)$
default	$c^4 \left(-\frac{a^2}{4c^4x^4} + b^2 \left(-\frac{\operatorname{arcsech}(cx)^2}{4c^4x^4} + \frac{\operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{8c^3x^3} + \frac{3 \operatorname{arcsech}(cx) \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{16cx} \right) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))^2/x^5,x,method=_RETURNVERBOSE)`

[Out] $c^4 * (-1/4 * a^2 / c^4 / x^4 + b^2 * (-1/4 * \operatorname{arcsech}(c*x)^2 / c^4 / x^4 + 1/8 * \operatorname{arcsech}(c*x) / c^3 / x^3 * (-\frac{c*x-1}{c/x})^{(1/2)} * ((\frac{c*x+1}{c/x})^{(1/2)} + 3/16 * \operatorname{arcsech}(c*x) / c/x * (-\frac{c*x-1}{c/x})^{(1/2)} * ((\frac{c*x+1}{c/x})^{(1/2)} + 3/32 * \operatorname{arcsech}(c*x)^2 - 1/32 / c^4 / x^4 - 3/32 / c^2 / x^2) + 2 * a * b * (-1/4 / c^4 / x^4 * \operatorname{arcsech}(c*x) + 1/32 * (-\frac{c*x-1}{c/x})^{(1/2)} / c^3 / x^3 * ((\frac{c*x+1}{c/x})^{(1/2)} * (3 * \operatorname{arctanh}(1 / (-c^2 * x^2 + 1)^{(1/2)}) * c^4 * x^4 + 3 * (-c^2 * x^2 + 1)^{(1/2)} * c^2 * x^2 + 2 * (-c^2 * x^2 + 1)^{(1/2)}) / (-c^2 * x^2 + 1)^{(1/2)}))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))^2/x^5,x, algorithm="maxima")`

[Out] $1/32 * a * b * ((3 * c^5 * \log(c*x * \sqrt{1/(c^2 * x^2) - 1}) + 1) - 3 * c^5 * \log(c*x * \sqrt{1/(c^2 * x^2) - 1}) - 1) - 2 * (3 * c^8 * x^3 * (1/(c^2 * x^2) - 1)^{(3/2)} - 5 * c^6 * x * \sqrt{1/(c^2 * x^2) - 1}) / (c^4 * x^4 * (1/(c^2 * x^2) - 1)^2 - 2 * c^2 * x^2 * (1/(c^2 * x^2) - 1) + 1) / c - 16 * \operatorname{arcsech}(c*x) / x^4) + b^2 * \operatorname{integrate}(\log(\sqrt{1/(c*x) + 1}) * \sqrt{1/(c*x) - 1} + 1/(c*x))^2 / x^5, x) - 1/4 * a^2 / x^4$

Fricas [A]

time = 0.35, size = 204, normalized size = 1.35

$$\frac{3b^2c^2x^2 - (3b^2c^4x^4 - 8b^2) \log\left(\frac{cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}} + 1}{cx}\right)^2 + 8a^2 + b^2 - 2\left(3abc^4x^4 - 8ab + (3b^2c^3x^3 + 2b^2cx)\sqrt{-\frac{c^2x^2-1}{c^2x^2}}\right) \log\left(\frac{cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}} + 1}{cx}\right) - 2(3abc^3x^3 + 2abcx)\sqrt{-\frac{c^2x^2-1}{c^2x^2}}}{32x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))^2/x^5,x, algorithm="fricas")`

[Out] $-1/32 * (3 * b^2 * c^2 * x^2 - (3 * b^2 * c^4 * x^4 - 8 * b^2) * \log((c*x * \sqrt{-(c^2 * x^2 - 1)/(c^2 * x^2)}) + 1) / (c*x))^2 + 8 * a^2 + b^2 - 2 * (3 * a * b * c^4 * x^4 - 8 * a * b + (3 * b^2$

$*c^3*x^3 + 2*b^2*c*x)*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) - 2*(3*a*b*c^3*x^3 + 2*a*b*c*x)*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})/x^4$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))**2/x**5,x)

[Out] Integral((a + b*asech(c*x))**2/x**5, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^2/x^5,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^2/x^5, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{acosh}(\frac{1}{cx}))^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))^2/x^5,x)

[Out] int((a + b*acosh(1/(c*x)))^2/x^5, x)

3.42 $\int x^3 (a + b \operatorname{sech}^{-1}(cx))^3 dx$

Optimal. Leaf size=223

$$\frac{b^3 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{4c^4} - \frac{b^2 x^2 (a + b \operatorname{sech}^{-1}(cx))}{4c^2} - \frac{b(a + b \operatorname{sech}^{-1}(cx))^2}{2c^4} - \frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))}{2c^4}$$

[Out] $-1/4*b^2*x^2*(a+b*\operatorname{arcsech}(c*x))/c^2-1/2*b*(a+b*\operatorname{arcsech}(c*x))^2/c^4+1/4*x^4*(a+b*\operatorname{arcsech}(c*x))^3+b^2*(a+b*\operatorname{arcsech}(c*x))*\ln(1+(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})^2/c^4+1/2*b^3*\operatorname{polylog}(2,-(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})^2/c^4+1/4*b^3*(c*x+1)*((-c*x+1)/(c*x+1))^{1/2}/c^4-1/2*b*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))^2*((-c*x+1)/(c*x+1))^{1/2}/c^4-1/4*b*x^2*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))^2*((-c*x+1)/(c*x+1))^{1/2}/c^2$

Rubi [A]

time = 0.16, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {6420, 5559, 4271, 3852, 8, 4269, 3799, 2221, 2317, 2438}

$$\frac{b^2 \log(e^{2\operatorname{sech}^{-1}(cx)+1}) (a + b \operatorname{sech}^{-1}(cx))}{c^4} - \frac{b^2 x^2 (a + b \operatorname{sech}^{-1}(cx))}{4c^2} - \frac{b \sqrt{\frac{1-cx}{cx+1}} (cx+1) (a + b \operatorname{sech}^{-1}(cx))^2}{2c^4} - \frac{b(a + b \operatorname{sech}^{-1}(cx))^2}{2c^4} - \frac{bx^2 \sqrt{\frac{1-cx}{cx+1}} (cx+1) (a + b \operatorname{sech}^{-1}(cx))^2}{4c^2} + \frac{1}{4} x^4 (a + b \operatorname{sech}^{-1}(cx))^3 + \frac{b^2 \operatorname{Li}_2(-e^{2\operatorname{sech}^{-1}(cx)})}{2c^4} + \frac{b^2 \sqrt{\frac{1-cx}{cx+1}} (cx+1)}{4c^4}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^3*(a + b*\operatorname{ArcSech}[c*x])^3, x]$

[Out] $(b^3*\operatorname{Sqrt}[(1-c*x)/(1+c*x)]*(1+c*x))/(4*c^4) - (b^2*x^2*(a + b*\operatorname{ArcSech}[c*x]))/(4*c^2) - (b*(a + b*\operatorname{ArcSech}[c*x])^2)/(2*c^4) - (b*\operatorname{Sqrt}[(1-c*x)/(1+c*x)]*(1+c*x)*(a + b*\operatorname{ArcSech}[c*x])^2)/(2*c^4) - (b*x^2*\operatorname{Sqrt}[(1-c*x)/(1+c*x)]*(1+c*x)*(a + b*\operatorname{ArcSech}[c*x])^2)/(4*c^2) + (x^4*(a + b*\operatorname{ArcSech}[c*x])^3)/4 + (b^2*(a + b*\operatorname{ArcSech}[c*x])*Log[1 + E^(2*\operatorname{ArcSech}[c*x])])/c^4 + (b^3*\operatorname{PolyLog}[2, -E^(2*\operatorname{ArcSech}[c*x])])/ (2*c^4)$

Rule 8

$\operatorname{Int}[a_, x_Symbol] := \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 2221

$\operatorname{Int}[(((F_)^((g_)*((e_) + (f_)*(x_))))^((n_)*((c_) + (d_)*(x_)))^((m_)))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^((n_))), x_Symbol] := \operatorname{Simp}[(c + d*x)^m/(b*f*g*n*Log[F])*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - \operatorname{Dist}[d*(m/(b*f*g*n*Log[F])), \operatorname{Int}[(c + d*x)^(m-1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \operatorname{IGtQ}[m, 0]$

Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3799

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (Complex[0, fz_])*(f_.)*(x_)], x
_Symbol] :> Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(
c + d*x)^m*(E^(2*((-I)*e + f*fz*x))/(1 + E^(2*((-I)*e + f*fz*x))))], x], x]
/; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]
```

Rule 3852

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> Dist[-d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 4269

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp
[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*
Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 4271

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(-b^2)*(c + d*x)^m*Cot[e + f*x]*((b*Csc[e + f*x])^(n - 2)/(f*(n
- 1))), x] + (Dist[b^2*d^2*m*((m - 1)/(f^2*(n - 1)*(n - 2))), Int[(c + d*x)
^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[b^2*((n - 2)/(n - 1)), Int
[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[b^2*d*m*(c + d*x)^(m -
1)*((b*Csc[e + f*x])^(n - 2)/(f^2*(n - 1)*(n - 2))), x]) /; FreeQ[{b, c, d
, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 5559

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sech[(a_.) + (b_.)*(x_)]^(n_.)*Tanh[(a_.) +
(b_.)*(x_)]^(p_.), x_Symbol] :> Simp[(-(c + d*x)^m)*(Sech[a + b*x]^n/(b*n))
, x] + Dist[d*(m/(b*n)), Int[(c + d*x)^(m - 1)*Sech[a + b*x]^n, x], x] /; F
reeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 6420


```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^(n)*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int x^3 (a + b \operatorname{sech}^{-1}(cx))^3 dx &= -\frac{\operatorname{Subst}\left(\int (a + bx)^3 \operatorname{sech}^4(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(cx)\right)}{c^4} \\
&= \frac{1}{4} x^4 (a + b \operatorname{sech}^{-1}(cx))^3 - \frac{(3b) \operatorname{Subst}\left(\int (a + bx)^2 \operatorname{sech}^4(x) dx, x, \operatorname{sech}^{-1}(cx)\right)}{4c^4} \\
&= -\frac{b^2 x^2 (a + b \operatorname{sech}^{-1}(cx))}{4c^2} - \frac{b x^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{4c^2} + \frac{1}{4} x^4 \\
&= -\frac{b^2 x^2 (a + b \operatorname{sech}^{-1}(cx))}{4c^2} - \frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{2c^4} - \frac{b x^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{4c^4} \\
&= \frac{b^3 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{4c^4} - \frac{b^2 x^2 (a + b \operatorname{sech}^{-1}(cx))}{4c^2} - \frac{b (a + b \operatorname{sech}^{-1}(cx))^2}{2c^4} - \frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{4c^4} \\
&= \frac{b^3 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{4c^4} - \frac{b^2 x^2 (a + b \operatorname{sech}^{-1}(cx))}{4c^2} - \frac{b (a + b \operatorname{sech}^{-1}(cx))^2}{2c^4} - \frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{4c^4} \\
&= \frac{b^3 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{4c^4} - \frac{b^2 x^2 (a + b \operatorname{sech}^{-1}(cx))}{4c^2} - \frac{b (a + b \operatorname{sech}^{-1}(cx))^2}{2c^4} - \frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{4c^4} \\
&= \frac{b^3 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{4c^4} - \frac{b^2 x^2 (a + b \operatorname{sech}^{-1}(cx))}{4c^2} - \frac{b (a + b \operatorname{sech}^{-1}(cx))^2}{2c^4} - \frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{4c^4}
\end{aligned}$$

Mathematica [A]

time = 1.40, size = 337, normalized size = 1.51

$$\frac{1}{4} \left(b^3 x^4 + b^3 x^4 \operatorname{ArcSech}[c x]^3 + a^2 b^2 \left(-\sqrt{\frac{1-cx}{1+cx}} \right) (1+cx) + 3 b^2 x^2 (a + b \operatorname{ArcSech}[c x]) \right) / c^4 + 3 b^2 x^2 \operatorname{ArcSech}[c x] + (a b^2 x^2 (-(c^2 x^2) - 2 S$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*ArcSech[c*x])^3,x]

[Out] (a^3*x^4 + b^3*x^4*ArcSech[c*x]^3 + a^2*b*(-(Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(2 + c^2*x^2))/c^4) + 3*x^4*ArcSech[c*x]) + (a*b^2*(-(c^2*x^2) - 2*S

```

qrt[(1 - c*x)/(1 + c*x)]*(2 + 2*c*x + c^2*x^2 + c^3*x^3)*ArcSech[c*x] + 3*c
^4*x^4*ArcSech[c*x]^2 + 4*Log[1/(c*x)]))/c^4 - (b^3*(-(Sqrt[(1 - c*x)/(1 +
c*x)]*(1 + c*x)) + (-2 + 2*Sqrt[(1 - c*x)/(1 + c*x)] + 2*c*x*Sqrt[(1 - c*x)
/(1 + c*x)] + c^2*x^2*Sqrt[(1 - c*x)/(1 + c*x)] + c^3*x^3*Sqrt[(1 - c*x)/(1
+ c*x)])*ArcSech[c*x]^2 + ArcSech[c*x]*(c^2*x^2 - 4*Log[1 + E^(-2*ArcSech[
c*x]])) + 2*PolyLog[2, -E^(-2*ArcSech[c*x]])))/c^4)/4

```

Maple [A]

time = 0.62, size = 503, normalized size = 2.26

method	result
derivativedivides	$\frac{a^3 c^4 x^4}{4} + \frac{b^3 \operatorname{arcsech}(cx)^3 c^4 x^4}{4} - \frac{b^3 \operatorname{arcsech}(cx)^2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} c^3 x^3}{4} - \frac{b^3 \operatorname{arcsech}(cx)^2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} cx}{2} - b^3 \operatorname{arcsech}(cx)$
default	$\frac{a^3 c^4 x^4}{4} + \frac{b^3 \operatorname{arcsech}(cx)^3 c^4 x^4}{4} - \frac{b^3 \operatorname{arcsech}(cx)^2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} c^3 x^3}{4} - \frac{b^3 \operatorname{arcsech}(cx)^2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} cx}{2} - b^3 \operatorname{arcsech}(cx)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(a+b*arcsech(c*x))^3,x,method=_RETURNVERBOSE)
```

```

[Out] 1/c^4*(1/4*a^3*c^4*x^4+1/4*b^3*arcsech(c*x)^3*c^4*x^4-1/4*b^3*arcsech(c*x)^
2*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*c^3*x^3-1/2*b^3*arcsech(c*x)^2*(
-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*c*x-1/4*b^3*arcsech(c*x)*c^2*x^2+1/
4*b^3*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*c*x-1/2*b^3*arcsech(c*x)^2-1
/4*b^3+b^3*arcsech(c*x)*ln(1+(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2)+1/
2*b^3*polylog(2,-(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2)-a*b^2*arcsech(
c*x)+3/4*a*b^2*arcsech(c*x)^2*c^4*x^4-1/2*a*b^2*arcsech(c*x)*(-(c*x-1)/c/x)
^(1/2)*((c*x+1)/c/x)^(1/2)*c^3*x^3-a*b^2*arcsech(c*x)*(-(c*x-1)/c/x)^(1/2)*
((c*x+1)/c/x)^(1/2)*c*x-1/4*a*b^2*c^2*x^2+a*b^2*ln(1+(1/c/x+(-1+1/c/x)^(1/2)
)*(1+1/c/x)^(1/2))^2)+3*a^2*b*(1/4*c^4*x^4*arcsech(c*x)-1/12*(-(c*x-1)/c/x)
^(1/2)*c*x*((c*x+1)/c/x)^(1/2)*(c^2*x^2+2))

```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsech(c*x))^3,x, algorithm="maxima")
```

```

[Out] 1/4*a^3*x^4 + 1/4*(3*x^4*arcsech(c*x) + (c^2*x^3*(1/(c^2*x^2) - 1)^(3/2) -
3*x*sqrt(1/(c^2*x^2) - 1))/c^3)*a^2*b + integrate(b^3*x^3*log(sqrt(1/(c*x)

```

+ 1)*sqrt(1/(c*x) - 1) + 1/(c*x))^3 + 3*a*b^2*x^3*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))^2, x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsech(c*x))^3,x, algorithm="fricas")

[Out] integral(b^3*x^3*arcsech(c*x)^3 + 3*a*b^2*x^3*arcsech(c*x)^2 + 3*a^2*b*x^3*arcsech(c*x) + a^3*x^3, x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 (a + b \operatorname{asech}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asech(c*x))**3,x)

[Out] Integral(x**3*(a + b*asech(c*x))**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsech(c*x))^3,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^3*x^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*acosh(1/(c*x)))^3,x)

[Out] int(x^3*(a + b*acosh(1/(c*x)))^3, x)

3.43 $\int x^2 (a + b \operatorname{sech}^{-1}(cx))^3 dx$

Optimal. Leaf size=242

$$\frac{b^2 x (a + b \operatorname{sech}^{-1}(cx))}{c^2} - \frac{bx \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{2c^2} + \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^3 - \frac{b(a + b \operatorname{sech}^{-1}(cx))^3}{c^2}$$

[Out] $-b^2 x (a + b \operatorname{arcsech}(cx)) / c^2 + 1/3 x^3 (a + b \operatorname{arcsech}(cx))^3 - b (a + b \operatorname{arcsech}(cx))^2 \arctan(1/cx + (-1 + 1/cx)^{1/2} (1 + 1/cx)^{1/2}) / c^3 + b^3 \arctan((cx + 1) / (-cx + 1) / (cx + 1))^{1/2} / c^3 + I b^2 (a + b \operatorname{arcsech}(cx)) \operatorname{polylog}(2, -I (1/cx + (-1 + 1/cx)^{1/2} (1 + 1/cx)^{1/2})) / c^3 - I b^2 (a + b \operatorname{arcsech}(cx)) \operatorname{polylog}(2, I (1/cx + (-1 + 1/cx)^{1/2} (1 + 1/cx)^{1/2})) / c^3 - I b^3 \operatorname{polylog}(3, -I (1/cx + (-1 + 1/cx)^{1/2} (1 + 1/cx)^{1/2})) / c^3 + I b^3 \operatorname{polylog}(3, I (1/cx + (-1 + 1/cx)^{1/2} (1 + 1/cx)^{1/2})) / c^3 - 1/2 b x (cx + 1) (a + b \operatorname{arcsech}(cx))^2 ((-cx + 1) / (cx + 1))^{1/2} / c^2$

Rubi [A]

time = 0.14, antiderivative size = 242, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {6420, 5559, 4271, 3855, 4265, 2611, 2320, 6724}

$$\frac{b \operatorname{ArcTan}\left(\frac{e^{a+b \operatorname{sech}^{-1}(cx)}}{a+b \operatorname{sech}^{-1}(cx)}\right)^2}{c^2} + \frac{i b^2 \operatorname{Li}_2\left(-i e^{a+b \operatorname{sech}^{-1}(cx)}\right)}{c^2} - \frac{i b^2 \operatorname{Li}_2\left(i e^{a+b \operatorname{sech}^{-1}(cx)}\right)}{c^2} - \frac{b^2 x (a + b \operatorname{sech}^{-1}(cx))}{c^2} - \frac{b x \sqrt{\frac{1-cx}{1+cx}} (cx+1) (a + b \operatorname{sech}^{-1}(cx))^2}{2c^2} + \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^3 + \frac{b^3 \operatorname{ArcTan}\left(\frac{\sqrt{\frac{1-cx}{1+cx}}}{cx+1}\right)}{c^3} - \frac{i b^2 \operatorname{Li}_2\left(-i e^{a+b \operatorname{sech}^{-1}(cx)}\right)}{c^3} + \frac{i b^2 \operatorname{Li}_2\left(i e^{a+b \operatorname{sech}^{-1}(cx)}\right)}{c^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2 (a + b \operatorname{ArcSech}[cx])^3, x]$

[Out] $-(b^2 x (a + b \operatorname{ArcSech}[cx])) / c^2 - (b x \sqrt{(1 - cx)/(1 + cx)}) (1 + cx) (a + b \operatorname{ArcSech}[cx])^2 / (2c^2) + (x^3 (a + b \operatorname{ArcSech}[cx])^3) / 3 - (b (a + b \operatorname{ArcSech}[cx])^2 \operatorname{ArcTan}[E^{\operatorname{ArcSech}[cx]}]) / c^3 + (b^3 \operatorname{ArcTan}[\sqrt{(1 - cx)/(1 + cx)}] (1 + cx) / (cx)) / c^3 + (I b^2 (a + b \operatorname{ArcSech}[cx]) \operatorname{PolyLog}[2, (-I) E^{\operatorname{ArcSech}[cx]}]) / c^3 - (I b^2 (a + b \operatorname{ArcSech}[cx]) \operatorname{PolyLog}[2, I E^{\operatorname{ArcSech}[cx]}]) / c^3 - (I b^3 \operatorname{PolyLog}[3, (-I) E^{\operatorname{ArcSech}[cx]}]) / c^3 + (I b^3 \operatorname{PolyLog}[3, I E^{\operatorname{ArcSech}[cx]}]) / c^3$

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)] [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*(f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 3855

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[-ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 4265

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*(c_.) + (d_.)*(x_
)^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(
I*k*Pi)]/(f*fz*I)), x] + (-Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1
- E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[d*(m/(f*fz*I)), Int[(c +
d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c,
d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4271

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbo
l] := Simp[(-b^2)*(c + d*x)^m*Cot[e + f*x]*((b*Csc[e + f*x])^(n - 2)/(f*(n
- 1))), x] + (Dist[b^2*d^2*m*((m - 1)/(f^2*(n - 1)*(n - 2))), Int[(c + d*x)
^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[b^2*((n - 2)/(n - 1)), Int
[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[b^2*d*m*(c + d*x)^(m -
1)*((b*Csc[e + f*x])^(n - 2)/(f^2*(n - 1)*(n - 2))), x]) /; FreeQ[{b, c, d
, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 5559

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sech[(a_.) + (b_.)*(x_)]^(n_.)*Tanh[(a_.) +
(b_.)*(x_)]^(p_.), x_Symbol] := Simp[(-c + d*x)^m*(Sech[a + b*x]^n/(b*n))
, x] + Dist[d*(m/(b*n)), Int[(c + d*x)^(m - 1)*Sech[a + b*x]^n, x], x] /; F
reeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int x^2 (a + b \operatorname{sech}^{-1}(cx))^3 dx &= -\frac{\operatorname{Subst}\left(\int (a + bx)^3 \operatorname{sech}^3(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(cx)\right)}{c^3} \\
&= \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^3 - \frac{b \operatorname{Subst}\left(\int (a + bx)^2 \operatorname{sech}^3(x) dx, x, \operatorname{sech}^{-1}(cx)\right)}{c^3} \\
&= -\frac{b^2 x (a + b \operatorname{sech}^{-1}(cx))}{c^2} - \frac{bx \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{2c^2} + \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^3 \\
&= -\frac{b^2 x (a + b \operatorname{sech}^{-1}(cx))}{c^2} - \frac{bx \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{2c^2} + \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^3 \\
&= -\frac{b^2 x (a + b \operatorname{sech}^{-1}(cx))}{c^2} - \frac{bx \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{2c^2} + \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^3 \\
&= -\frac{b^2 x (a + b \operatorname{sech}^{-1}(cx))}{c^2} - \frac{bx \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{2c^2} + \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^3 \\
&= -\frac{b^2 x (a + b \operatorname{sech}^{-1}(cx))}{c^2} - \frac{bx \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{2c^2} + \frac{1}{3} x^3 (a + b \operatorname{sech}^{-1}(cx))^3
\end{aligned}$$

Mathematica [A]

time = 0.75, size = 440, normalized size = 1.82

Integrate[(a + b*sech^-1(cx))^3*x^2, x] ==> 1/3*x^3*(a + b*sech^-1(cx))^3 - b^2*x*(a + b*sech^-1(cx))/c^2 - b*x*sqrt((1-cx)/(1+cx))*(1+cx)*(a + b*sech^-1(cx))^2/(2*c^2)

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*ArcSech[c*x])^3,x]

[Out] (2*a^3*c^3*x^3 - 3*a^2*b*c*x*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x) + 6*a^2*b*c^3*x^3*ArcSech[c*x] + (3*I)*a^2*b*Log[(-2*I)*c*x + 2*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)] - 6*a*b^2*(c*x + c*x*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*ArcSech[c*x] - c^3*x^3*ArcSech[c*x]^2 - I*ArcSech[c*x]*Log[1 - I/E^ArcSech[c*x]]) + I*ArcSech[c*x]*Log[1 + I/E^ArcSech[c*x]] - I*PolyLog[2, (-I)/E^ArcSech[c*x]] + I*PolyLog[2, I/E^ArcSech[c*x]]) - b^3*(6*c*x*ArcSech[c*x] + 3*c*x*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*ArcSech[c*x]^2 - 2*c^3*x^3*ArcSech[c*x]^3 - (3*I)*((-4*I)*ArcTan[Tanh[ArcSech[c*x]/2]] + ArcSech[c*x]^2*Log[1 - I/E^ArcSech[c*x]] - ArcSech[c*x]^2*Log[1 + I/E^ArcSech[c*x]] + 2*ArcSech[c*x]*PolyLog[2, (-I)/E^ArcSech[c*x]] - 2*ArcSech[c*x]*PolyLog[2, I/E^ArcSech[c*x]] + 2*PolyLog[3, (-I)/E^ArcSech[c*x]] - 2*PolyLog[3, I/E^ArcSech[c*x]])))/(6*c^3)

Maple [F]

time = 0.01, size = 0, normalized size = 0.00

$$\int x^2(a + b \operatorname{arcsech}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arcsech(c*x))^3,x)

[Out] int(x^2*(a+b*arcsech(c*x))^3,x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsech(c*x))^3,x, algorithm="maxima")

[Out] 1/3*a^3*x^3 + 1/2*(2*x^3*arcsech(c*x) - (sqrt(1/(c^2*x^2) - 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + arctan(sqrt(1/(c^2*x^2) - 1))/c^2)/c)*a^2*b + integrate(b^3*x^2*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))^3 + 3*a*b^2*x^2*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))^2, x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsech(c*x))^3,x, algorithm="fricas")

[Out] `integral(b^3*x^2*arcsech(c*x)^3 + 3*a*b^2*x^2*arcsech(c*x)^2 + 3*a^2*b*x^2*arcsech(c*x) + a^3*x^2, x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (a + b \operatorname{asech}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*asech(c*x))**3,x)`

[Out] `Integral(x**2*(a + b*asech(c*x))**3, x)`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))^3,x, algorithm="giac")`

[Out] `integrate((b*arcsech(c*x) + a)^3*x^2, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*acosh(1/(c*x)))^3,x)`

[Out] `int(x^2*(a + b*acosh(1/(c*x)))^3, x)`

3.44 $\int x(a + b \operatorname{sech}^{-1}(cx))^3 dx$

Optimal. Leaf size=126

$$\frac{3b(a + b \operatorname{sech}^{-1}(cx))^2}{2c^2} - \frac{3b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{2c^2} + \frac{1}{2} x^2 (a + b \operatorname{sech}^{-1}(cx))^3 + \frac{3b^2 (a + b \operatorname{sech}^{-1}(cx))}{2c^2}$$

[Out] $-3/2*b*(a+b*\operatorname{arcsech}(c*x))^2/c^2+1/2*x^2*(a+b*\operatorname{arcsech}(c*x))^3+3*b^2*(a+b*\operatorname{arcsech}(c*x))*\ln(1+(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2}))^2)/c^2+3/2*b^3*\operatorname{polylog}(2,-(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2}))^2)/c^2-3/2*b*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))^2*((-c*x+1)/(c*x+1))^{(1/2)}/c^2$

Rubi [A]

time = 0.11, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {6420, 5559, 4269, 3799, 2221, 2317, 2438}

$$\frac{3b^2 \log(e^{2\operatorname{sech}^{-1}(cx)} + 1) (a + b \operatorname{sech}^{-1}(cx))}{c^2} - \frac{3b \sqrt{\frac{1-cx}{cx+1}} (cx+1) (a + b \operatorname{sech}^{-1}(cx))^2}{2c^2} - \frac{3b(a + b \operatorname{sech}^{-1}(cx))^2}{2c^2} + \frac{1}{2} x^2 (a + b \operatorname{sech}^{-1}(cx))^3 + \frac{3b^3 \operatorname{Li}_2(-e^{2\operatorname{sech}^{-1}(cx)})}{2c^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*(a + b*\operatorname{ArcSech}[c*x])^3, x]$

[Out] $(-3*b*(a + b*\operatorname{ArcSech}[c*x])^2)/(2*c^2) - (3*b*\operatorname{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(a + b*\operatorname{ArcSech}[c*x])^2)/(2*c^2) + (x^2*(a + b*\operatorname{ArcSech}[c*x])^3)/2 + (3*b^2*(a + b*\operatorname{ArcSech}[c*x])*Log[1 + E^(2*\operatorname{ArcSech}[c*x])])/c^2 + (3*b^3*\operatorname{PolyLog}[2, -E^(2*\operatorname{ArcSech}[c*x])])/ (2*c^2)$

Rule 2221

$\operatorname{Int}[(((F_)^((g_)*(e_) + (f_)*(x_)))^((n_)*((c_) + (d_)*(x_)))^((m_)))/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^((n_))), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^m/(b*f*g*n*Log[F])*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - \operatorname{Dist}[d*(m/(b*f*g*n*Log[F])), \operatorname{Int}[(c + d*x)^(m-1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \operatorname{IGtQ}[m, 0]$

Rule 2317

$\operatorname{Int}[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^((n_))], x_Symbol] \rightarrow \operatorname{Dist}[1/(d*e*n*Log[F]), \operatorname{Subst}[\operatorname{Int}[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \operatorname{GtQ}[a, 0]$

Rule 2438

$\operatorname{Int}[Log[(c_)*((d_) + (e_)*(x_)^((n_)))]/(x_), x_Symbol] \rightarrow \operatorname{Simp}[-\operatorname{PolyLog}[2, (-c)*e*x^n]/n, x] /; \operatorname{FreeQ}\{c, d, e, n\}, x] \&\& \operatorname{EqQ}[c*d, 1]$

Rule 3799

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (Complex[0, fz_])*(f_.)*(x_)], x
_Symbol] := Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c + d*x)^m*(E^(2*((-I)*e + f*fz*x)))/(1 + E^(2*((-I)*e + f*fz*x)))], x], x]
/; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]
```

Rule 4269

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp
[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*
Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 5559

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sech[(a_.) + (b_.)*(x_)]^(n_.)*Tanh[(a_.) +
(b_.)*(x_)]^(p_.), x_Symbol] := Simp[(-(c + d*x)^m)*(Sech[a + b*x]^n/(b*n))
, x] + Dist[d*(m/(b*n)), Int[(c + d*x)^(m - 1)*Sech[a + b*x]^n, x], x] /; F
reeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^m, x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int x(a + b\operatorname{sech}^{-1}(cx))^3 dx &= -\frac{\operatorname{Subst}\left(\int (a + bx)^3 \operatorname{sech}^2(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(cx)\right)}{c^2} \\
&= \frac{1}{2}x^2(a + b\operatorname{sech}^{-1}(cx))^3 - \frac{(3b)\operatorname{Subst}\left(\int (a + bx)^2 \operatorname{sech}^2(x) dx, x, \operatorname{sech}^{-1}(cx)\right)}{2c^2} \\
&= -\frac{3b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(a + b\operatorname{sech}^{-1}(cx))^2}{2c^2} + \frac{1}{2}x^2(a + b\operatorname{sech}^{-1}(cx))^3 + \frac{(3b^2)\operatorname{Subst}\left(\int (a + bx) \operatorname{sech}^2(x) dx, x, \operatorname{sech}^{-1}(cx)\right)}{2c^2} \\
&= -\frac{3b(a + b\operatorname{sech}^{-1}(cx))^2}{2c^2} - \frac{3b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(a + b\operatorname{sech}^{-1}(cx))^2}{2c^2} + \frac{1}{2}x^2(a + b\operatorname{sech}^{-1}(cx))^3 \\
&= -\frac{3b(a + b\operatorname{sech}^{-1}(cx))^2}{2c^2} - \frac{3b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(a + b\operatorname{sech}^{-1}(cx))^2}{2c^2} + \frac{1}{2}x^2(a + b\operatorname{sech}^{-1}(cx))^3 \\
&= -\frac{3b(a + b\operatorname{sech}^{-1}(cx))^2}{2c^2} - \frac{3b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(a + b\operatorname{sech}^{-1}(cx))^2}{2c^2} + \frac{1}{2}x^2(a + b\operatorname{sech}^{-1}(cx))^3 \\
&= -\frac{3b(a + b\operatorname{sech}^{-1}(cx))^2}{2c^2} - \frac{3b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(a + b\operatorname{sech}^{-1}(cx))^2}{2c^2} + \frac{1}{2}x^2(a + b\operatorname{sech}^{-1}(cx))^3
\end{aligned}$$

Mathematica [A]

time = 0.61, size = 219, normalized size = 1.74

$$\frac{-3b^2\left(-ac^2x^2 + b\left(-1 + \sqrt{\frac{1-cx}{1+cx}} + cx\sqrt{\frac{1-cx}{1+cx}}\right)\operatorname{sech}^{-1}(cx)^2 + b^2c^2x^2\operatorname{sech}^{-1}(cx)^3 + 3b\operatorname{sech}^{-1}(cx)\left(a\left(ac^2x^2 - 2b\sqrt{\frac{1-cx}{1+cx}}(1+cx)\right) + 2b^2\log\left(1 + e^{-2\operatorname{sech}^{-1}(cx)}\right)\right) + a\left(a\left(ac^2x^2 - 3b\sqrt{\frac{1-cx}{1+cx}}(1+cx)\right) + 6b^2\log\left(\frac{x}{c}\right) - 3b^2\operatorname{PolyLog}\left(2, -e^{-2\operatorname{sech}^{-1}(cx)}\right)\right)}{2c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*ArcSech[c*x])^3,x]

[Out] $(-3*b^2*(-(a*c^2*x^2) + b*(-1 + \operatorname{Sqrt}[(1 - c*x)/(1 + c*x)]) + c*x*\operatorname{Sqrt}[(1 - c*x)/(1 + c*x]))*ArcSech[c*x]^2 + b^3*c^2*x^2*ArcSech[c*x]^3 + 3*b*ArcSech[c*x]*(a*(a*c^2*x^2 - 2*b*\operatorname{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x)) + 2*b^2*\operatorname{Log}[1 + E^{(-2*ArcSech[c*x])}]) + a*(a*(a*c^2*x^2 - 3*b*\operatorname{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x)) + 6*b^2*\operatorname{Log}[1/(c*x)]) - 3*b^3*\operatorname{PolyLog}[2, -E^{(-2*ArcSech[c*x])}])/(2*c^2)$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 336 vs. 2(166) = 332.

time = 0.50, size = 337, normalized size = 2.67

method	result
--------	--------

derivativedivides	$\frac{c^2 x^2 a^3}{2} + \frac{b^3 \operatorname{arcsech}(cx)^3 c^2 x^2}{2} - \frac{3b^3 \operatorname{arcsech}(cx)^2 \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{2} - \frac{3b^3 \operatorname{arcsech}(cx)^2}{2} + 3b^3 \operatorname{arcsech}(cx) \ln \left(1 + \left(\frac{1}{cx} + \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \right) \right)$
default	$\frac{c^2 x^2 a^3}{2} + \frac{b^3 \operatorname{arcsech}(cx)^3 c^2 x^2}{2} - \frac{3b^3 \operatorname{arcsech}(cx)^2 \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{2} - \frac{3b^3 \operatorname{arcsech}(cx)^2}{2} + 3b^3 \operatorname{arcsech}(cx) \ln \left(1 + \left(\frac{1}{cx} + \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \right) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsech(c*x))^3,x,method=_RETURNVERBOSE)`

[Out] $1/c^2*(1/2*c^2*x^2*a^3+1/2*b^3*\operatorname{arcsech}(c*x)^3*c^2*x^2-3/2*b^3*\operatorname{arcsech}(c*x)^2*(-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)}*c*x-3/2*b^3*\operatorname{arcsech}(c*x)^2+3*b^3*\operatorname{arcsech}(c*x)*\ln(1+(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2}))^2)+3/2*b^3*\operatorname{polylog}(2,-(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2}))^2)-3*a*b^2*\operatorname{arcsech}(c*x)+3/2*a*b^2*\operatorname{arcsech}(c*x)^2*c^2*x^2-3*a*b^2*\operatorname{arcsech}(c*x)*(-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)}*c*x+3*a*b^2*\ln(1+(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2}))^2)+3*a^2*b*(1/2*\operatorname{arcsech}(c*x)*c^2*x^2-1/2*(-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)}*c*x))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsech(c*x))^3,x, algorithm="maxima")`

[Out] $3/2*a*b^2*x^2*\operatorname{arcsech}(c*x)^2 + 1/2*a^3*x^2 + 3/2*(x^2*\operatorname{arcsech}(c*x) - x*\sqrt{(1/(c^2*x^2) - 1)/c})*a^2*b - 3*(x*\sqrt{(1/(c^2*x^2) - 1)}*\operatorname{arcsech}(c*x)/c + \log(x)/c^2)*a*b^2 + b^3*\operatorname{integrate}(x*\log(\sqrt{(1/(c*x) + 1)}*\sqrt{(1/(c*x) - 1)} + 1/(c*x))^3, x)$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsech(c*x))^3,x, algorithm="fricas")`

[Out] $\operatorname{integral}(b^3*x*\operatorname{arcsech}(c*x)^3 + 3*a*b^2*x*\operatorname{arcsech}(c*x)^2 + 3*a^2*b*x*\operatorname{arcsech}(c*x) + a^3*x, x)$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x(a + b \operatorname{asech}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asech(c*x))**3,x)

[Out] Integral(x*(a + b*asech(c*x))**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x))^3,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^3*x, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x \left(a + b \operatorname{acosh} \left(\frac{1}{cx} \right) \right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*acosh(1/(c*x)))^3,x)

[Out] int(x*(a + b*acosh(1/(c*x)))^3, x)

3.45 $\int (a + b \operatorname{sech}^{-1}(cx))^3 dx$

Optimal. Leaf size=140

$$x(a + b \operatorname{sech}^{-1}(cx))^3 - \frac{6b(a + b \operatorname{sech}^{-1}(cx))^2 \operatorname{ArcTan}(e^{\operatorname{sech}^{-1}(cx)})}{c} + \frac{6ib^2(a + b \operatorname{sech}^{-1}(cx)) \operatorname{PolyLog}(2, -ie^{\operatorname{sech}^{-1}(cx)})}{c}$$

```
[Out] x*(a+b*arcsech(c*x))^3-6*b*(a+b*arcsech(c*x))^2*arctan(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/c+6*I*b^2*(a+b*arcsech(c*x))*polylog(2,-I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)))/c-6*I*b^2*(a+b*arcsech(c*x))*polylog(2,I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)))/c-6*I*b^3*polylog(3,-I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)))/c+6*I*b^3*polylog(3,I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)))/c
```

Rubi [A]

time = 0.09, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {6414, 5559, 4265, 2611, 2320, 6724}

$$-\frac{6b \operatorname{ArcTan}(e^{\operatorname{sech}^{-1}(cx)}) (a + b \operatorname{sech}^{-1}(cx))^2}{c} + \frac{6ib^2 \operatorname{Li}_2(-ie^{\operatorname{sech}^{-1}(cx)}) (a + b \operatorname{sech}^{-1}(cx))}{c} - \frac{6ib^2 \operatorname{Li}_2(ie^{\operatorname{sech}^{-1}(cx)}) (a + b \operatorname{sech}^{-1}(cx))}{c} + x(a + b \operatorname{sech}^{-1}(cx))^3 - \frac{6ib^3 \operatorname{Li}_3(-ie^{\operatorname{sech}^{-1}(cx)})}{c} + \frac{6ib^3 \operatorname{Li}_3(ie^{\operatorname{sech}^{-1}(cx)})}{c}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])^3,x]

```
[Out] x*(a + b*ArcSech[c*x])^3 - (6*b*(a + b*ArcSech[c*x])^2*ArcTan[E^ArcSech[c*x]])/c + ((6*I)*b^2*(a + b*ArcSech[c*x])*PolyLog[2, (-I)*E^ArcSech[c*x]])/c - ((6*I)*b^2*(a + b*ArcSech[c*x])*PolyLog[2, I*E^ArcSech[c*x]])/c - ((6*I)*b^3*PolyLog[3, (-I)*E^ArcSech[c*x]])/c + ((6*I)*b^3*PolyLog[3, I*E^ArcSech[c*x]])/c
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m-1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 4265

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 5559

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sech[(a_.) + (b_.)*(x_)]^(n_.)*Tanh[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] := Simp[(-c + d*x)^m*(Sech[a + b*x]^n/(b^n)), x] + Dist[d*(m/(b^n)), Int[(c + d*x)^(m - 1)*Sech[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 6414

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[-c^(-1), Subst[Int[(a + b*x)^n*Sech[x]*Tanh[x], x], x, ArcSech[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[n, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int (a + b \operatorname{sech}^{-1}(cx))^3 dx &= -\frac{\operatorname{Subst}\left(\int (a + bx)^3 \operatorname{sech}(x) \tanh(x) dx, x, \operatorname{sech}^{-1}(cx)\right)}{c} \\ &= x(a + b \operatorname{sech}^{-1}(cx))^3 - \frac{(3b) \operatorname{Subst}\left(\int (a + bx)^2 \operatorname{sech}(x) dx, x, \operatorname{sech}^{-1}(cx)\right)}{c} \\ &= x(a + b \operatorname{sech}^{-1}(cx))^3 - \frac{6b(a + b \operatorname{sech}^{-1}(cx))^2 \tan^{-1}\left(e^{\operatorname{sech}^{-1}(cx)}\right)}{c} + \frac{(6ib^2) \operatorname{Subst}\left(\int (a + bx) \operatorname{sech}(x) dx, x, \operatorname{sech}^{-1}(cx)\right)}{c} \\ &= x(a + b \operatorname{sech}^{-1}(cx))^3 - \frac{6b(a + b \operatorname{sech}^{-1}(cx))^2 \tan^{-1}\left(e^{\operatorname{sech}^{-1}(cx)}\right)}{c} + \frac{6ib^2(a + b \operatorname{sech}^{-1}(cx))}{c} \\ &= x(a + b \operatorname{sech}^{-1}(cx))^3 - \frac{6b(a + b \operatorname{sech}^{-1}(cx))^2 \tan^{-1}\left(e^{\operatorname{sech}^{-1}(cx)}\right)}{c} + \frac{6ib^2(a + b \operatorname{sech}^{-1}(cx))}{c} \\ &= x(a + b \operatorname{sech}^{-1}(cx))^3 - \frac{6b(a + b \operatorname{sech}^{-1}(cx))^2 \tan^{-1}\left(e^{\operatorname{sech}^{-1}(cx)}\right)}{c} + \frac{6ib^2(a + b \operatorname{sech}^{-1}(cx))}{c} \end{aligned}$$

Mathematica [B] Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 282 vs. $2(140) = 280$.
time = 0.28, size = 282, normalized size = 2.01

$$a^3 + 3b^2 \operatorname{arcsch}^3(cx) - \frac{3a^2 \operatorname{arctan}\left(\frac{cx}{\sqrt{1-c^2x^2}}\right)}{c} + \frac{3ab^2 \left(\operatorname{sech}^3(cx) - c \operatorname{arcsch}^3(cx) + 2 \log(1 - c^2x^2) - 2 \log(1 + c^2x^2) + 2 \operatorname{PolyLog}(2, -cx^2) - 2 \operatorname{PolyLog}(2, cx^2)\right)}{c} + \frac{b^3 \left(\operatorname{arcsch}^3(cx) - 3(\operatorname{arcsch}^2(cx) \log(1 - c^2x^2) - \log(1 + c^2x^2)) - 2 \operatorname{sech}^2(cx) \left(\operatorname{PolyLog}(2, -cx^2) - \operatorname{PolyLog}(2, cx^2)\right) - 2 \left(\operatorname{PolyLog}(3, -cx^2) - \operatorname{PolyLog}(3, cx^2)\right)\right)}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])^3,x]

[Out] $a^3x + 3a^2b^2x \operatorname{ArcSech}[cx] - (3a^2b \operatorname{ArcTan}[(cx)\sqrt{(1-cx)/(1+cx)}])/(-1+cx)]/c + ((3I)a^2b^2(\operatorname{ArcSech}[cx] * ((-I)cx \operatorname{ArcSech}[cx] + 2 \operatorname{Log}[1 - I/E^{\operatorname{ArcSech}[cx]}] - 2 \operatorname{Log}[1 + I/E^{\operatorname{ArcSech}[cx]}]) + 2 \operatorname{PolyLog}[2, (-I)/E^{\operatorname{ArcSech}[cx]}] - 2 \operatorname{PolyLog}[2, I/E^{\operatorname{ArcSech}[cx]}])))/c + (b^3(c^2x \operatorname{ArcSech}[cx]^3 - (3I)(-\operatorname{ArcSech}[cx]^2(\operatorname{Log}[1 - I/E^{\operatorname{ArcSech}[cx]}] - \operatorname{Log}[1 + I/E^{\operatorname{ArcSech}[cx]}])) - 2 \operatorname{ArcSech}[cx](\operatorname{PolyLog}[2, (-I)/E^{\operatorname{ArcSech}[cx]}] - \operatorname{PolyLog}[2, I/E^{\operatorname{ArcSech}[cx]}]) - 2(\operatorname{PolyLog}[3, (-I)/E^{\operatorname{ArcSech}[cx]}] - \operatorname{PolyLog}[3, I/E^{\operatorname{ArcSech}[cx]}])))/c$

Maple [F]

time = 0.01, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{arcsech}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))^3,x)

[Out] int((a+b*arcsech(c*x))^3,x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^3,x, algorithm="maxima")

[Out] $b^3x \log(\sqrt{cx+1} \sqrt{-cx+1} + 1)^3 + a^3x + 3(c^2x \operatorname{arcsech}(cx) - \operatorname{arctan}(\sqrt{1/(c^2x^2) - 1}))a^2b/c - \int (b^3 \log(c)^3 - 3a^2b^2 \log(c)^2 - (b^3c^2x^2 - b^3) \log(x)^3 - (b^3c^2 \log(c)^3 - 3a^2b^2c^2 \log(c)^2)x^2 + 3(b^3 \log(c) - a^2b^2 - (b^3c^2 \log(c) - a^2b^2c^2)x^2 + (b^3 \log(c) - a^2b^2 - (b^3c^2(\log(c) + 1) - a^2b^2c^2)x^2 - (b^3c^2x^2 - b^3) \log(x)) \sqrt{cx+1} \sqrt{-cx+1} - (b^3c^2x^2 - b^3) \log(x)) \log(\sqrt{cx+1} \sqrt{-cx+1} + 1)^2 + 3(b^3 \log(c) - a^2b^2 - (b^3c^2 \log(c) - a^2b^2c^2)x^2) \log(x)^2 + (b^3 \log(c)^3 - 3a^2b^2 \log(c)^2 - ($

$$b^3c^2x^2 - b^3) \log(x)^3 - (b^3c^2 \log(c)^3 - 3ab^2c^2 \log(c)^2)x^2 + 3(b^3 \log(c) - ab^2 - (b^3c^2 \log(c) - ab^2c^2)x^2) \log(x)^2 + 3(b^3 \log(c)^2 - 2ab^2 \log(c) - (b^3c^2 \log(c)^2 - 2ab^2c^2 \log(c))x^2) \log(x) \sqrt{cx+1} \sqrt{-cx+1} - 3(b^3 \log(c)^2 - 2ab^2 \log(c) - (b^3c^2 \log(c)^2 - 2ab^2c^2 \log(c))x^2 - (b^3c^2x^2 - b^3) \log(x)^2 + (b^3 \log(c)^2 - 2ab^2 \log(c) - (b^3c^2 \log(c)^2 - 2ab^2c^2 \log(c))x^2 - (b^3c^2x^2 - b^3) \log(x)^2 + 2(b^3 \log(c) - ab^2 - (b^3c^2 \log(c) - ab^2c^2)x^2) \log(x)) \sqrt{cx+1} \sqrt{-cx+1} + 2(b^3 \log(c) - ab^2 - (b^3c^2 \log(c) - ab^2c^2)x^2) \log(x) \log(\sqrt{cx+1} \sqrt{-cx+1} + 1) + 3(b^3 \log(c)^2 - 2ab^2 \log(c) - (b^3c^2 \log(c)^2 - 2ab^2c^2 \log(c))x^2) \log(x)) / (c^2x^2 + (c^2x^2 - 1) \sqrt{cx+1} \sqrt{-cx+1} - 1), x)$$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^3,x, algorithm="fricas")

[Out] integral(b^3*arcsech(c*x)^3 + 3*a*b^2*arcsech(c*x)^2 + 3*a^2*b*arcsech(c*x) + a^3, x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asech}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))**3,x)

[Out] Integral((a + b*asech(c*x))**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^3,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \left(a + b \operatorname{acosh} \left(\frac{1}{c x} \right) \right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))^3,x)

[Out] int((a + b*acosh(1/(c*x)))^3, x)

$$3.46 \quad \int \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{x} dx$$

Optimal. Leaf size=114

$$\frac{(a + b \operatorname{sech}^{-1}(cx))^4}{4b} - (a + b \operatorname{sech}^{-1}(cx))^3 \log(1 + e^{2 \operatorname{sech}^{-1}(cx)}) - \frac{3}{2} b (a + b \operatorname{sech}^{-1}(cx))^2 \operatorname{PolyLog}(2, -e^{2 \operatorname{sech}^{-1}(cx)})$$

[Out] 1/4*(a+b*arcsech(c*x))^4/b-(a+b*arcsech(c*x))^3*ln(1+(1/c/x+(-1+1/c/x)^(1/2))*(1+1/c/x)^(1/2))^2)-3/2*b*(a+b*arcsech(c*x))^2*polylog(2,-(1/c/x+(-1+1/c/x)^(1/2))*(1+1/c/x)^(1/2))^2)+3/2*b^2*(a+b*arcsech(c*x))*polylog(3,-(1/c/x+(-1+1/c/x)^(1/2))*(1+1/c/x)^(1/2))^2)-3/4*b^3*polylog(4,-(1/c/x+(-1+1/c/x)^(1/2))*(1+1/c/x)^(1/2))^2)

Rubi [A]

time = 0.11, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6420, 3799, 2221, 2611, 6744, 2320, 6724}

$$\frac{3}{2} b^2 \operatorname{Li}_3(-e^{2 \operatorname{sech}^{-1}(cx)}) (a + b \operatorname{sech}^{-1}(cx)) - \frac{3}{2} b \operatorname{Li}_2(-e^{2 \operatorname{sech}^{-1}(cx)}) (a + b \operatorname{sech}^{-1}(cx))^2 + \frac{(a + b \operatorname{sech}^{-1}(cx))^4}{4b} - \log(e^{2 \operatorname{sech}^{-1}(cx)} + 1) (a + b \operatorname{sech}^{-1}(cx))^3 - \frac{3}{4} b^3 \operatorname{Li}_4(-e^{2 \operatorname{sech}^{-1}(cx)})$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])^3/x,x]

[Out] (a + b*ArcSech[c*x])^4/(4*b) - (a + b*ArcSech[c*x])^3*Log[1 + E^(2*ArcSech[c*x])] - (3*b*(a + b*ArcSech[c*x])^2*PolyLog[2, -E^(2*ArcSech[c*x])])/2 + (3*b^2*(a + b*ArcSech[c*x])*PolyLog[3, -E^(2*ArcSech[c*x])])/2 - (3*b^3*PolyLog[4, -E^(2*ArcSech[c*x])])/4

Rule 2221

Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[(((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2320

Int[u, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 3799

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (Complex[0, fz_])*(f_.)*(x_)], x
_Symbol] := Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c
+ d*x)^m*(E^(2*((-I)*e + f*fz*x)))/(1 + E^(2*((-I)*e + f*fz*x))), x], x]
/; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_))^(m_.), x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6744

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*(a_.) + (b_.)
*(x_)))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{x} dx &= -\operatorname{Subst}\left(\int (a + bx)^3 \tanh(x) dx, x, \operatorname{sech}^{-1}(cx)\right) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^4}{4b} - 2\operatorname{Subst}\left(\int \frac{e^{2x}(a + bx)^3}{1 + e^{2x}} dx, x, \operatorname{sech}^{-1}(cx)\right) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^4}{4b} - (a + b \operatorname{sech}^{-1}(cx))^3 \log\left(1 + e^{2 \operatorname{sech}^{-1}(cx)}\right) + (3b)\operatorname{Subst}\left(\int \right) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^4}{4b} - (a + b \operatorname{sech}^{-1}(cx))^3 \log\left(1 + e^{2 \operatorname{sech}^{-1}(cx)}\right) - \frac{3}{2}b(a + b \operatorname{sech}^{-1}(cx)) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^4}{4b} - (a + b \operatorname{sech}^{-1}(cx))^3 \log\left(1 + e^{2 \operatorname{sech}^{-1}(cx)}\right) - \frac{3}{2}b(a + b \operatorname{sech}^{-1}(cx)) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^4}{4b} - (a + b \operatorname{sech}^{-1}(cx))^3 \log\left(1 + e^{2 \operatorname{sech}^{-1}(cx)}\right) - \frac{3}{2}b(a + b \operatorname{sech}^{-1}(cx)) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^4}{4b} - (a + b \operatorname{sech}^{-1}(cx))^3 \log\left(1 + e^{2 \operatorname{sech}^{-1}(cx)}\right) - \frac{3}{2}b(a + b \operatorname{sech}^{-1}(cx)) \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^4}{4b} - (a + b \operatorname{sech}^{-1}(cx))^3 \log\left(1 + e^{2 \operatorname{sech}^{-1}(cx)}\right) - \frac{3}{2}b(a + b \operatorname{sech}^{-1}(cx))
\end{aligned}$$

Mathematica [A]

time = 0.15, size = 182, normalized size = 1.60

$$\frac{1}{4}(-6a^2b \operatorname{sech}^{-1}(cx)^2 - 4ab^2 \operatorname{sech}^{-1}(cx)^2 - b^3 \operatorname{sech}^{-1}(cx)^4 - 12a^2b \operatorname{sech}^{-1}(cx) \log(1 + e^{-2 \operatorname{sech}^{-1}(cx)}) - 12ab^2 \operatorname{sech}^{-1}(cx)^2 \log(1 + e^{-2 \operatorname{sech}^{-1}(cx)}) - 4b^3 \operatorname{sech}^{-1}(cx)^3 \log(1 + e^{-2 \operatorname{sech}^{-1}(cx)}) + 4a^2 \log(cx) + 6b(a + b \operatorname{sech}^{-1}(cx))^2 \operatorname{PolyLog}(2, -e^{-2 \operatorname{sech}^{-1}(cx)}) + 6b^2(a + b \operatorname{sech}^{-1}(cx)) \operatorname{PolyLog}(3, -e^{-2 \operatorname{sech}^{-1}(cx)}) + 3b^3 \operatorname{PolyLog}(4, -e^{-2 \operatorname{sech}^{-1}(cx)}))$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])^3/x,x]

[Out] $(-6*a^2*b*ArcSech[c*x]^2 - 4*a*b^2*ArcSech[c*x]^3 - b^3*ArcSech[c*x]^4 - 12*a^2*b*ArcSech[c*x]*Log[1 + E^(-2*ArcSech[c*x])] - 12*a*b^2*ArcSech[c*x]^2*Log[1 + E^(-2*ArcSech[c*x])] - 4*b^3*ArcSech[c*x]^3*Log[1 + E^(-2*ArcSech[c*x])]) + 4*a^3*Log[c*x] + 6*b*(a + b*ArcSech[c*x])^2*PolyLog[2, -E^(-2*ArcSech[c*x])] + 6*b^2*(a + b*ArcSech[c*x])*PolyLog[3, -E^(-2*ArcSech[c*x])] + 3*b^3*PolyLog[4, -E^(-2*ArcSech[c*x])])/4$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 453 vs. 2(206) = 412.

time = 0.23, size = 454, normalized size = 3.98

method	result
derivativedivides	$a^3 \ln(cx) + \frac{b^3 \operatorname{arcsech}(cx)^4}{4} - b^3 \operatorname{arcsech}(cx)^3 \ln\left(1 + \left(\frac{1}{cx} + \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}\right)^2\right) - \dots$

default	$a^3 \ln(cx) + \frac{b^3 \operatorname{arcsech}(cx)^4}{4} - b^3 \operatorname{arcsech}(cx)^3 \ln \left(1 + \left(\frac{1}{cx} + \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} \right)^2 \right) - \dots$
---------	---

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))^3/x,x,method=_RETURNVERBOSE)`

[Out] $a^3 \ln(cx) + \frac{1}{4} b^3 \operatorname{arcsech}(cx)^4 - b^3 \operatorname{arcsech}(cx)^3 \ln \left(1 + \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2} \right)^2 \right) - \frac{3}{2} b^3 \operatorname{arcsech}(cx)^2 \operatorname{polylog} \left(2, -\left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2} \right)^2 \right) + \frac{3}{2} b^3 \operatorname{arcsech}(cx) \operatorname{polylog} \left(3, -\left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2} \right)^2 \right) - \frac{3}{4} b^3 \operatorname{polylog} \left(4, -\left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2} \right)^2 \right) + a b^2 \operatorname{arcsech}(cx)^3 - 3 a b^2 \operatorname{arcsech}(cx)^2 \ln \left(1 + \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2} \right)^2 \right) - 3 a b^2 \operatorname{arcsech}(cx) \operatorname{polylog} \left(2, -\left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2} \right)^2 \right) + \frac{3}{2} a b^2 \operatorname{polylog} \left(3, -\left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2} \right)^2 \right) + \frac{3}{2} a^2 b \operatorname{arcsech}(cx)^2 - 3 a^2 b \operatorname{arcsech}(cx) \ln \left(1 + \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2} \right)^2 \right) - \frac{3}{2} a^2 b \operatorname{polylog} \left(2, -\left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2} \right)^2 \right)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))^3/x,x, algorithm="maxima")`

[Out] $a^3 \log(x) + \int (b^3 \log(\sqrt{1/(c*x)} + 1) \sqrt{1/(c*x)} - 1) + 1/(c*x))^3/x + 3 a b^2 \log(\sqrt{1/(c*x)} + 1) \sqrt{1/(c*x)} - 1 + 1/(c*x))^2/x + 3 a^2 b \log(\sqrt{1/(c*x)} + 1) \sqrt{1/(c*x)} - 1 + 1/(c*x))/x, x)$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))^3/x,x, algorithm="fricas")`

[Out] $\int (b^3 \operatorname{arcsech}(cx)^3 + 3 a b^2 \operatorname{arcsech}(cx)^2 + 3 a^2 b \operatorname{arcsech}(cx) + a^3)/x, x)$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))**3/x,x)

[Out] Integral((a + b*asech(c*x))**3/x, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^3/x,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^3/x, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{acosh}(\frac{1}{cx}))^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))^3/x,x)

[Out] int((a + b*acosh(1/(c*x)))^3/x, x)

$$3.47 \quad \int \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{x^2} dx$$

Optimal. Leaf size=102

$$\frac{6b^3 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{x} - \frac{6b^2 (a + b \operatorname{sech}^{-1}(cx))}{x} + \frac{3b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{x} - \frac{(a + b \operatorname{sech}^{-1}(cx))}{x}$$

[Out] $-6*b^2*(a+b*\operatorname{arcsech}(c*x))/x-(a+b*\operatorname{arcsech}(c*x))^3/x+6*b^3*(c*x+1)*((-c*x+1)/(c*x+1))^{(1/2)}/x+3*b*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))^2*(-c*x+1)/(c*x+1))^{(1/2)}/x$

Rubi [A]

time = 0.07, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {6420, 3377, 2717}

$$-\frac{6b^2 (a + b \operatorname{sech}^{-1}(cx))}{x} + \frac{3b \sqrt{\frac{1-cx}{cx+1}} (cx+1) (a + b \operatorname{sech}^{-1}(cx))^2}{x} - \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{x} + \frac{6b^3 \sqrt{\frac{1-cx}{cx+1}} (cx+1)}{x}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])^3/x^2,x]

[Out] $(6*b^3*\sqrt{(1-c*x)/(1+c*x)}*(1+c*x))/x - (6*b^2*(a + b*\operatorname{ArcSech}[c*x])/x + (3*b*\sqrt{(1-c*x)/(1+c*x)}*(1+c*x)*(a + b*\operatorname{ArcSech}[c*x])^2)/x - (a + b*\operatorname{ArcSech}[c*x])^3/x$

Rule 2717

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3377

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[(-(c + d*x)^m)*(Cos[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m-1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 6420

Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Dist[-(c^(m+1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m+1)*Tanh[x], x], x, ArcSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{x^2} dx &= -\left(c \operatorname{Subst} \left(\int (a + bx)^3 \sinh(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= -\frac{(a + b \operatorname{sech}^{-1}(cx))^3}{x} + (3bc) \operatorname{Subst} \left(\int (a + bx)^2 \cosh(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \\
&= \frac{3b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{x} - \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{x} - (6b^2c) \operatorname{Subst} \\
&= -\frac{6b^2(a + b \operatorname{sech}^{-1}(cx))}{x} + \frac{3b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{x} - \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{x} \\
&= \frac{6b^3 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{x} - \frac{6b^2(a + b \operatorname{sech}^{-1}(cx))}{x} + \frac{3b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{x}
\end{aligned}$$

Mathematica [A]

time = 0.22, size = 165, normalized size = 1.62

$$\frac{a^3 + 6ab^2 - 3a^2b \sqrt{\frac{1-cx}{1+cx}} (1+cx) - 6b^3 \sqrt{\frac{1-cx}{1+cx}} (1+cx) + 3b \left(a^2 + 2b^2 - 2ab \sqrt{\frac{1-cx}{1+cx}} (1+cx) \right) \operatorname{sech}^{-1}(cx) - 3b^2 \left(-a + b \sqrt{\frac{1-cx}{1+cx}} (1+cx) \right) \operatorname{sech}^{-1}(cx)^2 + b^3 \operatorname{sech}^{-1}(cx)^3}{x}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSech[c*x])^3/x^2,x]`

```
[Out] -((a^3 + 6*a*b^2 - 3*a^2*b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x) - 6*b^3*Sqrt
[(1 - c*x)/(1 + c*x)]*(1 + c*x) + 3*b*(a^2 + 2*b^2 - 2*a*b*Sqrt[(1 - c*x)/(
1 + c*x)]*(1 + c*x))*ArcSech[c*x] - 3*b^2*(-a + b*Sqrt[(1 - c*x)/(1 + c*x)]
*(1 + c*x))*ArcSech[c*x]^2 + b^3*ArcSech[c*x]^3)/x)
```

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 226 vs. 2(98) = 196.

time = 0.26, size = 227, normalized size = 2.23

method	result
derivativedivides	$c \left(-\frac{a^3}{cx} + b^3 \left(-\frac{\operatorname{arcsech}(cx)^3}{cx} + 3 \operatorname{arcsech}(cx)^2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} - \frac{6 \operatorname{arcsech}(cx)}{cx} + 6 \sqrt{-\frac{cx-1}{cx}} \right) \right)$
default	$c \left(-\frac{a^3}{cx} + b^3 \left(-\frac{\operatorname{arcsech}(cx)^3}{cx} + 3 \operatorname{arcsech}(cx)^2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} - \frac{6 \operatorname{arcsech}(cx)}{cx} + 6 \sqrt{-\frac{cx-1}{cx}} \right) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))^3/x^2,x,method=_RETURNVERBOSE)

[Out] $c*(-a^3/c/x+b^3*(-\operatorname{arcsech}(c*x))^3/c/x+3*\operatorname{arcsech}(c*x)^2*(-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)}-6/c/x*\operatorname{arcsech}(c*x)+6*(-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)})+3*a*b^2*(-\operatorname{arcsech}(c*x))^2/c/x+2*\operatorname{arcsech}(c*x)*(-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)}-2/c/x+3*a^2*b*(-1/c/x*\operatorname{arcsech}(c*x)+(-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)})$

Maxima [A]

time = 0.28, size = 144, normalized size = 1.41

$$-\frac{b^3 \operatorname{arsh}(cx)^3}{x} + 3 \left(c \sqrt{\frac{1}{c^2 x^2} - 1} - \frac{\operatorname{arsh}(cx)}{x} \right) a^2 b + 6 \left(c \sqrt{\frac{1}{c^2 x^2} - 1} \operatorname{arsh}(cx) - \frac{1}{x} \right) ab^2 + 3 \left(c \sqrt{\frac{1}{c^2 x^2} - 1} \operatorname{arsh}(cx)^2 + 2c \sqrt{\frac{1}{c^2 x^2} - 1} - \frac{2 \operatorname{arsh}(cx)}{x} \right) b^3 - \frac{3ab^2 \operatorname{arsh}(cx)^2}{x} - \frac{a^3}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^3/x^2,x, algorithm="maxima")

[Out] $-b^3*\operatorname{arcsech}(c*x)^3/x + 3*(c*\sqrt{1/(c^2*x^2) - 1} - \operatorname{arcsech}(c*x)/x)*a^2*b + 6*(c*\sqrt{1/(c^2*x^2) - 1})*\operatorname{arcsech}(c*x) - 1/x)*a*b^2 + 3*(c*\sqrt{1/(c^2*x^2) - 1})*\operatorname{arcsech}(c*x)^2 + 2*c*\sqrt{1/(c^2*x^2) - 1} - 2*\operatorname{arcsech}(c*x)/x)*b^3 - 3*a*b^2*\operatorname{arcsech}(c*x)^2/x - a^3/x$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 228 vs. 2(98) = 196.

time = 0.35, size = 228, normalized size = 2.24

$$\frac{b^3 \log \left(\frac{cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 1}{cx} \right)^3 - 3(a^2 b + 2b^3) cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + a^3 + 6ab^2 - 3 \left(b^3 cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} - ab^2 \right) \log \left(\frac{cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 1}{cx} \right)^2 - 3 \left(2ab^2 cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} - a^2 b - 2b^3 \right) \log \left(\frac{cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 1}{cx} \right)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^3/x^2,x, algorithm="fricas")

[Out] $-(b^3*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x))^3 - 3*(a^2*b + 2*b^3)*c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + a^3 + 6*a*b^2 - 3*(b^3*c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - a*b^2)*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x))^2 - 3*(2*a*b^2*c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - a^2*b - 2*b^3)*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)))/x$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))*3/x**2,x)

[Out] Integral((a + b*asech(c*x))**3/x**2, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^3/x^2,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^3/x^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{acosh}(\frac{1}{cx}))^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))^3/x^2,x)

[Out] int((a + b*acosh(1/(c*x)))^3/x^2, x)

$$3.48 \quad \int \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{x^3} dx$$

Optimal. Leaf size=163

$$\frac{3b^3 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{8x^2} - \frac{3}{8} b^3 c^2 \operatorname{sech}^{-1}(cx) - \frac{3b^2(1-cx)(1+cx)(a+b \operatorname{sech}^{-1}(cx))}{4x^2} + \frac{3b \sqrt{\frac{1-cx}{1+cx}} (1+cx)(a+b \operatorname{sech}^{-1}(cx))}{4x^2}$$

[Out] $-3/8*b^3*c^2*\operatorname{arcsech}(c*x)-3/4*b^2*(-c*x+1)*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))/x^2-1/4*c^2*(a+b*\operatorname{arcsech}(c*x))^3-1/2*(-c*x+1)*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))^3/x^2+3/8*b^3*(c*x+1)*((-c*x+1)/(c*x+1))^(1/2)/x^2+3/4*b*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))^2*((-c*x+1)/(c*x+1))^(1/2)/x^2$

Rubi [A]

time = 0.08, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {6420, 5554, 3392, 32, 2715, 8}

$$-\frac{3b^2(1-cx)(cx+1)(a+b \operatorname{sech}^{-1}(cx))}{4x^2} - \frac{1}{4}c^2(a+b \operatorname{sech}^{-1}(cx))^3 + \frac{3b \sqrt{\frac{1-cx}{cx+1}}(cx+1)(a+b \operatorname{sech}^{-1}(cx))^2}{4x^2} - \frac{(1-cx)(cx+1)(a+b \operatorname{sech}^{-1}(cx))^3}{2x^2} - \frac{3}{8}b^3c^2 \operatorname{sech}^{-1}(cx) + \frac{3b^3 \sqrt{\frac{1-cx}{cx+1}}(cx+1)}{8x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])^3/x^3, x]

[Out] $(3*b^3*\sqrt{(1-c*x)/(1+c*x)}*(1+c*x))/(8*x^2) - (3*b^3*c^2*\operatorname{ArcSech}[c*x])/8 - (3*b^2*(1-c*x)*(1+c*x)*(a+b*\operatorname{ArcSech}[c*x]))/(4*x^2) + (3*b*\sqrt{(1-c*x)/(1+c*x)}*(1+c*x)*(a+b*\operatorname{ArcSech}[c*x])^2)/(4*x^2) - (c^2*(a+b*\operatorname{ArcSech}[c*x])^3)/4 - ((1-c*x)*(1+c*x)*(a+b*\operatorname{ArcSech}[c*x])^3)/(2*x^2)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2715

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Simp[(-b)*Cos[c + d*x]*((b*Sin[c + d*x])^(n - 1)/(d*n)), x] + Dist[b^2*((n - 1)/n), Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3392

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[d*m*(c + d*x)^(m - 1)*((b*Sine[e + f*x])^n/(f^2*n^2)), x] + (Dist
[b^2*((n - 1)/n), Int[(c + d*x)^m*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[d
^2*m*((m - 1)/(f^2*n^2)), Int[(c + d*x)^(m - 2)*(b*Sine[e + f*x])^n, x], x]
- Simp[b*(c + d*x)^m*Cos[e + f*x]*((b*Sine[e + f*x])^(n - 1)/(f*n)), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 5554

```
Int[Cosh[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_)*Sinh[(a_.) + (b_.)*
(x_)]^(n_), x_Symbol] :> Simp[(c + d*x)^m*(Sinh[a + b*x]^(n + 1)/(b*(n + 1
))), x] - Dist[d*(m/(b*(n + 1))), Int[(c + d*x)^(m - 1)*Sinh[a + b*x]^(n +
1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] :> Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{x^3} dx &= - \left(c^2 \operatorname{Subst} \left(\int (a + bx)^3 \cosh(x) \sinh(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= - \frac{(1 - cx)(1 + cx) (a + b \operatorname{sech}^{-1}(cx))^3}{2x^2} + \frac{1}{2} (3bc^2) \operatorname{Subst} \left(\int (a + bx)^2 \sinh^2(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \\
&= - \frac{3b^2(1 - cx)(1 + cx) (a + b \operatorname{sech}^{-1}(cx))}{4x^2} + \frac{3b \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx) (a + b \operatorname{sech}^{-1}(cx))}{4x^2} \\
&= \frac{3b^3 \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{8x^2} - \frac{3b^2(1 - cx)(1 + cx) (a + b \operatorname{sech}^{-1}(cx))}{4x^2} + \frac{3b \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx) (a + b \operatorname{sech}^{-1}(cx))}{4x^2} \\
&= \frac{3b^3 \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{8x^2} - \frac{3}{8} b^3 c^2 \operatorname{sech}^{-1}(cx) - \frac{3b^2(1 - cx)(1 + cx) (a + b \operatorname{sech}^{-1}(cx))}{4x^2}
\end{aligned}$$

Mathematica [A]

time = 0.31, size = 245, normalized size = 1.50

$$\frac{-4a^3 - 6ab^2 + 3b(2a^2 + b^2) \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx) - 6b(2a^2 + b^2 - 2ab \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)) \operatorname{sech}^{-1}(cx) + 6b^2 \left(b \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx) + a(-2 + c^2 x^2) \right) \operatorname{sech}^{-1}(cx)^2 + 2b^3(-2 + c^2 x^2) \operatorname{sech}^{-1}(cx)^3 - 3b(2a^2 + b^2) c^2 x \log(x) + 3b(2a^2 + b^2) c^2 x^2 \log \left(1 + \sqrt{\frac{1 - cx}{1 + cx}} + cx \sqrt{\frac{1 - cx}{1 + cx}} \right)}{8x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])^3/x^3,x]

[Out] $(-4a^3 - 6ab^2 + 3b(2a^2 + b^2)\sqrt{(1 - cx)/(1 + cx)}(1 + cx) - 6b(2a^2 + b^2 - 2ab\sqrt{(1 - cx)/(1 + cx)}(1 + cx))\text{ArcSech}[cx] + 6b^2(b\sqrt{(1 - cx)/(1 + cx)}(1 + cx) + a(-2 + c^2x^2))\text{ArcSech}[cx]^2 + 2b^3(-2 + c^2x^2)\text{ArcSech}[cx]^3 - 3b(2a^2 + b^2)c^2x^2\text{Log}[x] + 3b(2a^2 + b^2)c^2x^2\text{Log}[1 + \sqrt{(1 - cx)/(1 + cx)} + cx\sqrt{(1 - cx)/(1 + cx)}])/(8x^2)$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 320 vs. $2(147) = 294$.

time = 0.30, size = 321, normalized size = 1.97

method	result
derivativedivides	$c^2 \left(-\frac{a^3}{2c^2x^2} + b^3 \left(-\frac{\text{arcsech}(cx)^3}{2c^2x^2} + \frac{3\text{arcsech}(cx)^2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{4cx} + \frac{\text{arcsech}(cx)^3}{4} - \frac{3\text{arcsech}(cx)}{4c^2x^2} + \dots \right) \right)$
default	$c^2 \left(-\frac{a^3}{2c^2x^2} + b^3 \left(-\frac{\text{arcsech}(cx)^3}{2c^2x^2} + \frac{3\text{arcsech}(cx)^2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{4cx} + \frac{\text{arcsech}(cx)^3}{4} - \frac{3\text{arcsech}(cx)}{4c^2x^2} + \dots \right) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))^3/x^3,x,method=_RETURNVERBOSE)

[Out] $c^2(-1/2a^3/c^2/x^2 + b^3(-1/2\text{arcsech}(c*x)^3/c^2/x^2 + 3/4\text{arcsech}(c*x)^2/c/x*(-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)} + 1/4\text{arcsech}(c*x)^3 - 3/4/c^2/x^2*\text{arcsech}(c*x) + 3/8/c/x*(-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)} + 3/8*\text{arcsech}(c*x)) + 3ab^2(-1/2\text{arcsech}(c*x)^2/c^2/x^2 + 1/2\text{arcsech}(c*x)/c/x*(-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)} + 1/4\text{arcsech}(c*x)^2 - 1/4/c^2/x^2) + 3a^2b(-1/2/c^2/x^2*\text{arcsech}(c*x) + 1/4*(-(c*x-1)/c/x)^{(1/2)}/c/x*((c*x+1)/c/x)^{(1/2)}*(\text{arctanh}(1/(-c^2x^2+1)^{(1/2)})*c^2x^2 + (-c^2x^2+1)^{(1/2)})/(-c^2x^2+1)^{(1/2)}))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^3/x^3,x, algorithm="maxima")

[Out] $-3/8a^2b((2c^4x\sqrt{1/(c^2x^2)} - 1)/(c^2x^2(1/(c^2x^2)} - 1) - 1) - c^3\log(c*x\sqrt{1/(c^2x^2)} - 1) + 1) + c^3\log(c*x\sqrt{1/(c^2x^2)} - 1$

) - 1))/c + 4*arcsech(c*x)/x^2) - 1/2*a^3/x^2 + integrate(b^3*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))^3/x^3 + 3*a*b^2*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))^2/x^3, x)

Fricas [A]

time = 0.35, size = 271, normalized size = 1.66

$$\frac{2(b^3c^2x^2 - 2b^3)\log\left(\frac{cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}+1}}{c}\right)^3 + 3(2a^2b + b^3)cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}} - 4a^3 - 6ab^2 + 6(ab^2c^2x^2 + b^3cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}} - 2ab^2)\log\left(\frac{cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}+1}}{c}\right)^2 + 3\left(4ab^2cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}} + (2a^2b + b^3)c^2x^2 - 4a^2b - 2b^3\right)\log\left(\frac{cx\sqrt{-\frac{c^2x^2-1}{c^2x^2}+1}}{c}\right)}{8x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^3/x^3,x, algorithm="fricas")

[Out] 1/8*(2*(b^3*c^2*x^2 - 2*b^3)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x))^3 + 3*(2*a^2*b + b^3)*c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 4*a^3 - 6*a*b^2 + 6*(a*b^2*c^2*x^2 + b^3*c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 2*a*b^2)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x))^2 + 3*(4*a*b^2*c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + (2*a^2*b + b^3)*c^2*x^2 - 4*a^2*b - 2*b^3)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)))/x^2

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))**3/x**3,x)

[Out] Integral((a + b*asech(c*x))**3/x**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^3/x^3,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^3/x^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{acosh}(\frac{1}{cx}))^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))^3/x^3,x)

[Out] int((a + b*acosh(1/(c*x)))^3/x^3, x)

$$3.49 \quad \int \frac{\left(a + b \operatorname{sech}^{-1}(cx)\right)^3}{x^4} dx$$

Optimal. Leaf size=213

$$\frac{14b^3c^2\sqrt{\frac{1-cx}{1+cx}}(1+cx)}{9x} + \frac{2b^3\left(\frac{1-cx}{1+cx}\right)^{3/2}(1+cx)^3}{27x^3} - \frac{2b^2(a+b\operatorname{sech}^{-1}(cx))}{9x^3} - \frac{4b^2c^2(a+b\operatorname{sech}^{-1}(cx))}{3x} + b\sqrt{\frac{1-cx}{1+cx}}$$

[Out] $2/27*b^3*((-c*x+1)/(c*x+1))^{(3/2)}*(c*x+1)^3/x^3-2/9*b^2*(a+b*\operatorname{arcsech}(c*x))/x^3-4/3*b^2*c^2*(a+b*\operatorname{arcsech}(c*x))/x-1/3*(a+b*\operatorname{arcsech}(c*x))^3/x^3+14/9*b^3*c^2*(c*x+1)*((-c*x+1)/(c*x+1))^{(1/2)}/x+1/3*b*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))^2*((-c*x+1)/(c*x+1))^{(1/2)}/x^3+2/3*b*c^2*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))^2*((-c*x+1)/(c*x+1))^{(1/2)}/x$

Rubi [A]

time = 0.12, antiderivative size = 213, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {6420, 5555, 3392, 3377, 2717, 2713}

$$\frac{4b^2c^2(a+b\operatorname{sech}^{-1}(cx))}{3x} - \frac{2b^2(a+b\operatorname{sech}^{-1}(cx))}{9x^3} + \frac{2bc^2\sqrt{\frac{1-cx}{cx+1}}(cx+1)(a+b\operatorname{sech}^{-1}(cx))^2}{3x} + \frac{b\sqrt{\frac{1-cx}{cx+1}}(cx+1)(a+b\operatorname{sech}^{-1}(cx))^2}{3x^3} - \frac{(a+b\operatorname{sech}^{-1}(cx))^3}{3x^3} + \frac{14b^3c^2\sqrt{\frac{1-cx}{cx+1}}(cx+1)}{9x} + \frac{2b^3\left(\frac{1-cx}{cx+1}\right)^{3/2}(cx+1)^3}{27x^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])^3/x^4, x]

[Out] $(14*b^3*c^2*\operatorname{Sqrt}[(1-c*x)/(1+c*x)]*(1+c*x))/(9*x) + (2*b^3*((1-c*x)/(1+c*x))^{(3/2)}*(1+c*x)^3)/(27*x^3) - (2*b^2*(a+b*\operatorname{ArcSech}[c*x]))/(9*x^3) - (4*b^2*c^2*(a+b*\operatorname{ArcSech}[c*x]))/(3*x) + (b*\operatorname{Sqrt}[(1-c*x)/(1+c*x)]*(1+c*x)*(a+b*\operatorname{ArcSech}[c*x])^2)/(3*x^3) + (2*b*c^2*\operatorname{Sqrt}[(1-c*x)/(1+c*x)]*(1+c*x)*(a+b*\operatorname{ArcSech}[c*x])^2)/(3*x) - (a+b*\operatorname{ArcSech}[c*x])^3/(3*x^3)$

Rule 2713

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Dist[-d^(-1), Subst[Int[Expand[(1 - x^2)^(n - 1)/2], x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2717

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3377

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(-(c + d*x)^m)*(Cos[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Co

$s[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{GtQ}[m, 0]$

Rule 3392

$\text{Int}[(c_.) + (d_.)*(x_.)]^{(m_.)}*((b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol]$ \rightarrow $\text{Simp}[d*m*(c + d*x)^{(m-1)}*((b*\sin[e + f*x])^n/(f^2*n^2)), x] + (\text{Dist}[b^2*((n-1)/n), \text{Int}[(c + d*x)^m*(b*\sin[e + f*x])^{(n-2)}, x], x] - \text{Dist}[d^2*m*((m-1)/(f^2*n^2)), \text{Int}[(c + d*x)^{(m-2)}*(b*\sin[e + f*x])^n, x], x] - \text{Simp}[b*(c + d*x)^m*\cos[e + f*x]*((b*\sin[e + f*x])^{(n-1)}/(f*n)), x]) /;$
 $\text{FreeQ}\{b, c, d, e, f\}, x\} \&\& \text{GtQ}[n, 1] \&\& \text{GtQ}[m, 1]$

Rule 5555

$\text{Int}[\text{Cosh}[(a_.) + (b_.)*(x_.)]^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}*\text{Sinh}[(a_.) + (b_.)*(x_.)], x_Symbol]$ \rightarrow $\text{Simp}[(c + d*x)^m*(\text{Cosh}[a + b*x]^{(n+1)}/(b*(n+1))), x] - \text{Dist}[d*(m/(b*(n+1))), \text{Int}[(c + d*x)^{(m-1)}*\text{Cosh}[a + b*x]^{(n+1)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x\} \&\& \text{IGtQ}[m, 0] \&\& \text{NeQ}[n, -1]$

Rule 6420

$\text{Int}[(a_.) + \text{ArcSech}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x_Symbol]$ \rightarrow $\text{Dist}[-(c^{(m+1)})^{(-1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sech}[x]^{(m+1)}*\text{Tanh}[x], x], x, \text{ArcSech}[c*x]], x] /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{IntegerQ}[n] \&\& \text{IntegerQ}[m] \&\& (\text{GtQ}[n, 0] \parallel \text{LtQ}[m, -1])$

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{x^4} dx &= - \left(c^3 \operatorname{Subst} \left(\int (a + bx)^3 \cosh^2(x) \sinh(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= - \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{3x^3} + (bc^3) \operatorname{Subst} \left(\int (a + bx)^2 \cosh^3(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \\
&= - \frac{2b^2(a + b \operatorname{sech}^{-1}(cx))}{9x^3} + \frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{3x^3} - \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{3x^3} \\
&= - \frac{2b^2(a + b \operatorname{sech}^{-1}(cx))}{9x^3} + \frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{3x^3} + \frac{2bc^2 \sqrt{\frac{1-cx}{1+cx}}}{27x^3} \\
&= \frac{2b^3 c^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{9x} + \frac{2b^3 \left(\frac{1-cx}{1+cx}\right)^{3/2} (1+cx)^3}{27x^3} - \frac{2b^2(a + b \operatorname{sech}^{-1}(cx))}{9x^3} - \frac{4b^3}{27x^3} \\
&= \frac{14b^3 c^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{9x} + \frac{2b^3 \left(\frac{1-cx}{1+cx}\right)^{3/2} (1+cx)^3}{27x^3} - \frac{2b^2(a + b \operatorname{sech}^{-1}(cx))}{9x^3} - \frac{4b^3}{27x^3}
\end{aligned}$$

Mathematica [A]

time = 0.24, size = 256, normalized size = 1.20

$$\frac{-9a^3 - 6ab^2(1 + 6c^2x^2) + 9a^2b\sqrt{\frac{1-cx}{1+cx}}(1+cx + 2c^2x^2 + 2c^3x^3) + 2b^3\sqrt{\frac{1-cx}{1+cx}}(1+cx + 20c^2x^2 + 20c^3x^3) - 3b^3\left(9a^2 + 2b^2(1 + 6c^2x^2) - 6ab\sqrt{\frac{1-cx}{1+cx}}(1+cx + 2c^2x^2 + 2c^3x^3)\right)\operatorname{sech}^{-1}(cx) + 9b^2\left(-3a + b\sqrt{\frac{1-cx}{1+cx}}(1+cx + 2c^2x^2 + 2c^3x^3)\right)\operatorname{sech}^{-2}(cx)^2 - 9b^3\operatorname{sech}^{-1}(cx)^3}{27x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])^3/x^4, x]

[Out] $(-9a^3 - 6a^2b^2(1 + 6c^2x^2) + 9a^2b\sqrt{\frac{1-cx}{1+cx}}(1+cx + 2c^2x^2 + 2c^3x^3) + 2b^3\sqrt{\frac{1-cx}{1+cx}}(1+cx + 20c^2x^2 + 20c^3x^3) - 3b^3(9a^2 + 2b^2(1 + 6c^2x^2) - 6a^2b\sqrt{\frac{1-cx}{1+cx}}(1+cx + 2c^2x^2 + 2c^3x^3))\operatorname{ArcSech}[c*x] + 9b^2(-3a + b\sqrt{\frac{1-cx}{1+cx}}(1+cx + 2c^2x^2 + 2c^3x^3))\operatorname{ArcSech}[c*x]^2 - 9b^3\operatorname{ArcSech}[c*x]^3)/(27x^3)$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 386 vs. $2(191) = 382$.

time = 0.26, size = 387, normalized size = 1.82

method	result
--------	--------

derivativedivides	$c^3 \left(-\frac{a^3}{3c^3x^3} + b^3 \left(-\frac{\operatorname{arcsech}(cx)^3}{3c^3x^3} + \frac{2\operatorname{arcsech}(cx)^2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{3} + \frac{\operatorname{arcsech}(cx)^2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{3c^2x^2} \right) \right)$
default	$c^3 \left(-\frac{a^3}{3c^3x^3} + b^3 \left(-\frac{\operatorname{arcsech}(cx)^3}{3c^3x^3} + \frac{2\operatorname{arcsech}(cx)^2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{3} + \frac{\operatorname{arcsech}(cx)^2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{3c^2x^2} \right) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))^3/x^4,x,method=_RETURNVERBOSE)`

[Out] $c^3 * (-1/3 * a^3 / c^3 / x^3 + b^3 * (-1/3 * \operatorname{arcsech}(c*x)^3 / c^3 / x^3 + 2/3 * \operatorname{arcsech}(c*x)^2 * ((-c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} + 1/3 * \operatorname{arcsech}(c*x)^2 / c^2 / x^2 * ((-c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} - 4/3 / c / x * \operatorname{arcsech}(c*x) + 40/27 * ((-c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} - 2/9 * \operatorname{arcsech}(c*x) / c^3 / x^3 + 2/27 * ((-c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} / c^2 / x^2) + 3 * a * b^2 * (-1/3 * \operatorname{arcsech}(c*x)^2 / c^3 / x^3 + 4/9 * \operatorname{arcsech}(c*x) * ((-c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} + 2/9 * \operatorname{arcsech}(c*x) / c^2 / x^2 * ((-c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} - 4/9 / c / x - 2/27 / c^3 / x^3) + 3 * a^2 * b * (-1/3 * \operatorname{arcsech}(c*x) / c^3 / x^3 + 1/9 * ((-c*x-1)/c/x)^{(1/2)} / c^2 / x^2 * ((c*x+1)/c/x)^{(1/2)}) * (2 * c^2 * x^2 + 1))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))^3/x^4,x, algorithm="maxima")`

[Out] $1/3 * a^2 * b * ((c^4 * (1/(c^2 * x^2) - 1))^{(3/2)} + 3 * c^4 * \sqrt{1/(c^2 * x^2) - 1}) / c - 3 * \operatorname{arcsech}(c*x) / x^3 - 1/3 * a^3 / x^3 + \operatorname{integrate}(b^3 * \log(\sqrt{1/(c*x) + 1}) * \sqrt{1/(c*x) - 1} + 1/(c*x))^{3/2} / x^4 + 3 * a * b^2 * \log(\sqrt{1/(c*x) + 1}) * \sqrt{1/(c*x) - 1} + 1/(c*x))^{2/2} / x^4, x)$

Fricas [A]

time = 0.35, size = 305, normalized size = 1.43

$$\frac{36ab^2c^2x^2 + 9b^3 \log\left(\frac{\sqrt{-\frac{c^2x^2-1}{c^2x^2}} + 1}{\frac{c^2x^2-1}{c^2x^2}}\right) + 9a^3 + 6ab^2 + 9\left(3ab^2 - (2b^3c^2x^3 + b^3cx)\sqrt{-\frac{c^2x^2-1}{c^2x^2}}\right) \log\left(\frac{\sqrt{-\frac{c^2x^2-1}{c^2x^2}} + 1}{\frac{c^2x^2-1}{c^2x^2}}\right) + 3\left(12b^3c^2x^2 + 9a^2b + 2b^3 - 6(2ab^2c^2x^3 + ab^2cx)\sqrt{-\frac{c^2x^2-1}{c^2x^2}}\right) \log\left(\frac{\sqrt{-\frac{c^2x^2-1}{c^2x^2}} + 1}{\frac{c^2x^2-1}{c^2x^2}}\right) - (2(9a^2b + 20b^3)c^2x^3 + (9a^2b + 2b^3)cx)\sqrt{-\frac{c^2x^2-1}{c^2x^2}}}{27x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))^3/x^4,x, algorithm="fricas")`

[Out] $-1/27 * (36 * a * b^2 * c^2 * x^2 + 9 * b^3 * \log((c*x * \sqrt{-(c^2*x^2 - 1)/(c^2*x^2)}) + 1) / (c*x))^{3/2} + 9 * a^3 + 6 * a * b^2 + 9 * (3 * a * b^2 - (2 * b^3 * c^3 * x^3 + b^3 * c * x) * \sqrt{-(c^2*x^2 - 1)/(c^2*x^2)}) \log((c*x * \sqrt{-(c^2*x^2 - 1)/(c^2*x^2)}) + 1) / (c*x))^{2/2} + 3 * (12 * b^3 * c^2 * x^2 + 9 * a^2 * b + 2 * b^3 - 6 * (2 * a * b^2 * c^2 * x^3 + a * b^2 * c * x) * \sqrt{-(c^2*x^2 - 1)/(c^2*x^2)}) \log((c*x * \sqrt{-(c^2*x^2 - 1)/(c^2*x^2)}) + 1) / (c*x))^{2/2} - (2 * (9 * a^2 * b + 20 * b^3) * c^2 * x^3 + (9 * a^2 * b + 2 * b^3) * c * x) * \sqrt{-(c^2*x^2 - 1)/(c^2*x^2)}$

$$-(c^2x^2 - 1)/(c^2x^2)) * \log((cx * \sqrt{-(c^2x^2 - 1)/(c^2x^2)} + 1)/(cx))^2 + 3 * (12b^3c^2x^2 + 9a^2b + 2b^3 - 6(2ab^2c^3x^3 + ab^2cx) * \sqrt{-(c^2x^2 - 1)/(c^2x^2)}) * \log((cx * \sqrt{-(c^2x^2 - 1)/(c^2x^2)} + 1)/(cx)) - (2(9a^2b + 20b^3)c^3x^3 + (9a^2b + 2b^3)cx) * \sqrt{-(c^2x^2 - 1)/(c^2x^2)}) / x^3$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))**3/x**4,x)

[Out] Integral((a + b*asech(c*x))**3/x**4, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^3/x^4,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^3/x^4, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \operatorname{acosh}(\frac{1}{cx}))^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))^3/x^4,x)

[Out] int((a + b*acosh(1/(c*x)))^3/x^4, x)

$$3.50 \quad \int \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{x^5} dx$$

Optimal. Leaf size=242

$$\frac{3b^3 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{128x^4} + \frac{45b^3c^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{256x^2} + \frac{45}{256} b^3 c^4 \operatorname{sech}^{-1}(cx) - \frac{3b^2(a + b \operatorname{sech}^{-1}(cx))}{32x^4} - \frac{9b^2c^2(a + b \operatorname{sech}^{-1}(cx))}{32x^4}$$

[Out] $45/256*b^3*c^4*\operatorname{arcsech}(c*x) - 3/32*b^2*(a+b*\operatorname{arcsech}(c*x))/x^4 - 9/32*b^2*c^2*(a+b*\operatorname{arcsech}(c*x))/x^4 + 3/32*c^4*(a+b*\operatorname{arcsech}(c*x))^3 - 1/4*(a+b*\operatorname{arcsech}(c*x))^3/x^4 + 3/128*b^3*(c*x+1)*((-c*x+1)/(c*x+1))^{(1/2)}/x^4 + 45/256*b^3*c^2*(c*x+1)*((-c*x+1)/(c*x+1))^{(1/2)}/x^2 + 3/16*b*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))^2*((-c*x+1)/(c*x+1))^{(1/2)}/x^4 + 9/32*b*c^2*(c*x+1)*(a+b*\operatorname{arcsech}(c*x))^2*((-c*x+1)/(c*x+1))^{(1/2)}/x^2$

Rubi [A]

time = 0.14, antiderivative size = 242, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {6420, 5555, 3392, 32, 2715, 8}

$$-\frac{9b^2c^2(a + b \operatorname{sech}^{-1}(cx))}{32x^2} - \frac{3b^2(a + b \operatorname{sech}^{-1}(cx))}{32x^4} + \frac{3}{32}c^2(a + b \operatorname{sech}^{-1}(cx))^3 + \frac{9b^2\sqrt{\frac{1-cx}{1+cx}}(cx+1)(a + b \operatorname{sech}^{-1}(cx))^2}{32x^2} - \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{4x^4} + \frac{3b\sqrt{\frac{1-cx}{1+cx}}(cx+1)(a + b \operatorname{sech}^{-1}(cx))^2}{16x^4} + \frac{45}{256}b^3c^4 \operatorname{sech}^{-1}(cx) + \frac{45b^2c^2\sqrt{\frac{1-cx}{1+cx}}(cx+1)}{256x^2} + \frac{3b^3\sqrt{\frac{1-cx}{1+cx}}(cx+1)}{128x^4}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])^3/x^5,x]

[Out] $(3*b^3*\sqrt{(1-c*x)/(1+c*x)}*(1+c*x))/(128*x^4) + (45*b^3*c^2*\sqrt{(1-c*x)/(1+c*x)}*(1+c*x))/(256*x^2) + (45*b^3*c^4*\operatorname{ArcSech}[c*x])/256 - (3*b^2*(a + b*\operatorname{ArcSech}[c*x]))/(32*x^4) - (9*b^2*c^2*(a + b*\operatorname{ArcSech}[c*x]))/(32*x^2) + (3*b*\sqrt{(1-c*x)/(1+c*x)}*(1+c*x)*(a + b*\operatorname{ArcSech}[c*x])^2)/(16*x^4) + (9*b*c^2*\sqrt{(1-c*x)/(1+c*x)}*(1+c*x)*(a + b*\operatorname{ArcSech}[c*x])^2)/(32*x^2) + (3*c^4*(a + b*\operatorname{ArcSech}[c*x])^3)/32 - (a + b*\operatorname{ArcSech}[c*x])^3/(4*x^4)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2715

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(-b)*Cos[c + d*x]*((b*Sine[c + d*x])^(n - 1)/(d*n)), x] + Dist[b^2*((n - 1)/n), Int[(b*Sine[c + d*x])^(n - 1), x]]

$(c + dx)^{n-2}$, x , x /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3392

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[d*m*(c + d*x)^(m-1)*((b*Sin[e + f*x])^n/(f^2*n^2)), x] + (Dist[b^2*((n-1)/n), Int[(c + d*x)^m*(b*Sin[e + f*x])^(n-2), x], x] - Dist[d^2*m*((m-1)/(f^2*n^2)), Int[(c + d*x)^(m-2)*(b*Sin[e + f*x])^n, x], x] - Simp[b*(c + d*x)^m*Cos[e + f*x]*((b*Sin[e + f*x])^(n-1)/(f*n)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 5555

Int[Cosh[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_)], x_Symbol] :> Simp[(c + d*x)^m*(Cosh[a + b*x]^(n+1)/(b*(n+1))), x] - Dist[d*(m/(b*(n+1))), Int[(c + d*x)^(m-1)*Cosh[a + b*x]^(n+1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 6420

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] :> Dist[-(c^(m+1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m+1)*Tanh[x], x], x, ArcSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{x^5} dx &= -\left(c^4 \operatorname{Subst} \left(\int (a + bx)^3 \cosh^3(x) \sinh(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= -\frac{(a + b \operatorname{sech}^{-1}(cx))^3}{4x^4} + \frac{1}{4} (3bc^4) \operatorname{Subst} \left(\int (a + bx)^2 \cosh^4(x) dx, x, \operatorname{sech}^{-1}(cx) \right) \\
&= -\frac{3b^2(a + b \operatorname{sech}^{-1}(cx))}{32x^4} + \frac{3b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (a + b \operatorname{sech}^{-1}(cx))^2}{16x^4} - \frac{(a + b \operatorname{sech}^{-1}(cx))^3}{4x^4} \\
&= \frac{3b^3 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{128x^4} - \frac{3b^2(a + b \operatorname{sech}^{-1}(cx))}{32x^4} - \frac{9b^2 c^2 (a + b \operatorname{sech}^{-1}(cx))}{32x^2} + \frac{3b^2(a + b \operatorname{sech}^{-1}(cx))^3}{4x^4} \\
&= \frac{3b^3 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{128x^4} + \frac{45b^3 c^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{256x^2} - \frac{3b^2(a + b \operatorname{sech}^{-1}(cx))}{32x^4} - \frac{3b^2(a + b \operatorname{sech}^{-1}(cx))^3}{4x^4} \\
&= \frac{3b^3 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{128x^4} + \frac{45b^3 c^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{256x^2} + \frac{45}{256} b^3 c^4 \operatorname{sech}^{-1}(cx) - \frac{3b^2(a + b \operatorname{sech}^{-1}(cx))^3}{4x^4}
\end{aligned}$$

Mathematica [A]

time = 0.49, size = 332, normalized size = 1.37

$$\frac{-8a(8a^2 + 3b^2) - 72ab^2c^2 + 3b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (8a^2(2 + 3c^2x^2) + b^2(2 + 15c^2x^2)) - 24b \left(\frac{1-cx}{1+cx} (2 + 2cx + 3c^2x^2 + 3c^4x^4) \right) \operatorname{sech}^{-1}(cx) + 24b \left(\frac{1-cx}{1+cx} (2 + 2cx + 3c^2x^2 + 3c^4x^4) + a(-8 + 3c^4x^4) \right) \operatorname{sech}^{-1}(cx)^2 + 5b^2(-8 + 3c^4x^4) \operatorname{sech}^{-1}(cx)^3 - 9b^2(8a^2 + 5b^2) c^4 \log(x) + 9b^2(8a^2 + 5b^2) c^4 \log \left(1 + \sqrt{\frac{1-cx}{1+cx}} + cx \sqrt{\frac{1-cx}{1+cx}} \right)}{256x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])^3/x^5,x]

[Out] $(-8*a*(8*a^2 + 3*b^2) - 72*a*b^2*c^2*x^2 + 3*b*\sqrt{(1 - c*x)/(1 + c*x)}*(1 + c*x)*(8*a^2*(2 + 3*c^2*x^2) + b^2*(2 + 15*c^2*x^2)) - 24*b*(8*a^2 + b^2*(1 + 3*c^2*x^2) - 2*a*b*\sqrt{(1 - c*x)/(1 + c*x)}*(2 + 2*c*x + 3*c^2*x^2 + 3*c^3*x^3))*\operatorname{ArcSech}[c*x] + 24*b^2*(b*\sqrt{(1 - c*x)/(1 + c*x)}*(2 + 2*c*x + 3*c^2*x^2 + 3*c^3*x^3) + a*(-8 + 3*c^4*x^4))*\operatorname{ArcSech}[c*x]^2 + 8*b^3*(-8 + 3*c^4*x^4)*\operatorname{ArcSech}[c*x]^3 - 9*b*(8*a^2 + 5*b^2)*c^4*x^4*\log[x] + 9*b*(8*a^2 + 5*b^2)*c^4*x^4*\log[1 + \sqrt{(1 - c*x)/(1 + c*x)}] + c*x*\sqrt{(1 - c*x)/(1 + c*x)})/(256*x^4)$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 484 vs. 2(216) = 432.

time = 0.36, size = 485, normalized size = 2.00

method	result
--------	--------

derivativedivides	$c^4 \left(-\frac{a^3}{4c^4x^4} + b^3 \left(-\frac{\operatorname{arcsech}(cx)^3}{4c^4x^4} + \frac{3\operatorname{arcsech}(cx)^2 \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{16c^3x^3} + \frac{9\operatorname{arcsech}(cx)^2 \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx}{c}}}{32cx} \right) \right)$
default	$c^4 \left(-\frac{a^3}{4c^4x^4} + b^3 \left(-\frac{\operatorname{arcsech}(cx)^3}{4c^4x^4} + \frac{3\operatorname{arcsech}(cx)^2 \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{16c^3x^3} + \frac{9\operatorname{arcsech}(cx)^2 \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx}{c}}}{32cx} \right) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))^3/x^5,x,method=_RETURNVERBOSE)`

[Out] $c^4 * (-1/4 * a^3 / c^4 / x^4 + b^3 * (-1/4 * \operatorname{arcsech}(c*x)^3 / c^4 / x^4 + 3/16 * \operatorname{arcsech}(c*x)^2 / c^3 / x^3 * (- (c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} + 9/32 * \operatorname{arcsech}(c*x)^2 / c/x * (- (c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} + 3/32 * \operatorname{arcsech}(c*x)^3 - 3/32 / c^4 / x^4 * \operatorname{arcsech}(c*x) + 3/128 * (- (c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} / c^3 / x^3 + 45/256 / c/x * (- (c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} + 45/256 * \operatorname{arcsech}(c*x) - 9/32 / c^2 / x^2 * \operatorname{arcsech}(c*x)) + 3 * a * b^2 * (-1/4 * \operatorname{arcsech}(c*x)^2 / c^4 / x^4 + 1/8 * \operatorname{arcsech}(c*x) / c^3 / x^3 * (- (c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} + 3/16 * \operatorname{arcsech}(c*x) / c/x * (- (c*x-1)/c/x)^{(1/2)} * ((c*x+1)/c/x)^{(1/2)} + 3/32 * \operatorname{arcsech}(c*x)^2 - 1/32 / c^4 / x^4 - 3/32 / c^2 / x^2) + 3 * a^2 * b * (-1/4 / c^4 / x^4 * \operatorname{arcsech}(c*x) + 1/32 * (- (c*x-1)/c/x)^{(1/2)} / c^3 / x^3 * ((c*x+1)/c/x)^{(1/2)} * (3 * \operatorname{arctanh}(1 / (-c^2 * x^2 + 1))^{(1/2)}) * c^4 * x^4 + 3 * (-c^2 * x^2 + 1)^{(1/2)} * c^2 * x^2 + 2 * (-c^2 * x^2 + 1)^{(1/2)} / (-c^2 * x^2 + 1)^{(1/2)})$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))^3/x^5,x, algorithm="maxima")`

[Out] $3/64 * a^2 * b * ((3 * c^5 * \log(c*x * \sqrt{1/(c^2 * x^2) - 1}) + 1) - 3 * c^5 * \log(c*x * \sqrt{1/(c^2 * x^2) - 1}) - 1) - 2 * (3 * c^8 * x^3 * (1/(c^2 * x^2) - 1)^{(3/2)} - 5 * c^6 * x * \sqrt{1/(c^2 * x^2) - 1}) / (c^4 * x^4 * (1/(c^2 * x^2) - 1)^2 - 2 * c^2 * x^2 * (1/(c^2 * x^2) - 1) + 1) / c - 16 * \operatorname{arcsech}(c*x) / x^4 - 1/4 * a^3 / x^4 + \operatorname{integrate}(b^3 * \log(\sqrt{1/(c*x) + 1}) * \sqrt{1/(c*x) - 1} + 1/(c*x))^3 / x^5 + 3 * a * b^2 * \log(\sqrt{1/(c*x) + 1}) * \sqrt{1/(c*x) - 1} + 1/(c*x))^2 / x^5, x)$

Fricas [A]

time = 0.35, size = 351, normalized size = 1.45

$$\frac{72ab^2c^2 - 8(3b^2c^4 - 8b^2) \log\left(\frac{\sqrt{1-\frac{cx-1}{cx}}}{\frac{cx-1}{cx}}\right) + 64a^2 + 24ab^2 - 24\left(3ab^2c^4 - 8ab^2 + (3b^2c^2 + 2b^2c) \sqrt{\frac{cx-1}{cx}}\right) \log\left(\frac{\sqrt{1-\frac{cx-1}{cx}}}{\frac{cx-1}{cx}}\right) + 3\left(\frac{\sqrt{1-\frac{cx-1}{cx}}}{\frac{cx-1}{cx}}\right)^2 - 3\left(3(8a^2b + 5b^2)c^4 - 24b^2c^2 - 64a^2b - 8b^3 + 16(3ab^2c^2 + 2ab^2c) \sqrt{\frac{cx-1}{cx}}\right) \log\left(\frac{\sqrt{1-\frac{cx-1}{cx}}}{\frac{cx-1}{cx}}\right) - 3(3(8a^2b + 5b^2)c^2 + 2(8a^2b + b^2)c) \sqrt{\frac{cx-1}{cx}}}{356x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^3/x^5,x, algorithm="fricas")

[Out]
$$-1/256*(72*a*b^2*c^2*x^2 - 8*(3*b^3*c^4*x^4 - 8*b^3)*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x))^3 + 64*a^3 + 24*a*b^2 - 24*(3*a*b^2*c^4*x^4 - 8*a*b^2 + (3*b^3*c^3*x^3 + 2*b^3*c*x)*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x))^2 - 3*(3*(8*a^2*b + 5*b^3)*c^4*x^4 - 24*b^3*c^2*x^2 - 64*a^2*b - 8*b^3 + 16*(3*a*b^2*c^3*x^3 + 2*a*b^2*c*x)*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) - 3*(3*(8*a^2*b + 5*b^3)*c^3*x^3 + 2*(8*a^2*b + b^3)*c*x)*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})/x^4$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))^3}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))^3/x^5,x)

[Out] Integral((a + b*asech(c*x))^3/x^5, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))^3/x^5,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^3/x^5, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \operatorname{acosh}(\frac{1}{cx}))^3}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))^3/x^5,x)

[Out] int((a + b*acosh(1/(c*x)))^3/x^5, x)

$$3.51 \quad \int \frac{x}{a+b\operatorname{sech}^{-1}(cx)} dx$$

Optimal. Leaf size=15

$$\operatorname{Int}\left(\frac{x}{a+b\operatorname{sech}^{-1}(cx)}, x\right)$$

[Out] Unintegrable(x/(a+b*arcsech(c*x)), x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x}{a+b\operatorname{sech}^{-1}(cx)} dx$$

Verification is not applicable to the result.

[In] Int[x/(a + b*ArcSech[c*x]), x]

[Out] Defer[Int][x/(a + b*ArcSech[c*x]), x]

Rubi steps

$$\int \frac{x}{a+b\operatorname{sech}^{-1}(cx)} dx = \int \frac{x}{a+b\operatorname{sech}^{-1}(cx)} dx$$

Mathematica [A]

time = 1.62, size = 0, normalized size = 0.00

$$\int \frac{x}{a+b\operatorname{sech}^{-1}(cx)} dx$$

Verification is not applicable to the result.

[In] Integrate[x/(a + b*ArcSech[c*x]), x]

[Out] Integrate[x/(a + b*ArcSech[c*x]), x]

Maple [A]

time = 0.39, size = 0, normalized size = 0.00

$$\int \frac{x}{a+b\operatorname{arcsech}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a+b*arcsech(c*x)),x)`

[Out] `int(x/(a+b*arcsech(c*x)),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] `integrate(x/(b*arcsech(c*x) + a), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsech(c*x)),x, algorithm="fricas")`

[Out] `integral(x/(b*arcsech(c*x) + a), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{a + b \operatorname{asech}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*asech(c*x)),x)`

[Out] `Integral(x/(a + b*asech(c*x)), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsech(c*x)),x, algorithm="giac")`

[Out] `integrate(x/(b*arcsech(c*x) + a), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{x}{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/(a + b*acosh(1/(c*x))),x)
```

```
[Out] int(x/(a + b*acosh(1/(c*x))), x)
```

$$3.52 \quad \int \frac{1}{a+b\operatorname{sech}^{-1}(cx)} dx$$

Optimal. Leaf size=13

$$\operatorname{Int}\left(\frac{1}{a+b\operatorname{sech}^{-1}(cx)}, x\right)$$

[Out] Unintegrable(1/(a+b*arcsech(c*x)), x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{a+b\operatorname{sech}^{-1}(cx)} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSech[c*x])^(-1), x]

[Out] Defer[Int] [(a + b*ArcSech[c*x])^(-1), x]

Rubi steps

$$\int \frac{1}{a+b\operatorname{sech}^{-1}(cx)} dx = \int \frac{1}{a+b\operatorname{sech}^{-1}(cx)} dx$$

Mathematica [A]

time = 0.03, size = 0, normalized size = 0.00

$$\int \frac{1}{a+b\operatorname{sech}^{-1}(cx)} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSech[c*x])^(-1), x]

[Out] Integrate[(a + b*ArcSech[c*x])^(-1), x]

Maple [A]

time = 0.24, size = 0, normalized size = 0.00

$$\int \frac{1}{a+b\operatorname{arcsech}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*arcsech(c*x)),x)`

[Out] `int(1/(a+b*arcsech(c*x)),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] `integrate(1/(b*arcsech(c*x) + a), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsech(c*x)),x, algorithm="fricas")`

[Out] `integral(1/(b*arcsech(c*x) + a), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{a + b \operatorname{asech}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*asech(c*x)),x)`

[Out] `Integral(1/(a + b*asech(c*x)), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsech(c*x)),x, algorithm="giac")`

[Out] `integrate(1/(b*arcsech(c*x) + a), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a + b*acosh(1/(c*x))),x)
```

```
[Out] int(1/(a + b*acosh(1/(c*x))), x)
```

$$3.53 \quad \int \frac{1}{x(a+b\operatorname{sech}^{-1}(cx))} dx$$

Optimal. Leaf size=17

$$\operatorname{Int}\left(\frac{1}{x(a+b\operatorname{sech}^{-1}(cx))}, x\right)$$

[Out] Unintegrable(1/x/(a+b*arcsech(c*x)),x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b\operatorname{sech}^{-1}(cx))} dx$$

Verification is not applicable to the result.

[In] Int[1/(x*(a + b*ArcSech[c*x])),x]

[Out] Defer[Int][1/(x*(a + b*ArcSech[c*x])), x]

Rubi steps

$$\int \frac{1}{x(a+b\operatorname{sech}^{-1}(cx))} dx = \int \frac{1}{x(a+b\operatorname{sech}^{-1}(cx))} dx$$

Mathematica [A]

time = 0.22, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b\operatorname{sech}^{-1}(cx))} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcSech[c*x])),x]

[Out] Integrate[1/(x*(a + b*ArcSech[c*x])), x]

Maple [A]

time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b\operatorname{arcsech}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(a+b*arcsech(c*x)),x)`

[Out] `int(1/x/(a+b*arcsech(c*x)),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] `integrate(1/((b*arcsech(c*x) + a)*x), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsech(c*x)),x, algorithm="fricas")`

[Out] `integral(1/(b*x*arcsech(c*x) + a*x), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \operatorname{asech}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*asech(c*x)),x)`

[Out] `Integral(1/(x*(a + b*asech(c*x))), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsech(c*x)),x, algorithm="giac")`

[Out] `integrate(1/((b*arcsech(c*x) + a)*x), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x \left(a + b \operatorname{acosh} \left(\frac{1}{cx} \right) \right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(a + b*acosh(1/(c*x)))),x)

[Out] int(1/(x*(a + b*acosh(1/(c*x)))), x)

$$3.54 \quad \int \frac{1}{x^2 \left(a + b \operatorname{sech}^{-1}(cx) \right)} dx$$

Optimal. Leaf size=46

$$\frac{c \operatorname{Chi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right) \sinh\left(\frac{a}{b}\right)}{b} - \frac{c \cosh\left(\frac{a}{b}\right) \operatorname{Shi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{b}$$

[Out] $-c \cosh(a/b) \operatorname{Shi}(a/b + \operatorname{arcsech}(c*x))/b + c \operatorname{Chi}(a/b + \operatorname{arcsech}(c*x)) \sinh(a/b)/b$

Rubi [A]

time = 0.08, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {6420, 3384, 3379, 3382}

$$\frac{c \sinh\left(\frac{a}{b}\right) \operatorname{Chi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{b} - \frac{c \cosh\left(\frac{a}{b}\right) \operatorname{Shi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{b}$$

Antiderivative was successfully verified.

[In] `Int[1/(x^2*(a + b*ArcSech[c*x])),x]`

[Out] $(c \operatorname{CoshIntegral}[a/b + \operatorname{ArcSech}[c*x]] \operatorname{Sinh}[a/b])/b - (c \operatorname{Cosh}[a/b] \operatorname{SinhIntegral}[a/b + \operatorname{ArcSech}[c*x]])/b$

Rule 3379

`Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[I*(SinhIntegral[c*f*(fz/d) + f*fz*x]/d), x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*e - c*f*fz*I, 0]`

Rule 3382

`Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*(e - Pi/2) - c*f*fz*I, 0]`

Rule 3384

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]`

Rule 6420

`Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar`

`cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt Q[n, 0] || LtQ[m, -1])`

Rubi steps

$$\begin{aligned} \int \frac{1}{x^2 (a + b \operatorname{sech}^{-1}(cx))} dx &= - \left(c \operatorname{Subst} \left(\int \frac{\sinh(x)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\ &= - \left(\left(c \cosh \left(\frac{a}{b} \right) \right) \operatorname{Subst} \left(\int \frac{\sinh \left(\frac{a}{b} + x \right)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) + \left(c \sinh \left(\frac{a}{b} \right) \right) \\ &= \frac{c \operatorname{Chi} \left(\frac{a}{b} + \operatorname{sech}^{-1}(cx) \right) \sinh \left(\frac{a}{b} \right)}{b} - \frac{c \cosh \left(\frac{a}{b} \right) \operatorname{Shi} \left(\frac{a}{b} + \operatorname{sech}^{-1}(cx) \right)}{b} \end{aligned}$$

Mathematica [A]

time = 0.06, size = 43, normalized size = 0.93

$$\frac{c \left(\operatorname{Chi} \left(\frac{a}{b} + \operatorname{sech}^{-1}(cx) \right) \sinh \left(\frac{a}{b} \right) - \cosh \left(\frac{a}{b} \right) \operatorname{Shi} \left(\frac{a}{b} + \operatorname{sech}^{-1}(cx) \right) \right)}{b}$$

Antiderivative was successfully verified.

[In] `Integrate[1/(x^2*(a + b*ArcSech[c*x])),x]`

[Out] `(c*(CoshIntegral[a/b + ArcSech[c*x]]*Sinh[a/b] - Cosh[a/b]*SinhIntegral[a/b + ArcSech[c*x]]))/b`

Maple [A]

time = 0.30, size = 54, normalized size = 1.17

method	result	size
derivativedivides	$c \left(-\frac{e^{\frac{a}{b}} \operatorname{expIntegral} \left(1, \frac{a}{b} + \operatorname{arcsech}(cx) \right)}{2b} + \frac{e^{-\frac{a}{b}} \operatorname{expIntegral} \left(1, -\operatorname{arcsech}(cx) - \frac{a}{b} \right)}{2b} \right)$	54
default	$c \left(-\frac{e^{\frac{a}{b}} \operatorname{expIntegral} \left(1, \frac{a}{b} + \operatorname{arcsech}(cx) \right)}{2b} + \frac{e^{-\frac{a}{b}} \operatorname{expIntegral} \left(1, -\operatorname{arcsech}(cx) - \frac{a}{b} \right)}{2b} \right)$	54

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)`

[Out] `c*(-1/2/b*exp(a/b)*Ei(1,a/b+arcsech(c*x))+1/2/b*exp(-a/b)*Ei(1,-arcsech(c*x)-a/b))`

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] `integrate(1/((b*arcsech(c*x) + a)*x^2), x)`

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsech(c*x)),x, algorithm="fricas")`

[Out] `integral(1/(b*x^2*arcsech(c*x) + a*x^2), x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{asech}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(a+b*asech(c*x)),x)`

[Out] `Integral(1/(x**2*(a + b*asech(c*x))), x)`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsech(c*x)),x, algorithm="giac")`

[Out] `integrate(1/((b*arcsech(c*x) + a)*x^2), x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{x^2 (a + b \operatorname{acosh}(\frac{1}{cx}))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2*(a + b*acosh(1/(c*x))))),x)`

[Out] `int(1/(x^2*(a + b*acosh(1/(c*x))))), x)`

$$3.55 \quad \int \frac{1}{x^3 \left(a + b \operatorname{sech}^{-1}(cx) \right)} dx$$

Optimal. Leaf size=63

$$\frac{c^2 \operatorname{Chi}\left(\frac{2a}{b} + 2 \operatorname{sech}^{-1}(cx)\right) \sinh\left(\frac{2a}{b}\right)}{2b} - \frac{c^2 \cosh\left(\frac{2a}{b}\right) \operatorname{Shi}\left(\frac{2a}{b} + 2 \operatorname{sech}^{-1}(cx)\right)}{2b}$$

[Out] $-1/2*c^2*\cosh(2*a/b)*\operatorname{Shi}(2*a/b+2*\operatorname{arcsech}(c*x))/b+1/2*c^2*\operatorname{Chi}(2*a/b+2*\operatorname{arcsech}(c*x))*\sinh(2*a/b)/b$

Rubi [A]

time = 0.11, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {6420, 5556, 12, 3384, 3379, 3382}

$$\frac{c^2 \sinh\left(\frac{2a}{b}\right) \operatorname{Chi}\left(\frac{2a}{b} + 2 \operatorname{sech}^{-1}(cx)\right)}{2b} - \frac{c^2 \cosh\left(\frac{2a}{b}\right) \operatorname{Shi}\left(\frac{2a}{b} + 2 \operatorname{sech}^{-1}(cx)\right)}{2b}$$

Antiderivative was successfully verified.

[In] `Int[1/(x^3*(a + b*ArcSech[c*x])),x]`

[Out] $(c^2*\operatorname{CoshIntegral}[(2*a)/b + 2*\operatorname{ArcSech}[c*x]]*\operatorname{Sinh}[(2*a)/b])/(2*b) - (c^2*\operatorname{Cos h}[(2*a)/b]*\operatorname{SinhIntegral}[(2*a)/b + 2*\operatorname{ArcSech}[c*x]])/(2*b)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match Q[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 3379

`Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[I*(SinhIntegral[c*f*(fz/d) + f*fz*x]/d), x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*e - c*f*fz*I, 0]`

Rule 3382

`Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*(e - Pi/2) - c*f*fz*I, 0]`

Rule 3384

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&`

NeQ[d*e - c*f, 0]

Rule 5556

Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 6420

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, ArcSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rubi steps

$$\begin{aligned}
 \int \frac{1}{x^3 (a + b \operatorname{sech}^{-1}(cx))} dx &= - \left(c^2 \operatorname{Subst} \left(\int \frac{\cosh(x) \sinh(x)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
 &= - \left(c^2 \operatorname{Subst} \left(\int \frac{\sinh(2x)}{2(a + bx)} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
 &= - \left(\frac{1}{2} c^2 \operatorname{Subst} \left(\int \frac{\sinh(2x)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
 &= - \left(\frac{1}{2} \left(c^2 \cosh \left(\frac{2a}{b} \right) \right) \operatorname{Subst} \left(\int \frac{\sinh \left(\frac{2a}{b} + 2x \right)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) + \frac{1}{2} \left(c^2 \right) \\
 &= \frac{c^2 \operatorname{Chi} \left(\frac{2a}{b} + 2 \operatorname{sech}^{-1}(cx) \right) \sinh \left(\frac{2a}{b} \right)}{2b} - \frac{c^2 \cosh \left(\frac{2a}{b} \right) \operatorname{Shi} \left(\frac{2a}{b} + 2 \operatorname{sech}^{-1}(cx) \right)}{2b}
 \end{aligned}$$

Mathematica [A]

time = 0.06, size = 56, normalized size = 0.89

$$\frac{c^2 \left(\operatorname{Chi} \left(\frac{2a}{b} + 2 \operatorname{sech}^{-1}(cx) \right) \sinh \left(\frac{2a}{b} \right) - \cosh \left(\frac{2a}{b} \right) \operatorname{Shi} \left(\frac{2a}{b} + 2 \operatorname{sech}^{-1}(cx) \right) \right)}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3*(a + b*ArcSech[c*x])),x]

[Out] (c^2*(CoshIntegral[(2*a)/b + 2*ArcSech[c*x]]*Sinh[(2*a)/b] - Cosh[(2*a)/b]*SinhIntegral[(2*a)/b + 2*ArcSech[c*x]]))/(2*b)

Maple [A]

time = 0.36, size = 60, normalized size = 0.95

method	result	size
derivativedivides	$c^2 \left(-\frac{e^{\frac{2a}{b}} \operatorname{ExpIntegralEi}\left(1, \frac{2a}{b} + 2 \operatorname{arcsech}(cx)\right)}{4b} + \frac{e^{-\frac{2a}{b}} \operatorname{ExpIntegralEi}\left(1, -2 \operatorname{arcsech}(cx) - \frac{2a}{b}\right)}{4b} \right)$	60
default	$c^2 \left(-\frac{e^{\frac{2a}{b}} \operatorname{ExpIntegralEi}\left(1, \frac{2a}{b} + 2 \operatorname{arcsech}(cx)\right)}{4b} + \frac{e^{-\frac{2a}{b}} \operatorname{ExpIntegralEi}\left(1, -2 \operatorname{arcsech}(cx) - \frac{2a}{b}\right)}{4b} \right)$	60

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/x^3/(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)
```

```
[Out] c^2*(-1/4/b*exp(2*a/b)*Ei(1,2*a/b+2*arcsech(c*x))+1/4/b*exp(-2*a/b)*Ei(1,-2*arcsech(c*x)-2*a/b))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^3/(a+b*arcsech(c*x)),x, algorithm="maxima")
```

```
[Out] integrate(1/((b*arcsech(c*x) + a)*x^3), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^3/(a+b*arcsech(c*x)),x, algorithm="fricas")
```

```
[Out] integral(1/(b*x^3*arcsech(c*x) + a*x^3), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \operatorname{asech}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**3/(a+b*asech(c*x)),x)
```

```
[Out] Integral(1/(x**3*(a + b*asech(c*x))), x)
```


Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/x^3/(a+b*arcsech(c*x)),x, algorithm="giac")``[Out] integrate(1/((b*arcsech(c*x) + a)*x^3), x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{x^3 (a + b \operatorname{acosh}(\frac{1}{cx}))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(x^3*(a + b*acosh(1/(c*x))))),x)``[Out] int(1/(x^3*(a + b*acosh(1/(c*x))))), x)`

$$3.56 \quad \int \frac{1}{x^4 \left(a + b \operatorname{sech}^{-1}(cx) \right)} dx$$

Optimal. Leaf size=117

$$\frac{c^3 \operatorname{Chi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right) \sinh\left(\frac{a}{b}\right)}{4b} + \frac{c^3 \operatorname{Chi}\left(\frac{3a}{b} + 3\operatorname{sech}^{-1}(cx)\right) \sinh\left(\frac{3a}{b}\right)}{4b} - \frac{c^3 \cosh\left(\frac{a}{b}\right) \operatorname{Shi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{4b} - \frac{c^3 \cosh\left(\frac{3a}{b}\right) \operatorname{Shi}\left(\frac{3a}{b} + 3\operatorname{sech}^{-1}(cx)\right)}{4b}$$

[Out] $-1/4*c^3*\cosh(a/b)*\operatorname{Shi}(a/b+\operatorname{arcsech}(c*x))/b-1/4*c^3*\cosh(3*a/b)*\operatorname{Shi}(3*a/b+3*\operatorname{arcsech}(c*x))/b+1/4*c^3*\operatorname{Chi}(a/b+\operatorname{arcsech}(c*x))*\sinh(a/b)/b+1/4*c^3*\operatorname{Chi}(3*a/b+3*\operatorname{arcsech}(c*x))*\sinh(3*a/b)/b$

Rubi [A]

time = 0.18, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {6420, 5556, 3384, 3379, 3382}

$$\frac{c^3 \sinh\left(\frac{a}{b}\right) \operatorname{Chi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{4b} + \frac{c^3 \sinh\left(\frac{3a}{b}\right) \operatorname{Chi}\left(\frac{3a}{b} + 3\operatorname{sech}^{-1}(cx)\right)}{4b} - \frac{c^3 \cosh\left(\frac{a}{b}\right) \operatorname{Shi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{4b} - \frac{c^3 \cosh\left(\frac{3a}{b}\right) \operatorname{Shi}\left(\frac{3a}{b} + 3\operatorname{sech}^{-1}(cx)\right)}{4b}$$

Antiderivative was successfully verified.

[In] `Int[1/(x^4*(a + b*ArcSech[c*x])),x]`

[Out] $(c^3*\operatorname{CoshIntegral}[a/b + \operatorname{ArcSech}[c*x]]*\operatorname{Sinh}[a/b])/(4*b) + (c^3*\operatorname{CoshIntegral}[(3*a)/b + 3*\operatorname{ArcSech}[c*x]]*\operatorname{Sinh}[(3*a)/b])/(4*b) - (c^3*\operatorname{Cosh}[a/b]*\operatorname{SinhIntegral}[a/b + \operatorname{ArcSech}[c*x]])/(4*b) - (c^3*\operatorname{Cosh}[(3*a)/b]*\operatorname{SinhIntegral}[(3*a)/b + 3*\operatorname{ArcSech}[c*x]])/(4*b)$

Rule 3379

`Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[I*(SinhIntegral[c*f*(fz/d) + f*fz*x]/d), x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*e - c*f*fz*I, 0]`

Rule 3382

`Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*(e - Pi/2) - c*f*fz*I, 0]`

Rule 3384

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]`

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^4 (a + b \operatorname{sech}^{-1}(cx))} dx &= - \left(c^3 \operatorname{Subst} \left(\int \frac{\cosh^2(x) \sinh(x)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= - \left(c^3 \operatorname{Subst} \left(\int \left(\frac{\sinh(x)}{4(a + bx)} + \frac{\sinh(3x)}{4(a + bx)} \right) dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= - \left(\frac{1}{4} c^3 \operatorname{Subst} \left(\int \frac{\sinh(x)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) - \frac{1}{4} c^3 \operatorname{Subst} \left(\int \frac{\sinh(3x)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right) \\
&= - \left(\frac{1}{4} \left(c^3 \cosh \left(\frac{a}{b} \right) \right) \operatorname{Subst} \left(\int \frac{\sinh \left(\frac{a}{b} + x \right)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) - \frac{1}{4} \left(c^3 \cosh \left(\frac{3a}{b} \right) \right) \operatorname{Subst} \left(\int \frac{\sinh \left(\frac{3a}{b} + x \right)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right) \\
&= \frac{c^3 \operatorname{Chi} \left(\frac{a}{b} + \operatorname{sech}^{-1}(cx) \right) \sinh \left(\frac{a}{b} \right)}{4b} + \frac{c^3 \operatorname{Chi} \left(\frac{3a}{b} + 3 \operatorname{sech}^{-1}(cx) \right) \sinh \left(\frac{3a}{b} \right)}{4b} - \frac{c^3 \cosh \left(\frac{a}{b} \right) \operatorname{Chi} \left(\frac{a}{b} + \operatorname{sech}^{-1}(cx) \right)}{4b} - \frac{c^3 \cosh \left(\frac{3a}{b} \right) \operatorname{Chi} \left(\frac{3a}{b} + 3 \operatorname{sech}^{-1}(cx) \right)}{4b}
\end{aligned}$$

Mathematica [A]

time = 0.12, size = 91, normalized size = 0.78

$$\frac{c^3 \left(-\operatorname{Chi} \left(\frac{a}{b} + \operatorname{sech}^{-1}(cx) \right) \sinh \left(\frac{a}{b} \right) - \operatorname{Chi} \left(3 \frac{a}{b} + \operatorname{sech}^{-1}(cx) \right) \sinh \left(\frac{3a}{b} \right) + \cosh \left(\frac{a}{b} \right) \operatorname{Shi} \left(\frac{a}{b} + \operatorname{sech}^{-1}(cx) \right) + \cosh \left(\frac{3a}{b} \right) \operatorname{Shi} \left(3 \frac{a}{b} + \operatorname{sech}^{-1}(cx) \right) \right)}{4b}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(x^4*(a + b*ArcSech[c*x])),x]
```

```
[Out] -1/4*(c^3*(-(CoshIntegral[a/b + ArcSech[c*x]]*Sinh[a/b]) - CoshIntegral[3*(
a/b + ArcSech[c*x]]*Sinh[(3*a)/b] + Cosh[a/b]*SinhIntegral[a/b + ArcSech[c
*x]] + Cosh[(3*a)/b]*SinhIntegral[3*(a/b + ArcSech[c*x])]))/b
```

Maple [A]

time = 0.48, size = 110, normalized size = 0.94

method	result
derivativedivides	$c^3 \left(-\frac{e^{-\frac{3a}{b}} \operatorname{ExpIntegralEi}\left(1, \frac{3a}{b} + 3 \operatorname{arcsech}(cx)\right)}{8b} - \frac{e^{\frac{a}{b}} \operatorname{ExpIntegralEi}\left(1, \frac{a}{b} + \operatorname{arcsech}(cx)\right)}{8b} + \frac{e^{-\frac{a}{b}} \operatorname{ExpIntegralEi}\left(1, -\operatorname{arcsech}(cx)\right)}{8b} \right)$
default	$c^3 \left(-\frac{e^{-\frac{3a}{b}} \operatorname{ExpIntegralEi}\left(1, \frac{3a}{b} + 3 \operatorname{arcsech}(cx)\right)}{8b} - \frac{e^{\frac{a}{b}} \operatorname{ExpIntegralEi}\left(1, \frac{a}{b} + \operatorname{arcsech}(cx)\right)}{8b} + \frac{e^{-\frac{a}{b}} \operatorname{ExpIntegralEi}\left(1, -\operatorname{arcsech}(cx)\right)}{8b} \right)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/x^4/(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)
```

```
[Out] c^3*(-1/8/b*exp(3*a/b)*Ei(1,3*a/b+3*arcsech(c*x))-1/8/b*exp(a/b)*Ei(1,a/b+arcsech(c*x))+1/8/b*exp(-a/b)*Ei(1,-arcsech(c*x)-a/b)+1/8/b*exp(-3*a/b)*Ei(1,-3*arcsech(c*x)-3*a/b))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^4/(a+b*arcsech(c*x)),x, algorithm="maxima")
```

```
[Out] integrate(1/((b*arcsech(c*x) + a)*x^4), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^4/(a+b*arcsech(c*x)),x, algorithm="fricas")
```

```
[Out] integral(1/(b*x^4*arcsech(c*x) + a*x^4), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4 (a + b \operatorname{asech}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**4/(a+b*asech(c*x)),x)
```

```
[Out] Integral(1/(x**4*(a + b*asech(c*x))), x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/x^4/(a+b*arcsech(c*x)),x, algorithm="giac")``[Out] integrate(1/((b*arcsech(c*x) + a)*x^4), x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^4 (a + b \operatorname{acosh}(\frac{1}{cx}))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(x^4*(a + b*acosh(1/(c*x))))),x)``[Out] int(1/(x^4*(a + b*acosh(1/(c*x))))), x)`

$$3.57 \quad \int \frac{x}{\left(a + b \operatorname{sech}^{-1}(cx)\right)^2} dx$$

Optimal. Leaf size=15

$$\operatorname{Int}\left(\frac{x}{\left(a + b \operatorname{sech}^{-1}(cx)\right)^2}, x\right)$$

[Out] Unintegrable(x/(a+b*arcsech(c*x))^2,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x}{\left(a + b \operatorname{sech}^{-1}(cx)\right)^2} dx$$

Verification is not applicable to the result.

[In] Int[x/(a + b*ArcSech[c*x])^2,x]

[Out] Defer[Int][x/(a + b*ArcSech[c*x])^2, x]

Rubi steps

$$\int \frac{x}{\left(a + b \operatorname{sech}^{-1}(cx)\right)^2} dx = \int \frac{x}{\left(a + b \operatorname{sech}^{-1}(cx)\right)^2} dx$$

Mathematica [A]

time = 12.27, size = 0, normalized size = 0.00

$$\int \frac{x}{\left(a + b \operatorname{sech}^{-1}(cx)\right)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[x/(a + b*ArcSech[c*x])^2,x]

[Out] Integrate[x/(a + b*ArcSech[c*x])^2, x]

Maple [A]

time = 0.43, size = 0, normalized size = 0.00

$$\int \frac{x}{\left(a + b \operatorname{arcsech}(cx)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a+b*arcsech(c*x))^2,x)`

[Out] `int(x/(a+b*arcsech(c*x))^2,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsech(c*x))^2,x, algorithm="maxima")`

[Out]
$$-\left((c^2x^3 - x)\sqrt{cx + 1}\sqrt{-cx + 1}x + (c^2x^3 - x)x\right) / \left((b^2c^2 \log(c) - abc^2)x^2 - b^2\log(c) - (b^2\log(c) + b^2\log(x) - ab)\sqrt{cx + 1}\sqrt{-cx + 1} + ab - (b^2c^2x^2 - \sqrt{cx + 1}\sqrt{-cx + 1})b^2 - b^2\right) \log(\sqrt{cx + 1}\sqrt{-cx + 1} + 1) + (b^2c^2x^2 - b^2)\log(x) + \int (2(2c^2x^2 - 1)(cx + 1)(cx - 1)x + (3c^4x^4 - 8c^2x^2 + 4)\sqrt{cx + 1}\sqrt{-cx + 1}x + 2(c^4x^4 - 2c^2x^2 + 1)x) / ((b^2c^4\log(c) - abc^4)x^4 - (b^2\log(c) + b^2\log(x) - ab)(cx + 1)(cx - 1) - 2(b^2c^2\log(c) - abc^2)x^2 + b^2\log(c) - 2((b^2c^2\log(c) - abc^2)x^2 - b^2\log(c) + ab + (b^2c^2x^2 - b^2)\log(x))\sqrt{cx + 1}\sqrt{-cx + 1} - ab - (b^2c^4x^4 - 2b^2c^2x^2 - (cx + 1)(cx - 1)b^2 - 2(b^2c^2x^2 - b^2)\sqrt{cx + 1}\sqrt{-cx + 1} + b^2)\log(\sqrt{cx + 1}\sqrt{-cx + 1} + 1) + (b^2c^4x^4 - 2b^2c^2x^2 + b^2)\log(x)), x)$$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsech(c*x))^2,x, algorithm="fricas")`

[Out] `integral(x/(b^2*arcsech(c*x)^2 + 2*a*b*arcsech(c*x) + a^2), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \operatorname{asech}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*asech(c*x))**2,x)`

[Out] Integral(x/(a + b*asech(c*x))**2, x)

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsech(c*x))^2,x, algorithm="giac")

[Out] integrate(x/(b*arcsech(c*x) + a)^2, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{x}{\left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b*acosh(1/(c*x)))^2,x)

[Out] int(x/(a + b*acosh(1/(c*x)))^2, x)

$$3.58 \quad \int \frac{1}{(a+b\operatorname{sech}^{-1}(cx))^2} dx$$

Optimal. Leaf size=13

$$\operatorname{Int}\left(\frac{1}{(a+b\operatorname{sech}^{-1}(cx))^2}, x\right)$$

[Out] Unintegrable(1/(a+b*arcsech(c*x))^2,x)

Rubi [A]

time = 0.00, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(a+b\operatorname{sech}^{-1}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSech[c*x])^(-2), x]

[Out] Defer[Int] [(a + b*ArcSech[c*x])^(-2), x]

Rubi steps

$$\int \frac{1}{(a+b\operatorname{sech}^{-1}(cx))^2} dx = \int \frac{1}{(a+b\operatorname{sech}^{-1}(cx))^2} dx$$

Mathematica [A]

time = 6.52, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+b\operatorname{sech}^{-1}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSech[c*x])^(-2), x]

[Out] Integrate[(a + b*ArcSech[c*x])^(-2), x]

Maple [A]

time = 0.24, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+b\operatorname{arcsech}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*arcsech(c*x))^2,x)`

[Out] `int(1/(a+b*arcsech(c*x))^2,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsech(c*x))^2,x, algorithm="maxima")`

[Out]
$$-(c^2x^3 + (c^2x^3 - x)\sqrt{cx + 1}\sqrt{-cx + 1} - x)/((b^2c^2\log(c) - a*bc^2)x^2 - b^2\log(c) - (b^2\log(c) + b^2\log(x) - a*b)\sqrt{cx + 1}\sqrt{-cx + 1} + a*b - (b^2c^2x^2 - \sqrt{cx + 1}\sqrt{-cx + 1})b^2 - b^2\log(\sqrt{cx + 1}\sqrt{-cx + 1} + 1) + (b^2c^2x^2 - b^2)\log(x)) + \int (c^4x^4 - 2c^2x^2 + (3c^2x^2 - 1)(cx + 1)(cx - 1) + (2c^4x^4 - 5c^2x^2 + 2)\sqrt{cx + 1}\sqrt{-cx + 1} + 1)/((b^2c^4\log(c) - a*bc^4)x^4 - (b^2\log(c) + b^2\log(x) - a*b)(cx + 1)(cx - 1) - 2(b^2c^2\log(c) - a*bc^2)x^2 + b^2\log(c) - 2((b^2c^2\log(c) - a*bc^2)x^2 - b^2\log(c) + a*b + (b^2c^2x^2 - b^2)\log(x))\sqrt{cx + 1}\sqrt{-cx + 1} - a*b - (b^2c^4x^4 - 2b^2c^2x^2 - (cx + 1)(cx - 1))b^2 - 2(b^2c^2x^2 - b^2)\sqrt{cx + 1}\sqrt{-cx + 1} + b^2)\log(\sqrt{cx + 1}\sqrt{-cx + 1} + 1) + (b^2c^4x^4 - 2b^2c^2x^2 + b^2)\log(x)), x$$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsech(c*x))^2,x, algorithm="fricas")`

[Out] `integral(1/(b^2*arcsech(c*x)^2 + 2*a*b*arcsech(c*x) + a^2), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \operatorname{asech}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*asech(c*x))**2,x)`

[Out] `Integral((a + b*asech(c*x))**(-2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*arcsech(c*x))^2,x, algorithm="giac")``[Out] integrate((b*arcsech(c*x) + a)^(-2), x)`**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{\left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(a + b*acosh(1/(c*x)))^2,x)``[Out] int(1/(a + b*acosh(1/(c*x)))^2, x)`

$$3.59 \quad \int \frac{1}{x(a+b\operatorname{sech}^{-1}(cx))^2} dx$$

Optimal. Leaf size=17

$$\operatorname{Int}\left(\frac{1}{x(a+b\operatorname{sech}^{-1}(cx))^2}, x\right)$$

[Out] Unintegrable(1/x/(a+b*arcsech(c*x))^2, x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b\operatorname{sech}^{-1}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Int[1/(x*(a + b*ArcSech[c*x])^2), x]

[Out] Defer[Int][1/(x*(a + b*ArcSech[c*x])^2), x]

Rubi steps

$$\int \frac{1}{x(a+b\operatorname{sech}^{-1}(cx))^2} dx = \int \frac{1}{x(a+b\operatorname{sech}^{-1}(cx))^2} dx$$

Mathematica [A]

time = 3.52, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b\operatorname{sech}^{-1}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcSech[c*x])^2), x]

[Out] Integrate[1/(x*(a + b*ArcSech[c*x])^2), x]

Maple [A]

time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b\operatorname{arcsech}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(a+b*arcsech(c*x))^2,x)`

[Out] `int(1/x/(a+b*arcsech(c*x))^2,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsech(c*x))^2,x, algorithm="maxima")`

[Out]
$$-(c^2x^3 + (c^2x^3 - x)\sqrt{cx + 1}\sqrt{-cx + 1} - x)/((b^2c^2x^2 - b^2)x\log(x) - (b^2x\log(x) + (b^2\log(c) - a*b)x)\sqrt{cx + 1}\sqrt{-cx + 1} + ((b^2c^2\log(c) - a*b*c^2)x^2 - b^2\log(c) + a*b)x + (\sqrt{cx + 1}\sqrt{-cx + 1})b^2x - (b^2c^2x^2 - b^2)x)\log(\sqrt{cx + 1}\sqrt{-cx + 1} + 1)) + \int (-2*(cx + 1)*(cx - 1)*c^2x^2 + (c^4x^4 - 2*c^2x^2)\sqrt{cx + 1}\sqrt{-cx + 1})/((b^2x\log(x) + (b^2\log(c) - a*b)x)*(cx + 1)*(cx - 1) - (b^2c^4x^4 - 2*b^2c^2x^2 + b^2)x\log(x) + 2*((b^2c^2x^2 - b^2)x\log(x) + ((b^2c^2\log(c) - a*b*c^2)x^2 - b^2\log(c) + a*b)x)\sqrt{cx + 1}\sqrt{-cx + 1} - ((b^2c^4\log(c) - a*b*c^4)x^4 - 2*(b^2c^2\log(c) - a*b*c^2)x^2 + b^2\log(c) - a*b)x - ((cx + 1)*(cx - 1)*b^2x + 2*(b^2c^2x^2 - b^2)\sqrt{cx + 1}\sqrt{-cx + 1})x - (b^2c^4x^4 - 2*b^2c^2x^2 + b^2)x)\log(\sqrt{cx + 1}\sqrt{-cx + 1} + 1)), x$$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsech(c*x))^2,x, algorithm="fricas")`

[Out] `integral(1/(b^2*x*arcsech(c*x)^2 + 2*a*b*x*arcsech(c*x) + a^2*x), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \operatorname{asech}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*asech(c*x))**2,x)`

[Out] `Integral(1/(x*(a + b*asech(c*x))**2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/x/(a+b*arcsech(c*x))^2,x, algorithm="giac")``[Out] integrate(1/((b*arcsech(c*x) + a)^2*x), x)`**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x \left(a + b \operatorname{acosh} \left(\frac{1}{cx} \right) \right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(x*(a + b*acosh(1/(c*x)))^2),x)``[Out] int(1/(x*(a + b*acosh(1/(c*x)))^2), x)`

$$3.60 \quad \int \frac{1}{x^2 \left(a + b \operatorname{sech}^{-1}(cx) \right)^2} dx$$

Optimal. Leaf size=86

$$\frac{\sqrt{\frac{1-cx}{1+cx}} (1+cx)}{bx (a + b \operatorname{sech}^{-1}(cx))} - \frac{c \cosh\left(\frac{a}{b}\right) \operatorname{Chi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{b^2} + \frac{c \sinh\left(\frac{a}{b}\right) \operatorname{Shi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{b^2}$$

[Out] $-c \operatorname{Chi}(a/b + \operatorname{arcsech}(c*x)) * \cosh(a/b) / b^2 + c \operatorname{Shi}(a/b + \operatorname{arcsech}(c*x)) * \sinh(a/b) / b^2 + (c*x+1) * ((-c*x+1)/(c*x+1))^{(1/2)} / b/x / (a+b*\operatorname{arcsech}(c*x))$

Rubi [A]

time = 0.11, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {6420, 3378, 3384, 3379, 3382}

$$-\frac{c \cosh\left(\frac{a}{b}\right) \operatorname{Chi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{b^2} + \frac{c \sinh\left(\frac{a}{b}\right) \operatorname{Shi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{b^2} + \frac{\sqrt{\frac{1-cx}{cx+1}} (cx+1)}{bx (a + b \operatorname{sech}^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[1/(x^2*(a + b*\operatorname{ArcSech}[c*x])^2), x]$

[Out] $(\operatorname{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x))/(b*x*(a + b*\operatorname{ArcSech}[c*x])) - (c*\operatorname{Cosh}[a/b]*\operatorname{CoshIntegral}[a/b + \operatorname{ArcSech}[c*x]])/b^2 + (c*\operatorname{Sinh}[a/b]*\operatorname{SinhIntegral}[a/b + \operatorname{ArcSech}[c*x]])/b^2$

Rule 3378

$\operatorname{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m + 1)}*(\operatorname{Sin}[e + f*x]/(d*(m + 1))), x] - \operatorname{Dist}[f/(d*(m + 1)), \operatorname{Int}[(c + d*x)^{(m + 1)}*\operatorname{Cos}[e + f*x], x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x \&\& \operatorname{LtQ}[m, -1]$

Rule 3379

$\operatorname{Int}[\sin[(e_.) + (\operatorname{Complex}[0, fz_])*(f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[I*(\operatorname{SinhIntegral}[c*f*(fz/d) + f*fz*x]/d), x] /; \operatorname{FreeQ}\{c, d, e, f, fz\}, x \&\& \operatorname{EqQ}[d*e - c*f*fz*I, 0]$

Rule 3382

$\operatorname{Int}[\sin[(e_.) + (\operatorname{Complex}[0, fz_])*(f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CoshIntegral}[c*f*(fz/d) + f*fz*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f, fz$

}, x] && EqQ[d*(e - Pi/2) - c*f*fz*I, 0]

Rule 3384

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6420

Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, ArcSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rubi steps

$$\begin{aligned} \int \frac{1}{x^2 (a + b \operatorname{sech}^{-1}(cx))^2} dx &= - \left(c \operatorname{Subst} \left(\int \frac{\sinh(x)}{(a + bx)^2} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\ &= \frac{\sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{bx (a + b \operatorname{sech}^{-1}(cx))} - \frac{c \operatorname{Subst} \left(\int \frac{\cosh(x)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right)}{b} \\ &= \frac{\sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{bx (a + b \operatorname{sech}^{-1}(cx))} - \frac{(c \cosh(\frac{a}{b})) \operatorname{Subst} \left(\int \frac{\cosh(\frac{a}{b} + x)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right)}{b} + \dots \\ &= \frac{\sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{bx (a + b \operatorname{sech}^{-1}(cx))} - \frac{c \cosh(\frac{a}{b}) \operatorname{Chi}(\frac{a}{b} + \operatorname{sech}^{-1}(cx))}{b^2} + \frac{c \sinh(\frac{a}{b}) \operatorname{Shi}(\frac{a}{b} + \operatorname{sech}^{-1}(cx))}{b^2} \end{aligned}$$

Mathematica [A]

time = 0.23, size = 82, normalized size = 0.95

$$\frac{b \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{x (a + b \operatorname{sech}^{-1}(cx))} - \frac{c \cosh(\frac{a}{b}) \operatorname{Chi}(\frac{a}{b} + \operatorname{sech}^{-1}(cx)) + c \sinh(\frac{a}{b}) \operatorname{Shi}(\frac{a}{b} + \operatorname{sech}^{-1}(cx))}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2*(a + b*ArcSech[c*x])^2), x]

[Out] $((b\sqrt{(1-cx)/(1+cx)}(1+cx))/(x(a+b\text{ArcSech}[cx])) - c\text{Cosh}[a/b]\text{CoshIntegral}[a/b + \text{ArcSech}[cx]] + c\text{Sinh}[a/b]\text{SinhIntegral}[a/b + \text{ArcSech}[cx]])/b^2$

Maple [A]

time = 0.36, size = 164, normalized size = 1.91

method	result
derivativedivides	$c \left(\frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} cx-1}{2cxb(a+b \text{arcsech}(cx))} + \frac{e^{\frac{a}{b}} \text{expIntegral}(1, \frac{a}{b} + \text{arcsech}(cx))}{2b^2} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} cx+1}{2bcx(a+b \text{arcsech}(cx))} + \frac{e^{-\frac{a}{b}} \text{expIntegral}(1, \frac{a}{b} + \text{arcsech}(cx))}{2b^2} \right)$
default	$c \left(\frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} cx-1}{2cxb(a+b \text{arcsech}(cx))} + \frac{e^{\frac{a}{b}} \text{expIntegral}(1, \frac{a}{b} + \text{arcsech}(cx))}{2b^2} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} cx+1}{2bcx(a+b \text{arcsech}(cx))} + \frac{e^{-\frac{a}{b}} \text{expIntegral}(1, \frac{a}{b} + \text{arcsech}(cx))}{2b^2} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/(a+b*arcsech(c*x))^2,x,method=_RETURNVERBOSE)`

[Out] $c*(1/2*((-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)}*c*x-1)/c/x/b/(a+b*\text{arcsech}(c*x))+1/2/b^2*\text{exp}(a/b)*\text{Ei}(1,a/b+\text{arcsech}(c*x))+1/2/b*((-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)}*c*x+1)/c/x/(a+b*\text{arcsech}(c*x))+1/2/b^2*\text{exp}(-a/b)*\text{Ei}(1,-\text{arcsech}(c*x)-a/b))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsech(c*x))^2,x, algorithm="maxima")`

[Out] $-(c^2*x^3 + (c^2*x^3 - x)*\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1) - x)/((b^2*c^2*x^2 - b^2)*x^2*\log(x) + ((b^2*c^2*\log(c) - a*b*c^2)*x^2 - b^2*\log(c) + a*b)*x^2 - (b^2*x^2*\log(x) + (b^2*\log(c) - a*b)*x^2)*\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1) + (\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1)*b^2*x^2 - (b^2*c^2*x^2 - b^2)*x^2)*\log(\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1) + 1)) + \text{integrate}(-(c^4*x^4 - 2*c^2*x^2 - (c^2*x^2 + 1)*(c*x + 1)*(c*x - 1) - (c^2*x^2 - 2)*\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1) + 1)/((b^2*c^4*x^4 - 2*b^2*c^2*x^2 + b^2)*x^2*\log(x) - (b^2*x^2*\log(x) + (b^2*\log(c) - a*b)*x^2)*(c*x + 1)*(c*x - 1) + ((b^2*c^4*\log(c) - a*b*c^4)*x^4 - 2*(b^2*c^2*\log(c) - a*b*c^2)*x^2 + b^2*\log(c) - a*b)*x^2 - 2*((b^2*c^2*x^2 - b^2)*x^2*\log(x) + ((b^2*c^2*\log(c) - a*b*c^2)*x^2 - b^2*\log(c) + a*b)*x^2)*\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1) + ((c*x + 1)*(c*x - 1)*b^2*x^2 + 2*(b^2*c^2*x^2 - b^2)*\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1)*x^2 - (b^2*c^4*x^4 - 2*b^2*c^2*x^2 + b^2)*x^2)*\log(\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1) + 1)), x)$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsech(c*x))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*x^2*arcsech(c*x)^2 + 2*a*b*x^2*arcsech(c*x) + a^2*x^2), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{asech}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(a+b*asech(c*x))**2,x)

[Out] Integral(1/(x**2*(a + b*asech(c*x))**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsech(c*x))^2,x, algorithm="giac")

[Out] integrate(1/((b*arcsech(c*x) + a)^2*x^2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^2 (a + b \operatorname{acosh}(\frac{1}{cx}))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(a + b*acosh(1/(c*x)))^2),x)

[Out] int(1/(x^2*(a + b*acosh(1/(c*x)))^2), x)

$$3.61 \quad \int \frac{1}{x^3 (a + b \operatorname{sech}^{-1}(cx))^2} dx$$

Optimal. Leaf size=85

$$-\frac{c^2 \cosh\left(\frac{2a}{b}\right) \operatorname{Chi}\left(\frac{2a}{b} + 2\operatorname{sech}^{-1}(cx)\right)}{b^2} + \frac{c^2 \sinh\left(2\operatorname{sech}^{-1}(cx)\right)}{2b(a + b\operatorname{sech}^{-1}(cx))} + \frac{c^2 \sinh\left(\frac{2a}{b}\right) \operatorname{Shi}\left(\frac{2a}{b} + 2\operatorname{sech}^{-1}(cx)\right)}{b^2}$$

[Out] $-c^2 \operatorname{Chi}(2a/b + 2 \operatorname{arcsech}(cx)) \cosh(2a/b) / b^2 + c^2 \operatorname{Shi}(2a/b + 2 \operatorname{arcsech}(cx)) \sinh(2a/b) / b^2 + 1/2 c^2 \sinh(2 \operatorname{arcsech}(cx)) / b / (a + b \operatorname{arcsech}(cx))$

Rubi [A]

time = 0.13, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6420, 5556, 12, 3378, 3384, 3379, 3382}

$$-\frac{c^2 \cosh\left(\frac{2a}{b}\right) \operatorname{Chi}\left(\frac{2a}{b} + 2\operatorname{sech}^{-1}(cx)\right)}{b^2} + \frac{c^2 \sinh\left(\frac{2a}{b}\right) \operatorname{Shi}\left(\frac{2a}{b} + 2\operatorname{sech}^{-1}(cx)\right)}{b^2} + \frac{c^2 \sinh\left(2\operatorname{sech}^{-1}(cx)\right)}{2b(a + b\operatorname{sech}^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] `Int[1/(x^3*(a + b*ArcSech[c*x])^2),x]`

[Out] $-\left(\frac{c^2 \operatorname{Cosh}[(2a)/b] \operatorname{CoshIntegral}[(2a)/b + 2 \operatorname{ArcSech}[c*x]]}{b^2}\right) + \left(\frac{c^2 \operatorname{Sinh}[2 \operatorname{ArcSech}[c*x]]}{2*b*(a + b \operatorname{ArcSech}[c*x])}\right) + \left(\frac{c^2 \operatorname{Sinh}[(2a)/b] \operatorname{SinhIntegral}[(2a)/b + 2 \operatorname{ArcSech}[c*x]]}{b^2}\right)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

Rule 3378

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(c + d*x)^(m + 1)*(Sin[e + f*x]/(d*(m + 1))), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]`

Rule 3379

`Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[I*(SinhIntegral[c*f*(fz/d) + f*fz*x]/d), x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*e - c*f*fz*I, 0]`

Rule 3382

```
Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x]
&& EqQ[d*(e - Pi/2) - c*f*fz*I, 0]
```

Rule 3384

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x], x]
+ Dist[Sin[(d*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x], x] /;
FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol]
:> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^(n)*Cosh[a + b*x]^p, x], x] /;
FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol]
:> Dist[-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, ArcSech[c*x]], x] /;
FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3 (a + b \operatorname{sech}^{-1}(cx))^2} dx &= - \left(c^2 \operatorname{Subst} \left(\int \frac{\cosh(x) \sinh(x)}{(a + bx)^2} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= - \left(c^2 \operatorname{Subst} \left(\int \frac{\sinh(2x)}{2(a + bx)^2} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= - \left(\frac{1}{2} c^2 \operatorname{Subst} \left(\int \frac{\sinh(2x)}{(a + bx)^2} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= \frac{c^2 \sinh(2 \operatorname{sech}^{-1}(cx))}{2b (a + b \operatorname{sech}^{-1}(cx))} - \frac{c^2 \operatorname{Subst} \left(\int \frac{\cosh(2x)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right)}{b} \\
&= \frac{c^2 \sinh(2 \operatorname{sech}^{-1}(cx))}{2b (a + b \operatorname{sech}^{-1}(cx))} - \frac{(c^2 \cosh(\frac{2a}{b})) \operatorname{Subst} \left(\int \frac{\cosh(\frac{2a}{b} + 2x)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right)}{b} \\
&= - \frac{c^2 \cosh(\frac{2a}{b}) \operatorname{Chi}(\frac{2a}{b} + 2 \operatorname{sech}^{-1}(cx))}{b^2} + \frac{c^2 \sinh(2 \operatorname{sech}^{-1}(cx))}{2b (a + b \operatorname{sech}^{-1}(cx))} + \frac{c^2 \sinh(\frac{2a}{b}) S}{b}
\end{aligned}$$

Mathematica [A]

time = 0.25, size = 92, normalized size = 1.08

$$\frac{b \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{x^2 (a+b \operatorname{sech}^{-1}(cx))} - c^2 \cosh\left(\frac{2a}{b}\right) \operatorname{Chi}\left(2\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)\right) + c^2 \sinh\left(\frac{2a}{b}\right) \operatorname{Shi}\left(2\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)\right)$$

$$b^2$$

Antiderivative was successfully verified.

`[In] Integrate[1/(x^3*(a + b*ArcSech[c*x])^2), x]`

```
[Out] ((b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x))/(x^2*(a + b*ArcSech[c*x])) - c^2*Cosh[(2*a)/b]*CoshIntegral[2*(a/b + ArcSech[c*x])] + c^2*Sinh[(2*a)/b]*SinhIntegral[2*(a/b + ArcSech[c*x])])/b^2
```

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 185 vs. 2(83) = 166.

time = 0.40, size = 186, normalized size = 2.19

method	result
derivativedivides	$c^2 \left(\frac{2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} cx + c^2 x^2 - 2}{4c^2 x^2 b(a+b \operatorname{arcsech}(cx))} + \frac{e^{\frac{2a}{b}} \operatorname{ExpIntegralEi}\left(1, \frac{2a}{b} + 2 \operatorname{arcsech}(cx)\right)}{2b^2} - \frac{c^2 x^2 - 2 - 2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{4b c^2 x^2 (a+b \operatorname{arcsech}(cx))} \right)$
default	$c^2 \left(\frac{2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} cx + c^2 x^2 - 2}{4c^2 x^2 b(a+b \operatorname{arcsech}(cx))} + \frac{e^{\frac{2a}{b}} \operatorname{ExpIntegralEi}\left(1, \frac{2a}{b} + 2 \operatorname{arcsech}(cx)\right)}{2b^2} - \frac{c^2 x^2 - 2 - 2 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{4b c^2 x^2 (a+b \operatorname{arcsech}(cx))} \right)$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/x^3/(a+b*arcsech(c*x))^2,x,method=_RETURNVERBOSE)`

```
[Out] c^2*(1/4*(2*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*c*x+c^2*x^2-2)/c^2/x^2/b/(a+b*arcsech(c*x))+1/2/b^2*exp(2*a/b)*Ei(1,2*a/b+2*arcsech(c*x))-1/4/b*(c^2*x^2-2-2*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*c*x)/c^2/x^2/(a+b*arcsech(c*x))+1/2/b^2*exp(-2*a/b)*Ei(1,-2*arcsech(c*x)-2*a/b)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/x^3/(a+b*arcsech(c*x))^2,x, algorithm="maxima")`

```
[Out] -(c^2*x^3 + (c^2*x^3 - x)*sqrt(c*x + 1)*sqrt(-c*x + 1) - x)/((b^2*c^2*x^2 - b^2)*x^3*log(x) + ((b^2*c^2*log(c) - a*b*c^2)*x^2 - b^2*log(c) + a*b)*x^3
```

$$\begin{aligned}
& - (b^2 x^3 \log(x) + (b^2 \log(c) - a b) x^3) \sqrt{c x + 1} \sqrt{-c x + 1} + \\
& (\sqrt{c x + 1} \sqrt{-c x + 1} b^2 x^3 - (b^2 c^2 x^2 - b^2) x^3) \log(\sqrt{c x + 1} \sqrt{-c x + 1} + 1) + \text{integrate}(- (2 c^4 x^4 - 4 c^2 x^2 - 2 (c x + 1) (c x - 1) + (c^4 x^4 - 4 c^2 x^2 + 4) \sqrt{c x + 1} \sqrt{-c x + 1} + 2) / ((b^2 c^4 x^4 - 2 b^2 c^2 x^2 + b^2) x^3 \log(x) + ((b^2 c^4 \log(c) - a b c^4) x^4 - 2 (b^2 c^2 \log(c) - a b c^2) x^2 + b^2 \log(c) - a b) x^3 - (b^2 x^3 \log(x) + (b^2 \log(c) - a b) x^3) (c x + 1) (c x - 1) - 2 ((b^2 c^2 x^2 - b^2) x^3 \log(x) + ((b^2 c^2 \log(c) - a b c^2) x^2 - b^2 \log(c) + a b) x^3) \sqrt{c x + 1} \sqrt{-c x + 1} + ((c x + 1) (c x - 1) b^2 x^3 + 2 (b^2 c^2 x^2 - b^2) \sqrt{c x + 1} \sqrt{-c x + 1}) x^3 - (b^2 c^4 x^4 - 2 b^2 c^2 x^2 + b^2) x^3) \log(\sqrt{c x + 1} \sqrt{-c x + 1} + 1)), x)
\end{aligned}$$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*arcsech(c*x))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*x^3*arcsech(c*x)^2 + 2*a*b*x^3*arcsech(c*x) + a^2*x^3), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \operatorname{asech}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**3/(a+b*asech(c*x))**2,x)

[Out] Integral(1/(x**3*(a + b*asech(c*x))**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*arcsech(c*x))^2,x, algorithm="giac")

[Out] integrate(1/((b*arcsech(c*x) + a)^2*x^3), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^3 (a + b \operatorname{acosh}(\frac{1}{cx}))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x^3*(a + b*acosh(1/(c*x)))^2),x)
```

```
[Out] int(1/(x^3*(a + b*acosh(1/(c*x)))^2), x)
```

$$3.62 \quad \int \frac{1}{x^4 \left(a + b \operatorname{sech}^{-1}(cx) \right)^2} dx$$

Optimal. Leaf size=190

$$\frac{c^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{4bx (a+b \operatorname{sech}^{-1}(cx))} - \frac{c^3 \cosh\left(\frac{a}{b}\right) \operatorname{Chi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{4b^2} - \frac{3c^3 \cosh\left(\frac{3a}{b}\right) \operatorname{Chi}\left(\frac{3a}{b} + 3 \operatorname{sech}^{-1}(cx)\right)}{4b^2} + \frac{c^3 \sinh\left(3 \operatorname{sech}^{-1}(cx)\right)}{4b (a+b \operatorname{sech}^{-1}(cx))}$$

[Out] $-1/4*c^3*\operatorname{Chi}(a/b+\operatorname{arcsech}(c*x))*\cosh(a/b)/b^2-3/4*c^3*\operatorname{Chi}(3*a/b+3*\operatorname{arcsech}(c*x))*\cosh(3*a/b)/b^2+1/4*c^3*\operatorname{Shi}(a/b+\operatorname{arcsech}(c*x))*\sinh(a/b)/b^2+3/4*c^3*\operatorname{Shi}(3*a/b+3*\operatorname{arcsech}(c*x))*\sinh(3*a/b)/b^2+1/4*c^3*\sinh(3*\operatorname{arcsech}(c*x))/b/(a+b*\operatorname{arcsech}(c*x))+1/4*c^2*(c*x+1)*((-c*x+1)/(c*x+1))^{(1/2)}/b/x/(a+b*\operatorname{arcsech}(c*x))$

Rubi [A]

time = 0.23, antiderivative size = 190, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {6420, 5556, 3378, 3384, 3379, 3382}

$$-\frac{c^3 \cosh\left(\frac{a}{b}\right) \operatorname{Chi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{4b^2} - \frac{3c^3 \cosh\left(\frac{3a}{b}\right) \operatorname{Chi}\left(\frac{3a}{b} + 3 \operatorname{sech}^{-1}(cx)\right)}{4b^2} + \frac{c^3 \sinh\left(\frac{a}{b}\right) \operatorname{Shi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{4b^2} + \frac{3c^3 \sinh\left(\frac{3a}{b}\right) \operatorname{Shi}\left(\frac{3a}{b} + 3 \operatorname{sech}^{-1}(cx)\right)}{4b^2} + \frac{c^3 \sinh\left(3 \operatorname{sech}^{-1}(cx)\right)}{4b (a+b \operatorname{sech}^{-1}(cx))} + \frac{c^2 \sqrt{\frac{1-cx}{cx+1}} (cx+1)}{4bx (a+b \operatorname{sech}^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] `Int[1/(x^4*(a + b*ArcSech[c*x])^2),x]`

[Out] $(c^2*\sqrt{[(1-c*x)/(1+c*x)]*(1+c*x)})/(4*b*x*(a+b*\operatorname{ArcSech}[c*x])) - (c^3*\cosh[a/b]*\operatorname{CoshIntegral}[a/b + \operatorname{ArcSech}[c*x]])/(4*b^2) - (3*c^3*\cosh[(3*a)/b]*\operatorname{CoshIntegral}[(3*a)/b + 3*\operatorname{ArcSech}[c*x]])/(4*b^2) + (c^3*\sinh[3*\operatorname{ArcSech}[c*x]])/(4*b*(a+b*\operatorname{ArcSech}[c*x])) + (c^3*\sinh[a/b]*\operatorname{SinhIntegral}[a/b + \operatorname{ArcSech}[c*x]])/(4*b^2) + (3*c^3*\sinh[(3*a)/b]*\operatorname{SinhIntegral}[(3*a)/b + 3*\operatorname{ArcSech}[c*x]])/(4*b^2)$

Rule 3378

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(c + d*x)^(m + 1)*(Sin[e + f*x]/(d*(m + 1))), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]`

Rule 3379

`Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[I*(SinhIntegral[c*f*(fz/d) + f*fz*x]/d), x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*e - c*f*fz*I, 0]`

Rule 3382

```
Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x]
&& EqQ[d*(e - Pi/2) - c*f*fz*I, 0]
```

Rule 3384

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[
-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, Ar
cSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (Gt
Q[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^4 (a + b \operatorname{sech}^{-1}(cx))^2} dx &= - \left(c^3 \operatorname{Subst} \left(\int \frac{\cosh^2(x) \sinh(x)}{(a + bx)^2} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= - \left(c^3 \operatorname{Subst} \left(\int \left(\frac{\sinh(x)}{4(a + bx)^2} + \frac{\sinh(3x)}{4(a + bx)^2} \right) dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= - \left(\frac{1}{4} c^3 \operatorname{Subst} \left(\int \frac{\sinh(x)}{(a + bx)^2} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) - \frac{1}{4} c^3 \operatorname{Subst} \left(\int \frac{\sinh(3x)}{(a + bx)^2} dx, x, \operatorname{sech}^{-1}(cx) \right) \\
&= \frac{c^2 \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{4bx (a + b \operatorname{sech}^{-1}(cx))} + \frac{c^3 \sinh(3 \operatorname{sech}^{-1}(cx))}{4b (a + b \operatorname{sech}^{-1}(cx))} - \frac{c^3 \operatorname{Subst} \left(\int \frac{\cosh(x)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right)}{4b} \\
&= \frac{c^2 \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{4bx (a + b \operatorname{sech}^{-1}(cx))} + \frac{c^3 \sinh(3 \operatorname{sech}^{-1}(cx))}{4b (a + b \operatorname{sech}^{-1}(cx))} - \frac{(c^3 \cosh(\frac{a}{b})) \operatorname{Subst} \left(\int \frac{\cosh(x)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right)}{4b} \\
&= \frac{c^2 \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{4bx (a + b \operatorname{sech}^{-1}(cx))} - \frac{c^3 \cosh(\frac{a}{b}) \operatorname{Chi}(\frac{a}{b} + \operatorname{sech}^{-1}(cx))}{4b^2} - \frac{3c^3 \cosh(\frac{3a}{b}) \operatorname{Chi}(\frac{3a}{b} + \operatorname{sech}^{-1}(cx))}{4b^2}
\end{aligned}$$

Mathematica [A]

time = 0.38, size = 250, normalized size = 1.32

$$\frac{4b \sqrt{\frac{1-cx}{1+cx}} + 4bcx \sqrt{\frac{1-cx}{1+cx}} - c^2 x^2 (a + b \operatorname{sech}^{-1}(cx)) \operatorname{Cosh}\left(\frac{a}{b}\right) \operatorname{Chi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right) - 3c^2 x^2 (a + b \operatorname{sech}^{-1}(cx)) \operatorname{Cosh}\left(\frac{3a}{b}\right) \operatorname{Chi}\left(\frac{3a}{b} + \operatorname{sech}^{-1}(cx)\right) + c^2 x^3 \sinh\left(\frac{a}{b}\right) \operatorname{Shi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right) + b^2 x^3 \operatorname{sech}^{-1}(cx) \sinh\left(\frac{a}{b}\right) \operatorname{Shi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right) + 3ac^2 x^3 \sinh\left(\frac{3a}{b}\right) \operatorname{Shi}\left(\frac{3a}{b} + \operatorname{sech}^{-1}(cx)\right) + 3b^2 x^3 \operatorname{sech}^{-1}(cx) \sinh\left(\frac{3a}{b}\right) \operatorname{Shi}\left(\frac{3a}{b} + \operatorname{sech}^{-1}(cx)\right)}{4b^2 x^4 (a + b \operatorname{sech}^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^4*(a + b*ArcSech[c*x])^2),x]

[Out] (4*b*Sqrt[(1 - c*x)/(1 + c*x)] + 4*b*c*x*Sqrt[(1 - c*x)/(1 + c*x)] - c^3*x^3*(a + b*ArcSech[c*x])*Cosh[a/b]*CoshIntegral[a/b + ArcSech[c*x]] - 3*c^3*x^3*(a + b*ArcSech[c*x])*Cosh[(3*a)/b]*CoshIntegral[3*(a/b + ArcSech[c*x])] + a*c^3*x^3*Sinh[a/b]*SinhIntegral[a/b + ArcSech[c*x]] + b*c^3*x^3*ArcSech[c*x]*Sinh[a/b]*SinhIntegral[a/b + ArcSech[c*x]] + 3*a*c^3*x^3*Sinh[(3*a)/b]*SinhIntegral[3*(a/b + ArcSech[c*x])] + 3*b*c^3*x^3*ArcSech[c*x]*Sinh[(3*a)/b]*SinhIntegral[3*(a/b + ArcSech[c*x])])/(4*b^2*x^3*(a + b*ArcSech[c*x]))

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 419 vs. 2(176) = 352.

time = 0.55, size = 420, normalized size = 2.21

method	result
--------	--------

derivativedivides	$c^3 \left(-\frac{\sqrt{\frac{cx+1}{cx}} \sqrt{-\frac{cx-1}{cx}} c^3 x^3 - 4 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} cx - 3c^2 x^2 + 4}{8c^3 x^3 b(a+b \operatorname{arcsech}(cx))} + \frac{3e^{\frac{3a}{b}} \operatorname{expIntegral}\left(1, \frac{3a}{b} + 3 \operatorname{arcsech}(cx)\right)}{8b^2} \right)$
default	$c^3 \left(-\frac{\sqrt{\frac{cx+1}{cx}} \sqrt{-\frac{cx-1}{cx}} c^3 x^3 - 4 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} cx - 3c^2 x^2 + 4}{8c^3 x^3 b(a+b \operatorname{arcsech}(cx))} + \frac{3e^{\frac{3a}{b}} \operatorname{expIntegral}\left(1, \frac{3a}{b} + 3 \operatorname{arcsech}(cx)\right)}{8b^2} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^4/(a+b*arcsech(c*x))^2,x,method=_RETURNVERBOSE)`

[Out]
$$c^3 \left(-\frac{1}{8} \left(\left(\frac{cx+1}{cx} \right)^{1/2} \left(-\frac{cx-1}{cx} \right)^{1/2} c^3 x^3 - 4 \left(-\frac{cx-1}{cx} \right)^{1/2} \left(\frac{cx+1}{cx} \right)^{1/2} c^2 x^2 + 4 \right) / c^3 x^3 b(a+b \operatorname{arcsech}(cx)) + \frac{3}{8} \frac{e^{3a/b} \operatorname{Ei}\left(1, \frac{3a}{b} + 3 \operatorname{arcsech}(cx)\right)}{b^2} + \frac{1}{8} \left(-\frac{cx-1}{cx} \right)^{1/2} \left(\frac{cx+1}{cx} \right)^{1/2} c^2 x^2 - 4 \left(-\frac{cx-1}{cx} \right)^{1/2} \left(\frac{cx+1}{cx} \right)^{1/2} c^2 x^2 + 4 \right) / c^3 x^3 b(a+b \operatorname{arcsech}(cx)) + \frac{1}{8} \frac{e^{a/b} \operatorname{Ei}\left(1, \frac{a}{b} + \operatorname{arcsech}(cx)\right)}{b^2} + \frac{1}{8} \frac{e^{-a/b} \operatorname{Ei}\left(1, -\operatorname{arcsech}(cx) - \frac{a}{b}\right)}{b^2} - \frac{1}{8} \frac{e^{3a/b} \operatorname{Ei}\left(1, \frac{3a}{b} + 3 \operatorname{arcsech}(cx)\right)}{b^2} - \frac{1}{8} \frac{e^{-3a/b} \operatorname{Ei}\left(1, -3 \operatorname{arcsech}(cx) - \frac{3a}{b}\right)}{b^2} \right)$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^4/(a+b*arcsech(c*x))^2,x, algorithm="maxima")`

[Out]
$$-\frac{(c^2 x^3 + (c^2 x^3 - x) \sqrt{cx+1} \sqrt{-cx+1} - x)}{(b^2 c^2 x^2 - b^2) x^4 \log(x) + ((b^2 c^2 \log(c) - a b c^2) x^2 - b^2 \log(c) + a b) x^4 - (b^2 x^4 \log(x) + (b^2 \log(c) - a b) x^4) \sqrt{cx+1} \sqrt{-cx+1} + (\sqrt{cx+1} \sqrt{-cx+1} b^2 x^4 - (b^2 c^2 x^2 - b^2) x^4) \log(\sqrt{cx+1} \sqrt{-cx+1} + 1)} - \frac{\int (3c^4 x^4 - 6c^2 x^2 + c^2 x^2 - 3)(cx+1)(cx-1) + (2c^4 x^4 - 7c^2 x^2 + 6) \sqrt{cx+1} \sqrt{-cx+1} + 3}{(b^2 c^4 x^4 - 2b^2 c^2 x^2 + b^2) x^4 \log(x) + ((b^2 c^4 \log(c) - a b c^4) x^4 - 2(b^2 c^2 \log(c) - a b c^2) x^2 + b^2 \log(c) - a b) x^4 - (b^2 x^4 \log(x) + (b^2 \log(c) - a b) x^4) (cx+1)(cx-1) - 2((b^2 c^2 x^2 - b^2) x^4 \log(x) + ((b^2 c^2 \log(c) - a b c^2) x^2 - b^2 \log(c) + a b) x^4) \sqrt{cx+1} \sqrt{-cx+1} + ((cx+1)(cx-1) b^2 x^4 + 2(b^2 c^2 x^2 - b^2) \sqrt{cx+1} \sqrt{-cx+1}) x^4 - (b^2 c^4 x^4 - 2b^2 c^2 x^2 + b^2) x^4 \log(\sqrt{cx+1} \sqrt{-cx+1} + 1)} dx}{x}$$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*arcsech(c*x))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*x^4*arcsech(c*x)^2 + 2*a*b*x^4*arcsech(c*x) + a^2*x^4), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4 (a + b \operatorname{asech}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**4/(a+b*asech(c*x))**2,x)

[Out] Integral(1/(x**4*(a + b*asech(c*x))**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*arcsech(c*x))^2,x, algorithm="giac")

[Out] integrate(1/((b*arcsech(c*x) + a)^2*x^4), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^4 (a + b \operatorname{acosh}(\frac{1}{cx}))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4*(a + b*acosh(1/(c*x)))^2),x)

[Out] int(1/(x^4*(a + b*acosh(1/(c*x)))^2), x)

$$3.63 \quad \int \frac{x}{(a+b\operatorname{sech}^{-1}(cx))^3} dx$$

Optimal. Leaf size=15

$$\operatorname{Int}\left(\frac{x}{(a+b\operatorname{sech}^{-1}(cx))^3}, x\right)$$

[Out] Unintegrable(x/(a+b*arcsech(c*x))^3,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x}{(a+b\operatorname{sech}^{-1}(cx))^3} dx$$

Verification is not applicable to the result.

[In] Int[x/(a + b*ArcSech[c*x])^3,x]

[Out] Defer[Int][x/(a + b*ArcSech[c*x])^3, x]

Rubi steps

$$\int \frac{x}{(a+b\operatorname{sech}^{-1}(cx))^3} dx = \int \frac{x}{(a+b\operatorname{sech}^{-1}(cx))^3} dx$$

Mathematica [A]

time = 4.38, size = 0, normalized size = 0.00

$$\int \frac{x}{(a+b\operatorname{sech}^{-1}(cx))^3} dx$$

Verification is not applicable to the result.

[In] Integrate[x/(a + b*ArcSech[c*x])^3,x]

[Out] Integrate[x/(a + b*ArcSech[c*x])^3, x]

Maple [A]

time = 0.38, size = 0, normalized size = 0.00

$$\int \frac{x}{(a+b\operatorname{arcsech}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x/(a+b*\text{arcsech}(c*x))^3,x)$

[Out] $\text{int}(x/(a+b*\text{arcsech}(c*x))^3,x)$

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x/(a+b*\text{arcsech}(c*x))^3,x, \text{algorithm}="maxima")$

[Out]
$$-1/2*((2*(2*b*c^4*x^5 - 3*b*c^2*x^3 + b*x)*x*\log(x) + (4*(b*c^4*\log(c) - a*c^4)*x^5 - (b*c^2*(6*\log(c) + 1) - 6*a*c^2)*x^3 + (b*(2*\log(c) + 1) - 2*a)*x)*x)*(c*x + 1)^{(3/2)}*(-c*x + 1)^{(3/2)} + (3*(b*c^6*x^7 - 5*b*c^4*x^5 + 6*b*c^2*x^3 - 2*b*x)*x*\log(x) + (3*(b*c^6*\log(c) - a*c^6)*x^7 - (b*c^4*(15*\log(c) + 2) - 15*a*c^4)*x^5 + (b*c^2*(18*\log(c) + 5) - 18*a*c^2)*x^3 - 3*(b*(2*\log(c) + 1) - 2*a)*x)*x)*(c*x + 1)*(c*x - 1) - 2*(b*c^6*x^7 - 3*b*c^4*x^5 + 3*b*c^2*x^3 - b*x)*x*\log(x) - ((5*b*c^6*x^7 - 17*b*c^4*x^5 + 18*b*c^2*x^3 - 6*b*x)*x*\log(x) + ((b*c^6*(5*\log(c) + 1) - 5*a*c^6)*x^7 - (b*c^4*(17*\log(c) + 5) - 17*a*c^4)*x^5 + (b*c^2*(18*\log(c) + 7) - 18*a*c^2)*x^3 - 3*(b*(2*\log(c) + 1) - 2*a)*x)*x)*\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1) - ((b*c^6*(2*\log(c) + 1) - 2*a*c^6)*x^7 - 3*(b*c^4*(2*\log(c) + 1) - 2*a*c^4)*x^5 + 3*(b*c^2*(2*\log(c) + 1) - 2*a*c^2)*x^3 - (b*(2*\log(c) + 1) - 2*a)*x)*x - (2*(2*b*c^4*x^5 - 3*b*c^2*x^3 + b*x)*(c*x + 1)^{(3/2)}*(-c*x + 1)^{(3/2)}*x + 3*(b*c^6*x^7 - 5*b*c^4*x^5 + 6*b*c^2*x^3 - 2*b*x)*(c*x + 1)*(c*x - 1)*x - (5*b*c^6*x^7 - 17*b*c^4*x^5 + 18*b*c^2*x^3 - 6*b*x)*\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1)*x - 2*(b*c^6*x^7 - 3*b*c^4*x^5 + 3*b*c^2*x^3 - b*x)*x)*\log(\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1) + 1))/((b^4*c^6*\log(c)^2 - 2*a*b^3*c^6*\log(c) + a^2*b^2*c^6)*x^6 - b^4*\log(c)^2 - 3*(b^4*c^4*\log(c)^2 - 2*a*b^3*c^4*\log(c) + a^2*b^2*c^4)*x^4 + 2*a*b^3*\log(c) - (b^4*\log(c)^2 + b^4*\log(x)^2 - 2*a*b^3*\log(c) + a^2*b^2 + 2*(b^4*\log(c) - a*b^3)*\log(x))*(c*x + 1)^{(3/2)}*(-c*x + 1)^{(3/2)} - a^2*b^2 + 3*(b^4*\log(c)^2 - 2*a*b^3*\log(c) + a^2*b^2 - (b^4*c^2*\log(c)^2 - 2*a*b^3*c^2*\log(c) + a^2*b^2*c^2)*x^2 - (b^4*c^2*x^2 - b^4)*\log(x)^2 + 2*(b^4*\log(c) - a*b^3 - (b^4*c^2*\log(c) - a*b^3*c^2)*x^2)*\log(x))*(c*x + 1)*(c*x - 1) + 3*(b^4*c^2*\log(c)^2 - 2*a*b^3*c^2*\log(c) + a^2*b^2*c^2)*x^2 + (b^4*c^6*x^6 - 3*b^4*c^4*x^4 + 3*b^4*c^2*x^2 - (c*x + 1)^{(3/2)}*(-c*x + 1)^{(3/2)}*b^4 - b^4 - 3*(b^4*c^2*x^2 - b^4)*(c*x + 1)*(c*x - 1) - 3*(b^4*c^4*x^4 - 2*b^4*c^2*x^2 + b^4)*\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1))*\log(\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1) + 1)^2 + (b^4*c^6*x^6 - 3*b^4*c^4*x^4 + 3*b^4*c^2*x^2 - b^4)*\log(x)^2 - 3*(b^4*\log(c)^2 + (b^4*c^4*\log(c)^2 - 2*a*b^3*c^4*\log(c) + a^2*b^2*c^4)*x^4 - 2*a*b^3*\log(c) + a^2*b^2 - 2*(b^4*c^2*\log(c)^2 - 2*a*b^3*c^2*\log(c) + a^2*b^2*c^2)*x^2 + (b^4*c^4*x^4 - 2*b^4*c^2*x^2 + b^4)*\log(x)^2 + 2*((b^4*c^4*\log(c) - a*b^3*c^4)*x^4 + b^4*\log(c) - a*b^3 - 2*(b^4*c^2*\log(c) - a*b^3*c^2)*x^2)$$

```

*log(x))*sqrt(c*x + 1)*sqrt(-c*x + 1) - 2*((b^4*c^6*log(c) - a*b^3*c^6)*x^6
- 3*(b^4*c^4*log(c) - a*b^3*c^4)*x^4 - b^4*log(c) - (b^4*log(c) + b^4*log(
x) - a*b^3)*(c*x + 1)^(3/2)*(-c*x + 1)^(3/2) + a*b^3 + 3*(b^4*log(c) - a*b^
3 - (b^4*c^2*log(c) - a*b^3*c^2)*x^2 - (b^4*c^2*x^2 - b^4)*log(x))*(c*x + 1
)*(c*x - 1) + 3*(b^4*c^2*log(c) - a*b^3*c^2)*x^2 - 3*((b^4*c^4*log(c) - a*b
^3*c^4)*x^4 + b^4*log(c) - a*b^3 - 2*(b^4*c^2*log(c) - a*b^3*c^2)*x^2 + (b^
4*c^4*x^4 - 2*b^4*c^2*x^2 + b^4)*log(x))*sqrt(c*x + 1)*sqrt(-c*x + 1) + (b^
4*c^6*x^6 - 3*b^4*c^4*x^4 + 3*b^4*c^2*x^2 - b^4)*log(x))*log(sqrt(c*x + 1)*
sqrt(-c*x + 1) + 1) + 2*((b^4*c^6*log(c) - a*b^3*c^6)*x^6 - 3*(b^4*c^4*log(
c) - a*b^3*c^4)*x^4 - b^4*log(c) + a*b^3 + 3*(b^4*c^2*log(c) - a*b^3*c^2)*x
^2)*log(x)) + integrate(-1/2*(4*(6*c^4*x^4 - 6*c^2*x^2 + 1)*(c*x + 1)^2*(c*
x - 1)^2*x - (33*c^6*x^6 - 108*c^4*x^4 + 88*c^2*x^2 - 16)*(c*x + 1)^(3/2)*(
-c*x + 1)^(3/2)*x - 12*(c^8*x^8 - 7*c^6*x^6 + 14*c^4*x^4 - 10*c^2*x^2 + 2)*
(c*x + 1)*(c*x - 1)*x + (15*c^8*x^8 - 67*c^6*x^6 + 108*c^4*x^4 - 72*c^2*x^2
+ 16)*sqrt(c*x + 1)*sqrt(-c*x + 1)*x + 4*(c^8*x^8 - 4*c^6*x^6 + 6*c^4*x^4
- 4*c^2*x^2 + 1)*x)/((b^3*c^8*log(c) - a*b^2*c^8)*x^8 - 4*(b^3*c^6*log(c) -
a*b^2*c^6)*x^6 + (b^3*log(c) + b^3*log(x) - a*b^2)*(c*x + 1)^2*(c*x - 1)^2
+ 6*(b^3*c^4*log(c) - a*b^2*c^4)*x^4 + 4*(b^3*log(c) - a*b^2 - (b^3*c^2*lo
g(c) - a*b^2*c^2)*x^2 - (b^3*c^2*x^2 - b^3)*log(x))*(c*x + 1)^(3/2)*(-c*x +
1)^(3/2) + b^3*log(c) - 6*((b^3*c^4*log(c) - a*b^2*c^4)*x^4 + b^3*log(c) -
a*b^2 - 2*(b^3*c^2*log(c) - a*b^2*c^2)*x^2 + (b^3*c^4*x^4 - 2*b^3*c^2*x^2
+ b^3)*log(x))*(c*x + 1)*(c*x - 1) - a*b^2 - 4*(b^3*c^2*log(c) - a*b^2*c^2)
*x^2 - 4*((b^3*c^6*log(c) - a*b^2*c^6)*x^6 - 3*(b^3*c^4*log(c) - a*b^2*c^4)
*x^4 - b^3*log(c) + a*b^2 + 3*(b^3*c^2*log(c) - a*b^2*c^2)*x^2 + (b^3*c^6*x
^6 - 3*b^3*c^4*x^4 + 3*b^3*c^2*x^2 - b^3)*log(x))*sqrt(c*x + 1)*sqrt(-c*x +
1) - (b^3*c^8*x^8 - 4*b^3*c^6*x^6 + 6*b^3*c^4*x^4 + (c*x + 1)^2*(c*x - 1)^
2*b^3 - 4*b^3*c^2*x^2 - 4*(b^3*c^2*x^2 - b^3)*(c*x + 1)^(3/2)*(-c*x + 1)^(3
/2) - 6*(b^3*c^4*x^4 - 2*b^3*c^2*x^2 + b^3)*(c*x + 1)*(c*x - 1) + b^3 - 4*(
b^3*c^6*x^6 - 3*b^3*c^4*x^4 + 3*b^3*c^2*x^2 - b^3)*sqrt(c*x + 1)*sqrt(-c*x
+ 1))*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1) + (b^3*c^8*x^8 - 4*b^3*c^6*x^6
+ 6*b^3*c^4*x^4 - 4*b^3*c^2*x^2 + b^3)*log(x)), x)

```

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsech(c*x))^3,x, algorithm="fricas")

[Out] integral(x/(b^3*arcsech(c*x))^3 + 3*a*b^2*arcsech(c*x)^2 + 3*a^2*b*arcsech(c*x) + a^3), x)

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \operatorname{asech}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*asech(c*x))**3,x)

[Out] Integral(x/(a + b*asech(c*x))**3, x)

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsech(c*x))^3,x, algorithm="giac")

[Out] integrate(x/(b*arcsech(c*x) + a)^3, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{x}{(a + b \operatorname{acosh}(\frac{1}{cx}))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b*acosh(1/(c*x)))^3,x)

[Out] int(x/(a + b*acosh(1/(c*x)))^3, x)

$$3.64 \quad \int \frac{1}{(a+b\operatorname{sech}^{-1}(cx))^3} dx$$

Optimal. Leaf size=13

$$\operatorname{Int}\left(\frac{1}{(a+b\operatorname{sech}^{-1}(cx))^3}, x\right)$$

[Out] Unintegrable(1/(a+b*arcsech(c*x))^3, x)

Rubi [A]

time = 0.00, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(a+b\operatorname{sech}^{-1}(cx))^3} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSech[c*x])^(-3), x]

[Out] Defer[Int] [(a + b*ArcSech[c*x])^(-3), x]

Rubi steps

$$\int \frac{1}{(a+b\operatorname{sech}^{-1}(cx))^3} dx = \int \frac{1}{(a+b\operatorname{sech}^{-1}(cx))^3} dx$$

Mathematica [A]

time = 2.70, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+b\operatorname{sech}^{-1}(cx))^3} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSech[c*x])^(-3), x]

[Out] Integrate[(a + b*ArcSech[c*x])^(-3), x]

Maple [A]

time = 0.27, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+b\operatorname{arcsech}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*arcsech(c*x))^3,x)`

[Out] `int(1/(a+b*arcsech(c*x))^3,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsech(c*x))^3,x, algorithm="maxima")`

[Out]
$$\frac{1}{2} \cdot ((b^6 c^6 (\log(c) + 1) - a^6 c^6) x^7 - 3(b^4 c^4 (\log(c) + 1) - a^4 c^4) x^5 - (3(b^4 c^4 \log(c) - a^4 c^4) x^5 - (b^2 c^2 (4 \log(c) + 1) - 4 a^2 c^2) x^3 + (b (\log(c) + 1) - a) x + (3 b^2 c^4 x^5 - 4 b^2 c^2 x^3 + b x) \log(x)) (c x + 1)^{3/2} (-c x + 1)^{3/2} + 3(b^2 c^2 (\log(c) + 1) - a^2 c^2) x^3 - (2(b^6 c^6 \log(c) - a^6 c^6) x^7 - 2(b^4 c^4 (5 \log(c) + 1) - 5 a^4 c^4) x^5 + (b^2 c^2 (11 \log(c) + 5) - 11 a^2 c^2) x^3 - 3(b (\log(c) + 1) - a) x + (2 b^6 c^6 x^7 - 10 b^4 c^4 x^5 + 11 b^2 c^2 x^3 - 3 b x) \log(x)) (c x + 1) (c x - 1) + ((b^6 c^6 (3 \log(c) + 1) - 3 a^6 c^6) x^7 - 5(b^4 c^4 (2 \log(c) + 1) - 2 a^4 c^4) x^5 + (b^2 c^2 (10 \log(c) + 7) - 10 a^2 c^2) x^3 - 3(b (\log(c) + 1) - a) x + (3 b^6 c^6 x^7 - 10 b^4 c^4 x^5 + 10 b^2 c^2 x^3 - 3 b x) \log(x)) \sqrt{c x + 1} \sqrt{-c x + 1} - (b (\log(c) + 1) - a) x - (b^6 c^6 x^7 - 3 b^4 c^4 x^5 + 3 b^2 c^2 x^3 - (3 b^4 c^4 x^5 - 4 b^2 c^2 x^3 + b x) (c x + 1)^{3/2} (-c x + 1)^{3/2} - (2 b^6 c^6 x^7 - 10 b^4 c^4 x^5 + 11 b^2 c^2 x^3 - 3 b x) (c x + 1) (c x - 1) + (3 b^6 c^6 x^7 - 10 b^4 c^4 x^5 + 10 b^2 c^2 x^3 - 3 b x) \sqrt{c x + 1} \sqrt{-c x + 1} - b x) \log(\sqrt{c x + 1} \sqrt{-c x + 1} + 1) + (b^6 c^6 x^7 - 3 b^4 c^4 x^5 + 3 b^2 c^2 x^3 - b x) \log(x)) / ((b^4 c^6 \log(c)^2 - 2 a b^3 c^6 \log(c) + a^2 b^2 c^6) x^6 - b^4 \log(c)^2 - 3(b^4 c^4 \log(c)^2 - 2 a b^3 c^4 \log(c) + a^2 b^2 c^4) x^4 + 2 a b^3 \log(c) - (b^4 \log(c)^2 + b^4 \log(x)^2 - 2 a b^3 \log(c) + a^2 b^2 + 2(b^4 \log(c) - a b^3) \log(x)) (c x + 1)^{3/2} (-c x + 1)^{3/2} - a^2 b^2 + 3(b^4 \log(c)^2 - 2 a b^3 \log(c) + a^2 b^2 - (b^4 c^2 \log(c)^2 - 2 a b^3 c^2 \log(c) + a^2 b^2 c^2) x^2 - (b^4 c^2 x^2 - b^4) \log(x)^2 + 2(b^4 \log(c) - a b^3 - (b^4 c^2 \log(c) - a b^3 c^2) x^2) \log(x)) (c x + 1) (c x - 1) + 3(b^4 c^2 \log(c)^2 - 2 a b^3 c^2 \log(c) + a^2 b^2 c^2) x^2 + (b^4 c^6 x^6 - 3 b^4 c^4 x^4 + 3 b^4 c^2 x^2 - (c x + 1)^{3/2} (-c x + 1)^{3/2} b^4 - b^4 - 3(b^4 c^2 x^2 - b^4) (c x + 1) (c x - 1) - 3(b^4 c^4 x^4 - 2 b^4 c^2 x^2 + b^4) \sqrt{c x + 1} \sqrt{-c x + 1}) \log(\sqrt{c x + 1} \sqrt{-c x + 1} + 1) + (b^4 c^6 x^6 - 3 b^4 c^4 x^4 + 3 b^4 c^2 x^2 - b^4) \log(x)^2 - 3(b^4 \log(c)^2 + (b^4 c^4 \log(c)^2 - 2 a b^3 c^4 \log(c) + a^2 b^2 c^4) x^4 - 2 a b^3 \log(c) + a^2 b^2 - 2(b^4 c^2 \log(c)^2 - 2 a b^3 c^2 \log(c) + a^2 b^2 c^2) x^2 + (b^4 c^4 x^4 - 2 b^4 c^2 x^2 + b^4) \log(x)^2 + 2((b^4 c^4 \log(c) - a b^3 c^4) x^4 + b^4 \log(c) - a b^3 - 2(b^4 c^2 \log(c) - a b^3 c^2) x^2) \log(x)) \sqrt{c x + 1} \sqrt{-c x + 1} - 2((b^4 c^6 \log(c) - a b^3$$

$$\begin{aligned}
& c^6 * x^6 - 3 * (b^4 * c^4 * \log(c) - a * b^3 * c^4) * x^4 - b^4 * \log(c) - (b^4 * \log(c) + \\
& b^4 * \log(x) - a * b^3) * (c * x + 1)^{(3/2)} * (-c * x + 1)^{(3/2)} + a * b^3 + 3 * (b^4 * \log(c) \\
&) - a * b^3 - (b^4 * c^2 * \log(c) - a * b^3 * c^2) * x^2 - (b^4 * c^2 * x^2 - b^4) * \log(x)) * \\
& (c * x + 1) * (c * x - 1) + 3 * (b^4 * c^2 * \log(c) - a * b^3 * c^2) * x^2 - 3 * ((b^4 * c^4 * \log(c) \\
&) - a * b^3 * c^4) * x^4 + b^4 * \log(c) - a * b^3 - 2 * (b^4 * c^2 * \log(c) - a * b^3 * c^2) * x \\
& ^2 + (b^4 * c^4 * x^4 - 2 * b^4 * c^2 * x^2 + b^4) * \log(x)) * \sqrt{c * x + 1} * \sqrt{-c * x + \\
& 1) + (b^4 * c^6 * x^6 - 3 * b^4 * c^4 * x^4 + 3 * b^4 * c^2 * x^2 - b^4) * \log(x)) * \log(\sqrt{c \\
& * x + 1} * \sqrt{-c * x + 1} + 1) + 2 * ((b^4 * c^6 * \log(c) - a * b^3 * c^6) * x^6 - 3 * (b^4 * \\
& c^4 * \log(c) - a * b^3 * c^4) * x^4 - b^4 * \log(c) + a * b^3 + 3 * (b^4 * c^2 * \log(c) - a * b^ \\
& 3 * c^2) * x^2) * \log(x)) + \text{integrate}(-1/2 * (c^8 * x^8 - 4 * c^6 * x^6 + 6 * c^4 * x^4 + (15 \\
& * c^4 * x^4 - 12 * c^2 * x^2 + 1) * (c * x + 1)^2 * (c * x - 1)^2 - (18 * c^6 * x^6 - 57 * c^4 * x \\
& ^4 + 40 * c^2 * x^2 - 4) * (c * x + 1)^{(3/2)} * (-c * x + 1)^{(3/2)} - 4 * c^2 * x^2 - 3 * (2 * c^ \\
& 8 * x^8 - 13 * c^6 * x^6 + 25 * c^4 * x^4 - 16 * c^2 * x^2 + 2) * (c * x + 1) * (c * x - 1) + (6 * \\
& c^8 * x^8 - 25 * c^6 * x^6 + 39 * c^4 * x^4 - 24 * c^2 * x^2 + 4) * \sqrt{c * x + 1} * \sqrt{-c * x \\
& + 1} + 1) / ((b^3 * c^8 * \log(c) - a * b^2 * c^8) * x^8 - 4 * (b^3 * c^6 * \log(c) - a * b^2 * c^ \\
& 6) * x^6 + (b^3 * \log(c) + b^3 * \log(x) - a * b^2) * (c * x + 1)^2 * (c * x - 1)^2 + 6 * (b^3 \\
& * c^4 * \log(c) - a * b^2 * c^4) * x^4 + 4 * (b^3 * \log(c) - a * b^2 - (b^3 * c^2 * \log(c) - a * \\
& b^2 * c^2) * x^2 - (b^3 * c^2 * x^2 - b^3) * \log(x)) * (c * x + 1)^{(3/2)} * (-c * x + 1)^{(3/2)} \\
& + b^3 * \log(c) - 6 * ((b^3 * c^4 * \log(c) - a * b^2 * c^4) * x^4 + b^3 * \log(c) - a * b^2 - \\
& 2 * (b^3 * c^2 * \log(c) - a * b^2 * c^2) * x^2 + (b^3 * c^4 * x^4 - 2 * b^3 * c^2 * x^2 + b^3) * \log(x)) * (c * x + 1) * (c * x - 1) - a * b^2 - 4 * (b^3 * c^2 * \log(c) - a * b^2 * c^2) * x^2 - 4 * \\
& ((b^3 * c^6 * \log(c) - a * b^2 * c^6) * x^6 - 3 * (b^3 * c^4 * \log(c) - a * b^2 * c^4) * x^4 - b^ \\
& 3 * \log(c) + a * b^2 + 3 * (b^3 * c^2 * \log(c) - a * b^2 * c^2) * x^2 + (b^3 * c^6 * x^6 - 3 * b^ \\
& 3 * c^4 * x^4 + 3 * b^3 * c^2 * x^2 - b^3) * \log(x)) * \sqrt{c * x + 1} * \sqrt{-c * x + 1} - (b^ \\
& 3 * c^8 * x^8 - 4 * b^3 * c^6 * x^6 + 6 * b^3 * c^4 * x^4 + (c * x + 1)^2 * (c * x - 1)^2 * b^3 - 4 \\
& * b^3 * c^2 * x^2 - 4 * (b^3 * c^2 * x^2 - b^3) * (c * x + 1)^{(3/2)} * (-c * x + 1)^{(3/2)} - 6 * (\\
& b^3 * c^4 * x^4 - 2 * b^3 * c^2 * x^2 + b^3) * (c * x + 1) * (c * x - 1) + b^3 - 4 * (b^3 * c^6 * x \\
& ^6 - 3 * b^3 * c^4 * x^4 + 3 * b^3 * c^2 * x^2 - b^3) * \sqrt{c * x + 1} * \sqrt{-c * x + 1}) * \log \\
& (\sqrt{c * x + 1} * \sqrt{-c * x + 1} + 1) + (b^3 * c^8 * x^8 - 4 * b^3 * c^6 * x^6 + 6 * b^3 * c \\
& ^4 * x^4 - 4 * b^3 * c^2 * x^2 + b^3) * \log(x)), x)
\end{aligned}$$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsech(c*x))^3,x, algorithm="fricas")`

[Out] `integral(1/(b^3*arcsech(c*x)^3 + 3*a*b^2*arcsech(c*x)^2 + 3*a^2*b*arcsech(c*x) + a^3), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \operatorname{asech}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*asech(c*x))**3,x)

[Out] Integral((a + b*asech(c*x))**(-3), x)

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsech(c*x))^3,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^(-3), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{\left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right)\right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b*acosh(1/(c*x)))^3,x)

[Out] int(1/(a + b*acosh(1/(c*x)))^3, x)

$$3.65 \quad \int \frac{1}{x \left(a + b \operatorname{sech}^{-1}(cx) \right)^3} dx$$

Optimal. Leaf size=17

$$\operatorname{Int} \left(\frac{1}{x \left(a + b \operatorname{sech}^{-1}(cx) \right)^3}, x \right)$$

[Out] Unintegrable(1/x/(a+b*arcsech(c*x))^3,x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \left(a + b \operatorname{sech}^{-1}(cx) \right)^3} dx$$

Verification is not applicable to the result.

[In] Int[1/(x*(a + b*ArcSech[c*x])^3),x]

[Out] Defer[Int][1/(x*(a + b*ArcSech[c*x])^3), x]

Rubi steps

$$\int \frac{1}{x \left(a + b \operatorname{sech}^{-1}(cx) \right)^3} dx = \int \frac{1}{x \left(a + b \operatorname{sech}^{-1}(cx) \right)^3} dx$$

Mathematica [A]

time = 1.89, size = 0, normalized size = 0.00

$$\int \frac{1}{x \left(a + b \operatorname{sech}^{-1}(cx) \right)^3} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcSech[c*x])^3),x]

[Out] Integrate[1/(x*(a + b*ArcSech[c*x])^3), x]

Maple [A]

time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{1}{x \left(a + b \operatorname{arcsech}(cx) \right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(1/x/(a+b*\text{arcsech}(c*x))^3,x)$

[Out] $\text{int}(1/x/(a+b*\text{arcsech}(c*x))^3,x)$

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(1/x/(a+b*\text{arcsech}(c*x))^3,x, \text{algorithm}="maxima")$

[Out]
$$\begin{aligned} & -1/2*(b*c^6*x^7 - 3*b*c^4*x^5 + 3*b*c^2*x^3 - (2*(b*c^4*\log(c) - a*c^4)*x^5 \\ & - (b*c^2*(2*\log(c) + 1) - 2*a*c^2)*x^3 + b*x + 2*(b*c^4*x^5 - b*c^2*x^3)*\log(x)) * \\ & (c*x + 1)^{(3/2)} * (-c*x + 1)^{(3/2)} - ((b*c^6*\log(c) - a*c^6)*x^7 - (b*c^4*(5*\log(c) + 2) - \\ & 5*a*c^4)*x^5 + (b*c^2*(4*\log(c) + 5) - 4*a*c^2)*x^3 - 3*b*x + (b*c^6*x^7 - 5*b*c^4*x^5 + \\ & 4*b*c^2*x^3)*\log(x)) * (c*x + 1) * (c*x - 1) + ((b*c^6*(\log(c) + 1) - a*c^6)*x^7 - \\ & (b*c^4*(3*\log(c) + 5) - 3*a*c^4)*x^5 + (b*c^2*(2*\log(c) + 7) - 2*a*c^2)*x^3 - 3*b*x + \\ & (b*c^6*x^7 - 3*b*c^4*x^5 + 2*b*c^2*x^3)*\log(x)) * \sqrt{c*x + 1} * \sqrt{-c*x + 1} - b*x + \\ & (2*(b*c^4*x^5 - b*c^2*x^3) * (c*x + 1)^{(3/2)} * (-c*x + 1)^{(3/2)} + (b*c^6*x^7 - 5*b*c^4*x^5 + 4*b*c^2*x^3) * \\ & (c*x + 1) * (c*x - 1) - (b*c^6*x^7 - 3*b*c^4*x^5 + 2*b*c^2*x^3) * \sqrt{c*x + 1} * \sqrt{-c*x + 1}) * \\ & \log(\sqrt{c*x + 1} * \sqrt{-c*x + 1} + 1) / ((b^4*x*\log(x)^2 + 2*(b^4*\log(c) - a*b^3)*x*\log(x) + \\ & (b^4*\log(c)^2 - 2*a*b^3*\log(c) + a^2*b^2)*x) * (c*x + 1)^{(3/2)} * (-c*x + 1)^{(3/2)} - (b^4*c^6*x^6 - 3*b^4*c^4*x^4 + \\ & 3*b^4*c^2*x^2 - b^4)*x*\log(x)^2 + 3*((b^4*c^2*x^2 - b^4)*x*\log(x)^2 - 2*(b^4*\log(c) - a*b^3 - \\ & (b^4*c^2*\log(c) - a*b^3*c^2)*x^2)*x*\log(x) - (b^4*\log(c)^2 - 2*a*b^3*\log(c) + a^2*b^2 - \\ & (b^4*c^2*\log(c)^2 - 2*a*b^3*c^2*\log(c) + a^2*b^2*c^2)*x^2)*x) * (c*x + 1) * (c*x - 1) + ((c*x + 1)^{(3/2)} * \\ & (-c*x + 1)^{(3/2)} * b^4*x + 3*(b^4*c^2*x^2 - b^4) * (c*x + 1) * (c*x - 1) * x + 3*(b^4*c^4*x^4 - 2*b^4*c^2*x^2 + \\ & b^4) * \sqrt{c*x + 1} * \sqrt{-c*x + 1} * x - (b^4*c^6*x^6 - 3*b^4*c^4*x^4 + 3*b^4*c^2*x^2 - b^4) * x) * \\ & \log(\sqrt{c*x + 1} * \sqrt{-c*x + 1} + 1)^2 - 2*((b^4*c^6*\log(c) - a*b^3*c^6)*x^6 - 3*(b^4*c^4*\log(c) - a*b^3*c^4)*x^4 - \\ & b^4*\log(c) + a*b^3 + 3*(b^4*c^2*\log(c) - a*b^3*c^2)*x^2)*x*\log(x) + 3*((b^4*c^4*x^4 - 2*b^4*c^2*x^2 + \\ & b^4)*x*\log(x)^2 + 2*((b^4*c^4*\log(c) - a*b^3*c^4)*x^4 + b^4*\log(c) - a*b^3 - 2*(b^4*c^2*\log(c) - \\ & a*b^3*c^2)*x^2)*x*\log(x) + (b^4*\log(c)^2 + (b^4*c^4*\log(c)^2 - 2*a*b^3*c^4*\log(c) + a^2*b^2*c^4)*x^4 - \\ & 2*a*b^3*\log(c) + a^2*b^2 - 2*(b^4*c^2*\log(c)^2 - 2*a*b^3*c^2*\log(c) + a^2*b^2*c^2)*x^2)*x) * \\ & \sqrt{c*x + 1} * \sqrt{-c*x + 1} - ((b^4*c^6*\log(c)^2 - 2*a*b^3*c^6*\log(c) + a^2*b^2*c^6)*x^6 - b^4*\log(c)^2 - \\ & 3*(b^4*c^4*\log(c)^2 - 2*a*b^3*c^4*\log(c) + a^2*b^2*c^4)*x^4 + 2*a*b^3*\log(c) - a^2*b^2 + 3*(b^4*c^2*\log(c)^2 - \\ & 2*a*b^3*c^2*\log(c) + a^2*b^2*c^2)*x^2)*x - 2*((b^4*x*\log(x) + (b^4*\log(c) - a*b^3)*x) * (c*x + 1)^{(3/2)} * \\ & (-c*x + 1)^{(3/2)} + 3*((b^4*c^2*x^2 - b^4)*x*\log(x) - (b^4*\log(c) - a*b^3 - (b^4*c^2*\log(c) - a*b^3*c^2)*x^2) \end{aligned}$$

```

*x)*(c*x + 1)*(c*x - 1) - (b^4*c^6*x^6 - 3*b^4*c^4*x^4 + 3*b^4*c^2*x^2 - b^
4)*x*log(x) + 3*((b^4*c^4*x^4 - 2*b^4*c^2*x^2 + b^4)*x*log(x) + ((b^4*c^4*1
og(c) - a*b^3*c^4)*x^4 + b^4*log(c) - a*b^3 - 2*(b^4*c^2*log(c) - a*b^3*c^2
)*x^2)*x)*sqrt(c*x + 1)*sqrt(-c*x + 1) - ((b^4*c^6*log(c) - a*b^3*c^6)*x^6
- 3*(b^4*c^4*log(c) - a*b^3*c^4)*x^4 - b^4*log(c) + a*b^3 + 3*(b^4*c^2*log(
c) - a*b^3*c^2)*x^2)*x)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1)) + integrate(
-1/2*(4*(2*c^4*x^4 - c^2*x^2)*(c*x + 1)^2*(c*x - 1)^2 - (7*c^6*x^6 - 22*c^4
*x^4 + 12*c^2*x^2)*(c*x + 1)^(3/2)*(-c*x + 1)^(3/2) - 2*(c^8*x^8 - 5*c^6*x^
6 + 10*c^4*x^4 - 6*c^2*x^2)*(c*x + 1)*(c*x - 1) + (c^8*x^8 - 3*c^6*x^6 + 6*
c^4*x^4 - 4*c^2*x^2)*sqrt(c*x + 1)*sqrt(-c*x + 1))/((b^3*x*log(x) + (b^3*lo
g(c) - a*b^2)*x)*(c*x + 1)^2*(c*x - 1)^2 - 4*((b^3*c^2*x^2 - b^3)*x*log(x)
- (b^3*log(c) - a*b^2 - (b^3*c^2*log(c) - a*b^2*c^2)*x^2)*x)*(c*x + 1)^(3/2
)*(-c*x + 1)^(3/2) - 6*((b^3*c^4*x^4 - 2*b^3*c^2*x^2 + b^3)*x*log(x) + ((b^
3*c^4*log(c) - a*b^2*c^4)*x^4 + b^3*log(c) - a*b^2 - 2*(b^3*c^2*log(c) - a*
b^2*c^2)*x^2)*x)*(c*x + 1)*(c*x - 1) + (b^3*c^8*x^8 - 4*b^3*c^6*x^6 + 6*b^3
*c^4*x^4 - 4*b^3*c^2*x^2 + b^3)*x*log(x) - 4*((b^3*c^6*x^6 - 3*b^3*c^4*x^4
+ 3*b^3*c^2*x^2 - b^3)*x*log(x) + ((b^3*c^6*log(c) - a*b^2*c^6)*x^6 - 3*(b^
3*c^4*log(c) - a*b^2*c^4)*x^4 - b^3*log(c) + a*b^2 + 3*(b^3*c^2*log(c) - a*
b^2*c^2)*x^2)*x)*sqrt(c*x + 1)*sqrt(-c*x + 1) + ((b^3*c^8*log(c) - a*b^2*c^
8)*x^8 - 4*(b^3*c^6*log(c) - a*b^2*c^6)*x^6 + 6*(b^3*c^4*log(c) - a*b^2*c^4
)*x^4 + b^3*log(c) - a*b^2 - 4*(b^3*c^2*log(c) - a*b^2*c^2)*x^2)*x - ((c*x
+ 1)^2*(c*x - 1)^2*b^3*x - 4*(b^3*c^2*x^2 - b^3)*(c*x + 1)^(3/2)*(-c*x + 1
)^(3/2)*x - 6*(b^3*c^4*x^4 - 2*b^3*c^2*x^2 + b^3)*(c*x + 1)*(c*x - 1)*x - 4*
(b^3*c^6*x^6 - 3*b^3*c^4*x^4 + 3*b^3*c^2*x^2 - b^3)*sqrt(c*x + 1)*sqrt(-c*x
+ 1)*x + (b^3*c^8*x^8 - 4*b^3*c^6*x^6 + 6*b^3*c^4*x^4 - 4*b^3*c^2*x^2 + b^
3)*x)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1)), x)

```

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsech(c*x))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*x*arcsech(c*x)^3 + 3*a*b^2*x*arcsech(c*x)^2 + 3*a^2*b*x*arcsech(c*x) + a^3*x), x)

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x (a + b \operatorname{asech}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*asech(c*x))**3,x)

[Out] Integral(1/(x*(a + b*asech(c*x))**3), x)

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsech(c*x))^3,x, algorithm="giac")

[Out] integrate(1/((b*arcsech(c*x) + a)^3*x), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right)\right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(a + b*acosh(1/(c*x)))^3),x)

[Out] int(1/(x*(a + b*acosh(1/(c*x)))^3), x)

$$3.66 \quad \int \frac{1}{x^2 \left(a + b \operatorname{sech}^{-1}(cx) \right)^3} dx$$

Optimal. Leaf size=114

$$\frac{\sqrt{\frac{1-cx}{1+cx}} (1+cx)}{2bx (a+b \operatorname{sech}^{-1}(cx))^2} + \frac{1}{2b^2x (a+b \operatorname{sech}^{-1}(cx))} + \frac{c \operatorname{Chi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right) \sinh\left(\frac{a}{b}\right)}{2b^3} - \frac{c \cosh\left(\frac{a}{b}\right) \operatorname{Shi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{2b^3}$$

[Out] $1/2/b^2/x/(a+b*\operatorname{arcsech}(c*x))-1/2*c*\cosh(a/b)*\operatorname{Shi}(a/b+\operatorname{arcsech}(c*x))/b^3+1/2*c*\operatorname{Chi}(a/b+\operatorname{arcsech}(c*x))*\sinh(a/b)/b^3+1/2*(c*x+1)*((-c*x+1)/(c*x+1))^{(1/2)}/b/x/(a+b*\operatorname{arcsech}(c*x))^2$

Rubi [A]

time = 0.12, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {6420, 3378, 3384, 3379, 3382}

$$\frac{c \sinh\left(\frac{a}{b}\right) \operatorname{Chi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{2b^3} - \frac{c \cosh\left(\frac{a}{b}\right) \operatorname{Shi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)}{2b^3} + \frac{1}{2b^2x (a+b \operatorname{sech}^{-1}(cx))} + \frac{\sqrt{\frac{1-cx}{cx+1}} (cx+1)}{2bx (a+b \operatorname{sech}^{-1}(cx))^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[1/(x^2*(a + b*\operatorname{ArcSech}[c*x])^3), x]$

[Out] $(\operatorname{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x))/(2*b*x*(a + b*\operatorname{ArcSech}[c*x])^2) + 1/(2*b^2*x*(a + b*\operatorname{ArcSech}[c*x])) + (c*\operatorname{CoshIntegral}[a/b + \operatorname{ArcSech}[c*x]]*\operatorname{Sinh}[a/b])/ (2*b^3) - (c*\operatorname{Cosh}[a/b]*\operatorname{SinhIntegral}[a/b + \operatorname{ArcSech}[c*x]])/(2*b^3)$

Rule 3378

$\operatorname{Int}[(c_. + (d_.)*(x_.))^{(m_)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m + 1)}*(\operatorname{Sin}[e + f*x]/(d*(m + 1))), x] - \operatorname{Dist}[f/(d*(m + 1)), \operatorname{Int}[(c + d*x)^{(m + 1)}*\operatorname{Cos}[e + f*x], x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x \&\& \operatorname{LtQ}[m, -1]$

Rule 3379

$\operatorname{Int}[\sin[(e_.) + (\operatorname{Complex}[0, fz_])*(f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[I*(\operatorname{SinhIntegral}[c*f*(fz/d) + f*fz*x]/d), x] /; \operatorname{FreeQ}\{c, d, e, f, fz\}, x \&\& \operatorname{EqQ}[d*e - c*f*fz*I, 0]$

Rule 3382

$\operatorname{Int}[\sin[(e_.) + (\operatorname{Complex}[0, fz_])*(f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CoshIntegral}[c*f*(fz/d) + f*fz*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f, fz\}, x$

}, x] && EqQ[d*(e - Pi/2) - c*f*fz*I, 0]

Rule 3384

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6420

Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))^n*(x_)^m, x_Symbol] := Dist[-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, ArcSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rubi steps

$$\begin{aligned} \int \frac{1}{x^2 (a + b \operatorname{sech}^{-1}(cx))^3} dx &= - \left(c \operatorname{Subst} \left(\int \frac{\sinh(x)}{(a + bx)^3} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\ &= \frac{\sqrt{\frac{1-cx}{1+cx}} (1+cx)}{2bx (a + b \operatorname{sech}^{-1}(cx))^2} - \frac{c \operatorname{Subst} \left(\int \frac{\cosh(x)}{(a+bx)^2} dx, x, \operatorname{sech}^{-1}(cx) \right)}{2b} \\ &= \frac{\sqrt{\frac{1-cx}{1+cx}} (1+cx)}{2bx (a + b \operatorname{sech}^{-1}(cx))^2} + \frac{1}{2b^2 x (a + b \operatorname{sech}^{-1}(cx))} - \frac{c \operatorname{Subst} \left(\int \frac{\sinh(x)}{a+bx} dx, x, \operatorname{sech}^{-1}(cx) \right)}{2b^2} \\ &= \frac{\sqrt{\frac{1-cx}{1+cx}} (1+cx)}{2bx (a + b \operatorname{sech}^{-1}(cx))^2} + \frac{1}{2b^2 x (a + b \operatorname{sech}^{-1}(cx))} - \frac{(c \cosh(\frac{a}{b})) \operatorname{Subst} \left(\int \frac{\sinh(x)}{a} dx, x, \operatorname{sech}^{-1}(cx) \right)}{2b} \\ &= \frac{\sqrt{\frac{1-cx}{1+cx}} (1+cx)}{2bx (a + b \operatorname{sech}^{-1}(cx))^2} + \frac{1}{2b^2 x (a + b \operatorname{sech}^{-1}(cx))} + \frac{c \operatorname{Chi}(\frac{a}{b} + \operatorname{sech}^{-1}(cx)) \operatorname{Shi}(\frac{a}{b} + \operatorname{sech}^{-1}(cx))}{2b^3} \end{aligned}$$

Mathematica [A]

time = 0.19, size = 103, normalized size = 0.90

$$\frac{b^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{x (a + b \operatorname{sech}^{-1}(cx))^2} + \frac{b}{ax + bx \operatorname{sech}^{-1}(cx)} + c \left(\operatorname{Chi}(\frac{a}{b} + \operatorname{sech}^{-1}(cx)) \operatorname{Shi}(\frac{a}{b} + \operatorname{sech}^{-1}(cx)) - \cosh(\frac{a}{b}) \operatorname{Shi}(\frac{a}{b} + \operatorname{sech}^{-1}(cx)) \right)$$

$$2b^3$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2*(a + b*ArcSech[c*x])^3),x]

[Out] ((b^2*sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x))/(x*(a + b*ArcSech[c*x])^2) + b/(a*x + b*x*ArcSech[c*x]) + c*(CoshIntegral[a/b + ArcSech[c*x]]*Sinh[a/b] - Cosh[a/b]*SinhIntegral[a/b + ArcSech[c*x]]))/(2*b^3)

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 243 vs. 2(104) = 208.

time = 0.35, size = 244, normalized size = 2.14

method	result
derivativedivides	$c \left(-\frac{\left(\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} cx-1 \right) (b \operatorname{arcsech}(cx)+a-b)}{4cx b^2 (b^2 \operatorname{arcsech}(cx)^2+2ab \operatorname{arcsech}(cx)+a^2)} - \frac{e^{\frac{a}{b}} \operatorname{expIntegral}\left(1, \frac{a}{b}+\operatorname{arcsech}(cx)\right)}{4b^3} + \frac{\sqrt{-\frac{cx-1}{cx}}}{4bcx(a+bx)} \right)$
default	$c \left(-\frac{\left(\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} cx-1 \right) (b \operatorname{arcsech}(cx)+a-b)}{4cx b^2 (b^2 \operatorname{arcsech}(cx)^2+2ab \operatorname{arcsech}(cx)+a^2)} - \frac{e^{\frac{a}{b}} \operatorname{expIntegral}\left(1, \frac{a}{b}+\operatorname{arcsech}(cx)\right)}{4b^3} + \frac{\sqrt{-\frac{cx-1}{cx}}}{4bcx(a+bx)} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*arcsech(c*x))^3,x,method=_RETURNVERBOSE)

[Out] c*(-1/4*((-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*c*x-1)*(b*arcsech(c*x)+a-b)/c/x/b^2/(b^2*arcsech(c*x)^2+2*a*b*arcsech(c*x)+a^2)-1/4/b^3*exp(a/b)*Ei(1,a/b+arcsech(c*x))+1/4/b*((-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*c*x+1)/c/x/(a+b*arcsech(c*x))^2+1/4/b^2*((-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*c*x+1)/c/x/(a+b*arcsech(c*x))+1/4/b^3*exp(-a/b)*Ei(1,-arcsech(c*x)-a/b))

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsech(c*x))^3,x, algorithm="maxima")

[Out] -1/2*((b*c^6*(log(c) - 1) - a*c^6)*x^7 - 3*(b*c^4*(log(c) - 1) - a*c^4)*x^5 - (b*c^2*x^3 - (b*c^4*log(c) - a*c^4)*x^5 + (b*(log(c) - 1) - a)*x - (b*c^4*x^5 - b*x)*log(x))*(c*x + 1)^(3/2)*(-c*x + 1)^(3/2) + 3*(b*c^2*(log(c) - 1) - a*c^2)*x^3 - (2*b*c^4*x^5 + (b*c^2*(3*log(c) - 5) - 3*a*c^2)*x^3 - 3*(b*(log(c) - 1) - a)*x + 3*(b*c^2*x^3 - b*x)*log(x))*(c*x + 1)*(c*x - 1) + ((b*c^6*(log(c) - 1) - a*c^6)*x^7 - (b*c^4*(4*log(c) - 5) - 4*a*c^4)*x^5 + (b*c^2*(6*log(c) - 7) - 6*a*c^2)*x^3 - 3*(b*(log(c) - 1) - a)*x + (b*c^6*x^7

$$\begin{aligned}
& - 4*b*c^4*x^5 + 6*b*c^2*x^3 - 3*b*x)*\log(x))*\sqrt{c*x + 1}*\sqrt{-c*x + 1} \\
& - (b*(\log(c) - 1) - a)*x - (b*c^6*x^7 - 3*b*c^4*x^5 + 3*b*c^2*x^3 + (b*c^4*x^5 - b*x)*(c*x + 1)^{(3/2)}*(-c*x + 1)^{(3/2)} - 3*(b*c^2*x^3 - b*x)*(c*x + 1) \\
& *(c*x - 1) + (b*c^6*x^7 - 4*b*c^4*x^5 + 6*b*c^2*x^3 - 3*b*x)*\sqrt{c*x + 1}*\sqrt{-c*x + 1} - b*x)*\log(\sqrt{c*x + 1}*\sqrt{-c*x + 1} + 1) + (b*c^6*x^7 - \\
& 3*b*c^4*x^5 + 3*b*c^2*x^3 - b*x)*\log(x))/((b^4*c^6*x^6 - 3*b^4*c^4*x^4 + 3*b^4*c^2*x^2 - b^4)*x^2*\log(x)^2 - (b^4*x^2*\log(x)^2 + 2*(b^4*\log(c) - a*b^3) \\
&)*x^2*\log(x) + (b^4*\log(c)^2 - 2*a*b^3*\log(c) + a^2*b^2)*x^2)*(c*x + 1)^{(3/2)}*(-c*x + 1)^{(3/2)} + 2*((b^4*c^6*\log(c) - a*b^3*c^6)*x^6 - 3*(b^4*c^4*\log(c) - a*b^3*c^4) \\
&)*x^4 - b^4*\log(c) + a*b^3 + 3*(b^4*c^2*\log(c) - a*b^3*c^2)*x^2)*x^2*\log(x) - 3*((b^4*c^2*x^2 - b^4)*x^2*\log(x)^2 - 2*(b^4*\log(c) - a*b^3 - (b^4*c^2*\log(c) - a*b^3*c^2)*x^2) \\
&)*x^2)*(c*x + 1)*(c*x - 1) + ((b^4*c^6*\log(c)^2 - 2*a*b^3*c^6*\log(c) + a^2*b^2*c^6)*x^6 - b^4*\log(c)^2 - 3*(b^4*c^4*\log(c)^2 - 2*a*b^3*c^4*\log(c) + a^2*b^2*c^4) \\
&)*x^4 + 2*a*b^3*\log(c) - a^2*b^2 + 3*(b^4*c^2*\log(c)^2 - 2*a*b^3*c^2*\log(c) + a^2*b^2*c^2)*x^2)*x^2 - ((c*x + 1)^{(3/2)}*(-c*x + 1)^{(3/2)}*b^4*x^2 + 3*(b^4*c^2*x^2 - b^4) \\
& *(c*x + 1)*(c*x - 1)*x^2 + 3*(b^4*c^4*x^4 - 2*b^4*c^2*x^2 + b^4)*\sqrt{c*x + 1}*\sqrt{-c*x + 1}*x^2 - (b^4*c^6*x^6 - 3*b^4*c^4*x^4 + 3*b^4*c^2*x^2 - b^4)*x^2)*\log(\sqrt{c*x + 1}*\sqrt{-c*x + 1} + 1)^2 - \\
& 3*((b^4*c^4*x^4 - 2*b^4*c^2*x^2 + b^4)*x^2*\log(x)^2 + 2*((b^4*c^4*\log(c) - a*b^3*c^4) \\
&)*x^4 + b^4*\log(c) - a*b^3 - 2*(b^4*c^2*\log(c) - a*b^3*c^2)*x^2)*x^2*\log(x) + (b^4*\log(c)^2 + (b^4*c^4*\log(c)^2 - 2*a*b^3*c^4*\log(c) + a^2*b^2*c^4) \\
&)*x^4 - 2*a*b^3*\log(c) + a^2*b^2 - 2*(b^4*c^2*\log(c)^2 - 2*a*b^3*c^2*\log(c) + a^2*b^2*c^2)*x^2)*x^2)*\sqrt{c*x + 1}*\sqrt{-c*x + 1} + 2*((b^4*x^2*\log(x) + (b^4*\log(c) - a*b^3) \\
&)*x^2)*(c*x + 1)^{(3/2)}*(-c*x + 1)^{(3/2)} - (b^4*c^6*x^6 - 3*b^4*c^4*x^4 + 3*b^4*c^2*x^2 - b^4)*x^2*\log(x) + 3*((b^4*c^2*x^2 - b^4)*x^2*\log(x) - (b^4*\log(c) - a*b^3 - (b^4*c^2*\log(c) - a*b^3*c^2) \\
&)*x^2) \\
&)*(c*x + 1)*(c*x - 1) - ((b^4*c^6*\log(c) - a*b^3*c^6)*x^6 - 3*(b^4*c^4*\log(c) - a*b^3*c^4) \\
&)*x^4 - b^4*\log(c) + a*b^3 + 3*(b^4*c^2*\log(c) - a*b^3*c^2)*x^2)*x^2 + 3*((b^4*c^4*x^4 - 2*b^4*c^2*x^2 + b^4)*x^2*\log(x) + ((b^4*c^4*\log(c) - a*b^3*c^4) \\
&)*x^4 + b^4*\log(c) - a*b^3 - 2*(b^4*c^2*\log(c) - a*b^3*c^2)*x^2)*x^2)*\sqrt{c*x + 1}*\sqrt{-c*x + 1})*\log(\sqrt{c*x + 1}*\sqrt{-c*x + 1} + 1)) + \text{integrate}(-1/2*(c^8*x^8 - 4*c^6*x^6 + 6*c^4*x^4 + (3*c^4*x^4 + 1) \\
&)*(c*x + 1)^2*(c*x - 1)^2 + (3*c^4*x^4 - 4*c^2*x^2 + 4)*(c*x + 1)^{(3/2)}*(-c*x + 1)^{(3/2)} - 4*c^2*x^2 - 3*(c^6*x^6 + c^4*x^4 - 4*c^2*x^2 + 2)*(c*x + 1) \\
& *(c*x - 1) - (c^6*x^6 - 9*c^4*x^4 + 12*c^2*x^2 - 4)*\sqrt{c*x + 1}*\sqrt{-c*x + 1} + 1)/((b^3*x^2*\log(x) + (b^3*\log(c) - a*b^2)*x^2)*(c*x + 1)^2*(c*x - 1)^2 - 4*((b^3*c^2*x^2 - b^3) \\
&)*x^2*\log(x) - (b^3*\log(c) - a*b^2 - (b^3*c^2*\log(c) - a*b^2*c^2)*x^2) \\
&)*(c*x + 1)^{(3/2)}*(-c*x + 1)^{(3/2)} + (b^3*c^8*x^8 - 4*b^3*c^6*x^6 + 6*b^3*c^4*x^4 - 4*b^3*c^2*x^2 + b^3)*x^2*\log(x) - 6*((b^3*c^4*x^4 - 2*b^3*c^2*x^2 + b^3) \\
&)*x^2*\log(x) + ((b^3*c^4*\log(c) - a*b^2*c^4) \\
&)*x^4 + b^3*\log(c) - a*b^2 - 2*(b^3*c^2*\log(c) - a*b^2*c^2)*x^2)*x^2)*(c*x + 1)*(c*x - 1) + ((b^3*c^8*\log(c) - a*b^2*c^8)*x^8 - 4*(b^3*c^6*\log(c) - a*b^2*c^6) \\
&)*x^6 + 6*(b^3*c^4*\log(c) - a*b^2*c^4)*x^4 + b^3*\log(c) - a*b^2 - 4*
\end{aligned}$$

$$(b^3c^2\log(c) - ab^2c^2)x^2 - 4((b^3c^6x^6 - 3b^3c^4x^4 + 3b^3c^2x^2 - b^3)x^2\log(x) + ((b^3c^6\log(c) - ab^2c^6)x^6 - 3(b^3c^4\log(c) - ab^2c^4)x^4 - b^3\log(c) + ab^2 + 3(b^3c^2\log(c) - ab^2c^2)x^2)x^2)\sqrt{cx+1}\sqrt{-cx+1} - ((cx+1)^2(cx-1)^2b^3x^2 - 4(b^3c^2x^2 - b^3)(cx+1)^{3/2}(-cx+1)^{3/2}x^2 - 6(b^3c^4x^4 - 2b^3c^2x^2 + b^3)(cx+1)(cx-1)x^2 - 4(b^3c^6x^6 - 3b^3c^4x^4 + 3b^3c^2x^2 - b^3)\sqrt{cx+1}\sqrt{-cx+1}x^2 + (b^3c^8x^8 - 4b^3c^6x^6 + 6b^3c^4x^4 - 4b^3c^2x^2 + b^3)x^2)\log(\sqrt{cx+1}\sqrt{-cx+1} + 1)), x)$$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsech(c*x))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*x^2*arcsech(c*x)^3 + 3*a*b^2*x^2*arcsech(c*x)^2 + 3*a^2*b*x^2*arcsech(c*x) + a^3*x^2), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{asech}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(a+b*asech(c*x))**3,x)

[Out] Integral(1/(x**2*(a + b*asech(c*x))**3), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsech(c*x))^3,x, algorithm="giac")

[Out] integrate(1/((b*arcsech(c*x) + a)^3*x^2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^2 (a + b \operatorname{acosh}(\frac{1}{cx}))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(a + b*acosh(1/(c*x))))^3,x)

[Out] int(1/(x^2*(a + b*acosh(1/(c*x))))^3, x)

$$3.67 \quad \int \frac{1}{x^3 (a + b \operatorname{sech}^{-1}(cx))^3} dx$$

Optimal. Leaf size=112

$$\frac{c^2 \cosh(2 \operatorname{sech}^{-1}(cx))}{2b^2 (a + b \operatorname{sech}^{-1}(cx))} + \frac{c^2 \operatorname{Chi}(\frac{2a}{b} + 2 \operatorname{sech}^{-1}(cx)) \sinh(\frac{2a}{b})}{b^3} + \frac{c^2 \sinh(2 \operatorname{sech}^{-1}(cx))}{4b (a + b \operatorname{sech}^{-1}(cx))^2} - \frac{c^2 \cosh(\frac{2a}{b}) \operatorname{Shi}(\frac{2a}{b} + 2 \operatorname{sech}^{-1}(cx))}{b^3}$$

[Out] 1/2*c^2*cosh(2*arcsech(c*x))/b^2/(a+b*arcsech(c*x))-c^2*cosh(2*a/b)*Shi(2*a/b+2*arcsech(c*x))/b^3+c^2*Chi(2*a/b+2*arcsech(c*x))*sinh(2*a/b)/b^3+1/4*c^2*sinh(2*arcsech(c*x))/b/(a+b*arcsech(c*x))^2

Rubi [A]

time = 0.15, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6420, 5556, 12, 3378, 3384, 3379, 3382}

$$\frac{c^2 \sinh(\frac{2a}{b}) \operatorname{Chi}(\frac{2a}{b} + 2 \operatorname{sech}^{-1}(cx))}{b^3} - \frac{c^2 \cosh(\frac{2a}{b}) \operatorname{Shi}(\frac{2a}{b} + 2 \operatorname{sech}^{-1}(cx))}{b^3} + \frac{c^2 \cosh(2 \operatorname{sech}^{-1}(cx))}{2b^2 (a + b \operatorname{sech}^{-1}(cx))} + \frac{c^2 \sinh(2 \operatorname{sech}^{-1}(cx))}{4b (a + b \operatorname{sech}^{-1}(cx))^2}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3*(a + b*ArcSech[c*x])^3),x]

[Out] (c^2*Cosh[2*ArcSech[c*x]]/(2*b^2*(a + b*ArcSech[c*x])) + (c^2*CoshIntegral[(2*a)/b + 2*ArcSech[c*x]]*Sinh[(2*a)/b])/b^3 + (c^2*Sinh[2*ArcSech[c*x]]/(4*b*(a + b*ArcSech[c*x])^2) - (c^2*Cosh[(2*a)/b]*SinhIntegral[(2*a)/b + 2*ArcSech[c*x]]))/b^3

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3378

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(c + d*x)^(m + 1)*(Sin[e + f*x]/(d*(m + 1))), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3379

Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)])/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[I*(SinhIntegral[c*f*(fz/d) + f*fz*x]/d), x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*e - c*f*fz*I, 0]

Rule 3382

```
Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x]
&& EqQ[d*(e - Pi/2) - c*f*fz*I, 0]
```

Rule 3384

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x]
&& NeQ[d*e - c*f, 0]
```

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol]
:> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x]
&& IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 6420

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol]
:> Dist[-(c^(m + 1))^(n), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, ArcSech[c*x]], x] /; FreeQ[{a, b, c}, x]
&& IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3 (a + b \operatorname{sech}^{-1}(cx))^3} dx &= - \left(c^2 \operatorname{Subst} \left(\int \frac{\cosh(x) \sinh(x)}{(a + bx)^3} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= - \left(c^2 \operatorname{Subst} \left(\int \frac{\sinh(2x)}{2(a + bx)^3} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= - \left(\frac{1}{2} c^2 \operatorname{Subst} \left(\int \frac{\sinh(2x)}{(a + bx)^3} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= \frac{c^2 \sinh(2 \operatorname{sech}^{-1}(cx))}{4b (a + b \operatorname{sech}^{-1}(cx))^2} - \frac{c^2 \operatorname{Subst} \left(\int \frac{\cosh(2x)}{(a + bx)^2} dx, x, \operatorname{sech}^{-1}(cx) \right)}{2b} \\
&= \frac{c^2 \cosh(2 \operatorname{sech}^{-1}(cx))}{2b^2 (a + b \operatorname{sech}^{-1}(cx))} + \frac{c^2 \sinh(2 \operatorname{sech}^{-1}(cx))}{4b (a + b \operatorname{sech}^{-1}(cx))^2} - \frac{c^2 \operatorname{Subst} \left(\int \frac{\sinh(2x)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right)}{b^2} \\
&= \frac{c^2 \cosh(2 \operatorname{sech}^{-1}(cx))}{2b^2 (a + b \operatorname{sech}^{-1}(cx))} + \frac{c^2 \sinh(2 \operatorname{sech}^{-1}(cx))}{4b (a + b \operatorname{sech}^{-1}(cx))^2} - \frac{(c^2 \cosh(\frac{2a}{b})) \operatorname{Subst} \left(\int \frac{\sinh(2x)}{a + bx} dx, x, \operatorname{sech}^{-1}(cx) \right)}{b^2} \\
&= \frac{c^2 \cosh(2 \operatorname{sech}^{-1}(cx))}{2b^2 (a + b \operatorname{sech}^{-1}(cx))} + \frac{c^2 \operatorname{Chi}(\frac{2a}{b} + 2 \operatorname{sech}^{-1}(cx)) \sinh(\frac{2a}{b})}{b^3} + \frac{c^2 \sinh(2 \operatorname{sech}^{-1}(cx))}{4b (a + b \operatorname{sech}^{-1}(cx))}
\end{aligned}$$

Mathematica [A]

time = 0.28, size = 122, normalized size = 1.09

$$\frac{b^2 \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx) + \frac{b(2 - c^2 x^2)}{x^2 (a + b \operatorname{sech}^{-1}(cx))} + 2c^2 (\operatorname{Chi}(2(\frac{a}{b} + \operatorname{sech}^{-1}(cx))) \sinh(\frac{2a}{b}) - \cosh(\frac{2a}{b}) \operatorname{Shi}(2(\frac{a}{b} + \operatorname{sech}^{-1}(cx))))}{2b^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3*(a + b*ArcSech[c*x])^3),x]

[Out] ((b^2*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x))/(x^2*(a + b*ArcSech[c*x])^2) + (b*(2 - c^2*x^2))/(x^2*(a + b*ArcSech[c*x])) + 2*c^2*(CoshIntegral[2*(a/b + ArcSech[c*x])] * Sinh[(2*a)/b] - Cosh[(2*a)/b] * SinhIntegral[2*(a/b + ArcSech[c*x])]))/(2*b^3)

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 276 vs. $2(108) = 216$.

time = 0.43, size = 277, normalized size = 2.47

method	result
--------	--------

derivativedivides	$c^2 \left(-\frac{\left(2\sqrt{-\frac{cx-1}{cx}}\sqrt{\frac{cx+1}{cx}}cx+c^2x^2-2\right)(2b\operatorname{arcsech}(cx)+2a-b)}{8c^2x^2b^2\left(b^2\operatorname{arcsech}(cx)^2+2ab\operatorname{arcsech}(cx)+a^2\right)} - \frac{e^{\frac{2a}{b}}\operatorname{expIntegral}\left(1,\frac{2a}{b}+2\operatorname{arcsech}(cx)\right)}{2b^3} \right)$
default	$c^2 \left(-\frac{\left(2\sqrt{-\frac{cx-1}{cx}}\sqrt{\frac{cx+1}{cx}}cx+c^2x^2-2\right)(2b\operatorname{arcsech}(cx)+2a-b)}{8c^2x^2b^2\left(b^2\operatorname{arcsech}(cx)^2+2ab\operatorname{arcsech}(cx)+a^2\right)} - \frac{e^{\frac{2a}{b}}\operatorname{expIntegral}\left(1,\frac{2a}{b}+2\operatorname{arcsech}(cx)\right)}{2b^3} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^3/(a+b*arcsech(c*x))^3,x,method=_RETURNVERBOSE)`

[Out] $c^2*(-1/8*(2*(-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)}*c*x+c^2*x^2-2)*(2*b*a\operatorname{rcsech}(c*x)+2*a-b)/c^2/x^2/b^2/(b^2*\operatorname{arcsech}(c*x)^2+2*a*b*\operatorname{arcsech}(c*x)+a^2)-1/2/b^3*\exp(2*a/b)*\operatorname{Ei}(1,2*a/b+2*\operatorname{arcsech}(c*x))-1/8/b*(c^2*x^2-2*2*(-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)}*c*x)/c^2/x^2/(a+b*\operatorname{arcsech}(c*x))^2-1/4/b^2*(c^2*x^2-2*2*(-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)}*c*x)/c^2/x^2/(a+b*\operatorname{arcsech}(c*x))+1/2/b^3*\exp(-2*a/b)*\operatorname{Ei}(1,-2*\operatorname{arcsech}(c*x)-2*a/b))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^3/(a+b*arcsech(c*x))^3,x, algorithm="maxima")`

[Out] $-1/2*((b*c^6*(2*\log(c)-1)-2*a*c^6)*x^7-3*(b*c^4*(2*\log(c)-1)-2*a*c^4)*x^5+((b*c^2*(2*\log(c)-1)-2*a*c^2)*x^3-(b*(2*\log(c)-1)-2*a)*x+2*(b*c^2*x^3-b*x)*\log(x))*(c*x+1)^{(3/2)}*(-c*x+1)^{(3/2)}+3*(b*c^2*(2*\log(c)-1)-2*a*c^2)*x^3-((b*c^6*\log(c)-a*c^6)*x^7-(b*c^4*(5*\log(c)-2)-5*a*c^4)*x^5+5*(b*c^2*(2*\log(c)-1)-2*a*c^2)*x^3-3*(b*(2*\log(c)-1)-2*a)*x+(b*c^6*x^7-5*b*c^4*x^5+10*b*c^2*x^3-6*b*x)*\log(x))*(c*x+1)*(c*x-1)+((b*c^6*(3*\log(c)-1)-3*a*c^6)*x^7-(b*c^4*(11*\log(c)-5)-11*a*c^4)*x^5+7*(b*c^2*(2*\log(c)-1)-2*a*c^2)*x^3-3*(b*(2*\log(c)-1)-2*a)*x+(3*b*c^6*x^7-11*b*c^4*x^5+14*b*c^2*x^3-6*b*x)*\log(x))*\sqrt{c*x+1}*\sqrt{-c*x+1}-(b*(2*\log(c)-1)-2*a)*x-(2*b*c^6*x^7-6*b*c^4*x^5+6*b*c^2*x^3+2*(b*c^2*x^3-b*x)*(c*x+1)^{(3/2)}*(-c*x+1)^{(3/2)}-(b*c^6*x^7-5*b*c^4*x^5+10*b*c^2*x^3-6*b*x)*(c*x+1)*(c*x-1)+(3*b*c^6*x^7-11*b*c^4*x^5+14*b*c^2*x^3-6*b*x)*\sqrt{c*x+1}*\sqrt{-c*x+1}-2*b*x)*\log(\sqrt{c*x+1}*\sqrt{-c*x+1}+1)+2*(b*c^6*x^7-3*b*c^4*x^5+3*b*c^2*x^3-b*x)*\log(x))/((b^4*c^6*x^6-3*b^4*c^4*x^4+3*b^4*c^2*x^2-b^4)*x^3*\log(x)^2+2*((b^4*c^6*\log(c)-a*b^3*c^6)*x^6-3*(b^4*c^4*\log(c)-a*b^3*c^4)*x^4-b^4*\log(c)+a*b^3+3*(b$

$$\begin{aligned}
& ^4c^2\log(c) - ab^3c^2x^2)x^3\log(x) - (b^4x^3\log(x)^2 + 2*(b^4\log \\
& (c) - ab^3)x^3\log(x) + (b^4\log(c)^2 - 2*ab^3\log(c) + a^2b^2)x^3)*(c \\
& *x + 1)^{(3/2)}*(-cx + 1)^{(3/2)} + ((b^4c^6\log(c)^2 - 2*ab^3c^6\log(c) + \\
& a^2b^2c^6)x^6 - b^4\log(c)^2 - 3*(b^4c^4\log(c)^2 - 2*ab^3c^4\log(c) \\
& + a^2b^2c^4)x^4 + 2*ab^3\log(c) - a^2b^2 + 3*(b^4c^2\log(c)^2 - 2*ab \\
& ^3c^2\log(c) + a^2b^2c^2)x^2)x^3 - 3*((b^4c^2x^2 - b^4)x^3\log(x)^2 \\
& - 2*(b^4\log(c) - ab^3 - (b^4c^2\log(c) - ab^3c^2)x^2)x^3\log(x) - (\\
& b^4\log(c)^2 - 2*ab^3\log(c) + a^2b^2 - (b^4c^2\log(c)^2 - 2*ab^3c^2\log \\
& (c) + a^2b^2c^2)x^2)x^3)*(cx + 1)*(cx - 1) - ((cx + 1)^{(3/2)}*(-cx \\
& + 1)^{(3/2)}b^4x^3 + 3*(b^4c^2x^2 - b^4)*(cx + 1)*(cx - 1)x^3 + 3*(b^ \\
& 4c^4x^4 - 2*b^4c^2x^2 + b^4)*\sqrt{cx + 1}*\sqrt{-cx + 1}x^3 - (b^4c^ \\
& 6x^6 - 3*b^4c^4x^4 + 3*b^4c^2x^2 - b^4)x^3)*\log(\sqrt{cx + 1}*\sqrt{-c \\
& *x + 1} + 1)^2 - 3*((b^4c^4x^4 - 2*b^4c^2x^2 + b^4)x^3\log(x)^2 + 2*((\\
& b^4c^4\log(c) - ab^3c^4)x^4 + b^4\log(c) - ab^3 - 2*(b^4c^2\log(c) - \\
& ab^3c^2)x^2)x^3\log(x) + (b^4\log(c)^2 + (b^4c^4\log(c)^2 - 2*ab^3c^ \\
& 4\log(c) + a^2b^2c^4)x^4 - 2*ab^3\log(c) + a^2b^2 - 2*(b^4c^2\log(c)^ \\
& 2 - 2*ab^3c^2\log(c) + a^2b^2c^2)x^2)x^3)*\sqrt{cx + 1}*\sqrt{-cx + 1} \\
&) - 2*((b^4c^6x^6 - 3*b^4c^4x^4 + 3*b^4c^2x^2 - b^4)x^3\log(x) - (b^ \\
& 4x^3\log(x) + (b^4\log(c) - ab^3)x^3)*(cx + 1)^{(3/2)}*(-cx + 1)^{(3/2)} + \\
& ((b^4c^6\log(c) - ab^3c^6)x^6 - 3*(b^4c^4\log(c) - ab^3c^4)x^4 - b \\
& ^4\log(c) + ab^3 + 3*(b^4c^2\log(c) - ab^3c^2)x^2)x^3 - 3*((b^4c^2x^ \\
& ^2 - b^4)x^3\log(x) - (b^4\log(c) - ab^3 - (b^4c^2\log(c) - ab^3c^2)x \\
& ^2)x^3)*(cx + 1)*(cx - 1) - 3*((b^4c^4x^4 - 2*b^4c^2x^2 + b^4)x^3\log \\
& (x) + ((b^4c^4\log(c) - ab^3c^4)x^4 + b^4\log(c) - ab^3 - 2*(b^4c^2 \\
& *\log(c) - ab^3c^2)x^2)x^3)*\sqrt{cx + 1}*\sqrt{-cx + 1})*\log(\sqrt{cx + \\
& 1}*\sqrt{-cx + 1} + 1)) + \text{integrate}(-1/2*(4c^8x^8 - 16c^6x^6 + 24c^4x \\
& x^4 + 4*(cx + 1)^2*(cx - 1)^2 + (3c^6x^6 - 16c^2x^2 + 16)*(cx + 1)^{(\\
& 3/2)}*(-cx + 1)^{(3/2)} - 16c^2x^2 - 24*(c^4x^4 - 2c^2x^2 + 1)*(cx + 1) \\
& *(cx - 1) + (3c^8x^8 - 19c^6x^6 + 48c^4x^4 - 48c^2x^2 + 16)*\sqrt{c \\
& *x + 1}*\sqrt{-cx + 1} + 4)/((b^3x^3\log(x) + (b^3\log(c) - ab^2)x^3)*(c \\
& *x + 1)^2*(cx - 1)^2 + (b^3c^8x^8 - 4*b^3c^6x^6 + 6*b^3c^4x^4 - 4*b^ \\
& 3c^2x^2 + b^3)x^3\log(x) - 4*((b^3c^2x^2 - b^3)x^3\log(x) - (b^3\log(\\
& c) - ab^2 - (b^3c^2\log(c) - ab^2c^2)x^2)x^3)*(cx + 1)^{(3/2)}*(-cx + \\
& 1)^{(3/2)} + ((b^3c^8\log(c) - ab^2c^8)x^8 - 4*(b^3c^6\log(c) - ab^2c^ \\
& ^6)x^6 + 6*(b^3c^4\log(c) - ab^2c^4)x^4 + b^3\log(c) - ab^2 - 4*(b^3c \\
& ^2\log(c) - ab^2c^2)x^2)x^3 - 6*((b^3c^4x^4 - 2*b^3c^2x^2 + b^3)x^3\log(x) + ((b^3c^4\log(c) - ab^2c^4)x^4 + b^3\log(c) - ab^2 - 2*(b^3 \\
& c^2\log(c) - ab^2c^2)x^2)x^3)*(cx + 1)*(cx - 1) - 4*((b^3c^6x^6 - \\
& 3*b^3c^4x^4 + 3*b^3c^2x^2 - b^3)x^3\log(x) + ((b^3c^6\log(c) - ab^2c^ \\
& ^6)x^6 - 3*(b^3c^4\log(c) - ab^2c^4)x^4 - b^3\log(c) + ab^2 + 3*(b^3 \\
& c^2\log(c) - ab^2c^2)x^2)x^3)*\sqrt{cx + 1}*\sqrt{-cx + 1} - ((cx + 1) \\
&)^2*(cx - 1)^2b^3x^3 - 4*(b^3c^2x^2 - b^3)*(cx + 1)^{(3/2)}*(-cx + 1)^{(\\
& 3/2)}x^3 - 6*(b^3c^4x^4 - 2*b^3c^2x^2 + b^3)*(cx + 1)*(cx - 1)x^3 - \\
& 4*(b^3c^6x^6 - 3*b^3c^4x^4 + 3*b^3c^2x^2 - b^3)*\sqrt{cx + 1}*\sqrt{- \\
& cx + 1}x^3 + (b^3c^8x^8 - 4*b^3c^6x^6 + 6*b^3c^4x^4 - 4*b^3c^2x^2
\end{aligned}$$

+ b^3)*x^3)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1)), x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*arcsech(c*x))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*x^3*arcsech(c*x)^3 + 3*a*b^2*x^3*arcsech(c*x)^2 + 3*a^2*b*x^3*arcsech(c*x) + a^3*x^3), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \operatorname{asech}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**3/(a+b*asech(c*x))**3,x)

[Out] Integral(1/(x**3*(a + b*asech(c*x))**3), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*arcsech(c*x))^3,x, algorithm="giac")

[Out] integrate(1/((b*arcsech(c*x) + a)^3*x^3), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^3 (a + b \operatorname{acosh}(\frac{1}{cx}))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^3*(a + b*acosh(1/(c*x))))^3,x)

[Out] int(1/(x^3*(a + b*acosh(1/(c*x))))^3, x)

$$3.68 \quad \int \frac{1}{x^4 (a + b \operatorname{sech}^{-1}(cx))^3} dx$$

Optimal. Leaf size=240

$$\frac{c^2 \sqrt{\frac{1-cx}{1+cx}} (1+cx)}{8bx (a + b \operatorname{sech}^{-1}(cx))^2} + \frac{c^2}{8b^2 x (a + b \operatorname{sech}^{-1}(cx))} + \frac{3c^3 \cosh(3 \operatorname{sech}^{-1}(cx))}{8b^2 (a + b \operatorname{sech}^{-1}(cx))} + \frac{c^3 \operatorname{Chi}(\frac{a}{b} + \operatorname{sech}^{-1}(cx)) \sinh(\frac{a}{b})}{8b^3}$$

[Out] $1/8*c^2/b^2/x/(a+b*\operatorname{arcsech}(c*x))+3/8*c^3*\cosh(3*\operatorname{arcsech}(c*x))/b^2/(a+b*\operatorname{arcsech}(c*x))-1/8*c^3*\cosh(a/b)*\operatorname{Shi}(a/b+\operatorname{arcsech}(c*x))/b^3-9/8*c^3*\cosh(3*a/b)*\operatorname{Shi}(3*a/b+3*\operatorname{arcsech}(c*x))/b^3+1/8*c^3*\operatorname{Chi}(a/b+\operatorname{arcsech}(c*x))*\sinh(a/b)/b^3+9/8*c^3*\operatorname{Chi}(3*a/b+3*\operatorname{arcsech}(c*x))*\sinh(3*a/b)/b^3+1/8*c^3*\sinh(3*\operatorname{arcsech}(c*x))/b/(a+b*\operatorname{arcsech}(c*x))^2+1/8*c^2*(c*x+1)*((-c*x+1)/(c*x+1))^(1/2)/b/x/(a+b*\operatorname{arcsech}(c*x))^2$

Rubi [A]

time = 0.28, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {6420, 5556, 3378, 3384, 3379, 3382}

$$\frac{c^2 \sinh(\frac{a}{b}) \operatorname{Chi}(\frac{a}{b} + \operatorname{sech}^{-1}(cx))}{8b^3} + \frac{9c^2 \sinh(\frac{3a}{b}) \operatorname{Chi}(\frac{3a}{b} + 3\operatorname{sech}^{-1}(cx))}{8b^3} - \frac{c^2 \cosh(\frac{a}{b}) \operatorname{Shi}(\frac{a}{b} + \operatorname{sech}^{-1}(cx))}{8b^3} - \frac{9c^2 \cosh(\frac{3a}{b}) \operatorname{Shi}(\frac{3a}{b} + 3\operatorname{sech}^{-1}(cx))}{8b^3} + \frac{3c^2 \cosh(3\operatorname{sech}^{-1}(cx))}{8b^2 (a + b \operatorname{sech}^{-1}(cx))} + \frac{c^2}{8b^2 x (a + b \operatorname{sech}^{-1}(cx))} + \frac{c^2 \sinh(3\operatorname{sech}^{-1}(cx))}{8b (a + b \operatorname{sech}^{-1}(cx))^2} + \frac{c^2 \sqrt{\frac{1-cx}{1+cx}} (cx+1)}{8bx (a + b \operatorname{sech}^{-1}(cx))^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[1/(x^4*(a + b*\operatorname{ArcSech}[c*x])^3), x]$

[Out] $(c^2*\operatorname{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x))/(8*b*x*(a + b*\operatorname{ArcSech}[c*x])^2) + c^2/(8*b^2*x*(a + b*\operatorname{ArcSech}[c*x])) + (3*c^3*\operatorname{Cosh}[3*\operatorname{ArcSech}[c*x]])/(8*b^2*(a + b*\operatorname{ArcSech}[c*x])) + (c^3*\operatorname{CoshIntegral}[a/b + \operatorname{ArcSech}[c*x]]*\operatorname{Sinh}[a/b])/(8*b^3) + (9*c^3*\operatorname{CoshIntegral}[(3*a)/b + 3*\operatorname{ArcSech}[c*x]]*\operatorname{Sinh}[(3*a)/b])/(8*b^3) + (c^3*\operatorname{Sinh}[3*\operatorname{ArcSech}[c*x]])/(8*b*(a + b*\operatorname{ArcSech}[c*x])^2) - (c^3*\operatorname{Cosh}[a/b]*\operatorname{SinhIntegral}[a/b + \operatorname{ArcSech}[c*x]])/(8*b^3) - (9*c^3*\operatorname{Cosh}[(3*a)/b]*\operatorname{SinhIntegral}[(3*a)/b + 3*\operatorname{ArcSech}[c*x]])/(8*b^3)$

Rule 3378

$\operatorname{Int}[(c_.) + (d_.)*(x_)^(m_)*\sin[(e_.) + (f_.)*(x_)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^(m + 1)*(\operatorname{Sin}[e + f*x]/(d*(m + 1))), x] - \operatorname{Dist}[f/(d*(m + 1)), \operatorname{Int}[(c + d*x)^(m + 1)*\operatorname{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3379

$\operatorname{Int}[\sin[(e_.) + (\operatorname{Complex}[0, fz_])*(f_.)*(x_)]]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \operatorname{Simp}[I*(\operatorname{SinhIntegral}[c*f*(fz/d) + f*fz*x]/d), x] /;$ FreeQ[{c, d, e, f}

, fz}, x] && EqQ[d*e - c*f*fz*I, 0]

Rule 3382

Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*(e - Pi/2) - c*f*fz*I, 0]

Rule 3384

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 5556

Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 6420

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[-(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Sech[x]^(m + 1)*Tanh[x], x], x, ArcSech[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^4 (a + b \operatorname{sech}^{-1}(cx))^3} dx &= - \left(c^3 \operatorname{Subst} \left(\int \frac{\cosh^2(x) \sinh(x)}{(a + bx)^3} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= - \left(c^3 \operatorname{Subst} \left(\int \left(\frac{\sinh(x)}{4(a + bx)^3} + \frac{\sinh(3x)}{4(a + bx)^3} \right) dx, x, \operatorname{sech}^{-1}(cx) \right) \right) \\
&= - \left(\frac{1}{4} c^3 \operatorname{Subst} \left(\int \frac{\sinh(x)}{(a + bx)^3} dx, x, \operatorname{sech}^{-1}(cx) \right) \right) - \frac{1}{4} c^3 \operatorname{Subst} \left(\int \frac{\sinh(3x)}{(a + bx)^3} dx, x, \operatorname{sech}^{-1}(cx) \right) \\
&= \frac{c^2 \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{8bx (a + b \operatorname{sech}^{-1}(cx))^2} + \frac{c^3 \sinh(3 \operatorname{sech}^{-1}(cx))}{8b (a + b \operatorname{sech}^{-1}(cx))^2} - \frac{c^3 \operatorname{Subst} \left(\int \frac{\cosh(x)}{(a + bx)^2} dx, x, \operatorname{sech}^{-1}(cx) \right)}{8b} \\
&= \frac{c^2 \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{8bx (a + b \operatorname{sech}^{-1}(cx))^2} + \frac{c^2}{8b^2 x (a + b \operatorname{sech}^{-1}(cx))} + \frac{3c^3 \cosh(3 \operatorname{sech}^{-1}(cx))}{8b^2 (a + b \operatorname{sech}^{-1}(cx))} + \dots \\
&= \frac{c^2 \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{8bx (a + b \operatorname{sech}^{-1}(cx))^2} + \frac{c^2}{8b^2 x (a + b \operatorname{sech}^{-1}(cx))} + \frac{3c^3 \cosh(3 \operatorname{sech}^{-1}(cx))}{8b^2 (a + b \operatorname{sech}^{-1}(cx))} + \dots \\
&= \frac{c^2 \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{8bx (a + b \operatorname{sech}^{-1}(cx))^2} + \frac{c^2}{8b^2 x (a + b \operatorname{sech}^{-1}(cx))} + \frac{3c^3 \cosh(3 \operatorname{sech}^{-1}(cx))}{8b^2 (a + b \operatorname{sech}^{-1}(cx))} + \dots
\end{aligned}$$

Mathematica [A]

time = 0.40, size = 204, normalized size = 0.85

$$\frac{4b^2 \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)}{x^3 (a + b \operatorname{sech}^{-1}(cx))^3} + \frac{4b(3 - 2c^2 x^2)}{x^3 (a + b \operatorname{sech}^{-1}(cx))} - 8c^2 \left(\operatorname{Chi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right) \sinh\left(\frac{a}{b}\right) - \cosh\left(\frac{a}{b}\right) \operatorname{Shi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right) \right) + 9c^2 \left(\operatorname{Chi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right) \sinh\left(\frac{3a}{b}\right) + \operatorname{Chi}\left(3\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)\right) \sinh\left(\frac{3a}{b}\right) - \cosh\left(\frac{a}{b}\right) \operatorname{Shi}\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right) - \cosh\left(\frac{3a}{b}\right) \operatorname{Shi}\left(3\left(\frac{a}{b} + \operatorname{sech}^{-1}(cx)\right)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^4*(a + b*ArcSech[c*x])^3),x]

[Out] ((4*b^2*sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x))/(x^3*(a + b*ArcSech[c*x])^2) + (4*b*(3 - 2*c^2*x^2))/(x^3*(a + b*ArcSech[c*x])) - 8*c^3*(CoshIntegral[a/b + ArcSech[c*x]]*Sinh[a/b] - Cosh[a/b]*SinhIntegral[a/b + ArcSech[c*x]]) + 9*c^3*(CoshIntegral[a/b + ArcSech[c*x]]*Sinh[a/b] + CoshIntegral[3*(a/b + ArcSech[c*x]])*Sinh[(3*a)/b] - Cosh[a/b]*SinhIntegral[a/b + ArcSech[c*x]] - Cosh[(3*a)/b]*SinhIntegral[3*(a/b + ArcSech[c*x])]))/(8*b^3)

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 627 vs. 2(222) = 444.

time = 0.59, size = 628, normalized size = 2.62

method	result
derivativedivides	$c^3 \left(\frac{\left(\sqrt{\frac{cx+1}{cx}} \sqrt{-\frac{cx-1}{cx}} c^3 x^3 - 4 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} cx - 3c^2 x^2 + 4 \right) (3b \operatorname{arcsech}(cx) + 3a - b)}{16c^3 x^3 b^2 (b^2 \operatorname{arcsech}(cx)^2 + 2ab \operatorname{arcsech}(cx) + a^2)} - \frac{9 e^{\frac{3a}{b}} \exp(\operatorname{arcsech}(cx))}{16c^3 x^3 b^2 (b^2 \operatorname{arcsech}(cx)^2 + 2ab \operatorname{arcsech}(cx) + a^2)} \right)$
default	$c^3 \left(\frac{\left(\sqrt{\frac{cx+1}{cx}} \sqrt{-\frac{cx-1}{cx}} c^3 x^3 - 4 \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} cx - 3c^2 x^2 + 4 \right) (3b \operatorname{arcsech}(cx) + 3a - b)}{16c^3 x^3 b^2 (b^2 \operatorname{arcsech}(cx)^2 + 2ab \operatorname{arcsech}(cx) + a^2)} - \frac{9 e^{\frac{3a}{b}} \exp(\operatorname{arcsech}(cx))}{16c^3 x^3 b^2 (b^2 \operatorname{arcsech}(cx)^2 + 2ab \operatorname{arcsech}(cx) + a^2)} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^4/(a+b*arcsech(c*x))^3,x,method=_RETURNVERBOSE)`

[Out]
$$c^3 \left(\frac{1}{16} \left(\left(\frac{cx+1}{cx} \right)^{1/2} \left(-\frac{cx-1}{cx} \right)^{1/2} c^3 x^3 - 4 \left(-\frac{cx-1}{cx} \right)^{1/2} \left(\frac{cx+1}{cx} \right)^{1/2} c^2 x^2 + 4 \right) (3b \operatorname{arcsech}(cx) + 3a - b) / c^3 / x^3 / b^2 / (b^2 \operatorname{arcsech}(cx)^2 + 2ab \operatorname{arcsech}(cx) + a^2) - 9/16 / b^3 \exp(3a/b) \operatorname{Ei}(1, 3a/b + 3 \operatorname{arcsech}(cx)) - 1/16 \left(\left(-\frac{cx-1}{cx} \right)^{1/2} \left(\frac{cx+1}{cx} \right)^{1/2} c^3 x^3 - 4 \left(-\frac{cx-1}{cx} \right)^{1/2} \left(\frac{cx+1}{cx} \right)^{1/2} c^2 x^2 + 4 \right) (b \operatorname{arcsech}(cx) + a - b) / c^3 / x^3 / b^2 / (b^2 \operatorname{arcsech}(cx)^2 + 2ab \operatorname{arcsech}(cx) + a^2) - 1/16 / b^3 \exp(a/b) \operatorname{Ei}(1, a/b + \operatorname{arcsech}(cx)) + 1/16 / b^3 \left(\left(-\frac{cx-1}{cx} \right)^{1/2} \left(\frac{cx+1}{cx} \right)^{1/2} c^3 x^3 - 4 \left(-\frac{cx-1}{cx} \right)^{1/2} \left(\frac{cx+1}{cx} \right)^{1/2} c^2 x^2 + 4 \right) / c^3 / x^3 / (a + b \operatorname{arcsech}(cx))^2 - 3/16 / b^2 \left(\left(\frac{cx+1}{cx} \right)^{1/2} \left(-\frac{cx-1}{cx} \right)^{1/2} c^3 x^3 - 4 \left(-\frac{cx-1}{cx} \right)^{1/2} \left(\frac{cx+1}{cx} \right)^{1/2} c^2 x^2 + 4 \right) / c^3 / x^3 / (a + b \operatorname{arcsech}(cx)) + 9/16 / b^3 \exp(-3a/b) \operatorname{Ei}(1, -3 \operatorname{arcsech}(cx) - 3a/b) \right)$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^4/(a+b*arcsech(c*x))^3,x, algorithm="maxima")`

[Out]
$$-1/2 \left((b^6 c^3 \log(c) - 1) - 3a^6 c^3 \right) x^7 - 3 \left((b^4 c^3 \log(c) - 1) - 3a^4 c^3 \right) x^5 - \left((b^4 c^4 \log(c) - a^4 c^4) x^5 - (b^2 c^2 (4 \log(c) - 1) - 4a^2 c^2) x^3 + (b^3 \log(c) - 1) - 3a^3 \right) x + (b^4 c^4 x^5 - 4b^2 c^2 x^3 + 3b^3 x) \log(x) \left((cx + 1)^{3/2} (-cx + 1)^{3/2} + 3(b^2 c^2 (3 \log(c) - 1) - 3a^2 c^2) x^3 - (2(b^6 c^6 \log(c) - a^6 c^6) x^7 - 2(b^4 c^4 (5 \log(c) - 1) - 5a^4 c^4) x^5 + (b^2 c^2 (17 \log(c) - 5) - 17a^2 c^2) x^3 - 3(b^3 \log(c) - 1) - 3a^3) x + (2b^6 c^6 x^7 - 10b^4 c^4 x^5 + 17b^2 c^2 x^3 - 9b^3 x) \log(x) \right) (cx + 1) (cx - 1) + \left((b^6 c^6 (5 \log(c) - 1) - 5a^6 c^6) x^7 - (b^4 c^4 (18 \log(c) - 5) - 18a^4 c^4) x^5 + (b^2 c^2 (22 \log(c) - 7) - 22a^2 c^2) x^3 - 3(b^3 \log(c) - 1) - 3a^3 \right) x$$

$$\begin{aligned}
& a) * x + (5*b*c^6*x^7 - 18*b*c^4*x^5 + 22*b*c^2*x^3 - 9*b*x) * \log(x) * \sqrt{c*x + 1} * \sqrt{-c*x + 1} - (b*(3*\log(c) - 1) - 3*a)*x - (3*b*c^6*x^7 - 9*b*c^4*x^5 + 9*b*c^2*x^3 - (b*c^4*x^5 - 4*b*c^2*x^3 + 3*b*x) * (c*x + 1)^{(3/2)} * (-c*x + 1)^{(3/2)} - (2*b*c^6*x^7 - 10*b*c^4*x^5 + 17*b*c^2*x^3 - 9*b*x) * (c*x + 1) * (c*x - 1) + (5*b*c^6*x^7 - 18*b*c^4*x^5 + 22*b*c^2*x^3 - 9*b*x) * \sqrt{c*x + 1} * \sqrt{-c*x + 1} - 3*b*x) * \log(\sqrt{c*x + 1} * \sqrt{-c*x + 1} + 1) + 3*(b*c^6*x^7 - 3*b*c^4*x^5 + 3*b*c^2*x^3 - b*x) * \log(x) / ((b^4*c^6*x^6 - 3*b^4*c^4*x^4 + 3*b^4*c^2*x^2 - b^4) * x^4 * \log(x)^2 + 2*((b^4*c^6*\log(c) - a*b^3*c^6) * x^6 - 3*(b^4*c^4*\log(c) - a*b^3*c^4) * x^4 - b^4*\log(c) + a*b^3 + 3*(b^4*c^2*\log(c) - a*b^3*c^2) * x^2) * x^4 * \log(x) + ((b^4*c^6*\log(c))^2 - 2*a*b^3*c^6*\log(c) + a^2*b^2*c^6) * x^6 - b^4*\log(c)^2 - 3*(b^4*c^4*\log(c))^2 - 2*a*b^3*c^4*\log(c) + a^2*b^2*c^4) * x^4 + 2*a*b^3*\log(c) - a^2*b^2 + 3*(b^4*c^2*\log(c))^2 - 2*a*b^3*c^2*\log(c) + a^2*b^2*c^2) * x^2) * x^4 - (b^4*x^4*\log(x)^2 + 2*(b^4*\log(c) - a*b^3) * x^4 * \log(x) + (b^4*\log(c))^2 - 2*a*b^3*\log(c) + a^2*b^2) * x^4) * (c*x + 1)^{(3/2)} * (-c*x + 1)^{(3/2)} - 3*((b^4*c^2*x^2 - b^4) * x^4 * \log(x)^2 - 2*(b^4*\log(c) - a*b^3 - (b^4*c^2*\log(c) - a*b^3*c^2) * x^2) * x^4 * \log(x) - (b^4*\log(c))^2 - 2*a*b^3*\log(c) + a^2*b^2 - (b^4*c^2*\log(c))^2 - 2*a*b^3*c^2*\log(c) + a^2*b^2*c^2) * x^2) * x^4) * (c*x + 1) * (c*x - 1) - ((c*x + 1)^{(3/2)} * (-c*x + 1)^{(3/2)} * b^4*x^4 + 3*(b^4*c^2*x^2 - b^4) * (c*x + 1) * (c*x - 1) * x^4 + 3*(b^4*c^4*x^4 - 2*b^4*c^2*x^2 + b^4) * \sqrt{c*x + 1} * \sqrt{-c*x + 1} * x^4 - (b^4*c^6*x^6 - 3*b^4*c^4*x^4 + 3*b^4*c^2*x^2 - b^4) * x^4) * \log(\sqrt{c*x + 1} * \sqrt{-c*x + 1} + 1)^2 - 3*((b^4*c^4*x^4 - 2*b^4*c^2*x^2 + b^4) * x^4 * \log(x)^2 + 2*((b^4*c^4*\log(c) - a*b^3*c^4) * x^4 + b^4*\log(c) - a*b^3 - 2*(b^4*c^2*\log(c) - a*b^3*c^2) * x^2) * x^4 * \log(x) + (b^4*\log(c))^2 + (b^4*c^4*\log(c))^2 - 2*a*b^3*c^4*\log(c) + a^2*b^2*c^4) * x^4 - 2*a*b^3*\log(c) + a^2*b^2 - 2*(b^4*c^2*\log(c))^2 - 2*a*b^3*c^2*\log(c) + a^2*b^2*c^2) * x^2) * x^4) * \sqrt{c*x + 1} * \sqrt{-c*x + 1} - 2*((b^4*c^6*x^6 - 3*b^4*c^4*x^4 + 3*b^4*c^2*x^2 - b^4) * x^4 * \log(x) + ((b^4*c^6*\log(c) - a*b^3*c^6) * x^6 - 3*(b^4*c^4*\log(c) - a*b^3*c^4) * x^4 - b^4*\log(c) + a*b^3 + 3*(b^4*c^2*\log(c) - a*b^3*c^2) * x^2) * x^4 - (b^4*x^4*\log(x) + (b^4*\log(c) - a*b^3) * x^4) * (c*x + 1)^{(3/2)} * (-c*x + 1)^{(3/2)} - 3*((b^4*c^2*x^2 - b^4) * x^4 * \log(x) - (b^4*\log(c) - a*b^3 - (b^4*c^2*\log(c) - a*b^3*c^2) * x^2) * x^4) * (c*x + 1) * (c*x - 1) - 3*((b^4*c^4*x^4 - 2*b^4*c^2*x^2 + b^4) * x^4 * \log(x) + ((b^4*c^4*\log(c) - a*b^3*c^4) * x^4 + b^4*\log(c) - a*b^3 - 2*(b^4*c^2*\log(c) - a*b^3*c^2) * x^2) * x^4) * \sqrt{c*x + 1} * \sqrt{-c*x + 1}) * \log(\sqrt{c*x + 1} * \sqrt{-c*x + 1} + 1)) - \text{integrate}(1/2*(9*c^8*x^8 - 36*c^6*x^6 + 54*c^4*x^4 - (c^4*x^4 + 4*c^2*x^2 - 9) * (c*x + 1)^2 * (c*x - 1)^2 + (2*c^6*x^6 + 13*c^4*x^4 - 48*c^2*x^2 + 36) * (c*x + 1)^{(3/2)} * (-c*x + 1)^{(3/2)} - 36*c^2*x^2 - (2*c^8*x^8 - 19*c^6*x^6 + 83*c^4*x^4 - 120*c^2*x^2 + 54) * (c*x + 1) * (c*x - 1) + (10*c^8*x^8 - 57*c^6*x^6 + 123*c^4*x^4 - 112*c^2*x^2 + 36) * \sqrt{c*x + 1} * \sqrt{-c*x + 1} + 9) / ((b^3*c^8*x^8 - 4*b^3*c^6*x^6 + 6*b^3*c^4*x^4 - 4*b^3*c^2*x^2 + b^3) * x^4 * \log(x) + (b^3*x^4*\log(x) + (b^3*\log(c) - a*b^2) * x^4) * (c*x + 1)^2 * (c*x - 1)^2 + ((b^3*c^8*\log(c) - a*b^2*c^8) * x^8 - 4*(b^3*c^6*\log(c) - a*b^2*c^6) * x^6 + 6*(b^3*c^4*\log(c) - a*b^2*c^4) * x^4 + b^3*\log(c) - a*b^2 - 4*(b^3*c^2*\log(c) - a*b^2*c^2) * x^2) * x^4 - 4*((b^3*c^2*x^2 - b^3) * x^4 * \log(x) - (b^3*\log(c) - a*b^2 - (b^3*c^2*\log(c) - a*b^2*c^2) * x^2) * x^4) * (c*x + 1)^{(3/2)} *
\end{aligned}$$

$$(-cx + 1)^{3/2} - 6*((b^3c^4x^4 - 2b^3c^2x^2 + b^3)x^4 \log(x) + ((b^3c^4 \log(c) - ab^2c^4)x^4 + b^3 \log(c) - ab^2 - 2(b^3c^2 \log(c) - ab^2c^2)x^2)x^4)(cx + 1)(cx - 1) - 4*((b^3c^6x^6 - 3b^3c^4x^4 + 3b^3c^2x^2 - b^3)x^4 \log(x) + ((b^3c^6 \log(c) - ab^2c^6)x^6 - 3(b^3c^4 \log(c) - ab^2c^4)x^4 - b^3 \log(c) + ab^2 + 3(b^3c^2 \log(c) - ab^2c^2)x^2)x^4) \sqrt{cx + 1} \sqrt{-cx + 1} - ((cx + 1)^2(cx - 1)^2 b^3x^4 - 4(b^3c^2x^2 - b^3)(cx + 1)^{3/2}(-cx + 1)^{3/2}x^4 - 6(b^3c^4x^4 - 2b^3c^2x^2 + b^3)(cx + 1)(cx - 1)x^4 - 4(b^3c^6x^6 - 3b^3c^4x^4 + 3b^3c^2x^2 - b^3) \sqrt{cx + 1} \sqrt{-cx + 1}x^4 + (b^3c^8x^8 - 4b^3c^6x^6 + 6b^3c^4x^4 - 4b^3c^2x^2 + b^3)x^4) \log(\sqrt{cx + 1} \sqrt{-cx + 1} + 1)), x)$$
Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*arcsech(cx))^3,x, algorithm="fricas")

[Out] integral(1/(b^3x^4*arcsech(cx)^3 + 3*a*b^2*x^4*arcsech(cx)^2 + 3*a^2*b*x^4*arcsech(cx) + a^3*x^4), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4 (a + b \operatorname{asech}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**4/(a+b*asech(cx))**3,x)

[Out] Integral(1/(x**4*(a + b*asech(cx))**3), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*arcsech(cx))^3,x, algorithm="giac")

[Out] integrate(1/((b*arcsech(cx) + a)^3*x^4), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^4 (a + b \operatorname{acosh}(\frac{1}{cx}))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x^4*(a + b*acosh(1/(c*x)))^3),x)
```

```
[Out] int(1/(x^4*(a + b*acosh(1/(c*x)))^3), x)
```

$$3.69 \quad \int (dx)^m (a + b \operatorname{sech}^{-1}(cx))^3 dx$$

Optimal. Leaf size=19

$$\operatorname{Int}\left((dx)^m (a + b \operatorname{sech}^{-1}(cx))^3, x\right)$$

[Out] Unintegrable((d*x)^m*(a+b*arcsech(c*x))^3,x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (dx)^m (a + b \operatorname{sech}^{-1}(cx))^3 dx$$

Verification is not applicable to the result.

[In] Int[(d*x)^m*(a + b*ArcSech[c*x])^3,x]

[Out] Defer[Int] [(d*x)^m*(a + b*ArcSech[c*x])^3, x]

Rubi steps

$$\int (dx)^m (a + b \operatorname{sech}^{-1}(cx))^3 dx = \int (dx)^m (a + b \operatorname{sech}^{-1}(cx))^3 dx$$

Mathematica [A]

time = 4.11, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{sech}^{-1}(cx))^3 dx$$

Verification is not applicable to the result.

[In] Integrate[(d*x)^m*(a + b*ArcSech[c*x])^3,x]

[Out] Integrate[(d*x)^m*(a + b*ArcSech[c*x])^3, x]

Maple [A]

time = 0.49, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{arcsech}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m*(a+b*arcsech(c*x))^3,x)

[Out] int((d*x)^m*(a+b*arcsech(c*x))^3,x)

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m*(a+b*arcsech(c*x))^3,x, algorithm="maxima")

[Out]
$$b^3 d^m x^m \log(\sqrt{c x + 1} \sqrt{-c x + 1} + 1)^3 / (m + 1) + (d x)^{m+1} a^3 / (d (m + 1)) - \int (b^3 c^2 d^m (m + 1) x^2 - b^3 d^m (m + 1) x^m \log(x)^3 - 3 (b^3 d^m (m + 1) \log(c) - a b^2 d^m (m + 1) - (b^3 c^2 d^m (m + 1) \log(c) - a b^2 c^2 d^m (m + 1)) x^2) x^m \log(x)^2 + 3 ((b^3 c^2 d^m (m + 1) x^2 - b^3 d^m (m + 1)) x^m \log(x) + ((b^3 c^2 d^m (m + 1) x^2 - b^3 d^m (m + 1)) x^m \log(x) - (b^3 d^m (m + 1) \log(c) - a b^2 d^m (m + 1) + (a b^2 c^2 d^m (m + 1) - (d^m (m + 1) \log(c) + d^m) b^3 c^2) x^2) x^m) \sqrt{c x + 1} \sqrt{-c x + 1} - (b^3 d^m (m + 1) \log(c) - a b^2 d^m (m + 1) - (b^3 c^2 d^m (m + 1) \log(c) - a b^2 c^2 d^m (m + 1)) x^2) x^m) \log(\sqrt{c x + 1} \sqrt{-c x + 1} + 1)^2 - 3 (b^3 d^m (m + 1) \log(c)^2 - 2 a b^2 d^m (m + 1) \log(c) + a^2 b d^m (m + 1) - (b^3 c^2 d^m (m + 1) \log(c)^2 - 2 a b^2 c^2 d^m (m + 1) \log(c) + a^2 b c^2 d^m (m + 1)) x^2) x^m \log(x) + ((b^3 c^2 d^m (m + 1) x^2 - b^3 d^m (m + 1)) x^m \log(x)^3 - 3 (b^3 d^m (m + 1) \log(c) - a b^2 d^m (m + 1) - (b^3 c^2 d^m (m + 1) \log(c) - a b^2 c^2 d^m (m + 1)) x^2) x^m \log(x)^2 - 3 (b^3 d^m (m + 1) \log(c)^2 - 2 a b^2 d^m (m + 1) \log(c) + a^2 b d^m (m + 1) - (b^3 c^2 d^m (m + 1) \log(c)^2 - 2 a b^2 c^2 d^m (m + 1) \log(c) + a^2 b c^2 d^m (m + 1)) x^2) x^m) \log(x) - (b^3 d^m (m + 1) \log(c)^3 - 3 a b^2 d^m (m + 1) \log(c)^2 + 3 a^2 b d^m (m + 1) \log(c) - (b^3 c^2 d^m (m + 1) \log(c)^3 - 3 a b^2 c^2 d^m (m + 1) \log(c)^2 + 3 a^2 b c^2 d^m (m + 1) \log(c)) x^2) x^m) \sqrt{c x + 1} \sqrt{-c x + 1} - (b^3 d^m (m + 1) \log(c)^3 - 3 a b^2 d^m (m + 1) \log(c)^2 + 3 a^2 b d^m (m + 1) \log(c) - (b^3 c^2 d^m (m + 1) \log(c)^3 - 3 a b^2 c^2 d^m (m + 1) \log(c)^2 + 3 a^2 b c^2 d^m (m + 1) \log(c)) x^2) x^m - 3 ((b^3 c^2 d^m (m + 1) x^2 - b^3 d^m (m + 1)) x^m \log(x)^2 - 2 (b^3 d^m (m + 1) \log(c) - a b^2 d^m (m + 1) - (b^3 c^2 d^m (m + 1) \log(c) - a b^2 c^2 d^m (m + 1)) x^2) x^m) \log(x) + ((b^3 c^2 d^m (m + 1) x^2 - b^3 d^m (m + 1)) x^m \log(x)^2 - 2 (b^3 d^m (m + 1) \log(c) - a b^2 d^m (m + 1) - (b^3 c^2 d^m (m + 1) \log(c) - a b^2 c^2 d^m (m + 1)) x^2) x^m) \log(x) - (b^3 d^m (m + 1) \log(c)^2 - 2 a b^2 d^m (m + 1) \log(c) + a^2 b d^m (m + 1) - (b^3 c^2 d^m (m + 1) \log(c)^2 - 2 a b^2 c^2 d^m (m + 1) \log(c) + a^2 b c^2 d^m (m + 1)) x^2) x^m) \sqrt{c x + 1} \sqrt{-c x + 1} - (b^3 d^m (m + 1) \log(c)^2 - 2 a b^2 d^m (m + 1) \log(c) + a^2 b d^m (m + 1) - (b^3 c^2 d^m (m + 1) \log(c)^2 - 2 a b^2 c^2 d^m (m + 1) \log(c) + a^2 b c^2 d^m (m + 1)) x^2) x^m) \log(\sqrt{c x + 1} \sqrt{-c x + 1} + 1) / (c^2 (m + 1) x^2 + (c^2 (m + 1) x^2 - m - 1) \sqrt{c x + 1} \sqrt{-c x + 1} - m - 1), x)$$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^m*(a+b*arcsech(c*x))^3,x, algorithm="fricas")
```

```
[Out] integral((b^3*arcsech(c*x)^3 + 3*a*b^2*arcsech(c*x)^2 + 3*a^2*b*arcsech(c*x) + a^3)*(d*x)^m, x)
```

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{asech}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)**m*(a+b*asech(c*x))**3,x)
```

```
[Out] Integral((d*x)**m*(a + b*asech(c*x))**3, x)
```

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^m*(a+b*arcsech(c*x))^3,x, algorithm="giac")
```

```
[Out] integrate((b*arcsech(c*x) + a)^3*(d*x)^m, x)
```

Mupad [A]

time = 0.00, size = -1, normalized size = -0.05

$$\int (dx)^m \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^m*(a + b*acosh(1/(c*x)))^3,x)
```

```
[Out] int((d*x)^m*(a + b*acosh(1/(c*x)))^3, x)
```

$$3.70 \quad \int (dx)^m (a + b \operatorname{sech}^{-1}(cx))^2 dx$$

Optimal. Leaf size=19

$$\operatorname{Int}\left((dx)^m (a + b \operatorname{sech}^{-1}(cx))^2, x\right)$$

[Out] Unintegrable((d*x)^m*(a+b*arcsech(c*x))^2,x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (dx)^m (a + b \operatorname{sech}^{-1}(cx))^2 dx$$

Verification is not applicable to the result.

[In] Int[(d*x)^m*(a + b*ArcSech[c*x])^2,x]

[Out] Defer[Int] [(d*x)^m*(a + b*ArcSech[c*x])^2, x]

Rubi steps

$$\int (dx)^m (a + b \operatorname{sech}^{-1}(cx))^2 dx = \int (dx)^m (a + b \operatorname{sech}^{-1}(cx))^2 dx$$

Mathematica [A]

time = 2.41, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{sech}^{-1}(cx))^2 dx$$

Verification is not applicable to the result.

[In] Integrate[(d*x)^m*(a + b*ArcSech[c*x])^2,x]

[Out] Integrate[(d*x)^m*(a + b*ArcSech[c*x])^2, x]

Maple [A]

time = 0.37, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{arcsech}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^m*(a+b*arcsech(c*x))^2,x)`

[Out] `int((d*x)^m*(a+b*arcsech(c*x))^2,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arcsech(c*x))^2,x, algorithm="maxima")`

[Out] `b^2*d^m*x*x^m*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1)^2/(m + 1) + (d*x)^(m + 1)*a^2/(d*(m + 1)) - integrate(-((b^2*c^2*d^m*(m + 1)*x^2 - b^2*d^m*(m + 1))*x^m*log(x)^2 - 2*(b^2*d^m*(m + 1)*log(c) - a*b*d^m*(m + 1) - (b^2*c^2*d^m*(m + 1)*log(c) - a*b*c^2*d^m*(m + 1))*x^2)*x^m*log(x) + ((b^2*c^2*d^m*(m + 1)*x^2 - b^2*d^m*(m + 1))*x^m*log(x)^2 - 2*(b^2*d^m*(m + 1)*log(c) - a*b*d^m*(m + 1) - (b^2*c^2*d^m*(m + 1)*log(c) - a*b*c^2*d^m*(m + 1))*x^2)*x^m*log(x) - (b^2*d^m*(m + 1)*log(c)^2 - 2*a*b*d^m*(m + 1)*log(c) - (b^2*c^2*d^m*(m + 1)*log(c)^2 - 2*a*b*c^2*d^m*(m + 1)*log(c))*x^2)*x^m)*sqrt(c*x + 1)*sqrt(-c*x + 1) - (b^2*d^m*(m + 1)*log(c)^2 - 2*a*b*d^m*(m + 1)*log(c) - (b^2*c^2*d^m*(m + 1)*log(c)^2 - 2*a*b*c^2*d^m*(m + 1)*log(c))*x^2)*x^m - 2*((b^2*c^2*d^m*(m + 1)*x^2 - b^2*d^m*(m + 1))*x^m*log(x) + ((b^2*c^2*d^m*(m + 1)*x^2 - b^2*d^m*(m + 1))*x^m*log(x) - (b^2*d^m*(m + 1)*log(c) - a*b*d^m*(m + 1) + (a*b*c^2*d^m*(m + 1) - (d^m*(m + 1)*log(c) + d^m)*b^2*c^2)*x^2)*x^m)*sqrt(c*x + 1)*sqrt(-c*x + 1) - (b^2*d^m*(m + 1)*log(c) - a*b*d^m*(m + 1) - (b^2*c^2*d^m*(m + 1)*log(c) - a*b*c^2*d^m*(m + 1))*x^2)*x^m*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1))/(c^2*(m + 1)*x^2 + (c^2*(m + 1)*x^2 - m - 1)*sqrt(c*x + 1)*sqrt(-c*x + 1) - m - 1), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arcsech(c*x))^2,x, algorithm="fricas")`

[Out] `integral((b^2*arcsech(c*x))^2 + 2*a*b*arcsech(c*x) + a^2)*(d*x)^m, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{asech}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**m*(a+b*asech(c*x))**2,x)

[Out] Integral((d*x)**m*(a + b*asech(c*x))**2, x)

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m*(a+b*arcsech(c*x))^2,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)^2*(d*x)^m, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.05

$$\int (dx)^m \left(a + b \operatorname{acosh} \left(\frac{1}{cx} \right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m*(a + b*acosh(1/(c*x)))^2,x)

[Out] int((d*x)^m*(a + b*acosh(1/(c*x)))^2, x)

3.71 $\int (dx)^m (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=87

$$\frac{(dx)^{1+m} (a + b \operatorname{sech}^{-1}(cx))}{d(1+m)} + \frac{b(dx)^{1+m} \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} {}_2F_1\left(\frac{1}{2}, \frac{1+m}{2}; \frac{3+m}{2}; c^2 x^2\right)}{d(1+m)^2}$$

[Out] $(d*x)^{(1+m)*(a+b*\operatorname{arcsech}(c*x))/d/(1+m)+b*(d*x)^{(1+m)*\operatorname{hypergeom}([1/2, 1/2+1/2*m], [3/2+1/2*m], c^2*x^2)*(1/(c*x+1))^{(1/2)*(c*x+1)^{(1/2)/d/(1+m)^2}}$

Rubi [A]

time = 0.03, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {6418, 126, 371}

$$\frac{(dx)^{m+1} (a + b \operatorname{sech}^{-1}(cx))}{d(m+1)} + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} (dx)^{m+1} {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; c^2 x^2\right)}{d(m+1)^2}$$

Antiderivative was successfully verified.

[In] Int[(d*x)^m*(a + b*ArcSech[c*x]),x]

[Out] $((d*x)^{(1+m)*(a+b*\operatorname{ArcSech}[c*x]))/(d*(1+m)) + (b*(d*x)^{(1+m)*\operatorname{Sqrt}[1+c*x]^{-1}*\operatorname{Sqrt}[1+c*x]*\operatorname{Hypergeometric2F1}[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/(d*(1+m)^2}$

Rule 126

Int[((f_)*(x_))^(p_)*((a_)+(b_)*(x_))^(m_)*((c_)+(d_)*(x_))^(n_), x_Symbol] :> Int[(a*c + b*d*x^2)^m*(f*x)^p, x] /; FreeQ[{a, b, c, d, f, m, n, p}, x] && EqQ[b*c + a*d, 0] && EqQ[n, m] && GtQ[a, 0] && GtQ[c, 0]

Rule 371

Int[((c_)*(x_))^(m_)*((a_)+(b_)*(x_))^(n_))^(p_), x_Symbol] :> Simp[a^p * ((c*x)^(m+1)/(c*(m+1)))*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, (-b)*(x^n/a)], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 6418

Int[((a_)+(ArcSech[(c_)*(x_)]*(b_)))*((d_)*(x_))^(m_), x_Symbol] :> Simp[(d*x)^(m+1)*((a+b*ArcSech[c*x])/d*(m+1)), x] + Dist[b*(Sqrt[1+c*x]/(m+1))*Sqrt[1/(1+c*x)], Int[(d*x)^m/(Sqrt[1-c*x]*Sqrt[1+c*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int (dx)^m (a + b \operatorname{sech}^{-1}(cx)) dx &= \frac{(dx)^{1+m} (a + b \operatorname{sech}^{-1}(cx))}{d(1+m)} + \frac{\left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{(dx)^m}{\sqrt{1-cx} \sqrt{1+cx}}}{1+m} \\
&= \frac{(dx)^{1+m} (a + b \operatorname{sech}^{-1}(cx))}{d(1+m)} + \frac{\left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{(dx)^m}{\sqrt{1-c^2x^2}} dx}{1+m} \\
&= \frac{(dx)^{1+m} (a + b \operatorname{sech}^{-1}(cx))}{d(1+m)} + \frac{b(dx)^{1+m} \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} {}_2F_1\left(\frac{1}{2}, \frac{1+m}{2}; \frac{3+m}{2}; c^2x^2\right)}{d(1+m)^2}
\end{aligned}$$

Mathematica [A]

time = 0.10, size = 97, normalized size = 1.11

$$\frac{x(dx)^m \left((1+m)(-1+cx) (a + b \operatorname{sech}^{-1}(cx)) - b \sqrt{\frac{1-cx}{1+cx}} \sqrt{1-c^2x^2} {}_2F_1\left(\frac{1}{2}, \frac{1+m}{2}; \frac{3+m}{2}; c^2x^2\right) \right)}{(1+m)^2(-1+cx)}$$

Antiderivative was successfully verified.

`[In] Integrate[(d*x)^m*(a + b*ArcSech[c*x]),x]`

```
[Out] (x*(d*x)^m*((1+m)*(-1+c*x)*(a + b*ArcSech[c*x]) - b*Sqrt[(1-c*x)/(1+c*x)]*Sqrt[1-c^2*x^2]*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2]))/((1+m)^2*(-1+c*x))
```

Maple [F]

time = 0.33, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{arcsech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((d*x)^m*(a+b*arcsech(c*x)),x)``[Out] int((d*x)^m*(a+b*arcsech(c*x)),x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m*(a+b*arcsech(c*x)),x, algorithm="maxima")

[Out] (c^2*d^m*integrate(x^2*x^m/(c^2*(m+1)*x^2 + (c^2*(m+1)*x^2 - m - 1)*sqrt(c*x + 1)*sqrt(-c*x + 1) - m - 1), x) + (d^m*x*x^m*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1) - d^m*x*x^m*log(x))/(m + 1) - integrate((c^2*d^m*(m+1)*x^2*log(c) - d^m*(m+1)*log(c) + d^m)*x^m/(c^2*(m+1)*x^2 - m - 1), x))*b + (d*x)^(m+1)*a/(d*(m+1))

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] integral((b*arcsech(c*x) + a)*(d*x)^m, x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{asech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**m*(a+b*asech(c*x)),x)

[Out] Integral((d*x)**m*(a + b*asech(c*x)), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*(d*x)^m, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int (dx)^m \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m*(a + b*acosh(1/(c*x))),x)

[Out] int((d*x)^m*(a + b*acosh(1/(c*x))), x)

$$3.72 \quad \int \frac{(dx)^m}{a + b \operatorname{sech}^{-1}(cx)} dx$$

Optimal. Leaf size=19

$$\operatorname{Int}\left(\frac{(dx)^m}{a + b \operatorname{sech}^{-1}(cx)}, x\right)$$

[Out] Unintegrable((d*x)^m/(a+b*arcsech(c*x)), x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(dx)^m}{a + b \operatorname{sech}^{-1}(cx)} dx$$

Verification is not applicable to the result.

[In] Int[(d*x)^m/(a + b*ArcSech[c*x]), x]

[Out] Defer[Int] [(d*x)^m/(a + b*ArcSech[c*x]), x]

Rubi steps

$$\int \frac{(dx)^m}{a + b \operatorname{sech}^{-1}(cx)} dx = \int \frac{(dx)^m}{a + b \operatorname{sech}^{-1}(cx)} dx$$

Mathematica [A]

time = 0.29, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{a + b \operatorname{sech}^{-1}(cx)} dx$$

Verification is not applicable to the result.

[In] Integrate[(d*x)^m/(a + b*ArcSech[c*x]), x]

[Out] Integrate[(d*x)^m/(a + b*ArcSech[c*x]), x]

Maple [A]

time = 0.66, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{a + b \operatorname{arcsech}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^m/(a+b*arcsech(c*x)),x)`

[Out] `int((d*x)^m/(a+b*arcsech(c*x)),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] `integrate((d*x)^m/(b*arcsech(c*x) + a), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arcsech(c*x)),x, algorithm="fricas")`

[Out] `integral((d*x)^m/(b*arcsech(c*x) + a), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{a + b \operatorname{asech}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m/(a+b*asech(c*x)),x)`

[Out] `Integral((d*x)**m/(a + b*asech(c*x)), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arcsech(c*x)),x, algorithm="giac")`

[Out] `integrate((d*x)^m/(b*arcsech(c*x) + a), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(dx)^m}{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^m/(a + b*acosh(1/(c*x))),x)
```

```
[Out] int((d*x)^m/(a + b*acosh(1/(c*x))), x)
```

$$3.73 \quad \int \frac{(dx)^m}{(a+b\operatorname{sech}^{-1}(cx))^2} dx$$

Optimal. Leaf size=19

$$\operatorname{Int}\left(\frac{(dx)^m}{(a+b\operatorname{sech}^{-1}(cx))^2}, x\right)$$

[Out] Unintegrable((d*x)^m/(a+b*arcsech(c*x))^2, x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(dx)^m}{(a+b\operatorname{sech}^{-1}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Int[(d*x)^m/(a + b*ArcSech[c*x])^2, x]

[Out] Defer[Int] [(d*x)^m/(a + b*ArcSech[c*x])^2, x]

Rubi steps

$$\int \frac{(dx)^m}{(a+b\operatorname{sech}^{-1}(cx))^2} dx = \int \frac{(dx)^m}{(a+b\operatorname{sech}^{-1}(cx))^2} dx$$

Mathematica [A]

time = 0.56, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{(a+b\operatorname{sech}^{-1}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(d*x)^m/(a + b*ArcSech[c*x])^2, x]

[Out] Integrate[(d*x)^m/(a + b*ArcSech[c*x])^2, x]

Maple [A]

time = 0.60, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{(a+b\operatorname{arcsech}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^m/(a+b*arcsech(c*x))^2,x)`

[Out] `int((d*x)^m/(a+b*arcsech(c*x))^2,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arcsech(c*x))^2,x, algorithm="maxima")`

[Out]
$$-\left(\frac{c^2 d^m x^3 - d^m x}{(b^2 c^2 \log(c) - a b c^2) x^2 - b^2 \log(c) - (b^2 \log(c) + b^2 \log(x) - a b) \sqrt{c x + 1} \sqrt{-c x + 1}} + a b - (b^2 c^2 x^2 - \sqrt{c x + 1} \sqrt{-c x + 1} b^2 - b^2) \log(\sqrt{c x + 1} \sqrt{-c x + 1} + 1) + (b^2 c^2 x^2 - b^2) \log(x)\right) + \int \frac{(c^2 d^m (m+3) x^2 - d^m (m+1) (c x + 1) (c x - 1) x^m + (c^4 d^m (m+2) x^4 - c^2 d^m (3m+5) x^2 + 2 d^m (m+1) \sqrt{c x + 1} \sqrt{-c x + 1} x^m + (c^4 d^m (m+1) x^4 - 2 c^2 d^m (m+1) x^2 + d^m (m+1) x^m))}{(b^2 c^4 \log(c) - a b c^4) x^4 - (b^2 \log(c) + b^2 \log(x) - a b) (c x + 1) (c x - 1) - 2 (b^2 c^2 \log(c) - a b c^2) x^2 + b^2 \log(c) - 2 ((b^2 c^2 \log(c) - a b c^2) x^2 - b^2 \log(c) + a b + (b^2 c^2 x^2 - b^2) \log(x)) \sqrt{c x + 1} \sqrt{-c x + 1} - a b - (b^2 c^4 x^4 - 2 b^2 c^2 x^2 - (c x + 1) (c x - 1) b^2 - 2 (b^2 c^2 x^2 - b^2) \sqrt{c x + 1} \sqrt{-c x + 1} + b^2) \log(\sqrt{c x + 1} \sqrt{-c x + 1} + 1) + (b^2 c^4 x^4 - 2 b^2 c^2 x^2 + b^2) \log(x)}, x$$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arcsech(c*x))^2,x, algorithm="fricas")`

[Out] `integral((d*x)^m/(b^2*arcsech(c*x)^2 + 2*a*b*arcsech(c*x) + a^2), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{(a + b \operatorname{asech}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**m/(a+b*asech(c*x))**2,x)

[Out] Integral((d*x)**m/(a + b*asech(c*x))**2, x)

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m/(a+b*arcsech(c*x))^2,x, algorithm="giac")

[Out] integrate((d*x)^m/(b*arcsech(c*x) + a)^2, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(dx)^m}{\left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m/(a + b*acosh(1/(c*x)))^2,x)

[Out] int((d*x)^m/(a + b*acosh(1/(c*x)))^2, x)

3.74 $\int (d + ex)^3 (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=264

$$\frac{be(9c^2d^2 + e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{6c^4} - \frac{bde^2x \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{2c^2} - \frac{be^3x^2 \sqrt{\frac{1}{1+cx}} \sqrt{1-c^2x^2}}{12c^2}$$

[Out] $\frac{1}{4} (e^3 x^2 + 3 d e^2 x + 3 c^2 d^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} - \frac{b d e^2 x \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{2 c^2} - \frac{b e^3 x^2 \sqrt{\frac{1}{1+cx}} \sqrt{1-c^2x^2}}{12 c^2}$

Rubi [A]

time = 0.24, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {6423, 1823, 858, 222, 272, 65, 214}

$$\frac{(d+ex)^4 (a+b \operatorname{sech}^{-1}(cx))}{4e} + \frac{bd \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \operatorname{ArcSin}(cx) (2c^2d^2 + e^2)}{2c^2} - \frac{bd^2 \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \operatorname{tanh}^{-1}(\sqrt{1-c^2x^2})}{4e} - \frac{bde^2x \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2}}{2c^2} - \frac{be^3x^2 \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2}}{12c^2} - \frac{be \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2} (9c^2d^2 + e^2)}{6c^4}$$

Antiderivative was successfully verified.

[In] `Int[(d + e*x)^3*(a + b*ArcSech[c*x]),x]`

[Out] $-\frac{1}{6} (b e^3 x^2 + 3 d e^2 x + 3 c^2 d^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} - \frac{b d e^2 x \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{2 c^2} - \frac{b e^3 x^2 \sqrt{\frac{1}{1+cx}} \sqrt{1-c^2x^2}}{12 c^2} + \frac{(d + e x)^4 (a + b \operatorname{ArcSech}[c x])}{4 e} + \frac{b d (2 c^2 d^2 + e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \operatorname{ArcSin}[c x]}{2 c^3} - \frac{b d^4 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \operatorname{ArcTanh}[\sqrt{1-c^2x^2}]}{4 e}$

Rule 65

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 214

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 222

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 272

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 858

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1823

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[f*(c*x)^(m + q - 1)*((a + b*x^2)^(p + 1)/(b*c^(q - 1)*(m + q + 2*p + 1))), x] + Dist[1/(b*(m + q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])

Rule 6423

Int[((a_) + ArcSech[(c_)*(x_)])*(b_))*((d_) + (e_)*(x_))^(m_), x_Symbol] := Simp[(d + e*x)^(m + 1)*((a + b*ArcSech[c*x])/(e*(m + 1))), x] + Dist[b*(Sqrt[1 + c*x]/(e*(m + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x)^(m + 1)/(x*Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int (d+ex)^3 (a+b\operatorname{sech}^{-1}(cx)) dx &= \frac{(d+ex)^4 (a+b\operatorname{sech}^{-1}(cx))}{4e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{(d+ex)^4}{x\sqrt{1-c^2x^2}} dx}{4e} \\
&= -\frac{be^3x^2\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{12c^2} + \frac{(d+ex)^4 (a+b\operatorname{sech}^{-1}(cx))}{4e} \\
&= -\frac{bde^2x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{2c^2} - \frac{be^3x^2\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{12c^2} \\
&= -\frac{be(9c^2d^2+e^2)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{6c^4} - \frac{bde^2x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{2c^2} \\
&= -\frac{be(9c^2d^2+e^2)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{6c^4} - \frac{bde^2x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{2c^2} \\
&= -\frac{be(9c^2d^2+e^2)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{6c^4} - \frac{bde^2x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{2c^2} \\
&= -\frac{be(9c^2d^2+e^2)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{6c^4} - \frac{bde^2x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{2c^2} \\
&= -\frac{be(9c^2d^2+e^2)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{6c^4} - \frac{bde^2x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{2c^2}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.23, size = 190, normalized size = 0.72

$$\frac{1}{4} \left(4ad^3x + 6ad^2ex^2 + 4ade^2x^3 + ae^3x^4 - \frac{be\sqrt{\frac{1-cx}{1+cx}}(1+cx)(2e^2+c^2(18d^2+6dex+e^2x^2))}{3c^4} + bx(4d^3+6d^2ex+4de^2x^2+e^3x^3)\operatorname{sech}^{-1}(cx) + \frac{2ibd(2c^2d^2+c^2)\log\left(-2icx+2\sqrt{\frac{1-cx}{1+cx}}(1+cx)\right)}{c^3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)^3*(a + b*ArcSech[c*x]),x]

[Out] (4*a*d^3*x + 6*a*d^2*e*x^2 + 4*a*d*e^2*x^3 + a*e^3*x^4 - (b*e*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(2*e^2 + c^2*(18*d^2 + 6*d*e*x + e^2*x^2)))/(3*c^4) + b*x*(4*d^3 + 6*d^2*e*x + 4*d*e^2*x^2 + e^3*x^3)*ArcSech[c*x] + ((2*I)*b*d

$(2c^2d^2 + e^2) \operatorname{Log} [(-2I)cx + 2\sqrt{(1 - cx)/(1 + cx)}(1 + cx)] / c^3 / 4$

Maple [A]

time = 0.24, size = 283, normalized size = 1.07

method	result
derivatividivides	$\frac{(cex+cd)^4 a + b \left(\frac{\operatorname{arcsech}(cx)c^4 d^4}{4e} + \operatorname{arcsech}(cx)c^4 d^3 x + \frac{3e \operatorname{arcsech}(cx)c^4 d^2 x^2}{2} + e^2 \operatorname{arcsech}(cx)c^4 d x^3 + \frac{e^3 \operatorname{arcsech}(cx)c^4 x^4}{4} + \sqrt{\frac{-cx}{c}} \right)}{4c^3 e}$
default	$\frac{(cex+cd)^4 a + b \left(\frac{\operatorname{arcsech}(cx)c^4 d^4}{4e} + \operatorname{arcsech}(cx)c^4 d^3 x + \frac{3e \operatorname{arcsech}(cx)c^4 d^2 x^2}{2} + e^2 \operatorname{arcsech}(cx)c^4 d x^3 + \frac{e^3 \operatorname{arcsech}(cx)c^4 x^4}{4} + \sqrt{\frac{-cx}{c}} \right)}{4c^3 e}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^3*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)`

[Out] $1/c*(1/4*(c*e*x+c*d)^4*a/c^3/e+b/c^3*(1/4/e*\operatorname{arcsech}(c*x)*c^4*d^4+\operatorname{arcsech}(c*x)*c^4*d^3*x+3/2*e*\operatorname{arcsech}(c*x)*c^4*d^2*x^2+e^2*\operatorname{arcsech}(c*x)*c^4*d*x^3+1/4*e^3*\operatorname{arcsech}(c*x)*c^4*x^4+1/12/e*(-(c*x-1)/c/x)^{(1/2)}*c*x*((c*x+1)/c/x)^{(1/2)}*(-3*c^4*d^4*\operatorname{arctanh}(1/(-c^2*x^2+1)^{(1/2)})+12*c^3*d^3*e*\operatorname{arcsin}(c*x)-18*c^2*d^2*e^2*(-c^2*x^2+1)^{(1/2)}-6*c^2*d*e^3*x*(-c^2*x^2+1)^{(1/2)}-e^4*(-c^2*x^2+1)^{(1/2)}*c^2*x^2+6*c*d*e^3*\operatorname{arcsin}(c*x)-2*e^4*(-c^2*x^2+1)^{(1/2)})/(-c^2*x^2+1)^{(1/2)})$

Maxima [A]

time = 0.47, size = 219, normalized size = 0.83

$$\frac{1}{4}ax^3e^3 + adx^2e^2 + \frac{3}{2}ad^2x^2e + ad^3x + \frac{3}{2}\left(x^2 \operatorname{arcsch}(cx) - \frac{x\sqrt{\frac{1}{c^2x^2}-1}}{c}\right)bd^2e + \frac{(cx \operatorname{arcsch}(cx) - \operatorname{arctan}\left(\sqrt{\frac{1}{c^2x^2}-1}\right))bd^3}{c} + \frac{1}{2}\left(2x^3 \operatorname{arcsch}(cx) - \frac{\sqrt{\frac{1}{c^2x^2}-1} \operatorname{arctan}\left(\sqrt{\frac{1}{c^2x^2}-1}\right)}{c^2\left(\frac{1}{c^2x^2}-1\right)+c^2} + \frac{\operatorname{arctan}\left(\sqrt{\frac{1}{c^2x^2}-1}\right)}{cx}\right)bd^2e + \frac{1}{12}\left(3x^4 \operatorname{arcsch}(cx) + \frac{c^2x^3\left(\frac{1}{c^2x^2}-1\right)^{\frac{3}{2}} - 3x\sqrt{\frac{1}{c^2x^2}-1}}{c^3}\right)be^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^3*(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] $1/4*a*x^4*e^3 + a*d*x^3*e^2 + 3/2*a*d^2*x^2*e + a*d^3*x + 3/2*(x^2*\operatorname{arcsech}(c*x) - x*\sqrt{(1/(c^2*x^2) - 1)/c}*b*d^2*e + (c*x*\operatorname{arcsech}(c*x) - \operatorname{arctan}(\sqrt{(1/(c^2*x^2) - 1)})))*b*d^3/c + 1/2*(2*x^3*\operatorname{arcsech}(c*x) - (\sqrt{(1/(c^2*x^2) - 1)/(c^2*(1/(c^2*x^2) - 1) + c^2)} + \operatorname{arctan}(\sqrt{(1/(c^2*x^2) - 1)})/c^2)/c)*b*d*e^2 + 1/12*(3*x^4*\operatorname{arcsech}(c*x) + (c^2*x^3*(1/(c^2*x^2) - 1)^{(3/2)} - 3*x*\sqrt{(1/(c^2*x^2) - 1)})/c^3)*b*e^3$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 753 vs. $2(140) = 280$.

time = 0.45, size = 753, normalized size = 2.85

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] $\frac{1}{12}(3ac^3x^4\cosh(1)^3 + 3ac^3x^4\sinh(1)^3 + 12ac^3dx^3\cosh(1)^2 + 18ac^3d^2x^2\cosh(1) + 12ac^3d^3x + 3(3ac^3x^4\cosh(1) + 4ac^3dx^3)\sinh(1)^2 - 12(2bc^2d^3 + bdc^2\cosh(1)^2 + 2bd\cosh(1)\sinh(1) + bdc^2\sinh(1)^2)\arctan\left(\frac{cx\sqrt{-(c^2x^2-1)}}{(c^2x^2)-1}\right) - 3(4bc^3d^3 + 6bc^3d^2\cosh(1) + 4bc^3d\cosh(1)^2 + bc^3\cosh(1)^3 + bc^3\sinh(1)^3 + (4bc^3d + 3bc^3\cosh(1))\sinh(1)^2 + (6bc^3d^2 + 8bc^3d\cosh(1) + 3bc^3\cosh(1)^2)\sinh(1))\log\left(\frac{cx\sqrt{-(c^2x^2-1)}}{(c^2x^2)-1}\right) + 3(4bc^3d^3x - 4bc^3d^3 + (bc^3x^4 - bc^3d)\cosh(1)^3 + (bc^3x^4 - bc^3)\sinh(1)^3 + 4(bc^3dx^3 - bc^3d)\cosh(1)^2 + (4bc^3dx^3 - 4bc^3d + 3(bc^3x^4 - bc^3)\cosh(1))\sinh(1)^2 + 6(bc^3d^2x^2 - bc^3d^2)\cosh(1) + (6bc^3d^2x^2 - 6bc^3d^2 + 3(bc^3x^4 - bc^3)\cosh(1)^2 + 8(bc^3dx^3 - bc^3d)\cosh(1))\sinh(1))\log\left(\frac{cx\sqrt{-(c^2x^2-1)}}{(c^2x^2)-1}\right) + 3(3ac^3x^4\cosh(1)^2 + 8ac^3dx^3\cosh(1) + 6ac^3d^2x^2)\sinh(1) - (6bc^2d^2x^2\cosh(1)^2 + 18bc^2d^2x\cosh(1) + (bc^2x^3 + 2bx)\cosh(1)^3 + (bc^2x^3 + 2bx)\sinh(1)^3 + 3(2bc^2d^2x^2 + (bc^2x^3 + 2bx)\cosh(1))\sinh(1)^2 + 3(4bc^2d^2x^2\cosh(1) + 6bc^2d^2x + (bc^2x^3 + 2bx)\cosh(1)^2)\sinh(1))\sqrt{-(c^2x^2-1)}}{c^3}$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asech}(cx))(d + ex)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**3*(a+b*asech(c*x)),x)

[Out] Integral((a + b*asech(c*x))*(d + e*x)**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((e*x + d)^3*(b*arcsech(c*x) + a), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \left(a + b \operatorname{acosh} \left(\frac{1}{c x} \right) \right) (d + e x)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))*(d + e*x)^3,x)

[Out] int((a + b*acosh(1/(c*x)))*(d + e*x)^3, x)

3.75 $\int (d + ex)^2 (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=201

$$\frac{bde \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{c^2} - \frac{be^2x \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{6c^2} + \frac{(d+ex)^3 (a + b \operatorname{sech}^{-1}(cx))}{3e} + \dots$$

[Out] $\frac{1}{3} * (e*x+d)^3 * (a+b*\operatorname{arcsech}(c*x)) / e + \frac{1}{6} * b * (6*c^2*d^2+e^2) * \operatorname{arcsin}(c*x) * (1/(c*x+1))^{1/2} * (c*x+1)^{1/2} / c^3 - \frac{1}{3} * b * d^3 * \operatorname{arctanh}((-c^2*x^2+1)^{1/2}) * (1/(c*x+1))^{1/2} * (c*x+1)^{1/2} / e - b*d*e * (1/(c*x+1))^{1/2} * (c*x+1)^{1/2} * (-c^2*x^2+1)^{1/2} / c^2 - \frac{1}{6} * b * e^2 * x * (1/(c*x+1))^{1/2} * (c*x+1)^{1/2} * (-c^2*x^2+1)^{1/2} / c^2$

Rubi [A]

time = 0.15, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {6423, 1823, 858, 222, 272, 65, 214}

$$\frac{(d+ex)^3 (a + b \operatorname{sech}^{-1}(cx))}{3e} + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \operatorname{ArcSin}(cx) (6c^2d^2 + e^2)}{6c^3} - \frac{bd^3 \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \operatorname{tanh}^{-1}(\sqrt{1-c^2x^2})}{3e} - \frac{bde \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2}}{c^2} - \frac{be^2x \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2}}{6c^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d + e*x)^2 * (a + b * \operatorname{ArcSech}[c*x]), x]$

[Out] $-\frac{(b*d*e*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])}{c^2} - \frac{(b*e^2*x*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])}{(6*c^2)} + \frac{(d+e*x)^3*(a+b*\operatorname{ArcSech}[c*x])}{(3*e)} + \frac{(b*(6*c^2*d^2+e^2)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{ArcSin}[c*x])}{(6*c^3)} - \frac{(b*d^3*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{ArcTanh}[\operatorname{Sqrt}[1-c^2*x^2]])}{(3*e)}$

Rule 65

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)} * ((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)} * (c - a*(d/b) + d*(x^p/b))^{(n)}, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 214

$\operatorname{Int}[(a_. + (b_.)*(x_.)^2)^{(-1)}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-a/b, 2]/a) * \operatorname{ArcTanh}[x/\operatorname{Rt}[-a/b, 2]], x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b]$

Rule 222

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_. + (b_.)*(x_.)^2)], x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSin}[\operatorname{Rt}[-b, 2] * (x/\operatorname{Sqrt}[a])]/\operatorname{Rt}[-b, 2], x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{GtQ}[a, 0] \&\& \operatorname{NegQ}[b]$

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 858

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1823

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[f*(c*x)^(m + q - 1
)*(a + b*x^2)^(p + 1)/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rule 6423

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_))^(m_.), x_Symbo
l] := Simp[(d + e*x)^(m + 1)*((a + b*ArcSech[c*x])/(e*(m + 1))), x] + Dist[
b*(Sqrt[1 + c*x]/(e*(m + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x)^(m + 1)/(x*S
qrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)^2 (a+b\operatorname{sech}^{-1}(cx)) dx &= \frac{(d+ex)^3 (a+b\operatorname{sech}^{-1}(cx))}{3e} + \frac{\left(b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \frac{(d+ex)^3}{x\sqrt{1-c^2x^2}} dx}{3e} \\
&= -\frac{be^2x\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{6c^2} + \frac{(d+ex)^3 (a+b\operatorname{sech}^{-1}(cx))}{3e} \\
&= -\frac{bde\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{c^2} - \frac{be^2x\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{6c^2} \\
&= -\frac{bde\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{c^2} - \frac{be^2x\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{6c^2} \\
&= -\frac{bde\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{c^2} - \frac{be^2x\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{6c^2} \\
&= -\frac{bde\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{c^2} - \frac{be^2x\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{6c^2} \\
&= -\frac{bde\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{c^2} - \frac{be^2x\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{6c^2}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.14, size = 147, normalized size = 0.73

$$\frac{-bce\sqrt{\frac{1-cx}{1+cx}}(1+cx)(6d+ex) + 2ac^3x(3d^2+3dex+e^2x^2) + 2bc^3x(3d^2+3dex+e^2x^2)\operatorname{sech}^{-1}(cx) + ib(6c^2d^2+e^2)\log\left(-2icx+2\sqrt{\frac{1-cx}{1+cx}}(1+cx)\right)}{6c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)^2*(a + b*ArcSech[c*x]), x]

[Out] $-(b*c*e*\sqrt{(1-c*x)/(1+c*x)}*(1+c*x)*(6*d+e*x)) + 2*a*c^3*x*(3*d^2 + 3*d*e*x + e^2*x^2) + 2*b*c^3*x*(3*d^2 + 3*d*e*x + e^2*x^2)*\operatorname{ArcSech}[c*x] + I*b*(6*c^2*d^2 + e^2)*\operatorname{Log}[(-2*I)*c*x + 2*\sqrt{(1-c*x)/(1+c*x)}*(1+c*x)]/(6*c^3)$

Maple [A]

time = 0.28, size = 215, normalized size = 1.07

method	result
derivativedivides	$\frac{(cex+cd)^3 a}{3c^2 e} + b \left(\frac{\operatorname{arcsech}(cx)c^3 d^3}{3e} + \operatorname{arcsech}(cx)c^3 d^2 x + e \operatorname{arcsech}(cx)c^3 d x^2 + \frac{e^2 \operatorname{arcsech}(cx)c^3 x^3}{3} + \frac{\sqrt{-\frac{cx-1}{cx}} cx \sqrt{\frac{cx+1}{cx}}}{c} \right)$
default	$\frac{(cex+cd)^3 a}{3c^2 e} + b \left(\frac{\operatorname{arcsech}(cx)c^3 d^3}{3e} + \operatorname{arcsech}(cx)c^3 d^2 x + e \operatorname{arcsech}(cx)c^3 d x^2 + \frac{e^2 \operatorname{arcsech}(cx)c^3 x^3}{3} + \frac{\sqrt{-\frac{cx-1}{cx}} cx \sqrt{\frac{cx+1}{cx}}}{c} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^2*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c} \left(\frac{1}{3} (cex+cd)^3 \frac{a}{c^2 e} + b \left(\frac{1}{3} e \operatorname{arcsech}(cx) c^3 d^3 + \operatorname{arcsech}(cx) c^3 d^2 x + e \operatorname{arcsech}(cx) c^3 d x^2 + \frac{1}{6} e^2 \operatorname{arcsech}(cx) c^3 x^3 + \frac{1}{c} \sqrt{-\frac{cx-1}{cx}} cx \sqrt{\frac{cx+1}{cx}} \right) \right) - (cx-1)/cx)^{1/2} * cx * ((cx+1)/cx)^{1/2} * (-2c^3 d^3 \operatorname{arctanh}(1/(-c^2 x^2 + 1)^{1/2})) + 6c^2 d^2 e \operatorname{arcsin}(cx) - 6c d e^2 (-c^2 x^2 + 1)^{1/2} - e^3 cx (-c^2 x^2 + 1)^{1/2} + e^3 \operatorname{arcsin}(cx) / (-c^2 x^2 + 1)^{1/2} \right)$

Maxima [A]

time = 0.47, size = 152, normalized size = 0.76

$$\frac{1}{3} ax^3 e^2 + adx^2 e + ad^2 x + \left(x^2 \operatorname{arsh}(cx) - \frac{x \sqrt{\frac{1}{c^2 x^2} - 1}}{c} \right) bde + \frac{\left(cx \operatorname{arsh}(cx) - \operatorname{arctan}\left(\sqrt{\frac{1}{c^2 x^2} - 1}\right) \right) bd^2}{c} + \frac{1}{6} \left(2x^3 \operatorname{arsh}(cx) - \frac{\sqrt{\frac{1}{c^2 x^2} - 1}}{c^2 \left(\frac{1}{c^2 x^2} - 1\right) + c^2} + \frac{\operatorname{arctan}\left(\sqrt{\frac{1}{c^2 x^2} - 1}\right)}{c} \right) be^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^2*(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{3} a x^3 e^2 + a d x^2 e + a d^2 x + (x^2 \operatorname{arcsech}(cx) - x \sqrt{1/(c^2 x^2) - 1})/c * b d e + (cx \operatorname{arcsech}(cx) - \operatorname{arctan}(\sqrt{1/(c^2 x^2) - 1})) * b d^2 / c + 1/6 * (2x^3 \operatorname{arcsech}(cx) - (\sqrt{1/(c^2 x^2) - 1}) / (c^2 * (1/(c^2 x^2) - 1) + c^2) + \operatorname{arctan}(\sqrt{1/(c^2 x^2) - 1}) / c^2) / c * b e^2$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 464 vs. 2(105) = 210.

time = 0.42, size = 464, normalized size = 2.31

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^2*(a+b*arcsech(c*x)),x, algorithm="fricas")`

```
[Out] 1/6*(2*a*c^3*x^3*cosh(1)^2 + 2*a*c^3*x^3*sinh(1)^2 + 6*a*c^3*d*x^2*cosh(1)
+ 6*a*c^3*d^2*x - 2*(6*b*c^2*d^2 + b*cosh(1)^2 + 2*b*cosh(1)*sinh(1) + b*sinh(1)^2)*arctan((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/(c*x)) - 2*(3*b*c^3*d^2 + 3*b*c^3*d*cosh(1) + b*c^3*cosh(1)^2 + b*c^3*sinh(1)^2 + (3*b*c^3*d + 2*b*c^3*cosh(1))*sinh(1))*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/x) + 2*(3*b*c^3*d^2*x - 3*b*c^3*d^2 + (b*c^3*x^3 - b*c^3)*cosh(1)^2 + (b*c^3*x^3 - b*c^3)*sinh(1)^2 + 3*(b*c^3*d*x^2 - b*c^3*d)*cosh(1) + (3*b*c^3*d*x^2 - 3*b*c^3*d + 2*(b*c^3*x^3 - b*c^3)*cosh(1))*sinh(1))*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + 2*(2*a*c^3*x^3*cosh(1) + 3*a*c^3*d*x^2)*sinh(1) - (b*c^2*x^2*cosh(1)^2 + b*c^2*x^2*sinh(1)^2 + 6*b*c^2*d*x*cosh(1) + 2*(b*c^2*x^2*cosh(1) + 3*b*c^2*d*x)*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/c^3
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asech}(cx)) (d + ex)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**2*(a+b*asech(c*x)),x)
```

```
[Out] Integral((a + b*asech(c*x))*(d + e*x)**2, x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^2*(a+b*arcsech(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x + d)^2*(b*arcsech(c*x) + a), x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right) (d + ex)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acosh(1/(c*x)))*(d + e*x)^2,x)
```

```
[Out] int((a + b*acosh(1/(c*x)))*(d + e*x)^2, x)
```

3.76 $\int (d + ex) (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=142

$$-\frac{be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{2c^2} + \frac{(d+ex)^2(a+b\operatorname{sech}^{-1}(cx))}{2e} + \frac{bd\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\operatorname{ArcSin}(cx)}{c} - \frac{bd^2}{2e}$$

[Out] $1/2*(e*x+d)^2*(a+b*\operatorname{arcsech}(c*x))/e+b*d*\arcsin(c*x)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c-1/2*b*d^2*\operatorname{arctanh}((-c^2*x^2+1)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/e-1/2*b*e*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2$

Rubi [A]

time = 0.08, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6423, 1823, 858, 222, 272, 65, 214}

$$\frac{(d+ex)^2(a+b\operatorname{sech}^{-1}(cx))}{2e} + \frac{bd\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcSin}(cx)}{c} - \frac{bd^2\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{tanh}^{-1}(\sqrt{1-c^2x^2})}{2e} - \frac{be\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{2c^2}$$

Antiderivative was successfully verified.

[In] `Int[(d + e*x)*(a + b*ArcSech[c*x]),x]`

[Out] $-1/2*(b*e*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/c^2 + ((d+e*x)^2*(a+b*\operatorname{ArcSech}[c*x]))/(2*e) + (b*d*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{ArcSin}[c*x])/c - (b*d^2*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{ArcTanh}[\operatorname{Sqrt}[1-c^2*x^2]])/(2*e)$

Rule 65

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m+1)-1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 214

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 222

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 858

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1823

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[f*(c*x)^(m + q - 1
)*(a + b*x^2)^(p + 1)/(b*c^(q - 1)*(m + q + 2*p + 1))], x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rule 6423

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_))^(m_.), x_Symbo
l] := Simp[(d + e*x)^(m + 1)*((a + b*ArcSech[c*x])/(e*(m + 1))), x] + Dist[
b*(Sqrt[1 + c*x]/(e*(m + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x)^(m + 1)/(x*S
qrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)(a+b\operatorname{sech}^{-1}(cx)) dx &= \frac{(d+ex)^2(a+b\operatorname{sech}^{-1}(cx))}{2e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{(d+ex)^2}{x\sqrt{1-c^2x^2}}}{2e} \\
&= -\frac{be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{2c^2} + \frac{(d+ex)^2(a+b\operatorname{sech}^{-1}(cx))}{2e} - \left(\dots\right) \\
&= -\frac{be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{2c^2} + \frac{(d+ex)^2(a+b\operatorname{sech}^{-1}(cx))}{2e} + \left(\dots\right) \\
&= -\frac{be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{2c^2} + \frac{(d+ex)^2(a+b\operatorname{sech}^{-1}(cx))}{2e} + \left(\dots\right) \\
&= -\frac{be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{2c^2} + \frac{(d+ex)^2(a+b\operatorname{sech}^{-1}(cx))}{2e} + \left(\dots\right) \\
&= -\frac{be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{2c^2} + \frac{(d+ex)^2(a+b\operatorname{sech}^{-1}(cx))}{2e} + \left(\dots\right)
\end{aligned}$$

Mathematica [A]

time = 0.24, size = 139, normalized size = 0.98

$$adx + \frac{1}{2}aex^2 + be\left(-\frac{1}{2c^2} - \frac{x}{2c}\right)\sqrt{\frac{1-cx}{1+cx}} + bdx\operatorname{sech}^{-1}(cx) + \frac{1}{2}bex^2\operatorname{sech}^{-1}(cx) - \frac{2bd\sqrt{\frac{1-cx}{1+cx}}\sqrt{1-c^2x^2}\operatorname{ArcTan}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{c-c^2x}$$

Antiderivative was successfully verified.

`[In] Integrate[(d + e*x)*(a + b*ArcSech[c*x]), x]`

```
[Out] a*d*x + (a*e*x^2)/2 + b*e*(-1/2*1/c^2 - x/(2*c))*Sqrt[(1 - c*x)/(1 + c*x)]
+ b*d*x*ArcSech[c*x] + (b*e*x^2*ArcSech[c*x])/2 - (2*b*d*Sqrt[(1 - c*x)/(1
+ c*x)]*Sqrt[1 - c^2*x^2]*ArcTan[Sqrt[1 - c*x]/Sqrt[1 + c*x]])/(c - c^2*x)
```

Maple [A]

time = 0.18, size = 125, normalized size = 0.88

method	result
--------	--------

derivativedivides	$\frac{a(d c^2 x + \frac{1}{2} e c^2 x^2)}{c} + \frac{b \left(\operatorname{arcsech}(cx) d c^2 x + \frac{\operatorname{arcsech}(cx) e c^2 x^2}{2} + \frac{\sqrt{-\frac{cx-1}{cx}}}{cx} \sqrt{\frac{cx+1}{cx}} \left(\frac{2dc \arcsin(cx) - e \sqrt{-c^2 x^2 + 1}}{2\sqrt{-c^2 x^2 + 1}} \right) \right)}{c}$
default	$\frac{a(d c^2 x + \frac{1}{2} e c^2 x^2)}{c} + \frac{b \left(\operatorname{arcsech}(cx) d c^2 x + \frac{\operatorname{arcsech}(cx) e c^2 x^2}{2} + \frac{\sqrt{-\frac{cx-1}{cx}}}{cx} \sqrt{\frac{cx+1}{cx}} \left(\frac{2dc \arcsin(cx) - e \sqrt{-c^2 x^2 + 1}}{2\sqrt{-c^2 x^2 + 1}} \right) \right)}{c}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)`

[Out] $1/c*(a/c*(d*c^2*x+1/2*e*c^2*x^2)+b/c*(\operatorname{arcsech}(c*x)*d*c^2*x+1/2*\operatorname{arcsech}(c*x)*e*c^2*x^2+1/2*(-(c*x-1)/c/x)^{(1/2)}*c*x*((c*x+1)/c/x)^{(1/2)}*(2*d*c*\arcsin(c*x)-e*(-c^2*x^2+1)^{(1/2)})/(-c^2*x^2+1)^{(1/2}))$

Maxima [A]

time = 0.27, size = 72, normalized size = 0.51

$$\frac{1}{2} a x^2 e + a d x + \frac{1}{2} \left(x^2 \operatorname{arsh}(cx) - \frac{x \sqrt{\frac{1}{c^2 x^2} - 1}}{c} \right) b e + \frac{\left(c x \operatorname{arsh}(cx) - \arctan \left(\sqrt{\frac{1}{c^2 x^2} - 1} \right) \right) b d}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] $1/2*a*x^2*e + a*d*x + 1/2*(x^2*\operatorname{arcsech}(c*x) - x*\sqrt{1/(c^2*x^2) - 1}/c)*b*e + (c*x*\operatorname{arcsech}(c*x) - \arctan(\sqrt{1/(c^2*x^2) - 1}))*b*d/c$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 216 vs. 2(72) = 144.

time = 0.38, size = 216, normalized size = 1.52

$$\frac{a c^2 \cosh(1) + a c^2 \sinh(1) + 2 a d x - 4 b d \arctan \left(\frac{a \sqrt{-\frac{c^2 x^2 - 1}{c^2}}}{a} \right) - (2 b c d + b c \cosh(1) + b c \sinh(1)) \log \left(\frac{a \sqrt{-\frac{c^2 x^2 - 1}{c^2}}}{x} \right) + (2 b d x - 2 b c d + (b c^2 - b c) \cosh(1) + (b c^2 - b c) \sinh(1)) \log \left(\frac{a \sqrt{-\frac{c^2 x^2 - 1}{c^2}}}{a} \right) - (b x \cosh(1) + b x \sinh(1)) \sqrt{-\frac{c^2 x^2 - 1}{c^2}}}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(a+b*arcsech(c*x)),x, algorithm="fricas")`

[Out] $1/2*(a*c*x^2*\cosh(1) + a*c*x^2*\sinh(1) + 2*a*c*d*x - 4*b*d*\arctan((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - 1)/(c*x)) - (2*b*c*d + b*c*\cosh(1) + b*c*\sinh(1))*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - 1)/x) + (2*b*c*d*x - 2*b*c*d + (b*c*x^2 - b*c)*\cosh(1) + (b*c*x^2 - b*c)*\sinh(1))*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - 1)/x)$

$2 - 1)/(c^2*x^2)) + 1)/(c*x)) - (b*x*cosh(1) + b*x*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/c$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asech}(cx))(d + ex) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*asech(c*x)),x)

[Out] Integral((a + b*asech(c*x))*(d + e*x), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((e*x + d)*(b*arcsech(c*x) + a), x)

Mupad [B]

time = 1.53, size = 99, normalized size = 0.70

$$\frac{ax(2d+ex)}{2} + \frac{bd \operatorname{atan}\left(\frac{1}{\sqrt{\frac{1}{cx}-1} \sqrt{\frac{1}{cx}+1}}\right)}{c} + \frac{be x^2 \operatorname{acosh}\left(\frac{1}{cx}\right)}{2} + bdx \operatorname{acosh}\left(\frac{1}{cx}\right) - \frac{be x \sqrt{\frac{1}{cx}-1} \sqrt{\frac{1}{cx}+1}}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))*(d + e*x),x)

[Out] (a*x*(2*d + e*x))/2 + (b*d*atan(1/((1/(c*x) - 1)^(1/2)*(1/(c*x) + 1)^(1/2))))/c + (b*e*x^2*acosh(1/(c*x)))/2 + b*d*x*acosh(1/(c*x)) - (b*e*x*(1/(c*x) - 1)^(1/2)*(1/(c*x) + 1)^(1/2)))/(2*c)

3.77 $\int (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=40

$$ax + b \operatorname{sech}^{-1}(cx) + \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \operatorname{ArcSin}(cx)}{c}$$

[Out] a*x+b*x*arcsech(c*x)+b*arcsin(c*x)*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/c

Rubi [A]

time = 0.01, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {6412, 222}

$$ax + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \operatorname{ArcSin}(cx)}{c} + b \operatorname{sech}^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[a + b*ArcSech[c*x], x]

[Out] a*x + b*x*ArcSech[c*x] + (b*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcSin[c*x])/c

Rule 222

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 6412

Int[ArcSech[(c_.)*(x_)], x_Symbol] := Simp[x*ArcSech[c*x], x] + Dist[Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[1/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[c, x]

Rubi steps

$$\begin{aligned} \int (a + b \operatorname{sech}^{-1}(cx)) dx &= ax + b \int \operatorname{sech}^{-1}(cx) dx \\ &= ax + b \operatorname{sech}^{-1}(cx) + \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{1}{\sqrt{1-c^2x^2}} dx \\ &= ax + b \operatorname{sech}^{-1}(cx) + \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sin^{-1}(cx)}{c} \end{aligned}$$

Mathematica [A]

time = 0.05, size = 77, normalized size = 1.92

$$ax + bx \operatorname{sech}^{-1}(cx) - \frac{2b \sqrt{\frac{1-cx}{1+cx}} \sqrt{1-c^2x^2} \operatorname{ArcTan}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{c - c^2x}$$

Antiderivative was successfully verified.

`[In] Integrate[a + b*ArcSech[c*x], x]`

```
[Out] a*x + b*x*ArcSech[c*x] - (2*b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^2*x^2]*ArcTan[Sqrt[1 - c*x]/Sqrt[1 + c*x]])/(c - c^2*x)
```

Maple [A]

time = 0.06, size = 42, normalized size = 1.05

method	result	size
default	$ax + bx \operatorname{arcsech}(cx) - \frac{b \arctan\left(\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}\right)}{c}$	42
derivativedivides	$\frac{acx + cxb \operatorname{arcsech}(cx) - \arctan\left(\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}\right) b}{c}$	45

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(a+b*arcsech(c*x), x, method=_RETURNVERBOSE)`

```
[Out] a*x+b*x*arcsech(c*x)-b/c*arctan((-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))
```

Maxima [A]

time = 0.25, size = 31, normalized size = 0.78

$$ax + \frac{\left(cx \operatorname{arsech}(cx) - \arctan\left(\sqrt{\frac{1}{c^2x^2} - 1}\right)\right)b}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(a+b*arcsech(c*x), x, algorithm="maxima")`

```
[Out] a*x + (c*x*arcsech(c*x) - arctan(sqrt(1/(c^2*x^2) - 1)))*b/c
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 119 vs. 2(20) = 40.

time = 0.38, size = 119, normalized size = 2.98

$$acx - bc \log\left(\frac{cx \sqrt{-\frac{c^2x^2 - 1}{c^2x^2}} - 1}{x}\right) - 2b \arctan\left(\frac{cx \sqrt{-\frac{c^2x^2 - 1}{c^2x^2}} - 1}{cx}\right) + (bcx - bc) \log\left(\frac{cx \sqrt{-\frac{c^2x^2 - 1}{c^2x^2}} + 1}{cx}\right)$$

c

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*arcsech(c*x),x, algorithm="fricas")

[Out] (a*c*x - b*c*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/x) - 2*b*arctan((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/(c*x)) + (b*c*x - b*c)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)))/c

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*asech(c*x),x)

[Out] Integral(a + b*asech(c*x), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*arcsech(c*x),x, algorithm="giac")

[Out] integrate(b*arcsech(c*x) + a, x)

Mupad [B]

time = 1.39, size = 44, normalized size = 1.10

$$ax + bx \operatorname{acosh}\left(\frac{1}{cx}\right) + \frac{b \operatorname{atan}\left(\frac{1}{\sqrt{\frac{1}{cx} - 1} \sqrt{\frac{1}{cx} + 1}}\right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a + b*acosh(1/(c*x)),x)

[Out] a*x + b*x*acosh(1/(c*x)) + (b*atan(1/((1/(c*x) - 1)^(1/2)*(1/(c*x) + 1)^(1/2))))/c

$$3.78 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{d+ex} dx$$

Optimal. Leaf size=229

$$\frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(1 + e^{-2\operatorname{sech}^{-1}(cx)}\right)}{e} + \frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(1 + \frac{(e - \sqrt{-c^2d^2 + e^2})e^{-\operatorname{sech}^{-1}(cx)}}{cd}\right)}{e} + \dots$$

[Out] $-(a+b*\operatorname{arcsech}(c*x))*\ln(1+1/(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2)/e+(a+b*\operatorname{arcsech}(c*x))*\ln(1+(e-(-c^2*d^2+e^2)^{(1/2)})/c/d/(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}))/e+(a+b*\operatorname{arcsech}(c*x))*\ln(1+(e+(-c^2*d^2+e^2)^{(1/2)})/c/d/(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}))/e+1/2*b*\operatorname{polylog}(2,-1/(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2)/e-b*\operatorname{polylog}(2,(-e+(-c^2*d^2+e^2)^{(1/2)})/c/d/(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}))/e-b*\operatorname{polylog}(2,(-e-(-c^2*d^2+e^2)^{(1/2)})/c/d/(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}))/e$

Rubi [A]

time = 0.62, antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {6422, 2598}

$$\frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(\frac{(e - \sqrt{e^2 - c^2d^2})e^{-\operatorname{sech}^{-1}(cx)}}{cd} + 1\right)}{e} + \frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(\frac{(\sqrt{e^2 - c^2d^2} + e)e^{-\operatorname{sech}^{-1}(cx)}}{cd} + 1\right)}{e} - \frac{\log(e^{-2\operatorname{sech}^{-1}(cx)} + 1)(a + b\operatorname{sech}^{-1}(cx))}{e} - \frac{\operatorname{bLi}_2\left(\frac{(e - \sqrt{e^2 - c^2d^2})e^{-\operatorname{sech}^{-1}(cx)}}{cd}\right)}{e} - \frac{\operatorname{bLi}_2\left(\frac{(e + \sqrt{e^2 - c^2d^2})e^{-\operatorname{sech}^{-1}(cx)}}{cd}\right)}{e} + \frac{\operatorname{bLi}_2(-e^{-2\operatorname{sech}^{-1}(cx)})}{2e}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSech}[c*x])/(d + e*x), x]$

[Out] $-\left(\left((a + b*\operatorname{ArcSech}[c*x])* \operatorname{Log}[1 + E^{(-2*\operatorname{ArcSech}[c*x])}]\right)/e\right) + \left(\left((a + b*\operatorname{ArcSech}[c*x])* \operatorname{Log}[1 + (e - \operatorname{Sqrt}[-(c^2*d^2) + e^2])/(c*d*E^{\operatorname{ArcSech}[c*x]})]\right)/e\right) + \left(\left((a + b*\operatorname{ArcSech}[c*x])* \operatorname{Log}[1 + (e + \operatorname{Sqrt}[-(c^2*d^2) + e^2])/(c*d*E^{\operatorname{ArcSech}[c*x]})]\right)/e\right) + (b*\operatorname{PolyLog}[2, -E^{(-2*\operatorname{ArcSech}[c*x])}])/(2*e) - (b*\operatorname{PolyLog}[2, -((e - \operatorname{Sqrt}[-(c^2*d^2) + e^2])/(c*d*E^{\operatorname{ArcSech}[c*x]})))]/e - (b*\operatorname{PolyLog}[2, -((e + \operatorname{Sqrt}[-(c^2*d^2) + e^2])/(c*d*E^{\operatorname{ArcSech}[c*x]})))]/e$

Rule 2598

$\operatorname{Int}[\operatorname{Log}[v_*(u_), x_Symbol] := \operatorname{With}[\{w = \operatorname{DerivativeDivides}[v, u*(1 - v), x]\}, \operatorname{Simp}[w*\operatorname{PolyLog}[2, 1 - v], x] /; \operatorname{!FalseQ}[w]]$

Rule 6422

$\operatorname{Int}[\left((a_.) + \operatorname{ArcSech}[(c_.)*(x_)]*(b_.)\right)/\left((d_.) + (e_.)*(x_)\right), x_Symbol] := \operatorname{Simp}[\left((a + b*\operatorname{ArcSech}[c*x])*(\operatorname{Log}[1 + (e - \operatorname{Sqrt}[-(c^2)*d^2 + e^2])/(c*d*E^{\operatorname{ArcSech}[c*x]})])\right)/e, x] + (\operatorname{Dist}[b/e, \operatorname{Int}[(\operatorname{Sqrt}[(1 - c*x])/(1 + c*x)]*\operatorname{Log}[1 + (e - \operatorname{Sqrt}[-(c^2)*d^2 + e^2])/(c*d*E^{\operatorname{ArcSech}[c*x]})])/(x*(1 - c*x)), x], x] + \operatorname{Dist}[b/e, \operatorname{Int}[(\operatorname{Sqrt}[(1 - c*x])/(1 + c*x)]*\operatorname{Log}[1 + (e + \operatorname{Sqrt}[-(c^2)*d^2 + e^2])/(c*d*E^{\operatorname{ArcSech}[c*x]})])/(x*(1 - c*x)), x], x]$

```
c*d*E^ArcSech[c*x]))/(x*(1 - c*x)), x], x] - Dist[b/e, Int[(Sqrt[(1 - c*x)
/(1 + c*x)]*Log[1 + 1/E^(2*ArcSech[c*x]])]/(x*(1 - c*x)), x], x] + Simp[(a
+ b*ArcSech[c*x])*(Log[1 + (e + Sqrt[(-c^2)*d^2 + e^2])/(c*d*E^ArcSech[c*x]
)]/e), x] - Simp[(a + b*ArcSech[c*x])*(Log[1 + 1/E^(2*ArcSech[c*x]])/e), x]
) /; FreeQ[{a, b, c, d, e}, x]
```

Rubi steps

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{d + ex} dx = -\frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(1 + e^{-2 \operatorname{sech}^{-1}(cx)}\right)}{e} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(1 + \frac{e - \sqrt{-c^2}}{e}\right)}{e}$$

$$= -\frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(1 + e^{-2 \operatorname{sech}^{-1}(cx)}\right)}{e} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(1 + \frac{e - \sqrt{-c^2}}{e}\right)}{e}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.38, size = 393, normalized size = 1.72

```


$$\frac{\left( \operatorname{PolyLog}\left(2, -e^{-2 \operatorname{sech}^{-1}(cx)}\right) - \operatorname{ArcSin}\left(\frac{\sqrt{1 - c^2}}{\sqrt{d^2 + e^2}}\right) \operatorname{sech}^{-1}(cx) + \operatorname{ArcTan}\left(\frac{e - \sqrt{-c^2}}{e}\right) \operatorname{sech}^{-1}(cx) - \operatorname{ArcTan}\left(\frac{e + \sqrt{-c^2}}{e}\right) \operatorname{sech}^{-1}(cx) + \operatorname{PolyLog}\left(2, \frac{e - \sqrt{-c^2}}{e}\right) \operatorname{sech}^{-1}(cx) - \operatorname{PolyLog}\left(2, \frac{e + \sqrt{-c^2}}{e}\right) \operatorname{sech}^{-1}(cx) \right)}{2e}$$


```

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSech[c*x])/(d + e*x), x]
```

```
[Out] (a*Log[d + e*x])/e + (b*(PolyLog[2, -E^(-2*ArcSech[c*x])] - 2*((-4*I)*ArcSi
n[Sqrt[1 + e/(c*d)]/Sqrt[2]]*ArcTanh[((-c*d) + e)*Tanh[ArcSech[c*x]/2]]/Sq
rt[-(c^2*d^2) + e^2]] + ArcSech[c*x]*Log[1 + E^(-2*ArcSech[c*x])] - ArcSech
[c*x]*Log[1 + (e - Sqrt[-(c^2*d^2) + e^2])/(c*d*E^ArcSech[c*x])] + (2*I)*Ar
cSin[Sqrt[1 + e/(c*d)]/Sqrt[2]]*Log[1 + (e - Sqrt[-(c^2*d^2) + e^2])/(c*d*E
^ArcSech[c*x])] - ArcSech[c*x]*Log[1 + (e + Sqrt[-(c^2*d^2) + e^2])/(c*d*E
^ArcSech[c*x])] - (2*I)*ArcSin[Sqrt[1 + e/(c*d)]/Sqrt[2]]*Log[1 + (e + Sqrt[
-(c^2*d^2) + e^2])/(c*d*E^ArcSech[c*x])] + PolyLog[2, (-e + Sqrt[-(c^2*d^2)
+ e^2])/(c*d*E^ArcSech[c*x])] + PolyLog[2, -(e + Sqrt[-(c^2*d^2) + e^2])/(
c*d*E^ArcSech[c*x])])))/(2*e)
```

Maple [C] Result contains complex when optimal does not.

time = 0.60, size = 527, normalized size = 2.30

method	result
--------	--------

derivativedivides	$\frac{\frac{bc \operatorname{arcsech}(cx) \ln \left(\frac{-cd \left(\frac{1}{cx} + \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} \right) + \sqrt{-c^2 d^2 + e^2}}{-e + \sqrt{-c^2 d^2 + e^2}} \right)}{e} + \frac{ac \ln(cx+cd)}{e}}{e} + \frac{bc \operatorname{arcsech}(cx) \ln \left(\frac{cd}{-e + \sqrt{-c^2 d^2 + e^2}} \right)}{e}$
default	$\frac{\frac{bc \operatorname{arcsech}(cx) \ln \left(\frac{-cd \left(\frac{1}{cx} + \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} \right) + \sqrt{-c^2 d^2 + e^2}}{-e + \sqrt{-c^2 d^2 + e^2}} \right)}{e} + \frac{ac \ln(cx+cd)}{e}}{e} + \frac{bc \operatorname{arcsech}(cx) \ln \left(\frac{cd}{-e + \sqrt{-c^2 d^2 + e^2}} \right)}{e}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsech(c*x))/(e*x+d),x,method=_RETURNVERBOSE)
```

```
[Out] 1/c*(a*c*ln(c*e*x+c*d)/e+b*c/e*arcsech(c*x)*ln((-c*d*(1/c/x+(-1+1/c/x)^(1/2))
*(1+1/c/x)^(1/2))+(-c^2*d^2+e^2)^(1/2)-e)/(-e+(-c^2*d^2+e^2)^(1/2)))+b*c/e
*arcsech(c*x)*ln((c*d*(1/c/x+(-1+1/c/x)^(1/2))*(1+1/c/x)^(1/2))+(-c^2*d^2+e^
2)^(1/2)+e)/(e+(-c^2*d^2+e^2)^(1/2)))+b*c/e*dilog((c*d*(1/c/x+(-1+1/c/x)^(1
/2))*(1+1/c/x)^(1/2))+(-c^2*d^2+e^2)^(1/2)+e)/(e+(-c^2*d^2+e^2)^(1/2)))+b*c/
e*dilog((-c*d*(1/c/x+(-1+1/c/x)^(1/2))*(1+1/c/x)^(1/2))+(-c^2*d^2+e^2)^(1/2)
-e)/(-e+(-c^2*d^2+e^2)^(1/2)))-b*c/e*arcsech(c*x)*ln(1+I*(1/c/x+(-1+1/c/x)^(
1/2))*(1+1/c/x)^(1/2)))-b*c/e*arcsech(c*x)*ln(1-I*(1/c/x+(-1+1/c/x)^(1/2)*(
1+1/c/x)^(1/2)))-b*c/e*dilog(1+I*(1/c/x+(-1+1/c/x)^(1/2))*(1+1/c/x)^(1/2)))-
b*c/e*dilog(1-I*(1/c/x+(-1+1/c/x)^(1/2))*(1+1/c/x)^(1/2)))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/(e*x+d),x, algorithm="maxima")
```

```
[Out] a*e^(-1)*log(x*e + d) + b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1)
+ 1/(c*x))/(x*e + d), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/(e*x+d),x, algorithm="fricas")
```

```
[Out] integral((b*arcsech(c*x) + a)/(x*e + d), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/(e*x+d),x)

[Out] Integral((a + b*asech(c*x))/(d + e*x), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x+d),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/(e*x + d), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(d + e*x),x)

[Out] int((a + b*acosh(1/(c*x)))/(d + e*x), x)

$$3.79 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex)^2} dx$$

Optimal. Leaf size=147

$$-\frac{a+b\operatorname{sech}^{-1}(cx)}{e(d+ex)} + \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\operatorname{ArcTan}\left(\frac{e+c^2dx}{\sqrt{c^2d^2-e^2}\sqrt{1-c^2x^2}}\right)}{d\sqrt{c^2d^2-e^2}} + \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\operatorname{tanh}^{-1}}{de}$$

[Out] $(-a-b*\operatorname{arcsech}(c*x))/e/(e*x+d)+b*\operatorname{arctanh}((-c^2*x^2+1)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/d/e+b*\operatorname{arctan}((c^2*d*x+e)/(c^2*d^2-e^2)^{(1/2)}/(-c^2*x^2+1)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/d/(c^2*d^2-e^2)^{(1/2)})$

Rubi [A]

time = 0.08, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {6423, 975, 272, 65, 214, 739, 210}

$$-\frac{a+b\operatorname{sech}^{-1}(cx)}{e(d+ex)} + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcTan}\left(\frac{e+c^2dx}{\sqrt{1-c^2x^2}\sqrt{c^2d^2-e^2}}\right)}{d\sqrt{c^2d^2-e^2}} + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{tanh}^{-1}\left(\sqrt{1-c^2x^2}\right)}{de}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSech}[c*x])/(d + e*x)^2, x]$

[Out] $-((a + b*\operatorname{ArcSech}[c*x])/(e*(d + e*x))) + (b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTan}[(e + c^2*d*x)/(\operatorname{Sqrt}[c^2*d^2 - e^2]*\operatorname{Sqrt}[1 - c^2*x^2])])/(d*\operatorname{Sqrt}[c^2*d^2 - e^2]) + (b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTanh}[\operatorname{Sqrt}[1 - c^2*x^2]])/(d*e)$

Rule 65

$\operatorname{Int}[(a_.) + (b_.)*(x_.)^{(m_.)}*((c_.) + (d_.)*(x_.)^{(n_.)}, x_Symbol] := \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^{(1/p)}, x]] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 210

$\operatorname{Int}[(a_.) + (b_.)*(x_.)^2]^{-1}, x_Symbol] := \operatorname{Simp}[(-\operatorname{Rt}[-a, 2]*\operatorname{Rt}[-b, 2])^{-1}*(1 - (x/\operatorname{Rt}[-a, 2]))*\operatorname{ArcTan}[\operatorname{Rt}[-b, 2]*(x/\operatorname{Rt}[-a, 2])], x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{PosQ}[a/b] \&\& (\operatorname{LtQ}[a, 0] || \operatorname{LtQ}[b, 0])$

Rule 214

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 272

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 739

Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 975

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])

Rule 6423

Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.))*((d_.) + (e_.)*(x_))^(m_.), x_Symbol] := Simp[(d + e*x)^(m + 1)*((a + b*ArcSech[c*x])/(e*(m + 1))), x] + Dist[b*(Sqrt[1 + c*x]/(e*(m + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x)^(m + 1)/(x*Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{(d + ex)^2} dx &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{e(d + ex)} - \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \int \frac{1}{x(d+ex)\sqrt{1 - c^2x^2}} dx}{e} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{e(d + ex)} - \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \int \left(\frac{1}{dx\sqrt{1 - c^2x^2}} - \frac{e}{d(d+ex)\sqrt{1 - c^2x^2}}\right) dx}{e} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{e(d + ex)} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \int \frac{1}{(d+ex)\sqrt{1 - c^2x^2}} dx}{d} - \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \int \frac{e}{d(d+ex)\sqrt{1 - c^2x^2}} dx}{d} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{e(d + ex)} - \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \operatorname{Subst}\left(\int \frac{1}{-c^2d^2 + e^2 - x^2} dx, x, \frac{e + c^2dx}{\sqrt{1 - c^2x^2}}\right)}{d} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{e(d + ex)} + \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \tan^{-1}\left(\frac{e + c^2dx}{\sqrt{c^2d^2 - e^2} \sqrt{1 - c^2x^2}}\right)}{d \sqrt{c^2d^2 - e^2}} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \int \frac{e}{d(d+ex)\sqrt{1 - c^2x^2}} dx}{d} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{e(d + ex)} + \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \tan^{-1}\left(\frac{e + c^2dx}{\sqrt{c^2d^2 - e^2} \sqrt{1 - c^2x^2}}\right)}{d \sqrt{c^2d^2 - e^2}} + \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \int \frac{e}{d(d+ex)\sqrt{1 - c^2x^2}} dx}{d}
\end{aligned}$$

Mathematica [A]

time = 0.15, size = 222, normalized size = 1.51

$$-\frac{a}{e(d+ex)} - \frac{b \operatorname{sech}^{-1}(cx)}{e(d+ex)} - \frac{b \log(x)}{de} + \frac{b \log(d+ex)}{d\sqrt{-c^2d^2+e^2}} + \frac{b \log\left(1 + \sqrt{\frac{1-cx}{1+cx}} + cx\sqrt{\frac{1-cx}{1+cx}}\right)}{de} - \frac{b \log\left(e + c^2dx + \sqrt{-c^2d^2+e^2} \sqrt{\frac{1-cx}{1+cx}} + c\sqrt{-c^2d^2+e^2} x \sqrt{\frac{1-cx}{1+cx}}\right)}{d\sqrt{-c^2d^2+e^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])/(d + e*x)^2,x]

[Out] $-(a/(e*(d + e*x))) - (b*ArcSech[c*x])/(e*(d + e*x)) - (b*Log[x])/(d*e) + (b*Log[d + e*x])/(d*sqrt[-(c^2*d^2) + e^2]) + (b*Log[1 + sqrt[(1 - c*x)/(1 + c*x)]] + c*x*sqrt[(1 - c*x)/(1 + c*x)])/(d*e) - (b*Log[e + c^2*d*x + sqrt[-(c^2*d^2) + e^2]*sqrt[(1 - c*x)/(1 + c*x)] + c*sqrt[-(c^2*d^2) + e^2]*x*sqrt[(1 - c*x)/(1 + c*x)])/(d*sqrt[-(c^2*d^2) + e^2])$

Maple [A]

time = 1.55, size = 243, normalized size = 1.65

method	result
derivativedivides	$-\frac{a c^2}{(c e x+c d) e}-\frac{b c^2 \operatorname{arcsech}(c x)}{(c e x+c d) e}+\frac{b c^2 \sqrt{-\frac{c x-1}{c x}} x \sqrt{\frac{c x+1}{c x}} \operatorname{arctanh}\left(\frac{1}{\sqrt{-c^2 x^2+1}}\right)}{e d \sqrt{-c^2 x^2+1}}-\frac{b c^2 \sqrt{-\frac{c x-1}{c x}} x \sqrt{\frac{c x+1}{c x}} \ln\left(\frac{1}{e \sqrt{-c^2 x^2+1}}\right)}{c}$
default	$-\frac{a c^2}{(c e x+c d) e}-\frac{b c^2 \operatorname{arcsech}(c x)}{(c e x+c d) e}+\frac{b c^2 \sqrt{-\frac{c x-1}{c x}} x \sqrt{\frac{c x+1}{c x}} \operatorname{arctanh}\left(\frac{1}{\sqrt{-c^2 x^2+1}}\right)}{e d \sqrt{-c^2 x^2+1}}-\frac{b c^2 \sqrt{-\frac{c x-1}{c x}} x \sqrt{\frac{c x+1}{c x}} \ln\left(\frac{1}{e \sqrt{-c^2 x^2+1}}\right)}{c}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/(e*x+d)^2,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c} \left(-\frac{a c^2}{(c e x+c d) e} - \frac{b c^2 \operatorname{arcsech}(c x)}{(c e x+c d) e} + \frac{b c^2 \sqrt{-\frac{c x-1}{c x}} x \sqrt{\frac{c x+1}{c x}} \operatorname{arctanh}\left(\frac{1}{\sqrt{-c^2 x^2+1}}\right)}{e d \sqrt{-c^2 x^2+1}} - \frac{b c^2 \sqrt{-\frac{c x-1}{c x}} x \sqrt{\frac{c x+1}{c x}} \ln\left(\frac{1}{e \sqrt{-c^2 x^2+1}}\right)}{c} \right)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/(e*x+d)^2,x, algorithm="maxima")`

[Out] $(c^2 \int \frac{x^2}{(c^2 d^2 x^2 + (c^2 d^2 x^2 - d^2 + (c^2 d x^2 e - d e) x) \sqrt{c x + 1} \sqrt{-c x + 1} - d^2 + (c^2 d x^2 e - d e) x), x) + (x \log(\sqrt{c x + 1} \sqrt{-c x + 1} + 1) - x \log(c) - x \log(x)) / (d x e + d^2) - \int \frac{1}{(c^2 d^2 x^2 - d^2 + (c^2 d x^2 e - d e) x), x) * b - a / (x e^2 + d e)$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 534 vs. 2(97) = 194.

time = 0.40, size = 1161, normalized size = 7.90

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/(e*x+d)^2,x, algorithm="fricas")`

```
[Out] [-(a*c^2*d^3 - a*d*cosh(1)^2 - 2*a*d*cosh(1)*sinh(1) - a*d*sinh(1)^2 + (b*x
*cosh(1)^2 + b*x*sinh(1)^2 + b*d*cosh(1) + (2*b*x*cosh(1) + b*d)*sinh(1))*s
qrt(-((c^2*d^2 - 1)*cosh(1) - (c^2*d^2 + 1)*sinh(1))/(cosh(1) - sinh(1)))*l
og((c^2*d*x*cosh(1) + cosh(1)^2 + (c^2*d*x + 2*cosh(1))*sinh(1) + sinh(1)^2
- (c^2*d*x + cosh(1) + sinh(1))*sqrt(-((c^2*d^2 - 1)*cosh(1) - (c^2*d^2 +
1)*sinh(1))/(cosh(1) - sinh(1))) - (c^3*d^2*x - c*x*cosh(1)^2 - 2*c*x*cosh(
1)*sinh(1) - c*x*sinh(1)^2 + (c*x*cosh(1) + c*x*sinh(1))*sqrt(-((c^2*d^2 -
1)*cosh(1) - (c^2*d^2 + 1)*sinh(1))/(cosh(1) - sinh(1))))*sqrt(-((c^2*x^2 -
1)/(c^2*x^2)))/(x*cosh(1) + x*sinh(1) + d)) + (b*c^2*d^2*x*cosh(1) + b*c^2*
d^3 - b*x*cosh(1)^3 - b*x*sinh(1)^3 - b*d*cosh(1)^2 - (3*b*x*cosh(1) + b*d)
*sinh(1)^2 + (b*c^2*d^2*x - 3*b*x*cosh(1)^2 - 2*b*d*cosh(1))*sinh(1))*log((
c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/x) + (b*c^2*d^3 - b*d*cosh(1)^2 - 2
*b*d*cosh(1)*sinh(1) - b*d*sinh(1)^2)*log(((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2
)) + 1)/(c*x)))/(c^2*d^3*x*cosh(1)^2 + c^2*d^4*cosh(1) - d*x*cosh(1)^4 - d*
x*sinh(1)^4 - d^2*cosh(1)^3 - (4*d*x*cosh(1) + d^2)*sinh(1)^3 + (c^2*d^3*x
- 6*d*x*cosh(1)^2 - 3*d^2*cosh(1))*sinh(1)^2 + (2*c^2*d^3*x*cosh(1) + c^2*d
^4 - 4*d*x*cosh(1)^3 - 3*d^2*cosh(1)^2)*sinh(1)), -(a*c^2*d^3 - a*d*cosh(1)
^2 - 2*a*d*cosh(1)*sinh(1) - a*d*sinh(1)^2 - 2*(b*x*cosh(1)^2 + b*x*sinh(1)
^2 + b*d*cosh(1) + (2*b*x*cosh(1) + b*d)*sinh(1))*sqrt(((c^2*d^2 - 1)*cosh(
1) - (c^2*d^2 + 1)*sinh(1))/(cosh(1) - sinh(1)))*arctan(-(c*d*x*sqrt(-(c^2*
x^2 - 1)/(c^2*x^2)) - x*cosh(1) - x*sinh(1) - d)*sqrt(((c^2*d^2 - 1)*cosh(1)
- (c^2*d^2 + 1)*sinh(1))/(cosh(1) - sinh(1)))/(c^2*d^2*x - x*cosh(1)^2 -
2*x*cosh(1)*sinh(1) - x*sinh(1)^2)) + (b*c^2*d^2*x*cosh(1) + b*c^2*d^3 - b*
x*cosh(1)^3 - b*x*sinh(1)^3 - b*d*cosh(1)^2 - (3*b*x*cosh(1) + b*d)*sinh(1)
^2 + (b*c^2*d^2*x - 3*b*x*cosh(1)^2 - 2*b*d*cosh(1))*sinh(1))*log((c*x*sqrt
(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/x) + (b*c^2*d^3 - b*d*cosh(1)^2 - 2*b*d*cos
h(1)*sinh(1) - b*d*sinh(1)^2)*log(((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/
(c*x)))/(c^2*d^3*x*cosh(1)^2 + c^2*d^4*cosh(1) - d*x*cosh(1)^4 - d*x*sinh(1)
)^4 - d^2*cosh(1)^3 - (4*d*x*cosh(1) + d^2)*sinh(1)^3 + (c^2*d^3*x - 6*d*x*
cosh(1)^2 - 3*d^2*cosh(1))*sinh(1)^2 + (2*c^2*d^3*x*cosh(1) + c^2*d^4 - 4*d
*x*cosh(1)^3 - 3*d^2*cosh(1)^2)*sinh(1))]
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asech(c*x))/(e*x+d)**2,x)
```

```
[Out] Integral((a + b*asech(c*x))/(d + e*x)**2, x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x+d)^2,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/(e*x + d)^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(d + e*x)^2,x)

[Out] int((a + b*acosh(1/(c*x)))/(d + e*x)^2, x)

3.80 $\int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex)^3} dx$

Optimal. Leaf size=306

$$\frac{be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{2d(c^2d^2-e^2)(d+ex)} - \frac{a+b\operatorname{sech}^{-1}(cx)}{2e(d+ex)^2} + \frac{bc^2\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\operatorname{ArcTan}\left(\frac{e+c^2dx}{\sqrt{c^2d^2-e^2}\sqrt{1-c^2x^2}}\right)}{2(c^2d^2-e^2)^{3/2}}$$

```
[Out] 1/2*(-a-b*arcsech(c*x))/e/(e*x+d)^2+1/2*b*c^2*arctan((c^2*d*x+e)/(c^2*d^2-e^2)^(1/2)/(-c^2*x^2+1)^(1/2))*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/(c^2*d^2-e^2)^(3/2)+1/2*b*arctanh((-c^2*x^2+1)^(1/2))*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/d^2/e+1/2*b*arctan((c^2*d*x+e)/(c^2*d^2-e^2)^(1/2)/(-c^2*x^2+1)^(1/2))*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/d^2/(c^2*d^2-e^2)^(1/2)+1/2*b*e*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)*(-c^2*x^2+1)^(1/2)/d/(c^2*d^2-e^2)/(e*x+d)
```

Rubi [A]

time = 0.14, antiderivative size = 306, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6423, 975, 272, 65, 214, 745, 739, 210}

$$-\frac{a+b\operatorname{sech}^{-1}(cx)}{2e(d+ex)^2} + \frac{bc^2\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcTan}\left(\frac{e+c^2dx}{\sqrt{1-c^2x^2}\sqrt{c^2d^2-e^2}}\right)}{2(c^2d^2-e^2)^{3/2}} + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcTan}\left(\frac{e+c^2dx}{2d^2\sqrt{c^2d^2-e^2}}\right)}{2d^2\sqrt{c^2d^2-e^2}} + \frac{be\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{2d(c^2d^2-e^2)(d+ex)} + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{tanh}^{-1}\left(\sqrt{1-c^2x^2}\right)}{2d^2e}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSech[c*x])/(d + e*x)^3, x]
```

```
[Out] (b*e*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*Sqrt[1 - c^2*x^2])/(2*d*(c^2*d^2 - e^2)*(d + e*x)) - (a + b*ArcSech[c*x])/(2*e*(d + e*x)^2) + (b*c^2*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcTan[(e + c^2*d*x)/(Sqrt[c^2*d^2 - e^2]*Sqrt[1 - c^2*x^2])])/(2*(c^2*d^2 - e^2)^(3/2)) + (b*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcTan[(e + c^2*d*x)/(Sqrt[c^2*d^2 - e^2]*Sqrt[1 - c^2*x^2])])/(2*d^2*Sqrt[c^2*d^2 - e^2]) + (b*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcTanh[Sqrt[1 - c^2*x^2]])/(2*d^2*e)
```

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 210

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^(-1)*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] &
```

& (LtQ[a, 0] || LtQ[b, 0])

Rule 214

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 272

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 739

Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 745

Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[e*(d + e*x)^(m + 1)*((a + c*x^2)^(p + 1)/((m + 1)*(c*d^2 + a*e^2))), x] + Dist[c*(d/(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m + 2*p + 3, 0]

Rule 975

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])

Rule 6423

Int[((a_) + ArcSech[(c_)*(x_)])*(b_)*((d_) + (e_)*(x_))^(m_), x_Symbol] := Simp[(d + e*x)^(m + 1)*((a + b*ArcSech[c*x])/(e*(m + 1))), x] + Dist[b*(Sqrt[1 + c*x]/(e*(m + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x)^(m + 1)/(x*Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{(d + ex)^3} dx &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{2e(d + ex)^2} - \frac{\left(b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \frac{1}{x(d+ex)^2 \sqrt{1-c^2x^2}} dx}{2e} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{2e(d + ex)^2} - \frac{\left(b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \left(\frac{1}{d^2x\sqrt{1-c^2x^2}} - \frac{e}{d(d+ex)^2\sqrt{1-c^2x^2}}\right) dx}{2e} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{2e(d + ex)^2} + \frac{\left(b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \frac{1}{(d+ex)\sqrt{1-c^2x^2}} dx}{2d^2} + \frac{\left(b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \frac{1}{d^2x\sqrt{1-c^2x^2}} dx}{2e} \\
&= \frac{be\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{2d(c^2d^2 - e^2)(d + ex)} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2e(d + ex)^2} - \frac{\left(b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \frac{1}{d^2x\sqrt{1-c^2x^2}} dx}{2e} \\
&= \frac{be\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{2d(c^2d^2 - e^2)(d + ex)} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2e(d + ex)^2} + \frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \tan^{-1}\left(\frac{\sqrt{1-c^2x^2}}{\sqrt{1+cx}}\right)}{2d^2\sqrt{1-c^2x^2}} \\
&= \frac{be\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{2d(c^2d^2 - e^2)(d + ex)} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2e(d + ex)^2} + \frac{bc^2\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \tan^{-1}\left(\frac{\sqrt{1-c^2x^2}}{\sqrt{1+cx}}\right)}{2(c^2d^2 - e^2)}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 0.44, size = 342, normalized size = 1.12

$$\left(-\frac{a}{e(d+ex)^2} + \frac{b\sqrt{\frac{1-cx}{1+cx}}(e+cx)}{d(cd-e)(cd+e)(d+ex)} - \frac{b \operatorname{sech}^{-1}(cx)}{e(d+ex)^2} - \frac{b \log(x)}{d^2e} + \frac{b \log\left(1 + \sqrt{\frac{1-cx}{1+cx}} + cx\sqrt{\frac{1-cx}{1+cx}}\right)}{d^2e} - \frac{ib(2c^2d^2 - e^2) \log\left(\frac{4d^2e\sqrt{c^2d^2 - e^2} \left(ie + i^2dx + \sqrt{c^2d^2 - e^2} \sqrt{\frac{1-cx}{1+cx}} + e\sqrt{c^2d^2 - e^2} x \sqrt{\frac{1-cx}{1+cx}}\right)}{b(2c^2d^2 - e^2)(d+ex)}\right)}{d^2(cd-e)(cd+e)\sqrt{c^2d^2 - e^2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])/(d + e*x)^3,x]

[Out]
$$\begin{aligned}
& \left(-\frac{a}{e(d+ex)^2} + \frac{b\sqrt{\frac{1-cx}{1+cx}}(e+cx)}{d(cd-e)(cd+e)(d+ex)} - \frac{b \operatorname{sech}^{-1}(cx)}{e(d+ex)^2} - \frac{b \log(x)}{d^2e} + \frac{b \log\left(1 + \sqrt{\frac{1-cx}{1+cx}} + cx\sqrt{\frac{1-cx}{1+cx}}\right)}{d^2e} \right. \\
& \left. - \frac{ib(2c^2d^2 - e^2) \log\left(\frac{4d^2e\sqrt{c^2d^2 - e^2} \left(ie + i^2dx + \sqrt{c^2d^2 - e^2} \sqrt{\frac{1-cx}{1+cx}} + e\sqrt{c^2d^2 - e^2} x \sqrt{\frac{1-cx}{1+cx}}\right)}{b(2c^2d^2 - e^2)(d+ex)}\right)}{d^2(cd-e)(cd+e)\sqrt{c^2d^2 - e^2}} \right)
\end{aligned}$$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 1093 vs. $2(267) = 534$.

time = 1.47, size = 1094, normalized size = 3.58 Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/(e*x+d)^3,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c} \left(-\frac{1}{2} a c^3 / (c e x + c d)^2 / e - \frac{1}{2} b c^3 / (c e x + c d)^2 / e \operatorname{arcsech}(c x) + \frac{1}{2} b c^5 / e \left(-\frac{c x - 1}{c x} \right)^{1/2} x \left(\frac{c x + 1}{c x} \right)^{1/2} / \left(-c^2 x^2 + 1 \right)^{1/2} d / (c d + e) / (c d - e) / (c e x + c d) \operatorname{arctanh} \left(1 / \left(-c^2 x^2 + 1 \right)^{1/2} \right) + \frac{1}{2} b c^5 \left(-\frac{c x - 1}{c x} \right)^{1/2} x^2 \left(\frac{c x + 1}{c x} \right)^{1/2} / \left(-c^2 x^2 + 1 \right)^{1/2} / (c d + e) / (c d - e) / (c e x + c d) \operatorname{arctanh} \left(1 / \left(-c^2 x^2 + 1 \right)^{1/2} \right) - b c^5 / e \left(-\frac{c x - 1}{c x} \right)^{1/2} x \left(\frac{c x + 1}{c x} \right)^{1/2} / \left(-c^2 x^2 + 1 \right)^{1/2} d / (c d + e) / (c d - e) / (c e x + c d) / \left(-\frac{c^2 d^2 - e^2}{e^2} \right)^{1/2} \ln \left(2 \left(\left(-c^2 x^2 + 1 \right)^{1/2} \left(-\frac{c^2 d^2 - e^2}{e^2} \right)^{1/2} e + d c^2 x + e \right) / (c e x + c d) \right) - b c^5 \left(-\frac{c x - 1}{c x} \right)^{1/2} x^2 \left(\frac{c x + 1}{c x} \right)^{1/2} / \left(-c^2 x^2 + 1 \right)^{1/2} / (c d + e) / (c d - e) / (c e x + c d) / \left(-\frac{c^2 d^2 - e^2}{e^2} \right)^{1/2} \ln \left(2 \left(\left(-c^2 x^2 + 1 \right)^{1/2} \left(-\frac{c^2 d^2 - e^2}{e^2} \right)^{1/2} e + d c^2 x + e \right) / (c e x + c d) \right) + \frac{1}{2} b c^3 e \left(-\frac{c x - 1}{c x} \right)^{1/2} x \left(\frac{c x + 1}{c x} \right)^{1/2} d / (c d + e) / (c d - e) / (c e x + c d) - \frac{1}{2} b c^3 e \left(-\frac{c x - 1}{c x} \right)^{1/2} x \left(\frac{c x + 1}{c x} \right)^{1/2} / \left(-c^2 x^2 + 1 \right)^{1/2} d / (c d + e) / (c d - e) / (c e x + c d) \operatorname{arctanh} \left(1 / \left(-c^2 x^2 + 1 \right)^{1/2} \right) - \frac{1}{2} b c^3 e^2 \left(-\frac{c x - 1}{c x} \right)^{1/2} x^2 \left(\frac{c x + 1}{c x} \right)^{1/2} / \left(-c^2 x^2 + 1 \right)^{1/2} d^2 / (c d + e) / (c d - e) / (c e x + c d) \operatorname{arctanh} \left(1 / \left(-c^2 x^2 + 1 \right)^{1/2} \right) + \frac{1}{2} b c^3 e \left(-\frac{c x - 1}{c x} \right)^{1/2} x \left(\frac{c x + 1}{c x} \right)^{1/2} / \left(-c^2 x^2 + 1 \right)^{1/2} d / (c d + e) / (c d - e) / (c e x + c d) / \left(-\frac{c^2 d^2 - e^2}{e^2} \right)^{1/2} \ln \left(2 \left(\left(-c^2 x^2 + 1 \right)^{1/2} \left(-\frac{c^2 d^2 - e^2}{e^2} \right)^{1/2} e + d c^2 x + e \right) / (c e x + c d) \right) + \frac{1}{2} b c^3 e^2 \left(-\frac{c x - 1}{c x} \right)^{1/2} x^2 \left(\frac{c x + 1}{c x} \right)^{1/2} / \left(-c^2 x^2 + 1 \right)^{1/2} d^2 / (c d + e) / (c d - e) / (c e x + c d) / \left(-\frac{c^2 d^2 - e^2}{e^2} \right)^{1/2} \ln \left(2 \left(\left(-c^2 x^2 + 1 \right)^{1/2} \left(-\frac{c^2 d^2 - e^2}{e^2} \right)^{1/2} e + d c^2 x + e \right) / (c e x + c d) \right) \right)$

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/(e*x+d)^3,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: THROW: The catch RAT-ERR is undefined.

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 2141 vs. $2(198) = 396$.

time = 0.72, size = 4375, normalized size = 14.30

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x+d)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/2*(a*c^4*d^6 - 2*b*c^2*d^3*x*cosh(1)^3 - (2*a + b)*c^2*d^4*cosh(1)^2 + \\ & b*x^2*cosh(1)^6 + b*x^2*sinh(1)^6 + 2*b*d*x*cosh(1)^5 + 2*(3*b*x^2*cosh(1) \\ & + b*d*x)*sinh(1)^5 - (b*c^2*d^2*x^2 - (a + b)*d^2)*cosh(1)^4 - (b*c^2*d^2*x \\ & ^2 - 15*b*x^2*cosh(1)^2 - 10*b*d*x*cosh(1) - (a + b)*d^2)*sinh(1)^4 - 2*(b* \\ & c^2*d^3*x - 10*b*x^2*cosh(1)^3 - 10*b*d*x*cosh(1)^2 + 2*(b*c^2*d^2*x^2 - (a \\ & + b)*d^2)*cosh(1))*sinh(1)^3 - (6*b*c^2*d^3*x*cosh(1) + (2*a + b)*c^2*d^4 \\ & - 15*b*x^2*cosh(1)^4 - 20*b*d*x*cosh(1)^3 + 6*(b*c^2*d^2*x^2 - (a + b)*d^2) \\ & *cosh(1)^2)*sinh(1)^2 + (4*b*c^2*d^3*x*cosh(1)^2 + 2*b*c^2*d^4*cosh(1) - b* \\ & x^2*cosh(1)^5 - b*x^2*sinh(1)^5 - 2*b*d*x*cosh(1)^4 - (5*b*x^2*cosh(1) + 2* \\ & b*d*x)*sinh(1)^4 + (2*b*c^2*d^2*x^2 - b*d^2)*cosh(1)^3 + (2*b*c^2*d^2*x^2 - \\ & 10*b*x^2*cosh(1)^2 - 8*b*d*x*cosh(1) - b*d^2)*sinh(1)^3 + (4*b*c^2*d^3*x - \\ & 10*b*x^2*cosh(1)^3 - 12*b*d*x*cosh(1)^2 + 3*(2*b*c^2*d^2*x^2 - b*d^2)*cosh \\ & (1))*sinh(1)^2 + (8*b*c^2*d^3*x*cosh(1) + 2*b*c^2*d^4 - 5*b*x^2*cosh(1)^4 - \\ & 8*b*d*x*cosh(1)^3 + 3*(2*b*c^2*d^2*x^2 - b*d^2)*cosh(1)^2)*sinh(1))*sqrt(- \\ & ((c^2*d^2 - 1)*cosh(1) - (c^2*d^2 + 1)*sinh(1))/(cosh(1) - sinh(1)))*log((c \\ & ^2*d*x*cosh(1) + cosh(1)^2 + (c^2*d*x + 2*cosh(1))*sinh(1) + sinh(1)^2 - (c \\ & ^2*d*x + cosh(1) + sinh(1))*sqrt(-((c^2*d^2 - 1)*cosh(1) - (c^2*d^2 + 1)*si \\ & nh(1))/(cosh(1) - sinh(1))) - (c^3*d^2*x - c*x*cosh(1)^2 - 2*c*x*cosh(1)*si \\ & nh(1) - c*x*sinh(1)^2 + (c*x*cosh(1) + c*x*sinh(1))*sqrt(-((c^2*d^2 - 1)*co \\ & sh(1) - (c^2*d^2 + 1)*sinh(1))/(cosh(1) - sinh(1))))*sqrt(-(c^2*x^2 - 1)/(c \\ & ^2*x^2)))/(x*cosh(1) + x*sinh(1) + d) + (2*b*c^4*d^5*x*cosh(1) + b*c^4*d^6 \\ & - 4*b*c^2*d^3*x*cosh(1)^3 + b*x^2*cosh(1)^6 + b*x^2*sinh(1)^6 + 2*b*d*x*co \\ & sh(1)^5 + 2*(3*b*x^2*cosh(1) + b*d*x)*sinh(1)^5 - (2*b*c^2*d^2*x^2 - b*d^2) \\ & *cosh(1)^4 - (2*b*c^2*d^2*x^2 - 15*b*x^2*cosh(1)^2 - 10*b*d*x*cosh(1) - b*d \\ & ^2)*sinh(1)^4 - 4*(b*c^2*d^3*x - 5*b*x^2*cosh(1)^3 - 5*b*d*x*cosh(1)^2 + (2 \\ & *b*c^2*d^2*x^2 - b*d^2)*cosh(1))*sinh(1)^3 + (b*c^4*d^4*x^2 - 2*b*c^2*d^4)* \\ & cosh(1)^2 + (b*c^4*d^4*x^2 - 12*b*c^2*d^3*x*cosh(1) - 2*b*c^2*d^4 + 15*b*x^ \\ & 2*cosh(1)^4 + 20*b*d*x*cosh(1)^3 - 6*(2*b*c^2*d^2*x^2 - b*d^2)*cosh(1)^2)*s \\ & inh(1)^2 + 2*(b*c^4*d^5*x - 6*b*c^2*d^3*x*cosh(1)^2 + 3*b*x^2*cosh(1)^5 + 5 \\ & *b*d*x*cosh(1)^4 - 2*(2*b*c^2*d^2*x^2 - b*d^2)*cosh(1)^3 + (b*c^4*d^4*x^2 - \\ & 2*b*c^2*d^4)*cosh(1))*sinh(1))*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1 \\ &)/x) + (b*c^4*d^6 - 2*b*c^2*d^4*cosh(1)^2 + b*d^2*cosh(1)^4 + 4*b*d^2*cosh \\ & (1)*sinh(1)^3 + b*d^2*sinh(1)^4 - 2*(b*c^2*d^4 - 3*b*d^2*cosh(1)^2)*sinh(1)^ \\ & 2 - 4*(b*c^2*d^4*cosh(1) - b*d^2*cosh(1)^3)*sinh(1))*log((c*x*sqrt(-(c^2*x^ \\ & 2 - 1)/(c^2*x^2)) + 1)/(c*x)) - 2*(3*b*c^2*d^3*x*cosh(1)^2 + (2*a + b)*c^2* \\ & d^4*cosh(1) - 3*b*x^2*cosh(1)^5 - 5*b*d*x*cosh(1)^4 + 2*(b*c^2*d^2*x^2 - (a \\ & + b)*d^2)*cosh(1)^3)*sinh(1) - (b*c^3*d^3*x^2*cosh(1)^3 + b*c^3*d^4*x*cosh \\ & (1)^2 - b*c*d*x^2*cosh(1)^5 - b*c*d*x^2*sinh(1)^5 - b*c*d^2*x*cosh(1)^4 - (\\ & 5*b*c*d*x^2*cosh(1) + b*c*d^2*x)*sinh(1)^4 + (b*c^3*d^3*x^2 - 10*b*c*d*x^2* \\ & cosh(1)^2 - 4*b*c*d^2*x*cosh(1))*sinh(1)^3 + (3*b*c^3*d^3*x^2*cosh(1) + b*c \\ & ^3*d^4*x - 10*b*c*d*x^2*cosh(1)^3 - 6*b*c*d^2*x*cosh(1)^2)*sinh(1)^2 + (3*b \\ & *c^3*d^3*x^2*cosh(1)^2 + 2*b*c^3*d^4*x*cosh(1) - 5*b*c*d*x^2*cosh(1)^4 - 4* \\ & b*c*d^2*x*cosh(1)^3)*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/(2*c^4*d^7*x* \end{aligned}$$

$\cosh(1)^2 + c^4 d^8 \cosh(1) - 4c^2 d^5 x \cosh(1)^4 + d^2 x^2 \cosh(1)^7 + d^2 x^2 \sinh(1)^7 + 2d^3 x \cosh(1)^6 + (7d^2 x^2 \cosh(1) + 2d^3 x) \sinh(1)^6 - (2c^2 d^4 x^2 - d^4) \cosh(1)^5 - (2c^2 d^4 x^2 - 21d^2 x^2 \cosh(1)^2 - 12d^3 x \cosh(1) - d^4) \sinh(1)^5 - (4c^2 d^5 x - 35d^2 x^2 \cosh(1)^3 - 30d^3 x \cosh(1)^2 + 5(2c^2 d^4 x^2 - d^4) \cosh(1)) \sinh(1)^4 + (c^4 d^6 x^2 - 2c^2 d^6) \cosh(1)^3 + (c^4 d^6 x^2 - 16c^2 d^5 x \cosh(1) - 2c^2 d^6 + 35d^2 x^2 \cosh(1)^4 + 40d^3 x \cosh(1)^3 - 10(2c^2 d^4 x^2 - d^4) \cosh(1)^2) \sinh(1)^3 + (2c^4 d^7 x - 24c^2 d^5 x \cosh(1)^2 + 21d^2 x^2 \cosh(1)^5 + 30d^3 x \cosh(1)^4 - 10(2c^2 d^4 x^2 - d^4) \cosh(1)^3 + 3(c^4 d^6 x^2 - 2c^2 d^6) \cosh(1)) \sinh(1)^2 + (4c^4 d^7 x \cosh(1) + c^4 d^8 - 16c^2 d^5 x \cosh(1)^3 + 7d^2 x^2 \cosh(1)^6 + 12d^3 x \cosh(1)^5 - 5(2c^2 d^4 x^2 - d^4) \cosh(1)^4 + 3(c^4 d^6 x^2 - 2c^2 d^6) \cosh(1)^2) \sinh(1)$, $-1/2(a c^4 d^6 - 2b c^2 d^3 x \cosh(1)^3 - (2a + b) c^2 d^4 \cosh(1)^2 + b x^2 \cosh(1)^6 + b x^2 \sinh(1)^6 + 2b d x \cosh(1)^5 + 2(3b x^2 \cosh(1) + b d x) \sinh(1)^5 - (b c^2 d^2 x^2 - (a + b) d^2) \cosh(1)^4 - (b c^2 d^2 x^2 - 15b x^2 \cosh(1)^2 - 10b d x \cosh(1) - (a + b) d^2) \sinh(1)^4 - 2(b c^2 d^3 x - 10b x^2 \cosh(1)^3 - 10b d x \cosh(1)^2 + 2(b c^2 d^2 x^2 - (a + b) d^2) \cosh(1)) \sinh(1)^3 - (6b c^2 d^3 x \cosh(1) + (2a + b) c^2 d^4 - 15b x^2 \cosh(1)^4 - 20b d x \cosh(1)^3 + 6(b c^2 d^2 x^2 - (a + b) d^2) \cosh(1)^2) \sinh(1)^2 - 2(4b c^2 d^3 x \cosh(1)^2 + 2b c^2 d^4 \cosh(1) - b x^2 \cosh(1)^5 - b x^2 \sinh(1)^5 - 2b d x \cosh(1)^4 - (5b x^2 \cosh(1) + 2b d x) \sinh(1)^4 + (2b c^2 d^2 x^2 - b d^2) \cosh(1)^3 + (2b c^2 d^2 x^2 - 10b x^2 \cosh(1)^2 - 8b d x \cosh(1) - b d^2) \sinh(1)^3 + (4b c^2 d^3 x - 10b x^2 \cosh(1)^3 - 12b d x \cosh(1)^2 \dots$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{(d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/(e*x+d)**3,x)

[Out] Integral((a + b*asech(c*x))/(d + e*x)**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x+d)^3,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/(e*x + d)^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{(d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(d + e*x)^3, x)

[Out] int((a + b*acosh(1/(c*x)))/(d + e*x)^3, x)

3.81 $\int (d + ex)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=343

$$\frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{d+ex}\sqrt{1-c^2x^2}}{15c^2} + \frac{2(d+ex)^{5/2}(a+b\operatorname{sech}^{-1}(cx))}{5e} - \frac{28bd\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{d+ex}}{15c^2}$$

[Out] $2/5*(e*x+d)^{(5/2)}*(a+b*\operatorname{arcsech}(c*x))/e-28/15*b*d*\operatorname{EllipticE}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x+d)^{(1/2)}/c/(c*(e*x+d)/(c*d+e))^{(1/2)}-4/15*b*(2*c^2*d^2+e^2)*\operatorname{EllipticF}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}/c^3/(e*x+d)^{(1/2)}-4/5*b*d^3*\operatorname{EllipticPi}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}/e/(e*x+d)^{(1/2)}-4/15*b*e*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x+d)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2$

Rubi [A]

time = 0.45, antiderivative size = 343, normalized size of antiderivative = 1.00, number of steps used = 21, number of rules used = 12, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {6423, 972, 733, 430, 946, 174, 552, 551, 858, 435, 945, 1598}

$$\frac{2(d+ex)^{5/2}(a+b\operatorname{sech}^{-1}(cx))}{5e} - \frac{4b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(2c^2d^2+e^2)\sqrt{\frac{cd+ex}{cd+e}}F\left(\operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2c}{1+c}\right)}{15c^3\sqrt{d+ex}} - \frac{4bd\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{\frac{cd+ex}{cd+e}}E\left(2,\operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2c}{1+c}\right)}{5e\sqrt{d+ex}} - \frac{28bd\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{d+ex}E\left(\operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2c}{1+c}\right)}{15c\sqrt{\frac{cd+ex}{cd+e}}} - \frac{4be\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}\sqrt{d+ex}}{15c^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d + e*x)^{(3/2)}*(a + b*\operatorname{ArcSech}[c*x]), x]$

[Out] $(-4*b*e*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[d + e*x]*\operatorname{Sqrt}[1 - c^2*x^2])/ (15*c^2) + (2*(d + e*x)^{(5/2)}*(a + b*\operatorname{ArcSech}[c*x]))/(5*e) - (28*b*d*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[d + e*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[1 - c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d + e))]/(15*c*\operatorname{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (4*b*(2*c^2*d^2 + e^2)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[(c*(d + e*x))/(c*d + e)]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[1 - c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d + e))]/(15*c^3*\operatorname{Sqrt}[d + e*x]) - (4*b*d^3*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[(c*(d + e*x))/(c*d + e)]*\operatorname{EllipticPi}[2, \operatorname{ArcSin}[\operatorname{Sqrt}[1 - c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d + e)])/(5*e*\operatorname{Sqrt}[d + e*x])$

Rule 174

$\operatorname{Int}[1/(((a_.) + (b_.)*(x_))*\operatorname{Sqrt}[(c_.) + (d_.)*(x_)]*\operatorname{Sqrt}[(e_.) + (f_.)*(x_)]*\operatorname{Sqrt}[(g_.) + (h_.)*(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/(\operatorname{Simp}[b*c - a*d - b*x^2, x]*\operatorname{Sqrt}[\operatorname{Simp}[(d*e - c*f)/d + f*(x^2/d), x]]*\operatorname{Sqrt}[\operatorname{Simp}[(d*g - c*h)/d + h*(x^2/d), x]]), x], x, \operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, g, h\}, x \&\& \operatorname{GtQ}[(d*e - c*f)/d, 0]$

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c
/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a,
0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 551

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Simp[(1/(a*Sqrt[c]*Sqrt[e]*Rt[-d/c, 2]))*EllipticPi[b*
(c/(a*d)), ArcSin[Rt[-d/c, 2]*x], c*(f/(d*e))], x] /; FreeQ[{a, b, c, d, e,
f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && S
implerSqrtQ[-f/e, -d/c])
```

Rule 552

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/((a +
b*x^2)*Sqrt[1 + (d/c)*x^2]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e
, f}, x] && !GtQ[c, 0]
```

Rule 733

```
Int[((d_) + (e_.)*(x_))^(m_)/Sqrt[(a_) + (c_.)*(x_)^2], x_Symbol] := Dist[2
*a*Rt[-c/a, 2]*(d + e*x)^m*(Sqrt[1 + c*(x^2/a)]/(c*Sqrt[a + c*x^2]*(c*((d +
e*x)/(c*d - a*e*Rt[-c/a, 2]))))^m), Subst[Int[(1 + 2*a*e*Rt[-c/a, 2]*(x^2/
(c*d - a*e*Rt[-c/a, 2])))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-c/a, 2]*x)/
2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 858

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 945

```
Int[((d_) + (e_.)*(x_))^(m_)/(Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(
x_)^2]), x_Symbol] := Simp[2*e^2*(d + e*x)^(m - 2)*Sqrt[f + g*x]*(Sqrt[a +
```

```
c*x^2)/(c*g*(2*m - 1)), x] - Dist[1/(c*g*(2*m - 1)), Int[((d + e*x)^(m - 3)
)/(Sqrt[f + g*x]*Sqrt[a + c*x^2]))*Simp[a*e^2*(d*g + 2*e*f*(m - 2)) - c*d^3
*g*(2*m - 1) + e*(e*(a*e*g*(2*m - 3)) + c*d*(2*e*f - 3*d*g*(2*m - 1)))*x +
2*e^2*(c*e*f - 3*c*d*g)*(m - 1)*x^2, x], x] /; FreeQ[{a, c, d, e, f, g}
, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[2*m] && GeQ[
m, 2]
```

Rule 946

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_.) + (c_.)*(x_)
^2]), x_Symbol] := With[{q = Rt[-c/a, 2]}, Dist[1/Sqrt[a], Int[1/((d + e*x)
*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x] /; FreeQ[{a, c, d, e,
f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 972

```
Int[((f_.) + (g_.)*(x_))^(n_)/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (c_.)*(x_)
^2]), x_Symbol] := Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), (f
+ g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[
e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 1598

```
Int[(u_.)*(x_)^(m_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol]
:= Int[u*x^(m + n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, m, p, q}, x]
&& IntegerQ[n] && PosQ[q - p]
```

Rule 6423

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*((d_.) + (e_.)*(x_))^(m_.), x_Symbo
l] := Simp[(d + e*x)^(m + 1)*((a + b*ArcSech[c*x])/(e*(m + 1))), x] + Dist[
b*(Sqrt[1 + c*x]/(e*(m + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x)^(m + 1)/(x*S
qrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)^{3/2} (a+b\operatorname{sech}^{-1}(cx)) dx &= \frac{2(d+ex)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{5e} + \frac{\left(2b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \frac{(d+ex)}{x\sqrt{1-c^2x^2}}}{5e} \\
&= \frac{2(d+ex)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{5e} + \frac{\left(2b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \left(\frac{d+ex}{\sqrt{d+ex}}\right)}{5e} \\
&= \frac{2(d+ex)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{5e} + \frac{1}{5} \left(6bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \frac{d+ex}{\sqrt{d+ex}} \\
&= -\frac{4be \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{d+ex} \sqrt{1-c^2x^2}}{15c^2} + \frac{2(d+ex)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{5e} \\
&= -\frac{4be \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{d+ex} \sqrt{1-c^2x^2}}{15c^2} + \frac{2(d+ex)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{5e} \\
&= -\frac{4be \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{d+ex} \sqrt{1-c^2x^2}}{15c^2} + \frac{2(d+ex)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{5e} \\
&= -\frac{4be \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{d+ex} \sqrt{1-c^2x^2}}{15c^2} + \frac{2(d+ex)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{5e} \\
&= -\frac{4be \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{d+ex} \sqrt{1-c^2x^2}}{15c^2} + \frac{2(d+ex)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{5e}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 18.89, size = 2653, normalized size = 7.73

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x)^(3/2)*(a + b*ArcSech[c*x]),x]

[Out] Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[d + e*x]*((-4*b*e)/(15*c^2) - (4*b*e*x)/(15*c)) + Sqrt[d + e*x]*((2*a*d^2)/(5*e) + (4*a*d*x)/5 + (2*a*e*x^2)/5) + (2*b*(d + e*x)^(5/2)*ArcSech[c*x])/(5*e) - (4*b*(7*c*d*e*Sqrt[(1 - c*x)/(1 + c*x)])*(e - (e*(1 - c*x))/(1 + c*x) + c*d*(1 + (1 - c*x)/(1 + c*x))) + ((7*I)*c^2*d^2*e*(c*d + e)*Sqrt[1 + (1 - c*x)/(1 + c*x)]*Sqrt[(e - (e*(1 - c*x))/(1 + c*x) + c*d*(1 + (1 - c*x)/(1 + c*x)))]/(c*d + e))*(EllipticE[I*ArcSinh[Sqrt[(1 - c*x)/(1 + c*x)]], (c*d - e)/(c*d + e)] - EllipticF[I*ArcSinh[Sqrt[(1 - c*x)/(1 + c*x)]], (c*d - e)/(c*d + e)]))/(c*d - e) - ((7*I)*c*d*e^2*(c*d + e)*Sqrt[1 + (1 - c*x)/(1 + c*x)]*Sqrt[(e - (e*(1 - c*x))/(1 + c*x) + c*d*(1 + (1 - c*x)/(1 + c*x)))]/(c*d + e))*(EllipticE[I*ArcSinh[Sqrt[(1 - c*x)/(1 + c*x)]], (c*d - e)/(c*d + e)] - EllipticF[I*ArcSinh[Sqrt[(1 - c*x)/(1 + c*x)]], (c*d - e)/(c*d + e)]))/(c*d - e) + (3*I)*c^3*d^3*Sqrt[1 + (1 - c*x)/(1 + c*x)]*Sqrt[(e - (e*(1 - c*x))/(1 + c*x) + c*d*(1 + (1 - c*x)/(1 + c*x)))]/(c*d + e)*EllipticF[I*ArcSinh[Sqrt[(1 - c*x)/(1 + c*x)]], (c*d - e)/(c*d + e)] - (2*I)*c^2*d^2*e*Sqrt[1 + (1 - c*x)/(1 + c*x)]*Sqrt[(e - (e*(1 - c*x))/(1 + c*x) + c*d*(1 + (1 - c*x)/(1 + c*x)))]/(c*d + e)*EllipticF[I*ArcSinh[Sqrt[(1 - c*x)/(1 + c*x)]], (c*d - e)/(c*d + e)] - I*e^3*Sqrt[1 + (1 - c*x)/(1 + c*x)]*Sqrt[(e - (e*(1 - c*x))/(1 + c*x) + c*d*(1 + (1 - c*x)/(1 + c*x)))]/(c*d + e)*EllipticF[I*ArcSinh[Sqrt[(1 - c*x)/(1 + c*x)]], (c*d - e)/(c*d + e)] + ((3 + 3*I)*c^3*d^3*(-I + Sqrt[(1 - c*x)/(1 + c*x)])*(I + Sqrt[(1 - c*x)/(1 + c*x)])*Sqrt[((-I)*(Sqrt[-(c*d) - e]*Sqrt[c*d - e] + c*d*Sqrt[(1 - c*x)/(1 + c*x)] - e*Sqrt[(1 - c*x)/(1 + c*x)])]/(((-I)*c*d + Sqrt[-(c*d) - e]*Sqrt[c*d - e] + I*e)*(-I + Sqrt[(1 - c*x)/(1 + c*x)])))*Sqrt[((-I)*(Sqrt[-(c*d) - e]*Sqrt[c*d - e] - c*d*Sqrt[(1 - c*x)/(1 + c*x)] + e*Sqrt[(1 - c*x)/(1 + c*x)])]/((I*c*d + Sqrt[-(c*d) - e]*Sqrt[c*d - e] - I*e)*(-I + Sqrt[(1 - c*x)/(1 + c*x)])))*EllipticF[ArcSin[Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c*x)/(1 + c*x)])]/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)])))]], (Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])^2/(Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])^2 - (1 - I)*EllipticPi[(I*Sqrt[-(c*d) - e] - Sqrt[c*d - e])/(Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])], ArcSin[Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c*x)/(1 + c*x)])]/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)])))]], (Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])^2/(Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])^2))/Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c*x)/(1 + c*x)])]/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)])))] + ((3 + 3*I)*c^3*d^3*(1 + I*Sqrt[(1 - c*x)/(1 + c*x)])*(I + Sqrt[(1 - c*x)/(1 + c*x)])*Sqrt[((-I)*(Sqrt[-(c*d) - e]*Sqrt[c*d - e] + c

```

*d*Sqrt[(1 - c*x)/(1 + c*x)] - e*Sqrt[(1 - c*x)/(1 + c*x)))/((( -I)*c*d + S
qrt[-(c*d) - e]*Sqrt[c*d - e] + I*e)*(-I + Sqrt[(1 - c*x)/(1 + c*x)])))*Sqr
t[((( -I)*(Sqrt[-(c*d) - e]*Sqrt[c*d - e] - c*d*Sqrt[(1 - c*x)/(1 + c*x)] + e
*Sqrt[(1 - c*x)/(1 + c*x)])))/((I*c*d + Sqrt[-(c*d) - e]*Sqrt[c*d - e] - I*e
)*(-I + Sqrt[(1 - c*x)/(1 + c*x)])))]*(EllipticF[ArcSin[Sqrt[((Sqrt[-(c*d) -
e] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c*x)/(1 + c*x)])))/((Sqrt[-(c*d) - e]
+ I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)]))]]], (Sqrt[-(c*d) - e] +
I*Sqrt[c*d - e])^2/(Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])^2] - (1 + I)*Ellip
ticPi[((( -I)*Sqrt[-(c*d) - e] + Sqrt[c*d - e])/(Sqrt[-(c*d) - e] - I*Sqrt[c*
d - e]), ArcSin[Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c
*x)/(1 + c*x)])))/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)
/(1 + c*x)]))]]], (Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])^2/(Sqrt[-(c*d) - e] -
I*Sqrt[c*d - e])^2))/Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt
[(1 - c*x)/(1 + c*x)])))/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1
- c*x)/(1 + c*x)])))])))/(15*c^3*e*(1 + (1 - c*x)/(1 + c*x))*Sqrt[(c*d + e +
(c*d*(1 - c*x))/(1 + c*x) - (e*(1 - c*x))/(1 + c*x))/(c + (c*(1 - c*x))/(1
+ c*x)))]

```

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 817 vs. $2(302) = 604$.

time = 0.49, size = 818, normalized size = 2.38

method	result
derivativedivides	$\frac{2(e x+d)^{\frac{5}{2}} a+2 b}{(e x+d)^{\frac{5}{2}} \operatorname{arcsech}(c x)} - \frac{2 e^2 \sqrt{\frac{-c(e x+d)+c d+e}{c e x}} x \sqrt{\frac{-c(e x+d)+c d-e}{c e x}} \left(\sqrt{\frac{c}{c d+e}} c^2(e x+d)^{\frac{5}{2}}-2 \sqrt{\frac{c}{c d+e}} \right)}{(e x+d)^{\frac{5}{2}} \operatorname{arcsech}(c x)}$
default	$\frac{2(e x+d)^{\frac{5}{2}} a+2 b}{(e x+d)^{\frac{5}{2}} \operatorname{arcsech}(c x)} - \frac{2 e^2 \sqrt{\frac{-c(e x+d)+c d+e}{c e x}} x \sqrt{\frac{-c(e x+d)+c d-e}{c e x}} \left(\sqrt{\frac{c}{c d+e}} c^2(e x+d)^{\frac{5}{2}}-2 \sqrt{\frac{c}{c d+e}} \right)}{(e x+d)^{\frac{5}{2}} \operatorname{arcsech}(c x)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(3/2)*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)`

```

[Out] 2/e*(1/5*(e*x+d)^(5/2)*a+b*(1/5*(e*x+d)^(5/2)*arcsech(c*x)-2/15/c*e^2*((-c*
(e*x+d)+c*d+e)/c/e/x)^(1/2)*x*(-(-c*(e*x+d)+c*d-e)/c/e/x)^(1/2)*((c/(c*d+e)
)^(1/2)*c^2*(e*x+d)^(5/2)-2*(c/(c*d+e))^(1/2)*c^2*d*(e*x+d)^(3/2)+9*((-c*(e
*x+d)+c*d+e)/(c*d+e))^(1/2)*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*EllipticF((e
*x+d)^(1/2)*(c/(c*d+e))^(1/2),((c*d+e)/(c*d-e))^(1/2))*c^2*d^2-7*((-c*(e*x+
d)+c*d+e)/(c*d+e))^(1/2)*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*EllipticE((e*x+
d)^(1/2)*(c/(c*d+e))^(1/2),((c*d+e)/(c*d-e))^(1/2))*c^2*d^2-3*((-c*(e*x+d)+
c*d+e)/(c*d+e))^(1/2)*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*EllipticPi((e*x+d)

```

$$\begin{aligned} & \sqrt{\frac{c}{c*d+e}} \sqrt{\frac{1}{c*(c*d+e)/d}}, \sqrt{\frac{c}{c*d-e}} \sqrt{\frac{1}{c*(c*d+e)}} \\ & *c^2*d^2 + \sqrt{\frac{c}{c*d+e}} \sqrt{\frac{1}{c^2*d^2*(e*x+d)}} - 7*\sqrt{\frac{-c*(e*x+d)+c*d+e}{c*d+e}} \sqrt{\frac{-c*(e*x+d)+c*d-e}{c*d-e}} \\ & * \text{EllipticF}\left(\sqrt{\frac{e*x+d}{c*d+e}} \sqrt{\frac{c}{c*d+e}}\right), \sqrt{\frac{c*d+e}{c*d-e}} \sqrt{\frac{1}{c*d*e+7*\sqrt{\frac{-c*(e*x+d)+c*d+e}{c*d+e}}}} \\ & \sqrt{\frac{-c*(e*x+d)+c*d-e}{c*d-e}} \sqrt{\frac{1}{c*d+e}} \sqrt{\frac{1}{c*d+e}} \sqrt{\frac{1}{c*d+e}} \sqrt{\frac{1}{c*d+e}} \\ & * \text{EllipticE}\left(\sqrt{\frac{e*x+d}{c*d+e}} \sqrt{\frac{c}{c*d+e}}\right) \sqrt{\frac{1}{c*d+e}}, \sqrt{\frac{c*d+e}{c*d-e}} \sqrt{\frac{1}{c*d+e}} \\ & * \sqrt{\frac{-c*(e*x+d)+c*d-e}{c*d-e}} \sqrt{\frac{1}{c*d+e}} \sqrt{\frac{1}{c*d+e}} \sqrt{\frac{1}{c*d+e}} \\ & * \text{EllipticF}\left(\sqrt{\frac{e*x+d}{c*d+e}} \sqrt{\frac{c}{c*d+e}}\right) \sqrt{\frac{1}{c*d+e}}, \sqrt{\frac{c*d+e}{c*d-e}} \sqrt{\frac{1}{c*d+e}} \\ & * e^2 - \sqrt{\frac{c}{c*d+e}} \sqrt{\frac{1}{c*d+e}} \sqrt{\frac{1}{c*d+e}} \sqrt{\frac{1}{c*d+e}} \sqrt{\frac{1}{c*d+e}} \\ & * \sqrt{\frac{1}{c^2*(e*x+d)^2-2*c^2*d*(e*x+d)+c^2*d^2-e^2}} \end{aligned}$$

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(%e-c*d>0)', see 'assume?' for more details

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] integral((a*x*e + a*d + (b*x*e + b*d)*arcsech(c*x))*sqrt(x*e + d), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asech}(cx)) (d + ex)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**(3/2)*(a+b*asech(c*x)),x)

[Out] Integral((a + b*asech(c*x))*(d + e*x)**(3/2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x + d)^(3/2)*(b*arcsech(c*x) + a), x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \left(a + b \operatorname{acosh} \left(\frac{1}{cx} \right) \right) (d + ex)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acosh(1/(c*x)))*(d + e*x)^(3/2),x)
```

```
[Out] int((a + b*acosh(1/(c*x)))*(d + e*x)^(3/2), x)
```

3.82 $\int \sqrt{d+ex} (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=279

$$\frac{2(d+ex)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{3e} - \frac{4b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{d+ex} E\left(\operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{3c \sqrt{\frac{c(d+ex)}{cd+e}}} - \frac{4bd \sqrt{\frac{1}{1+cx}}}{3c \sqrt{\frac{c(d+ex)}{cd+e}}}$$

[Out] $2/3*(e*x+d)^{(3/2)}*(a+b*\operatorname{arcsech}(c*x))/e-4/3*b*\operatorname{EllipticE}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x+d)^{(1/2)}/c/(c*(e*x+d)/(c*d+e))^{(1/2)}-4/3*b*d*\operatorname{EllipticF}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}/c/(e*x+d)^{(1/2)}-4/3*b*d^2*\operatorname{EllipticPi}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}/e/(e*x+d)^{(1/2)})$

Rubi [A]

time = 0.26, antiderivative size = 279, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$, Rules used = {6423, 972, 733, 430, 946, 174, 552, 551, 858, 435}

$$\frac{2(d+ex)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{3e} - \frac{4bd^2 \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{\frac{c(d+ex)}{cd+e}} \operatorname{Pi}\left(2, \operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{3e \sqrt{d+ex}} - \frac{4bd \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{\frac{c(d+ex)}{cd+e}} F\left(\operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{3c \sqrt{d+ex}} - \frac{4b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{d+ex} E\left(\operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{3c \sqrt{\frac{c(d+ex)}{cd+e}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sqrt}[d + e*x]*(a + b*\operatorname{ArcSech}[c*x]), x]$

[Out] $(2*(d + e*x)^{(3/2)}*(a + b*\operatorname{ArcSech}[c*x]))/(3*e) - (4*b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[d + e*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[1 - c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d + e))]/(3*c*\operatorname{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (4*b*d*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[(c*(d + e*x))/(c*d + e)]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[1 - c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d + e))]/(3*c*\operatorname{Sqrt}[d + e*x]) - (4*b*d^2*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[(c*(d + e*x))/(c*d + e)]*\operatorname{EllipticPi}[2, \operatorname{ArcSin}[\operatorname{Sqrt}[1 - c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d + e))]/(3*e*\operatorname{Sqrt}[d + e*x])$

Rule 174

$\operatorname{Int}[1/(((a_.) + (b_.)*(x_))*\operatorname{Sqrt}[(c_.) + (d_.)*(x_)]*\operatorname{Sqrt}[(e_.) + (f_.)*(x_)]*\operatorname{Sqrt}[(g_.) + (h_.)*(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/(\operatorname{Simp}[b*c - a*d - b*x^2, x]*\operatorname{Sqrt}[\operatorname{Simp}[(d*e - c*f)/d + f*(x^2/d), x]]*\operatorname{Sqrt}[\operatorname{Simp}[(d*g - c*h)/d + h*(x^2/d), x]]), x], x, \operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, g, h\}, x] \&\& \operatorname{GtQ}[(d*e - c*f)/d, 0]$

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c
/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a,
0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 551

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Simp[(1/(a*Sqrt[c]*Sqrt[e]*Rt[-d/c, 2]))*EllipticPi[b*
(c/(a*d)), ArcSin[Rt[-d/c, 2]*x], c*(f/(d*e))], x] /; FreeQ[{a, b, c, d, e,
f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && S
implerSqrtQ[-f/e, -d/c])
```

Rule 552

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/((a +
b*x^2)*Sqrt[1 + (d/c)*x^2]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e
, f}, x] && !GtQ[c, 0]
```

Rule 733

```
Int[((d_) + (e_.)*(x_))^(m_)/Sqrt[(a_) + (c_.)*(x_)^2], x_Symbol] := Dist[2
*a*Rt[-c/a, 2]*(d + e*x)^m*(Sqrt[1 + c*(x^2/a)]/(c*Sqrt[a + c*x^2]*(c*((d +
e*x)/(c*d - a*e*Rt[-c/a, 2]))))^m), Subst[Int[(1 + 2*a*e*Rt[-c/a, 2]*(x^2/
(c*d - a*e*Rt[-c/a, 2])))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-c/a, 2]*x)/
2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 858

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 946

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)
^2]), x_Symbol] := With[{q = Rt[-c/a, 2]}, Dist[1/Sqrt[a], Int[1/((d + e*x)
*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x]] /; FreeQ[{a, c, d, e,
```

$f, g\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{GtQ}[a, 0]$

Rule 972

$\text{Int}[(f_.) + (g_.)*(x_)^n]/((d_.) + (e_.)*(x_))*\text{Sqrt}[(a_.) + (c_.)*(x_)^2], x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[1/(\text{Sqrt}[f + g*x]*\text{Sqrt}[a + c*x^2]), (f + g*x)^{n + 1/2}/(d + e*x), x], x] /; \text{FreeQ}\{a, c, d, e, f, g\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{IntegerQ}[n + 1/2]$

Rule 6423

$\text{Int}[(a_.) + \text{ArcSech}[c_.*(x_)]*(b_.)]*((d_.) + (e_.)*(x_))^m, x_Symbol] \rightarrow \text{Simp}[(d + e*x)^{m + 1}*(a + b*\text{ArcSech}[c*x])/(e*(m + 1)), x] + \text{Dist}[b*(\text{Sqrt}[1 + c*x]/(e*(m + 1)))*\text{Sqrt}[1/(1 + c*x)], \text{Int}[(d + e*x)^{m + 1}/(x*\text{Sqrt}[1 - c^2*x^2]), x], x] /; \text{FreeQ}\{a, b, c, d, e, m\}, x] \&\& \text{NeQ}[m, -1]$

Rubi steps

$$\begin{aligned}
\int \sqrt{d+ex} (a + b\operatorname{sech}^{-1}(cx)) dx &= \frac{2(d+ex)^{3/2} (a + b\operatorname{sech}^{-1}(cx))}{3e} + \frac{\left(2b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \frac{(d+ex)}{x\sqrt{1-cx}}}{3e} \\
&= \frac{2(d+ex)^{3/2} (a + b\operatorname{sech}^{-1}(cx))}{3e} + \frac{\left(2b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \left(\frac{\sqrt{d+ex}}{\sqrt{1-cx}}\right)}{3e} \\
&= \frac{2(d+ex)^{3/2} (a + b\operatorname{sech}^{-1}(cx))}{3e} + \frac{1}{3} \left(4bd\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \frac{\sqrt{d+ex}}{\sqrt{1-cx}} \\
&= \frac{2(d+ex)^{3/2} (a + b\operatorname{sech}^{-1}(cx))}{3e} + \frac{1}{3} \left(2b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \frac{\sqrt{d+ex}}{\sqrt{1-cx}} \\
&= \frac{2(d+ex)^{3/2} (a + b\operatorname{sech}^{-1}(cx))}{3e} - \frac{8bd\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{\frac{c(d+ex)}{cd+e}}}{3c\sqrt{d+ex}} \\
&= \frac{2(d+ex)^{3/2} (a + b\operatorname{sech}^{-1}(cx))}{3e} - \frac{4b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{d+ex} E\left(\sin^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d+ex}}\right)\right)}{3c\sqrt{\frac{c(d+ex)}{cd+e}}} \\
&= \frac{2(d+ex)^{3/2} (a + b\operatorname{sech}^{-1}(cx))}{3e} - \frac{4b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{d+ex} E\left(\sin^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d+ex}}\right)\right)}{3c\sqrt{\frac{c(d+ex)}{cd+e}}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 22.76, size = 2938, normalized size = 10.53

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[d + e*x]*(a + b*ArcSech[c*x]),x]

[Out] $\left(\frac{2ad}{3e} + \frac{2ax}{3}\right)\sqrt{d+ex} + \frac{2b(d+ex)^{3/2}\operatorname{ArcSech}[cx]}{3e} + 4b\left(-\frac{e\sqrt{(1-cx)/(1+cx)}}{1+cx}\right)\sqrt{c(1+(1-cx)/(1+cx))}\sqrt{c+(c(1-cx)/(1+cx))}\sqrt{\frac{cd+e+(cd(1-cx)/(1+cx)-(e(1-cx)/(1+cx)))/(c+(c(1-cx)/(1+cx)))}{c(1+(1-cx)/(1+cx))}} + \left(\frac{\sqrt{c(1+(1-cx)/(1+cx))}\sqrt{c+(c(1-cx)/(1+cx))}\sqrt{c(1+(1-cx)/(1+cx))}(cd+e+(cd(1-cx)/(1+cx)-(e(1-cx)/(1+cx)))\sqrt{\frac{cd+e+(cd(1-cx)/(1+cx)-(e(1-cx)/(1+cx))}{c+(c(1-cx)/(1+cx))}}}{(1+cx)-(e(1-cx)/(1+cx))}/(c+(c(1-cx)/(1+cx)))}\right)\left(\frac{Icd(-cd-e)e\sqrt{1+(1-cx)/(1+cx)}}{(-cd-e)(1+cx)}\sqrt{1-\frac{(cd-e)(1-cx)}{(-cd-e)(1+cx)}}}\right)\left(\frac{\operatorname{EllipticE}[I\operatorname{ArcSinh}[\sqrt{(1-cx)/(1+cx)}]]}{-((cd-e)/(-cd-e))} - \operatorname{EllipticF}[I\operatorname{ArcSinh}[\sqrt{(1-cx)/(1+cx)}]]{, -((cd-e)/(-cd-e))}\right)\left(\frac{1}{(cd-e)\sqrt{c(1+(1-cx)/(1+cx))}(cd+e+(cd(1-cx)/(1+cx)-(e(1-cx)/(1+cx)))}\right) - \frac{I(-cd-e)e^2\sqrt{1+(1-cx)/(1+cx)}}{\sqrt{1-\frac{(cd-e)(1-cx)}{(-cd-e)(1+cx)}}}\sqrt{1-\frac{(cd-e)(1-cx)}{(-cd-e)(1+cx)}}}\right)\left(\frac{\operatorname{EllipticE}[I\operatorname{ArcSinh}[\sqrt{(1-cx)/(1+cx)}]]}{-((cd-e)/(-cd-e))} - \operatorname{EllipticF}[I\operatorname{ArcSinh}[\sqrt{(1-cx)/(1+cx)}]]{, -((cd-e)/(-cd-e))}\right)\left(\frac{1}{(cd-e)\sqrt{c(1+(1-cx)/(1+cx))}(cd+e+(cd(1-cx)/(1+cx)-(e(1-cx)/(1+cx)))}\right) - \frac{Ic^2d^2\sqrt{1+(1-cx)/(1+cx)}}{\sqrt{1-\frac{(cd-e)(1-cx)}{(-cd-e)(1+cx)}}}\sqrt{1-\frac{(cd-e)(1-cx)}{(-cd-e)(1+cx)}}}\right)\left(\frac{\operatorname{EllipticF}[I\operatorname{ArcSinh}[\sqrt{(1-cx)/(1+cx)}]]}{\sqrt{c(1+(1-cx)/(1+cx))}(cd+e+(cd(1-cx)/(1+cx)-(e(1-cx)/(1+cx)))}\right) + \frac{Icd^2e\sqrt{1+(1-cx)/(1+cx)}}{\sqrt{1-\frac{(cd-e)(1-cx)}{(-cd-e)(1+cx)}}}\sqrt{1-\frac{(cd-e)(1-cx)}{(-cd-e)(1+cx)}}}\right)\left(\frac{\operatorname{EllipticF}[I\operatorname{ArcSinh}[\sqrt{(1-cx)/(1+cx)}]]}{-((cd-e)/(-cd-e))}\right)\left(\frac{1}{\sqrt{c(1+(1-cx)/(1+cx))}(cd+e+(cd(1-cx)/(1+cx)-(e(1-cx)/(1+cx)))}\right) + \frac{Ic^2d^2(I+\sqrt{-(cd-e)}/\sqrt{cd-e})}{\sqrt{cd-e}}\left(-I+\sqrt{\frac{1-cx}{1+cx}}\right)^2\sqrt{\left(\frac{\sqrt{-(cd-e)}-I\sqrt{cd-e}}{\sqrt{-(cd-e)}+I\sqrt{cd-e}}\right)\left(-I+\sqrt{\frac{1-cx}{1+cx}}\right)}\right)\sqrt{\left(\frac{I(-\sqrt{-(cd-e)}/\sqrt{cd-e})+\sqrt{\frac{1-cx}{1+cx}}}{(I+\sqrt{-(cd-e)}/\sqrt{cd-e})}\right)\left(-I+\sqrt{\frac{1-cx}{1+cx}}\right)}\right)\sqrt{\left(\frac{I(\sqrt{-(cd-e)}/\sqrt{cd-e})+\sqrt{\frac{1-cx}{1+cx}}}{(I-\sqrt{-(cd-e)}/\sqrt{cd-e})}\right)\left(-I+\sqrt{\frac{1-cx}{1+cx}}\right)}\right)\left(\frac{1}{(1+I)\operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{\frac{(\sqrt{-(cd-e)}-I\sqrt{cd-e})(I+\sqrt{\frac{1-cx}{1+cx}})}{(\sqrt{-(cd-e)}+I\sqrt{cd-e})(-I+\sqrt{\frac{1-cx}{1+cx}})})}]}{(\sqrt{-(cd-e)}+I\sqrt{cd-e})(-I+\sqrt{\frac{1-cx}{1+cx}})}\right)}\right)\left(\frac{(\sqrt{-(cd-e)}+I\sqrt{cd-e})^2}{(\sqrt{-(cd-e)}-I\sqrt{cd-e})^2} - (2I)\operatorname{EllipticPi}\left[\frac{(-I)(I+\sqrt{-(cd-e)}/\sqrt{cd-e})}{(-I+\sqrt{-(cd-e)}/\sqrt{cd-e})}, \operatorname{ArcSin}\left[\sqrt{\frac{(\sqrt{-(cd-e)}-I\sqrt{cd-e})(I+\sqrt{\frac{1-cx}{1+cx}})}{(\sqrt{-(cd-e)}+I\sqrt{cd-e})(-I+\sqrt{\frac{1-cx}{1+cx}})})}\right]\right)\right)\left(\frac{(\sqrt{-(cd-e)}+I\sqrt{cd-e})^2}{(\sqrt{-(cd-e)}-I\sqrt{cd-e})^2}\right)\left(\frac{1}{(I-\sqrt{-(cd-e)}/\sqrt{cd-e})\sqrt{c(1+(1-cx)/(1+cx))}(cd+e+(cd(1-cx)/(1+cx)-(e(1-cx)/(1+cx)))}\right) - \frac{Ic^2d^2(I+\sqrt{-(cd-e)}/\sqrt{cd-e})}{\sqrt{cd-e}}\left(-I+\sqrt{\frac{1-cx}{1+cx}}\right)^2\sqrt{\left(\frac{\sqrt{-(cd-e)}-I\sqrt{cd-e}}{\sqrt{-(cd-e)}+I\sqrt{cd-e}}\right)\left(-I+\sqrt{\frac{1-cx}{1+cx}}\right)}\right)\left(\frac{1}{(\sqrt{-(cd-e)}-I\sqrt{cd-e})}\right)$

$$\begin{aligned}
& + I \sqrt{c*d - e} * (-I + \sqrt{(1 - c*x)/(1 + c*x)}) * \sqrt{(I * (-\sqrt{-(c*d) - e} / \sqrt{c*d - e}) + \sqrt{(1 - c*x)/(1 + c*x)}) / ((I + \sqrt{-(c*d) - e} / \sqrt{c*d - e}) * (-I + \sqrt{(1 - c*x)/(1 + c*x)}))} * \sqrt{(I * (\sqrt{-(c*d) - e} / \sqrt{c*d - e} + \sqrt{(1 - c*x)/(1 + c*x)})) / ((I - \sqrt{-(c*d) - e} / \sqrt{c*d - e}) * (-I + \sqrt{(1 - c*x)/(1 + c*x)}))} * ((-1 + I) * \text{EllipticF}[\text{ArcSin}[\sqrt{((\sqrt{-(c*d) - e} - I * \sqrt{c*d - e}) * (I + \sqrt{(1 - c*x)/(1 + c*x)})) / ((\sqrt{-(c*d) - e} + I * \sqrt{c*d - e}) * (-I + \sqrt{(1 - c*x)/(1 + c*x)}))}], (\sqrt{-(c*d) - e} + I * \sqrt{c*d - e})^2 / ((\sqrt{-(c*d) - e} - I * \sqrt{c*d - e})^2 - (2 * I) * \text{EllipticPi}[(I * (I + \sqrt{-(c*d) - e} / \sqrt{c*d - e})) / (-I + \sqrt{-(c*d) - e} / \sqrt{c*d - e}), \text{ArcSin}[\sqrt{((\sqrt{-(c*d) - e} - I * \sqrt{c*d - e}) * (I + \sqrt{(1 - c*x)/(1 + c*x)})) / ((\sqrt{-(c*d) - e} + I * \sqrt{c*d - e}) * (-I + \sqrt{(1 - c*x)/(1 + c*x)}))}], (\sqrt{-(c*d) - e} + I * \sqrt{c*d - e})^2 / ((\sqrt{-(c*d) - e} - I * \sqrt{c*d - e})^2)])) / ((I - \sqrt{-(c*d) - e} / \sqrt{c*d - e}) * \sqrt{c * (1 + (1 - c*x)/(1 + c*x)) * (c*d + e + ((c*d - e) * (1 - c*x)) / (1 + c*x))}) / (c * (1 + (1 - c*x)/(1 + c*x)) * (c*d + e + (c*d * (1 - c*x)) / (1 + c*x) - (e * (1 - c*x)) / (1 + c*x)))) / (3 * c * e)
\end{aligned}$$

Maple [A]

time = 0.44, size = 413, normalized size = 1.48

method	result
derivativedivides	$ \frac{2(e*x+d)^{\frac{3}{2}}a}{3} + 2b \left(\frac{(e*x+d)^{\frac{3}{2}} \text{arcsech}(c*x)}{3} - \frac{2e^2 \sqrt{\frac{-c(e*x+d)+cd+e}{cex}} x \sqrt{\frac{-c(e*x+d)+cd-e}{cex}} \left(2 \text{EllipticF} \left(\sqrt{ex+d} \right) \right)}{\right) $
default	$ \frac{2(e*x+d)^{\frac{3}{2}}a}{3} + 2b \left(\frac{(e*x+d)^{\frac{3}{2}} \text{arcsech}(c*x)}{3} - \frac{2e^2 \sqrt{\frac{-c(e*x+d)+cd+e}{cex}} x \sqrt{\frac{-c(e*x+d)+cd-e}{cex}} \left(2 \text{EllipticF} \left(\sqrt{ex+d} \right) \right)}{\right) $

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(1/2)*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)`

[Out] $2/e*(1/3*(e*x+d)^{(3/2)}*a+b*(1/3*(e*x+d)^{(3/2)}*\text{arcsech}(c*x)-2/3*e^2*((-c*(e*x+d)+c*d+e)/c/e/x)^{(1/2)}*x*((-c*(e*x+d)+c*d-e)/c/e/x)^{(1/2)}*(2*\text{EllipticF}((e*x+d)^{(1/2)}*(c/(c*d+e))^{(1/2)},((c*d+e)/(c*d-e))^{(1/2)})*c*d-\text{EllipticE}((e*x+d)^{(1/2)}*(c/(c*d+e))^{(1/2)},((c*d+e)/(c*d-e))^{(1/2)})*c*d-\text{EllipticPi}((e*x+d)^{(1/2)}*(c/(c*d+e))^{(1/2)},1/c*(c*d+e)/d,(c/(c*d-e))^{(1/2)}/(c/(c*d+e))^{(1/2)})*c*d-\text{EllipticF}((e*x+d)^{(1/2)}*(c/(c*d+e))^{(1/2)},((c*d+e)/(c*d-e))^{(1/2)})*e+\text{EllipticE}((e*x+d)^{(1/2)}*(c/(c*d+e))^{(1/2)},((c*d+e)/(c*d-e))^{(1/2)})*e)*((-c*(e*x+d)+c*d-e)/(c*d-e))^{(1/2)}*((-c*(e*x+d)+c*d+e)/(c*d+e))^{(1/2)}/(c/(c*d+e))^{(1/2)}/(c^2*(e*x+d)^2-2*c^2*d*(e*x+d)+c^2*d^2-e^2))$

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^(1/2)*(a+b*arcsech(c*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(%e-c*d>0)', see 'assume?' for more details

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^(1/2)*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] integral((b*arcsech(c*x) + a)*sqrt(x*e + d), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asech}(cx)) \sqrt{d + ex} \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**(1/2)*(a+b*asech(c*x)),x)

[Out] Integral((a + b*asech(c*x))*sqrt(d + e*x), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^(1/2)*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate(sqrt(e*x + d)*(b*arcsech(c*x) + a), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right) \sqrt{d + ex} \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acosh(1/(c*x)))*(d + e*x)^(1/2), x)
```

```
[Out] int((a + b*acosh(1/(c*x)))*(d + e*x)^(1/2), x)
```

$$3.83 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{\sqrt{d+ex}} dx$$

Optimal. Leaf size=187

$$\frac{2\sqrt{d+ex} (a + b\operatorname{sech}^{-1}(cx))}{e} - \frac{4b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{\frac{c(d+ex)}{cd+e}} F\left(\operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \Big|_{\frac{2e}{cd+e}}\right)}{c\sqrt{d+ex}} - \frac{4bd\sqrt{\frac{1}{1-cx}}}{e}$$

[Out] $2*(a+b*\operatorname{arcsech}(c*x))*(e*x+d)^{(1/2)}/e-4*b*\operatorname{EllipticF}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}/c/(e*x+d)^{(1/2)}-4*b*d*\operatorname{EllipticPi}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}/e/(e*x+d)^{(1/2)}$

Rubi [A]

time = 0.17, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$,

Rules used = {6423, 958, 733, 430, 946, 174, 552, 551}

$$\frac{2\sqrt{d+ex} (a + b\operatorname{sech}^{-1}(cx))}{e} - \frac{4b\sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{\frac{c(d+ex)}{cd+e}} F\left(\operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \Big|_{\frac{2e}{cd+e}}\right)}{c\sqrt{d+ex}} - \frac{4bd\sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{\frac{c(d+ex)}{cd+e}} \Pi\left(2; \operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \Big|_{\frac{2e}{cd+e}}\right)}{e\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*ArcSech[c*x])/Sqrt[d + e*x], x]`

[Out] $(2*\operatorname{Sqrt}[d + e*x]*(a + b*\operatorname{ArcSech}[c*x]))/e - (4*b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[(c*(d + e*x))/(c*d + e)]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[1 - c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d + e)]/(c*\operatorname{Sqrt}[d + e*x]) - (4*b*d*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[(c*(d + e*x))/(c*d + e)]*\operatorname{EllipticPi}[2, \operatorname{ArcSin}[\operatorname{Sqrt}[1 - c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d + e)]/(e*\operatorname{Sqrt}[d + e*x])$

Rule 174

`Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol] := Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + f*(x^2/d), x]]*Sqrt[Simp[(d*g - c*h)/d + h*(x^2/d), x]]), x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]`

Rule 430

`Int[1/(Sqrt[(a_.) + (b_.)*(x_)^2]*Sqrt[(c_.) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])`

Rule 551

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Simp[(1/(a*Sqrt[c]*Sqrt[e]*Rt[-d/c, 2]))*EllipticPi[b*(c/(a*d)), ArcSin[Rt[-d/c, 2]*x], c*(f/(d*e))], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-f/e, -d/c])
```

Rule 552

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d/c)*x^2]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 733

```
Int[((d_) + (e_.)*(x_))^(m_)/Sqrt[(a_) + (c_.)*(x_)^2], x_Symbol] := Dist[2*a*Rt[-c/a, 2]*(d + e*x)^m*(Sqrt[1 + c*(x^2/a)]/(c*Sqrt[a + c*x^2]*(c*((d + e*x)/(c*d - a*e*Rt[-c/a, 2]))))^m), Subst[Int[(1 + 2*a*e*Rt[-c/a, 2]*(x^2/(c*d - a*e*Rt[-c/a, 2])))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-c/a, 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 946

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := With[{q = Rt[-c/a, 2]}, Dist[1/Sqrt[a], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 958

```
Int[Sqrt[(f_.) + (g_.)*(x_)]/(((d_.) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := Dist[g/e, Int[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] + Dist[(e*f - d*g)/e, Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 6423

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*((d_.) + (e_.)*(x_))^(m_.), x_Symbol] := Simp[(d + e*x)^(m + 1)*((a + b*ArcSech[c*x])/(e*(m + 1))), x] + Dist[b*(Sqrt[1 + c*x]/(e*(m + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x)^(m + 1)/(x*Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{\sqrt{d + ex}} dx &= \frac{2\sqrt{d + ex} (a + b \operatorname{sech}^{-1}(cx))}{e} + \frac{\left(2b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \int \frac{\sqrt{d + ex}}{x\sqrt{1 - c^2x^2}} dx}{e} \\
&= \frac{2\sqrt{d + ex} (a + b \operatorname{sech}^{-1}(cx))}{e} + \left(2b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \int \frac{1}{\sqrt{d + ex} \sqrt{1 - c^2x^2}} dx \\
&= \frac{2\sqrt{d + ex} (a + b \operatorname{sech}^{-1}(cx))}{e} + \frac{\left(2bd\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \int \frac{1}{x\sqrt{1 - cx} \sqrt{1 + cx}} dx}{e} \\
&= \frac{2\sqrt{d + ex} (a + b \operatorname{sech}^{-1}(cx))}{e} - \frac{4b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{\frac{c(d + ex)}{cd + e}} F\left(\sin^{-1}\left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}}\right)\right)}{c\sqrt{d + ex}} \\
&= \frac{2\sqrt{d + ex} (a + b \operatorname{sech}^{-1}(cx))}{e} - \frac{4b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{\frac{c(d + ex)}{cd + e}} F\left(\sin^{-1}\left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}}\right)\right)}{c\sqrt{d + ex}} \\
&= \frac{2\sqrt{d + ex} (a + b \operatorname{sech}^{-1}(cx))}{e} - \frac{4b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{\frac{c(d + ex)}{cd + e}} F\left(\sin^{-1}\left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}}\right)\right)}{c\sqrt{d + ex}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 14.18, size = 1707, normalized size = 9.13



Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcSech[c*x])/Sqrt[d + e*x], x]
```

```
[Out] (2*a*Sqrt[d + e*x])/e + (2*b*Sqrt[d + e*x]*ArcSech[c*x])/e - ((4*I)*b*Sqrt[
(c*d + e + (c*d*(1 - c*x))/(1 + c*x) - (e*(1 - c*x))/(1 + c*x))/(c + (c*(1
- c*x))/(1 + c*x))]*(2*c*d*Sqrt[(-I)*(Sqrt[-(c*d) - e]*Sqrt[c*d - e] + c*d
*Sqrt[(1 - c*x)/(1 + c*x)] - e*Sqrt[(1 - c*x)/(1 + c*x)])])/((-I)*c*d + Sqr
```



```

t[-(c*d) - e]*Sqrt[c*d - e] + I*e)*(-I + Sqrt[(1 - c*x)/(1 + c*x)])]*Sqrt[
((-I)*(Sqrt[-(c*d) - e]*Sqrt[c*d - e] - c*d*Sqrt[(1 - c*x)/(1 + c*x)] + e*S
qrt[(1 - c*x)/(1 + c*x])))/((I*c*d + Sqrt[-(c*d) - e]*Sqrt[c*d - e] - I*e)*
(-I + Sqrt[(1 - c*x)/(1 + c*x)]))]*(1 + (1 - c*x)/(1 + c*x))*EllipticF[ArcS
in[Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c*x)/(1 + c*x)
])))/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)]))
]], (Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])^2/(Sqrt[-(c*d) - e] - I*Sqrt[c*d -
e])^2 + (c*d - e)*Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt[(1
- c*x)/(1 + c*x])))/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1 -
c*x)/(1 + c*x)]))]*Sqrt[1 + (1 - c*x)/(1 + c*x)]*Sqrt[(e - (e*(1 - c*x))/(1
+ c*x) + c*d*(1 + (1 - c*x)/(1 + c*x)))/(c*d + e)]*EllipticF[I*ArcSinh[Sqr
t[(1 - c*x)/(1 + c*x)]], (c*d - e)/(c*d + e)] + (2*I)*c*d*Sqrt[((-I)*(Sqrt[
-(c*d) - e]*Sqrt[c*d - e] + c*d*Sqrt[(1 - c*x)/(1 + c*x)] - e*Sqrt[(1 - c*x
)/(1 + c*x])))/((-I)*c*d + Sqrt[-(c*d) - e]*Sqrt[c*d - e] + I*e)*(-I + Sqr
t[(1 - c*x)/(1 + c*x)]))]*Sqrt[((-I)*(Sqrt[-(c*d) - e]*Sqrt[c*d - e] - c*d*
Sqrt[(1 - c*x)/(1 + c*x)] + e*Sqrt[(1 - c*x)/(1 + c*x])))/((I*c*d + Sqrt[-(
c*d) - e]*Sqrt[c*d - e] - I*e)*(-I + Sqrt[(1 - c*x)/(1 + c*x)]))]*(1 + (1 -
c*x)/(1 + c*x))*(EllipticPi[(I*Sqrt[-(c*d) - e] - Sqrt[c*d - e])/(Sqrt[-(c
*d) - e] - I*Sqrt[c*d - e]), ArcSin[Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d -
e])*(I + Sqrt[(1 - c*x)/(1 + c*x)])))/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*
(-I + Sqrt[(1 - c*x)/(1 + c*x)]))]], (Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])^2
/(Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])^2 - EllipticPi[(-I)*Sqrt[-(c*d) - e
] + Sqrt[c*d - e])/(Sqrt[-(c*d) - e] - I*Sqrt[c*d - e]), ArcSin[Sqrt[((Sqrt
[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c*x)/(1 + c*x)])))/((Sqrt[-(c
*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)]))]], (Sqrt[-(c*
d) - e] + I*Sqrt[c*d - e])^2/(Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])^2)))/(e*
Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c*x)/(1 + c*x)]))
]/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)]))]*(
e - (e*(1 - c*x))/(1 + c*x) + c*d*(1 + (1 - c*x)/(1 + c*x))))

```

Maple [A]

time = 0.44, size = 286, normalized size = 1.53

method	result
derivativedivides	$2\sqrt{ex+d}^{a+2b} \left(\sqrt{ex+d} \operatorname{arcsech}(cx) - \frac{2ce^2 \sqrt{\frac{-c(ex+d)+cd+e}{cex}} x \sqrt{\frac{-c(ex+d)+cd-e}{cex}} \left(\operatorname{EllipticF}\left(\sqrt{e}\right)}{\dots} \right)}{\dots} \right)$
default	$2\sqrt{ex+d}^{a+2b} \left(\sqrt{ex+d} \operatorname{arcsech}(cx) - \frac{2ce^2 \sqrt{\frac{-c(ex+d)+cd+e}{cex}} x \sqrt{\frac{-c(ex+d)+cd-e}{cex}} \left(\operatorname{EllipticF}\left(\sqrt{e}\right)}{\dots} \right)}{\dots} \right)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsech(c*x))/(e*x+d)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] 2/e*((e*x+d)^(1/2)*a+b*((e*x+d)^(1/2)*arcsech(c*x)-2*c*e^2*(-c*(e*x+d)+c*d
+e)/c/e/x)^(1/2)*x*(-(-c*(e*x+d)+c*d-e)/c/e/x)^(1/2)*(EllipticF((e*x+d)^(1/
2)*(c/(c*d+e))^(1/2),((c*d+e)/(c*d-e))^(1/2))-EllipticPi((e*x+d)^(1/2)*(c/(
c*d+e))^(1/2),1/c*(c*d+e)/d,(c/(c*d-e))^(1/2)/(c/(c*d+e))^(1/2)))*((-c*(e*x
+d)+c*d-e)/(c*d-e))^(1/2)*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)/(c^2*(e*x+d)^2
-2*c^2*d*(e*x+d)+c^2*d^2-e^2)/(c/(c*d+e))^(1/2)))
```

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/(e*x+d)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(%e-c*d>0)', see 'assume?' for more
details
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/(e*x+d)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((b*arcsech(c*x) + a)/sqrt(x*e + d), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{\sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asech(c*x))/(e*x+d)**(1/2),x)
```

```
[Out] Integral((a + b*asech(c*x))/sqrt(d + e*x), x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/sqrt(e*x + d), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{\sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(d + e*x)^(1/2),x)

[Out] int((a + b*acosh(1/(c*x)))/(d + e*x)^(1/2), x)

$$3.84 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex)^{3/2}} dx$$

Optimal. Leaf size=105

$$\frac{2(a+b\operatorname{sech}^{-1}(cx))}{e\sqrt{d+ex}} + \frac{4b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{e\sqrt{d+ex}}$$

[Out] $-2*(a+b*\operatorname{arcsech}(c*x))/e/(e*x+d)^{(1/2)}+4*b*\operatorname{EllipticPi}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)}, 2, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}/e/(e*x+d)^{(1/2)})$

Rubi [A]

time = 0.12, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {6423, 946, 174, 552, 551}

$$\frac{4b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{e\sqrt{d+ex}} - \frac{2(a+b\operatorname{sech}^{-1}(cx))}{e\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*ArcSech[c*x])/(d + e*x)^(3/2), x]`

[Out] $(-2*(a + b*\operatorname{ArcSech}[c*x]))/(e*\operatorname{Sqrt}[d + e*x]) + (4*b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[(c*(d + e*x))/(c*d + e)]*\operatorname{EllipticPi}[2, \operatorname{ArcSin}[\operatorname{Sqrt}[1 - c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d + e)])/(e*\operatorname{Sqrt}[d + e*x])$

Rule 174

`Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol] := Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + f*(x^2/d), x]]*Sqrt[Simp[(d*g - c*h)/d + h*(x^2/d), x]]), x], x, Sqrt[c + d*x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]`

Rule 551

`Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Simp[(1/(a*Sqrt[c]*Sqrt[e]*Rt[-d/c, 2]))*EllipticPi[b*(c/(a*d)), ArcSin[Rt[-d/c, 2]*x], c*(f/(d*e))], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !(!GtQ[f/e, 0] && SimplerSqrtQ[-f/e, -d/c])`

Rule 552

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d/c)*x^2]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 946

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(f_) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := With[{q = Rt[-c/a, 2]}, Dist[1/Sqrt[a], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 6423

```
Int[((a_) + ArcSech[(c_)*(x_)]*(b_))*((d_) + (e_)*(x_))^(m_), x_Symbol] := Simp[(d + e*x)^(m + 1)*((a + b*ArcSech[c*x])/(e*(m + 1))), x] + Dist[b*(Sqrt[1 + c*x]/(e*(m + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x)^(m + 1)/(x*Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \operatorname{sech}^{-1}(cx)}{(d + ex)^{3/2}} dx &= -\frac{2(a + b \operatorname{sech}^{-1}(cx))}{e\sqrt{d + ex}} - \frac{\left(2b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\right) \int \frac{1}{x\sqrt{d + ex}\sqrt{1 - c^2x^2}} dx}{e} \\
 &= -\frac{2(a + b \operatorname{sech}^{-1}(cx))}{e\sqrt{d + ex}} - \frac{\left(2b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\right) \int \frac{1}{x\sqrt{1 - cx}\sqrt{1 + cx}\sqrt{d + ex}}}{e} \\
 &= -\frac{2(a + b \operatorname{sech}^{-1}(cx))}{e\sqrt{d + ex}} + \frac{\left(4b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\right) \operatorname{Subst}\left(\int \frac{1}{(1-x^2)\sqrt{2-x^2}\sqrt{d+ex}}\right)}{e} \\
 &= -\frac{2(a + b \operatorname{sech}^{-1}(cx))}{e\sqrt{d + ex}} + \frac{\left(4b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{\frac{c(d + ex)}{cd + e}}\right) \operatorname{Subst}\left(\int \frac{1}{(1-x^2)\sqrt{d+ex}}\right)}{e\sqrt{d + ex}} \\
 &= -\frac{2(a + b \operatorname{sech}^{-1}(cx))}{e\sqrt{d + ex}} + \frac{4b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{\frac{c(d + ex)}{cd + e}} \Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1 - cx}}{\sqrt{2}}\right)\right)}{e\sqrt{d + ex}}
 \end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 13.64, size = 1675, normalized size = 15.95



Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSech[c*x])/(d + e*x)^(3/2), x]

[Out]
$$\begin{aligned} & (-2*a)/(e*\sqrt{d + e*x}) - (2*b*\text{ArcSech}[c*x])/(e*\sqrt{d + e*x}) + ((4*I)*b* \\ & (2*\sqrt{((-I)*(\sqrt{-(c*d) - e})*\sqrt{c*d - e} + c*d*\sqrt{(1 - c*x)/(1 + c*x)} \\ &) - e*\sqrt{(1 - c*x)/(1 + c*x)}})/(((-I)*c*d + \sqrt{-(c*d) - e})*\sqrt{c*d - e} \\ & + I*e)*(-I + \sqrt{(1 - c*x)/(1 + c*x)}))] * \sqrt{((-I)*(\sqrt{-(c*d) - e})* \\ & \sqrt{c*d - e} - c*d*\sqrt{(1 - c*x)/(1 + c*x)} + e*\sqrt{(1 - c*x)/(1 + c*x)} \\ &))/((I*c*d + \sqrt{-(c*d) - e})*\sqrt{c*d - e} - I*e)*(-I + \sqrt{(1 - c*x)/(1 + c*x)}))] \\ & * (1 + (1 - c*x)/(1 + c*x))*\text{EllipticF}[\text{ArcSin}[\sqrt{((\sqrt{-(c*d) - e} - I*\sqrt{c*d - e})* \\ & (I + \sqrt{(1 - c*x)/(1 + c*x)}))}/((\sqrt{-(c*d) - e} + I*\sqrt{c*d - e})*(-I + \sqrt{(1 - c*x)/(1 + c*x)}))] \\ &], (\sqrt{-(c*d) - e} + I*\sqrt{c*d - e})^2/(\sqrt{-(c*d) - e} - I*\sqrt{c*d - e})^2 + \sqrt{((\sqrt{-(c*d) - e} - I*\sqrt{c*d - e})* \\ & (I + \sqrt{(1 - c*x)/(1 + c*x)}))}/((\sqrt{-(c*d) - e} + I*\sqrt{c*d - e})*(-I + \sqrt{(1 - c*x)/(1 + c*x)}))] * \sqrt{1 + (1 - c*x)/(1 + c*x)} \\ & * \sqrt{(e - (e*(1 - c*x))/(1 + c*x) + c*d*(1 + (1 - c*x)/(1 + c*x)))/(c*d + e)} * \text{EllipticF}[I*\text{ArcSinh}[\sqrt{(1 - c*x)/(1 + c*x)}], (c*d - e)/(c*d + e) \\ &] + (2*I)*\sqrt{((-I)*(\sqrt{-(c*d) - e})*\sqrt{c*d - e} + c*d*\sqrt{(1 - c*x)/(1 + c*x)} - e*\sqrt{(1 - c*x)/(1 + c*x)} \\ &))/(((-I)*c*d + \sqrt{-(c*d) - e})*\sqrt{c*d - e} + I*e)*(-I + \sqrt{(1 - c*x)/(1 + c*x)}))] * \sqrt{((-I)*(\sqrt{-(c*d) - e})*\sqrt{c*d - e} - c*d*\sqrt{(1 - c*x)/(1 + c*x)} + e*\sqrt{(1 - c*x)/(1 + c*x)} \\ &))/((I*c*d + \sqrt{-(c*d) - e})*\sqrt{c*d - e} - I*e)*(-I + \sqrt{(1 - c*x)/(1 + c*x)}))] * (1 + (1 - c*x)/(1 + c*x))* \\ & (\text{EllipticPi}[(I*\sqrt{-(c*d) - e} - \sqrt{c*d - e})/(\sqrt{-(c*d) - e} - I*\sqrt{c*d - e}), \text{ArcSin}[\sqrt{((\sqrt{-(c*d) - e} - I*\sqrt{c*d - e})* \\ & (I + \sqrt{(1 - c*x)/(1 + c*x)}))}/((\sqrt{-(c*d) - e} + I*\sqrt{c*d - e})*(-I + \sqrt{(1 - c*x)/(1 + c*x)}))] \\ &]], (\sqrt{-(c*d) - e} + I*\sqrt{c*d - e})^2/(\sqrt{-(c*d) - e} - I*\sqrt{c*d - e})^2 - \text{EllipticPi}[(-I)*\sqrt{-(c*d) - e} + \sqrt{c*d - e}]/(\sqrt{-(c*d) - e} - I*\sqrt{c*d - e}), \\ & \text{ArcSin}[\sqrt{((\sqrt{-(c*d) - e} - I*\sqrt{c*d - e})* \\ & (I + \sqrt{(1 - c*x)/(1 + c*x)}))}/((\sqrt{-(c*d) - e} + I*\sqrt{c*d - e})*(-I + \sqrt{(1 - c*x)/(1 + c*x)}))] \\ &]], (\sqrt{-(c*d) - e} + I*\sqrt{c*d - e})^2/(\sqrt{-(c*d) - e} - I*\sqrt{c*d - e})^2)))/(e*\sqrt{((\sqrt{-(c*d) - e} - I*\sqrt{c*d - e})* \\ & (I + \sqrt{(1 - c*x)/(1 + c*x)}))}/((\sqrt{-(c*d) - e} + I*\sqrt{c*d - e})*(-I + \sqrt{(1 - c*x)/(1 + c*x)}))] * (1 + (1 - c*x)/(1 + c*x))* \\ & \sqrt{(c*d + e + (c*d*(1 - c*x))/(1 + c*x) - (e*(1 - c*x))/(1 + c*x))}/(c + (c*(1 - c*x))/(1 + c*x)))] \end{aligned}$$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 250 vs. $2(96) = 192$.

time = 0.42, size = 251, normalized size = 2.39

method	result
derivativedivides	$-\frac{2a}{\sqrt{ex+d}} + 2b \left(-\frac{\operatorname{arcsech}(cx)}{\sqrt{ex+d}} - \frac{2ce^2 \sqrt{\frac{-c(ex+d)+cd+e}{ce}} x \sqrt{\frac{-c(ex+d)+cd-e}{ce}} \operatorname{EllipticPi}\left(\sqrt{ex+d}\right)}{d \sqrt{\frac{c}{cd+e}} (c^2(ex+d)^2 - 2c^2e)} \right)$
default	$-\frac{2a}{\sqrt{ex+d}} + 2b \left(-\frac{\operatorname{arcsech}(cx)}{\sqrt{ex+d}} - \frac{2ce^2 \sqrt{\frac{-c(ex+d)+cd+e}{ce}} x \sqrt{\frac{-c(ex+d)+cd-e}{ce}} \operatorname{EllipticPi}\left(\sqrt{ex+d}\right)}{d \sqrt{\frac{c}{cd+e}} (c^2(ex+d)^2 - 2c^2e)} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/(e*x+d)^(3/2),x,method=_RETURNVERBOSE)`

[Out]
$$\frac{2}{e} \left(-\frac{a}{\sqrt{ex+d}} + b \left(-\frac{1}{\sqrt{ex+d}} \operatorname{arcsech}(cx) - \frac{2ce^2 \sqrt{\frac{-c(ex+d)+cd+e}{ce}} x \sqrt{\frac{-c(ex+d)+cd-e}{ce}} \operatorname{EllipticPi}\left(\sqrt{ex+d}\right)}{d \sqrt{\frac{c}{cd+e}} (c^2(ex+d)^2 - 2c^2e)} \right) \right)$$

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/(e*x+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(%e-c*d>0)', see 'assume?' for more details

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/(e*x+d)^(3/2),x, algorithm="fricas")`

[Out] `integral((b*arcsech(c*x) + a)*sqrt(x*e + d)/(x^2*e^2 + 2*d*x*e + d^2), x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{(d + ex)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/(e*x+d)**(3/2),x)

[Out] Integral((a + b*asech(c*x))/(d + e*x)**(3/2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x+d)^(3/2),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/(e*x + d)^(3/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{(d + ex)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(d + e*x)^(3/2),x)

[Out] int((a + b*acosh(1/(c*x)))/(d + e*x)^(3/2), x)

$$3.85 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex)^{5/2}} dx$$

Optimal. Leaf size=278

$$\frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{3d(c^2d^2-e^2)\sqrt{d+ex}} - \frac{2(a+b\operatorname{sech}^{-1}(cx))}{3e(d+ex)^{3/2}} - \frac{4bc\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{d+ex}E\left(\operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\right)}{3d(c^2d^2-e^2)\sqrt{\frac{c(d+ex)}{cd+e}}}$$

[Out] $-2/3*(a+b*\operatorname{arcsech}(c*x))/e/(e*x+d)^{(3/2)}-4/3*b*c*\operatorname{EllipticE}(1/2*(-c*x+1))^{(1/2)}*2^{(1/2)}, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x+d)^{(1/2)}/d/(c^2*d^2-e^2)/(c*(e*x+d)/(c*d+e))^{(1/2)}+4/3*b*\operatorname{EllipticPi}(1/2*(-c*x+1))^{(1/2)}*2^{(1/2)}, 2, 2^{(1/2)}*(e/(c*d+e))^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}/d/e/(e*x+d)^{(1/2)}+4/3*b*e*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/d/(c^2*d^2-e^2)/(e*x+d)^{(1/2)}$

Rubi [A]

time = 0.22, antiderivative size = 278, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$, Rules used = {6423, 972, 759, 21, 733, 435, 946, 174, 552, 551}

$$-\frac{2(a+b\operatorname{sech}^{-1}(cx))}{3e(d+ex)^{3/2}} - \frac{4bc\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{d+ex}E\left(\operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\right)\frac{2e}{cd+e}}{3d(c^2d^2-e^2)\sqrt{\frac{c(d+ex)}{cd+e}}} + \frac{4b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{\frac{c(d+ex)}{cd+e}}\operatorname{Pi}\left(2, \operatorname{ArcSin}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\right)\frac{2e}{cd+e}}{3de\sqrt{d+ex}} + \frac{4be\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{3d(c^2d^2-e^2)\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSech}[c*x])/(d + e*x)^{(5/2)}, x]$

[Out] $(4*b*e*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/(3*d*(c^2*d^2 - e^2)*\operatorname{Sqrt}[d + e*x]) - (2*(a + b*\operatorname{ArcSech}[c*x]))/(3*e*(d + e*x)^{(3/2)}) - (4*b*c*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[d + e*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[1 - c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d + e)])/(3*d*(c^2*d^2 - e^2)*\operatorname{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (4*b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[(c*(d + e*x))/(c*d + e)]*\operatorname{EllipticPi}[2, \operatorname{ArcSin}[\operatorname{Sqrt}[1 - c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d + e)])/(3*d*e*\operatorname{Sqrt}[d + e*x])$

Rule 21

$\operatorname{Int}[(u_*)*((a_*) + (b_*)*(v_*))^{(m_*)}*((c_*) + (d_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[(b/d)^m, \operatorname{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, n\}, x] \&\& \operatorname{EqQ}[b*c - a*d, 0] \&\& \operatorname{IntegerQ}[m] \&\& (!\operatorname{IntegerQ}[n] || \operatorname{SimplerQ}[c + d*x, a + b*x])$

Rule 174

$\operatorname{Int}[1/(((a_*) + (b_*)*(x_*))*\operatorname{Sqrt}[(c_*) + (d_*)*(x_*)]*\operatorname{Sqrt}[(e_*) + (f_*)*(x_*)]*\operatorname{Sqrt}[(g_*) + (h_*)*(x_*)]), x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/(\operatorname{Simp}[b*c -$

```
a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + f*(x^2/d), x]]*Sqrt[Simp[(d*g -
c*h)/d + h*(x^2/d), x]], x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e
, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 551

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Simp[(1/(a*Sqrt[c]*Sqrt[e]*Rt[-d/c, 2]))*EllipticPi[b*
(c/(a*d)), ArcSin[Rt[-d/c, 2]*x], c*(f/(d*e))], x] /; FreeQ[{a, b, c, d, e,
f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && S
implerSqrtQ[-f/e, -d/c])
```

Rule 552

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/((a +
b*x^2)*Sqrt[1 + (d/c)*x^2]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e
, f}, x] && !GtQ[c, 0]
```

Rule 733

```
Int[((d_) + (e_.)*(x_))^(m_)/Sqrt[(a_) + (c_.)*(x_)^2], x_Symbol] := Dist[2
*a*Rt[-c/a, 2]*(d + e*x)^m*(Sqrt[1 + c*(x^2/a)]/(c*Sqrt[a + c*x^2]*(c*((d +
e*x)/(c*d - a*e*Rt[-c/a, 2]))))^m), Subst[Int[(1 + 2*a*e*Rt[-c/a, 2]*(x^2/
(c*d - a*e*Rt[-c/a, 2])))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-c/a, 2]*x)/
2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 759

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
e*(d + e*x)^(m + 1)*((a + c*x^2)^(p + 1)/((m + 1)*(c*d^2 + a*e^2))), x] + D
ist[c/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*Simp[d*(m + 1) - e*(
m + 2*p + 3)*x, x]*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] &&
NeQ[c*d^2 + a*e^2, 0] && NeQ[m, -1] && ((LtQ[m, -1] && IntQuadraticQ[a, 0,
c, d, e, m, p, x]) || (SumSimplerQ[m, 1] && IntegerQ[p]) || ILtQ[Simplify[
m + 2*p + 3], 0])
```

Rule 946

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)
^2]), x_Symbol] := With[{q = Rt[-c/a, 2]}, Dist[1/Sqrt[a], Int[1/((d + e*x)
```

*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]

Rule 972

Int[((f_.) + (g_.)*(x_))^(n_)/(((d_.) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), (f + g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]

Rule 6423

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*((d_.) + (e_.)*(x_))^(m_.), x_Symbol] :> Simp[(d + e*x)^(m + 1)*((a + b*ArcSech[c*x])/(e*(m + 1))), x] + Dist[b*(Sqrt[1 + c*x]/(e*(m + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x)^(m + 1)/(x*Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{(d + ex)^{5/2}} dx &= -\frac{2(a + b \operatorname{sech}^{-1}(cx))}{3e(d + ex)^{3/2}} - \frac{\left(2b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{x(d+ex)^{3/2}\sqrt{1-c^2x^2}} dx}{3e} \\
&= -\frac{2(a + b \operatorname{sech}^{-1}(cx))}{3e(d + ex)^{3/2}} - \frac{\left(2b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \left(-\frac{e}{d(d+ex)^{3/2}\sqrt{1-c^2x^2}} + \frac{1}{dx\sqrt{1-c^2x^2}}\right) dx}{3e} \\
&= -\frac{2(a + b \operatorname{sech}^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{\left(2b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{(d+ex)^{3/2}\sqrt{1-c^2x^2}} dx}{3d} - \frac{\left(2b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{dx\sqrt{1-c^2x^2}} dx}{3e} \\
&= \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{3d(c^2d^2 - e^2)\sqrt{d+ex}} - \frac{2(a + b \operatorname{sech}^{-1}(cx))}{3e(d + ex)^{3/2}} - \frac{\left(2b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{dx\sqrt{1-c^2x^2}} dx}{3e} \\
&= \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{3d(c^2d^2 - e^2)\sqrt{d+ex}} - \frac{2(a + b \operatorname{sech}^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{\left(4b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{dx\sqrt{1-c^2x^2}} dx}{3e} \\
&= \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{3d(c^2d^2 - e^2)\sqrt{d+ex}} - \frac{2(a + b \operatorname{sech}^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{\left(4b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{dx\sqrt{1-c^2x^2}} dx}{3e} \\
&= \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{3d(c^2d^2 - e^2)\sqrt{d+ex}} - \frac{2(a + b \operatorname{sech}^{-1}(cx))}{3e(d + ex)^{3/2}} - \frac{4bc\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{3d(c^2d^2 - e^2)}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 22.55, size = 4527, normalized size = 16.28

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSech[c*x])/(d + e*x)^(5/2), x]

```

[Out] (-2*a)/(3*e*(d + e*x)^(3/2)) + Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[d + e*x]*((4*
b*c)/(3*d*(c^2*d^2 - e^2)) - (4*b)/(3*d*(c*d + e)*(d + e*x))) - (2*b*ArcSec
h[c*x])/(3*e*(d + e*x)^(3/2)) - (4*b*((e*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[c*(
1 + (1 - c*x)/(1 + c*x))]*(c*d + e + (c*d*(1 - c*x))/(1 + c*x) - (e*(1 - c*
x))/(1 + c*x)))/((1 + (1 - c*x)/(1 + c*x))*Sqrt[c + (c*(1 - c*x))/(1 + c*x)
]*Sqrt[(c*d + e + (c*d*(1 - c*x))/(1 + c*x) - (e*(1 - c*x))/(1 + c*x))/(c +
(c*(1 - c*x))/(1 + c*x))]) - ((c*d - e)*Sqrt[c*(1 + (1 - c*x)/(1 + c*x))]*
Sqrt[c*(1 + (1 - c*x)/(1 + c*x))*(c*d + e + (c*d*(1 - c*x))/(1 + c*x) - (e*
(1 - c*x))/(1 + c*x))]*(I*(-(c*d) - e)*e*Sqrt[1 + (1 - c*x)/(1 + c*x)]*Sqr
t[1 - ((c*d - e)*(1 - c*x))/((-c*d) - e)*(1 + c*x)])*(EllipticE[I*ArcSinh[
Sqrt[(1 - c*x)/(1 + c*x)]], -((c*d - e)/(-(c*d) - e))] - EllipticF[I*ArcSin
h[Sqrt[(1 - c*x)/(1 + c*x)]], -((c*d - e)/(-(c*d) - e))])/((c*d - e)*Sqrt[
c*(1 + (1 - c*x)/(1 + c*x))*(c*d + e + ((c*d - e)*(1 - c*x))/(1 + c*x))]) +
(I*c*d*Sqrt[1 + (1 - c*x)/(1 + c*x)]*Sqrt[1 - ((c*d - e)*(1 - c*x))/((-c*d)
- e)*(1 + c*x)])*EllipticF[I*ArcSinh[Sqrt[(1 - c*x)/(1 + c*x)]], -((c*d
- e)/(-(c*d) - e))]/Sqrt[c*(1 + (1 - c*x)/(1 + c*x))*(c*d + e + ((c*d - e)
*(1 - c*x))/(1 + c*x))]) + (I*e*Sqrt[1 + (1 - c*x)/(1 + c*x)]*Sqrt[1 - ((c*d
- e)*(1 - c*x))/((-c*d) - e)*(1 + c*x)])*EllipticF[I*ArcSinh[Sqrt[(1 - c*
x)/(1 + c*x)]], -((c*d - e)/(-(c*d) - e))]/Sqrt[c*(1 + (1 - c*x)/(1 + c*x)
)*(c*d + e + ((c*d - e)*(1 - c*x))/(1 + c*x))]) - (I*c*d*(I + Sqrt[-(c*d) -
e]/Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)])^2*Sqrt[((Sqrt[-(c*d) - e
] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c*x)/(1 + c*x))])/((Sqrt[-(c*d) - e] +
I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x))])]*Sqrt[(I*(-(Sqrt[-(c*d)
- e]/Sqrt[c*d - e]) + Sqrt[(1 - c*x)/(1 + c*x))])/((I + Sqrt[-(c*d) - e]/Sq
rt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x))])]*Sqrt[(I*(Sqrt[-(c*d) - e]/S
qrt[c*d - e] + Sqrt[(1 - c*x)/(1 + c*x))])/((I - Sqrt[-(c*d) - e]/Sqrt[c*d
- e])*(-I + Sqrt[(1 - c*x)/(1 + c*x))])]*((1 + I)*EllipticF[ArcSin[Sqrt[((S
qrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c*x)/(1 + c*x))])/((Sqrt[
-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x))])]]], (Sqrt[
-(c*d) - e] + I*Sqrt[c*d - e])^2/(Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])^2 - (
2*I)*EllipticPi[(-(I)*(I + Sqrt[-(c*d) - e]/Sqrt[c*d - e])/(-I + Sqrt[-(c*
d) - e]/Sqrt[c*d - e]), ArcSin[Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(
I + Sqrt[(1 - c*x)/(1 + c*x))])/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I +
Sqrt[(1 - c*x)/(1 + c*x))])]]], (Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])^2/(Sqr
t[-(c*d) - e] - I*Sqrt[c*d - e])^2))/((I - Sqrt[-(c*d) - e]/Sqrt[c*d - e])
*Sqrt[c*(1 + (1 - c*x)/(1 + c*x))*(c*d + e + ((c*d - e)*(1 - c*x))/(1 + c*x
))]) - (I*(I + Sqrt[-(c*d) - e]/Sqrt[c*d - e])*e*(-I + Sqrt[(1 - c*x)/(1 +
c*x)])^2*Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c*x)/(1
+ c*x))])/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c
*x))])]*Sqrt[(I*(-(Sqrt[-(c*d) - e]/Sqrt[c*d - e]) + Sqrt[(1 - c*x)/(1 + c*
x))])/((I + Sqrt[-(c*d) - e]/Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)
])]*Sqrt[(I*(Sqrt[-(c*d) - e]/Sqrt[c*d - e] + Sqrt[(1 - c*x)/(1 + c*x))])/
(I - Sqrt[-(c*d) - e]/Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x))])]*((1
+ I)*EllipticF[ArcSin[Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt
[(1 - c*x)/(1 + c*x))])/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1

```

- c*x)/(1 + c*x]]))], (Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])^2/(Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])^2 - (2*I)*EllipticPi[((-I)*(I + Sqrt[-(c*d) - e]/Sqrt[c*d - e]))/(-I + Sqrt[-(c*d) - e]/Sqrt[c*d - e]), ArcSin[Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c*x)/(1 + c*x)])))/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)]))]]], (Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])^2/(Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])^2)/((I - Sqrt[-(c*d) - e]/Sqrt[c*d - e])*Sqrt[c*(1 + (1 - c*x)/(1 + c*x))*(c*d + e + ((c*d - e)*(1 - c*x))/(1 + c*x))]) + (I*c*d*(I + Sqrt[-(c*d) - e]/Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)])^2*Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c*x)/(1 + c*x)])))/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)]))]*Sqrt[(I*(-(Sqrt[-(c*d) - e]/Sqrt[c*d - e]) + Sqrt[(1 - c*x)/(1 + c*x)])))/((I + Sqrt[-(c*d) - e]/Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)]))]*Sqrt[(I*(Sqrt[-(c*d) - e]/Sqrt[c*d - e] + Sqrt[(1 - c*x)/(1 + c*x)])))/((I - Sqrt[-(c*d) - e]/Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)]))]*((-1 + I)*EllipticF[ArcSin[Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c*x)/(1 + c*x)])))/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)]))]]], (Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])^2/(Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])^2 - (2*I)*EllipticPi[(I*(I + Sqrt[-(c*d) - e]/Sqrt[c*d - e]))/(-I + Sqrt[-(c*d) - e]/Sqrt[c*d - e]), ArcSin[Sqrt[((Sqrt[-(c*d) - e] - I*Sqrt[c*d - e])*(I + Sqrt[(1 - c*x)/(1 + c*x)])))/((Sqrt[-(c*d) - e] + I*Sqrt[c*d - e])*(-I + Sqrt[(1 - c*x)/(1 + c*x)]))]]], (Sqrt[-(c*d) - e] + I*Sqrt[c...

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 889 vs. $2(246) = 492$.

time = 0.46, size = 890, normalized size = 3.20

method	result
derivativedivides	$-\frac{2a}{3(ex+d)^{\frac{3}{2}}} + 2b \left(-\frac{\operatorname{arcsech}(cx)}{3(ex+d)^{\frac{3}{2}}} + \frac{2ce^2 \sqrt{\frac{-c(ex+d)+cd+e}{cex}} x \sqrt{\frac{-c(ex+d)+cd-e}{cex}} \left(\sqrt{\frac{c}{cd+e}} c^{2d(ex+d)^2} - \sqrt{\frac{-c(ex+d)+cd-e}{cex}} \right)}{3(ex+d)^{\frac{3}{2}}} \right)$
default	$-\frac{2a}{3(ex+d)^{\frac{3}{2}}} + 2b \left(-\frac{\operatorname{arcsech}(cx)}{3(ex+d)^{\frac{3}{2}}} + \frac{2ce^2 \sqrt{\frac{-c(ex+d)+cd+e}{cex}} x \sqrt{\frac{-c(ex+d)+cd-e}{cex}} \left(\sqrt{\frac{c}{cd+e}} c^{2d(ex+d)^2} - \sqrt{\frac{-c(ex+d)+cd-e}{cex}} \right)}{3(ex+d)^{\frac{3}{2}}} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))/(e*x+d)^(5/2),x,method=_RETURNVERBOSE)

[Out] $2/e*(-1/3*a/(e*x+d)^(3/2)+b*(-1/3/(e*x+d)^(3/2)*\operatorname{arcsech}(c*x)+2/3*c*e^2*((-c*(e*x+d)+c*d+e)/c/e/x)^(1/2)*x*(-(-c*(e*x+d)+c*d-e)/c/e/x)^(1/2)*((c/(c*d+e))^(1/2)*c^2*d*(e*x+d)^2-((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*((-c*(e*x+d)+c$

```
d-e)/(c*d-e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d+e))^(1/2),((c*d+e)/(c*d
-e))^(1/2))*c^2*d^2*(e*x+d)^(1/2)+c^2*((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*((
-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d+e))^(1/2),
((c*d+e)/(c*d-e))^(1/2))*d^2*(e*x+d)^(1/2)-((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/
2)*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d+e))^(
1/2),1/c*(c*d+e)/d,(c/(c*d-e))^(1/2)/(c/(c*d+e))^(1/2))*c^2*d^2*(e*x+d)^(1
/2)-2*(c/(c*d+e))^(1/2)*c^2*d^2*(e*x+d)+((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*
((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d+e))^(1/2
),((c*d+e)/(c*d-e))^(1/2))*c*d*e*(e*x+d)^(1/2)-((-c*(e*x+d)+c*d+e)/(c*d+e))
^(1/2)*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d+e
))^(1/2),((c*d+e)/(c*d-e))^(1/2))*c*d*e*(e*x+d)^(1/2)+(c/(c*d+e))^(1/2)*c^2
*d^3+((-c*(e*x+d)+c*d+e)/(c*d+e))^(1/2)*((-c*(e*x+d)+c*d-e)/(c*d-e))^(1/2)*
EllipticPi((e*x+d)^(1/2)*(c/(c*d+e))^(1/2),1/c*(c*d+e)/d,(c/(c*d-e))^(1/2)/
(c/(c*d+e))^(1/2))*e^2*(e*x+d)^(1/2)-(c/(c*d+e))^(1/2)*d*e^2)/(c^2*(e*x+d)^
2-2*c^2*d*(e*x+d)+c^2*d^2-e^2)/(c*d-e)/(c/(c*d+e))^(1/2)/(c*d+e)/d^2/(e*x+d
)^(1/2)))
```

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/(e*x+d)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(%e-c*d>0)', see 'assume?' for more
details
```

Fricas [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/(e*x+d)^(5/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{(d + ex)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/(e*x+d)**(5/2),x)

[Out] Integral((a + b*asech(c*x))/(d + e*x)**(5/2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x+d)^(5/2),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/(e*x + d)^(5/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{(d + ex)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(d + e*x)^(5/2),x)

[Out] int((a + b*acosh(1/(c*x)))/(d + e*x)^(5/2), x)

$$3.86 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex)^{7/2}} dx$$

Optimal. Leaf size=609

$$\frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2-e^2)(d+ex)^{3/2}} + \frac{16bc^2e\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15(c^2d^2-e^2)^2\sqrt{d+ex}} + \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{5d^2(c^2d^2-e^2)\sqrt{d+ex}}$$

[Out] $-2/5*(a+b*\operatorname{arcsech}(c*x))/e/(e*x+d)^{(5/2)}-16/15*b*c^3*\operatorname{EllipticE}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)},2^{(1/2)}*(e/(c*d+e))^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x+d)^{(1/2)}/(c^2*d^2-e^2)^2/(c*(e*x+d)/(c*d+e))^{(1/2)}-4/5*b*c*\operatorname{EllipticE}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)},2^{(1/2)}*(e/(c*d+e))^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x+d)^{(1/2)}/d^2/(c^2*d^2-e^2)/(c*(e*x+d)/(c*d+e))^{(1/2)}+4/15*b*c*\operatorname{EllipticF}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)},2^{(1/2)}*(e/(c*d+e))^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}/d/(c^2*d^2-e^2)/(e*x+d)^{(1/2)}+4/5*b*\operatorname{EllipticPi}(1/2*(-c*x+1)^{(1/2)}*2^{(1/2)},2,2^{(1/2)}*(e/(c*d+e))^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(c*(e*x+d)/(c*d+e))^{(1/2)}/d^2/e/(e*x+d)^{(1/2)}+4/15*b*e*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/d/(c^2*d^2-e^2)/(e*x+d)^{(3/2)}+16/15*b*c^2*e*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*d^2-e^2)^2/(e*x+d)^{(1/2)}+4/5*b*e*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/d^2/(c^2*d^2-e^2)/(e*x+d)^{(1/2)}$

Rubi [A]

time = 0.42, antiderivative size = 609, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 13, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.722$, Rules used = {6423, 972, 759, 849, 858, 733, 435, 430, 21, 946, 174, 552, 551}

$$\frac{2(a+b\operatorname{arcsech}^{-1}(cx))}{5d(d+ex)^{5/2}} - \frac{4b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2-e^2)\sqrt{d+ex}} - \frac{4b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2-e^2)\sqrt{d+ex}} - \frac{16bc^2e\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15(d^2d^2-e^2)\sqrt{d+ex}} - \frac{4b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2-e^2)\sqrt{d+ex}} - \frac{4b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2-e^2)\sqrt{d+ex}} - \frac{4b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2-e^2)\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])/(d + e*x)^(7/2), x]

[Out] $(4*b*e*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(15*d*(c^2*d^2-e^2)*(d+e*x)^{(3/2)}) + (16*b*c^2*e*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(15*(c^2*d^2-e^2)^2*\operatorname{Sqrt}[d+e*x]) + (4*b*e*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(5*d^2*(c^2*d^2-e^2)*\operatorname{Sqrt}[d+e*x]) - (2*(a+b*\operatorname{ArcSech}[c*x]))/(5*e*(d+e*x)^{(5/2)}) - (16*b*c^3*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[d+e*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[1-c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d+e)])/(15*(c^2*d^2-e^2)^2*\operatorname{Sqrt}[(c*(d+e*x))/(c*d+e)]) - (4*b*c*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[d+e*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[1-c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d+e)])/(5*d^2*(c^2*d^2-e^2)*\operatorname{Sqrt}[(c*(d+e*x))/(c*d+e)]) + (4*b*c*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[(c*(d+e*x))/(c*d+e)]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[1-c*x]/\operatorname{Sqrt}[2]], (2*e)/(c*d$

```
+ e)]/(15*d*(c^2*d^2 - e^2)*Sqrt[d + e*x]) + (4*b*Sqrt[(1 + c*x)^(-1)]*Sqr
t[1 + c*x]*Sqrt[(c*(d + e*x))/(c*d + e)]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]
/Sqrt[2]], (2*e)/(c*d + e)]/(5*d^2*e*Sqrt[d + e*x])
```

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :>
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])
```

Rule 174

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_
)]*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c -
a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + f*(x^2/d), x]]*Sqrt[Simp[(d*g -
c*h)/d + h*(x^2/d), x]]), x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e
, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c
/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a,
0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 551

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] :> Simp[(1/(a*Sqrt[c]*Sqrt[e]*Rt[-d/c, 2]))*EllipticPi[b*
(c/(a*d)), ArcSin[Rt[-d/c, 2]*x], c*(f/(d*e))], x] /; FreeQ[{a, b, c, d, e,
f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && S
implerSqrtQ[-f/e, -d/c])
```

Rule 552

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/((a +
b*x^2)*Sqrt[1 + (d/c)*x^2]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e
, f}, x] && !GtQ[c, 0]
```

Rule 733

```
Int[((d_) + (e_)*(x_))^(m_)/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] := Dist[2
*a*Rt[-c/a, 2]*(d + e*x)^m*(Sqrt[1 + c*(x^2/a)]/(c*Sqrt[a + c*x^2]*(c*((d +
e*x)/(c*d - a*e*Rt[-c/a, 2]))))^m), Subst[Int[(1 + 2*a*e*Rt[-c/a, 2]*(x^2/
(c*d - a*e*Rt[-c/a, 2])))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-c/a, 2]*x)/
2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 759

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[
e*(d + e*x)^(m + 1)*((a + c*x^2)^(p + 1)/((m + 1)*(c*d^2 + a*e^2))), x] + D
ist[c/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*Simp[d*(m + 1) - e*(
m + 2*p + 3)*x, x]*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] &&
NeQ[c*d^2 + a*e^2, 0] && NeQ[m, -1] && ((LtQ[m, -1] && IntQuadraticQ[a, 0,
c, d, e, m, p, x]) || (SumSimplerQ[m, 1] && IntegerQ[p]) || ILtQ[Simplify[
m + 2*p + 3], 0])
```

Rule 849

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[(e*f - d*g)*(d + e*x)^(m + 1)*((a + c*x^2)^(p + 1)/
((m + 1)*(c*d^2 + a*e^2))), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

Rule 858

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 946

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(f_) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)
^2]), x_Symbol] := With[{q = Rt[-c/a, 2]}, Dist[1/Sqrt[a], Int[1/((d + e*x)
*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x]] /; FreeQ[{a, c, d, e,
f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 972

```
Int[((f_) + (g_)*(x_))^(n_)/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^
2]), x_Symbol] := Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), (f
```

+ g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]

Rule 6423

Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_.))^(m_.), x_Symbol] :> Simp[(d + e*x)^(m + 1)*((a + b*ArcSech[c*x])/(e*(m + 1))), x] + Dist[b*(Sqrt[1 + c*x]/(e*(m + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x)^(m + 1)/(x*Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{(d + ex)^{7/2}} dx &= -\frac{2(a + b \operatorname{sech}^{-1}(cx))}{5e(d + ex)^{5/2}} - \frac{\left(2b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{x(d+ex)^{5/2}\sqrt{1-c^2x^2}} dx}{5e} \\
&= -\frac{2(a + b \operatorname{sech}^{-1}(cx))}{5e(d + ex)^{5/2}} - \frac{\left(2b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \left(-\frac{e}{d(d+ex)^{5/2}\sqrt{1-c^2x^2}} - \frac{1}{d^2}\right) dx}{5e} \\
&= -\frac{2(a + b \operatorname{sech}^{-1}(cx))}{5e(d + ex)^{5/2}} + \frac{\left(2b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{(d+ex)^{3/2}\sqrt{1-c^2x^2}} dx}{5d^2} + \frac{2(a + b \operatorname{sech}^{-1}(cx))}{5e} \\
&= \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2 - e^2)(d + ex)^{3/2}} + \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{5d^2(c^2d^2 - e^2)\sqrt{d + ex}} - \frac{2(a + b \operatorname{sech}^{-1}(cx))}{5e} \\
&= \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2 - e^2)(d + ex)^{3/2}} + \frac{16bc^2e\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15(c^2d^2 - e^2)^2\sqrt{d + ex}} + \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2 - e^2)(d + ex)^{3/2}} \\
&= \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2 - e^2)(d + ex)^{3/2}} + \frac{16bc^2e\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15(c^2d^2 - e^2)^2\sqrt{d + ex}} + \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2 - e^2)(d + ex)^{3/2}} \\
&= \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2 - e^2)(d + ex)^{3/2}} + \frac{16bc^2e\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15(c^2d^2 - e^2)^2\sqrt{d + ex}} + \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2 - e^2)(d + ex)^{3/2}} \\
&= \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2 - e^2)(d + ex)^{3/2}} + \frac{16bc^2e\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15(c^2d^2 - e^2)^2\sqrt{d + ex}} + \frac{4be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{15d(c^2d^2 - e^2)(d + ex)^{3/2}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 22.88, size = 8675, normalized size = 14.24

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSech[c*x])/(d + e*x)^(7/2), x]

[Out] Result too large to show

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 1611 vs. $2(539) = 1078$.

time = 0.51, size = 1612, normalized size = 2.65

method	result	size
derivativedivides	Expression too large to display	1612
default	Expression too large to display	1612

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))/(e*x+d)^(7/2), x, method=_RETURNVERBOSE)

[Out]
$$\frac{2}{e} \left(-\frac{1}{5} \frac{a}{(e*x+d)^{5/2}} + b \left(-\frac{1}{5} \frac{1}{(e*x+d)^{5/2}} \operatorname{arcsech}(c*x) - \frac{2}{15} c e^{-2} \left(-\frac{c(e*x+d)+c*d+e}{c/e/x} \right)^{1/2} x \left(-\frac{-c(e*x+d)+c*d-e}{c/e/x} \right)^{1/2} \right. \right. \\ \left. \left(6 \left(-\frac{c(e*x+d)+c*d+e}{c*d+e} \right)^{1/2} \left(-\frac{-c(e*x+d)+c*d-e}{c*d-e} \right)^{1/2} \operatorname{EllipticF} \left(\frac{e*x+d}{c} \sqrt{\frac{c}{c*d+e}} \right), \left(\frac{c*d+e}{c*d-e} \right)^{1/2} \right) c^4 d^4 (e*x+d)^{3/2} \right. \\ \left. - 7 \left(-\frac{c(e*x+d)+c*d+e}{c*d+e} \right)^{1/2} \left(-\frac{-c(e*x+d)+c*d-e}{c*d-e} \right)^{1/2} \operatorname{EllipticE} \left(\frac{e*x+d}{c} \sqrt{\frac{c}{c*d+e}} \right), \left(\frac{c*d+e}{c*d-e} \right)^{1/2} \right) c^4 d^4 (e*x+d)^{3/2} \right. \\ \left. + 3 \left(-\frac{c(e*x+d)+c*d+e}{c*d+e} \right)^{1/2} \left(-\frac{-c(e*x+d)+c*d-e}{c*d-e} \right)^{1/2} \operatorname{EllipticPi} \left(\frac{e*x+d}{c} \sqrt{\frac{c}{c*d+e}} \right), \frac{1}{c} \frac{c*d+e}{d}, \frac{c}{c*d-e} \right)^{1/2} \left. \right) \frac{1}{c} \sqrt{\frac{c}{c*d+e}} c^4 d^4 (e*x+d)^{3/2} - 7 \frac{c}{c*d+e} \left(\frac{c}{c*d+e} \right)^{1/2} c^4 d^3 (e*x+d)^{3-7} \left(-\frac{c(e*x+d)+c*d+e}{c*d+e} \right)^{1/2} \left(-\frac{-c(e*x+d)+c*d-e}{c*d-e} \right)^{1/2} \\ \operatorname{EllipticF} \left(\frac{e*x+d}{c} \sqrt{\frac{c}{c*d+e}} \right), \left(\frac{c*d+e}{c*d-e} \right)^{1/2} \right) c^3 d^3 e (e*x+d)^{3/2} + 7 \left(-\frac{c(e*x+d)+c*d+e}{c*d+e} \right)^{1/2} \left(-\frac{-c(e*x+d)+c*d-e}{c*d-e} \right)^{1/2} \operatorname{EllipticE} \left(\frac{e*x+d}{c} \sqrt{\frac{c}{c*d+e}} \right), \left(\frac{c*d+e}{c*d-e} \right)^{1/2} \right) c^2 d^2 e^2 (e*x+d)^{3/2} \\ + 3 \left(-\frac{c(e*x+d)+c*d+e}{c*d+e} \right)^{1/2} \left(-\frac{-c(e*x+d)+c*d-e}{c*d-e} \right)^{1/2} \operatorname{EllipticE} \left(\frac{e*x+d}{c} \sqrt{\frac{c}{c*d+e}} \right), \left(\frac{c*d+e}{c*d-e} \right)^{1/2} \right) c^2 d^2 e^2 (e*x+d)^{3/2} - 6 \left(-\frac{c(e*x+d)+c*d+e}{c*d+e} \right)^{1/2} \left(-\frac{-c(e*x+d)+c*d-e}{c*d-e} \right)^{1/2} \\ \operatorname{EllipticPi} \left(\frac{e*x+d}{c} \sqrt{\frac{c}{c*d+e}} \right), \frac{1}{c} \frac{c*d+e}{d}, \frac{c}{c*d-e} \right)^{1/2} \left. \right) \frac{1}{c} \sqrt{\frac{c}{c*d+e}} c^2 d^2 e^2 (e*x+d)^{3/2} - 5 \left(\frac{c}{c*d+e} \right)^{1/2} c^4 d^5 (e*x+d) + 3 \left(\frac{c}{c*d+e} \right)^{1/2} c^2 d e^2 (e*x+d)^3 \\ + 3 \left(-\frac{c(e*x+d)+c*d+e}{c*d+e} \right)^{1/2} \left(-\frac{-c(e*x+d)+c*d-e}{c*d-e} \right)^{1/2} \operatorname{EllipticF} \left(\frac{e*x+d}{c} \sqrt{\frac{c}{c*d+e}} \right), \left(\frac{c*d+e}{c*d-e} \right)^{1/2} \right) c^2 d e^3 (e*x+d)^{3/2} - 3 \left(-\frac{c(e*x+d)+c*d+e}{c*d+e} \right)^{1/2} \left(-\frac{-c(e*x+d)+c*d-e}{c*d-e} \right)^{1/2} \left. \right)$$

$$-e)^{1/2} \text{EllipticE}((e*x+d)^{1/2} * (c/(c*d+e))^{1/2}, ((c*d+e)/(c*d-e))^{1/2}) * c*d*e^3 * (e*x+d)^{3/2} - (c/(c*d+e))^{1/2} * c^4*d^6 - 5 * (c/(c*d+e))^{1/2} * c^2*d^2*e^2 * (e*x+d)^2 + 3 * ((-c*(e*x+d)+c*d+e)/(c*d+e))^{1/2} * ((-c*(e*x+d)+c*d-e)/(c*d-e))^{1/2} * \text{EllipticPi}((e*x+d)^{1/2} * (c/(c*d+e))^{1/2}, 1/c*(c*d+e)/d, (c/(c*d-e))^{1/2}/(c/(c*d+e))^{1/2}) * e^4 * (e*x+d)^{3/2} + 8 * (c/(c*d+e))^{1/2} * c^2*d^3*e^2 * (e*x+d) + 2 * (c/(c*d+e))^{1/2} * c^2*d^4*e^2 - 3 * (c/(c*d+e))^{1/2} * d*e^4 * (e*x+d) - (c/(c*d+e))^{1/2} * d^2*e^4) / (c^2*d^2 - e^2) / (e*x+d)^{3/2} / d^3 / (c*d+e) / (c/(c*d+e))^{1/2} / (c*d-e) / (c^2*(e*x+d)^2 - 2*c^2*d*(e*x+d) + c^2*d^2 - e^2))$$

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x+d)^(7/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(%e-c*d>0)', see 'assume?' for more details

Fricas [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x+d)^(7/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/(e*x+d)**(7/2),x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x+d)^(7/2),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/(e*x + d)^(7/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{(d + ex)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(d + e*x)^(7/2),x)

[Out] int((a + b*acosh(1/(c*x)))/(d + e*x)^(7/2), x)

3.87 $\int (d + ex)^m (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=87

$$\frac{(d + ex)^{1+m} (a + b \operatorname{sech}^{-1}(cx))}{e(1 + m)} + \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \operatorname{Int}\left(\frac{(d+ex)^{1+m}}{x \sqrt{1 - c^2 x^2}}, x\right)}{e(1 + m)}$$

[Out] (e*x+d)^(1+m)*(a+b*arcsech(c*x))/e/(1+m)+b*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)*
Unintegrable((e*x+d)^(1+m)/x/(-c^2*x^2+1)^(1/2),x)/e/(1+m)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of
steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$,
Rules used = {}

$$\int (d + ex)^m (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Int[(d + e*x)^m*(a + b*ArcSech[c*x]),x]

[Out] ((d + e*x)^(1 + m)*(a + b*ArcSech[c*x]))/(e*(1 + m)) + (b*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*Defer[Int] [(d + e*x)^(1 + m)/(x*Sqrt[1 - c^2*x^2]), x])/ (e*(1 + m))

Rubi steps

$$\int (d + ex)^m (a + b \operatorname{sech}^{-1}(cx)) dx = \frac{(d + ex)^{1+m} (a + b \operatorname{sech}^{-1}(cx))}{e(1 + m)} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \int \frac{(d+ex)^{1+m}}{x \sqrt{1 - c^2 x^2}}}{e(1 + m)}$$

Mathematica [A]

time = 9.06, size = 0, normalized size = 0.00

$$\int (d + ex)^m (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate[(d + e*x)^m*(a + b*ArcSech[c*x]),x]

[Out] Integrate[(d + e*x)^m*(a + b*ArcSech[c*x]), x]

Maple [A]

time = 0.29, size = 0, normalized size = 0.00

$$\int (ex + d)^m (a + b \operatorname{arcsech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^m*(a+b*arcsech(c*x)),x)

[Out] int((e*x+d)^m*(a+b*arcsech(c*x)),x)

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^m*(a+b*arcsech(c*x)),x, algorithm="maxima")

[Out] b*((x*e + d)*(x*e + d)^m*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1) - (x*e + d)
 *(x*e + d)^m*log(x))*e^(-1)/(m + 1) - integrate((c^2*(m + 1)*x^3*e*log(c) -
 ((m + 1)*log(c) - 1)*x*e + d)*(x*e + d)^m/(c^2*(m + 1)*x^3*e - (m + 1)*x*e
), x) + integrate((c^2*x^2*e + c^2*d*x)*(x*e + d)^m/(c^2*(m + 1)*x^2*e + (c
 ^2*(m + 1)*x^2*e - (m + 1)*e)*sqrt(c*x + 1)*sqrt(-c*x + 1) - (m + 1)*e), x
) + (x*e + d)^(m + 1)*a*e^(-1)/(m + 1)

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^m*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] integral((b*arcsech(c*x) + a)*(x*e + d)^m, x)

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asech}(cx)) (d + ex)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**m*(a+b*asech(c*x)),x)

[Out] Integral((a + b*asech(c*x))*(d + e*x)**m, x)

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^m*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*(e*x + d)^m, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.01

$$\int \left(a + b \operatorname{acosh} \left(\frac{1}{c x} \right) \right) (d + e x)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))*(d + e*x)^m,x)

[Out] int((a + b*acosh(1/(c*x)))*(d + e*x)^m, x)

3.88 $\int x^4(d + ex^2) (a + b\operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=229

$$\frac{b(42c^2d + 25e)x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{560c^6} - \frac{b(42c^2d + 25e)x^3\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{840c^4} - \frac{be^5x^5}{560c^6}$$

[Out] $\frac{1}{5}d*x^5*(a+b*\operatorname{arcsech}(c*x))+\frac{1}{7}e*x^7*(a+b*\operatorname{arcsech}(c*x))+\frac{1}{560}b*(42*c^2*d+25*e)*\arcsin(c*x)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^7-\frac{1}{840}b*(42*c^2*d+25*e)*x*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^6-\frac{1}{840}b*(42*c^2*d+25*e)*x^3*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^4-\frac{1}{42}b*e*x^5*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2$

Rubi [A]

time = 0.09, antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {14, 6436, 12, 470, 327, 222}

$$\frac{1}{5}dx^5(a+b\operatorname{sech}^{-1}(cx))+\frac{1}{7}e^7(a+b\operatorname{sech}^{-1}(cx))+\frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcSin}(cx)(42c^2d+25e)}{560c^7}-\frac{be^5x^3\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{42c^2}-\frac{bx\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(42c^2d+25e)}{560c^6}-\frac{be^5x\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(42c^2d+25e)}{840c^4}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^4*(d + e*x^2)*(a + b*\operatorname{ArcSech}[c*x]), x]$

[Out] $-\frac{1}{560}*(b*(42*c^2*d + 25*e)*x*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/c^6 - (b*(42*c^2*d + 25*e)*x^3*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/(840*c^4) - (b*e*x^5*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/(42*c^2) + (d*x^5*(a + b*\operatorname{ArcSech}[c*x]))/5 + (e*x^7*(a + b*\operatorname{ArcSech}[c*x]))/7 + (b*(42*c^2*d + 25*e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcSin}[c*x])/(560*c^7)$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] := \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& !\operatorname{MatchQ}[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 14

$\operatorname{Int}[(u_*)((c_*)(x_))^{(m_)}), x_Symbol] := \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /; \operatorname{FreeQ}[\{c, m\}, x] \&\& \operatorname{SumQ}[u] \&\& !\operatorname{LinearQ}[u, x] \&\& !\operatorname{MatchQ}[u, (a_*) + (b_*)(v_)] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{InverseFunctionQ}[v]$

Rule 222

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_*) + (b_*)(x_)^2], x_Symbol] := \operatorname{Simp}[\operatorname{ArcSin}[\operatorname{Rt}[-b, 2]*(x/\operatorname{Sqrt}[a])]/\operatorname{Rt}[-b, 2], x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{GtQ}[a, 0] \&\& \operatorname{NegQ}[b]$

Rule 327

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[c^(n
- 1)*(c*x)^(m - n + 1)*((a + b*x^n)^(p + 1)/(b*(m + n*p + 1))), x] - Dist[
a*c^n*((m - n + 1)/(b*(m + n*p + 1))), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 470

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n
_)), x_Symbol] := Simp[d*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(b*e*(m + n*(p
+ 1) + 1))), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p
+ 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m,
n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(
x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int x^4(d + ex^2)(a + b\operatorname{sech}^{-1}(cx)) dx &= \frac{1}{5}dx^5(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{7}ex^7(a + b\operatorname{sech}^{-1}(cx)) + \left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\right) \\
&= \frac{1}{5}dx^5(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{7}ex^7(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{35}\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\right) \\
&= -\frac{bex^5\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{42c^2} + \frac{1}{5}dx^5(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{7}ex^7(a + b\operatorname{sech}^{-1}(cx)) \\
&= -\frac{b(42c^2d + 25e)x^3\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{840c^4} - \frac{bex^5\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{42c^2} \\
&= -\frac{b(42c^2d + 25e)x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{560c^6} - \frac{b(42c^2d + 25e)x^3\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{840c^4} \\
&= -\frac{b(42c^2d + 25e)x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{560c^6} - \frac{b(42c^2d + 25e)x^3\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{840c^4}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.24, size = 162, normalized size = 0.71

$$\frac{48ac^7x^5(7d + 5ex^2) - bcx\sqrt{\frac{1-cx}{1+cx}}(1+cx)(75e + 2c^2(63d + 25ex^2) + c^4(84dx^2 + 40ex^4)) + 48bc^7x^5(7d + 5ex^2)\operatorname{sech}^{-1}(cx) + 3ib(42c^2d + 25e)\log\left(-2icx + 2\sqrt{\frac{1-cx}{1+cx}}(1+cx)\right)}{1680c^7}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(d + e*x^2)*(a + b*ArcSech[c*x]), x]

[Out] (48*a*c^7*x^5*(7*d + 5*e*x^2) - b*c*x*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(75*e + 2*c^2*(63*d + 25*e*x^2) + c^4*(84*d*x^2 + 40*e*x^4)) + 48*b*c^7*x^5*(7*d + 5*e*x^2)*ArcSech[c*x] + (3*I)*b*(42*c^2*d + 25*e)*Log[(-2*I)*c*x + 2*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)]/(1680*c^7)

Maple [A]

time = 0.32, size = 224, normalized size = 0.98

method	result
--------	--------

derivativedivides	$\frac{a\left(\frac{1}{5}dc^7x^5+\frac{1}{7}ec^7x^7\right)}{c^2} + b\left(\frac{\operatorname{arcsech}(cx)dc^7x^5}{5} + \frac{\operatorname{arcsech}(cx)ec^7x^7}{7} + \sqrt{-\frac{cx-1}{cx}} \operatorname{cx} \sqrt{\frac{cx+1}{cx}} \left(-84c^5d\sqrt{-c^2x^2+1}x^3 - \right.\right.$
default	$\frac{a\left(\frac{1}{5}dc^7x^5+\frac{1}{7}ec^7x^7\right)}{c^2} + b\left(\frac{\operatorname{arcsech}(cx)dc^7x^5}{5} + \frac{\operatorname{arcsech}(cx)ec^7x^7}{7} + \sqrt{-\frac{cx-1}{cx}} \operatorname{cx} \sqrt{\frac{cx+1}{cx}} \left(-84c^5d\sqrt{-c^2x^2+1}x^3 - \right.\right.$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(e*x^2+d)*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)`

[Out] $1/c^5*(a/c^2*(1/5*d*c^7*x^5+1/7*e*c^7*x^7)+b/c^2*(1/5*\operatorname{arcsech}(c*x)*d*c^7*x^5+1/7*\operatorname{arcsech}(c*x)*e*c^7*x^7+1/1680*(-(c*x-1)/c/x)^{(1/2)}*c*x*((c*x+1)/c/x)^{(1/2)}*(-84*c^5*d*(-c^2*x^2+1)^{(1/2)}*x^3-40*e*(-c^2*x^2+1)^{(1/2)}*c^5*x^5-126*(-c^2*x^2+1)^{(1/2)}*c^3*d*x-50*e*c^3*x^3*(-c^2*x^2+1)^{(1/2)}+126*\arcsin(c*x)*c^2*d-75*e*c*x*(-c^2*x^2+1)^{(1/2)}+75*e*\arcsin(c*x))/(-c^2*x^2+1)^{(1/2)})$

Maxima [A]

time = 0.47, size = 246, normalized size = 1.07

$$\frac{1}{7}ax^7e + \frac{1}{5}adx^5 + \frac{1}{40} \left(8x^5 \operatorname{arsech}(cx) - \frac{3\left(\frac{1}{c^2x^2}-1\right)^{\frac{3}{2}} + 5\sqrt{\frac{1}{c^2x^2}-1}}{c^2} + \frac{3 \arctan\left(\sqrt{\frac{1}{c^2x^2}-1}\right)}{c^2} \right) bd + \frac{1}{336} \left(48x^7 \operatorname{arsech}(cx) - \frac{15\left(\frac{1}{c^2x^2}-1\right)^{\frac{3}{2}} + 40\left(\frac{1}{c^2x^2}-1\right)^{\frac{3}{2}} + 33\sqrt{\frac{1}{c^2x^2}-1}}{c^2} + \frac{15 \arctan\left(\sqrt{\frac{1}{c^2x^2}-1}\right)}{c^2} \right) be$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] $1/7*a*x^7*e + 1/5*a*d*x^5 + 1/40*(8*x^5*\operatorname{arcsech}(c*x) - ((3*(1/(c^2*x^2) - 1))^{(3/2)} + 5*\sqrt{1/(c^2*x^2) - 1}))/((c^4*(1/(c^2*x^2) - 1)^2 + 2*c^4*(1/(c^2*x^2) - 1) + c^4) + 3*\arctan(\sqrt{1/(c^2*x^2) - 1})/c^4)/c)*b*d + 1/336*(48*x^7*\operatorname{arcsech}(c*x) - ((15*(1/(c^2*x^2) - 1))^{(5/2)} + 40*(1/(c^2*x^2) - 1)^{(3/2)} + 33*\sqrt{1/(c^2*x^2) - 1}))/((c^6*(1/(c^2*x^2) - 1)^3 + 3*c^6*(1/(c^2*x^2) - 1)^2 + 3*c^6*(1/(c^2*x^2) - 1) + c^6) + 15*\arctan(\sqrt{1/(c^2*x^2) - 1})/c^6)/c)*b*e$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 341 vs. 2(136) = 272.

time = 0.50, size = 341, normalized size = 1.49

$$240a^2c^7\operatorname{cosh}(1) + 240a^2c^7\sinh(1) + 336a^2d^2 - 6(423b^2d + 254b\operatorname{cosh}(1) + 254b\sinh(1))\arcsin\left(\frac{\sqrt{\frac{c^2x^2-1}{c^2}}}{c}\right) - 48(73c^2d + 5b^2\operatorname{cosh}(1) + 5b^2\sinh(1))\log\left(\frac{\sqrt{\frac{c^2x^2-1}{c^2}}}{c}\right) + 48(73c^2d^2 - 73c^2d + 5(b^2c^2 - b^2)\operatorname{cosh}(1) + 5(b^2c^2 - b^2)\sinh(1))\log\left(\frac{\sqrt{\frac{c^2x^2-1}{c^2}}}{c}\right) - (444b^5d^2 + 126b^5d^2 + 5(84b^5d + 10b^5c^2 + 15b^5c^2)\operatorname{cosh}(1) + 5(84b^5d + 10b^5c^2 + 15b^5c^2)\sinh(1))\sqrt{\frac{c^2x^2-1}{c^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] 1/1680*(240*a*c^7*x^7*cosh(1) + 240*a*c^7*x^7*sinh(1) + 336*a*c^7*d*x^5 - 6*(42*b*c^2*d + 25*b*cosh(1) + 25*b*sinh(1))*arctan((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/(c*x)) - 48*(7*b*c^7*d + 5*b*c^7*cosh(1) + 5*b*c^7*sinh(1))*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/x) + 48*(7*b*c^7*d*x^5 - 7*b*c^7*d + 5*(b*c^7*x^7 - b*c^7)*cosh(1) + 5*(b*c^7*x^7 - b*c^7)*sinh(1))*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) - (84*b*c^6*d*x^4 + 126*b*c^4*d*x^2 + 5*(8*b*c^6*x^6 + 10*b*c^4*x^4 + 15*b*c^2*x^2)*cosh(1) + 5*(8*b*c^6*x^6 + 10*b*c^4*x^4 + 15*b*c^2*x^2)*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/c^7

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^4(a + b \operatorname{asech}(cx))(d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(e*x**2+d)*(a+b*asech(c*x)),x)

[Out] Integral(x**4*(a + b*asech(c*x))*(d + e*x**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsech(c*x) + a)*x^4, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 (e x^2 + d) \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(d + e*x^2)*(a + b*acosh(1/(c*x))),x)

[Out] int(x^4*(d + e*x^2)*(a + b*acosh(1/(c*x))), x)

3.89 $\int x^2(d + ex^2) (a + b\operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=174

$$\frac{b(20c^2d + 9e)x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{120c^4} - \frac{bex^3\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{20c^2} + \frac{1}{3}dx^3(a + b\operatorname{sech}^{-1}(cx))$$

[Out] $\frac{1}{3}d^3x^3(a+b\operatorname{arcsech}(cx))+\frac{1}{5}e^5x^5(a+b\operatorname{arcsech}(cx))+\frac{1}{120}b(20c^2d+9e)\operatorname{arcsin}(cx)\frac{(1+(cx+1))^{1/2}(cx+1)^{1/2}}{c^5}-\frac{1}{120}b(20c^2d+9e)x\frac{(1+(cx+1))^{1/2}(cx+1)^{1/2}(-c^2x^2+1)^{1/2}}{c^4}-\frac{1}{20}b^2e^3x^3\frac{(1+(cx+1))^{1/2}(cx+1)^{1/2}(-c^2x^2+1)^{1/2}}{c^2}$

Rubi [A]

time = 0.07, antiderivative size = 174, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {14, 6436, 12, 470, 327, 222}

$$\frac{1}{3}dx^3(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{5}ex^5(a + b\operatorname{sech}^{-1}(cx)) + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcSin}(cx)(20c^2d+9e)}{120c^5} - \frac{bex^3\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{20c^2} - \frac{bx\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(20c^2d+9e)}{120c^4}$$

Antiderivative was successfully verified.

[In] `Int[x^2*(d + e*x^2)*(a + b*ArcSech[c*x]),x]`

[Out] $-\frac{1}{120}(b(20c^2d + 9e)x\sqrt{(1+cx)^{-1}}\sqrt{1+cx}\sqrt{1-c^2x^2})/c^4 - \frac{(b^2e^3x^3\sqrt{(1+cx)^{-1}}\sqrt{1+cx}\sqrt{1-c^2x^2})/(20c^2) + (d^3x^3(a + b\operatorname{ArcSech}[c*x]))/3 + (e^5x^5(a + b\operatorname{ArcSech}[c*x]))/5 + (b(20c^2d + 9e)x\sqrt{(1+cx)^{-1}}\sqrt{1+cx}\operatorname{ArcSin}[c*x])/(120c^5)}$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 14

`Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_))] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]`

Rule 222

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

Rule 327

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[c^(n
- 1)*(c*x)^(m - n + 1)*((a + b*x^n)^(p + 1)/(b*(m + n*p + 1))), x] - Dist[
a*c^n*((m - n + 1)/(b*(m + n*p + 1))), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 470

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n
_)), x_Symbol] := Simp[d*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(b*e*(m + n*(p
+ 1) + 1))), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p
+ 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m,
n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 6436

```
Int[((a_) + ArcSech[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(
x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int x^2(d + ex^2)(a + b\operatorname{sech}^{-1}(cx)) dx &= \frac{1}{3}dx^3(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{5}ex^5(a + b\operatorname{sech}^{-1}(cx)) + \left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\right) \\
&= \frac{1}{3}dx^3(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{5}ex^5(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{15}\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\right) \\
&= -\frac{bex^3\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{20c^2} + \frac{1}{3}dx^3(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{5}ex^5(a + b\operatorname{sech}^{-1}(cx)) \\
&= -\frac{b(20c^2d + 9e)x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{120c^4} - \frac{bex^3\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{20c^2} \\
&= -\frac{b(20c^2d + 9e)x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{120c^4} - \frac{bex^3\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{20c^2}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.15, size = 144, normalized size = 0.83

$$\frac{8ac^5x^3(5d+3ex^2) - bcx\sqrt{\frac{1-cx}{1+cx}}(1+cx)(9e+c^2(20d+6ex^2)) + 8bc^5x^3(5d+3ex^2)\operatorname{sech}^{-1}(cx) + ib(20c^2d+9e)\log\left(-2icx+2\sqrt{\frac{1-cx}{1+cx}}(1+cx)\right)}{120c^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(d + e*x^2)*(a + b*ArcSech[c*x]), x]

[Out] (8*a*c^5*x^3*(5*d + 3*e*x^2) - b*c*x*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(9*e + c^2*(20*d + 6*e*x^2)) + 8*b*c^5*x^3*(5*d + 3*e*x^2)*ArcSech[c*x] + I*b*(20*c^2*d + 9*e)*Log[(-2*I)*c*x + 2*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)]/(120*c^5)

Maple [A]

time = 0.31, size = 182, normalized size = 1.05

method	result
derivatividivides	$\frac{a\left(\frac{1}{3}dc^5x^3 + \frac{1}{5}ec^5x^5\right)}{c^2} + \frac{b\left(\frac{\operatorname{arcsech}(cx)dc^5x^3}{3} + \frac{\operatorname{arcsech}(cx)ec^5x^5}{5} - \sqrt{\frac{cx-1}{cx}}cx\sqrt{\frac{cx+1}{cx}}\left(20\sqrt{-c^2x^2+1}c^3dx+6e\right)\right)}{c^3}$
default	$\frac{a\left(\frac{1}{3}dc^5x^3 + \frac{1}{5}ec^5x^5\right)}{c^2} + \frac{b\left(\frac{\operatorname{arcsech}(cx)dc^5x^3}{3} + \frac{\operatorname{arcsech}(cx)ec^5x^5}{5} - \sqrt{\frac{cx-1}{cx}}cx\sqrt{\frac{cx+1}{cx}}\left(20\sqrt{-c^2x^2+1}c^3dx+6e\right)\right)}{c^3}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d)*(a+b*arcsech(c*x)), x, method=_RETURNVERBOSE)

[Out] 1/c^3*(a/c^2*(1/3*d*c^5*x^3+1/5*e*c^5*x^5)+b/c^2*(1/3*arcsech(c*x)*d*c^5*x^3+1/5*arcsech(c*x)*e*c^5*x^5-1/120*(-(c*x-1)/c/x)^(1/2)*c*x*((c*x+1)/c/x)^(1/2)*(20*(-c^2*x^2+1)^(1/2)*c^3*d*x+6*e*c^3*x^3*(-c^2*x^2+1)^(1/2)-20*arcsin(c*x)*c^2*d+9*e*c*x*(-c^2*x^2+1)^(1/2)-9*e*arcsin(c*x))/(-c^2*x^2+1)^(1/2))

Maxima [A]

time = 0.47, size = 184, normalized size = 1.06

$$\frac{1}{5}ax^5e + \frac{1}{3}adx^3 + \frac{1}{6}\left(2x^3\operatorname{arsh}(cx) - \frac{\sqrt{\frac{1}{c^2x^2}-1}}{c^2\left(\frac{1}{c^2x^2}-1\right)+c^2} + \frac{\arctan\left(\sqrt{\frac{1}{c^2x^2}-1}\right)}{c}\right)bd + \frac{1}{40}\left(8x^5\operatorname{arsh}(cx) - \frac{3\left(\frac{1}{c^2x^2}-1\right)^{\frac{3}{2}}+5\sqrt{\frac{1}{c^2x^2}-1}}{c^4\left(\frac{1}{c^2x^2}-1\right)^2+2c^4\left(\frac{1}{c^2x^2}-1\right)+c^4} + \frac{3\arctan\left(\sqrt{\frac{1}{c^2x^2}-1}\right)}{c^4}\right)be$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="maxima")

[Out] $\frac{1}{5}ax^5e + \frac{1}{3}ad^2x^3 + \frac{1}{6}(2x^3\text{arcsech}(cx) - (\sqrt{1/(c^2x^2)} - 1)/c^2 + \arctan(\sqrt{1/(c^2x^2)} - 1)/c^2)/c * b^2d + \frac{1}{40}(8x^5\text{arcsech}(cx) - ((3/(c^2x^2) - 1)^{3/2} + 5\sqrt{1/(c^2x^2)} - 1))/c^4 * (1/(c^2x^2) - 1)^2 + 2c^4(1/(c^2x^2) - 1) + c^4 + 3\arctan(\sqrt{1/(c^2x^2)} - 1)/c^4)/c * b^2e$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 313 vs. $2(104) = 208$.

time = 0.56, size = 313, normalized size = 1.80

$$\frac{24a^2d^2 \cosh(1) + 24a^2d^2 \sinh(1) + 40a^2d^2 - 2(20b^2d + 9b \cosh(1) + 9b \sinh(1)) \arctan\left(\frac{\sqrt{c^2x^2-1}}{cx}\right) - 8(5b^2d + 3b^2 \cosh(1) + 3b^2 \sinh(1)) \log\left(\frac{\sqrt{c^2x^2-1}}{cx}\right) + 8(5b^2d^2 - 5b^2d + 3(b^2d - b^2) \cosh(1) + 3(b^2d - b^2) \sinh(1)) \log\left(\frac{\sqrt{c^2x^2-1}}{cx}\right) - (20b^2d^2 + 3(2b^2d + 3b^2d) \cosh(1) + 3(2b^2d + 3b^2d) \sinh(1)) \sqrt{\frac{c^2x^2-1}{c^2x^2}}}{120c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] $\frac{1}{120}(24ac^5x^5\cosh(1) + 24ac^5x^5\sinh(1) + 40ac^5d^2x^3 - 2(20b^2c^2d + 9b^2\cosh(1) + 9b^2\sinh(1))\arctan((cx\sqrt{-(c^2x^2-1)/(c^2x^2)}) - 1)/(cx)) - 8(5b^2c^5d + 3b^2c^5\cosh(1) + 3b^2c^5\sinh(1))\log((cx\sqrt{-(c^2x^2-1)/(c^2x^2)}) - 1)/x) + 8(5b^2c^5d^2x^3 - 5b^2c^5d + 3(b^2c^5x^5 - b^2c^5)\cosh(1) + 3(b^2c^5x^5 - b^2c^5)\sinh(1))\log((cx\sqrt{-(c^2x^2-1)/(c^2x^2)}) + 1)/(cx)) - (20b^2c^4d^2x^2 + 3(2b^2c^4x^4 + 3b^2c^2x^2)\cosh(1) + 3(2b^2c^4x^4 + 3b^2c^2x^2)\sinh(1))\sqrt{-(c^2x^2-1)/(c^2x^2)})/c^5$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2(a + b \operatorname{asech}(cx))(d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d)*(a+b*asech(c*x)),x)

[Out] Integral(x**2*(a + b*asech(c*x))*(d + e*x**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsech(c*x) + a)*x^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (e x^2 + d) \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(d + e*x^2)*(a + b*acosh(1/(c*x))),x)`

[Out] `int(x^2*(d + e*x^2)*(a + b*acosh(1/(c*x))), x)`

3.90 $\int (d + ex^2) (a + b\operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=112

$$-\frac{bex\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{6c^2} + dx(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{3}ex^3(a + b\operatorname{sech}^{-1}(cx)) + \frac{b(6c^2d + e)\sqrt{\frac{1}{1+cx}}}{6c^2}$$

[Out] d*x*(a+b*arcsech(c*x))+1/3*e*x^3*(a+b*arcsech(c*x))+1/6*b*(6*c^2*d+e)*arcsin(c*x)*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/c^3-1/6*b*e*x*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)*(-c^2*x^2+1)^(1/2)/c^2

Rubi [A]

time = 0.04, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {6426, 12, 396, 222}

$$dx(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{3}ex^3(a + b\operatorname{sech}^{-1}(cx)) + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcSin}(cx)(6c^2d + e)}{6c^3} - \frac{bex\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{6c^2}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)*(a + b*ArcSech[c*x]),x]

[Out] -1/6*(b*e*x*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*Sqrt[1 - c^2*x^2])/c^2 + d*x*(a + b*ArcSech[c*x]) + (e*x^3*(a + b*ArcSech[c*x]))/3 + (b*(6*c^2*d + e)*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcSin[c*x])/(6*c^3)

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 222

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 396

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[d*x*((a + b*x^n)^(p+1)/(b*(n*(p+1)+1))), x] - Dist[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p+1)+1, 0]

Rule 6426

Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x

```
] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt
[1 - c*x]*Sqrt[1 + c*x]), x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IGTQ
[p, 0] || ILtQ[p + 1/2, 0])
```

Rubi steps

$$\begin{aligned}
 \int (d + ex^2) (a + b \operatorname{sech}^{-1}(cx)) dx &= dx(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{3} ex^3(a + b \operatorname{sech}^{-1}(cx)) + \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \\
 &= dx(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{3} ex^3(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{3} \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \\
 &= -\frac{bex \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{6c^2} + dx(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{3} ex^3(a + b \operatorname{sech}^{-1}(cx)) \\
 &= -\frac{bex \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{6c^2} + dx(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{3} ex^3(a + b \operatorname{sech}^{-1}(cx))
 \end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.32, size = 186, normalized size = 1.66

$$adx + \frac{1}{3} aex^3 + be \sqrt{\frac{1-cx}{1+cx}} \left(-\frac{x}{6c^2} - \frac{x^2}{6c} \right) + bdx \operatorname{sech}^{-1}(cx) + \frac{1}{3} bex^3 \operatorname{sech}^{-1}(cx) - \frac{2bd \sqrt{\frac{1-cx}{1+cx}} \sqrt{1-c^2x^2} \operatorname{ArcTan}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{c-c^2x} + \frac{ibe \log\left(-2icx + 2\sqrt{\frac{1-cx}{1+cx}}(1+cx)\right)}{6c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)*(a + b*ArcSech[c*x]),x]

[Out] a*d*x + (a*e*x^3)/3 + b*e*Sqrt[(1 - c*x)/(1 + c*x)]*(-1/6*x/c^2 - x^2/(6*c)) + b*d*x*ArcSech[c*x] + (b*e*x^3*ArcSech[c*x])/3 - (2*b*d*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^2*x^2]*ArcTan[Sqrt[1 - c*x]/Sqrt[1 + c*x]])/(c - c^2*x) + ((1/6)*b*e*Log[(-2*I)*c*x + 2*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)])/c^3

Maple [A]

time = 0.20, size = 135, normalized size = 1.21

method	result
derivativedivides	$ \frac{a \left(d c^3 x + \frac{1}{3} e c^3 x^3 \right) + b \left(\operatorname{arcsech}(cx) d c^3 x + \frac{\operatorname{arcsech}(cx) e c^3 x^3}{3} + \frac{\sqrt{-\frac{cx-1}{cx}}}{cx} \sqrt{\frac{cx+1}{cx}} \left(6 \operatorname{arcsin}(cx) c^2 d - ecx \sqrt{-c^2 x^2 + 1} \right)}{6 \sqrt{-c^2 x^2 + 1}} \right)}{c^2} $

default	$\frac{a(d c^3 x + \frac{1}{3} e c^3 x^3)}{c^2} + \frac{b \left(\operatorname{arcsech}(cx) d c^3 x + \frac{\operatorname{arcsech}(cx) e c^3 x^3}{3} + \sqrt{\frac{-cx-1}{cx}} \operatorname{cx} \sqrt{\frac{cx+1}{cx}} \left(6 \arcsin(cx) c^2 d - e c x \sqrt{-c^2 x^2 + 1} \right)}{6 \sqrt{-c^2 x^2 + 1}} \right)}{c^2}$
---------	---

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c} \left(\frac{a}{c^2} (d c^3 x + \frac{1}{3} e c^3 x^3) + b \operatorname{arcsech}(cx) d c^3 x + \frac{b \operatorname{arcsech}(cx) e c^3 x^3}{3} + \sqrt{\frac{-cx-1}{cx}} \operatorname{cx} \sqrt{\frac{cx+1}{cx}} \left(6 \arcsin(cx) c^2 d - e c x \sqrt{-c^2 x^2 + 1} \right)}{6 \sqrt{-c^2 x^2 + 1}} \right) / c^2$

Maxima [A]

time = 0.51, size = 109, normalized size = 0.97

$$\frac{1}{3} a x^3 e + a d x + \frac{1}{6} \left(2 x^3 \operatorname{arsech}(cx) - \frac{\sqrt{\frac{1}{c^2 x^2} - 1}}{c^2 \left(\frac{1}{c^2 x^2} - 1 \right) + c^2} + \frac{\arctan\left(\sqrt{\frac{1}{c^2 x^2} - 1}\right)}{c^2} \right) b e + \frac{\left(c x \operatorname{arsech}(cx) - \arctan\left(\sqrt{\frac{1}{c^2 x^2} - 1}\right) \right) b d}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{3} a x^3 e + a d x + \frac{1}{6} (2 x^3 \operatorname{arcsech}(cx) - (\sqrt{1/(c^2 x^2)} - 1)/(c^2 * (1/(c^2 x^2) - 1) + c^2) + \arctan(\sqrt{1/(c^2 x^2)} - 1)/c^2) b e + (c x \operatorname{arcsech}(cx) - \arctan(\sqrt{1/(c^2 x^2)} - 1)) b d / c$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 267 vs. 2(67) = 134.

time = 0.58, size = 267, normalized size = 2.38

$$\frac{2 a c^2 x^2 \cosh(1) + 2 a c^2 x^2 \sinh(1) + 6 a c^2 d x - 2 (6 b c^2 d + b \cosh(1) + b \sinh(1)) \arctan\left(\frac{\sqrt{\frac{c^2 x^2 - 1}{c^2}}}{\frac{c^2 x^2 - 1}{c^2}}\right) - 2 (3 b c^2 d + b c^2 \cosh(1) + b c^2 \sinh(1)) \log\left(\frac{\sqrt{\frac{c^2 x^2 - 1}{c^2}}}{\frac{c^2 x^2 - 1}{c^2}}\right) + 2 (3 b c^2 d x - 3 b c^2 d + (b c^2 x^3 - b c^2) \cosh(1) + (b c^2 x^3 - b c^2) \sinh(1)) \log\left(\frac{\sqrt{\frac{c^2 x^2 - 1}{c^2}}}{\frac{c^2 x^2 - 1}{c^2}}\right) - (b c^2 x^2 \cosh(1) + b c^2 x^2 \sinh(1)) \sqrt{\frac{c^2 x^2 - 1}{c^2}}}{6 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{6} (2 a c^3 x^3 \cosh(1) + 2 a c^3 x^3 \sinh(1) + 6 a c^3 d x - 2 (6 b c^2 d + b \cosh(1) + b \sinh(1)) \arctan((c x \sqrt{-(c^2 x^2 - 1)/(c^2 x^2)} - 1)/(c x)) - 2 (3 b c^2 d + b c^2 \cosh(1) + b c^2 \sinh(1)) \log((c x \sqrt{-(c^2 x^2 - 1)/(c^2 x^2)} - 1)/x) + 2 (3 b c^2 d x - 3 b c^2 d + (b c^2 x^3 - b c^2) \cosh(1) + (b c^2 x^3 - b c^2) \sinh(1)) \log((c x \sqrt{-(c^2 x^2 - 1)/(c^2 x^2)} + 1)/(c x)) - (b c^2 x^2 \cosh(1) + b c^2 x^2 \sinh(1)) \sqrt{-(c^2 x^2 - 1)/(c^2 x^2)}) / c^3$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asech}(cx)) (d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(a+b*asech(c*x)),x)**[Out]** Integral((a + b*asech(c*x))*(d + e*x**2), x)**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="giac")**[Out]** integrate((e*x^2 + d)*(b*arcsech(c*x) + a), x)**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int (ex^2 + d) \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)*(a + b*acosh(1/(c*x))),x)**[Out]** int((d + e*x^2)*(a + b*acosh(1/(c*x))), x)

$$3.91 \quad \int \frac{(d+ex^2)(a+b\operatorname{sech}^{-1}(cx))}{x^2} dx$$

Optimal. Leaf size=96

$$\frac{bd\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{x} - \frac{d(a+b\operatorname{sech}^{-1}(cx))}{x} + ex(a+b\operatorname{sech}^{-1}(cx)) + \frac{be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\operatorname{ArcSin}(cx)}{c}$$

[Out] $-d*(a+b*\operatorname{arcsech}(c*x))/x+e*x*(a+b*\operatorname{arcsech}(c*x))+b*e*\operatorname{arcsin}(c*x)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c+b*d*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x$

Rubi [A]

time = 0.04, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {14, 6436, 462, 222}

$$-\frac{d(a+b\operatorname{sech}^{-1}(cx))}{x} + ex(a+b\operatorname{sech}^{-1}(cx)) + \frac{be\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcSin}(cx)}{c} + \frac{bd\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{x}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d + e*x^2)*(a + b*\operatorname{ArcSech}[c*x])/x^2, x]$

[Out] $(b*d*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/x - (d*(a + b*\operatorname{ArcSech}[c*x])/x + e*x*(a + b*\operatorname{ArcSech}[c*x]) + (b*e*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcSin}[c*x])/c$

Rule 14

$\operatorname{Int}[(u_*)((c_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /; \operatorname{FreeQ}\{c, m\}, x] \&\& \operatorname{SumQ}[u] \&\& !\operatorname{LinearQ}[u, x] \&\& !\operatorname{MatchQ}[u, (a_ + (b_)*(v_)) /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{InverseFunctionQ}[v]$

Rule 222

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_ + (b_)*(x_)^2], x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSin}[\operatorname{Rt}[-b, 2]*(x/\operatorname{Sqrt}[a])]/\operatorname{Rt}[-b, 2], x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{GtQ}[a, 0] \&\& \operatorname{NegQ}[b]$

Rule 462

$\operatorname{Int}[(e_)*(x_))^{(m_.)}*((a_ + (b_)*(x_)^n)^{(p_.)}*((c_ + (d_)*(x_)^n)), x_Symbol] \rightarrow \operatorname{Simp}[c*(e*x)^{(m+1)}*((a + b*x^n)^{(p+1)}/(a*e*(m+1))), x] + \operatorname{Dist}[d/e^n, \operatorname{Int}[(e*x)^{(m+n)}*(a + b*x^n)^p, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, m, n, p\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{EqQ}[m + n*(p + 1) + 1, 0] \&\& (\operatorname{IntegerQ}[n] \|\ \operatorname{GtQ}[e, 0]) \&\& ((\operatorname{GtQ}[n, 0] \&\& \operatorname{LtQ}[m, -1]) \|\ (\operatorname{LtQ}[n, 0] \&\& \operatorname{GtQ}[m, -1]))$

$Q[m + n, -1])$

Rule 6436

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)(a + b \operatorname{sech}^{-1}(cx))}{x^2} dx &= -\frac{d(a + b \operatorname{sech}^{-1}(cx))}{x} + ex(a + b \operatorname{sech}^{-1}(cx)) + \left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right. \\ &= \frac{bd \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{x} - \frac{d(a + b \operatorname{sech}^{-1}(cx))}{x} + ex(a + b \operatorname{sech}^{-1}(cx)) \\ &= \frac{bd \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{x} - \frac{d(a + b \operatorname{sech}^{-1}(cx))}{x} + ex(a + b \operatorname{sech}^{-1}(cx)) \end{aligned}$$

Mathematica [A]

time = 0.15, size = 124, normalized size = 1.29

$$-\frac{ad}{x} + aex + bd \left(c + \frac{1}{x} \right) \sqrt{\frac{1 - cx}{1 + cx}} - \frac{bd \operatorname{sech}^{-1}(cx)}{x} + bex \operatorname{sech}^{-1}(cx) - \frac{2be \sqrt{\frac{1 - cx}{1 + cx}} \sqrt{1 - c^2 x^2} \operatorname{ArcTan} \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right)}{c - c^2 x}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + b*ArcSech[c*x]))/x^2,x]

[Out] -((a*d)/x) + a*e*x + b*d*(c + x^(-1))*Sqrt[(1 - c*x)/(1 + c*x)] - (b*d*ArcSech[c*x])/x + b*e*x*ArcSech[c*x] - (2*b*e*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^2*x^2]*ArcTan[Sqrt[1 - c*x]/Sqrt[1 + c*x]])/(c - c^2*x)

Maple [A]

time = 0.19, size = 114, normalized size = 1.19

method	result
--------	--------

derivativedivides	$c \left(\frac{a \left(ecx - \frac{dc}{x} \right)}{c^2} + \frac{b \left(\operatorname{arcsech}(cx) ecx - \frac{\operatorname{arcsech}(cx) dc}{x} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \left(\sqrt{-c^2 x^2 + 1} c^2 d + \arcsin(cx) ecx \right)}{\sqrt{-c^2 x^2 + 1}} \right)}{c^2} \right)$
default	$c \left(\frac{a \left(ecx - \frac{dc}{x} \right)}{c^2} + \frac{b \left(\operatorname{arcsech}(cx) ecx - \frac{\operatorname{arcsech}(cx) dc}{x} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \left(\sqrt{-c^2 x^2 + 1} c^2 d + \arcsin(cx) ecx \right)}{\sqrt{-c^2 x^2 + 1}} \right)}{c^2} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(a+b*arcsech(c*x))/x^2,x,method=_RETURNVERBOSE)`

[Out] $c \left(\frac{a}{c^2} \left(ecx - \frac{dc}{x} \right) + \frac{b}{c^2} \left(\operatorname{arcsech}(cx) ecx - \frac{\operatorname{arcsech}(cx) dc}{x} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \left(\sqrt{-c^2 x^2 + 1} c^2 d + \arcsin(cx) ecx \right)}{\sqrt{-c^2 x^2 + 1}} \right) \right)$

Maxima [A]

time = 0.25, size = 68, normalized size = 0.71

$$\left(c \sqrt{\frac{1}{c^2 x^2} - 1} - \frac{\operatorname{arsech}(cx)}{x} \right) bd + axe + \frac{\left(cx \operatorname{arsech}(cx) - \arctan \left(\sqrt{\frac{1}{c^2 x^2} - 1} \right) \right) be}{c} - \frac{ad}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^2,x, algorithm="maxima")`

[Out] $(c \sqrt{1/(c^2 x^2) - 1} - \operatorname{arcsech}(cx)/x) * b * d + a * x * e + (c * x * \operatorname{arcsech}(cx) - \arctan(\sqrt{1/(c^2 x^2) - 1})) * b * e / c - a * d / x$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 224 vs. 2(56) = 112.

time = 0.47, size = 224, normalized size = 2.33

$$\frac{b^2 dx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + a c x^2 \cosh(1) + a c x^2 \sinh(1) - a c d - 2 (b x \cosh(1) + b x \sinh(1)) \arctan \left(\frac{c x \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}}}{x} \right) + (b c d x - b c x \cosh(1) - b c x \sinh(1)) \log \left(\frac{c x \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}}}{x} \right) + (b c d x - b c d + (b c x^2 - b c x) \cosh(1) + (b c x^2 - b c x) \sinh(1)) \log \left(\frac{c x \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 1}{c} \right)}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^2,x, algorithm="fricas")`

[Out] $(b*c^2*d*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + a*c*x^2*\cosh(1) + a*c*x^2*\sinh(1) - a*c*d - 2*(b*x*\cosh(1) + b*x*\sinh(1))*\arctan((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - 1)/(c*x)) + (b*c*d*x - b*c*x*\cosh(1) - b*c*x*\sinh(1))*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - 1)/x) + (b*c*d*x - b*c*d + (b*c*x^2 - b*c*x)*\cosh(1) + (b*c*x^2 - b*c*x)*\sinh(1))*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)))/(c*x)$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))(d + ex^2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(a+b*asech(c*x))/x**2,x)`

[Out] `Integral((a + b*asech(c*x))*(d + e*x**2)/x**2, x)`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^2,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arcsech(c*x) + a)/x^2, x)`

Mupad [B]

time = 1.81, size = 98, normalized size = 1.02

$$aex - \frac{ad}{x} + bcd \left(\sqrt{\frac{1}{cx} - 1} \sqrt{\frac{1}{cx} + 1} - \frac{\operatorname{acosh}\left(\frac{1}{cx}\right)}{cx} \right) + \frac{be \operatorname{atan}\left(\frac{1}{\sqrt{\frac{1}{cx} - 1} \sqrt{\frac{1}{cx} + 1}}\right)}{c} + be x \operatorname{acosh}\left(\frac{1}{cx}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((d + e*x^2)*(a + b*acosh(1/(c*x))))/x^2,x)`

[Out] `a*e*x - (a*d)/x + b*c*d*((1/(c*x) - 1)^(1/2)*(1/(c*x) + 1)^(1/2) - acosh(1/(c*x))/(c*x)) + (b*e*atan(1/((1/(c*x) - 1)^(1/2)*(1/(c*x) + 1)^(1/2))))/c + b*e*x*acosh(1/(c*x))`

$$3.92 \quad \int \frac{(d+ex^2)(a+b\operatorname{sech}^{-1}(cx))}{x^4} dx$$

Optimal. Leaf size=126

$$\frac{bd\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{9x^3} + \frac{b(2c^2d+9e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{9x} - \frac{d(a+b\operatorname{sech}^{-1}(cx))}{3x^3} - \frac{e(a+b\operatorname{sech}^{-1}(cx))}{x}$$

[Out] $-1/3*d*(a+b*\operatorname{arcsech}(c*x))/x^3 - e*(a+b*\operatorname{arcsech}(c*x))/x + 1/9*b*d*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x^3 + 1/9*b*(2*c^2*d+9*e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x$

Rubi [A]

time = 0.05, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {14, 6436, 12, 464, 270}

$$-\frac{d(a+b\operatorname{sech}^{-1}(cx))}{3x^3} - \frac{e(a+b\operatorname{sech}^{-1}(cx))}{x} + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(2c^2d+9e)}{9x} + \frac{bd\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{9x^3}$$

Antiderivative was successfully verified.

[In] `Int[((d + e*x^2)*(a + b*ArcSech[c*x]))/x^4,x]`

[Out] $(b*d*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(9*x^3) + (b*(2*c^2*d+9*e)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(9*x) - (d*(a+b*\operatorname{ArcSech}[c*x]))/(3*x^3) - (e*(a+b*\operatorname{ArcSech}[c*x]))/x$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 14

`Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]`

Rule 270

`Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_))^(n_)*(p_), x_Symbol] := Simp[(c*x)^(m+1)*((a+b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n + p + 1, 0] && NeQ[m, -1]`

Rule 464

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[c*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*e*(m + 1))), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)(a + b \operatorname{sech}^{-1}(cx))}{x^4} dx &= -\frac{d(a + b \operatorname{sech}^{-1}(cx))}{3x^3} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{x} + \left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \\ &= -\frac{d(a + b \operatorname{sech}^{-1}(cx))}{3x^3} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{x} + \frac{1}{3} \left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \\ &= \frac{bd \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{9x^3} - \frac{d(a + b \operatorname{sech}^{-1}(cx))}{3x^3} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{x} \\ &= \frac{bd \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{9x^3} + \frac{b(2c^2 d + 9e) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}}{9x} \end{aligned}$$

Mathematica [A]

time = 0.08, size = 76, normalized size = 0.60

$$\frac{-3a(d + 3ex^2) + b \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx) (d + 2c^2 dx^2 + 9ex^2) - 3b(d + 3ex^2) \operatorname{sech}^{-1}(cx)}{9x^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + b*ArcSech[c*x]))/x^4,x]

[Out] $(-3*a*(d + 3*e*x^2) + b*\text{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(d + 2*c^2*d*x^2 + 9*e*x^2) - 3*b*(d + 3*e*x^2)*\text{ArcSech}[c*x])/(9*x^3)$

Maple [A]

time = 0.20, size = 123, normalized size = 0.98

method	result	size
derivativedivides	$c^3 \left(\frac{a \left(-\frac{d}{3cx^3} - \frac{e}{cx} \right)}{c^2} + \frac{b \left(-\frac{\text{arcsech}(cx)d}{3cx^3} - \frac{\text{arcsech}(cx)e}{cx} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} (2c^4dx^2 + 9e^2x^2 + c^2d)}{9c^2x^2}}{c^2} \right)}{c^2} \right)$	123
default	$c^3 \left(\frac{a \left(-\frac{d}{3cx^3} - \frac{e}{cx} \right)}{c^2} + \frac{b \left(-\frac{\text{arcsech}(cx)d}{3cx^3} - \frac{\text{arcsech}(cx)e}{cx} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} (2c^4dx^2 + 9e^2x^2 + c^2d)}{9c^2x^2}}{c^2} \right)}{c^2} \right)$	123

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(a+b*arcsech(c*x))/x^4,x,method=_RETURNVERBOSE)`

[Out] $c^3*(a/c^2*(-1/3*d/c/x^3-e/c/x)+b/c^2*(-1/3*arcsech(c*x)*d/c/x^3-arcsech(c*x)*e/c/x+1/9*(-(c*x-1)/c/x)^(1/2)/c^2/x^2*((c*x+1)/c/x)^(1/2)*(2*c^4*d*x^2+9*c^2*e*x^2+c^2*d)))$

Maxima [A]

time = 0.26, size = 93, normalized size = 0.74

$$\frac{1}{9}bd \left(\frac{c^4 \left(\frac{1}{c^2x^2} - 1 \right)^{\frac{3}{2}} + 3c^4 \sqrt{\frac{1}{c^2x^2} - 1}}{c} - \frac{3 \operatorname{ar} \operatorname{sech}(cx)}{x^3} \right) + \left(c \sqrt{\frac{1}{c^2x^2} - 1} - \frac{\operatorname{ar} \operatorname{sech}(cx)}{x} \right) be - \frac{ae}{x} - \frac{ad}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^4,x, algorithm="maxima")`

[Out] $1/9*b*d*((c^4*(1/(c^2*x^2) - 1)^(3/2) + 3*c^4*sqrt(1/(c^2*x^2) - 1))/c - 3*arcsech(c*x)/x^3) + (c*sqrt(1/(c^2*x^2) - 1) - arcsech(c*x)/x)*b*e - a*e/x - 1/3*a*d/x^3$

Fricas [A]

time = 0.52, size = 135, normalized size = 1.07

$$\frac{9ax^2 \cosh(1) + 9ax^2 \sinh(1) + 3ad + 3(3bx^2 \cosh(1) + 3bx^2 \sinh(1) + bd) \log \left(\frac{cx \sqrt{-\frac{c^2x^2-1}{c^2x^2}} + 1}{cx} \right) - (2bc^3dx^3 + 9bcx^3 \cosh(1) + 9bcx^3 \sinh(1) + bcdx) \sqrt{-\frac{c^2x^2-1}{c^2x^2}}}{9x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^4,x, algorithm="fricas")

[Out]
$$-1/9*(9*a*x^2*\cosh(1) + 9*a*x^2*\sinh(1) + 3*a*d + 3*(3*b*x^2*\cosh(1) + 3*b*x^2*\sinh(1) + b*d)*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) - (2*b*c^3*d*x^3 + 9*b*c*x^3*\cosh(1) + 9*b*c*x^3*\sinh(1) + b*c*d*x)*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})/x^3$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))(d + ex^2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(a+b*asech(c*x))/x**4,x)

[Out] Integral((a + b*asech(c*x))*(d + e*x**2)/x**4, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^4,x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsech(c*x) + a)/x^4, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(e x^2 + d) \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)*(a + b*acosh(1/(c*x))))/x^4,x)

[Out] int(((d + e*x^2)*(a + b*acosh(1/(c*x))))/x^4, x)

$$3.93 \quad \int \frac{(d+ex^2)(a+b\operatorname{sech}^{-1}(cx))}{x^6} dx$$

Optimal. Leaf size=183

$$\frac{bd\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{25x^5} + \frac{b(12c^2d+25e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{225x^3} + \frac{2bc^2(12c^2d+25e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{225x^3}$$

[Out] $-1/5*d*(a+b*\operatorname{arcsech}(c*x))/x^5-1/3*e*(a+b*\operatorname{arcsech}(c*x))/x^3+1/25*b*d*(1/(c*x+1))^{1/2}*(c*x+1)^{1/2}*(-c^2*x^2+1)^{1/2}/x^5+1/225*b*(12*c^2*d+25*e)*(1/(c*x+1))^{1/2}*(c*x+1)^{1/2}*(-c^2*x^2+1)^{1/2}/x^3+2/225*b*c^2*(12*c^2*d+25*e)*(1/(c*x+1))^{1/2}*(c*x+1)^{1/2}*(-c^2*x^2+1)^{1/2}/x$

Rubi [A]

time = 0.07, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {14, 6436, 12, 464, 277, 270}

$$-\frac{d(a+b\operatorname{sech}^{-1}(cx))}{5x^5} - \frac{e(a+b\operatorname{sech}^{-1}(cx))}{3x^3} + \frac{2bc^2\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(12c^2d+25e)}{225x} + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(12c^2d+25e)}{225x^3} + \frac{bd\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{25x^5}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(a + b*ArcSech[c*x]))/x^6, x]

[Out] $(b*d*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(25*x^5) + (b*(12*c^2*d+25*e)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(225*x^3) + (2*b*c^2*(12*c^2*d+25*e)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(225*x) - (d*(a+b*\operatorname{ArcSech}[c*x]))/(5*x^5) - (e*(a+b*\operatorname{ArcSech}[c*x]))/(3*x^3)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 14

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 270

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m+1)*((a+b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n+p+1, 0] && NeQ[m, -1]

Rule 277

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((
a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1
))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 464

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n
_)), x_Symbol] := Simp[c*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*e*(m + 1))),
x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*
x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c
- a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (
LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 6436

```
Int[((a_) + ArcSech[(c_)*(x_)])*(b_)*((f_)*(x_))^(m_)*((d_) + (e_)*(
x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)(a + b \operatorname{sech}^{-1}(cx))}{x^6} dx &= -\frac{d(a + b \operatorname{sech}^{-1}(cx))}{5x^5} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{3x^3} + \left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right. \\
&= -\frac{d(a + b \operatorname{sech}^{-1}(cx))}{5x^5} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{3x^3} + \frac{1}{15} \left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right. \\
&= \frac{bd \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{25x^5} - \frac{d(a + b \operatorname{sech}^{-1}(cx))}{5x^5} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{3x^3} \\
&= \frac{bd \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{25x^5} + \frac{b(12c^2 d + 25e) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}}{225x^3} \\
&= \frac{bd \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{25x^5} + \frac{b(12c^2 d + 25e) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}}{225x^3}
\end{aligned}$$

Mathematica [A]

time = 0.11, size = 101, normalized size = 0.55

$$\frac{-15a(3d + 5ex^2) + b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(25ex^2(1+2c^2x^2) + 3d(3+4c^2x^2+8c^4x^4)) - 15b(3d+5ex^2)\operatorname{sech}^{-1}(cx)}{225x^5}$$

Antiderivative was successfully verified.

`[In] Integrate[((d + e*x^2)*(a + b*ArcSech[c*x]))/x^6,x]`

`[Out] (-15*a*(3*d + 5*e*x^2) + b*sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(25*e*x^2*(1 + 2*c^2*x^2) + 3*d*(3 + 4*c^2*x^2 + 8*c^4*x^4)) - 15*b*(3*d + 5*e*x^2)*ArcSech[c*x])/(225*x^5)`

Maple [A]

time = 0.20, size = 142, normalized size = 0.78

method	result
derivativedivides	$c^5 \left(\frac{a \left(-\frac{e}{3c^3x^3} - \frac{d}{5c^3x^5} \right)}{c^2} + \frac{b \left(-\frac{\operatorname{arcsech}(cx)e}{3c^3x^3} - \frac{\operatorname{arcsech}(cx)d}{5c^3x^5} + \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \frac{(24c^6dx^4+50c^4ex^4+12c^4dx^2+25e^2c^2)}{225c^4x^4}}{c^2} \right)}{c^2} \right)$
default	$c^5 \left(\frac{a \left(-\frac{e}{3c^3x^3} - \frac{d}{5c^3x^5} \right)}{c^2} + \frac{b \left(-\frac{\operatorname{arcsech}(cx)e}{3c^3x^3} - \frac{\operatorname{arcsech}(cx)d}{5c^3x^5} + \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \frac{(24c^6dx^4+50c^4ex^4+12c^4dx^2+25e^2c^2)}{225c^4x^4}}{c^2} \right)}{c^2} \right)$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((e*x^2+d)*(a+b*arcsech(c*x))/x^6,x,method=_RETURNVERBOSE)`

`[Out] c^5*(a/c^2*(-1/3*e/c^3/x^3-1/5*d/c^3/x^5)+b/c^2*(-1/3*arcsech(c*x)*e/c^3/x^3-1/5*arcsech(c*x)*d/c^3/x^5+1/225*(-(c*x-1)/c/x)^(1/2)/c^4/x^4*((c*x+1)/c/x)^(1/2)*(24*c^6*d*x^4+50*c^4*e*x^4+12*c^4*d*x^2+25*c^2*e*x^2+9*c^2*d)))`

Maxima [A]

time = 0.26, size = 134, normalized size = 0.73

$$\frac{1}{75}bd \left(\frac{3c^6 \left(\frac{1}{c^2x^2} - 1 \right)^{\frac{5}{2}} + 10c^6 \left(\frac{1}{c^2x^2} - 1 \right)^{\frac{3}{2}} + 15c^6 \sqrt{\frac{1}{c^2x^2} - 1}}{c} - \frac{15 \operatorname{arosech}(cx)}{x^5} \right) + \frac{1}{9}b \left(\frac{c^4 \left(\frac{1}{c^2x^2} - 1 \right)^{\frac{3}{2}} + 3c^4 \sqrt{\frac{1}{c^2x^2} - 1}}{c} - \frac{3 \operatorname{arosech}(cx)}{x^3} \right) e - \frac{ae}{3x^3} - \frac{ad}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^6,x, algorithm="maxima")

[Out] $\frac{1}{75} b d \left(\frac{3 c^6}{(c^2 x^2 - 1)^{5/2}} + 10 c^6 \frac{1}{(c^2 x^2 - 1)^{3/2}} + 15 c^6 \sqrt{\frac{1}{c^2 x^2 - 1}} \right) / c - 15 \operatorname{arcsech}(c x) / x^5 + \frac{1}{9} b \left(\frac{c^4}{(c^2 x^2 - 1)^{3/2}} + 3 c^4 \sqrt{\frac{1}{c^2 x^2 - 1}} \right) / c - 3 \operatorname{arcsech}(c x) / x^3 e - \frac{1}{3} a e / x^3 - \frac{1}{5} a d / x^5$

Fricas [A]

time = 0.47, size = 169, normalized size = 0.92

$$\frac{75 a x^2 \cosh(1) + 75 a x^2 \sinh(1) + 45 a d + 15 (5 b x^2 \cosh(1) + 5 b x^2 \sinh(1) + 3 b d) \log\left(\frac{c \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 1}{c x}\right) - (24 b^5 d x^5 + 12 b^3 c^3 d x^3 + 9 b^2 c^2 d x + 25 (2 b^3 x^5 + b c x^3) \cosh(1) + 25 (2 b^3 x^5 + b c x^3) \sinh(1)) \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}}}{225 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^6,x, algorithm="fricas")

[Out] $-\frac{1}{225} (75 a x^2 \cosh(1) + 75 a x^2 \sinh(1) + 45 a d + 15 (5 b x^2 \cosh(1) + 5 b x^2 \sinh(1) + 3 b d) \log\left(\frac{c x \sqrt{-(c^2 x^2 - 1)/(c^2 x^2)}}{c x}\right) - (24 b^5 d x^5 + 12 b^3 c^3 d x^3 + 9 b^2 c^2 d x + 25 (2 b^3 x^5 + b c x^3) \cosh(1) + 25 (2 b^3 x^5 + b c x^3) \sinh(1)) \sqrt{-(c^2 x^2 - 1)/(c^2 x^2)}) / x^5$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(c x)) (d + e x^2)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(a+b*asech(c*x))/x**6,x)

[Out] Integral((a + b*asech(c*x))*(d + e*x**2)/x**6, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^6,x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsech(c*x) + a)/x^6, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(e x^2 + d) \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d + e*x^2)*(a + b*acosh(1/(c*x))))/x^6,x)
```

```
[Out] int(((d + e*x^2)*(a + b*acosh(1/(c*x))))/x^6, x)
```

$$3.94 \quad \int \frac{(d+ex^2)(a+b\operatorname{sech}^{-1}(cx))}{x^8} dx$$

Optimal. Leaf size=238

$$\frac{bd\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{49x^7} + \frac{b(30c^2d+49e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{1225x^5} + \frac{4bc^2(30c^2d+49e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{3675x^3} + \frac{8bc^4(30c^2d+49e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{3675x}$$

[Out] $-1/7*d*(a+b*\operatorname{arcsech}(c*x))/x^7-1/5*e*(a+b*\operatorname{arcsech}(c*x))/x^5+1/49*b*d*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x^7+1/1225*b*(30*c^2*d+49*e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x^5+4/3675*b*c^2*(30*c^2*d+49*e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x^3+8/3675*b*c^4*(30*c^2*d+49*e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x$

Rubi [A]

time = 0.09, antiderivative size = 238, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {14, 6436, 12, 464, 277, 270}

$$\frac{d(a+b\operatorname{sech}^{-1}(cx))}{7x^7} - \frac{e(a+b\operatorname{sech}^{-1}(cx))}{5x^5} + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(30c^2d+49e)}{1225x^5} + \frac{4bc^2\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(30c^2d+49e)}{3675x^3} + \frac{bd\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{49x^7} + \frac{8bc^4\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(30c^2d+49e)}{3675x}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(a + b*ArcSech[c*x]))/x^8,x]

[Out] $(b*d*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(49*x^7) + (b*(30*c^2*d+49*e)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(1225*x^5) + (4*b*c^2*(30*c^2*d+49*e)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(3675*x^3) + (8*b*c^4*(30*c^2*d+49*e)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(3675*x) - (d*(a+b*\operatorname{ArcSech}[c*x]))/(7*x^7) - (e*(a+b*\operatorname{ArcSech}[c*x]))/(5*x^5)$

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 14

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)+(b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

Rule 270

Int[((c_.)*(x_))^(m_.)*((a_)+(b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c*x)^(m+1)*((a+b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n},

p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 277

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

Rule 464

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[c*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*e*(m + 1))), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

Rule 6436

Int[((a_) + ArcSech[(c_)*(x_)])*(b_)*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)(a + b\operatorname{sech}^{-1}(cx))}{x^8} dx &= -\frac{d(a + b\operatorname{sech}^{-1}(cx))}{7x^7} - \frac{e(a + b\operatorname{sech}^{-1}(cx))}{5x^5} + \left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \\
&= -\frac{d(a + b\operatorname{sech}^{-1}(cx))}{7x^7} - \frac{e(a + b\operatorname{sech}^{-1}(cx))}{5x^5} + \frac{1}{35}\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \\
&= \frac{bd\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{49x^7} - \frac{d(a + b\operatorname{sech}^{-1}(cx))}{7x^7} - \frac{e(a + b\operatorname{sech}^{-1}(cx))}{5x^5} \\
&= \frac{bd\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{49x^7} + \frac{b(30c^2d + 49e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{1225x^5} \\
&= \frac{bd\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{49x^7} + \frac{b(30c^2d + 49e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{1225x^5} \\
&= \frac{bd\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{49x^7} + \frac{b(30c^2d + 49e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{1225x^5}
\end{aligned}$$

Mathematica [A]

time = 0.14, size = 117, normalized size = 0.49

$$\frac{-105a(5d + 7ex^2) + b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(49ex^2(3 + 4c^2x^2 + 8c^4x^4) + 15d(5 + 6c^2x^2 + 8c^4x^4 + 16c^6x^6)) - 105b(5d + 7ex^2)\operatorname{sech}^{-1}(cx)}{3675x^7}$$

Antiderivative was successfully verified.

`[In] Integrate[((d + e*x^2)*(a + b*ArcSech[c*x]))/x^8,x]`

```
[Out] (-105*a*(5*d + 7*e*x^2) + b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(49*e*x^2*(
3 + 4*c^2*x^2 + 8*c^4*x^4) + 15*d*(5 + 6*c^2*x^2 + 8*c^4*x^4 + 16*c^6*x^6))
- 105*b*(5*d + 7*e*x^2)*ArcSech[c*x])/(3675*x^7)
```

Maple [A]

time = 0.20, size = 160, normalized size = 0.67

method	result
--------	--------

derivativedivides	$c^7 \left(\frac{a \left(-\frac{d}{7c^5 x^7} - \frac{e}{5c^5 x^5} \right)}{c^2} + \frac{b \left(-\frac{\operatorname{arcsech}(cx)d}{7c^5 x^7} - \frac{\operatorname{arcsech}(cx)e}{5c^5 x^5} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{cx} \right) (240c^8 d x^6 + 392c^6 e x^6 + 120c^6 d x^4 + 196c^4 e x^4 + 90c^4 d x^2 + 147c^2 e x^2 + 75c^2 d)}{3675c^6 x^6} \right)}{c^2}$
default	$c^7 \left(\frac{a \left(-\frac{d}{7c^5 x^7} - \frac{e}{5c^5 x^5} \right)}{c^2} + \frac{b \left(-\frac{\operatorname{arcsech}(cx)d}{7c^5 x^7} - \frac{\operatorname{arcsech}(cx)e}{5c^5 x^5} + \frac{\sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{cx} \right) (240c^8 d x^6 + 392c^6 e x^6 + 120c^6 d x^4 + 196c^4 e x^4 + 90c^4 d x^2 + 147c^2 e x^2 + 75c^2 d)}{3675c^6 x^6} \right)}{c^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(a+b*arcsech(c*x))/x^8,x,method=_RETURNVERBOSE)`

[Out] $c^7 * (a/c^2 * (-1/7*d/c^5/x^7 - 1/5*e/c^5/x^5) + b/c^2 * (-1/7*arcsech(c*x)*d/c^5/x^7 - 1/5*arcsech(c*x)*e/c^5/x^5 + 1/3675 * (-c*x-1)/c/x^{1/2} / c^6/x^6 * ((c*x+1)/c/x)^{1/2} * (240*c^8*d*x^6 + 392*c^6*e*x^6 + 120*c^6*d*x^4 + 196*c^4*e*x^4 + 90*c^4*d*x^2 + 147*c^2*e*x^2 + 75*c^2*d)))$

Maxima [A]

time = 0.25, size = 167, normalized size = 0.70

$$\frac{1}{245} b d \left(\frac{5c^8 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{5}{2}} + 21c^8 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{3}{2}} + 35c^8 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{1}{2}} + 35c^8 \sqrt{\frac{1}{c^2 x^2} - 1}}{c} - \frac{35 \operatorname{arcsch}(cx)}{x^7} \right) + \frac{1}{75} b \left(\frac{3c^6 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{5}{2}} + 10c^6 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{3}{2}} + 15c^6 \sqrt{\frac{1}{c^2 x^2} - 1}}{c} - \frac{15 \operatorname{arcsch}(cx)}{x^5} \right) e - \frac{ae}{5x^5} - \frac{ad}{7x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^8,x, algorithm="maxima")`

[Out] $\frac{1}{245} b d * ((5*c^8*(1/(c^2*x^2) - 1)^{(7/2)} + 21*c^8*(1/(c^2*x^2) - 1)^{(5/2)} + 35*c^8*(1/(c^2*x^2) - 1)^{(3/2)} + 35*c^8*\sqrt{1/(c^2*x^2) - 1})/c - 35*\operatorname{arcsech}(c*x)/x^7) + \frac{1}{75} b * ((3*c^6*(1/(c^2*x^2) - 1)^{(5/2)} + 10*c^6*(1/(c^2*x^2) - 1)^{(3/2)} + 15*c^6*\sqrt{1/(c^2*x^2) - 1})/c - 15*\operatorname{arcsech}(c*x)/x^5) * e - \frac{1}{5} * a * e / x^5 - \frac{1}{7} * a * d / x^7$

Fricas [A]

time = 0.45, size = 199, normalized size = 0.84

$$\frac{735 a x^2 \cosh(1) + 735 a x^2 \sinh(1) + 525 a d + 105 (7 b x^2 \cosh(1) + 7 b x^2 \sinh(1) + 5 b d) \log \left(\frac{c \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}} + 1}{c} \right) - (240 b c^7 d x^7 + 120 b c^6 d x^6 + 90 b c^5 d x^5 + 75 b c d x + 49 (8 b c^5 x^7 + 4 b c^3 x^5 + 3 b c x^3) \cosh(1) + 49 (8 b c^5 x^7 + 4 b c^3 x^5 + 3 b c x^3) \sinh(1)) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}{3675 x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^8,x, algorithm="fricas")`

[Out]
$$-1/3675*(735*a*x^2*\cosh(1) + 735*a*x^2*\sinh(1) + 525*a*d + 105*(7*b*x^2*\cos h(1) + 7*b*x^2*\sinh(1) + 5*b*d)*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) - (240*b*c^7*d*x^7 + 120*b*c^5*d*x^5 + 90*b*c^3*d*x^3 + 75*b*c*d*x + 49*(8*b*c^5*x^7 + 4*b*c^3*x^5 + 3*b*c*x^3)*\cosh(1) + 49*(8*b*c^5*x^7 + 4*b*c^3*x^5 + 3*b*c*x^3)*\sinh(1))*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})/x^7$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))(d + ex^2)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(a+b*asech(c*x))/x**8,x)`

[Out] `Integral((a + b*asech(c*x))*(d + e*x**2)/x**8, x)`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^8,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arcsech(c*x) + a)/x^8, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d) \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right)\right)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((d + e*x^2)*(a + b*acosh(1/(c*x))))/x^8,x)`

[Out] `int(((d + e*x^2)*(a + b*acosh(1/(c*x))))/x^8, x)`

3.95 $\int x^5(d + ex^2) (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=232

$$\frac{b(4c^2d + 3e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{24c^8} + \frac{b(8c^2d + 9e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} (1-c^2x^2)^{3/2}}{72c^8} - \frac{b(4c^2d + 9e)}{72c^8}$$

[Out] $\frac{1}{6}d*x^6*(a+b*\operatorname{arcsech}(c*x))+\frac{1}{8}e*x^8*(a+b*\operatorname{arcsech}(c*x))+\frac{1}{72}b*(8*c^2*d+9*e)*(-c^2*x^2+1)^{(3/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^8-\frac{1}{120}b*(4*c^2*d+9*e)*(-c^2*x^2+1)^{(5/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^8+\frac{1}{56}b*e*(-c^2*x^2+1)^{(7/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^8-\frac{1}{24}b*(4*c^2*d+3*e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^8$

Rubi [A]

time = 0.11, antiderivative size = 232, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {14, 6436, 12, 457, 78}

$$\frac{1}{6}dx^6(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{8}ex^8(a + b \operatorname{sech}^{-1}(cx)) - \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(1-c^2x^2)^{5/2}(4c^2d+9e)}{120c^8} + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(1-c^2x^2)^{3/2}(8c^2d+9e)}{72c^8} - \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(4c^2d+3e)}{24c^8} + \frac{be\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(1-c^2x^2)^{7/2}}{56c^8}$$

Antiderivative was successfully verified.

[In] `Int[x^5*(d + e*x^2)*(a + b*ArcSech[c*x]),x]`

[Out] $-1/24*(b*(4*c^2*d + 3*e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/c^8 + (b*(8*c^2*d + 9*e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*(1 - c^2*x^2)^{(3/2)})/(72*c^8) - (b*(4*c^2*d + 9*e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*(1 - c^2*x^2)^{(5/2)})/(120*c^8) + (b*e*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*(1 - c^2*x^2)^{(7/2)})/(56*c^8) + (d*x^6*(a + b*\operatorname{ArcSech}[c*x])/6 + (e*x^8*(a + b*\operatorname{ArcSech}[c*x]))/8$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 14

`Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]`

Rule 78

`Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x],`

```
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0]
&& ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p +
5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b,
c, d, e, f])))
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 6436

```
Int[((a_) + ArcSech[(c_)*(x_)]*(b_))*((f_)*(x_)^(m_))*((d_) + (e_)*(
x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int x^5(d + ex^2)(a + b\operatorname{sech}^{-1}(cx)) dx &= \frac{1}{6}dx^6(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{8}ex^8(a + b\operatorname{sech}^{-1}(cx)) + \left(b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}\right) \\
&= \frac{1}{6}dx^6(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{8}ex^8(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{24}\left(b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}\right) \\
&= \frac{1}{6}dx^6(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{8}ex^8(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{48}\left(b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}\right) \\
&= \frac{1}{6}dx^6(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{8}ex^8(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{48}\left(b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}\right) \\
&= -\frac{b(4c^2d + 3e)\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}}{24c^8} + \frac{b(8c^2d + 9e)\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}}{24c^8}
\end{aligned}$$

Mathematica [A]

time = 0.15, size = 126, normalized size = 0.54

$$\frac{1}{24}ax^6(4d + 3ex^2) - \frac{b\sqrt{\frac{1 - cx}{1 + cx}}(1 + cx)(144e + 8c^2(28d + 9ex^2) + 2c^4(56dx^2 + 27ex^4) + c^6(84dx^4 + 45ex^6))}{2520c^8} + \frac{1}{24}bx^6(4d + 3ex^2)\operatorname{sech}^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x^5*(d + e*x^2)*(a + b*ArcSech[c*x]),x]

[Out] (a*x^6*(4*d + 3*e*x^2))/24 - (b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(144*e + 8*c^2*(28*d + 9*e*x^2) + 2*c^4*(56*d*x^2 + 27*e*x^4) + c^6*(84*d*x^4 + 45*e*x^6)))/(2520*c^8) + (b*x^6*(4*d + 3*e*x^2)*ArcSech[c*x])/24

Maple [A]

time = 0.32, size = 150, normalized size = 0.65

method	result
derivativedivides	$\frac{a\left(\frac{1}{6}c^8dx^6 + \frac{1}{8}e c^8x^8\right)}{c^2} + \frac{b\left(\frac{\operatorname{arcsech}(cx)dc^8x^6}{6} + \frac{\operatorname{arcsech}(cx)ec^8x^8}{8} - \sqrt{\frac{-cx-1}{cx}}cx\sqrt{\frac{cx+1}{cx}}\frac{(45c^6ex^6+84c^6dx^4+54c^4ex^4+112c^4d+144e)}}{2520}\right)}{c^6}$
default	$\frac{a\left(\frac{1}{6}c^8dx^6 + \frac{1}{8}e c^8x^8\right)}{c^2} + \frac{b\left(\frac{\operatorname{arcsech}(cx)dc^8x^6}{6} + \frac{\operatorname{arcsech}(cx)ec^8x^8}{8} - \sqrt{\frac{-cx-1}{cx}}cx\sqrt{\frac{cx+1}{cx}}\frac{(45c^6ex^6+84c^6dx^4+54c^4ex^4+112c^4d+144e)}}{2520}\right)}{c^6}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(e*x^2+d)*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)

[Out] 1/c^6*(a/c^2*(1/6*c^8*d*x^6+1/8*e*c^8*x^8)+b/c^2*(1/6*arcsech(c*x)*d*c^8*x^6+1/8*arcsech(c*x)*e*c^8*x^8-1/2520*(-(c*x-1)/c/x)^(1/2)*c*x*((c*x+1)/c/x)^(1/2)*(45*c^6*e*x^6+84*c^6*d*x^4+54*c^4*e*x^4+112*c^4*d*x^2+72*c^2*e*x^2+22*4*c^2*d+144*e)))

Maxima [A]

time = 0.26, size = 179, normalized size = 0.77

$$\frac{1}{8}ax^8e + \frac{1}{6}adx^6 + \frac{1}{90}\left(15x^6\operatorname{arcsch}(cx) - \frac{3c^4x^5\left(\frac{1}{2x^2}-1\right)^{\frac{5}{2}} - 10c^2x^3\left(\frac{1}{2x^2}-1\right)^{\frac{3}{2}} + 15x\sqrt{\frac{1}{2x^2}-1}}{c^5}\right)bd + \frac{1}{280}\left(35x^8\operatorname{arcsch}(cx) + \frac{5c^6x^7\left(\frac{1}{2x^2}-1\right)^{\frac{7}{2}} - 21c^4x^5\left(\frac{1}{2x^2}-1\right)^{\frac{5}{2}} + 35c^2x^3\left(\frac{1}{2x^2}-1\right)^{\frac{3}{2}} - 35x\sqrt{\frac{1}{2x^2}-1}}{c^7}\right)be$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="maxima")

[Out] 1/8*a*x^8*e + 1/6*a*d*x^6 + 1/90*(15*x^6*arcsech(c*x) - (3*c^4*x^5*(1/(c^2*x^2) - 1)^(5/2) - 10*c^2*x^3*(1/(c^2*x^2) - 1)^(3/2) + 15*x*sqrt(1/(c^2*x^2) - 1))/c^5)*b*d + 1/280*(35*x^8*arcsech(c*x) + (5*c^6*x^7*(1/(c^2*x^2) - 1)^(7/2) - 21*c^4*x^5*(1/(c^2*x^2) - 1)^(5/2) + 35*c^2*x^3*(1/(c^2*x^2) - 1)^(3/2) - 35*x*sqrt(1/(c^2*x^2) - 1))/c^7)*b*e

Fricas [A]

time = 0.37, size = 227, normalized size = 0.98

$$\frac{315ac^8e\cosh(1) + 315a^2x^8\sinh(1) + 420ac^7dx^6 + 105(3bc^7x^8\cosh(1) + 3bc^7x^8\sinh(1) + 4bc^7dx^6)\log\left(\frac{c\sqrt{\frac{c^2x^2-1}{c^2x^2+1}}}{c}\right) - (84bc^6dx^6 + 112bc^6dx^3 + 224bc^6dx + 9(5bc^6x^7 + 6bc^6x^5 + 8bc^6x^3 + 16bc^6)\cosh(1) + 9(5bc^6x^7 + 6bc^6x^5 + 8bc^6x^3 + 16bc^6)\sinh(1))\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{2520c^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{2520}(315*a*c^7*x^8*\cosh(1) + 315*a*c^7*x^8*\sinh(1) + 420*a*c^7*d*x^6 + 105*(3*b*c^7*x^8*\cosh(1) + 3*b*c^7*x^8*\sinh(1) + 4*b*c^7*d*x^6)*\log\left(\frac{c*x*\sqrt{-c^2*x^2 - 1}}{c^2*x^2} + 1\right)/(c*x) - (84*b*c^6*d*x^5 + 112*b*c^4*d*x^3 + 224*b*c^2*d*x + 9*(5*b*c^6*x^7 + 6*b*c^4*x^5 + 8*b*c^2*x^3 + 16*b*x)*\cosh(1) + 9*(5*b*c^6*x^7 + 6*b*c^4*x^5 + 8*b*c^2*x^3 + 16*b*x)*\sinh(1))*\sqrt{\frac{-c^2*x^2 - 1}{c^2*x^2}}/c^7$

Sympy [A]

time = 1.96, size = 228, normalized size = 0.98

$$\begin{cases} \frac{adx^6}{6} + \frac{ax^8}{8} + \frac{bdx^6 \operatorname{asech}(cx)}{6} + \frac{bcx^8 \operatorname{asech}(cx)}{8} - \frac{bdx^4 \sqrt{-c^2x^2 + 1}}{30c^2} - \frac{bcx^6 \sqrt{-c^2x^2 + 1}}{56c^2} - \frac{2bdx^3 \sqrt{-c^2x^2 + 1}}{45c^4} - \frac{3bcx^4 \sqrt{-c^2x^2 + 1}}{140c^4} - \frac{4bd \sqrt{-c^2x^2 + 1}}{45c^6} - \frac{bcx^2 \sqrt{-c^2x^2 + 1}}{35c^6} - \frac{2be \sqrt{-c^2x^2 + 1}}{35c^8} & \text{for } c \neq 0 \\ (a + \infty b) \left(\frac{dx^6}{6} + \frac{ex^8}{8} \right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(e*x**2+d)*(a+b*asech(c*x)),x)`

[Out] `Piecewise((a*d*x**6/6 + a*e*x**8/8 + b*d*x**6*asech(c*x)/6 + b*e*x**8*asech(c*x)/8 - b*d*x**4*sqrt(-c**2*x**2 + 1)/(30*c**2) - b*e*x**6*sqrt(-c**2*x**2 + 1)/(56*c**2) - 2*b*d*x**2*sqrt(-c**2*x**2 + 1)/(45*c**4) - 3*b*e*x**4*sqrt(-c**2*x**2 + 1)/(140*c**4) - 4*b*d*sqrt(-c**2*x**2 + 1)/(45*c**6) - b*e*x**2*sqrt(-c**2*x**2 + 1)/(35*c**6) - 2*b*e*sqrt(-c**2*x**2 + 1)/(35*c**8), Ne(c, 0)), ((a + oo*b)*(d*x**6/6 + e*x**8/8), True))`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arcsech(c*x) + a)*x^5, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^5 (e x^2 + d) \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(d + e*x^2)*(a + b*acosh(1/(c*x))),x)`

[Out] `int(x^5*(d + e*x^2)*(a + b*acosh(1/(c*x))), x)`

3.96 $\int x^3(d + ex^2) (a + b\operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=180

$$\frac{b(3c^2d + 2e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{12c^6} + \frac{b(3c^2d + 4e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} (1-c^2x^2)^{3/2}}{36c^6} - \frac{be \sqrt{\frac{1}{1+cx}}}{12c^6}$$

[Out] $\frac{1}{4}dx^4(a+b\operatorname{arcsech}(cx))+\frac{1}{6}ex^6(a+b\operatorname{arcsech}(cx))+\frac{1}{36}b(3c^2d+4e)(-c^2x^2+1)^{(3/2)}(1/(cx+1))^{(1/2)}(cx+1)^{(1/2)}/c^6-\frac{1}{30}be(-c^2x^2+1)^{(5/2)}(1/(cx+1))^{(1/2)}(cx+1)^{(1/2)}/c^6-\frac{1}{12}b(3c^2d+2e)(1/(cx+1))^{(1/2)}(cx+1)^{(1/2)}(-c^2x^2+1)^{(1/2)}/c^6$

Rubi [A]

time = 0.09, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {14, 6436, 12, 457, 78}

$$\frac{1}{4}dx^4(a+b\operatorname{sech}^{-1}(cx))+\frac{1}{6}ex^6(a+b\operatorname{sech}^{-1}(cx))+\frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(1-c^2x^2)^{3/2}(3c^2d+4e)}{36c^6}-\frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(3c^2d+2e)}{12c^6}-\frac{be\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(1-c^2x^2)^{5/2}}{30c^6}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^3(d + ex^2)(a + b\operatorname{ArcSech}[cx]), x]$

[Out] $-\frac{1}{12}(b(3c^2d + 2e)\operatorname{Sqrt}[(1 + cx)^{-1}]\operatorname{Sqrt}[1 + cx]\operatorname{Sqrt}[1 - c^2x^2])/c^6 + \frac{b(3c^2d + 4e)\operatorname{Sqrt}[(1 + cx)^{-1}]\operatorname{Sqrt}[1 + cx](1 - c^2x^2)^{(3/2)}}{(36c^6)} - \frac{b\operatorname{e}\operatorname{Sqrt}[(1 + cx)^{-1}]\operatorname{Sqrt}[1 + cx](1 - c^2x^2)^{(5/2)}}{(30c^6)} + \frac{d*x^4(a + b\operatorname{ArcSech}[cx])}{4} + \frac{e*x^6(a + b\operatorname{ArcSech}[cx])}{6}$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!MatchQ}[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 14

$\operatorname{Int}[(u_*)((c_*)(x_))^{(m_)}), x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /; \operatorname{FreeQ}[\{c, m\}, x] \&\& \operatorname{SumQ}[u] \&\& \operatorname{!LinearQ}[u, x] \&\& \operatorname{!MatchQ}[u, (a_*) + (b_*)(v_)] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{InverseFunctionQ}[v]$

Rule 78

$\operatorname{Int}[(a_*) + (b_*)(x_)] * ((c_*) + (d_*)(x_))^{(n_)} * ((e_*) + (f_*)(x_))^{(p_)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; \operatorname{FreeQ}[\{a, b, c, d, e, f, n\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& ((\operatorname{ILtQ}[n, 0] \&\& \operatorname{ILtQ}[p, 0]) \|\operator\| \operatorname{EqQ}[p, 1] \|\operator\| (\operatorname{IGtQ}[p, 0] \&\& (\operatorname{!IntegerQ}[n] \|\operator\| \operatorname{LeQ}[9*p +$

5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f]))))

Rule 457

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 6436

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rubi steps

$$\begin{aligned}
 \int x^3(d + ex^2)(a + b\operatorname{sech}^{-1}(cx)) dx &= \frac{1}{4}dx^4(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{6}ex^6(a + b\operatorname{sech}^{-1}(cx)) + \left(b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2}\right) \\
 &= \frac{1}{4}dx^4(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{6}ex^6(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{12}\left(b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2}\right) \\
 &= \frac{1}{4}dx^4(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{6}ex^6(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{24}\left(b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2}\right) \\
 &= \frac{1}{4}dx^4(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{6}ex^6(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{24}\left(b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2}\right) \\
 &= -\frac{b(3c^2d + 2e)\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}}{12c^6} + \frac{b(3c^2d + 4e)\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}}{12c^6}
 \end{aligned}$$

Mathematica [A]

time = 0.13, size = 106, normalized size = 0.59

$$\frac{1}{180} \left(15ax^4(3d + 2ex^2) - \frac{b\sqrt{\frac{1 - cx}{1 + cx}}(1 + cx)(16e + c^2(30d + 8ex^2) + 3c^4(5dx^2 + 2ex^4))}{c^6} + 15bx^4(3d + 2ex^2)\operatorname{sech}^{-1}(cx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(d + e*x^2)*(a + b*ArcSech[c*x]),x]

[Out] (15*a*x^4*(3*d + 2*e*x^2) - (b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(16*e + c^2*(30*d + 8*e*x^2) + 3*c^4*(5*d*x^2 + 2*e*x^4)))/c^6 + 15*b*x^4*(3*d + 2*e*x^2)*ArcSech[c*x])/180

Maple [A]

time = 0.34, size = 281, normalized size = 1.56

method	result
derivativedivides	$\frac{a \left(\frac{c^2 d (e c^2 x^2 + c^2 d)^2}{2} - \frac{(e c^2 x^2 + c^2 d)^3}{3} \right)}{2c^2 e^2} + b \left(-\frac{\operatorname{arcsech}(cx)c^6 d^3}{12e^2} + \frac{\operatorname{arcsech}(cx)c^6 d x^4}{4} + \frac{e \operatorname{arcsech}(cx)c^6 x^6}{6} - \frac{\sqrt{-\frac{cx-1}{cx}}}{cx} \sqrt{\frac{cx-1}{cx}} \right)$
default	$\frac{a \left(\frac{c^2 d (e c^2 x^2 + c^2 d)^2}{2} - \frac{(e c^2 x^2 + c^2 d)^3}{3} \right)}{2c^2 e^2} + b \left(-\frac{\operatorname{arcsech}(cx)c^6 d^3}{12e^2} + \frac{\operatorname{arcsech}(cx)c^6 d x^4}{4} + \frac{e \operatorname{arcsech}(cx)c^6 x^6}{6} - \frac{\sqrt{-\frac{cx-1}{cx}}}{cx} \sqrt{\frac{cx-1}{cx}} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d)*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)

[Out] 1/c^4*(-1/2*a/c^2/e^2*(1/2*c^2*d*(c^2*e*x^2+c^2*d)^2-1/3*(c^2*e*x^2+c^2*d)^3)+b/c^2*(-1/12/e^2*arcsech(c*x)*c^6*d^3+1/4*arcsech(c*x)*c^6*d*x^4+1/6*e*arcsech(c*x)*c^6*x^6-1/180/e^2*(-(c*x-1)/c/x)^(1/2)*c*x*((c*x+1)/c/x)^(1/2)*(-15*c^6*d^3*arctanh(1/(-c^2*x^2+1)^(1/2))+15*c^4*d*e^2*(-c^2*x^2+1)^(1/2)*x^2+6*e^3*(-c^2*x^2+1)^(1/2)*c^4*x^4+30*c^2*d*e^2*(-c^2*x^2+1)^(1/2)+8*e^3*c^2*x^2*(-c^2*x^2+1)^(1/2)+16*e^3*(-c^2*x^2+1)^(1/2))/(-c^2*x^2+1)^(1/2))

Maxima [A]

time = 0.25, size = 140, normalized size = 0.78

$$\frac{1}{6}ax^6e + \frac{1}{4}adx^4 + \frac{1}{12} \left(3x^4 \operatorname{arosech}(cx) + \frac{c^2x^3 \left(\frac{1}{c^2x^2} - 1 \right)^{\frac{3}{2}} - 3x \sqrt{\frac{1}{c^2x^2} - 1}}{c^3} \right) bd + \frac{1}{90} \left(15x^6 \operatorname{arosech}(cx) - \frac{3c^4x^5 \left(\frac{1}{c^2x^2} - 1 \right)^{\frac{5}{2}} - 10c^2x^3 \left(\frac{1}{c^2x^2} - 1 \right)^{\frac{3}{2}} + 15x \sqrt{\frac{1}{c^2x^2} - 1}}{c^5} \right) be$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="maxima")

[Out] 1/6*a*x^6*e + 1/4*a*d*x^4 + 1/12*(3*x^4*arcsech(c*x) + (c^2*x^3*(1/(c^2*x^2) - 1)^(3/2) - 3*x*sqrt(1/(c^2*x^2) - 1))/c^3)*b*d + 1/90*(15*x^6*arcsech(c*x) - (3*c^4*x^5*(1/(c^2*x^2) - 1)^(5/2) - 10*c^2*x^3*(1/(c^2*x^2) - 1)^(3/2) + 15*x*sqrt(1/(c^2*x^2) - 1))/c^5)*b*e

Fricas [A]

time = 0.38, size = 199, normalized size = 1.11

$$\frac{30 a c^5 x^6 \cosh(1) + 30 a c^5 x^6 \sinh(1) + 45 a c^5 d x^4 + 15 (2 b c^2 x^6 \cosh(1) + 2 b c^2 x^6 \sinh(1) + 3 b c^2 d x^4) \log\left(\frac{c x \sqrt{-c^2 x^2 - 1}}{c^2 x^2 + 1}\right) - (15 b c^4 d x^3 + 30 b c^2 d x + 2 (3 b c^4 x^5 + 4 b c^2 x^3 + 8 b x) \cosh(1) + 2 (3 b c^4 x^5 + 4 b c^2 x^3 + 8 b x) \sinh(1)) \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}}}{180 c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] 1/180*(30*a*c^5*x^6*cosh(1) + 30*a*c^5*x^6*sinh(1) + 45*a*c^5*d*x^4 + 15*(2*b*c^5*x^6*cosh(1) + 2*b*c^5*x^6*sinh(1) + 3*b*c^5*d*x^4)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) - (15*b*c^4*d*x^3 + 30*b*c^2*d*x + 2*(3*b*c^4*x^5 + 4*b*c^2*x^3 + 8*b*x)*cosh(1) + 2*(3*b*c^4*x^5 + 4*b*c^2*x^3 + 8*b*x)*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/c^5

Sympy [A]

time = 1.03, size = 177, normalized size = 0.98

$$\begin{cases} \frac{a d x^4}{4} + \frac{a e x^6}{6} + \frac{b d x^4 \operatorname{asech}(c x)}{4} + \frac{b e x^6 \operatorname{asech}(c x)}{6} - \frac{b d x^2 \sqrt{-c^2 x^2 + 1}}{12 c^2} - \frac{b e x^4 \sqrt{-c^2 x^2 + 1}}{30 c^2} - \frac{b d \sqrt{-c^2 x^2 + 1}}{6 c^4} - \frac{2 b e x^2 \sqrt{-c^2 x^2 + 1}}{45 c^4} - \frac{4 b e \sqrt{-c^2 x^2 + 1}}{45 c^6} & \text{for } c \neq 0 \\ (a + \infty b) \left(\frac{d x^4}{4} + \frac{e x^6}{6} \right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(e*x**2+d)*(a+b*asech(c*x)),x)

[Out] Piecewise((a*d*x**4/4 + a*e*x**6/6 + b*d*x**4*asech(c*x)/4 + b*e*x**6*asech(c*x)/6 - b*d*x**2*sqrt(-c**2*x**2 + 1)/(12*c**2) - b*e*x**4*sqrt(-c**2*x**2 + 1)/(30*c**2) - b*d*sqrt(-c**2*x**2 + 1)/(6*c**4) - 2*b*e*x**2*sqrt(-c**2*x**2 + 1)/(45*c**4) - 4*b*e*sqrt(-c**2*x**2 + 1)/(45*c**6), Ne(c, 0)), ((a + oo*b)*(d*x**4/4 + e*x**6/6), True))

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="giac")**[Out]** integrate((e*x^2 + d)*(b*arcsech(c*x) + a)*x^3, x)**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 (e x^2 + d) \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(d + e*x^2)*(a + b*acosh(1/(c*x))),x)**[Out]** int(x^3*(d + e*x^2)*(a + b*acosh(1/(c*x))), x)

3.97 $\int x(d + ex^2) (a + b\operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=164

$$\frac{b(2c^2d + e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{4c^4} + \frac{be \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} (1-c^2x^2)^{3/2}}{12c^4} + \frac{(d+ex^2)^2 (a+b\operatorname{sech}^{-1}(cx))}{4e}$$

[Out] $\frac{1}{4} \frac{(e x^2 + d)^2 (a + b \operatorname{arcsech}(c x))}{e} + \frac{1}{12} \frac{b e (-c^2 x^2 + 1)^{3/2} (1/(c x + 1))^{1/2} (c x + 1)^{1/2}}{c^4} - \frac{1}{4} \frac{b d^2 \operatorname{arctanh}((-c^2 x^2 + 1)^{1/2}) (1/(c x + 1))^{1/2} (c x + 1)^{1/2}}{e} - \frac{1}{4} \frac{b (2 c^2 d + e) (1/(c x + 1))^{1/2} (c x + 1)^{1/2} (-c^2 x^2 + 1)^{1/2}}{c^4}$

Rubi [A]

time = 0.13, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {6434, 531, 457, 90, 65, 214}

$$\frac{(d+ex^2)^2 (a+b\operatorname{sech}^{-1}(cx))}{4e} - \frac{bd^2 \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \tanh^{-1}(\sqrt{1-c^2x^2})}{4e} - \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2} (2c^2d+e)}{4c^4} + \frac{be \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} (1-c^2x^2)^{3/2}}{12c^4}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*(d + e*x^2)*(a + b*\operatorname{ArcSech}[c*x]), x]$

[Out] $-\frac{1}{4} \frac{(b(2c^2d + e) \sqrt{(1+cx)^{-1}} \sqrt{1+cx} \sqrt{1-c^2x^2})}{c^4} + \frac{(b e \sqrt{(1+cx)^{-1}} \sqrt{1+cx} (1-c^2x^2)^{3/2})}{(12c^4)} + \frac{((d+ex^2)^2 (a+b\operatorname{ArcSech}[c*x]))}{(4e)} - \frac{(b d^2 \sqrt{(1+cx)^{-1}} \sqrt{1+cx} \operatorname{ArcTanh}[\sqrt{1-c^2x^2}])}{(4e)}$

Rule 65

$\operatorname{Int}[(a_.) + (b_.)(x_)^{(m_.)} * ((c_.) + (d_.)(x_)^{(n_.)}), x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)} * (c - a*(d/b) + d*(x^{p/b}))^n], x], x, (a + b*x)^{(1/p)}], x] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 90

$\operatorname{Int}[(a_.) + (b_.)(x_)^{(m_.)} * ((c_.) + (d_.)(x_)^{(n_.)} * ((e_.) + (f_.)(x_)^{(p_.)}), x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*x)^m * (c + d*x)^n * (e + f*x)^p], x] /; \operatorname{FreeQ}[\{a, b, c, d, e, f, p\}, x] \&\& \operatorname{IntegersQ}[m, n] \&\& (\operatorname{IntegerQ}[p] \parallel (\operatorname{GtQ}[m, 0] \&\& \operatorname{GeQ}[n, -1]))$

Rule 214

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 531

```
Int[(u_)*((c_) + (d_)*(x_)^(n_))^(q_)*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*(x_)^(non2_))^(p_), x_Symbol] := Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p, q}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[p] || (GtQ[a1, 0] && GtQ[a2, 0]))
```

Rule 6434

```
Int[((a_) + ArcSech[(c_)*(x_)])*(b_)*(x_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSech[c*x])/(2*e*(p + 1))), x] + Dist[b*(Sqrt[1 + c*x]/(2*e*(p + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x^2)^(p + 1)/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int x(d+ex^2)(a+b\operatorname{sech}^{-1}(cx))dx &= \frac{(d+ex^2)^2(a+b\operatorname{sech}^{-1}(cx))}{4e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right)\int\frac{(d+ex^2)}{x\sqrt{1-cx}}}{4e} \\
&= \frac{(d+ex^2)^2(a+b\operatorname{sech}^{-1}(cx))}{4e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right)\int\frac{(d+ex^2)^2}{x\sqrt{1-c^2x^2}}}{4e} \\
&= \frac{(d+ex^2)^2(a+b\operatorname{sech}^{-1}(cx))}{4e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right)\operatorname{Subst}\left(\int\frac{1}{x\sqrt{1-cx}}\right)}{8e} \\
&= \frac{(d+ex^2)^2(a+b\operatorname{sech}^{-1}(cx))}{4e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right)\operatorname{Subst}\left(\int\left(\frac{1}{x}\right)\right)}{8e} \\
&= -\frac{b(2c^2d+e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{4c^4} + \frac{be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{12c^4} \\
&= -\frac{b(2c^2d+e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{4c^4} + \frac{be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{12c^4} \\
&= -\frac{b(2c^2d+e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{4c^4} + \frac{be\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{12c^4}
\end{aligned}$$

Mathematica [A]

time = 0.09, size = 85, normalized size = 0.52

$$\frac{1}{12} \left(3ax^2(2d+ex^2) - \frac{b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(2e+c^2(6d+ex^2))}{c^4} + 3bx^2(2d+ex^2)\operatorname{sech}^{-1}(cx) \right)$$

Antiderivative was successfully verified.

`[In] Integrate[x*(d + e*x^2)*(a + b*ArcSech[c*x]), x]`

```
[Out] (3*a*x^2*(2*d + e*x^2) - (b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(2*e + c^2*(6*d + e*x^2)))/c^4 + 3*b*x^2*(2*d + e*x^2)*ArcSech[c*x])/12
```

Maple [A]

time = 0.33, size = 206, normalized size = 1.26

method	result
derivativedivides	$\frac{\left(\frac{e c^2 x^2 + c^2 d}{4 e^2 e}\right)^2 a + b \left(\frac{\operatorname{arcsech}(cx) c^4 d^2}{4 e} + \frac{\operatorname{arcsech}(cx) c^4 d x^2}{2} + \frac{e \operatorname{arcsech}(cx) c^4 x^4}{4} - \frac{\sqrt{-\frac{cx-1}{cx}}}{cx} \sqrt{\frac{cx+1}{cx}} \left(3c^4 d^2 \operatorname{arctanh}\left(\frac{\sqrt{-\frac{cx-1}{cx}}}{\sqrt{\frac{cx+1}{cx}}}\right) \right)}{c^2}}{c^2}$
default	$\frac{\left(\frac{e c^2 x^2 + c^2 d}{4 e^2 e}\right)^2 a + b \left(\frac{\operatorname{arcsech}(cx) c^4 d^2}{4 e} + \frac{\operatorname{arcsech}(cx) c^4 d x^2}{2} + \frac{e \operatorname{arcsech}(cx) c^4 x^4}{4} - \frac{\sqrt{-\frac{cx-1}{cx}}}{cx} \sqrt{\frac{cx+1}{cx}} \left(3c^4 d^2 \operatorname{arctanh}\left(\frac{\sqrt{-\frac{cx-1}{cx}}}{\sqrt{\frac{cx+1}{cx}}}\right) \right)}{c^2}}{c^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d)*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^2} \left(\frac{1}{4} (c^2 e x^2 + c^2 d)^2 \frac{a}{c^2 e} + b \left(\frac{1}{4} e \operatorname{arcsech}(cx) c^4 d^2 + \frac{1}{2} e \operatorname{arcsech}(cx) c^4 d x^2 + \frac{1}{4} e \operatorname{arcsech}(cx) c^4 x^4 - \frac{1}{12} e \left(-\frac{cx-1}{cx} \right)^{\frac{1}{2}} c x \left(\frac{cx+1}{cx} \right)^{\frac{1}{2}} \left(3c^4 d^2 \operatorname{arctanh}\left(\frac{1}{(-c^2 x^2 + 1)^{\frac{1}{2}}}\right) + 6c^2 d e \left(-c^2 x^2 + 1 \right)^{\frac{1}{2}} + e^2 \left(-c^2 x^2 + 1 \right)^{\frac{1}{2}} c^2 x^2 + 2e^2 \left(-c^2 x^2 + 1 \right)^{\frac{1}{2}} \right) \right) \right) / (-c^2 x^2 + 1)^{\frac{1}{2}} \right)$

Maxima [A]

time = 0.27, size = 98, normalized size = 0.60

$$\frac{1}{4} a x^4 e + \frac{1}{2} a d x^2 + \frac{1}{2} \left(x^2 \operatorname{arsec}(cx) - \frac{x \sqrt{\frac{1}{c^2 x^2} - 1}}{c} \right) b d + \frac{1}{12} \left(3 x^4 \operatorname{arsec}(cx) + \frac{c^2 x^3 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{3}{2}} - 3 x \sqrt{\frac{1}{c^2 x^2} - 1}}{c^3} \right) b e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{4} a x^4 e + \frac{1}{2} a d x^2 + \frac{1}{2} (x^2 \operatorname{arcsech}(cx) - x \sqrt{1/(c^2 x^2) - 1})/c * b d + \frac{1}{12} (3 x^4 \operatorname{arcsech}(cx) + (c^2 x^3 (1/(c^2 x^2) - 1)^{\frac{3}{2}} - 3 x \sqrt{1/(c^2 x^2) - 1})/c^3) * b e$

Fricas [A]

time = 0.38, size = 165, normalized size = 1.01

$$\frac{3 a c^3 x^4 \cosh(1) + 3 a c^3 x^4 \sinh(1) + 6 a c^3 d x^2 + 3 (b c^3 x^4 \cosh(1) + b c^3 x^4 \sinh(1) + 2 b c^3 d x^2) \log\left(\frac{cx \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2} + 1}}{cx}\right) - (6 b c^2 d x + (b c^2 x^3 + 2 b x) \cosh(1) + (b c^2 x^3 + 2 b x) \sinh(1)) \sqrt{-\frac{c^2 x^2 - 1}{c^2 x^2}}}{12 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="fricas")`

[Out] $1/12*(3*a*c^3*x^4*\cosh(1) + 3*a*c^3*x^4*\sinh(1) + 6*a*c^3*d*x^2 + 3*(b*c^3*x^4*\cosh(1) + b*c^3*x^4*\sinh(1) + 2*b*c^3*d*x^2)*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) - (6*b*c^2*d*x + (b*c^2*x^3 + 2*b*x)*\cosh(1) + (b*c^2*x^3 + 2*b*x)*\sinh(1))*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})/c^3$

Sympy [A]

time = 0.44, size = 126, normalized size = 0.77

$$\begin{cases} \frac{adx^2}{2} + \frac{aex^4}{4} + \frac{bdx^2 \operatorname{asech}(cx)}{2} + \frac{bex^4 \operatorname{asech}(cx)}{4} - \frac{bd\sqrt{-c^2x^2+1}}{2c^2} - \frac{bex^2\sqrt{-c^2x^2+1}}{12c^2} - \frac{be\sqrt{-c^2x^2+1}}{6c^4} & \text{for } c \neq 0 \\ (a + \infty b) \left(\frac{dx^2}{2} + \frac{ex^4}{4} \right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d)*(a+b*asech(c*x)),x)`

[Out] `Piecewise((a*d*x**2/2 + a*e*x**4/4 + b*d*x**2*asech(c*x)/2 + b*e*x**4*asech(c*x)/4 - b*d*sqrt(-c**2*x**2 + 1)/(2*c**2) - b*e*x**2*sqrt(-c**2*x**2 + 1)/(12*c**2) - b*e*sqrt(-c**2*x**2 + 1)/(6*c**4), Ne(c, 0)), ((a + oo*b)*(d*x**2/2 + e*x**4/4), True))`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arcsech(c*x) + a)*x, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x (e x^2 + d) \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(d + e*x^2)*(a + b*acosh(1/(c*x))),x)`

[Out] `int(x*(d + e*x^2)*(a + b*acosh(1/(c*x))), x)`

$$3.98 \quad \int \frac{(d+ex^2)(a+b\operatorname{sech}^{-1}(cx))}{x} dx$$

Optimal. Leaf size=296

$$-\frac{be\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}}{2c} + \frac{ibd\sqrt{1-\frac{1}{c^2x^2}}\operatorname{csc}^{-1}(cx)^2}{2\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}} + \frac{1}{2}ex^2(a+b\operatorname{sech}^{-1}(cx)) - \frac{bd\sqrt{1-\frac{1}{c^2x^2}}\operatorname{csc}^{-1}(cx)}{\sqrt{-1+\frac{1}{cx}}}$$

[Out] $1/2*e*x^2*(a+b*\operatorname{arcsech}(c*x))-d*(a+b*\operatorname{arcsech}(c*x))*\ln(1/x)+1/2*I*b*d*\operatorname{arccsc}(c*x)^2*(1-1/c^2/x^2)^{(1/2)/(-1+1/c/x)^{(1/2)/(1+1/c/x)^{(1/2)-b*d*\operatorname{arccsc}(c*x)*\ln(1-(1/c/x+(1-1/c^2/x^2)^{(1/2)})^2*(1-1/c^2/x^2)^{(1/2)/(-1+1/c/x)^{(1/2)/(1+1/c/x)^{(1/2)+b*d*\operatorname{arccsc}(c*x)*\ln(1/x)*(1-1/c^2/x^2)^{(1/2)/(-1+1/c/x)^{(1/2)/(1+1/c/x)^{(1/2)+1/2*I*b*d*polylog(2,(1/c/x+(1-1/c^2/x^2)^{(1/2)})^2*(1-1/c^2/x^2)^{(1/2)/(-1+1/c/x)^{(1/2)/(1+1/c/x)^{(1/2)-1/2*b*e*x*(-1+1/c/x)^{(1/2)*(1+1/c/x)^{(1/2)/c}}$

Rubi [A]

time = 0.60, antiderivative size = 296, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 12, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.632$, Rules used = {6438, 14, 5958, 6874, 97, 2365, 2363, 4721, 3798, 2221, 2317, 2438}

$$-d \log\left(\frac{1}{x}\right) (a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{2}ex^2(a + b\operatorname{sech}^{-1}(cx)) + \frac{ibd\sqrt{1-\frac{1}{c^2x^2}}\operatorname{Li}_2(e^{2i\operatorname{arcsech}(cx)})}{2\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} + \frac{ibd\sqrt{1-\frac{1}{c^2x^2}}\operatorname{csc}^{-1}(cx)^2}{2\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} - \frac{bd\sqrt{1-\frac{1}{c^2x^2}}\operatorname{csc}^{-1}(cx)\log(1-e^{2i\operatorname{arcsech}(cx)})}{\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} + \frac{bd\sqrt{1-\frac{1}{c^2x^2}}\log\left(\frac{1}{2}\right)\operatorname{csc}^{-1}(cx)}{\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} - \frac{be\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}}{2c}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(a + b*ArcSech[c*x]))/x,x]

[Out] $-1/2*(b*e*\sqrt{-1+1/(c*x)}*\sqrt{1+1/(c*x)}*x)/c + ((I/2)*b*d*\sqrt{1-1/(c^2*x^2)}*\operatorname{ArcCsc}[c*x]^2)/(\sqrt{-1+1/(c*x)}*\sqrt{1+1/(c*x)}) + (e*x^2*(a + b*\operatorname{ArcSech}[c*x]))/2 - (b*d*\sqrt{1-1/(c^2*x^2)}*\operatorname{ArcCsc}[c*x]*\operatorname{Log}[1 - E^((2*I)*\operatorname{ArcCsc}[c*x])])/(sqrt[-1+1/(c*x)]*sqrt[1+1/(c*x)]) + (b*d*\sqrt{1-1/(c^2*x^2)}*\operatorname{ArcCsc}[c*x]*\operatorname{Log}[x^(-1)])/(sqrt[-1+1/(c*x)]*sqrt[1+1/(c*x)]) - d*(a + b*\operatorname{ArcSech}[c*x])*Log[x^(-1)] + ((I/2)*b*d*\sqrt{1-1/(c^2*x^2)}*PolyLog[2, E^((2*I)*\operatorname{ArcCsc}[c*x])])/(sqrt[-1+1/(c*x)]*sqrt[1+1/(c*x)])$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 97

Int[((a_.) + (b_)*(x_))^(m_)*((c_.) + (d_)*(x_))^(n_)*((e_.) + (f_)*(x_))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x

)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1), 0] && NeQ[m, -1]

Rule 2221

Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2363

Int[((a_) + Log[(c_)*(x_)^(n_)]*(b_))/Sqrt[(d_) + (e_)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]*((a + b*Log[c*x^n])/Rt[-e, 2]), x] - Dist[b*(n/Rt[-e, 2]), Int[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]

Rule 2365

Int[((a_) + Log[(c_)*(x_)^(n_)]*(b_))/(Sqrt[(d1_) + (e1_)*(x_)]*Sqrt[(d2_) + (e2_)*(x_)]), x_Symbol] := Dist[Sqrt[1 + e1*(e2/(d1*d2))*x^2]/(Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]), Int[(a + b*Log[c*x^n])/Sqrt[1 + e1*(e2/(d1*d2))*x^2], x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[d2*e1 + d1*e2, 0]

Rule 2438

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3798

Int[((c_) + (d_)*(x_))^(m_)*tan[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol] := Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m * E^(2*I*k*Pi)*(E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 4721

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(a + b*x)^n*Cot[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 5958

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCosh[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

Rule 6438

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m, p]

Rule 6874

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)(a + b\operatorname{sech}^{-1}(cx))}{x} dx &= -\operatorname{Subst}\left(\int \frac{(e + dx^2)(a + b\cosh^{-1}(\frac{x}{c}))}{x^3} dx, x, \frac{1}{x}\right) \\
&= \frac{1}{2}ex^2(a + b\operatorname{sech}^{-1}(cx)) - d(a + b\operatorname{sech}^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{b\operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - \frac{1}{c^2x^2}}}\right)}{2c} \\
&= \frac{1}{2}ex^2(a + b\operatorname{sech}^{-1}(cx)) - d(a + b\operatorname{sech}^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{b\operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - \frac{1}{c^2x^2}}}\right)}{2c} \\
&= \frac{1}{2}ex^2(a + b\operatorname{sech}^{-1}(cx)) - d(a + b\operatorname{sech}^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{(bd)\operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - \frac{1}{c^2x^2}}}\right)}{2c} \\
&= -\frac{be\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x}{2c} + \frac{1}{2}ex^2(a + b\operatorname{sech}^{-1}(cx)) - d(a + b\operatorname{sech}^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{bd\sqrt{1 - \frac{1}{c^2x^2}}}{\sqrt{-1 + \frac{1}{cx}}} \\
&= -\frac{be\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x}{2c} + \frac{1}{2}ex^2(a + b\operatorname{sech}^{-1}(cx)) + \frac{bd\sqrt{1 - \frac{1}{c^2x^2}}}{\sqrt{-1 + \frac{1}{cx}}} \\
&= -\frac{be\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x}{2c} + \frac{1}{2}ex^2(a + b\operatorname{sech}^{-1}(cx)) + \frac{bd\sqrt{1 - \frac{1}{c^2x^2}}}{\sqrt{-1 + \frac{1}{cx}}} \\
&= -\frac{be\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x}{2c} + \frac{ibd\sqrt{1 - \frac{1}{c^2x^2}}\csc^{-1}(cx)^2}{2\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}} + \frac{1}{2}ex^2(a + b\operatorname{sech}^{-1}(cx)) \\
&= -\frac{be\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x}{2c} + \frac{ibd\sqrt{1 - \frac{1}{c^2x^2}}\csc^{-1}(cx)^2}{2\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}} + \frac{1}{2}ex^2(a + b\operatorname{sech}^{-1}(cx)) \\
&= -\frac{be\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x}{2c} + \frac{ibd\sqrt{1 - \frac{1}{c^2x^2}}\csc^{-1}(cx)^2}{2\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}} + \frac{1}{2}ex^2(a + b\operatorname{sech}^{-1}(cx))
\end{aligned}$$

Mathematica [A]

time = 0.20, size = 98, normalized size = 0.33

$$\frac{1}{2} \left(aex^2 - \frac{be\sqrt{1-cx}}{1+cx} (1+cx) + bex^2 \operatorname{sech}^{-1}(cx) - bd \operatorname{sech}^{-1}(cx) \left(\operatorname{sech}^{-1}(cx) + 2 \log \left(1 + e^{-2 \operatorname{sech}^{-1}(cx)} \right) \right) + 2ad \log(x) + bd \operatorname{PolyLog} \left(2, -e^{-2 \operatorname{sech}^{-1}(cx)} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + b*ArcSech[c*x]))/x,x]

[Out] (a*e*x^2 - (b*e*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x))/c^2 + b*e*x^2*ArcSech[c*x] - b*d*ArcSech[c*x]*(ArcSech[c*x] + 2*Log[1 + E^(-2*ArcSech[c*x])]) + 2*a*d*Log[x] + b*d*PolyLog[2, -E^(-2*ArcSech[c*x])])/2

Maple [A]

time = 0.76, size = 166, normalized size = 0.56

method	result
derivativeldivides	$\frac{ae x^2}{2} + \ln(cx) ad + \frac{bd \operatorname{arcsech}(cx)^2}{2} + \frac{b \operatorname{arcsech}(cx) e x^2}{2} - \frac{b \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} e x}{2c} + \frac{be}{2c^2} - bd \operatorname{arcsech}(cx)$
default	$\frac{ae x^2}{2} + \ln(cx) ad + \frac{bd \operatorname{arcsech}(cx)^2}{2} + \frac{b \operatorname{arcsech}(cx) e x^2}{2} - \frac{b \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} e x}{2c} + \frac{be}{2c^2} - bd \operatorname{arcsech}(cx)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(a+b*arcsech(c*x))/x,x,method=_RETURNVERBOSE)

[Out] 1/2*a*e*x^2+ln(c*x)*a*d+1/2*b*d*arcsech(c*x)^2+1/2*b*arcsech(c*x)*e*x^2-1/2*b/c*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*e*x+1/2*b/c^2*e-b*d*arcsech(c*x)*ln(1+(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2)-1/2*b*d*polylog(2,-(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsech(c*x))/x,x, algorithm="maxima")

[Out] 1/2*a*x^2*e + a*d*log(x) + integrate(b*x*e*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x)) + b*d*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/x, x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((e*x^2+d)*(a+b*arcsech(c*x))/x,x, algorithm="fricas")``[Out] integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsech(c*x))/x, x)`**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))(d + ex^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((e*x**2+d)*(a+b*asech(c*x))/x,x)``[Out] Integral((a + b*asech(c*x))*(d + e*x**2)/x, x)`**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((e*x^2+d)*(a+b*arcsech(c*x))/x,x, algorithm="giac")``[Out] integrate((e*x^2 + d)*(b*arcsech(c*x) + a)/x, x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e x^2 + d) (a + b \operatorname{acosh}(\frac{1}{cx}))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(((d + e*x^2)*(a + b*acosh(1/(c*x))))/x,x)``[Out] int(((d + e*x^2)*(a + b*acosh(1/(c*x))))/x, x)`

$$3.99 \quad \int \frac{(d+ex^2)(a+b\operatorname{sech}^{-1}(cx))}{x^3} dx$$

Optimal. Leaf size=309

$$\frac{bcd\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}}{4x} + \frac{ibe\sqrt{1-\frac{1}{c^2x^2}}\operatorname{csc}^{-1}(cx)^2}{2\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}} + \frac{1}{4}bc^2d\operatorname{sech}^{-1}(cx) - \frac{d(a+b\operatorname{sech}^{-1}(cx))}{2x^2} - \frac{be\sqrt{1-\frac{1}{c^2x^2}}}{2x}$$

[Out] 1/4*b*c^2*d*arcsech(c*x)-1/2*d*(a+b*arcsech(c*x))/x^2-e*(a+b*arcsech(c*x))*ln(1/x)+1/2*I*b*e*arccsc(c*x)^2*(1-1/c^2/x^2)^(1/2)/(-1+1/c/x)^(1/2)/(1+1/c/x)^(1/2)-b*e*arccsc(c*x)*ln(1-(1/c/x+(1-1/c^2/x^2)^(1/2))^2*(1-1/c^2/x^2)^(1/2)/(-1+1/c/x)^(1/2)/(1+1/c/x)^(1/2)+b*e*arccsc(c*x)*ln(1/x)*(1-1/c^2/x^2)^(1/2)/(-1+1/c/x)^(1/2)/(1+1/c/x)^(1/2)+1/2*I*b*e*polylog(2,(1/c/x+(1-1/c^2/x^2)^(1/2))^2*(1-1/c^2/x^2)^(1/2)/(-1+1/c/x)^(1/2)/(1+1/c/x)^(1/2)+1/4*b*c*d*(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)/x

Rubi [A]

time = 0.53, antiderivative size = 309, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 14, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.737$, Rules used = {6438, 14, 5958, 12, 6874, 92, 54, 2365, 2363, 4721, 3798, 2221, 2317, 2438}

$$\frac{d(a+b\operatorname{sech}^{-1}(cx))}{2x^2} - c \log\left(\frac{1}{x}(a+b\operatorname{sech}^{-1}(cx)) + \frac{1}{4}bc^2d\operatorname{sech}^{-1}(cx) + \frac{ibe\sqrt{1-\frac{1}{c^2x^2}}\operatorname{Li}_2(e^{2i\operatorname{arccsc}(cx)})}{2\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} + \frac{ibe\sqrt{1-\frac{1}{c^2x^2}}\operatorname{csc}^{-1}(cx)^2}{2\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} - \frac{be\sqrt{1-\frac{1}{c^2x^2}}\operatorname{csc}^{-1}(cx)\log(1-e^{2i\operatorname{arccsc}(cx)})}{\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} + \frac{be\sqrt{1-\frac{1}{c^2x^2}}\log(\frac{1}{x})\operatorname{csc}^{-1}(cx)}{\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} + \frac{bcd\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}}{4x}\right)$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(a + b*ArcSech[c*x]))/x^3,x]

[Out] (b*c*d*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]/(4*x) + ((I/2)*b*e*Sqrt[1 - 1/(c^2*x^2)]*ArcCsc[c*x]^2)/(Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]) + (b*c^2*d*ArcSech[c*x])/4 - (d*(a + b*ArcSech[c*x]))/(2*x^2) - (b*e*Sqrt[1 - 1/(c^2*x^2)]*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])])/(Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]) + (b*e*Sqrt[1 - 1/(c^2*x^2)]*ArcCsc[c*x]*Log[x^(-1)])/(Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]) - e*(a + b*ArcSech[c*x])*Log[x^(-1)] + ((I/2)*b*e*Sqrt[1 - 1/(c^2*x^2)]*PolyLog[2, E^((2*I)*ArcCsc[c*x])])/(Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 14

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)

+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 54

Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]), x_Symbol] :> Simp[ArcCosh[b*(x/a)]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b - d, 0] && GtQ[a, 0]

Rule 92

Int[((a_.) + (b_.)*(x_))²*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[b*(a + b*x)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(n + p + 3))), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)ⁿ*((e + f*x)^p*Simp[a²*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]

Rule 2221

Int[(((F_)^{(g_.)*((e_.) + (f_.)*(x_))})^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^{(g_.)*((e_.) + (f_.)*(x_))})^(n_.)), x_Symbol] :> Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^{(g*(e + f*x))})^{n/a}], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^{(g*(e + f*x))})^{n/a}], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_.)*((F_)^{(e_.)*((c_.) + (d_.)*(x_))})^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^{(e*(c + d*x))})ⁿ], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2363

Int[((a_.) + Log[(c_.)*(x_)^{(n_.)]*(b_.))/Sqrt[(d_) + (e_.)*(x_)²], x_Symbol] :> Simp[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]*(a + b*Log[c*xⁿ])/Rt[-e, 2], x] - Dist[b*(n/Rt[-e, 2]), Int[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]}

Rule 2365

Int[((a_.) + Log[(c_.)*(x_)^{(n_.)]*(b_.))/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] :> Dist[Sqrt[1 + e1*(e2/(d1*d2))*x²]/Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x], Int[(a + b*Log[c*xⁿ])/Sqrt[1 + e1*(e2/(d1*d2))*x²], x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[d2*e1 + d1*e2, 0]}

Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3798

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m *E^(2*I*k*Pi)*(E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 4721

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(a + b*x)^n*Cot[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 5958

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCosh[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

Rule 6438

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m, p]
```

Rule 6874

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)(a + b\operatorname{sech}^{-1}(cx))}{x^3} dx &= -\operatorname{Subst}\left(\int \frac{(e + dx^2)(a + b\cosh^{-1}(\frac{x}{c}))}{x} dx, x, \frac{1}{x}\right) \\
&= -\frac{d(a + b\operatorname{sech}^{-1}(cx))}{2x^2} - e(a + b\operatorname{sech}^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{b\operatorname{Subst}\left(\int \frac{1}{2\sqrt{-1 + \frac{1}{cx}}}\right)}{2x^2} \\
&= -\frac{d(a + b\operatorname{sech}^{-1}(cx))}{2x^2} - e(a + b\operatorname{sech}^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{b\operatorname{Subst}\left(\int \frac{1}{\sqrt{-1 + \frac{1}{cx}}}\right)}{2x^2} \\
&= -\frac{d(a + b\operatorname{sech}^{-1}(cx))}{2x^2} - e(a + b\operatorname{sech}^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{b\operatorname{Subst}\left(\int \left(\frac{1}{\sqrt{-1 + \frac{1}{cx}}}\right)\right)}{2x^2} \\
&= -\frac{d(a + b\operatorname{sech}^{-1}(cx))}{2x^2} - e(a + b\operatorname{sech}^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{(bd)\operatorname{Subst}\left(\int \frac{1}{\sqrt{-1 + \frac{1}{cx}}}\right)}{2x^2} \\
&= \frac{bcd\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{4x} - \frac{d(a + b\operatorname{sech}^{-1}(cx))}{2x^2} - e(a + b\operatorname{sech}^{-1}(cx)) \\
&= \frac{bcd\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{4x} + \frac{1}{4}bc^2d\operatorname{sech}^{-1}(cx) - \frac{d(a + b\operatorname{sech}^{-1}(cx))}{2x^2} + \\
&= \frac{bcd\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{4x} + \frac{1}{4}bc^2d\operatorname{sech}^{-1}(cx) - \frac{d(a + b\operatorname{sech}^{-1}(cx))}{2x^2} + \\
&= \frac{bcd\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{4x} + \frac{ibe\sqrt{1 - \frac{1}{c^2x^2}}\csc^{-1}(cx)^2}{2\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}} + \frac{1}{4}bc^2d\operatorname{sech}^{-1}(cx) \\
&= \frac{bcd\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{4x} + \frac{ibe\sqrt{1 - \frac{1}{c^2x^2}}\csc^{-1}(cx)^2}{2\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}} + \frac{1}{4}bc^2d\operatorname{sech}^{-1}(cx)
\end{aligned}$$

Mathematica [A]

time = 0.50, size = 164, normalized size = 0.53

$$\frac{1}{4} \left(-\frac{2ad}{x^2} - \frac{2bd \operatorname{sech}^{-1}(cx)}{x^2} + \frac{bd \sqrt{\frac{1-cx}{1+cx}} (\sqrt{1-cx}(1+cx) - 2ic^2x^2\sqrt{1+cx}) \operatorname{ArcTan}(cx + i\sqrt{1-c^2x^2})}{x^2\sqrt{1-cx}} - 2b \operatorname{sech}^{-1}(cx) (\operatorname{sech}^{-1}(cx) + 2 \log(1 + e^{-2 \operatorname{sech}^{-1}(cx)})) + 4ae \log(x) + 2be \operatorname{PolyLog}(2, -e^{-2 \operatorname{sech}^{-1}(cx)})) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + b*ArcSech[c*x]))/x^3,x]

[Out] ((-2*a*d)/x^2 - (2*b*d*ArcSech[c*x])/x^2 + (b*d*Sqrt[(1 - c*x)/(1 + c*x)]*(Sqrt[1 - c*x]*(1 + c*x) - (2*I)*c^2*x^2*Sqrt[1 + c*x]*ArcTan[c*x + I*Sqrt[1 - c^2*x^2]]))/(x^2*Sqrt[1 - c*x]) - 2*b*e*ArcSech[c*x]*(ArcSech[c*x] + 2*Log[1 + E^(-2*ArcSech[c*x])]) + 4*a*e*Log[x] + 2*b*e*PolyLog[2, -E^(-2*ArcSech[c*x])])/4

Maple [A]

time = 0.58, size = 191, normalized size = 0.62

method	result
derivativedivides	$c^2 \left(\frac{ae \ln(cx)}{c^2} - \frac{ad}{2c^2x^2} + \frac{b \operatorname{arcsech}(cx)^2 e}{2c^2} + \frac{bd \operatorname{arcsech}(cx)}{4} + \frac{bd \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{4cx} - \frac{b \operatorname{arcsech}(cx)d}{2c^2x^2} - \dots \right)$
default	$c^2 \left(\frac{ae \ln(cx)}{c^2} - \frac{ad}{2c^2x^2} + \frac{b \operatorname{arcsech}(cx)^2 e}{2c^2} + \frac{bd \operatorname{arcsech}(cx)}{4} + \frac{bd \sqrt{-\frac{cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{4cx} - \frac{b \operatorname{arcsech}(cx)d}{2c^2x^2} - \dots \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(a+b*arcsech(c*x))/x^3,x,method=_RETURNVERBOSE)

[Out] c^2*(a/c^2*e*ln(c*x)-1/2*a*d/c^2/x^2+1/2*b/c^2*arcsech(c*x)^2*e+1/4*b*d*arcsech(c*x)+1/4*b*d/c/x*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)-1/2*b*arcsech(c*x)*d/c^2/x^2-b/c^2*e*arcsech(c*x)*ln(1+(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2)-1/2*b/c^2*e*polylog(2,-(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2))

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^3,x, algorithm="maxima")

[Out] $-1/8*b*d*((2*c^4*x*\sqrt{1/(c^2*x^2) - 1})/(c^2*x^2*(1/(c^2*x^2) - 1) - 1) - c^3*\log(c*x*\sqrt{1/(c^2*x^2) - 1} + 1) + c^3*\log(c*x*\sqrt{1/(c^2*x^2) - 1} - 1))/c + 4*\operatorname{arcsech}(c*x)/x^2 + b*e*\int(\log(\sqrt{1/(c*x) + 1})*\sqrt{1/(c*x) - 1} + 1/(c*x))/x, x) + a*e*\log(x) - 1/2*a*d/x^2$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^3,x, algorithm="fricas")`

[Out] `integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsech(c*x))/x^3, x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))(d + ex^2)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(a+b*asech(c*x))/x**3,x)`

[Out] `Integral((a + b*asech(c*x))*(d + e*x**2)/x**3, x)`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsech(c*x))/x^3,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arcsech(c*x) + a)/x^3, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e x^2 + d) \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((d + e*x^2)*(a + b*acosh(1/(c*x))))/x^3,x)`

[Out] `int(((d + e*x^2)*(a + b*acosh(1/(c*x))))/x^3, x)`

3.100 $\int x^2(d + ex^2)^2 (a + b\operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=275

$$\frac{b(280c^4d^2 + 252c^2de + 75e^2)x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{1680c^6} - \frac{be(84c^2d + 25e)x^3\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{840c^4}$$

[Out] $\frac{1}{3}d^2x^3(a+b\operatorname{arcsech}(cx))+\frac{2}{5}d*ex^5(a+b\operatorname{arcsech}(cx))+\frac{1}{7}e^2x^7(a+b\operatorname{arcsech}(cx))+\frac{1}{1680}b*(280*c^4*d^2+252*c^2*d*e+75*e^2)*\arcsin(cx)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^7-1/1680*b*(280*c^4*d^2+252*c^2*d*e+75*e^2)*x*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^6-1/840*b*e*(84*c^2*d+25*e)*x^3*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^4-1/42*b*e^2*x^5*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2$

Rubi [A]

time = 0.16, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {276, 6436, 12, 1281, 470, 327, 222}

$$\frac{\frac{1}{3}d^2x^3(a+b\operatorname{arcsech}(cx))+\frac{2}{5}d*ex^5(a+b\operatorname{arcsech}(cx))+\frac{1}{7}e^2x^7(a+b\operatorname{arcsech}(cx))+\frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcSin}(cx)(280c^4d^2+252c^2de+75e^2)}{1680c^7}-\frac{be^2x^3\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{42c^2}-\frac{be^2x^3\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(84c^2d+25e)}{840c^4}-\frac{bx\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(280c^4d^2+252c^2de+75e^2)}{1680c^6}}{1}$$

Antiderivative was successfully verified.

[In] `Int[x^2*(d + e*x^2)^2*(a + b*ArcSech[c*x]), x]`

[Out] $-1/1680*(b*(280*c^4*d^2 + 252*c^2*d*e + 75*e^2)*x*\operatorname{Sqrt}[(1 + cx)^{-1}]*\operatorname{Sqrt}[1 + cx]*\operatorname{Sqrt}[1 - c^2*x^2])/c^6 - (b*e*(84*c^2*d + 25*e)*x^3*\operatorname{Sqrt}[(1 + cx)^{-1}]*\operatorname{Sqrt}[1 + cx]*\operatorname{Sqrt}[1 - c^2*x^2])/(840*c^4) - (b*e^2*x^5*\operatorname{Sqrt}[(1 + cx)^{-1}]*\operatorname{Sqrt}[1 + cx]*\operatorname{Sqrt}[1 - c^2*x^2])/(42*c^2) + (d^2*x^3*(a + b*\operatorname{ArcSech}[c*x]))/3 + (2*d*e*x^5*(a + b*\operatorname{ArcSech}[c*x]))/5 + (e^2*x^7*(a + b*\operatorname{ArcSech}[c*x]))/7 + (b*(280*c^4*d^2 + 252*c^2*d*e + 75*e^2)*\operatorname{Sqrt}[(1 + cx)^{-1}]*\operatorname{Sqrt}[1 + cx]*\operatorname{ArcSin}[c*x])/(1680*c^7)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

Rule 222

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

Rule 276

`Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&`

IGtQ[p, 0]

Rule 327

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[c^(n
- 1)*(c*x)^(m - n + 1)*((a + b*x^n)^(p + 1)/(b*(m + n*p + 1))), x] - Dist[
a*c^n*((m - n + 1)/(b*(m + n*p + 1))), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 470

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n
_)), x_Symbol] := Simp[d*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(b*e*(m + n*(p
+ 1) + 1))), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p
+ 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m,
n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 1281

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[c^p*(f*x)^(m + 4*p - 1)*((d + e*x^2)^
(q + 1)/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1))), x] + Dist[1/(e*(m + 4*p + 2*q
+ 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b
*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x], x
] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0
] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(
x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x]] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int x^2(d+ex^2)^2(a+b\operatorname{sech}^{-1}(cx))dx &= \frac{1}{3}d^2x^3(a+b\operatorname{sech}^{-1}(cx)) + \frac{2}{5}dex^5(a+b\operatorname{sech}^{-1}(cx)) + \frac{1}{7}e^2x^7(a+b\operatorname{sech}^{-1}(cx)) \\
&= \frac{1}{3}d^2x^3(a+b\operatorname{sech}^{-1}(cx)) + \frac{2}{5}dex^5(a+b\operatorname{sech}^{-1}(cx)) + \frac{1}{7}e^2x^7(a+b\operatorname{sech}^{-1}(cx)) \\
&= -\frac{be^2x^5\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{42c^2} + \frac{1}{3}d^2x^3(a+b\operatorname{sech}^{-1}(cx)) \\
&= -\frac{be(84c^2d+25e)x^3\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{840c^4} - \frac{be^2x^5\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{42c^2} \\
&= -\frac{b(280c^4d^2+252c^2de+75e^2)x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{1680c^6} \\
&= -\frac{b(280c^4d^2+252c^2de+75e^2)x\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{1680c^6}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.28, size = 207, normalized size = 0.75

$$\frac{16ac^7x^3(35d^2+42dex^2+15e^2x^4) - bcx\sqrt{\frac{1-cx}{1+cx}}(1+cx)(75e^2+2c^2e(126d+25ex^2)+8c^4(35d^2+21dex^2+5e^2x^4))+16b^2c^7x^3(35d^2+42dex^2+15e^2x^4)\operatorname{sech}^{-1}(cx) + ib(280c^4d^2+252c^2de+75e^2)\log\left(-2icx+2\sqrt{\frac{1-cx}{1+cx}}(1+cx)\right)}{1680c^7}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(d + e*x^2)^2*(a + b*ArcSech[c*x]), x]

[Out] (16*a*c^7*x^3*(35*d^2 + 42*d*e*x^2 + 15*e^2*x^4) - b*c*x*sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(75*e^2 + 2*c^2*e*(126*d + 25*e*x^2) + 8*c^4*(35*d^2 + 21*d*e*x^2 + 5*e^2*x^4)) + 16*b*c^7*x^3*(35*d^2 + 42*d*e*x^2 + 15*e^2*x^4)*ArcSech[c*x] + I*b*(280*c^4*d^2 + 252*c^2*d*e + 75*e^2)*Log[(-2*I)*c*x + 2*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)]/(1680*c^7)

Maple [A]

time = 0.38, size = 300, normalized size = 1.09

method	result
--------	--------

derivativedivides	$\frac{a\left(\frac{1}{3}d^2c^7x^3 + \frac{2}{5}dc^7ex^5 + \frac{1}{7}e^2c^7x^7\right)}{c^4} + b\left(\frac{\operatorname{arcsech}\left(\frac{cx}{3}\right)d^2c^7x^3}{3} + \frac{2\operatorname{arcsech}\left(\frac{cx}{5}\right)dc^7ex^5}{5} + \frac{\operatorname{arcsech}\left(\frac{cx}{7}\right)e^2c^7x^7}{7} - \sqrt{\frac{-cx-1}{cx}} \operatorname{cx} \sqrt{\frac{cx+1}{cx}}\right)$
default	$\frac{a\left(\frac{1}{3}d^2c^7x^3 + \frac{2}{5}dc^7ex^5 + \frac{1}{7}e^2c^7x^7\right)}{c^4} + b\left(\frac{\operatorname{arcsech}\left(\frac{cx}{3}\right)d^2c^7x^3}{3} + \frac{2\operatorname{arcsech}\left(\frac{cx}{5}\right)dc^7ex^5}{5} + \frac{\operatorname{arcsech}\left(\frac{cx}{7}\right)e^2c^7x^7}{7} - \sqrt{\frac{-cx-1}{cx}} \operatorname{cx} \sqrt{\frac{cx+1}{cx}}\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x^2+d)^2*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^3} \left(\frac{a}{c^4} \left(\frac{1}{3} d^2 c^7 x^3 + \frac{2}{5} d c^7 e x^5 + \frac{1}{7} e^2 c^7 x^7 \right) + \frac{b}{c^4} \left(\frac{1}{3} \operatorname{arcsech}\left(\frac{cx}{3}\right) d^2 c^7 x^3 + \frac{2}{5} \operatorname{arcsech}\left(\frac{cx}{5}\right) d c^7 e x^5 + \frac{1}{7} \operatorname{arcsech}\left(\frac{cx}{7}\right) e^2 c^7 x^7 - \sqrt{\frac{-cx-1}{cx}} \operatorname{cx} \sqrt{\frac{cx+1}{cx}} \right) \right)$

Maxima [A]

time = 0.47, size = 328, normalized size = 1.19

$$\frac{1}{7} a x^7 e^2 + \frac{2}{5} a d x^5 e + \frac{1}{3} a d^2 x^3 + \frac{1}{6} \left(2 x^3 \operatorname{arcsch}(cx) - \frac{\sqrt{\frac{1}{c^2 x^2} - 1} \operatorname{arcsch}\left(\sqrt{\frac{1}{c^2 x^2} - 1}\right)}{c} \right) b d^2 + \frac{1}{20} \left(8 x^5 \operatorname{arcsch}(cx) - \frac{3 \left(\frac{1}{c^2 x^2} - 1\right)^{3/2} \sqrt{\frac{1}{c^2 x^2} - 1} \operatorname{arcsch}\left(\sqrt{\frac{1}{c^2 x^2} - 1}\right)}{c} \right) b d e + \frac{1}{336} \left(48 x^7 \operatorname{arcsch}(cx) - \frac{15 \left(\frac{1}{c^2 x^2} - 1\right)^{5/2} + 40 \left(\frac{1}{c^2 x^2} - 1\right)^{3/2} \sqrt{\frac{1}{c^2 x^2} - 1} \operatorname{arcsch}\left(\sqrt{\frac{1}{c^2 x^2} - 1}\right)}{c} \right) b e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)^2*(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{7} a x^7 e^2 + \frac{2}{5} a d x^5 e + \frac{1}{3} a d^2 x^3 + \frac{1}{6} \left(2 x^3 \operatorname{arcsech}(cx) - \sqrt{\frac{1}{c^2 x^2} - 1} / \left(c^2 \left(\frac{1}{c^2 x^2} - 1 \right) + c^2 \right) + \operatorname{arctan}\left(\sqrt{\frac{1}{c^2 x^2} - 1}\right) / c \right) b d^2 + \frac{1}{20} \left(8 x^5 \operatorname{arcsech}(cx) - \left(\frac{3 \left(\frac{1}{c^2 x^2} - 1 \right)^{3/2} + 5 \sqrt{\frac{1}{c^2 x^2} - 1} \right) / \left(c^4 \left(\frac{1}{c^2 x^2} - 1 \right)^2 + 2 c^4 \left(\frac{1}{c^2 x^2} - 1 \right) + c^4 \right) + 3 \operatorname{arctan}\left(\sqrt{\frac{1}{c^2 x^2} - 1}\right) / c \right) b d e + \frac{1}{336} \left(48 x^7 \operatorname{arcsech}(cx) - \left(\frac{15 \left(\frac{1}{c^2 x^2} - 1 \right)^{5/2} + 40 \left(\frac{1}{c^2 x^2} - 1 \right)^{3/2} + 33 \sqrt{\frac{1}{c^2 x^2} - 1} \right) / \left(c^6 \left(\frac{1}{c^2 x^2} - 1 \right)^3 + 3 c^6 \left(\frac{1}{c^2 x^2} - 1 \right)^2 + 3 c^6 \left(\frac{1}{c^2 x^2} - 1 \right) + c^6 \right) + 15 \operatorname{arctan}\left(\sqrt{\frac{1}{c^2 x^2} - 1}\right) / c \right) b e^2$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 600 vs. 2(176) = 352.

time = 0.57, size = 600, normalized size = 2.18

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^2*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] 1/1680*(240*a*c^7*x^7*cosh(1)^2 + 240*a*c^7*x^7*sinh(1)^2 + 672*a*c^7*d*x^5*cosh(1) + 560*a*c^7*d^2*x^3 - 2*(280*b*c^4*d^2 + 252*b*c^2*d*cosh(1) + 75*b*cosh(1)^2 + 75*b*sinh(1)^2 + 6*(42*b*c^2*d + 25*b*cosh(1))*sinh(1))*arctan((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/(c*x)) - 16*(35*b*c^7*d^2 + 42*b*c^7*d*cosh(1) + 15*b*c^7*cosh(1)^2 + 15*b*c^7*sinh(1)^2 + 6*(7*b*c^7*d + 5*b*c^7*cosh(1))*sinh(1))*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/x) + 16*(35*b*c^7*d^2*x^3 - 35*b*c^7*d^2 + 15*(b*c^7*x^7 - b*c^7)*cosh(1)^2 + 15*(b*c^7*x^7 - b*c^7)*sinh(1)^2 + 42*(b*c^7*d*x^5 - b*c^7*d)*cosh(1) + 6*(7*b*c^7*d*x^5 - 7*b*c^7*d + 5*(b*c^7*x^7 - b*c^7)*cosh(1))*sinh(1))*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + 96*(5*a*c^7*x^7*cosh(1) + 7*a*c^7*d*x^5)*sinh(1) - (280*b*c^6*d^2*x^2 + 5*(8*b*c^6*x^6 + 10*b*c^4*x^4 + 15*b*c^2*x^2)*cosh(1)^2 + 5*(8*b*c^6*x^6 + 10*b*c^4*x^4 + 15*b*c^2*x^2)*sinh(1)^2 + 84*(2*b*c^6*d*x^4 + 3*b*c^4*d*x^2)*cosh(1) + 2*(84*b*c^6*d*x^4 + 126*b*c^4*d*x^2 + 5*(8*b*c^6*x^6 + 10*b*c^4*x^4 + 15*b*c^2*x^2)*cosh(1))*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/c^7

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (a + b \operatorname{asech}(cx)) (d + ex^2)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d)**2*(a+b*asech(c*x)),x)

[Out] Integral(x**2*(a + b*asech(c*x))*(d + e*x**2)**2, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^2*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2*(b*arcsech(c*x) + a)*x^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (ex^2 + d)^2 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(d + e*x^2)^2*(a + b*acosh(1/(c*x))),x)

[Out] int(x^2*(d + e*x^2)^2*(a + b*acosh(1/(c*x))), x)

3.101 $\int (d + ex^2)^2 (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=204

$$\frac{be(40c^2d + 9e)x \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{120c^4} - \frac{be^2x^3 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{20c^2} + d^2x(a + b \operatorname{sech}^{-1}(cx))$$

[Out] $d^2*x*(a+b*\operatorname{arcsech}(c*x))+2/3*d*e*x^3*(a+b*\operatorname{arcsech}(c*x))+1/5*e^2*x^5*(a+b*\operatorname{arcsech}(c*x))+1/120*b*(120*c^4*d^2+40*c^2*d*e+9*e^2)*\operatorname{arcsin}(c*x)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^5-1/120*b*e*(40*c^2*d+9*e)*x*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^4-1/20*b*e^2*x^3*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2$

Rubi [A]

time = 0.08, antiderivative size = 204, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {200, 6426, 12, 1173, 396, 222}

$$d^2x(a + b \operatorname{sech}^{-1}(cx)) + \frac{2}{3}dex^3(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{5}e^2x^5(a + b \operatorname{sech}^{-1}(cx)) + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \operatorname{ArcSin}(cx) (120c^4d^2 + 40c^2de + 9e^2)}{120c^5} - \frac{be^2x^3 \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2}}{20c^2} - \frac{be^2x^3 \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2} (40c^2d + 9e)}{120c^4}$$

Antiderivative was successfully verified.

[In] `Int[(d + e*x^2)^2*(a + b*ArcSech[c*x]),x]`

[Out] $-1/120*(b*e*(40*c^2*d + 9*e)*x*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/c^4 - (b*e^2*x^3*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/(20*c^2) + d^2*x*(a + b*\operatorname{ArcSech}[c*x]) + (2*d*e*x^3*(a + b*\operatorname{ArcSech}[c*x]))/3 + (e^2*x^5*(a + b*\operatorname{ArcSech}[c*x]))/5 + (b*(120*c^4*d^2 + 40*c^2*d*e + 9*e^2)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcSin}[c*x])/(120*c^5)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 200

`Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]`

Rule 222

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

Rule 396

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Si
mp[d*x*((a + b*x^n)^(p + 1)/(b*(n*(p + 1) + 1))), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 1173

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := Simp[c^p*x^(4*p - 1)*((d + e*x^2)^(q + 1)/(e*(4*p + 2*q + 1)))
, x] + Dist[1/(e*(4*p + 2*q + 1)), Int[(d + e*x^2)^q*ExpandToSum[e*(4*p + 2
*q + 1)*(a + b*x^2 + c*x^4)^p - d*c^p*(4*p - 1)*x^(4*p - 2) - e*c^p*(4*p +
2*q + 1)*x^(4*p), x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4
*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && !LtQ[q, -1]
```

Rule 6426

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Sym
bol] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x
] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt
[1 - c*x]*Sqrt[1 + c*x]), x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IGtQ
[p, 0] || ILtQ[p + 1/2, 0])
```

Rubi steps

$$\begin{aligned}
\int (d + ex^2)^2 (a + b \operatorname{sech}^{-1}(cx)) dx &= d^2 x (a + b \operatorname{sech}^{-1}(cx)) + \frac{2}{3} dex^3 (a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{5} e^2 x^5 (a + b \operatorname{sech}^{-1}(cx)) \\
&= d^2 x (a + b \operatorname{sech}^{-1}(cx)) + \frac{2}{3} dex^3 (a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{5} e^2 x^5 (a + b \operatorname{sech}^{-1}(cx)) \\
&= -\frac{be^2 x^3 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2 x^2}}{20c^2} + d^2 x (a + b \operatorname{sech}^{-1}(cx)) + \frac{2}{3} a d e x^3 \\
&= -\frac{be(40c^2 d + 9e) x \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2 x^2}}{120c^4} - \frac{be^2 x^3 \sqrt{\frac{1}{1+cx}}}{120c^4} \\
&= -\frac{be(40c^2 d + 9e) x \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2 x^2}}{120c^4} - \frac{be^2 x^3 \sqrt{\frac{1}{1+cx}}}{120c^4}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.17, size = 174, normalized size = 0.85

$$\frac{8ac^5x(15d^2 + 10dex^2 + 3e^2x^4) - bce^2x\sqrt{\frac{1-cx}{1+cx}}(1+cx)(9e + c^2(40d + 6ex^2)) + 8bc^5x(15d^2 + 10dex^2 + 3e^2x^4)\operatorname{sech}^{-1}(cx) + ib(120c^4d^2 + 40c^2de + 9e^2)\log\left(-2icx + 2\sqrt{\frac{1-cx}{1+cx}}(1+cx)\right)}{120c^5}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2*(a + b*ArcSech[c*x]),x]

[Out] (8*a*c^5*x*(15*d^2 + 10*d*e*x^2 + 3*e^2*x^4) - b*c*e*x*sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(9*e + c^2*(40*d + 6*e*x^2)) + 8*b*c^5*x*(15*d^2 + 10*d*e*x^2 + 3*e^2*x^4)*ArcSech[c*x] + I*b*(120*c^4*d^2 + 40*c^2*d*e + 9*e^2)*Log[(-2*I)*c*x + 2*sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)]/(120*c^5)

Maple [A]

time = 0.25, size = 228, normalized size = 1.12

method	result
derivativdivides	$\frac{a(d^2c^5x + \frac{2}{3}dc^5ex^3 + \frac{1}{5}e^2c^5x^5)}{e^4} + \frac{b\left(\operatorname{arcsech}(cx)d^2c^5x + \frac{2\operatorname{arcsech}(cx)d^2c^5ex^3}{3} + \frac{\operatorname{arcsech}(cx)e^2c^5x^5}{5} + \sqrt{\frac{-cx-1}{cx}}cx\sqrt{\frac{cx+1}{cx}}\right)}{e^4}$
default	$\frac{a(d^2c^5x + \frac{2}{3}dc^5ex^3 + \frac{1}{5}e^2c^5x^5)}{e^4} + \frac{b\left(\operatorname{arcsech}(cx)d^2c^5x + \frac{2\operatorname{arcsech}(cx)d^2c^5ex^3}{3} + \frac{\operatorname{arcsech}(cx)e^2c^5x^5}{5} + \sqrt{\frac{-cx-1}{cx}}cx\sqrt{\frac{cx+1}{cx}}\right)}{e^4}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)

[Out] 1/c*(a/c^4*(d^2*c^5*x+2/3*d*c^5*e*x^3+1/5*e^2*c^5*x^5)+b/c^4*(arcsech(c*x)*d^2*c^5*x+2/3*arcsech(c*x)*d*c^5*e*x^3+1/5*arcsech(c*x)*e^2*c^5*x^5+1/120*(-(c*x-1)/c/x)^(1/2)*c*x*((c*x+1)/c/x)^(1/2)*(120*d^2*c^4*arcsin(c*x)-40*(-c^2*x^2+1)^(1/2)*c^3*d*e*x-6*e^2*c^3*x^3*(-c^2*x^2+1)^(1/2)+40*arcsin(c*x)*c^2*d*e-9*e^2*c*x*(-c^2*x^2+1)^(1/2)+9*e^2*arcsin(c*x))/(-c^2*x^2+1)^(1/2))

Maxima [A]

time = 0.47, size = 224, normalized size = 1.10

$$\frac{1}{5}ax^5e^2 + \frac{2}{3}adx^3e + ad^2x + \frac{1}{3}\left(2x^3\operatorname{arsh}(cx) - \frac{\sqrt{\frac{1}{c^2x^2}-1}\operatorname{arctan}\left(\sqrt{\frac{1}{c^2x^2}-1}\right)}{c}\right)bde + \frac{\left(cx\operatorname{arsh}(cx) - \operatorname{arctan}\left(\sqrt{\frac{1}{c^2x^2}-1}\right)\right)bd^2}{c} + \frac{1}{40}\left(8x^5\operatorname{arsh}(cx) - \frac{3\left(\frac{1}{c^2x^2}-1\right)^{3/2} + 5\sqrt{\frac{1}{c^2x^2}-1}}{c^2\left(\frac{1}{c^2x^2}-1\right)^2 + 2c\left(\frac{1}{c^2x^2}-1\right) + c^2} + \frac{3\operatorname{arctan}\left(\sqrt{\frac{1}{c^2x^2}-1}\right)}{c^2}\right)be^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsech(c*x)),x, algorithm="maxima")

```
[Out] 1/5*a*x^5*e^2 + 2/3*a*d*x^3*e + a*d^2*x + 1/3*(2*x^3*arcsech(c*x) - (sqrt(1/(c^2*x^2) - 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + arctan(sqrt(1/(c^2*x^2) - 1)))/c^2)/c)*b*d*e + (c*x*arcsech(c*x) - arctan(sqrt(1/(c^2*x^2) - 1)))*b*d^2/c + 1/40*(8*x^5*arcsech(c*x) - ((3*(1/(c^2*x^2) - 1)^(3/2) + 5*sqrt(1/(c^2*x^2) - 1)))/(c^4*(1/(c^2*x^2) - 1)^2 + 2*c^4*(1/(c^2*x^2) - 1) + c^4) + 3*arctan(sqrt(1/(c^2*x^2) - 1))/c^4)/c)*b*e^2
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 534 vs. $2(131) = 262$.

time = 0.55, size = 534, normalized size = 2.62

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^2*(a+b*arcsech(c*x)),x, algorithm="fricas")
```

```
[Out] 1/120*(24*a*c^5*x^5*cosh(1)^2 + 24*a*c^5*x^5*sinh(1)^2 + 80*a*c^5*d*x^3*cos
h(1) + 120*a*c^5*d^2*x - 2*(120*b*c^4*d^2 + 40*b*c^2*d*cosh(1) + 9*b*cosh(1)
)^2 + 9*b*sinh(1)^2 + 2*(20*b*c^2*d + 9*b*cosh(1))*sinh(1))*arctan((c*x*sq
r(-c^2*x^2 - 1)/(c^2*x^2)) - 1)/(c*x)) - 8*(15*b*c^5*d^2 + 10*b*c^5*d*cosh
(1) + 3*b*c^5*cosh(1)^2 + 3*b*c^5*sinh(1)^2 + 2*(5*b*c^5*d + 3*b*c^5*cosh(1)
))*sinh(1))*log((c*x*sqrt(-c^2*x^2 - 1)/(c^2*x^2)) - 1)/x) + 8*(15*b*c^5*d
^2*x - 15*b*c^5*d^2 + 3*(b*c^5*x^5 - b*c^5)*cosh(1)^2 + 3*(b*c^5*x^5 - b*c^
5)*sinh(1)^2 + 10*(b*c^5*d*x^3 - b*c^5*d)*cosh(1) + 2*(5*b*c^5*d*x^3 - 5*b*
c^5*d + 3*(b*c^5*x^5 - b*c^5)*cosh(1))*sinh(1))*log((c*x*sqrt(-c^2*x^2 - 1)
)/(c^2*x^2)) + 1)/(c*x)) + 16*(3*a*c^5*x^5*cosh(1) + 5*a*c^5*d*x^3)*sinh(1)
- (40*b*c^4*d*x^2*cosh(1) + 3*(2*b*c^4*x^4 + 3*b*c^2*x^2)*cosh(1)^2 + 3*(2
*b*c^4*x^4 + 3*b*c^2*x^2)*sinh(1)^2 + 2*(20*b*c^4*d*x^2 + 3*(2*b*c^4*x^4 +
3*b*c^2*x^2)*cosh(1))*sinh(1))*sqrt(-c^2*x^2 - 1)/(c^2*x^2))/c^5
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asech}(cx)) (d + ex^2)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**2*(a+b*asech(c*x)),x)
```

```
[Out] Integral((a + b*asech(c*x))*(d + e*x**2)**2, x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2*(b*arcsech(c*x) + a), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int (e x^2 + d)^2 \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^2*(a + b*acosh(1/(c*x))),x)

[Out] int((d + e*x^2)^2*(a + b*acosh(1/(c*x))), x)

$$3.102 \quad \int \frac{(d+ex^2)^2 (a+b\operatorname{sech}^{-1}(cx))}{x^2} dx$$

Optimal. Leaf size=177

$$\frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{x} - \frac{be^2x \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{6c^2} - \frac{d^2(a+b\operatorname{sech}^{-1}(cx))}{x} + 2dex(a +$$

[Out] $-d^2*(a+b*\operatorname{arcsech}(c*x))/x+2*d*e*x*(a+b*\operatorname{arcsech}(c*x))+1/3*e^2*x^3*(a+b*\operatorname{arcsech}(c*x))+1/6*b*e*(12*c^2*d+e)*\operatorname{arcsin}(c*x)*(1/(c*x+1))^{1/2}*(c*x+1)^{1/2}/c^3+b*d^2*(1/(c*x+1))^{1/2}*(c*x+1)^{1/2}*(-c^2*x^2+1)^{1/2}/x-1/6*b*e^2*x*(1/(c*x+1))^{1/2}*(c*x+1)^{1/2}*(-c^2*x^2+1)^{1/2}/c^2$

Rubi [A]

time = 0.09, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {276, 6436, 12, 1279, 396, 222}

$$-\frac{d^2(a+b\operatorname{sech}^{-1}(cx))}{x} + 2dex(a+b\operatorname{sech}^{-1}(cx)) + \frac{1}{3}e^2x^3(a+b\operatorname{sech}^{-1}(cx)) + \frac{be\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcSin}(cx)(12c^2d+e)}{6c^3} + \frac{bd^2\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{x} - \frac{be^2x\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{6c^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d+e*x^2)^2*(a+b*\operatorname{ArcSech}[c*x])/x^2,x]$

[Out] $(b*d^2*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/x - (b*e^2*x*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(6*c^2) - (d^2*(a+b*\operatorname{ArcSech}[c*x])/x + 2*d*e*x*(a+b*\operatorname{ArcSech}[c*x]) + (e^2*x^3*(a+b*\operatorname{ArcSech}[c*x]))/3 + (b*e*(12*c^2*d+e)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{ArcSin}[c*x])/6*c^3)$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!MatchQ}[u, (b_)*(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 222

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_)+(b_)*(x_)^2], x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSin}[\operatorname{Rt}[-b, 2]*(x/\operatorname{Sqrt}[a])]/\operatorname{Rt}[-b, 2], x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{GtQ}[a, 0] \&\& \operatorname{NegQ}[b]$

Rule 276

$\operatorname{Int}[(c_)*(x_)^{(m_)}*((a_)+(b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*(a+b*x^n)^p, x], x] /; \operatorname{FreeQ}[\{a, b, c, m, n\}, x] \&\& \operatorname{IGtQ}[p, 0]$

Rule 396

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Si
mp[d*x*((a + b*x^n)^(p + 1)/(b*(n*(p + 1) + 1))), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 1279

```
Int[((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c
_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 +
c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]},
Simp[R*(f*x)^(m + 1)*((d + e*x^2)^(q + 1)/(d*f*(m + 1))), x] + Dist[1/(d*f
^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[d*f*(m + 1)*(Qx/x)
- e*R*(m + 2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ
[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(
x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \operatorname{sech}^{-1}(cx))}{x^2} dx &= -\frac{d^2(a + b \operatorname{sech}^{-1}(cx))}{x} + 2dex(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{3}e^2x^3(a + b \operatorname{sech}^{-1}(cx)) \\
&= -\frac{d^2(a + b \operatorname{sech}^{-1}(cx))}{x} + 2dex(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{3}e^2x^3(a + b \operatorname{sech}^{-1}(cx)) \\
&= \frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{x} - \frac{d^2(a + b \operatorname{sech}^{-1}(cx))}{x} + 2dex(a + b \operatorname{sech}^{-1}(cx)) \\
&= \frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{x} - \frac{be^2x \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{6c^2} \\
&= \frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{x} - \frac{be^2x \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{6c^2}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.15, size = 158, normalized size = 0.89

$$\frac{-bc \sqrt{\frac{1-cx}{1+cx}} (1+cx) (-6c^2d^2 + e^2x^2) + 2ac^3(-3d^2 + 6dex^2 + e^2x^4) + 2bc^3(-3d^2 + 6dex^2 + e^2x^4) \operatorname{sech}^{-1}(cx) + ibe(12c^2d + e)x \log\left(-2icx + 2\sqrt{\frac{1-cx}{1+cx}}(1+cx)\right)}{6c^3x}$$

Antiderivative was successfully verified.

[In] Integrate(((d + e*x^2)^2*(a + b*ArcSech[c*x]))/x^2, x)

[Out] $(-(b*c*\sqrt{\frac{1-cx}{1+cx}}*(1+cx)*(-6*c^2*d^2 + e^2*x^2)) + 2*a*c^3*(-3*d^2 + 6*d*e*x^2 + e^2*x^4) + 2*b*c^3*(-3*d^2 + 6*d*e*x^2 + e^2*x^4)*\operatorname{ArcSech}[c*x] + I*b*e*(12*c^2*d + e)*x*\log[(-2*I)*c*x + 2*\sqrt{\frac{1-cx}{1+cx}}*(1+cx)])/(6*c^3*x)$

Maple [A]

time = 0.25, size = 197, normalized size = 1.11

method	result
derivativedivides	$ c \left(\frac{a(2c^3dex + \frac{e^2c^3x^3}{3} - \frac{c^3d^2}{x})}{c^4} + b \left(\frac{2 \operatorname{arcsech}(cx)c^3dex + \frac{e^2 \operatorname{arcsech}(cx)c^3x^3}{3} - \frac{\operatorname{arcsech}(cx)c^3d^2}{x} + \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}}}{6c^3} \right) \right) $

default	$c \left(\frac{a \left(2c^3 dx + \frac{e^2 c^3 x^3}{3} - \frac{c^3 d^2}{x} \right)}{c^4} + \frac{b \left(2 \operatorname{arcsech}(cx) c^3 dx + \frac{e^2 \operatorname{arcsech}(cx) c^3 x^3}{3} - \frac{\operatorname{arcsech}(cx) c^3 d^2}{x} + \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \right)}{c^4} \right)$
---------	---

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arcsech(c*x))/x^2,x,method=_RETURNVERBOSE)`

[Out] $c \left(\frac{a}{c^4} \left(2c^3 dx + \frac{e^2 c^3 x^3}{3} - \frac{c^3 d^2}{x} \right) + \frac{b}{c^4} \left(2 \operatorname{arcsech}(cx) c^3 dx + \frac{e^2 \operatorname{arcsech}(cx) c^3 x^3}{3} - \frac{\operatorname{arcsech}(cx) c^3 d^2}{x} + \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \right) \right)$

Maxima [A]

time = 0.47, size = 152, normalized size = 0.86

$$\frac{1}{3} ax^3 e^2 + \left(c \sqrt{\frac{1}{c^2 x^2} - 1} - \frac{\operatorname{arcsech}(cx)}{x} \right) bd^2 + 2 adx e + \frac{1}{6} \left(2x^3 \operatorname{arcsech}(cx) - \frac{\sqrt{\frac{1}{c^2 x^2} - 1} \arctan\left(\sqrt{\frac{1}{c^2 x^2} - 1}\right)}{c} \right) be^2 + \frac{2 \left(cx \operatorname{arcsech}(cx) - \arctan\left(\sqrt{\frac{1}{c^2 x^2} - 1}\right) \right) bde}{c} - \frac{ad^2}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^2,x, algorithm="maxima")`

[Out] $\frac{1}{3} a x^3 e^2 + (c \sqrt{1/(c^2 x^2) - 1} - \operatorname{arcsech}(cx)/x) b d^2 + 2 a d x e + \frac{1}{6} (2 x^3 \operatorname{arcsech}(cx) - \frac{\sqrt{1/(c^2 x^2) - 1} \arctan(\sqrt{1/(c^2 x^2) - 1})}{c}) b e^2 + \frac{2 (c x \operatorname{arcsech}(cx) - \arctan(\sqrt{1/(c^2 x^2) - 1})) b d e}{c} - \frac{a d^2}{x}$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 483 vs. 2(108) = 216.

time = 0.43, size = 483, normalized size = 2.73

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^2,x, algorithm="fricas")`

[Out] $\frac{1}{6} (2 a c^3 x^4 \cosh(1)^2 + 2 a c^3 x^4 \sinh(1)^2 + 12 a c^3 d x^2 \cosh(1) - 6 a c^3 d^2 - 2 (12 b c^2 d x \cosh(1) + b x \cosh(1)^2 + b x \sinh(1)^2 + 2 (6 b c^2 d x + b x \cosh(1)) \sinh(1)) \arctan\left(\frac{c x \sqrt{-(c^2 x^2 - 1)}}{c^2 x^2} - 1\right) / (c x) + 2 (3 b c^3 d^2 x - 6 b c^3 d x \cosh(1) - b c^3 x \cosh(1))$

$1)^2 - b*c^3*x*\sinh(1)^2 - 2*(3*b*c^3*d*x + b*c^3*x*\cosh(1))*\sinh(1))*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - 1)/x) + 2*(3*b*c^3*d^2*x - 3*b*c^3*d^2 + (b*c^3*x^4 - b*c^3*x)*\cosh(1)^2 + (b*c^3*x^4 - b*c^3*x)*\sinh(1)^2 + 6*(b*c^3*d*x^2 - b*c^3*d*x)*\cosh(1) + 2*(3*b*c^3*d*x^2 - 3*b*c^3*d*x + (b*c^3*x^4 - b*c^3*x)*\cosh(1))*\sinh(1))*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) + 4*(a*c^3*x^4*\cosh(1) + 3*a*c^3*d*x^2)*\sinh(1) + (6*b*c^4*d^2*x - b*c^2*x^3*\cosh(1)^2 - 2*b*c^2*x^3*\cosh(1)*\sinh(1) - b*c^2*x^3*\sinh(1)^2)*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)))/(c^3*x)$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx)) (d + ex^2)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asech(c*x))/x**2,x)

[Out] Integral((a + b*asech(c*x))*(d + e*x**2)**2/x**2, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^2,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2*(b*arcsech(c*x) + a)/x^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(ex^2 + d)^2 (a + b \operatorname{acosh}(\frac{1}{cx}))}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^2*(a + b*acosh(1/(c*x))))/x^2,x)

[Out] int(((d + e*x^2)^2*(a + b*acosh(1/(c*x))))/x^2, x)

$$3.103 \quad \int \frac{(d+ex^2)^2 (a+b\operatorname{sech}^{-1}(cx))}{x^4} dx$$

Optimal. Leaf size=176

$$\frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{9x^3} + \frac{2bd(c^2d+9e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{9x} - \frac{d^2(a+b\operatorname{sech}^{-1}(cx))}{3x^3} - \frac{2d^2(a+b\operatorname{sech}^{-1}(cx))}{3x^3}$$

[Out] $-1/3*d^2*(a+b*\operatorname{arcsech}(c*x))/x^3-2*d*e*(a+b*\operatorname{arcsech}(c*x))/x+e^2*x*(a+b*\operatorname{arcsech}(c*x))+b*e^2*\arcsin(c*x)*(1/(c*x+1))^{1/2}*(c*x+1)^{1/2}/c+1/9*b*d^2*(1/(c*x+1))^{1/2}*(c*x+1)^{1/2}*(-c^2*x^2+1)^{1/2}/x^3+2/9*b*d*(c^2*d+9*e)*(1/(c*x+1))^{1/2}*(c*x+1)^{1/2}*(-c^2*x^2+1)^{1/2}/x$

Rubi [A]

time = 0.09, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {276, 6436, 12, 1279, 462, 222}

$$-\frac{d^2(a+b\operatorname{sech}^{-1}(cx))}{3x^3} - \frac{2de(a+b\operatorname{sech}^{-1}(cx))}{x} + e^2x(a+b\operatorname{sech}^{-1}(cx)) + \frac{be^2\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcSin}(cx)}{c} + \frac{bd^2\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{9x^3} + \frac{2bd\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(c^2d+9e)}{9x}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d+e*x^2)^2*(a+b*\operatorname{ArcSech}[c*x])/x^4,x]$

[Out] $(b*d^2*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(9*x^3) + (2*b*d*(c^2*d+9*e)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(9*x) - (d^2*(a+b*\operatorname{ArcSech}[c*x]))/(3*x^3) - (2*d*e*(a+b*\operatorname{ArcSech}[c*x]))/x + e^2*x*(a+b*\operatorname{ArcSech}[c*x]) + (b*e^2*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{ArcSin}[c*x])/c$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& !\operatorname{MatchQ}[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 222

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_)+(b_)*(x_)^2], x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSin}[\operatorname{Rt}[-b, 2]*(x_/\operatorname{Sqrt}[a])]/\operatorname{Rt}[-b, 2], x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{GtQ}[a, 0] \&\& \operatorname{NegQ}[b]$

Rule 276

$\operatorname{Int}[(c_)*(x_)^{(m_)}*((a_)+(b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*(a+b*x^n)^p, x], x] /; \operatorname{FreeQ}[\{a, b, c, m, n\}, x] \&\& \operatorname{IGtQ}[p, 0]$

Rule 462

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[c*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*e*(m + 1))), x] + Dist[d/e^n, Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n*(p + 1) + 1, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1]))
```

Rule 1279

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]}, Simp[R*(f*x)^(m + 1)*((d + e*x^2)^(q + 1)/(d*f*(m + 1))), x] + Dist[1/(d*f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[d*f*(m + 1)*(Qx/x) - e*R*(m + 2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \operatorname{sech}^{-1}(cx))}{x^4} dx &= -\frac{d^2(a + b \operatorname{sech}^{-1}(cx))}{3x^3} - \frac{2de(a + b \operatorname{sech}^{-1}(cx))}{x} + e^2x(a + b \operatorname{sech}^{-1}(cx)) \\
&= -\frac{d^2(a + b \operatorname{sech}^{-1}(cx))}{3x^3} - \frac{2de(a + b \operatorname{sech}^{-1}(cx))}{x} + e^2x(a + b \operatorname{sech}^{-1}(cx)) \\
&= \frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{9x^3} - \frac{d^2(a + b \operatorname{sech}^{-1}(cx))}{3x^3} - \frac{2de(a + b \operatorname{sech}^{-1}(cx))}{x} \\
&= \frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{9x^3} + \frac{2bd(c^2d + 9e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx}}{9x} \\
&= \frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{9x^3} + \frac{2bd(c^2d + 9e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx}}{9x}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.17, size = 149, normalized size = 0.85

$$\frac{bcd \sqrt{\frac{1-cx}{1+cx}} (1+cx) (d + 2c^2dx^2 + 18ex^2) - 3ac(d^2 + 6dex^2 - 3e^2x^4) - 3bc(d^2 + 6dex^2 - 3e^2x^4) \operatorname{sech}^{-1}(cx) + 9ibe^2x^3 \log\left(-2icx + 2\sqrt{\frac{1-cx}{1+cx}}(1+cx)\right)}{9cx^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*ArcSech[c*x]))/x^4, x]

[Out] (b*c*d*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(d + 2*c^2*d*x^2 + 18*e*x^2) - 3*a*c*(d^2 + 6*d*e*x^2 - 3*e^2*x^4) - 3*b*c*(d^2 + 6*d*e*x^2 - 3*e^2*x^4)*ArcSech[c*x] + (9*I)*b*e^2*x^3*Log[(-2*I)*c*x + 2*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)])/(9*c*x^3)

Maple [A]

time = 0.24, size = 205, normalized size = 1.16

method	result
derivativedivides	$ c^3 \left(\frac{a \left(e^2cx - \frac{c d^2}{3x^3} - \frac{2cde}{x} \right)}{c^4} + \frac{b \left(\operatorname{arcsech}(cx) e^2cx - \frac{\operatorname{arcsech}(cx) c d^2}{3x^3} - \frac{2 \operatorname{arcsech}(cx) cde}{x} + \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \left(2\sqrt{-c^2} \right) \right)}{c^4} \right) $

default	$c^3 \left(\frac{a \left(e^2 c x - \frac{c d^2}{3 x^3} - \frac{2 c d e}{x} \right)}{c^4} + \frac{b \left(\operatorname{arcsech}(c x) e^2 c x - \frac{\operatorname{arcsech}(c x) c d^2}{3 x^3} - \frac{2 \operatorname{arcsech}(c x) c d e}{x} + \sqrt{\frac{-c x - 1}{c x}} \sqrt{\frac{c x + 1}{c x}} \left(2 \sqrt{-c x - 1} \right) \right)}{c^4} \right)$
---------	--

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arcsech(c*x))/x^4,x,method=_RETURNVERBOSE)`

[Out] $c^3 * (a/c^4 * (e^2 * c * x - 1/3 * c * d^2 / x^3 - 2 * c * d * e / x) + b/c^4 * (\operatorname{arcsech}(c * x) * e^2 * c * x - 1/3 * \operatorname{arcsech}(c * x) * c * d^2 / x^3 - 2 * \operatorname{arcsech}(c * x) * c * d * e / x + 1/9 * (-c * x - 1) / c * x)^{(1/2)} / c^2 / x^2 * ((c * x + 1) / c * x)^{(1/2)} * (2 * (-c^2 * x^2 + 1)^{(1/2)} * c^6 * d^2 * x^2 + (-c^2 * x^2 + 1)^{(1/2)} * c^4 * d^2 + 18 * (-c^2 * x^2 + 1)^{(1/2)} * c^4 * d * e * x^2 + 9 * \arcsin(c * x) * e^2 * c^3 * x^3) / (-c^2 * x^2 + 1)^{(1/2)})$

Maxima [A]

time = 0.26, size = 134, normalized size = 0.76

$$\frac{1}{9} b d^2 \left(\frac{c^4 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{3}{2}} + 3 c^4 \sqrt{\frac{1}{c^2 x^2} - 1}}{c} - \frac{3 \operatorname{arcsch}(c x)}{x^3} \right) + 2 \left(c \sqrt{\frac{1}{c^2 x^2} - 1} - \frac{\operatorname{arcsch}(c x)}{x} \right) b d e + a x e^2 + \frac{\left(c x \operatorname{arcsch}(c x) - \arctan \left(\sqrt{\frac{1}{c^2 x^2} - 1} \right) \right) b e^2}{c} - \frac{2 a d e}{x} - \frac{a d^2}{3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^4,x, algorithm="maxima")`

[Out] $1/9 * b * d^2 * ((c^4 * (1 / (c^2 * x^2) - 1)^{(3/2)} + 3 * c^4 * \operatorname{sqrt}(1 / (c^2 * x^2) - 1)) / c - 3 * \operatorname{arcsech}(c * x) / x^3) + 2 * (c * \operatorname{sqrt}(1 / (c^2 * x^2) - 1) - \operatorname{arcsech}(c * x) / x) * b * d * e + a * x * e^2 + (c * x * \operatorname{arcsech}(c * x) - \arctan(\operatorname{sqrt}(1 / (c^2 * x^2) - 1))) * b * e^2 / c - 2 * a * d * e / x - 1/3 * a * d^2 / x^3$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 440 vs. 2(106) = 212.

time = 0.58, size = 440, normalized size = 2.50

$$\frac{1}{9} b d^2 \left(\frac{c^4 \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{3}{2}} + 3 c^4 \sqrt{\frac{1}{c^2 x^2} - 1}}{c} - \frac{3 \operatorname{arcsch}(c x)}{x^3} \right) + 2 \left(c \sqrt{\frac{1}{c^2 x^2} - 1} - \frac{\operatorname{arcsch}(c x)}{x} \right) b d e + a x e^2 + \frac{\left(c x \operatorname{arcsch}(c x) - \arctan \left(\sqrt{\frac{1}{c^2 x^2} - 1} \right) \right) b e^2}{c} - \frac{2 a d e}{x} - \frac{a d^2}{3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^4,x, algorithm="fricas")`

[Out] $1/9 * (9 * a * c * x^4 * \cosh(1)^2 + 9 * a * c * x^4 * \sinh(1)^2 - 18 * a * c * d * x^2 * \cosh(1) - 3 * a * c * d^2 - 18 * (b * x^3 * \cosh(1)^2 + 2 * b * x^3 * \cosh(1) * \sinh(1) + b * x^3 * \sinh(1)^2) * \operatorname{arctan}((c * x * \operatorname{sqrt}(-c^2 * x^2 - 1) / (c^2 * x^2)) - 1) / (c * x)) + 3 * (b * c * d^2 * x^3 + 6 * b * c * d * x^3 * \cosh(1) - 3 * b * c * x^3 * \cosh(1)^2 - 3 * b * c * x^3 * \sinh(1)^2 + 6 * (b * c * d * x^3 - b * c * x^3 * \cosh(1)) * \sinh(1)) * \log((c * x * \operatorname{sqrt}(-c^2 * x^2 - 1) / (c^2 * x^2)) - 1) /$

$x) + 3*(b*c*d^2*x^3 - b*c*d^2 + 3*(b*c*x^4 - b*c*x^3)*\cosh(1)^2 + 3*(b*c*x^4 - b*c*x^3)*\sinh(1)^2 + 6*(b*c*d*x^3 - b*c*d*x^2)*\cosh(1) + 6*(b*c*d*x^3 - b*c*d*x^2 + (b*c*x^4 - b*c*x^3)*\cosh(1))*\sinh(1))*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) + 18*(a*c*x^4*\cosh(1) - a*c*d*x^2)*\sinh(1) + (2*b*c^4*d^2*x^3 + 18*b*c^2*d*x^3*\cosh(1) + 18*b*c^2*d*x^3*\sinh(1) + b*c^2*d^2*x)*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})/(c*x^3)$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))(d + ex^2)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asech(c*x))/x**4,x)

[Out] Integral((a + b*asech(c*x))*(d + e*x**2)**2/x**4, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^4,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2*(b*arcsech(c*x) + a)/x^4, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(ex^2 + d)^2 (a + b \operatorname{acosh}(\frac{1}{cx}))}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^2*(a + b*acosh(1/(c*x))))/x^4,x)

[Out] int(((d + e*x^2)^2*(a + b*acosh(1/(c*x))))/x^4, x)

$$3.104 \quad \int \frac{(d+ex^2)^2 (a+b\operatorname{sech}^{-1}(cx))}{x^6} dx$$

Optimal. Leaf size=213

$$\frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{25x^5} + \frac{2bd(6c^2d+25e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{225x^3} + \frac{b(24c^4d^2+100c^2de+225e^2)}{225x}$$

[Out] $-1/5*d^2*(a+b*\operatorname{arcsech}(c*x))/x^5-2/3*d*e*(a+b*\operatorname{arcsech}(c*x))/x^3-e^2*(a+b*\operatorname{arcsech}(c*x))/x+1/25*b*d^2*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x^5+2/225*b*d*(6*c^2*d+25*e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x^3+1/225*b*(24*c^4*d^2+100*c^2*d*e+225*e^2)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x$

Rubi [A]

time = 0.11, antiderivative size = 213, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {276, 6436, 12, 1279, 464, 270}

$$-\frac{d^2(a+b\operatorname{sech}^{-1}(cx))}{5x^5} - \frac{2de(a+b\operatorname{sech}^{-1}(cx))}{3x^3} - \frac{e^2(a+b\operatorname{sech}^{-1}(cx))}{x} + \frac{bd^2\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{25x^5} + \frac{2bd\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(6c^2d+25e)}{225x^3} + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(24c^4d^2+100c^2de+225e^2)}{225x}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcSech[c*x]))/x^6,x]

[Out] $(b*d^2*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(25*x^5) + (2*b*d*(6*c^2*d+25*e)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(225*x^3) + (b*(24*c^4*d^2+100*c^2*d*e+225*e^2)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(225*x) - (d^2*(a+b*\operatorname{ArcSech}[c*x]))/(5*x^5) - (2*d*e*(a+b*\operatorname{ArcSech}[c*x]))/(3*x^3) - (e^2*(a+b*\operatorname{ArcSech}[c*x]))/x$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 270

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m+1)*((a+b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n+p+1, 0] && NeQ[m, -1]

Rule 276

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&

IGtQ[p, 0]

Rule 464

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[c*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*e^(m + 1))), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 1279

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]}, Simp[R*(f*x)^(m + 1)*((d + e*x^2)^(q + 1)/(d*f*(m + 1))), x] + Dist[1/(d*f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[d*f*(m + 1)*(Qx/x) - e*R*(m + 2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \operatorname{sech}^{-1}(cx))}{x^6} dx &= -\frac{d^2(a + b \operatorname{sech}^{-1}(cx))}{5x^5} - \frac{2de(a + b \operatorname{sech}^{-1}(cx))}{3x^3} - \frac{e^2(a + b \operatorname{sech}^{-1}(cx))}{x} \\
&= -\frac{d^2(a + b \operatorname{sech}^{-1}(cx))}{5x^5} - \frac{2de(a + b \operatorname{sech}^{-1}(cx))}{3x^3} - \frac{e^2(a + b \operatorname{sech}^{-1}(cx))}{x} \\
&= \frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{25x^5} - \frac{d^2(a + b \operatorname{sech}^{-1}(cx))}{5x^5} - \frac{2de(a + b \operatorname{sech}^{-1}(cx))}{3x^3} \\
&= \frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{25x^5} + \frac{2bd(6c^2d + 25e) \sqrt{\frac{1}{1+cx}} \sqrt{1-c^2x^2}}{225x^3} \\
&= \frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{25x^5} + \frac{2bd(6c^2d + 25e) \sqrt{\frac{1}{1+cx}} \sqrt{1-c^2x^2}}{225x^3}
\end{aligned}$$

Mathematica [A]

time = 0.15, size = 134, normalized size = 0.63

$$\frac{-15a(3d^2 + 10dex^2 + 15e^2x^4) + b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(225e^2x^4 + 50dex^2(1+2c^2x^2) + 3d^2(3+4c^2x^2+8c^4x^4)) - 15b(3d^2 + 10dex^2 + 15e^2x^4) \operatorname{sech}^{-1}(cx)}{225x^5}$$

Antiderivative was successfully verified.

`[In] Integrate[((d + e*x^2)^2*(a + b*ArcSech[c*x]))/x^6,x]`

```
[Out] (-15*a*(3*d^2 + 10*d*e*x^2 + 15*e^2*x^4) + b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(225*e^2*x^4 + 50*d*e*x^2*(1 + 2*c^2*x^2) + 3*d^2*(3 + 4*c^2*x^2 + 8*c^4*x^4)) - 15*b*(3*d^2 + 10*d*e*x^2 + 15*e^2*x^4)*ArcSech[c*x])/(225*x^5)
```

Maple [A]

time = 0.25, size = 193, normalized size = 0.91

method	result
derivativedivides	$ c^5 \left(\frac{a \left(-\frac{e^2}{cx} - \frac{2de}{3cx^3} - \frac{d^2}{5cx^5} \right)}{c^4} + \frac{b \left(-\frac{\operatorname{arcsech}(cx)e^2}{cx} - \frac{2 \operatorname{arcsech}(cx)de}{3cx^3} - \frac{\operatorname{arcsech}(cx)d^2}{5cx^5} + \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} (24c^8d^2x^4 - \dots)}{c^4} \right)}{c^4} \right) $

default	$c^5 \left(\frac{a \left(-\frac{e^2}{cx} - \frac{2de}{3cx^3} - \frac{d^2}{5cx^5} \right)}{c^4} + \frac{b \left(-\frac{\operatorname{arcsech}(cx)e^2}{cx} - \frac{2 \operatorname{arcsech}(cx)de}{3cx^3} - \frac{\operatorname{arcsech}(cx)d^2}{5cx^5} + \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} (24c^8d^2x^4 + 100c^6d^2e^2x^4 + 12c^6d^2x^2 + 225c^4e^2x^4 + 50c^4d^2e^2x^2 + 9c^4d^2) \right)}{c^4} \right)$
---------	--

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d)^2*(a+b*arcsech(c*x))/x^6,x,method=_RETURNVERBOSE)
```

```
[Out] c^5*(a/c^4*(-e^2/c/x-2/3/c*d*e/x^3-1/5/c*d^2/x^5)+b/c^4*(-arcsech(c*x)*e^2/c/x-2/3*arcsech(c*x)/c*d*e/x^3-1/5*arcsech(c*x)/c*d^2/x^5+1/225*(-(c*x-1)/c/x)^(1/2)/c^4/x^4*((c*x+1)/c/x)^(1/2)*(24*c^8*d^2*x^4+100*c^6*d*e*x^4+12*c^6*d^2*x^2+225*c^4*e^2*x^4+50*c^4*d*e*x^2+9*c^4*d^2)))
```

Maxima [A]

time = 0.27, size = 175, normalized size = 0.82

$$\frac{1}{75}bd^2 \left(\frac{3c^6 \left(\frac{1}{c^2x^2} - 1 \right)^{\frac{5}{2}} + 10c^6 \left(\frac{1}{c^2x^2} - 1 \right)^{\frac{3}{2}} + 15c^6 \sqrt{\frac{1}{c^2x^2} - 1} - 15 \operatorname{arcsch}(cx)}{c} - \frac{15 \operatorname{arcsch}(cx)}{x^5} \right) + \frac{2}{9}bd \left(\frac{c^4 \left(\frac{1}{c^2x^2} - 1 \right)^{\frac{3}{2}} + 3c^4 \sqrt{\frac{1}{c^2x^2} - 1} - 3 \operatorname{arcsch}(cx)}{c} - \frac{3 \operatorname{arcsch}(cx)}{x^3} \right) e + \left(c \sqrt{\frac{1}{c^2x^2} - 1} - \frac{\operatorname{arcsch}(cx)}{x} \right) be^2 - \frac{ae^2}{x} - \frac{2ade}{3x^3} - \frac{ad^2}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^6,x, algorithm="maxima")
```

```
[Out] 1/75*b*d^2*((3*c^6*(1/(c^2*x^2) - 1)^(5/2) + 10*c^6*(1/(c^2*x^2) - 1)^(3/2) + 15*c^6*sqrt(1/(c^2*x^2) - 1))/c - 15*arcsech(c*x)/x^5) + 2/9*b*d*((c^4*(1/(c^2*x^2) - 1)^(3/2) + 3*c^4*sqrt(1/(c^2*x^2) - 1))/c - 3*arcsech(c*x)/x^3)*e + (c*sqrt(1/(c^2*x^2) - 1) - arcsech(c*x)/x)*b*e^2 - a*e^2/x - 2/3*a*d*e/x^3 - 1/5*a*d^2/x^5
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 278 vs. 2(138) = 276.

time = 0.45, size = 278, normalized size = 1.31

$$\frac{225a^4 \cosh(1)^2 + 225a^4 \sinh(1)^2 + 150ad^2 \cosh(1) + 45a^4 + 15(15b^4 \cosh(1)^2 + 15bd^2 \cosh(1) + 3b^4 + 10(3b^4 \cosh(1) + bd^2) \sinh(1)) \log\left(\frac{\sqrt{\frac{1}{c^2x^2} - 1}}{\frac{1}{c^2x^2} - 1}\right) + 150(3b^4 \cosh(1) + ad^2) \sinh(1) - (24b^4d^2 + 12b^4d^2 + 225b^4 \cosh(1)^2 + 225b^4 \sinh(1)^2 + 9bd^2 + 50(2b^4d^2 + bd^2) \cosh(1) + 50(2b^4d^2 + 9bd^2) \sinh(1)) \sqrt{\frac{1}{c^2x^2} - 1}}{225c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^6,x, algorithm="fricas")
```

```
[Out] -1/225*(225*a*x^4*cosh(1)^2 + 225*a*x^4*sinh(1)^2 + 150*a*d*x^2*cosh(1) + 45*a*d^2 + 15*(15*b*x^4*cosh(1)^2 + 15*b*x^4*sinh(1)^2 + 10*b*d*x^2*cosh(1) + 3*b*d^2 + 10*(3*b*x^4*cosh(1) + b*d*x^2)*sinh(1))*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + 150*(3*a*x^4*cosh(1) + a*d*x^2)*sinh(1) - (24*b*c^5*d^2*x^5 + 12*b*c^3*d^2*x^3 + 225*b*c*x^5*cosh(1)^2 + 225*b*c*x^5*sinh(1)^2 + 9*b*c*d^2*x + 50*(2*b*c^3*d*x^5 + b*c*d*x^3)*cosh(1) + 50*(2*b*c^3
```

$3*d*x^5 + 9*b*c*x^5*\cosh(1) + b*c*d*x^3)*\sinh(1))*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)))/x^5$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))(d + ex^2)^2}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asech(c*x))/x**6,x)

[Out] Integral((a + b*asech(c*x))*(d + e*x**2)**2/x**6, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^6,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2*(b*arcsech(c*x) + a)/x^6, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^2 (a + b \operatorname{acosh}(\frac{1}{cx}))}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^2*(a + b*acosh(1/(c*x))))/x^6,x)

[Out] int(((d + e*x^2)^2*(a + b*acosh(1/(c*x))))/x^6, x)

$$3.105 \quad \int \frac{(d+ex^2)^2 (a+b\operatorname{sech}^{-1}(cx))}{x^8} dx$$

Optimal. Leaf size=281

$$\frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{49x^7} + \frac{2bd(15c^2d+49e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{1225x^5} + \frac{b(360c^4d^2+1176c^2de+1225e^2)}{11025x^3}$$

[Out] $-1/7*d^2*(a+b*\operatorname{arcsech}(c*x))/x^7-2/5*d*e*(a+b*\operatorname{arcsech}(c*x))/x^5-1/3*e^2*(a+b*\operatorname{arcsech}(c*x))/x^3+1/49*b*d^2*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x^7+2/1225*b*d*(15*c^2*d+49*e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x^5+1/11025*b*(360*c^4*d^2+1176*c^2*d*e+1225*e^2)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x^3+2/11025*b*c^2*(360*c^4*d^2+1176*c^2*d*e+1225*e^2)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x$

Rubi [A]

time = 0.15, antiderivative size = 281, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {276, 6436, 12, 1279, 464, 277, 270}

$$\frac{d^2(a+b\operatorname{sech}^{-1}(cx))}{7x^2} - \frac{2de(a+b\operatorname{sech}^{-1}(cx))}{5x^3} - \frac{e^2(a+b\operatorname{sech}^{-1}(cx))}{3x^3} + \frac{bd\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{49x^7} + \frac{2bd\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(15c^2d+49e)}{1225x^5} + \frac{2bc^2\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(360c^4d^2+1176c^2de+1225e^2)}{11025x^3} + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(360c^4d^2+1176c^2de+1225e^2)}{11025x^3}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcSech[c*x]))/x^8,x]

[Out] $(b*d^2*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(49*x^7) + (2*b*d*(15*c^2*d+49*e)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(1225*x^5) + (b*(360*c^4*d^2+1176*c^2*d*e+1225*e^2)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(11025*x^3) + (2*b*c^2*(360*c^4*d^2+1176*c^2*d*e+1225*e^2)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2])/(11025*x) - (d^2*(a+b*\operatorname{ArcSech}[c*x]))/(7*x^7) - (2*d*e*(a+b*\operatorname{ArcSech}[c*x]))/(5*x^5) - (e^2*(a+b*\operatorname{ArcSech}[c*x]))/(3*x^3)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 270

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m+1)*((a+b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n+p+1, 0] && NeQ[m, -1]

Rule 276

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[Exp andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 277

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

Rule 464

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[c*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*e*(m + 1))), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

Rule 1279

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]}, Simp[R*(f*x)^(m + 1)*((d + e*x^2)^(q + 1)/(d*f*(m + 1))), x] + Dist[1/(d*f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[d*f*(m + 1)*(Qx/x) - e*R*(m + 2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]

Rule 6436

Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \operatorname{sech}^{-1}(cx))}{x^8} dx &= -\frac{d^2(a + b \operatorname{sech}^{-1}(cx))}{7x^7} - \frac{2de(a + b \operatorname{sech}^{-1}(cx))}{5x^5} - \frac{e^2(a + b \operatorname{sech}^{-1}(cx))}{3x^3} \\
&= -\frac{d^2(a + b \operatorname{sech}^{-1}(cx))}{7x^7} - \frac{2de(a + b \operatorname{sech}^{-1}(cx))}{5x^5} - \frac{e^2(a + b \operatorname{sech}^{-1}(cx))}{3x^3} \\
&= \frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{49x^7} - \frac{d^2(a + b \operatorname{sech}^{-1}(cx))}{7x^7} - \frac{2de(a + b \operatorname{sech}^{-1}(cx))}{5x^5} \\
&= \frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{49x^7} + \frac{2bd(15c^2d + 49e) \sqrt{\frac{1}{1+cx}} \sqrt{1-c^2x^2}}{1225x^5} \\
&= \frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{49x^7} + \frac{2bd(15c^2d + 49e) \sqrt{\frac{1}{1+cx}} \sqrt{1-c^2x^2}}{1225x^5} \\
&= \frac{bd^2 \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{49x^7} + \frac{2bd(15c^2d + 49e) \sqrt{\frac{1}{1+cx}} \sqrt{1-c^2x^2}}{1225x^5}
\end{aligned}$$

Mathematica [A]

time = 0.20, size = 160, normalized size = 0.57

$$\frac{-105a(15d^2 + 42dex^2 + 35e^2x^4) + b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(1225c^2x^4(1+2c^2x^2) + 294dex^2(3+4c^2x^2+8c^4x^4) + 45d^2(5+6c^2x^2+8c^4x^4+16c^6x^6)) - 105b(15d^2 + 42dex^2 + 35e^2x^4) \operatorname{sech}^{-1}(cx)}{11025x^7}$$

Antiderivative was successfully verified.

`[In] Integrate[((d + e*x^2)^2*(a + b*ArcSech[c*x]))/x^8,x]`

```
[Out] (-105*a*(15*d^2 + 42*d*e*x^2 + 35*e^2*x^4) + b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(1225*e^2*x^4*(1 + 2*c^2*x^2) + 294*d*e*x^2*(3 + 4*c^2*x^2 + 8*c^4*x^4) + 45*d^2*(5 + 6*c^2*x^2 + 8*c^4*x^4 + 16*c^6*x^6)) - 105*b*(15*d^2 + 42*d*e*x^2 + 35*e^2*x^4)*ArcSech[c*x])/(11025*x^7)
```

Maple [A]

time = 0.30, size = 225, normalized size = 0.80

method	result
--------	--------

derivativedivides	$c^7 \left(\frac{a \left(-\frac{e^2}{3c^3x^3} - \frac{2de}{5c^3x^5} - \frac{d^2}{7c^3x^7} \right)}{c^4} + b \left(-\frac{\operatorname{arcsech}(cx)e^2}{3c^3x^3} - \frac{2 \operatorname{arcsech}(cx)de}{5c^3x^5} - \frac{\operatorname{arcsech}(cx)d^2}{7c^3x^7} + \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \right) \right) (720c^1)$
default	$c^7 \left(\frac{a \left(-\frac{e^2}{3c^3x^3} - \frac{2de}{5c^3x^5} - \frac{d^2}{7c^3x^7} \right)}{c^4} + b \left(-\frac{\operatorname{arcsech}(cx)e^2}{3c^3x^3} - \frac{2 \operatorname{arcsech}(cx)de}{5c^3x^5} - \frac{\operatorname{arcsech}(cx)d^2}{7c^3x^7} + \sqrt{\frac{-cx-1}{cx}} \sqrt{\frac{cx+1}{cx}} \right) \right) (720c^1)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arcsech(c*x))/x^8,x,method=_RETURNVERBOSE)`

[Out] $c^7 * (a/c^4 * (-1/3 * e^2/c^3/x^3 - 2/5 * c^3*d*e/x^5 - 1/7 * c^3*d^2/x^7) + b/c^4 * (-1/3 * a \operatorname{rcsech}(c*x) * e^2/c^3/x^3 - 2/5 * \operatorname{arcsech}(c*x)/c^3*d*e/x^5 - 1/7 * \operatorname{arcsech}(c*x)/c^3*d^2/x^7 + 1/11025 * (-c*x-1)/c/x^{1/2} / c^6/x^6 * ((c*x+1)/c/x)^{1/2} * (720*c^10*d^2*x^6 + 2352*c^8*d*e*x^6 + 360*c^8*d^2*x^4 + 2450*c^6*e^2*x^6 + 1176*c^6*d*e*x^4 + 270*c^6*d^2*x^2 + 1225*c^4*e^2*x^4 + 882*c^4*d*e*x^2 + 225*c^4*d^2)))$

Maxima [A]

time = 0.26, size = 232, normalized size = 0.83

$$\frac{1}{245} b d^2 \left(\frac{5 e^d \left(\frac{d^2}{c^2} - 1\right)^{\frac{5}{2}} + 21 e^d \left(\frac{d^2}{c^2} - 1\right)^{\frac{3}{2}} + 35 e^d \left(\frac{d^2}{c^2} - 1\right)^{\frac{1}{2}} + 35 e^d \sqrt{\frac{1}{d^2 c^2} - 1} - 35 \operatorname{arcsch}(cx)}{c} \right) + \frac{2}{75} b d \left(\frac{3 e^d \left(\frac{d^2}{c^2} - 1\right)^{\frac{5}{2}} + 10 e^d \left(\frac{d^2}{c^2} - 1\right)^{\frac{3}{2}} + 15 e^d \sqrt{\frac{1}{d^2 c^2} - 1} - 15 \operatorname{arcsch}(cx)}{c} \right) e + \frac{1}{9} b \left(\frac{e^d \left(\frac{d^2}{c^2} - 1\right)^{\frac{5}{2}} + 3 e^d \sqrt{\frac{1}{d^2 c^2} - 1} - 3 \operatorname{arcsch}(cx)}{c} \right) e^2 - \frac{a e^2}{3 x^3} - \frac{2 a d e}{5 x^5} - \frac{a d^2}{7 x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^8,x, algorithm="maxima")`

[Out] $1/245 * b * d^2 * ((5 * c^8 * (1/(c^2 * x^2) - 1)^{(7/2)} + 21 * c^8 * (1/(c^2 * x^2) - 1)^{(5/2)} + 35 * c^8 * (1/(c^2 * x^2) - 1)^{(3/2)} + 35 * c^8 * \operatorname{sqrt}(1/(c^2 * x^2) - 1)) / c - 35 * a \operatorname{rcsech}(c*x) / x^7) + 2/75 * b * d * ((3 * c^6 * (1/(c^2 * x^2) - 1)^{(5/2)} + 10 * c^6 * (1/(c^2 * x^2) - 1)^{(3/2)} + 15 * c^6 * \operatorname{sqrt}(1/(c^2 * x^2) - 1)) / c - 15 * \operatorname{arcsech}(c*x) / x^5) * e + 1/9 * b * ((c^4 * (1/(c^2 * x^2) - 1)^{(3/2)} + 3 * c^4 * \operatorname{sqrt}(1/(c^2 * x^2) - 1)) / c - 3 * \operatorname{arcsech}(c*x) / x^3) * e^2 - 1/3 * a * e^2 / x^3 - 2/5 * a * d * e / x^5 - 1/7 * a * d^2 / x^7$

Fricas [A]

time = 0.45, size = 347, normalized size = 1.23

3075*a^2*rank(1)^2 + 3075*a^2*rank(1)^2 + 480*b*d^2*rank(1) + 1375*a^4 + 180*(25*b^4*rank(1)^2 + 35*b^4*rank(1)^2 + 420*b^4*rank(1)) + 154*a^6 + 14(15*b^4*rank(1) + 34*b^4*rank(1)) * log(1/(c^2*x^2 - 1)) - 1470*(2*a^6*rank(1) + 34*b^4*rank(1)) - (720*b^6*c^4 + 3696*b^6*c^2 + 270*b^6*c^0 + 225*b^6*c^0 + 1225*(2*b^6*c^4 + 8*c^2)) * rank(1)^2 - 2640*(b^6*c^4 + 4*b^6*c^2 + 34*b^6*c^0) * rank(1) + 98(24*b^6*c^4 + 12*b^6*c^2 + 36*b^6*c^0) + 95(24*b^6*c^4 + 12*b^6*c^2 + 36*b^6*c^0) * rank(1) * log(1/(c^2*x^2 - 1))

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^8,x, algorithm="fricas")

[Out] -1/11025*(3675*a*x^4*cosh(1)^2 + 3675*a*x^4*sinh(1)^2 + 4410*a*d*x^2*cosh(1) + 1575*a*d^2 + 105*(35*b*x^4*cosh(1)^2 + 35*b*x^4*sinh(1)^2 + 42*b*d*x^2*cosh(1) + 15*b*d^2 + 14*(5*b*x^4*cosh(1) + 3*b*d*x^2)*sinh(1))*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + 1470*(5*a*x^4*cosh(1) + 3*a*d*x^2)*sinh(1) - (720*b*c^7*d^2*x^7 + 360*b*c^5*d^2*x^5 + 270*b*c^3*d^2*x^3 + 225*b*c*d^2*x + 1225*(2*b*c^3*x^7 + b*c*x^5)*cosh(1)^2 + 1225*(2*b*c^3*x^7 + b*c*x^5)*sinh(1)^2 + 294*(8*b*c^5*d*x^7 + 4*b*c^3*d*x^5 + 3*b*c*d*x^3)*cosh(1) + 98*(24*b*c^5*d*x^7 + 12*b*c^3*d*x^5 + 9*b*c*d*x^3 + 25*(2*b*c^3*x^7 + b*c*x^5)*cosh(1))*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/x^7

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx)) (d + ex^2)^2}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asech(c*x))/x**8,x)

[Out] Integral((a + b*asech(c*x))*(d + e*x**2)**2/x**8, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^8,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2*(b*arcsech(c*x) + a)/x^8, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^2 (a + b \operatorname{acosh}(\frac{1}{cx}))}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^2*(a + b*acosh(1/(c*x))))/x^8,x)

[Out] int(((d + e*x^2)^2*(a + b*acosh(1/(c*x))))/x^8, x)

3.106 $\int x^3(d + ex^2)^2 (a + b\operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=278

$$-\frac{b(6c^4d^2 + 8c^2de + 3e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{24c^8} + \frac{b(6c^4d^2 + 16c^2de + 9e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} (1 - c^2x^2)^{3/2}}{72c^8}$$

[Out] $\frac{1}{4}d^2x^4(a+b\operatorname{arcsech}(cx))+\frac{1}{3}d*ex^6(a+b\operatorname{arcsech}(cx))+\frac{1}{8}e^2x^8(a+b\operatorname{arcsech}(cx))+\frac{1}{72}b*(6*c^4*d^2+16*c^2*d*e+9*e^2)*(-c^2*x^2+1)^{(3/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^8-1/120*b*e*(8*c^2*d+9*e)*(-c^2*x^2+1)^{(5/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^8+1/56*b*e^2*(-c^2*x^2+1)^{(7/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^8-1/24*b*(6*c^4*d^2+8*c^2*d*e+3*e^2)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^8$

Rubi [A]

time = 0.17, antiderivative size = 278, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {272, 45, 6436, 12, 1265, 785}

$$\frac{1}{4}d^2x^4(a+b\operatorname{sech}^{-1}(cx))+\frac{1}{3}dex^6(a+b\operatorname{sech}^{-1}(cx))+\frac{1}{8}e^2x^8(a+b\operatorname{sech}^{-1}(cx))-\frac{be\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(1-c^2x^2)^{5/2}(8c^2d+9e)}{120c^8}+\frac{be^2\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(1-c^2x^2)^{7/2}}{56c^8}+\frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(1-c^2x^2)^{9/2}(6c^4d^2+16c^2de+9e^2)}{72c^8}-\frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(6c^4d^2+8c^2de+3e^2)}{24c^8}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^3*(d + e*x^2)^2*(a + b*\operatorname{ArcSech}[c*x]), x]$

[Out] $-1/24*(b*(6*c^4*d^2 + 8*c^2*d*e + 3*e^2)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/c^8 + (b*(6*c^4*d^2 + 16*c^2*d*e + 9*e^2)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*(1 - c^2*x^2)^{(3/2)})/(72*c^8) - (b*e*(8*c^2*d + 9*e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*(1 - c^2*x^2)^{(5/2)})/(120*c^8) + (b*e^2*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*(1 - c^2*x^2)^{(7/2)})/(56*c^8) + (d^2*x^4*(a + b*\operatorname{ArcSech}[c*x]))/4 + (d*e*x^6*(a + b*\operatorname{ArcSech}[c*x]))/3 + (e^2*x^8*(a + b*\operatorname{ArcSech}[c*x]))/8$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{Match}Q[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 45

$\operatorname{Int}[(a_*)(x_)+(b_*)(x_))^{(m_)*((c_)+(d_)*(x_))^{(n_)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \operatorname{FreeQ}[\{a, b, c, d, n\}, x] \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \ \operatorname{IGtQ}[m, 0] \ \&\& \ (\ !\operatorname{IntegerQ}[n] \ || \ (\operatorname{EqQ}[c, 0] \ \&\& \ \operatorname{LeQ}[7*m + 4*n + 4, 0]) \ || \ \operatorname{LtQ}[9*m + 5*(n + 1), 0]) \ || \ \operatorname{GtQ}[m + n + 2, 0])$

Rule 272

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 785

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (
c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)*
(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^
2 - 4*a*c, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))
```

Rule 1265

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_
)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rule 6436

```
Int[((a_) + ArcSech[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(
x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int x^3(d + ex^2)^2(a + b\operatorname{sech}^{-1}(cx)) dx &= \frac{1}{4}d^2x^4(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{3}dex^6(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{8}e^2x^8(a + b\operatorname{sech}^{-1}(cx)) \\
&= \frac{1}{4}d^2x^4(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{3}dex^6(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{8}e^2x^8(a + b\operatorname{sech}^{-1}(cx)) \\
&= \frac{1}{4}d^2x^4(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{3}dex^6(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{8}e^2x^8(a + b\operatorname{sech}^{-1}(cx)) \\
&= \frac{1}{4}d^2x^4(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{3}dex^6(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{8}e^2x^8(a + b\operatorname{sech}^{-1}(cx)) \\
&= -\frac{b(6c^4d^2 + 8c^2de + 3e^2)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{24c^8} + \frac{b(6c^4d^2 + 8c^2de + 3e^2)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{24c^8}
\end{aligned}$$

Mathematica [A]

time = 0.16, size = 168, normalized size = 0.60

$$\frac{1}{24} \left(6ad^2x^4 + 8adex^6 + 3ae^2x^8 - b\sqrt{\frac{1-cx}{1+cx}} (1+cx)(144e^2 + 8c^2e(56d + 9ex^2) + c^4(420d^2 + 224dex^2 + 54e^2x^4) + 3c^6(70d^2x^2 + 56dex^4 + 15e^2x^6)) \right. \\ \left. + bx^4(6d^2 + 8dex^2 + 3e^2x^4) \operatorname{sech}^{-1}(cx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(d + e*x^2)^2*(a + b*ArcSech[c*x]), x]

[Out] (6*a*d^2*x^4 + 8*a*d*e*x^6 + 3*a*e^2*x^8 - (b*sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(144*e^2 + 8*c^2*e*(56*d + 9*e*x^2) + c^4*(420*d^2 + 224*d*e*x^2 + 54*e^2*x^4) + 3*c^6*(70*d^2*x^2 + 56*d*e*x^4 + 15*e^2*x^6)))/(105*c^8) + b*x^4*(6*d^2 + 8*d*e*x^2 + 3*e^2*x^4)*ArcSech[c*x])/24

Maple [A]

time = 0.40, size = 395, normalized size = 1.42

method	result
derivativedivides	$-\frac{a \left(\frac{c^2 d (e c^2 x^2 + c^2 d)^3}{3} - \frac{(e c^2 x^2 + c^2 d)^4}{4} \right)}{2c^4 e^2} + b \left(-\frac{\operatorname{arcsech}(cx)c^8 d^4}{24e^2} + \frac{\operatorname{arcsech}(cx)c^8 d^2 x^4}{4} + \frac{e \operatorname{arcsech}(cx)c^8 d x^6}{3} + \frac{e^2 \operatorname{arcsech}(cx)c^8 x^8}{8} \right)$
default	$-\frac{a \left(\frac{c^2 d (e c^2 x^2 + c^2 d)^3}{3} - \frac{(e c^2 x^2 + c^2 d)^4}{4} \right)}{2c^4 e^2} + b \left(-\frac{\operatorname{arcsech}(cx)c^8 d^4}{24e^2} + \frac{\operatorname{arcsech}(cx)c^8 d^2 x^4}{4} + \frac{e \operatorname{arcsech}(cx)c^8 d x^6}{3} + \frac{e^2 \operatorname{arcsech}(cx)c^8 x^8}{8} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d)^2*(a+b*arcsech(c*x)), x, method=_RETURNVERBOSE)

[Out] 1/c^4*(-1/2*a/c^4/e^2*(1/3*c^2*d*(c^2*e*x^2+c^2*d)^3-1/4*(c^2*e*x^2+c^2*d)^4)+b/c^4*(-1/24/e^2*arcsech(c*x)*c^8*d^4+1/4*arcsech(c*x)*c^8*d^2*x^4+1/3*e*arcsech(c*x)*c^8*d*x^6+1/8*e^2*arcsech(c*x)*c^8*x^8-1/2520/e^2*(-(c*x-1)/c/x)^(1/2)*c*x*((c*x+1)/c/x)^(1/2)*(-105*c^8*d^4*arctanh(1/(-c^2*x^2+1)^(1/2)))+210*c^6*d^2*e^2*(-c^2*x^2+1)^(1/2)*x^2+168*c^6*d*e^3*(-c^2*x^2+1)^(1/2)*x^4+45*e^4*(-c^2*x^2+1)^(1/2)*c^6*x^6+420*c^4*d^2*e^2*(-c^2*x^2+1)^(1/2)+224*(-c^2*x^2+1)^(1/2)*c^4*d*e^3*x^2+54*e^4*c^4*x^4*(-c^2*x^2+1)^(1/2)+448*c^2*d*e^3*(-c^2*x^2+1)^(1/2)+72*e^4*(-c^2*x^2+1)^(1/2)*c^2*x^2+144*e^4*(-c^2*x^2+1)^(1/2))/(-c^2*x^2+1)^(1/2))

Maxima [A]

time = 0.27, size = 245, normalized size = 0.88

$$\frac{1}{8}ax^6e^2 + \frac{1}{3}ada^6e + \frac{1}{4}ad^2x^4 + \frac{1}{12} \left(3x^3 \operatorname{arcsch}(cx) + \frac{c^2x^3(\frac{c^2x^2}{c^2} - 1)^{\frac{3}{2}} - 3x\sqrt{\frac{1}{c^2x^2} - 1}}{c^3} \right) b^2 + \frac{1}{45} \left(15x^6 \operatorname{arcsch}(cx) - \frac{3c^4x^6(\frac{c^2x^2}{c^2} - 1)^{\frac{3}{2}} - 10c^2x^3(\frac{c^2x^2}{c^2} - 1)^{\frac{3}{2}} + 15x\sqrt{\frac{1}{c^2x^2} - 1}}{c^5} \right) bc + \frac{1}{280} \left(35x^8 \operatorname{arcsch}(cx) + \frac{5c^6x^8(\frac{c^2x^2}{c^2} - 1)^{\frac{3}{2}} - 21c^4x^6(\frac{c^2x^2}{c^2} - 1)^{\frac{3}{2}} + 35c^2x^3(\frac{c^2x^2}{c^2} - 1)^{\frac{3}{2}} - 35x\sqrt{\frac{1}{c^2x^2} - 1}}{c^7} \right) bc^2$$

$*2*x**2*\sqrt{-c**2*x**2 + 1}/(35*c**6) - 2*b*e**2*\sqrt{-c**2*x**2 + 1}/(35*c**8), \text{Ne}(c, 0)), ((a + oo*b)*(d**2*x**4/4 + d*e*x**6/3 + e**2*x**8/8), \text{True})$

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)^2*(a+b*arcsech(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arcsech(c*x) + a)*x^3, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 (e x^2 + d)^2 \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(d + e*x^2)^2*(a + b*acosh(1/(c*x))),x)`

[Out] `int(x^3*(d + e*x^2)^2*(a + b*acosh(1/(c*x))), x)`

3.107 $\int x(d + ex^2)^2 (a + b\operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=230

$$\frac{b(3c^4d^2 + 3c^2de + e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{6c^6} + \frac{be(3c^2d + 2e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} (1-c^2x^2)^{3/2}}{18c^6} - be^2$$

[Out] $\frac{1}{6}*(e*x^2+d)^3*(a+b*\operatorname{arcsech}(c*x))/e+1/18*b*e*(3*c^2*d+2*e)*(-c^2*x^2+1)^(3/2)*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/c^6-1/30*b*e^2*(-c^2*x^2+1)^(5/2)*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/c^6-1/6*b*d^3*\operatorname{arctanh}((-c^2*x^2+1)^(1/2))*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/e-1/6*b*(3*c^4*d^2+3*c^2*d*e+e^2)*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)*(-c^2*x^2+1)^(1/2)/c^6$

Rubi [A]

time = 0.17, antiderivative size = 230, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {6434, 531, 457, 90, 65, 214}

$$\frac{(d+ex^2)^3(a+b\operatorname{sech}^{-1}(cx))}{6e} - \frac{bd^3\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\tanh^{-1}\left(\sqrt{1-c^2x^2}\right)}{6e} + \frac{be\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(1-c^2x^2)^{3/2}(3c^2d+2e)}{18c^6} - \frac{be^2\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(1-c^2x^2)^{5/2}}{30c^6} - \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(3c^4d^2+3c^2de+e^2)}{6c^6}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*(d + e*x^2)^2*(a + b*\operatorname{ArcSech}[c*x]), x]$

[Out] $-1/6*(b*(3*c^4*d^2 + 3*c^2*d*e + e^2)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/c^6 + (b*e*(3*c^2*d + 2*e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*(1 - c^2*x^2)^{(3/2)})/(18*c^6) - (b*e^2*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*(1 - c^2*x^2)^{(5/2)})/(30*c^6) + ((d + e*x^2)^3*(a + b*\operatorname{ArcSech}[c*x]))/(6*e) - (b*d^3*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTanh}[\operatorname{Sqrt}[1 - c^2*x^2]])/(6*e)$

Rule 65

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - a*(d/b) + d*(x^p/b))^{(n)}, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 90

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}*((e_.) + (f_.)*(x_.))^{(p_.)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; \operatorname{FreeQ}[\{a, b, c, d, e, f, p\}, x] \&\& \operatorname{IntegersQ}[m, n] \&\& (\operatorname{IntegerQ}[p] \mid\mid (\operatorname{GtQ}[m, 0] \&\& \operatorname{GeQ}[n, -1]))$

Rule 214

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 531

```
Int[(u_)*((c_) + (d_)*(x_)^(n_))^(q_)*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*(x_)^(non2_))^(p_), x_Symbol] := Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p, q}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[p] || (GtQ[a1, 0] && GtQ[a2, 0]))
```

Rule 6434

```
Int[((a_) + ArcSech[(c_)*(x_)])*(b_)*(x_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSech[c*x])/(2*e*(p + 1))), x] + Dist[b*(Sqrt[1 + c*x]/(2*e*(p + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x^2)^(p + 1)/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int x(d+ex^2)^2(a+b\operatorname{sech}^{-1}(cx))dx &= \frac{(d+ex^2)^3(a+b\operatorname{sech}^{-1}(cx))}{6e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right)\int\frac{(d+ex^2)^3}{x\sqrt{1-cx}}}{6e} \\
&= \frac{(d+ex^2)^3(a+b\operatorname{sech}^{-1}(cx))}{6e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right)\int\frac{(d+ex^2)^3}{x\sqrt{1-c^2x^2}}}{6e} \\
&= \frac{(d+ex^2)^3(a+b\operatorname{sech}^{-1}(cx))}{6e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right)\operatorname{Subst}\left(\int\frac{(d+ex^2)^3}{x\sqrt{1-cx}}\right)}{12e} \\
&= \frac{(d+ex^2)^3(a+b\operatorname{sech}^{-1}(cx))}{6e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right)\operatorname{Subst}\left(\int\frac{(d+ex^2)^3}{x\sqrt{1-c^2x^2}}\right)}{12e} \\
&= -\frac{b(3c^4d^2+3c^2de+e^2)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{6c^6} + \frac{be(3c^2d+e^2)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{6c^6} \\
&= -\frac{b(3c^4d^2+3c^2de+e^2)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{6c^6} + \frac{be(3c^2d+e^2)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{6c^6} \\
&= -\frac{b(3c^4d^2+3c^2de+e^2)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{6c^6} + \frac{be(3c^2d+e^2)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{6c^6}
\end{aligned}$$

Mathematica [A]

time = 0.15, size = 139, normalized size = 0.60

$$\frac{1}{6}ax^2(3d^2+3dex^2+e^2x^4) - \frac{b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(8e^2+2c^2e(15d+2ex^2)+3c^4(15d^2+5dex^2+e^2x^4))}{90c^6} + \frac{1}{6}bx^2(3d^2+3dex^2+e^2x^4)\operatorname{sech}^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x*(d + e*x^2)^2*(a + b*ArcSech[c*x]),x]

[Out] (a*x^2*(3*d^2 + 3*d*e*x^2 + e^2*x^4))/6 - (b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(8*e^2 + 2*c^2*e*(15*d + 2*e*x^2) + 3*c^4*(15*d^2 + 5*d*e*x^2 + e^2*x^4)))/(90*c^6) + (b*x^2*(3*d^2 + 3*d*e*x^2 + e^2*x^4)*ArcSech[c*x])/6

Maple [A]

time = 0.38, size = 295, normalized size = 1.28

method	result
derivativedivides	$\frac{(e c^2 x^2 + c^2 d)^3 a}{6 e^4 e} + b \left(\frac{\operatorname{arcsech}(c x) c^6 d^3}{6 e} + \frac{\operatorname{arcsech}(c x) c^6 d^2 x^2}{2} + \frac{e \operatorname{arcsech}(c x) c^6 d x^4}{2} + \frac{e^2 \operatorname{arcsech}(c x) c^6 x^6}{6} - \frac{\sqrt{-\frac{c x - 1}{c x}} c x \sqrt{\frac{c x + 1}{c x}}}{c x} \right)$
default	$\frac{(e c^2 x^2 + c^2 d)^3 a}{6 e^4 e} + b \left(\frac{\operatorname{arcsech}(c x) c^6 d^3}{6 e} + \frac{\operatorname{arcsech}(c x) c^6 d^2 x^2}{2} + \frac{e \operatorname{arcsech}(c x) c^6 d x^4}{2} + \frac{e^2 \operatorname{arcsech}(c x) c^6 x^6}{6} - \frac{\sqrt{-\frac{c x - 1}{c x}} c x \sqrt{\frac{c x + 1}{c x}}}{c x} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d)^2*(a+b*arcsech(c*x)),x,method=_RETURNVERBOSE)`

[Out] $1/c^2*(1/6*(c^2*e*x^2+c^2*d)^3*a/c^4/e+b/c^4*(1/6/e*arcsech(c*x)*c^6*d^3+1/2*arcsech(c*x)*c^6*d^2*x^2+1/2*e*arcsech(c*x)*c^6*d*x^4+1/6*e^2*arcsech(c*x)*c^6*x^6-1/90/e*(-(c*x-1)/c/x)^{(1/2)}*c*x*((c*x+1)/c/x)^{(1/2)}*(15*c^6*d^3*a \operatorname{rctanh}(1/(-c^2*x^2+1)^{(1/2)})+45*c^4*d^2*e*(-c^2*x^2+1)^{(1/2)}+15*c^4*d*e^2*(-c^2*x^2+1)^{(1/2)}*x^2+3*e^3*(-c^2*x^2+1)^{(1/2)}*c^4*x^4+30*c^2*d*e^2*(-c^2*x^2+1)^{(1/2)}+4*e^3*c^2*x^2*(-c^2*x^2+1)^{(1/2)}+8*e^3*(-c^2*x^2+1)^{(1/2)})/(-c^2*x^2+1)^{(1/2))}$

Maxima [A]

time = 0.26, size = 185, normalized size = 0.80

$$\frac{1}{6} a x^6 e^2 + \frac{1}{2} a d x^4 e + \frac{1}{2} a d^2 x^2 + \frac{1}{2} \left(x^2 \operatorname{arcsch}(c x) - \frac{x \sqrt{\frac{1}{c^2 x^2} - 1}}{c} \right) b d^2 + \frac{1}{6} \left(3 x^4 \operatorname{arcsch}(c x) + \frac{c^2 x^3 (\frac{1}{c^2 x^2} - 1)^{\frac{3}{2}} - 3 x \sqrt{\frac{1}{c^2 x^2} - 1}}{c^3} \right) b d e + \frac{1}{90} \left(15 x^6 \operatorname{arcsch}(c x) - \frac{3 c^4 x^5 (\frac{1}{c^2 x^2} - 1)^{\frac{5}{2}} - 10 c^2 x^3 (\frac{1}{c^2 x^2} - 1)^{\frac{3}{2}} + 15 x \sqrt{\frac{1}{c^2 x^2} - 1}}{c^5} \right) b e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)^2*(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] $1/6*a*x^6*e^2 + 1/2*a*d*x^4*e + 1/2*a*d^2*x^2 + 1/2*(x^2*arcsech(c*x) - x*\operatorname{sqrt}(1/(c^2*x^2) - 1)/c)*b*d^2 + 1/6*(3*x^4*arcsech(c*x) + (c^2*x^3*(1/(c^2*x^2) - 1)^{(3/2)} - 3*x*\operatorname{sqrt}(1/(c^2*x^2) - 1))/c^3)*b*d*e + 1/90*(15*x^6*\operatorname{arcsch}(c*x) - (3*c^4*x^5*(1/(c^2*x^2) - 1)^{(5/2)} - 10*c^2*x^3*(1/(c^2*x^2) - 1)^{(3/2)} + 15*x*\operatorname{sqrt}(1/(c^2*x^2) - 1))/c^5)*b*e^2$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 349 vs. 2(132) = 264.

time = 0.49, size = 349, normalized size = 1.52

$$15 a^6 \operatorname{rctanh}(1)^6 + 15 a^5 \operatorname{rctanh}(1)^5 + 45 a^4 \operatorname{rctanh}(1)^4 + 45 a^3 \operatorname{rctanh}(1)^3 + 15 \operatorname{rctanh}(1)^2 + 3 a^6 \operatorname{rctanh}(1)^7 + 3 a^5 \operatorname{rctanh}(1)^6 + 3 a^4 \operatorname{rctanh}(1)^5 + 3 a^3 \operatorname{rctanh}(1)^4 + 3 a^2 \operatorname{rctanh}(1)^3 + 3 a \operatorname{rctanh}(1)^2 + \left(\frac{-15 \sqrt{\frac{1}{c^2 x^2} - 1}}{c^3} \right) + 15 (2 a^6 \operatorname{rctanh}(1) + 3 a^5 \operatorname{rctanh}(1) - (45 a^4 e + 3 a^4 e^2 + 4 a^3 e + 8 a^2 e) \operatorname{rctanh}(1)^2 + 15 (3 a^6 e^2 + 2 a^5 e) \operatorname{rctanh}(1) + (15 a^6 d^2 + 30 a^5 d + 2 (3 a^4 e + 4 a^3 e + 8 a^2 e) \operatorname{rctanh}(1)) \sqrt{\frac{1}{c^2 x^2} - 1}) b e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^2*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] $\frac{1}{90}*(15*a*c^5*x^6*\cosh(1)^2 + 15*a*c^5*x^6*\sinh(1)^2 + 45*a*c^5*d*x^4*\cosh(1) + 45*a*c^5*d^2*x^2 + 15*(b*c^5*x^6*\cosh(1)^2 + b*c^5*x^6*\sinh(1)^2 + 3*b*c^5*d*x^4*\cosh(1) + 3*b*c^5*d^2*x^2 + (2*b*c^5*x^6*\cosh(1) + 3*b*c^5*d*x^4)*\sinh(1))*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) + 15*(2*a*c^5*x^6*\cosh(1) + 3*a*c^5*d*x^4)*\sinh(1) - (45*b*c^4*d^2*x + (3*b*c^4*x^5 + 4*b*c^2*x^3 + 8*b*x)*\cosh(1)^2 + (3*b*c^4*x^5 + 4*b*c^2*x^3 + 8*b*x)*\sinh(1))^2 + 15*(b*c^4*d*x^3 + 2*b*c^2*d*x)*\cosh(1) + (15*b*c^4*d*x^3 + 30*b*c^2*d*x + 2*(3*b*c^4*x^5 + 4*b*c^2*x^3 + 8*b*x)*\cosh(1))*\sinh(1))*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)}/c^5$

Sympy [A]

time = 0.95, size = 252, normalized size = 1.10

$$\begin{cases} \frac{a^2x^2}{2} + \frac{adxc^4}{2} + \frac{a^2x^6}{6} + \frac{bd^2x^2 \operatorname{asech}(cx)}{2} + \frac{bdxc^4 \operatorname{asech}(cx)}{2} + \frac{bc^2x^6 \operatorname{asech}(cx)}{6} - \frac{bd^2\sqrt{-c^2x^2+1}}{2c^2} - \frac{bdxc^2\sqrt{-c^2x^2+1}}{6c^2} - \frac{bc^2x^4\sqrt{-c^2x^2+1}}{30c^2} - \frac{bdx\sqrt{-c^2x^2+1}}{3c^4} - \frac{2ba^2x^2\sqrt{-c^2x^2+1}}{45c^4} - \frac{4bc^2\sqrt{-c^2x^2+1}}{45c^6} & \text{for } c \neq 0 \\ (a + \infty b) \left(\frac{d^2x^2}{2} + \frac{dx^4}{2} + \frac{c^2x^6}{6} \right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d)**2*(a+b*asech(c*x)),x)

[Out] Piecewise((a*d**2*x**2/2 + a*d*e*x**4/2 + a*e**2*x**6/6 + b*d**2*x**2*asech(c*x)/2 + b*d*e*x**4*asech(c*x)/2 + b*e**2*x**6*asech(c*x)/6 - b*d**2*sqrt(-c**2*x**2 + 1)/(2*c**2) - b*d*e*x**2*sqrt(-c**2*x**2 + 1)/(6*c**2) - b*e**2*x**4*sqrt(-c**2*x**2 + 1)/(30*c**2) - b*d*e*sqrt(-c**2*x**2 + 1)/(3*c**4) - 2*b*e**2*x**2*sqrt(-c**2*x**2 + 1)/(45*c**4) - 4*b*e**2*sqrt(-c**2*x**2 + 1)/(45*c**6), Ne(c, 0)), ((a + oo*b)*(d**2*x**2/2 + d*e*x**4/2 + e**2*x**6/6), True))

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^2*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2*(b*arcsech(c*x) + a)*x, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x (e x^2 + d)^2 \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(d + e*x^2)^2*(a + b*acosh(1/(c*x))),x)

[Out] int(x*(d + e*x^2)^2*(a + b*acosh(1/(c*x))), x)

$$3.108 \quad \int \frac{(d+ex^2)^2 (a+b\operatorname{sech}^{-1}(cx))}{x} dx$$

Optimal. Leaf size=370

$$\frac{be(6c^2d+e)\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x}{6c^3} - \frac{be^2\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x^3}{12c} + \frac{ibd^2\sqrt{1-\frac{1}{c^2x^2}}\operatorname{csc}^{-1}(cx)^2}{2\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}} + dex^2(a$$

[Out] d*e*x^2*(a+b*arcsech(c*x))+1/4*e^2*x^4*(a+b*arcsech(c*x))-d^2*(a+b*arcsech(c*x))*ln(1/x)+1/2*I*b*d^2*arccsc(c*x)^2*(1-1/c^2/x^2)^(1/2)/(-1+1/c/x)^(1/2)/(1+1/c/x)^(1/2)-b*d^2*arccsc(c*x)*ln(1-(I/c/x+(1-1/c^2/x^2)^(1/2))^2*(1-1/c^2/x^2)^(1/2)/(-1+1/c/x)^(1/2)/(1+1/c/x)^(1/2)+b*d^2*arccsc(c*x)*ln(1/x)*(1-1/c^2/x^2)^(1/2)/(-1+1/c/x)^(1/2)/(1+1/c/x)^(1/2)+1/2*I*b*d^2*polylog(2,(I/c/x+(1-1/c^2/x^2)^(1/2))^2*(1-1/c^2/x^2)^(1/2)/(-1+1/c/x)^(1/2)/(1+1/c/x)^(1/2)-1/6*b*e*(6*c^2*d+e)*x*(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)/c^3-1/12*b*e^2*x^3*(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)/c

Rubi [A]

time = 0.74, antiderivative size = 370, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 14, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {6438, 272, 45, 5958, 6874, 465, 97, 2365, 2363, 4721, 3798, 2221, 2317, 2438}

$$-d^2 \log\left(\frac{1}{2}\right) (a + b\operatorname{sech}^{-1}(cx)) + dx^2(a + b\operatorname{sech}^{-1}(cx)) + \frac{1}{4}e^2x^4(a + b\operatorname{sech}^{-1}(cx)) + \frac{ibd^2\sqrt{1-\frac{1}{c^2x^2}}\operatorname{Li}_2(e^{2i\operatorname{arccsc}(cx)})}{2\sqrt{\frac{1}{c^2}-1}\sqrt{\frac{1}{c^2}+1}} + \frac{ibd^2\sqrt{1-\frac{1}{c^2x^2}}\operatorname{csc}^{-1}(cx)^2}{2\sqrt{\frac{1}{c^2}-1}\sqrt{\frac{1}{c^2}+1}} - \frac{bd^2\sqrt{1-\frac{1}{c^2x^2}}\operatorname{csc}^{-1}(cx)\log(1-e^{2i\operatorname{arccsc}(cx)})}{\sqrt{\frac{1}{c^2}-1}\sqrt{\frac{1}{c^2}+1}} + \frac{bd^2\sqrt{1-\frac{1}{c^2x^2}}\log\left(\frac{1}{2}\right)\operatorname{csc}^{-1}(cx)}{\sqrt{\frac{1}{c^2}-1}\sqrt{\frac{1}{c^2}+1}} - \frac{be^2x^3\sqrt{1-\frac{1}{c^2x^2}}\sqrt{1+\frac{1}{cx}}}{6c^3} - \frac{be^2x^3\sqrt{1-\frac{1}{c^2x^2}}\sqrt{1+\frac{1}{cx}}}{12c}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcSech[c*x]))/x,x]

[Out] -1/6*(b*e*(6*c^2*d + e)*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]*x)/c^3 - (b*e^2*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]*x^3)/(12*c) + ((I/2)*b*d^2*Sqrt[1 - 1/(c^2*x^2)]*ArcCsc[c*x]^2)/(Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]) + d*e*x^2*(a + b*ArcSech[c*x]) + (e^2*x^4*(a + b*ArcSech[c*x]))/4 - (b*d^2*Sqrt[1 - 1/(c^2*x^2)]*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])])/(Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]) + (b*d^2*Sqrt[1 - 1/(c^2*x^2)]*ArcCsc[c*x]*Log[x^(-1)])/(Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]) - d^2*(a + b*ArcSech[c*x])*Log[x^(-1)] + ((I/2)*b*d^2*Sqrt[1 - 1/(c^2*x^2)]*PolyLog[2, E^((2*I)*ArcCsc[c*x])])/(Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)])

Rule 45

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 97

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1), 0] && NeQ[m, -1]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 465

```
Int[((e_.)*(x_))^(m_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[c*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*((a2 + b2*x^(n/2))^(p + 1)/(a1*a2*e*(m + 1))), x] + Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*e^n*(m + 1)), Int[(e*x)^(m + n)*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 2221

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2363

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]*((a + b*Log[c*x^n])/Rt[-e, 2]), x] - Dist[b*(n/Rt[-e, 2]), Int[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]
```

Rule 2365

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Dist[Sqrt[1 + e1*(e2/(d1*d2))*x^2]/(Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]), Int[(a + b*Log[c*x^n])/Sqrt[1 + e1*(e2/(d1*d2))*x^2], x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[d2*e1 + d1*e2, 0]
```

Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3798

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m * E^(2*I*k*Pi)*(E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 4721

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(a + b*x)^n*Cot[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 5958

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCosh[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

Rule 6438

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegersQ[m, p]
```

Rule 6874

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \operatorname{sech}^{-1}(cx))}{x} dx &= -\operatorname{Subst} \left(\int \frac{(e + dx^2)^2 (a + b \cosh^{-1}(\frac{x}{c}))}{x^5} dx, x, \frac{1}{x} \right) \\
&= dex^2(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{4}e^2x^4(a + b \operatorname{sech}^{-1}(cx)) - d^2(a + b \operatorname{sech}^{-1}(cx)) \\
&= dex^2(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{4}e^2x^4(a + b \operatorname{sech}^{-1}(cx)) - d^2(a + b \operatorname{sech}^{-1}(cx)) \\
&= dex^2(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{4}e^2x^4(a + b \operatorname{sech}^{-1}(cx)) - d^2(a + b \operatorname{sech}^{-1}(cx)) \\
&= -\frac{be^2 \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x^3}{12c} + dex^2(a + b \operatorname{sech}^{-1}(cx)) + \frac{1}{4}e^2x^4(a + b \operatorname{sech}^{-1}(cx)) \\
&= -\frac{be(6c^2d + e) \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x}{6c^3} - \frac{be^2 \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x}{12c} \\
&= -\frac{be(6c^2d + e) \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x}{6c^3} - \frac{be^2 \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x}{12c} \\
&= -\frac{be(6c^2d + e) \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x}{6c^3} - \frac{be^2 \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x}{12c} \\
&= -\frac{be(6c^2d + e) \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x}{6c^3} - \frac{be^2 \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x}{12c} \\
&= -\frac{be(6c^2d + e) \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x}{6c^3} - \frac{be^2 \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x}{12c}
\end{aligned}$$

Mathematica [A]

time = 0.26, size = 176, normalized size = 0.48

$$adcx^2 + \frac{1}{4}ae^2x^4 - \frac{bde\sqrt{\frac{1-cx}{1+cx}}(1+cx)}{c^2} - \frac{bc^2\sqrt{\frac{1-cx}{1+cx}}(1+cx)(2+c^2x^2)}{12c^4} + bdcx^2\operatorname{sech}^{-1}(cx) + \frac{1}{4}be^2x^4\operatorname{sech}^{-1}(cx) - \frac{1}{2}bd^2\operatorname{sech}^{-1}(cx)\left(\operatorname{sech}^{-1}(cx) + 2\log\left(1 + e^{-2\operatorname{sech}^{-1}(cx)}\right)\right) + ad^2\log(x) + \frac{1}{2}bd^2\operatorname{PolyLog}\left(2, -e^{-2\operatorname{sech}^{-1}(cx)}\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((d + e*x^2)^2*(a + b*ArcSech[c*x]))/x,x]
```

```
[Out] a*d*e*x^2 + (a*e^2*x^4)/4 - (b*d*e*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x))/c^2 - (b*e^2*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(2 + c^2*x^2))/(12*c^4) + b*d*e*x^2*ArcSech[c*x] + (b*e^2*x^4*ArcSech[c*x])/4 - (b*d^2*ArcSech[c*x]*(ArcSech[c*x] + 2*Log[1 + E^(-2*ArcSech[c*x])]))/2 + a*d^2*Log[x] + (b*d^2*PolyLog[2, -E^(-2*ArcSech[c*x])])/2
```

Maple [A]

time = 1.03, size = 286, normalized size = 0.77

method	result
derivativedivides	$ade x^2 + \frac{ae^2x^4}{4} + ad^2 \ln(cx) + \frac{\operatorname{barcsech}(cx)^2 d^2}{2} + b \operatorname{arcsech}(cx) de x^2 + \frac{b \operatorname{arcsech}(cx) e^2 x^4}{4} - \frac{b \sqrt{\dots}}{\dots}$
default	$ade x^2 + \frac{ae^2x^4}{4} + ad^2 \ln(cx) + \frac{\operatorname{barcsech}(cx)^2 d^2}{2} + b \operatorname{arcsech}(cx) de x^2 + \frac{b \operatorname{arcsech}(cx) e^2 x^4}{4} - \frac{b \sqrt{\dots}}{\dots}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d)^2*(a+b*arcsech(c*x))/x,x,method=_RETURNVERBOSE)
```

```
[Out] a*d*e*x^2+1/4*a*e^2*x^4+a*d^2*ln(c*x)+1/2*b*arcsech(c*x)^2*d^2+b*arcsech(c*x)*d*e*x^2+1/4*b*arcsech(c*x)*e^2*x^4-b/c*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*d*e*x-1/12*b/c*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*e^2*x^3-1/6*b/c^3*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*e^2*x+b/c^2*d*e+1/6*b/c^4*e^2-b*d^2*arcsech(c*x)*ln(1+(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2)-1/2*b*d^2*polylog(2,-(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x,x, algorithm="maxima")
```

```
[Out] 1/4*a*x^4*e^2 + a*d*x^2*e + a*d^2*log(x) + integrate(b*x^3*e^2*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x)) + 2*b*d*x*e*log(sqrt(1/(c*x) + 1)*sq
```

$\text{rt}(1/(c*x) - 1) + 1/(c*x)) + b*d^2*\log(\text{sqrt}(1/(c*x) + 1)*\text{sqrt}(1/(c*x) - 1) + 1/(c*x))/x, x)$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x,x, algorithm="fricas")`

[Out] `integral((a*x^4*e^2 + 2*a*d*x^2*e + a*d^2 + (b*x^4*e^2 + 2*b*d*x^2*e + b*d^2)*arcsech(c*x))/x, x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))(d + ex^2)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2*(a+b*asech(c*x))/x,x)`

[Out] `Integral((a + b*asech(c*x))*(d + e*x**2)**2/x, x)`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arcsech(c*x) + a)/x, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^2 (a + b \operatorname{acosh}(\frac{1}{cx}))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((d + e*x^2)^2*(a + b*acosh(1/(c*x))))/x,x)`

[Out] `int(((d + e*x^2)^2*(a + b*acosh(1/(c*x))))/x, x)`

$$3.109 \quad \int \frac{(d+ex^2)^2 (a+b\operatorname{sech}^{-1}(cx))}{x^3} dx$$

Optimal. Leaf size=373

$$\frac{bcd^2 \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{4x} - \frac{be^2 \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x}{2c} + \frac{ibde \sqrt{1 - \frac{1}{c^2 x^2}} \operatorname{csc}^{-1}(cx)^2}{\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}} + \frac{1}{4} b c^2 d^2 \operatorname{sech}^{-1}(cx) - d$$

[Out] $1/4*b*c^2*d^2*\operatorname{arcsech}(c*x) - 1/2*d^2*(a+b*\operatorname{arcsech}(c*x))/x^2 + 1/2*e^2*x^2*(a+b*\operatorname{arcsech}(c*x)) - 2*d*e*(a+b*\operatorname{arcsech}(c*x))*\ln(1/x) + I*b*d*e*\operatorname{arccsc}(c*x)^2*(1-1/c^2/x^2)^{(1/2)}/(-1+1/c/x)^{(1/2)}/(1+1/c/x)^{(1/2)} - 2*b*d*e*\operatorname{arccsc}(c*x)*\ln(1-(I/c/x+(1-1/c^2/x^2)^{(1/2)})^2)*(1-1/c^2/x^2)^{(1/2)}/(-1+1/c/x)^{(1/2)}/(1+1/c/x)^{(1/2)} + 2*b*d*e*\operatorname{arccsc}(c*x)*\ln(1/x)*(1-1/c^2/x^2)^{(1/2)}/(-1+1/c/x)^{(1/2)}/(1+1/c/x)^{(1/2)} + I*b*d*e*\operatorname{polylog}(2, (I/c/x+(1-1/c^2/x^2)^{(1/2)})^2)*(1-1/c^2/x^2)^{(1/2)}/(-1+1/c/x)^{(1/2)}/(1+1/c/x)^{(1/2)} + 1/4*b*c*d^2*(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}/x - 1/2*b*e^2*x*(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}/c$

Rubi [A]

time = 0.70, antiderivative size = 373, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 16, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.762$, Rules used = {6438, 272, 45, 5958, 12, 6874, 97, 92, 54, 2365, 2363, 4721, 3798, 2221, 2317, 2438}

$$\frac{d^2(a+b\operatorname{sech}^{-1}(cx))}{2x^2} - 2de \log\left(\frac{1}{x}\right) (a+b\operatorname{sech}^{-1}(cx)) + \frac{1}{2}e^2x^2(a+b\operatorname{sech}^{-1}(cx)) + \frac{1}{4}bc^2d^2\operatorname{sech}^{-1}(cx) + \frac{ibde\sqrt{1-\frac{1}{c^2x^2}}\operatorname{Li}_2(e^{2i\operatorname{arccsc}(cx)})}{\sqrt{\frac{1}{c^2}-1}\sqrt{\frac{1}{c^2}+1}} + \frac{ibde\sqrt{1-\frac{1}{c^2x^2}}\operatorname{csc}^{-1}(cx)^2}{\sqrt{\frac{1}{c^2}-1}\sqrt{\frac{1}{c^2}+1}} - \frac{2ibde\sqrt{1-\frac{1}{c^2x^2}}\operatorname{csc}^{-1}(cx)\log(1-e^{2i\operatorname{arccsc}(cx)})}{\sqrt{\frac{1}{c^2}-1}\sqrt{\frac{1}{c^2}+1}} + \frac{2ibde\sqrt{1-\frac{1}{c^2x^2}}\log\left(\frac{1}{x}\right)\operatorname{csc}^{-1}(cx)}{\sqrt{\frac{1}{c^2}-1}\sqrt{\frac{1}{c^2}+1}} + \frac{bcd^2\sqrt{\frac{1}{c^2}-1}\sqrt{\frac{1}{c^2}+1}}{4x} - \frac{bc^2x\sqrt{\frac{1}{c^2}-1}\sqrt{\frac{1}{c^2}+1}}{2c}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcSech[c*x]))/x^3, x]

[Out] $(b*c*d^2*\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)])/(4*x) - (b*e^2*\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]*x)/(2*c) + (I*b*d*e*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*\operatorname{ArcCsc}[c*x]^2)/(\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]) + (b*c^2*d^2*\operatorname{ArcSech}[c*x])/4 - (d^2*(a + b*\operatorname{ArcSech}[c*x]))/(2*x^2) + (e^2*x^2*(a + b*\operatorname{ArcSech}[c*x]))/2 - (2*b*d*e*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*\operatorname{ArcCsc}[c*x]*\operatorname{Log}[1 - E^((2*I)*\operatorname{ArcCsc}[c*x])])/(\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]) + (2*b*d*e*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*\operatorname{ArcCsc}[c*x]*\operatorname{Log}[x^(-1)])/(\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]) - 2*d*e*(a + b*\operatorname{ArcSech}[c*x])* \operatorname{Log}[x^(-1)] + (I*b*d*e*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*\operatorname{PolyLog}[2, E^((2*I)*\operatorname{ArcCsc}[c*x])])/(\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 45

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 54

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]), x_Symbol] := Simp[
ArcCosh[b*(x/a)]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b
- d, 0] && GtQ[a, 0]
```

Rule 92

```
Int[((a_.) + (b_.)*(x_))^(2*((c_.) + (d_.)*(x_))^(n_.))*((e_.) + (f_.)*(x_))^(
p_.), x_Symbol] := Simp[b*(a + b*x)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(
d*f*(n + p + 3))), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)^n*(e + f*x)
^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b
*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ
[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]
```

Rule 97

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_
))^(p_.), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)
)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] /; FreeQ[{a, b, c, d, e, f
, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a*d*f*(m + 1) + b*
c*f*(n + 1) + b*d*e*(p + 1), 0] && NeQ[m, -1]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 2221

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2363

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]*(a + b*Log[c*x^n])/Rt[-e, 2]], x]
- Dist[b*(n/Rt[-e, 2]), Int[ArcSin[Rt[-e, 2]*(x/Sqrt[d])]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]
```

Rule 2365

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol]
:> Dist[Sqrt[1 + e1*(e2/(d1*d2))*x^2]/(Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]), Int[(a + b*Log[c*x^n])/Sqrt[1 + e1*(e2/(d1*d2))*x^2], x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[d2*e1 + d1*e2, 0]
```

Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol]
:> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3798

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m * E^(2*I*k*Pi)*(E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 4721

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol]
:> Subst[Int[(a + b*x)^n*Cot[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 5958

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCosh[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

Rule 6438

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_
)^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x
^(m + 2*(p + 1)))], x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0
] && IntegersQ[m, p]
```

Rule 6874

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^2 (a+b\operatorname{sech}^{-1}(cx))}{x^3} dx &= -\operatorname{Subst}\left(\int \frac{(e+dx^2)^2 (a+b\cosh^{-1}(\frac{x}{c}))}{x^3} dx, x, \frac{1}{x}\right) \\
&= -\frac{d^2(a+b\operatorname{sech}^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2(a+b\operatorname{sech}^{-1}(cx)) - 2de(a+b\operatorname{sech}^{-1}(cx)) \\
&= -\frac{d^2(a+b\operatorname{sech}^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2(a+b\operatorname{sech}^{-1}(cx)) - 2de(a+b\operatorname{sech}^{-1}(cx)) \\
&= -\frac{d^2(a+b\operatorname{sech}^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2(a+b\operatorname{sech}^{-1}(cx)) - 2de(a+b\operatorname{sech}^{-1}(cx)) \\
&= -\frac{d^2(a+b\operatorname{sech}^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2(a+b\operatorname{sech}^{-1}(cx)) - 2de(a+b\operatorname{sech}^{-1}(cx)) \\
&= \frac{bcd^2\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}}{4x} - \frac{be^2\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x}{2c} - \frac{d^2(a+b\operatorname{sech}^{-1}(cx))}{2x^2} \\
&= \frac{bcd^2\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}}{4x} - \frac{be^2\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x}{2c} + \frac{1}{4}bc^2d^2\operatorname{sech}^{-1}(cx) \\
&= \frac{bcd^2\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}}{4x} - \frac{be^2\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x}{2c} + \frac{1}{4}bc^2d^2\operatorname{sech}^{-1}(cx) \\
&= \frac{bcd^2\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}}{4x} - \frac{be^2\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x}{2c} + \frac{ibde\sqrt{1-\frac{1}{c^2x^2}}}{\sqrt{-1+\frac{1}{cx}}}
\end{aligned}$$

Mathematica [A]

time = 0.51, size = 227, normalized size = 0.61

$$\frac{1}{4} \left(\frac{2afd}{x^2} + 2ac^2x^2 - \frac{2bc^2\sqrt{1-cx}}{c^2}(1+cx) - \frac{2bf\operatorname{sech}^{-1}(cx)}{x^2} + 2bc^2x^2\operatorname{sech}^{-1}(cx) + \frac{bd^2\sqrt{1-cx}}{1+cx}(\sqrt{1-cx}(1+cx) - 2c^2x^2\sqrt{1+cx}\operatorname{ArcTan}(cx+i\sqrt{1-c^2x^2})) - 4bd\operatorname{sech}^{-1}(cx)(\operatorname{sech}^{-1}(cx) + 2\log(1+e^{-2\operatorname{arcsch}^{-1}(cx)})) + 8ade\log(x) + 4bde\operatorname{PolyLog}(2, -e^{-2\operatorname{arcsch}^{-1}(cx)}) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*ArcSech[c*x]))/x^3,x]

[Out] $((-2*a*d^2)/x^2 + 2*a*e^2*x^2 - (2*b*e^2*\sqrt{(1-c*x)/(1+c*x)}*(1+c*x))/c^2 - (2*b*d^2*\operatorname{ArcSech}[c*x])/x^2 + 2*b*e^2*x^2*\operatorname{ArcSech}[c*x] + (b*d^2*\sqrt{(1-c*x)/(1+c*x)}*(\sqrt{1-c*x}*(1+c*x) - (2*I)*c^2*x^2*\sqrt{1+c*x})*\operatorname{ArcTan}[c*x + I*\sqrt{1-c^2*x^2}]))/(x^2*\sqrt{1-c*x}) - 4*b*d*e*\operatorname{ArcSech}[c*x]*(\operatorname{ArcSech}[c*x] + 2*\log[1 + E^{(-2*\operatorname{ArcSech}[c*x])}]) + 8*a*d*e*\log[x] + 4*b*d*e*\operatorname{PolyLog}[2, -E^{(-2*\operatorname{ArcSech}[c*x])}])/4$

Maple [A]

time = 0.96, size = 279, normalized size = 0.75

method	result
derivativedivides	$c^2 \left(\frac{ax^2e^2}{2c^2} - \frac{ad^2}{2c^2x^2} + \frac{2ade\ln(cx)}{c^2} + \frac{b\operatorname{arcsech}(cx)^2de}{c^2} + \frac{b\operatorname{arcsech}(cx)d^2}{4} + \frac{bd^2\sqrt{-\frac{cx-1}{cx}}\sqrt{\frac{cx+1}{cx}}}{4cx} - ba \right)$
default	$c^2 \left(\frac{ax^2e^2}{2c^2} - \frac{ad^2}{2c^2x^2} + \frac{2ade\ln(cx)}{c^2} + \frac{b\operatorname{arcsech}(cx)^2de}{c^2} + \frac{b\operatorname{arcsech}(cx)d^2}{4} + \frac{bd^2\sqrt{-\frac{cx-1}{cx}}\sqrt{\frac{cx+1}{cx}}}{4cx} - ba \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(a+b*arcsech(c*x))/x^3,x,method=_RETURNVERBOSE)

[Out] $c^2*(1/2*a/c^2*x^2*e^2-1/2*a*d^2/c^2/x^2+2*a/c^2*d*e*\ln(c*x)+b/c^2*\operatorname{arcsech}(c*x)^2*d*e+1/4*b*\operatorname{arcsech}(c*x)*d^2+1/4*b*d^2/c/x*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)-1/2*b*\operatorname{arcsech}(c*x)*d^2/c^2/x^2+1/2*b/c^2*\operatorname{arcsech}(c*x)*x^2*e^2-1/2*b/c^3*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*e^2*x+1/2*b/c^4*e^2-2*b/c^2*d*e*\operatorname{arcsech}(c*x)*\ln(1+(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2)-b/c^2*d*e*\operatorname{polylog}(2,-(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2))$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^3,x, algorithm="maxima")

[Out] $-1/8*b*d^2*((2*c^4*x*\sqrt{1/(c^2*x^2)} - 1)/(c^2*x^2*(1/(c^2*x^2) - 1) - 1) - c^3*\log(c*x*\sqrt{1/(c^2*x^2)} - 1) + 1) + c^3*\log(c*x*\sqrt{1/(c^2*x^2)} - 1) - 1)/c + 4*\text{arcsech}(c*x)/x^2 + 1/2*a*x^2*e^2 + 2*a*d*e*\log(x) - 1/2*a*d^2/x^2 + \text{integrate}(b*x*e^2*\log(\sqrt{1/(c*x)} + 1)*\sqrt{1/(c*x)} - 1) + 1/(c*x)) + 2*b*d*e*\log(\sqrt{1/(c*x)} + 1)*\sqrt{1/(c*x)} - 1) + 1/(c*x))/x, x)$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^3,x, algorithm="fricas")

[Out] $\text{integral}((a*x^4*e^2 + 2*a*d*x^2*e + a*d^2 + (b*x^4*e^2 + 2*b*d*x^2*e + b*d^2)*\text{arcsech}(c*x))/x^3, x)$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))(d + ex^2)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asech(c*x))/x**3,x)

[Out] $\text{Integral}((a + b*\operatorname{asech}(c*x))*(d + e*x**2)**2/x**3, x)$

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsech(c*x))/x^3,x, algorithm="giac")

[Out] $\text{integrate}((e*x^2 + d)^2*(b*\text{arcsech}(c*x) + a)/x^3, x)$

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^2 (a + b \operatorname{acosh}(\frac{1}{cx}))}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^2*(a + b*acosh(1/(c*x))))/x^3,x)

[Out] $\text{int}(((d + e*x^2)^2*(a + b*\operatorname{acosh}(1/(c*x))))/x^3, x)$

$$3.110 \quad \int \frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{d + ex^2} dx$$

Optimal. Leaf size=519

$$\frac{x(a + b \operatorname{sech}^{-1}(cx))}{e} - \frac{b \operatorname{ArcTan}\left(\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}\right)}{ce} + \frac{\sqrt{-d} (a + b \operatorname{sech}^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e^{3/2}}$$

```
[Out] x*(a+b*arcsech(c*x))/e-b*arctan((-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/c/e+1/2*(
a+b*arcsech(c*x))*ln(1-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)
)/(e^(1/2)-(c^2*d+e)^(1/2))*(-d)^(1/2)/e^(3/2)-1/2*(a+b*arcsech(c*x))*ln(1
+c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(
1/2)))*(-d)^(1/2)/e^(3/2)+1/2*(a+b*arcsech(c*x))*ln(1-c*(1/c/x+(-1+1/c/x)^(
1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))*(-d)^(1/2)/e^(3
/2)-1/2*(a+b*arcsech(c*x))*ln(1+c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*
(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))*(-d)^(1/2)/e^(3/2)-1/2*b*polylog(2,-c
*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/
2)))*(-d)^(1/2)/e^(3/2)+1/2*b*polylog(2,c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)
^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))*(-d)^(1/2)/e^(3/2)-1/2*b*poly
log(2,-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*
d+e)^(1/2)))*(-d)^(1/2)/e^(3/2)+1/2*b*polylog(2,c*(1/c/x+(-1+1/c/x)^(1/2)*(
1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))*(-d)^(1/2)/e^(3/2)
```

Rubi [A]

time = 0.96, antiderivative size = 519, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 11, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.524$, Rules used = {6438, 5959, 5883, 94, 211, 5909, 5962, 5681, 2221, 2317, 2438}

$$\frac{\sqrt{-d} (a + b \operatorname{sech}^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e^{3/2}} - \frac{\sqrt{-d} (a + b \operatorname{sech}^{-1}(cx)) \log\left(\frac{\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} + 1\right)}{2e^{3/2}} - \frac{\sqrt{-d} (a + b \operatorname{sech}^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e^{3/2}} - \frac{\sqrt{-d} (a + b \operatorname{sech}^{-1}(cx)) \log\left(\frac{\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} + 1\right)}{2e^{3/2}} - \frac{b \operatorname{ArcTan}\left(\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}\right)}{ce} - \frac{b \operatorname{ArcTan}\left(\frac{\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e^{3/2}} - \frac{b \operatorname{ArcTan}\left(\frac{\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e^{3/2}} - \frac{b \operatorname{ArcTan}\left(\frac{\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e^{3/2}} - \frac{b \operatorname{ArcTan}\left(\frac{\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}}\right)}{2e^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(a + b*ArcSech[c*x]))/(d + e*x^2), x]

```
[Out] (x*(a + b*ArcSech[c*x]))/e - (b*ArcTan[Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)
])/ (c*e) + (Sqrt[-d]*(a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x
])]/(Sqrt[e] - Sqrt[c^2*d + e]))/(2*e^(3/2)) - (Sqrt[-d]*(a + b*ArcSech[c*x
])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])]/(Sqrt[e] - Sqrt[c^2*d + e]))/(2*e^(
3/2)) + (Sqrt[-d]*(a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/
(Sqrt[e] + Sqrt[c^2*d + e]))/(2*e^(3/2)) - (Sqrt[-d]*(a + b*ArcSech[c*x])*
Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])]/(Sqrt[e] + Sqrt[c^2*d + e]))/(2*e^(3/2
)) - (b*Sqrt[-d]*PolyLog[2, -((c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c
^2*d + e]))]/(2*e^(3/2)) + (b*Sqrt[-d]*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*
x])]/(Sqrt[e] - Sqrt[c^2*d + e]))/(2*e^(3/2)) - (b*Sqrt[-d]*PolyLog[2, -((c
```

$$\frac{\sqrt{-d} E^{\text{ArcSech}[c*x]} (\sqrt{e} + \sqrt{c^2*d + e})}{(\sqrt{e} + \sqrt{c^2*d + e})} \Big/ (2*e^{(3/2)}) + (b*\sqrt{-d}*\text{PolyLog}[2, (c*\sqrt{-d} E^{\text{ArcSech}[c*x]} (\sqrt{e} + \sqrt{c^2*d + e})) \Big/ (2*e^{(3/2)})])$$

Rule 94

$$\text{Int}[1/(\sqrt{(a_.) + (b_.)*(x_.)}*\sqrt{(c_.) + (d_.)*(x_.)}*((e_.) + (f_.)*(x_.))), x_Symbol] \rightarrow \text{Dist}[b*f, \text{Subst}[\text{Int}[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, \sqrt{a + b*x}*\sqrt{c + d*x}], x] \text{ /; FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{EqQ}[2*b*d*e - f*(b*c + a*d), 0]$$

Rule 211

$$\text{Int}(((a_.) + (b_.)*(x_.)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]/a)*\text{ArcTan}[x/\text{Rt}[a/b, 2]], x] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$$

Rule 2221

$$\text{Int}((((F_)^{((g_.)*((e_.) + (f_.)*(x_.)))})^{(n_.)*((c_.) + (d_.)*(x_.))^{(m_.))} / ((a_.) + (b_.)*((F_)^{((g_.)*((e_.) + (f_.)*(x_.)))})^{(n_.)}), x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m / (b*f*g*n*\text{Log}[F])] * \text{Log}[1 + b*((F^{(g*(e + f*x))})^n/a)], x] - \text{Dist}[d*(m / (b*f*g*n*\text{Log}[F])), \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + b*((F^{(g*(e + f*x))})^n/a)], x], x] \text{ /; FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \ \&\& \ \text{IGtQ}[m, 0]$$

Rule 2317

$$\text{Int}[\text{Log}[(a_.) + (b_.)*((F_)^{((e_.)*((c_.) + (d_.)*(x_.)))})^{(n_.)}], x_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] \text{ /; FreeQ}\{F, a, b, c, d, e, n\}, x] \ \&\& \ \text{GtQ}[a, 0]$$

Rule 2438

$$\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)*(x_.)^{n_.})]/(x_.), x_Symbol] \rightarrow \text{Simp}[-\text{PolyLog}[2, (-c)*e*x^n/n, x] \text{ /; FreeQ}\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c*d, 1]$$

Rule 5681

$$\text{Int}((((e_.) + (f_.)*(x_.))^{(m_.)}*\text{Sinh}[(c_.) + (d_.)*(x_.)]/(\text{Cosh}[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Simp}[-(e + f*x)^{(m+1)}/(b*f*(m+1)), x] + (\text{Int}[(e + f*x)^m*(E^{(c + d*x)})/(a - \text{Rt}[a^2 - b^2, 2] + b*E^{(c + d*x)}), x] + \text{Int}[(e + f*x)^m*(E^{(c + d*x)})/(a + \text{Rt}[a^2 - b^2, 2] + b*E^{(c + d*x)}), x]) \text{ /; FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$$

Rule 5883

$$\text{Int}(((a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.))^{(n_.)*((d_.)*(x_.))^{(m_.)}), x_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*((a + b*\text{ArcCosh}[c*x])^n/(d*(m+1))), x] - \text{Dist}[b*c*$$

$(n/(d*(m + 1))), \text{Int}[(d*x)^{(m + 1)}*((a + b*\text{ArcCosh}[c*x])^{(n - 1)} / (\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x])), x], x] /;$ FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5909

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcCosh}[c*x])^n, (d + e*x^2)^p, x], x] /;$ FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (p > 0 || IGtQ[n, 0])

Rule 5959

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcCosh}[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

Rule 5962

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)} / ((d_.) + (e_.)*(x_.)), x_Symbol] :> \text{Subst}[\text{Int}[(a + b*x)^n*(\text{Sinh}[x]/(c*d + e*\text{Cosh}[x])), x], x, \text{ArcCosh}[c*x]] /;$ FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 6438

$\text{Int}[(a_.) + \text{ArcSech}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x_Symbol] :> -\text{Subst}[\text{Int}[(e + d*x^2)^p*((a + b*\text{ArcCosh}[x/c])^n/x^{(m + 2*(p + 1))}), x], x, 1/x] /;$ FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m, p]

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a + b\operatorname{sech}^{-1}(cx))}{d + ex^2} dx &= -\operatorname{Subst}\left(\int \frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{x^2(e + dx^2)} dx, x, \frac{1}{x}\right) \\
&= -\operatorname{Subst}\left(\int \left(\frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{ex^2} - \frac{d(a + b\cosh^{-1}\left(\frac{x}{c}\right))}{e(e + dx^2)}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{\operatorname{Subst}\left(\int \frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{x^2} dx, x, \frac{1}{x}\right)}{e} + \frac{d\operatorname{Subst}\left(\int \frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{e + dx^2} dx, x, \frac{1}{x}\right)}{e} \\
&= \frac{x(a + b\operatorname{sech}^{-1}(cx))}{e} - \frac{b\operatorname{Subst}\left(\int \frac{1}{x\sqrt{-1 + \frac{x}{c}}\sqrt{1 + \frac{x}{c}}} dx, x, \frac{1}{x}\right)}{ce} + \frac{d\operatorname{Subst}\left(\int \frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{\sqrt{e - \sqrt{-d}x}} dx, x, \frac{1}{x}\right)}{2e^{3/2}} \\
&= \frac{x(a + b\operatorname{sech}^{-1}(cx))}{e} + \frac{d\operatorname{Subst}\left(\int \frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{\sqrt{e - \sqrt{-d}x}} dx, x, \frac{1}{x}\right)}{2e^{3/2}} + \frac{d\operatorname{Subst}\left(\int \frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{\sqrt{e + \sqrt{-d}x}} dx, x, \frac{1}{x}\right)}{2e^{3/2}} \\
&= \frac{x(a + b\operatorname{sech}^{-1}(cx))}{e} - \frac{b \tan^{-1}\left(\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}\right)}{ce} + \frac{d\operatorname{Subst}\left(\int \frac{(a + b\cosh^{-1}\left(\frac{x}{c}\right))}{\sqrt{e - \sqrt{-d}x}} dx, x, \frac{1}{x}\right)}{2e^{3/2}} \\
&= \frac{x(a + b\operatorname{sech}^{-1}(cx))}{e} - \frac{b \tan^{-1}\left(\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}\right)}{ce} + \frac{d\operatorname{Subst}\left(\int \frac{(a + b\cosh^{-1}\left(\frac{x}{c}\right))}{\sqrt{e + \sqrt{-d}x}} dx, x, \frac{1}{x}\right)}{2e^{3/2}} \\
&= \frac{x(a + b\operatorname{sech}^{-1}(cx))}{e} - \frac{b \tan^{-1}\left(\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}\right)}{ce} + \frac{\sqrt{-d}(a + b\operatorname{sech}^{-1}(cx))}{\sqrt{-d}} \\
&= \frac{x(a + b\operatorname{sech}^{-1}(cx))}{e} - \frac{b \tan^{-1}\left(\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}\right)}{ce} + \sqrt{-d}(a + b\operatorname{sech}^{-1}(cx)) \\
&= \frac{x(a + b\operatorname{sech}^{-1}(cx))}{e} - \frac{b \tan^{-1}\left(\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}\right)}{ce} + \sqrt{-d}(a + b\operatorname{sech}^{-1}(cx))
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 1.06, size = 921, normalized size = 1.77



Antiderivative was successfully verified.

[In] Integrate[(x^2*(a + b*ArcSech[c*x]))/(d + e*x^2), x]

[Out] (4*a*c*Sqrt[e]*x - 4*a*c*Sqrt[d]*ArcTan[(Sqrt[e]*x)/Sqrt[d]] + b*(4*Sqrt[e] * (c*x*ArcSech[c*x] - 2*ArcTan[Tanh[ArcSech[c*x]/2]]) - (2*I)*c*Sqrt[d]*((-4 *I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*ArcTanh[((I*c*Sqrt[d] + Sqrt[e])*Tanh[ArcSech[c*x]/2])/Sqrt[c^2*d + e]] + ArcSech[c*x]*Log[1 + E ^(-2*ArcSech[c*x])] - ArcSech[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e]))/ (c*Sqrt[d]*E^ArcSech[c*x])] + (2*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x]]) - ArcSech[c*x]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^Arc Sech[c*x])] - (2*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + (2*I)*c*S qrt[d]*((-4*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*ArcTanh[(((-I)*c*Sqrt[d] + Sqrt[e])*Tanh[ArcSech[c*x]/2])/Sqrt[c^2*d + e]] + ArcSech[c*x]*Log[1 + E^(-2*ArcSech[c*x])] - ArcSech[c*x]*Log[1 + (I*(-Sqrt[e] + Sqr t[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + (2*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - ArcSech[c*x]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e]))/ (c*Sqrt[d]*E^ArcSech[c*x])] - (2*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x]]) + PolyLog[2, ((-I)*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c *x])] + PolyLog[2, (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x]])])))/(4*c*e^(3/2))

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 40.18, size = 428, normalized size = 0.82

method	result
derivativedivides	$\frac{a c^3 d \arctan\left(\frac{e x}{\sqrt{d e}}\right)}{e \sqrt{d e}} + \frac{b c^3 \operatorname{arcsech}(c x) x}{e} + \frac{b c^4 d}{e} \left(\frac{\left(-R1^2 c^{2 d+4} - R1 \sum_{R1=\text{RootOf}(c^2 d - Z^4 + (2 c^2 d+4 e) - Z^2 + c^2 d)}\right)}{\dots} \right)$

default	$\frac{\frac{a c^3 x}{e} - \frac{a c^3 d \arctan\left(\frac{e x}{\sqrt{d e}}\right)}{e \sqrt{d e}} + \frac{b c^3 \operatorname{arcsech}(c x) x}{e} + \frac{b c^4 d}{\left(\frac{(-R1^2 c^2 d + 4 R1 \sqrt{d e} - R1 \operatorname{RootOf}(c^2 d Z^4 + (2 c^2 d + 4 e) Z^2 + c^2 d)}{\sum} \right)}{e \sqrt{d e}}}{e \sqrt{d e}}$
---------	---

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsech(c*x))/(e*x^2+d),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^3} \left(\frac{a c^3}{e} x - \frac{a c^3 d \arctan\left(\frac{e x}{\sqrt{d e}}\right)}{e \sqrt{d e}} + \frac{b c^3 \operatorname{arcsech}(c x) x}{e} + \frac{b c^4 d}{\left(\frac{(-R1^2 c^2 d + 4 R1 \sqrt{d e} - R1 \operatorname{RootOf}(c^2 d Z^4 + (2 c^2 d + 4 e) Z^2 + c^2 d)}{\sum} \right)}{e \sqrt{d e}} \right)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d),x, algorithm="maxima")`

[Out] $-(\sqrt{d} \arctan(x \sqrt{e} / \sqrt{d}) e^{-3/2} - x e^{-1}) a + b \int (x^2 \log(\sqrt{1/(c x) + 1} \sqrt{1/(c x) - 1} + 1/(c x))) / (x^2 e + d) dx$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*x^2*arcsech(c*x) + a*x^2)/(x^2*e + d), x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (a + b \operatorname{asech}(c x))}{d + e x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*asech(c*x))/(e*x**2+d),x)`

[Out] `Integral(x**2*(a + b*asech(c*x))/(d + e*x**2), x)`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d),x, algorithm="giac")`

[Out] `integrate((b*arcsech(c*x) + a)*x^2/(e*x^2 + d), x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (a + b \operatorname{acosh}(\frac{1}{cx}))}{e x^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(a + b*acosh(1/(c*x))))/(d + e*x^2),x)`

[Out] `int((x^2*(a + b*acosh(1/(c*x))))/(d + e*x^2), x)`

$$3.111 \quad \int \frac{x(a+b\operatorname{sech}^{-1}(cx))}{d+ex^2} dx$$

Optimal. Leaf size=459

$$\frac{(a+b\operatorname{sech}^{-1}(cx))^2}{be} - \frac{(a+b\operatorname{sech}^{-1}(cx)) \log\left(1+e^{-2\operatorname{sech}^{-1}(cx)}\right)}{e} + \frac{(a+b\operatorname{sech}^{-1}(cx)) \log\left(1-\frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e}$$

[Out] $-(a+b\operatorname{arcsech}(c*x))^2/b/e-(a+b\operatorname{arcsech}(c*x))*\ln(1+1/(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2)/e+1/2*(a+b\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}-(c^2*d+e)^{(1/2)})))/e+1/2*(a+b\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}-(c^2*d+e)^{(1/2)})))/e+1/2*(a+b\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}+(c^2*d+e)^{(1/2)})))/e+1/2*(a+b\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}+(c^2*d+e)^{(1/2)})))/e+1/2*b*\operatorname{polylog}(2,-1/(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2)/e+1/2*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}-(c^2*d+e)^{(1/2)})))/e+1/2*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}-(c^2*d+e)^{(1/2)})))/e+1/2*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}+(c^2*d+e)^{(1/2)})))/e+1/2*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}+(c^2*d+e)^{(1/2)})))/e$

Rubi [A]

time = 0.89, antiderivative size = 459, normalized size of antiderivative = 1.00, number of steps used = 26, number of rules used = 9, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.474$,

Rules used = {6438, 5959, 5882, 3799, 2221, 2317, 2438, 5962, 5681}

$$\frac{(a+b\operatorname{sech}^{-1}(cx)) \log\left(1-\frac{\sqrt{e}\operatorname{sech}^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2} + \frac{(a+b\operatorname{sech}^{-1}(cx)) \log\left(\frac{\sqrt{e}\operatorname{sech}^{-1}(cx)+1}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2} + \frac{(a+b\operatorname{sech}^{-1}(cx)) \log\left(1-\frac{\sqrt{e}\operatorname{sech}^{-1}(cx)}{\sqrt{e}+\sqrt{c^2d+e}}\right)}{2} + \frac{(a+b\operatorname{sech}^{-1}(cx)) \log\left(\frac{\sqrt{e}\operatorname{sech}^{-1}(cx)+1}{\sqrt{e}+\sqrt{c^2d+e}}\right)}{2} + \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{2} + \frac{\log(e^{-2\operatorname{sech}^{-1}(cx)})}{4} + \frac{(a+b\operatorname{sech}^{-1}(cx)) \operatorname{Atan}\left(\frac{\sqrt{e}\operatorname{sech}^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2} + \frac{\operatorname{Atan}\left(\frac{\sqrt{e}\operatorname{sech}^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2} + \frac{\operatorname{Atan}\left(\frac{\sqrt{e}\operatorname{sech}^{-1}(cx)}{\sqrt{e}+\sqrt{c^2d+e}}\right)}{2} + \frac{\operatorname{Atan}\left(\frac{\sqrt{e}\operatorname{sech}^{-1}(cx)}{\sqrt{e}+\sqrt{c^2d+e}}\right)}{2} + \frac{\operatorname{Atan}\left(-\frac{\sqrt{e}\operatorname{sech}^{-1}(cx)}{2}\right)}{2}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*ArcSech[c*x]))/(d + e*x^2), x]

[Out] $-\left(\frac{(a+b\operatorname{ArcSech}[c*x])^2}{b*e}\right) - \left(\frac{(a+b\operatorname{ArcSech}[c*x])*\operatorname{Log}[1+E^{-2*\operatorname{ArcSech}[c*x]}]}{e} + \left(\frac{(a+b\operatorname{ArcSech}[c*x])*\operatorname{Log}[1-(c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]-\operatorname{Sqrt}[c^2*d+e])]}{(2*e)} + \left(\frac{(a+b\operatorname{ArcSech}[c*x])*\operatorname{Log}[1+(c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]-\operatorname{Sqrt}[c^2*d+e])]}{(2*e)} + \left(\frac{(a+b\operatorname{ArcSech}[c*x])*\operatorname{Log}[1-(c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]+\operatorname{Sqrt}[c^2*d+e])]}{(2*e)} + \left(\frac{(a+b\operatorname{ArcSech}[c*x])*\operatorname{Log}[1+(c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]+\operatorname{Sqrt}[c^2*d+e])]}{(2*e)} + (b*\operatorname{PolyLog}[2,-E^{-2*\operatorname{ArcSech}[c*x]}]\right)/(2*e) + (b*\operatorname{PolyLog}[2,-((c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]-\operatorname{Sqrt}[c^2*d+e])]\right)/(2*e) + (b*\operatorname{PolyLog}[2,(c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]-\operatorname{Sqrt}[c^2*d+e])]\right)/(2*e) + (b*\operatorname{PolyLog}[2,-((c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]+\operatorname{Sqrt}[c^2*d+e])]\right)/(2*e) + (b*\operatorname{PolyLog}[2,(c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]+\operatorname{Sqrt}[c^2*d+e])]\right)/(2*e)$

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*(c_) + (d_)*(x_)))^(n_)], x_Symbol]
:=> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :=> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3799

```
Int[((c_) + (d_)*(x_))^(m_)*tan[(e_) + (Complex[0, fz_]*(f_)*(x_))], x
_Symbol] :=> Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(
c + d*x)^m*(E^(2*((-I)*e + f*fz*x))/(1 + E^(2*((-I)*e + f*fz*x))))], x], x]
/; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]
```

Rule 5681

```
Int[(((e_) + (f_)*(x_))^(m_)*Sinh[(c_) + (d_)*(x_)])/(Cosh[(c_) + (d_
)*(x_)]*(b_) + (a_)), x_Symbol] :=> Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)),
x] + (Int[(e + f*x)^m*(E^(c + d*x)/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x)))
, x] + Int[(e + f*x)^m*(E^(c + d*x)/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x)))
, x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]
```

Rule 5882

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)/(x_), x_Symbol] :=> Dist[1/b,
Subst[Int[x^n*Tanh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a,
b, c}, x] && IGtQ[n, 0]
```

Rule 5959

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((f_)*(x_))^(m_)*((d_) + (e
_)*(x_)^2)^(p_), x_Symbol] :=> Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n,
(f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d
+ e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 5962

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^ (n_.)/((d_.) + (e_.)*(x_.)), x_Symbol]
:> Subst[Int[(a + b*x)^n*(Sinh[x]/(c*d + e*Cosh[x]))], x], x, ArcCosh[c*x]]
/; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 6438

```
Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x^(m + 2*(p + 1)))], x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegersQ[m, p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \operatorname{sech}^{-1}(cx))}{d + ex^2} dx &= -\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{x(e + dx^2)} dx, x, \frac{1}{x} \right) \\
&= -\operatorname{Subst} \left(\int \left(\frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{ex} - \frac{dx(a + b \cosh^{-1} \left(\frac{x}{c} \right))}{e(e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{x} dx, x, \frac{1}{x} \right)}{e} + \frac{d \operatorname{Subst} \left(\int \frac{x(a + b \cosh^{-1} \left(\frac{x}{c} \right))}{e + dx^2} dx, x, \frac{1}{x} \right)}{e} \\
&= -\frac{\operatorname{Subst} \left(\int (a + bx) \tanh(x) dx, x, \operatorname{sech}^{-1}(cx) \right)}{e} + \frac{d \operatorname{Subst} \left(\int \left(-\frac{\sqrt{-d}(a + b \cosh^{-1} \left(\frac{x}{c} \right))}{2d(\sqrt{e} - \sqrt{-d})} \right) dx, x, \frac{1}{x} \right)}{e} \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{2be} - \frac{2 \operatorname{Subst} \left(\int \frac{e^{2x}(a + bx)}{1 + e^{2x}} dx, x, \operatorname{sech}^{-1}(cx) \right)}{e} - \frac{\sqrt{-d} \operatorname{Subst} \left(\int \frac{1}{\sqrt{e} - \sqrt{-d}} dx, x, \frac{1}{x} \right)}{e} \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{2be} - \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 + e^{2 \operatorname{sech}^{-1}(cx)} \right)}{e} + \frac{b \operatorname{Subst} \left(\int \log \left(1 + \frac{e^{2x}}{1 + e^{2x}} \right) dx, x, \operatorname{sech}^{-1}(cx) \right)}{e} \\
&= -\frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 + e^{2 \operatorname{sech}^{-1}(cx)} \right)}{e} + \frac{b \operatorname{Subst} \left(\int \frac{\log(1+x)}{x} dx, x, e^{2 \operatorname{sech}^{-1}(cx)} \right)}{2e} \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e} \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e} \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 0.28, size = 860, normalized size = 1.87

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcSech[c*x]))/(d + e*x^2),x]

[Out] ((4*I)*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTanh[(((-I)*c*Sqrt[d] + Sqrt[e])*Tanh[ArcSech[c*x]/2])/Sqrt[c^2*d + e]] + (4*I)*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTanh[((I*c*Sqrt[d] + Sqrt[e])*Tanh[ArcSech[c*x]/2])/Sqrt[c^2*d + e]] - 2*b*ArcSech[c*x]*Log[1 + E^(-2*ArcSech[c*x])] + b*ArcSech[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - (2*I)*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + b*ArcSech[c*x]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - (2*I)*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + b*ArcSech[c*x]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + (2*I)*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + b*ArcSech[c*x]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + (2*I)*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + a*Log[d + e*x^2] + b*PolyLog[2, -E^(-2*ArcSech[c*x])] - b*PolyLog[2, ((-I)*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - b*PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - b*PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - b*PolyLog[2, (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])])]/(2*e)

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 0.70, size = 535, normalized size = 1.17

method	result
derivativedivides	$\frac{a c^2 \ln(e c^2 x^2 + c^2 d)}{2e} - \frac{b c^2 \operatorname{arcsech}(c x) \ln\left(1+i\left(\frac{1}{c x} + \sqrt{-1 + \frac{1}{c x}}\right) \sqrt{1 + \frac{1}{c x}}\right)}{e} - \frac{b c^2 \operatorname{arcsech}(c x) \ln\left(1-i\left(\frac{1}{c x} + \sqrt{-1 + \frac{1}{c x}}\right) \sqrt{1 + \frac{1}{c x}}\right)}{e}$
default	$\frac{a c^2 \ln(e c^2 x^2 + c^2 d)}{2e} - \frac{b c^2 \operatorname{arcsech}(c x) \ln\left(1+i\left(\frac{1}{c x} + \sqrt{-1 + \frac{1}{c x}}\right) \sqrt{1 + \frac{1}{c x}}\right)}{e} - \frac{b c^2 \operatorname{arcsech}(c x) \ln\left(1-i\left(\frac{1}{c x} + \sqrt{-1 + \frac{1}{c x}}\right) \sqrt{1 + \frac{1}{c x}}\right)}{e}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*arcsech(c*x))/(e*x^2+d),x,method=_RETURNVERBOSE)

```
[Out] 1/c^2*(1/2*a*c^2/e*ln(c^2*e*x^2+c^2*d)-b*c^2/e*arcsech(c*x)*ln(1+I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)))-b*c^2/e*arcsech(c*x)*ln(1-I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)))-b*c^2/e*dilog(1+I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)))-b*c^2/e*dilog(1-I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)))+1/4*b*c^4*sum((R1^2+1)/(R1^2*c^2*d+c^2*d+2*e)*(arcsech(c*x)*ln((R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/R1)+dilog((R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/R1)), R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))*d/e+1/4*b*c^2*sum((R1^2*c^2*d+c^2*d+4*e)/(R1^2*c^2*d+c^2*d+2*e)*(arcsech(c*x)*ln((R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/R1)+dilog((R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/R1)), R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))/e)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d),x, algorithm="maxima")
```

```
[Out] 1/2*a*e^(-1)*log(x^2*e + d) + b*integrate(x*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^2*e + d), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*asech(c*x))/(e*x^2+d),x, algorithm="fricas")
```

```
[Out] integral((b*x*arcsech(c*x) + a*x)/(x^2*e + d), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{asech}(cx))}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*asech(c*x))/(e*x**2+d),x)
```

```
[Out] Integral(x*(a + b*asech(c*x))/(d + e*x**2), x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x/(e*x^2 + d), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x \left(a + b \operatorname{acosh} \left(\frac{1}{cx} \right) \right)}{e x^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(a + b*acosh(1/(c*x))))/(d + e*x^2),x)

[Out] int((x*(a + b*acosh(1/(c*x))))/(d + e*x^2), x)

$$3.112 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{d+ex^2} dx$$

Optimal. Leaf size=469

$$\frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right)}{2\sqrt{-d} \sqrt{e}} - \frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(1 + \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right)}{2\sqrt{-d} \sqrt{e}} + \frac{(a + b\operatorname{sech}^{-1}(cx)) \operatorname{arctanh}\left(\frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right)}{2\sqrt{-d} \sqrt{e}}$$

```
[Out] 1/2*(a+b*arcsech(c*x))*ln(1-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/(-d)^(1/2)/e^(1/2)-1/2*(a+b*arcsech(c*x))*ln(1+c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/(-d)^(1/2)/e^(1/2)+1/2*(a+b*arcsech(c*x))*ln(1-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/(-d)^(1/2)/e^(1/2)-1/2*(a+b*arcsech(c*x))*ln(1+c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/(-d)^(1/2)/e^(1/2)-1/2*b*polylog(2,-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/(-d)^(1/2)/e^(1/2)+1/2*b*polylog(2,c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/(-d)^(1/2)/e^(1/2)-1/2*b*polylog(2,-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/(-d)^(1/2)/e^(1/2)+1/2*b*polylog(2,c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/(-d)^(1/2)/e^(1/2)
```

Rubi [A]

time = 0.68, antiderivative size = 469, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {6428, 5909, 5962, 5681, 2221, 2317, 2438}

$$\frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right)}{2\sqrt{-d} \sqrt{e}} - \frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(\frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} + 1\right)}{2\sqrt{-d} \sqrt{e}} + \frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right)}{2\sqrt{-d} \sqrt{e}} - \frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(\frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} + 1\right)}{2\sqrt{-d} \sqrt{e}} - \frac{M_1\left(\frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right)}{2\sqrt{-d} \sqrt{e}} + \frac{M_1\left(\frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right)}{2\sqrt{-d} \sqrt{e}} - \frac{M_1\left(\frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right)}{2\sqrt{-d} \sqrt{e}} + \frac{M_1\left(\frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right)}{2\sqrt{-d} \sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])/(d + e*x^2), x]

```
[Out] ((a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) - ((a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) + ((a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) - ((a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) - (b*PolyLog[2, -((c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e]))])/(2*Sqrt[-d]*Sqrt[e]) + (b*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) - (b*PolyLog[2, -((c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e]))])/(2*Sqrt[-d]*Sqrt[e]) + (b*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e])
```

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 5681

```
Int[(((e_) + (f_)*(x_))^(m_)*Sinh[(c_) + (d_)*(x_)])/(Cosh[(c_) + (d_
)*(x_)]*(b_) + (a_)), x_Symbol] := Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)),
x] + (Int[(e + f*x)^m*(E^(c + d*x)/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x)))
, x] + Int[(e + f*x)^m*(E^(c + d*x)/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x)))
, x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]
```

Rule 5909

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((d_) + (e_)*(x_)^2)^(p_),
x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (d + e*x^2)^p, x],
x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] &&
(p > 0 || IGtQ[n, 0])
```

Rule 5962

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)/((d_) + (e_)*(x_)), x_Symbo
l] := Subst[Int[(a + b*x)^n*(Sinh[x]/(c*d + e*Cosh[x])), x], x, ArcCosh[c*x
]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 6428

```
Int[((a_) + ArcSech[(c_)*(x_)]*(b_))^(n_)*((d_) + (e_)*(x_)^2)^(p_),
x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x^(2*(p + 1)
)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[p
]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{d + ex^2} dx &= -\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{e + dx^2} dx, x, \frac{1}{x} \right) \\
&= -\operatorname{Subst} \left(\int \left(\frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e} \left(\sqrt{e} - \sqrt{-d} x \right)} + \frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e} \left(\sqrt{e} + \sqrt{-d} x \right)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-d} x} dx, x, \frac{1}{x} \right)}{2\sqrt{e}} - \frac{\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} + \sqrt{-d} x} dx, x, \frac{1}{x} \right)}{2\sqrt{e}} \\
&= -\frac{\operatorname{Subst} \left(\int \frac{(a+bx) \sinh(x)}{\frac{\sqrt{e}}{c} - \sqrt{-d} \cosh(x)} dx, x, \operatorname{sech}^{-1}(cx) \right)}{2\sqrt{e}} - \frac{\operatorname{Subst} \left(\int \frac{(a+bx) \sinh(x)}{\frac{\sqrt{e}}{c} + \sqrt{-d} \cosh(x)} dx, x, \operatorname{sech}^{-1}(cx) \right)}{2\sqrt{e}} \\
&= -\frac{\operatorname{Subst} \left(\int \frac{e^x (a+bx)}{\frac{\sqrt{e}}{c} - \sqrt{c^2 d + e} - \sqrt{-d} e^x} dx, x, \operatorname{sech}^{-1}(cx) \right)}{2\sqrt{e}} - \frac{\operatorname{Subst} \left(\int \frac{e^x (a+bx)}{\frac{\sqrt{e}}{c} + \sqrt{c^2 d + e} + \sqrt{-d} e^x} dx, x, \operatorname{sech}^{-1}(cx) \right)}{2\sqrt{e}} \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} - \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} - \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}} - \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2\sqrt{-d} \sqrt{e}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 0.32, size = 849, normalized size = 1.81



Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])/(d + e*x^2), x]

```
[Out] (2*a*ArcTan[(Sqrt[e]*x)/Sqrt[d]] - 4*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTanh[(((-I)*c*Sqrt[d] + Sqrt[e])*Tanh[ArcSech[c*x]/2])/Sqrt[c^2*d + e]] + 4*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTanh[((I*c*Sqrt[d] + Sqrt[e])*Tanh[ArcSech[c*x]/2])/Sqrt[c^2*d + e]] - I*b*ArcSech[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - 2*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + I*b*ArcSech[c*x]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + 2*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + I*b*ArcSech[c*x]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - I*b*ArcSech[c*x]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + 2*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - I*b*PolyLog[2, ((-I)*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + I*b*PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + I*b*PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - I*b*PolyLog[2, (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])])/(2*Sqrt[d]*Sqrt[e])
```

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 14.98, size = 311, normalized size = 0.66

method	result
derivativedivides	$\frac{a c \arctan\left(\frac{e x}{\sqrt{d e}}\right)}{\sqrt{d e}} \frac{b c^2 \left(\frac{-R1 \left(\operatorname{arcsech}(c x) \ln \left(\frac{-R1 - \frac{1}{c x} - \sqrt{-1 + \frac{1}{c x}}}{-R1} \right)}{\sum_{-R1 = \operatorname{RootOf}(c^2 d - Z^4 + (2c^2 d + 4e) - Z^2 + c^2 d)} \right)}{2} \right)}{2}$
default	$\frac{a c \arctan\left(\frac{e x}{\sqrt{d e}}\right)}{\sqrt{d e}} \frac{b c^2 \left(\frac{-R1 \left(\operatorname{arcsech}(c x) \ln \left(\frac{-R1 - \frac{1}{c x} - \sqrt{-1 + \frac{1}{c x}}}{-R1} \right)}{\sum_{-R1 = \operatorname{RootOf}(c^2 d - Z^4 + (2c^2 d + 4e) - Z^2 + c^2 d)} \right)}{2} \right)}{2}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsech(c*x))/(e*x^2+d),x,method=_RETURNVERBOSE)
```

```
[Out] 1/c*(a*c/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))-1/2*b*c^2*sum(_R1/(_R1^2*c^2*d
+c^2*d+2*e)*(arcsech(c*x)*ln((_R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/_
R1)+dilog((_R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/_R1)),_R1=RootOf(c^2
*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+1/2*b*c^2*sum(1/_R1/(_R1^2*c^2*d+c^2*d+2
*e)*(arcsech(c*x)*ln((_R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/_R1)+dilo
g((_R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+
(2*c^2*d+4*e)*_Z^2+c^2*d))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/(e*x^2+d),x, algorithm="maxima")
```

```
[Out] a*arctan(x*e^(1/2)/sqrt(d))*e^(-1/2)/sqrt(d) + b*integrate(log(sqrt(1/(c*x)
+ 1)*sqrt(1/(c*x) - 1) + 1/(c*x)))/(x^2*e + d), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/(e*x^2+d),x, algorithm="fricas")
```

```
[Out] integral((b*arcsech(c*x) + a)/(x^2*e + d), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asech(c*x))/(e*x**2+d),x)
```

```
[Out] Integral((a + b*asech(c*x))/(d + e*x**2), x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/(e*x^2+d),x, algorithm="giac")
```

```
[Out] integrate((b*arcsech(c*x) + a)/(e*x^2 + d), x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{e x^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acosh(1/(c*x)))/(d + e*x^2),x)
```

```
[Out] int((a + b*acosh(1/(c*x)))/(d + e*x^2), x)
```

$$3.113 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{x(d+ex^2)} dx$$

Optimal. Leaf size=417

$$\frac{(a + b\operatorname{sech}^{-1}(cx))^2}{2bd} - \frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right)}{2d} - \frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(1 + \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right)}{2d}$$

[Out] $1/2*(a+b*\operatorname{arcsech}(c*x))^2/b/d-1/2*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/d-1/2*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/d-1/2*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/d-1/2*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/d-1/2*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/d-1/2*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/d-1/2*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/d-1/2*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/d$

Rubi [A]

time = 0.68, antiderivative size = 417, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6438, 5959, 5962, 5681, 2221, 2317, 2438}

$$\frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right)}{2d} - \frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(\frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} + 1\right)}{2d} - \frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(1 - \frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right)}{2d} - \frac{(a + b\operatorname{sech}^{-1}(cx)) \log\left(\frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} + 1\right)}{2d} - \frac{(a + b\operatorname{sech}^{-1}(cx))^2}{2bd} - \operatorname{BL}_2\left(\frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right) - \operatorname{BL}_2\left(\frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} + 1\right) - \operatorname{BL}_2\left(-\frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}}\right) - \operatorname{BL}_2\left(-\frac{c\sqrt{-d} e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} + 1\right)$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])/(x*(d + e*x^2)), x]

[Out] $(a + b*\operatorname{ArcSech}[c*x])^2/(2*b*d) - ((a + b*\operatorname{ArcSech}[c*x])*Log[1 - (c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e])])/(2*d) - ((a + b*\operatorname{ArcSech}[c*x])*Log[1 + (c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e])])/(2*d) - ((a + b*\operatorname{ArcSech}[c*x])*Log[1 - (c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e])])/(2*d) - ((a + b*\operatorname{ArcSech}[c*x])*Log[1 + (c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e])])/(2*d) - (b*\operatorname{PolyLog}[2, -((c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e]))])/(2*d) - (b*\operatorname{PolyLog}[2, (c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e])])/(2*d) - (b*\operatorname{PolyLog}[2, -((c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e]))])/(2*d) - (b*\operatorname{PolyLog}[2, (c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e])])/(2*d)$

Rule 2221

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp

$$\left[\left((c + dx)^m / (bfgn \log[F]) \right) \log[1 + b((F^{g(e+fx)})^n/a)], x \right] - \text{Dist}[d(m/(bfgn \log[F])), \text{Int}[(c + dx)^{m-1} \log[1 + b((F^{g(e+fx)})^n/a)], x], x] /;$$

$$\text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \} \ \&\& \ \text{IGtQ}[m, 0]$$

Rule 2317

$$\text{Int}[\log[(a_.) + (b_.)((F_.)^{(e_.)((c_.) + (d_.)x)})^{n_.)}], x_Symbol]$$

$$\rightarrow \text{Dist}[1/(d_.*n_.*\log[F]), \text{Subst}[\text{Int}[\log[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /;$$

$$\text{FreeQ}\{F, a, b, c, d, e, n\}, x \} \ \&\& \ \text{GtQ}[a, 0]$$

Rule 2438

$$\text{Int}[\log[(c_.)((d_.) + (e_.)x^{n_.)})]/(x_.), x_Symbol] \rightarrow \text{Simp}[-\text{PolyLog}[2, (-c_.)e*x^n]/n, x] /;$$

$$\text{FreeQ}\{c, d, e, n\}, x \} \ \&\& \ \text{EqQ}[c*d, 1]$$

Rule 5681

$$\text{Int}[(((e_.) + (f_.)x)^{m_.*}\sinh[(c_.) + (d_.)x]) / (\cosh[(c_.) + (d_.)x]) * (b_.) + (a_.)], x_Symbol]$$

$$\rightarrow \text{Simp}[-(e + fx)^{m+1} / (b*f*(m+1)), x] + (\text{Int}[(e + fx)^m * (E^{(c + dx)}) / (a - \text{Rt}[a^2 - b^2, 2] + b * E^{(c + dx)})], x) + \text{Int}[(e + fx)^m * (E^{(c + dx)}) / (a + \text{Rt}[a^2 - b^2, 2] + b * E^{(c + dx)})], x) /;$$

$$\text{FreeQ}\{a, b, c, d, e, f\}, x \} \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$$

Rule 5959

$$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)x] * (b_.)^{n_.*}((f_.)x)^{m_.*}((d_.) + (e_.)x^2)^{p_.)}], x_Symbol]$$

$$\rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcCosh}[c*x])^n, (f*x)^m * (d + e*x^2)^p], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f\}, x \} \ \&\& \ \text{NeQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[m]$$

Rule 5962

$$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)x] * (b_.)^{n_.*} / ((d_.) + (e_.)x)], x_Symbol]$$

$$\rightarrow \text{Subst}[\text{Int}[(a + b*x)^n * (\sinh[x] / (c*d + e*\cosh[x])), x], x, \text{ArcCosh}[c*x]] /;$$

$$\text{FreeQ}\{a, b, c, d, e\}, x \} \ \&\& \ \text{IGtQ}[n, 0]$$

Rule 6438

$$\text{Int}[(a_.) + \text{ArcSech}[(c_.)x] * (b_.)^{n_.*}x^{m_.*}((d_.) + (e_.)x^2)^{p_.)}], x_Symbol]$$

$$\rightarrow -\text{Subst}[\text{Int}[(e + d*x^2)^p * ((a + b*\text{ArcCosh}[x/c])^n / x^{m+2*(p+1)}), x], x, 1/x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, n\}, x \} \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegersQ}[m, p]$$

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x(d + ex^2)} dx &= -\operatorname{Subst} \left(\int \frac{x(a + b \cosh^{-1}(\frac{x}{c}))}{e + dx^2} dx, x, \frac{1}{x} \right) \\
&= -\operatorname{Subst} \left(\int \left(-\frac{\sqrt{-d}(a + b \cosh^{-1}(\frac{x}{c}))}{2d(\sqrt{e} - \sqrt{-d}x)} + \frac{\sqrt{-d}(a + b \cosh^{-1}(\frac{x}{c}))}{2d(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{\sqrt{e} - \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2\sqrt{-d}} + \frac{\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{\sqrt{e} + \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2\sqrt{-d}} \\
&= -\frac{\operatorname{Subst} \left(\int \frac{(a + bx) \sinh(x)}{\frac{\sqrt{e}}{c} - \sqrt{-d} \cosh(x)} dx, x, \operatorname{sech}^{-1}(cx) \right)}{2\sqrt{-d}} + \frac{\operatorname{Subst} \left(\int \frac{(a + bx) \sinh(x)}{\frac{\sqrt{e}}{c} + \sqrt{-d} \cosh(x)} dx, x, \operatorname{sech}^{-1}(cx) \right)}{2\sqrt{-d}} \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{2bd} - \frac{\operatorname{Subst} \left(\int \frac{e^x(a + bx)}{\frac{\sqrt{e}}{c} - \sqrt{c^2d + e} - \sqrt{-d}e^x} dx, x, \operatorname{sech}^{-1}(cx) \right)}{2\sqrt{-d}} - \frac{\operatorname{Subst} \left(\int \frac{e^x(a + bx)}{\frac{\sqrt{e}}{c} + \sqrt{c^2d + e} - \sqrt{-d}e^x} dx, x, \operatorname{sech}^{-1}(cx) \right)}{2\sqrt{-d}} \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{2bd} - \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2d} - \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2d + e}} \right)}{2d} \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{2bd} - \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2d} - \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2d + e}} \right)}{2d} \\
&= \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{2bd} - \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2d} - \frac{(a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e} + \sqrt{c^2d + e}} \right)}{2d}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 0.62, size = 386, normalized size = 0.93

$$\frac{4a \log(x) - 2b \log(d + ex^2) + b \operatorname{ArcSin} \left(\frac{\sqrt{-d}}{\sqrt{e}} \right) \operatorname{ArcTanh} \left(\frac{\sqrt{-d} \operatorname{sech}^{-1}(cx)}{\sqrt{e}} \right) - \log \left(\frac{e^{\operatorname{sech}^{-1}(cx)} - \sqrt{c^2d + e} - \sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{e^{\operatorname{sech}^{-1}(cx)} + \sqrt{c^2d + e} - \sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}} \right) + \log \left(\frac{e^{\operatorname{sech}^{-1}(cx)} - \sqrt{c^2d + e} - \sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{e^{\operatorname{sech}^{-1}(cx)} + \sqrt{c^2d + e} - \sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}} \right)}{2\sqrt{-d}} + \operatorname{PolyLog} \left(2, \frac{e^{\operatorname{sech}^{-1}(cx)} - \sqrt{c^2d + e} - \sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{e^{\operatorname{sech}^{-1}(cx)} + \sqrt{c^2d + e} - \sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}} \right) + \operatorname{PolyLog} \left(2, \frac{e^{\operatorname{sech}^{-1}(cx)} - \sqrt{c^2d + e} - \sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{e^{\operatorname{sech}^{-1}(cx)} + \sqrt{c^2d + e} - \sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}} \right)}{2\sqrt{-d}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])/(x*(d + e*x^2)), x]

[Out] (4*a*Log[x] - 2*a*Log[d + e*x^2] + b*(-2*(ArcSech[c*x]^2 + I*ArcSin[Sqrt[1 + e/(c^2*d)]]*(2*ArcTanh[(e*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)]/Sqrt[e*(c^2*d + e)]] - Log[(2*e - 2*Sqrt[e*(c^2*d + e)] + c^2*d*(1 + E^(2*ArcSech[c*x

$$\begin{aligned} &])) / (c^2 * d * E^{(2 * \text{ArcSech}[c * x])}) + \text{Log}[(2 * (e + \text{Sqrt}[e * (c^2 * d + e)]) + c^2 * d \\ & * (1 + E^{(2 * \text{ArcSech}[c * x])})) / (c^2 * d * E^{(2 * \text{ArcSech}[c * x])})] + \text{ArcSech}[c * x] * (\text{Log} \\ & [(2 * e - 2 * \text{Sqrt}[e * (c^2 * d + e)] + c^2 * d * (1 + E^{(2 * \text{ArcSech}[c * x])})) / (c^2 * d * E^{(2 \\ & * \text{ArcSech}[c * x])})] + \text{Log}[(2 * (e + \text{Sqrt}[e * (c^2 * d + e)]) + c^2 * d * (1 + E^{(2 * \text{ArcSe} \\ & \text{ch}[c * x])})) / (c^2 * d * E^{(2 * \text{ArcSech}[c * x])})]) + \text{PolyLog}[2, -((c^2 * d + 2 * e - 2 * \text{Sq} \\ & \text{rt}[e * (c^2 * d + e)]) / (c^2 * d * E^{(2 * \text{ArcSech}[c * x])})] + \text{PolyLog}[2, -((c^2 * d + 2 * (\\ & e + \text{Sqrt}[e * (c^2 * d + e)]) / (c^2 * d * E^{(2 * \text{ArcSech}[c * x])})])]) / (4 * d) \end{aligned}$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 0.86, size = 3157, normalized size = 7.57

method	result	size
derivativedivides	Expression too large to display	3157
default	Expression too large to display	3157

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/x/(e*x^2+d),x,method=_RETURNVERBOSE)`

[Out]
$$\begin{aligned} & -1/4 * b * c^2 / e / (c^2 * d + e) * \ln(1 - d * c^2 * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) \\ & ^2 / (-c^2 * d - 2 * (e * (c^2 * d + e))^{1/2} - 2 * e) * \text{arcsech}(c * x) * (e * (c^2 * d + e))^{1/2} + 4 * b / \\ & c^2 * e^2 / (c^2 * d + e) / d^2 * \ln(1 - d * c^2 * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})^2 \\ & / (-c^2 * d - 2 * (e * (c^2 * d + e))^{1/2} - 2 * e) * \text{arcsech}(c * x) + 2 * b / c^4 * e^3 / (c^2 * d + e) / d^3 \\ & * \ln(1 - d * c^2 * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})^2 / (-c^2 * d - 2 * (e * (c^2 * d + \\ & e))^{1/2} - 2 * e) * \text{arcsech}(c * x) + 1/4 * b * c^2 * (e * (c^2 * d + e))^{1/2} / e / (c^2 * d + e) * \text{arcs} \\ & \text{ech}(c * x) * \ln(1 - d * c^2 * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})^2 / (-c^2 * d + 2 * (e \\ & * (c^2 * d + e))^{1/2} - 2 * e) + b / c^4 * e^3 / (c^2 * d + e) / d^3 * \text{polylog}(2, d * c^2 * (1/c/x + (-1 + \\ & 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})^2 / (-c^2 * d - 2 * (e * (c^2 * d + e))^{1/2} - 2 * e) + 2 * b / c^4 \\ & / d^3 * \ln(1 - d * c^2 * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})^2 / (-c^2 * d - 2 * (e * (c^ \\ & 2 * d + e))^{1/2} - 2 * e) * e * \text{arcsech}(c * x) * (e * (c^2 * d + e))^{1/2} - 3/2 * b / c^2 / (c^2 * d + e) / \\ & d^2 * \text{polylog}(2, d * c^2 * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})^2 / (-c^2 * d - 2 * (e \\ & * (c^2 * d + e))^{1/2} - 2 * e) * (e * (c^2 * d + e))^{1/2} * e + 2 * b / c^4 * e^2 / (c^2 * d + e) / d^3 * \text{arc} \\ & \text{sech}(c * x)^2 * (e * (c^2 * d + e))^{1/2} - b / c^4 * e^2 / (c^2 * d + e) / d^3 * \text{polylog}(2, d * c^2 * (1/ \\ & c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})^2 / (-c^2 * d - 2 * (e * (c^2 * d + e))^{1/2} - 2 * e) \\ & * (e * (c^2 * d + e))^{1/2} + 3 * b / c^2 / (c^2 * d + e) / d^2 * \text{arcsech}(c * x)^2 * (e * (c^2 * d + e))^{1/2} \\ & * e + 1/4 * b * (e * (c^2 * d + e))^{1/2} / (c^2 * d + e) / d * \text{polylog}(2, d * c^2 * (1/c/x + (-1 + 1/c/x) \\ &)^{1/2}) * (1 + 1/c/x)^{1/2})^2 / (-c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} - 2 * e) - 3/4 * b / (c^2 * d \\ & + e) / d * \text{polylog}(2, d * c^2 * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})^2 / (-c^2 * d - 2 * \\ & (e * (c^2 * d + e))^{1/2} - 2 * e) * (e * (c^2 * d + e))^{1/2} + 5/4 * b / (c^2 * d + e) / d * \text{polylog}(2, d \\ & * c^2 * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})^2 / (-c^2 * d - 2 * (e * (c^2 * d + e))^{1/2} \\ & - 2 * e) * e - 5/2 * b / (c^2 * d + e) / d * \text{arcsech}(c * x)^2 * e + b * (e * (c^2 * d + e))^{1/2} / (c^2 * d + \\ & e) / d * \text{arcsech}(c * x)^2 - b / c^2 / d^2 * \text{arcsech}(c * x)^2 * (e * (c^2 * d + e))^{1/2} + 2 * b / c^2 / d^ \\ & 2 * \text{arcsech}(c * x)^2 * e + 1/2 * b / c^2 / d^2 * \text{polylog}(2, d * c^2 * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 \\ & + 1/c/x)^{1/2})^2 / (-c^2 * d - 2 * (e * (c^2 * d + e))^{1/2} - 2 * e) * (e * (c^2 * d + e))^{1/2} - b / \\ & c^2 / d^2 * \text{polylog}(2, d * c^2 * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})^2 / (-c^2 * d - \\ & 2 * (e * (c^2 * d + e))^{1/2} - 2 * e) * e + 1/2 * b * c^2 / (c^2 * d + e) * \ln(1 - d * c^2 * (1/c/x + (-1 + 1/c \end{aligned}$$

$$\begin{aligned} & /x)^{(1/2)} * (1+1/c/x)^{(1/2)})^2 / (-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e) * \operatorname{arcsech}(c*x) \\ & + 2*b/c^4/d^3*e^2*\operatorname{arcsech}(c*x)^2 - b/c^4/d^3*\operatorname{polylog}(2, d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)} * (1+1/c/x)^{(1/2)})^2 / (-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e)) * e^{-1/2} * a/d \\ & * \ln(c^2*e*x^2+c^2*d) + a/d*\ln(c*x) + b*\operatorname{arcsech}(c*x)^2/d - 1/4*b/d*\operatorname{polylog}(2, d*c^2 \\ & *(1/c/x+(-1+1/c/x)^{(1/2)} * (1+1/c/x)^{(1/2)})^2 / (-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2 \\ & *e)) - 2*b/c^2/d^2*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)} * (1+1/c/x)^{(1/2)})^2 / (-c^2 \\ & *d-2*(e*(c^2*d+e))^{(1/2)}-2*e) * \operatorname{arcsech}(c*x) * e^{-2} * b/c^4/d^3*\ln(1-d*c^2*(1/c/ \\ & x+(-1+1/c/x)^{(1/2)} * (1+1/c/x)^{(1/2)})^2 / (-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e)) * e \\ & ^2 * \operatorname{arcsech}(c*x) - 3/2*b/(c^2*d+e)/d*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)} * (1+1/c \\ & /x)^{(1/2)})^2 / (-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e) * \operatorname{arcsech}(c*x) * (e*(c^2*d+e)) \\ & ^{(1/2)} + 1/2*b*(e*(c^2*d+e))^{(1/2)}/(c^2*d+e)/d*\operatorname{arcsech}(c*x) * \ln(1-d*c^2*(1/c/x \\ & +(-1+1/c/x)^{(1/2)} * (1+1/c/x)^{(1/2)})^2 / (-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)) + 5/ \\ & 2*b*e/(c^2*d+e)/d*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)} * (1+1/c/x)^{(1/2)})^2 / (-c \\ & ^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e) * \operatorname{arcsech}(c*x) - 2*b/c^4/d^3*e*\operatorname{arcsech}(c*x)^2 * \\ & (e*(c^2*d+e))^{(1/2)} + b/c^4/d^3*\operatorname{polylog}(2, d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)} * (1+1/ \\ & c/x)^{(1/2)})^2 / (-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e)) * e * (e*(c^2*d+e))^{(1/2)} + 2*b \\ & /c^2/(c^2*d+e)/d^2*\operatorname{polylog}(2, d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)} * (1+1/c/x)^{(1/2)}) \\ & ^2 / (-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e)) * e^{-2} * 2*b/c^4*e^3/(c^2*d+e)/d^3*\operatorname{arcsec} \\ & h(c*x)^2 + 1/8*b*c^2*(e*(c^2*d+e))^{(1/2)}/e/(c^2*d+e)*\operatorname{polylog}(2, d*c^2*(1/c/x+ \\ & -1+1/c/x)^{(1/2)} * (1+1/c/x)^{(1/2)})^2 / (-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)) - 4*b/ \\ & c^2/(c^2*d+e)/d^2*\operatorname{arcsech}(c*x)^2 * e^{-1} * 1/8*b*c^2/e/(c^2*d+e)*\operatorname{polylog}(2, d*c^2 * \\ & (1/c/x+(-1+1/c/x)^{(1/2)} * (1+1/c/x)^{(1/2)})^2 / (-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2* \\ & e)) * (e*(c^2*d+e))^{(1/2)} + b/c^2/d^2*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)} * (1+1/c \\ & /x)^{(1/2)})^2 / (-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e) * \operatorname{arcsech}(c*x) * (e*(c^2*d+e)) \\ & ^{(1/2)} - 1/2*b*c^2/(c^2*d+e) * \operatorname{arcsech}(c*x)^2 + 1/4*b*c^2/(c^2*d+e) * \operatorname{polylog}(2, d*c \\ & ^2*(1/c/x+(-1+1/c/x)^{(1/2)} * (1+1/c/x)^{(1/2)})^2 / (-c^2*d-2*(e*(c^2*d+e))^{(1/2)} \\ & -2*e)) - 1/2*b/d*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)} * (1+1/c/x)^{(1/2)})^2 / (-c^2 * \\ & d-2*(e*(c^2*d+e))^{(1/2)}-2*e) * \operatorname{arcsech}(c*x) - 2*b/c^4*e^2/(c^2*d+e)/d^3*\ln(1-d \\ & *c^2*(1/c/x+(-1+1/c/x)^{(1/2)} * (1+1/c/x)^{(1/2)})^2 / (-c^2*d-2*(e*(c^2*d+e))^{(1/2)} \\ & -2*e) * \operatorname{arcsech}(c*x) * (e*(c^2*d+e))^{(1/2)} - 3*b/c^2*e/(c^2*d+e)/d^2*\ln(1-d*c^ \\ & 2*(1/c/x+(-1+1/c/x)^{(1/2)} * (1+1/c/x)^{(1/2)})^2 / (-c^2*d-2*(e*(c^2*d+e))^{(1/2)}- \\ & 2*e) * \operatorname{arcsech}(c*x) * (e*(c^2*d+e))^{(1/2)} - 1/2*b*\operatorname{sum}((_R1^2*c^2*d+2*c^2*d+4*e)/ \\ & (_R1^2*c^2*d+c^2*d+2*e) * (\operatorname{arcsech}(c*x) * \ln((_R1-1/c/x-(-1+1/c/x)^{(1/2)} * (1+1/c \\ & /x)^{(1/2)})/_R1) + \operatorname{dilog}((_R1-1/c/x-(-1+1/c/x)^{(1/2)} * (1+1/c/x)^{(1/2)})/_R1)), _R \\ & 1 = \operatorname{RootOf}(c^2*d*_Z^4 + (2*c^2*d+4*e)*_Z^2 + c^2*d))/d \end{aligned}$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x/(e*x^2+d), x, algorithm="maxima")

[Out] -1/2*a*(log(x^2*e + d)/d - 2*log(x)/d) + b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^3*e + d*x), x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsech(c*x))/x/(e*x^2+d),x, algorithm="fricas")``[Out] integral((b*arcsech(c*x) + a)/(x^3*e + d*x), x)`**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x(d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*asech(c*x))/x/(e*x**2+d),x)``[Out] Integral((a + b*asech(c*x))/(x*(d + e*x**2)), x)`**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsech(c*x))/x/(e*x^2+d),x, algorithm="giac")``[Out] integrate((b*arcsech(c*x) + a)/((e*x^2 + d)*x), x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a + b*acosh(1/(c*x)))/(x*(d + e*x^2)),x)``[Out] int((a + b*acosh(1/(c*x)))/(x*(d + e*x^2)), x)`

$$3.114 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^2(d+ex^2)} dx$$

Optimal. Leaf size=523

$$\frac{bc\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}}{d} - \frac{a}{dx} - \frac{b\operatorname{sech}^{-1}(cx)}{dx} + \frac{\sqrt{e}(a+b\operatorname{sech}^{-1}(cx))\log\left(1-\frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} - \frac{\sqrt{e}(a+b\operatorname{sech}^{-1}(cx))\log\left(1+\frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2(-d)^{3/2}}$$

[Out] $-a/d/x - b*\operatorname{arcsech}(c*x)/d/x + 1/2*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}-(c^2*d+e)^{(1/2)})))*e^{(1/2)/(-d)^{(3/2)}-1/2*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}-(c^2*d+e)^{(1/2)})))*e^{(1/2)/(-d)^{(3/2)}+1/2*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}+(c^2*d+e)^{(1/2)})))*e^{(1/2)/(-d)^{(3/2)}-1/2*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}+(c^2*d+e)^{(1/2)})))*e^{(1/2)/(-d)^{(3/2)}-1/2*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}-(c^2*d+e)^{(1/2)})))*e^{(1/2)/(-d)^{(3/2)}+1/2*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}-(c^2*d+e)^{(1/2)})))*e^{(1/2)/(-d)^{(3/2)}-1/2*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}+(c^2*d+e)^{(1/2)})))*e^{(1/2)/(-d)^{(3/2)}+1/2*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)/(e^{(1/2)}+(c^2*d+e)^{(1/2)})))*e^{(1/2)/(-d)^{(3/2)}+b*c*(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}/d$

Rubi [A]

time = 0.89, antiderivative size = 523, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {6438, 5959, 5879, 75, 5909, 5962, 5681, 2221, 2317, 2438}

$$\frac{\sqrt{e}(a+b\operatorname{sech}^{-1}(cx))\log\left(1-\frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} - \frac{\sqrt{e}(a+b\operatorname{sech}^{-1}(cx))\log\left(\frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}+1\right)}{2(-d)^{3/2}} + \frac{\sqrt{e}(a+b\operatorname{sech}^{-1}(cx))\log\left(1-\frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e}+\sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} - \frac{\sqrt{e}(a+b\operatorname{sech}^{-1}(cx))\log\left(\frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e}+\sqrt{c^2d+e}}+1\right)}{2(-d)^{3/2}} - \frac{a}{dx} - \frac{b\sqrt{e}\operatorname{Li}_2\left(-\frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} + \frac{b\sqrt{e}\operatorname{Li}_2\left(\frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} - \frac{b\sqrt{e}\operatorname{Li}_2\left(-\frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e}+\sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} + \frac{b\sqrt{e}\operatorname{Li}_2\left(\frac{c\sqrt{-d}e^{\operatorname{sech}^{-1}(cx)}}{\sqrt{e}+\sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} + \frac{bc\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}}{d} - \frac{b\operatorname{sech}^{-1}(cx)}{dx}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])/(x^2*(d + e*x^2)), x]

[Out] $(b*c*\operatorname{Sqrt}[-1+1/(c*x)]*\operatorname{Sqrt}[1+1/(c*x)])/d - a/(d*x) - (b*\operatorname{ArcSech}[c*x])/(d*x) + (\operatorname{Sqrt}[e]*(a+b*\operatorname{ArcSech}[c*x])* \operatorname{Log}[1-(c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]-\operatorname{Sqrt}[c^2*d+e])])/(2*(-d)^{(3/2)}) - (\operatorname{Sqrt}[e]*(a+b*\operatorname{ArcSech}[c*x])* \operatorname{Log}[1+(c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]-\operatorname{Sqrt}[c^2*d+e])])/(2*(-d)^{(3/2)}) + (\operatorname{Sqrt}[e]*(a+b*\operatorname{ArcSech}[c*x])* \operatorname{Log}[1-(c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]+\operatorname{Sqrt}[c^2*d+e])])/(2*(-d)^{(3/2)}) - (\operatorname{Sqrt}[e]*(a+b*\operatorname{ArcSech}[c*x])* \operatorname{Log}[1+(c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]+\operatorname{Sqrt}[c^2*d+e])])/(2*(-d)^{(3/2)}) - (b*\operatorname{Sqrt}[e]* \operatorname{PolyLog}[2,-((c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]-\operatorname{Sqrt}[c^2*d+e]))])/(2*(-d)^{(3/2)}) + (b*\operatorname{Sqrt}[e]* \operatorname{PolyLog}[2,(c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]-\operatorname{Sqrt}[c^2*d+e])])/(2*(-d)^{(3/2)}) - (b*\operatorname{Sqrt}[e]* \operatorname{PolyLog}[2,-((c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]+\operatorname{Sqrt}[c^2*d+e]))])/(2*(-d)^{(3/2)}) + (b*\operatorname{Sqrt}[e]* \operatorname{PolyLog}[2,(c*\operatorname{Sqrt}[-d]*E^{\operatorname{ArcSech}[c*x]})/(\operatorname{Sqrt}[e]+\operatorname{Sqrt}[c^2*d+e])])/(2*(-d)^{(3/2)})$

2)) + (b*Sqrt[e]*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e]))]/(2*(-d)^(3/2))

Rule 75

Int[((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] := Simp[b*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(n + p + 2))), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

Rule 2221

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_.))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 5681

Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sinh[(c_.) + (d_.)*(x_.)]/(Cosh[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)), x] + (Int[(e + f*x)^m*(E^(c + d*x)/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x))), x] + Int[(e + f*x)^m*(E^(c + d*x)/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]

Rule 5879

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcCosh[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 5909

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (d + e*x^2)^p, x],

$x]$ /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (p > 0 || IGtQ[n, 0])

Rule 5959

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

Rule 5962

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_.)/((d_.) + (e_.)*(x_)), x_Symbol] :> Subst[Int[(a + b*x)^n*(Sinh[x]/(c*d + e*Cosh[x])), x], x, ArcCosh[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 6438

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegersQ[m, p]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^2(d + ex^2)} dx &= -\operatorname{Subst} \left(\int \frac{x^2(a + b \cosh^{-1}(\frac{x}{c}))}{e + dx^2} dx, x, \frac{1}{x} \right) \\
&= -\operatorname{Subst} \left(\int \left(\frac{a + b \cosh^{-1}(\frac{x}{c})}{d} - \frac{e(a + b \cosh^{-1}(\frac{x}{c}))}{d(e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\operatorname{Subst} \left(\int (a + b \cosh^{-1}(\frac{x}{c})) dx, x, \frac{1}{x} \right)}{d} + \frac{e \operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{e + dx^2} dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{a}{dx} - \frac{b \operatorname{Subst} \left(\int \cosh^{-1}(\frac{x}{c}) dx, x, \frac{1}{x} \right)}{d} + \frac{e \operatorname{Subst} \left(\int \left(\frac{a + b \cosh^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} - \sqrt{-d}x)} + \frac{a + b \cosh^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{a}{dx} - \frac{b \operatorname{sech}^{-1}(cx)}{dx} + \frac{b \operatorname{Subst} \left(\int \frac{x}{\sqrt{-1 + \frac{x}{c}} \sqrt{1 + \frac{x}{c}}} dx, x, \frac{1}{x} \right)}{cd} + \frac{\sqrt{e} \operatorname{Subst} \left(\int \frac{a + b \operatorname{sech}^{-1}(cx)}{\sqrt{e} - \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2d} \\
&= \frac{bc \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{d} - \frac{a}{dx} - \frac{b \operatorname{sech}^{-1}(cx)}{dx} + \frac{\sqrt{e} \operatorname{Subst} \left(\int \frac{(a + bx) \sinh(x)}{\sqrt{e} - \sqrt{-d} \cosh(x)} dx, x, \frac{1}{x} \right)}{2d} \\
&= \frac{bc \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{d} - \frac{a}{dx} - \frac{b \operatorname{sech}^{-1}(cx)}{dx} + \frac{\sqrt{e} \operatorname{Subst} \left(\int \frac{e^x(a + bx)}{\sqrt{e} - \sqrt{c^2 d + e}} dx, x, \frac{1}{x} \right)}{2d} \\
&= \frac{bc \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{d} - \frac{a}{dx} - \frac{b \operatorname{sech}^{-1}(cx)}{dx} + \frac{\sqrt{e} (a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{e^x}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2(-d)^{3/2}} \\
&= \frac{bc \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{d} - \frac{a}{dx} - \frac{b \operatorname{sech}^{-1}(cx)}{dx} + \frac{\sqrt{e} (a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{e^x}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2(-d)^{3/2}} \\
&= \frac{bc \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{d} - \frac{a}{dx} - \frac{b \operatorname{sech}^{-1}(cx)}{dx} + \frac{\sqrt{e} (a + b \operatorname{sech}^{-1}(cx)) \log \left(1 - \frac{e^x}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2(-d)^{3/2}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 1.28, size = 933, normalized size = 1.78



Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])/(x^2*(d + e*x^2)),x]

[Out] $(-4*a*\sqrt{d} - 4*a*\sqrt{e}*x*\text{ArcTan}[\frac{\sqrt{e}*x}{\sqrt{d}}] + b*(4*\sqrt{d}*\sqrt{\frac{1-c*x}{1+c*x}}*(1+c*x) - 4*\sqrt{d}*\text{ArcSech}[c*x] - (2*I)*\sqrt{e}*x*((-4*I)*\text{ArcSin}[\frac{\sqrt{1+(I*\sqrt{e})}}{c*\sqrt{d}}])/\sqrt{2})*\text{ArcTanh}[\frac{(I*c*\sqrt{d} + \sqrt{e})*\text{Tanh}[\text{ArcSech}[c*x]/2]}{\sqrt{c^2*d + e}}] + \text{ArcSech}[c*x]*\text{Log}[1 + E^{(-2*\text{ArcSech}[c*x])}] - \text{ArcSech}[c*x]*\text{Log}[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] + (2*I)*\text{ArcSin}[\frac{\sqrt{1+(I*\sqrt{e})}}{c*\sqrt{d}}])/\sqrt{2})*\text{Log}[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - \text{ArcSech}[c*x]*\text{Log}[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - (2*I)*\text{ArcSin}[\frac{\sqrt{1+(I*\sqrt{e})}}{c*\sqrt{d}}])/\sqrt{2})*\text{Log}[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] + \text{PolyLog}[2, \frac{I*(-\sqrt{e} + \sqrt{c^2*d + e})}{c*\sqrt{d}*E^{\text{ArcSech}[c*x]}}] + \text{PolyLog}[2, \frac{(-I)*(\sqrt{e} + \sqrt{c^2*d + e})}{c*\sqrt{d}*E^{\text{ArcSech}[c*x]}}] + (2*I)*\sqrt{e}*x*((-4*I)*\text{ArcSin}[\frac{\sqrt{1-(I*\sqrt{e})}}{c*\sqrt{d}}])/\sqrt{2})*\text{ArcTanh}[\frac{((-I)*c*\sqrt{d} + \sqrt{e})*\text{Tanh}[\text{ArcSech}[c*x]/2]}{\sqrt{c^2*d + e}}] + \text{ArcSech}[c*x]*\text{Log}[1 + E^{(-2*\text{ArcSech}[c*x])}] - \text{ArcSech}[c*x]*\text{Log}[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] + (2*I)*\text{ArcSin}[\frac{\sqrt{1-(I*\sqrt{e})}}{c*\sqrt{d}}])/\sqrt{2})*\text{Log}[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - \text{ArcSech}[c*x]*\text{Log}[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - (2*I)*\text{ArcSin}[\frac{\sqrt{1-(I*\sqrt{e})}}{c*\sqrt{d}}])/\sqrt{2})*\text{Log}[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] + \text{PolyLog}[2, \frac{(-I)*(-\sqrt{e} + \sqrt{c^2*d + e})}{c*\sqrt{d}*E^{\text{ArcSech}[c*x]}}] + \text{PolyLog}[2, \frac{I*(\sqrt{e} + \sqrt{c^2*d + e})}{c*\sqrt{d}*E^{\text{ArcSech}[c*x]}}]))/(4*d^{(3/2)}*x)$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 38.87, size = 380, normalized size = 0.73

method	result
derivativedivides	$c \left(\frac{ae \arctan\left(\frac{ex}{\sqrt{de}}\right)}{cd\sqrt{de}} - \frac{a}{dcx} + \frac{b\sqrt{-\frac{cx-1}{cx}}\sqrt{\frac{cx+1}{cx}}}{d} - \frac{b \operatorname{arcsech}(cx)}{dcx} + \frac{be}{\sum_{R1=\text{RootOf}(c^2dZ^4+(2c$

default	$c \left(-\frac{ae \arctan\left(\frac{ex}{\sqrt{de}}\right)}{cd\sqrt{de}} - \frac{a}{dcx} + \frac{b\sqrt{-\frac{cx-1}{cx}}\sqrt{\frac{cx+1}{cx}}}{d} - \frac{b \operatorname{arcsech}(cx)}{dcx} + \frac{be}{\dots} \right)$
---------	--

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsech(c*x))/x^2/(e*x^2+d),x,method=_RETURNVERBOSE)
```

```
[Out] c*(-a/c*e/d/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))-a/d/c/x+b/d*(-(c*x-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)-b/d/c/x*arcsech(c*x)+1/2*b*e/d*sum(_R1/(_R1^2*c^2*d+c^2*d+2*e)*(arcsech(c*x)*ln((_R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/_R1)+dilog((_R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-1/2*b*e/d*sum(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(arcsech(c*x)*ln((_R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/_R1)+dilog((_R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/x^2/(e*x^2+d),x, algorithm="maxima")
```

```
[Out] -a*(arctan(x*e^(1/2)/sqrt(d))*e^(1/2)/d^(3/2) + 1/(d*x)) + b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^4*e + d*x^2), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/x^2/(e*x^2+d),x, algorithm="fricas")
```

```
[Out] integral((b*arcsech(c*x) + a)/(x^4*e + d*x^2), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x^2 (d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/x**2/(e*x**2+d), x)

[Out] Integral((a + b*asech(c*x))/(x**2*(d + e*x**2)), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^2/(e*x^2+d), x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/((e*x^2 + d)*x^2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x^2 (ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(x^2*(d + e*x^2)), x)

[Out] int((a + b*acosh(1/(c*x)))/(x^2*(d + e*x^2)), x)

$$3.115 \quad \int \frac{x^5 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx$$

Optimal. Leaf size=631

$$-\frac{b\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x}{2ce^2} + \frac{d(a+b\operatorname{sech}^{-1}(cx))}{2e^2(e+\frac{d}{x^2})} + \frac{x^2(a+b\operatorname{sech}^{-1}(cx))}{2e^2} + \frac{2d(a+b\operatorname{sech}^{-1}(cx))^2}{be^3} - \frac{bd\sqrt{-1+\frac{1}{cx}}}{2e^{5/2}\sqrt{d+ex^2}}$$

```
[Out] 1/2*d*(a+b*arcsech(c*x))/e^2/(e+d/x^2)+1/2*x^2*(a+b*arcsech(c*x))/e^2+2*d*(a+b*arcsech(c*x))^2/b/e^3+2*d*(a+b*arcsech(c*x))*ln(1+1/(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2)/e^3-d*(a+b*arcsech(c*x))*ln(1-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/e^3-d*(a+b*arcsech(c*x))*ln(1+c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/e^3-d*(a+b*arcsech(c*x))*ln(1-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/e^3-d*(a+b*arcsech(c*x))*ln(1+c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/e^3-b*d*polylog(2,-1/(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2)/e^3-b*d*polylog(2,-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/e^3-b*d*polylog(2,c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/e^3-b*d*polylog(2,-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/e^3-b*d*polylog(2,c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/e^3-1/2*b*d*arctanh((c^2*d+e)^(1/2)/c/x/e^(1/2)/(-1+1/c^2/x^2)^(1/2))*(-1+1/c^2/x^2)^(1/2)/e^(5/2)/(c^2*d+e)^(1/2)/(-1+1/c/x)^(1/2)/(1+1/c/x)^(1/2)-1/2*b*x*(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2)/c/e^2
```

Rubi [A]

time = 1.07, antiderivative size = 631, normalized size of antiderivative = 1.00, number of steps used = 32, number of rules used = 15, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {6438, 5959, 5883, 97, 5882, 3799, 2221, 2317, 2438, 5957, 533, 385, 214, 5962, 5681}

$$\frac{d(a+b\operatorname{sech}^{-1}(cx))}{2e^2(e+\frac{d}{x^2})} + \frac{x^2(a+b\operatorname{sech}^{-1}(cx))}{2e^2} + \frac{2d(a+b\operatorname{sech}^{-1}(cx))^2}{be^3} - \frac{bd\sqrt{-1+\frac{1}{cx}}}{2e^{5/2}\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(a + b*ArcSech[c*x]))/(d + e*x^2)^2,x]

[Out] -1/2*(b*sqrt[-1 + 1/(c*x)]*sqrt[1 + 1/(c*x)]*x)/(c*e^2) + (d*(a + b*ArcSech[c*x]))/(2*e^2*(e + d/x^2)) + (x^2*(a + b*ArcSech[c*x]))/(2*e^2) + (2*d*(a

```

+ b*ArcSech[c*x]^2)/(b*e^3) - (b*d*Sqrt[-1 + 1/(c^2*x^2)]*ArcTanh[Sqrt[c^2
*d + e]/(c*Sqrt[e]*Sqrt[-1 + 1/(c^2*x^2)]*x)]/(2*e^(5/2)*Sqrt[c^2*d + e]*S
qrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]) + (2*d*(a + b*ArcSech[c*x])*Log[1 + E^
(-2*ArcSech[c*x])])/e^3 - (d*(a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^Arc
Sech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/e^3 - (d*(a + b*ArcSech[c*x])*Log[
1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/e^3 - (d*(a +
b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d
+ e])])/e^3 - (d*(a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(
Sqrt[e] + Sqrt[c^2*d + e])])/e^3 - (b*d*PolyLog[2, -E^(-2*ArcSech[c*x])])/e
^3 - (b*d*PolyLog[2, -(c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d +
e])])/e^3 - (b*d*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^
2*d + e])])/e^3 - (b*d*PolyLog[2, -(c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] +
Sqrt[c^2*d + e])])/e^3 - (b*d*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt
[e] + Sqrt[c^2*d + e])])/e^3

```

Rule 97

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^p_., x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x
)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] /; FreeQ[{a, b, c, d, e, f
, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a*d*f*(m + 1) + b*
c*f*(n + 1) + b*d*e*(p + 1), 0] && NeQ[m, -1]

```

Rule 214

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 385

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

```

Rule 533

```

Int[(u_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p
_)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_), x_Symbol] := Dist[(a1 + b1*x^(n/2))
^FracPart[p]*((a2 + b2*x^(n/2))^FracPart[p]/(a1*a2 + b1*b2*x^n)^FracPart[p]
), Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a1, b1, a2,
b2, c, d, n, p, q}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && !(EqQ
[n, 2] && IGtQ[q, 0])

```

Rule 2221

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp

```

```

[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

Rule 2317

```

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

Rule 2438

```

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

```

Rule 3799

```

Int[((c_.) + (d_.)*(x_)^(m_.))*tan[(e_.) + (Complex[0, fz_])*(f_.)*(x_)], x_Symbol]
:> Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c + d*x)^m*(E^(2*((-I)*e + f*fz*x)))/(1 + E^(2*((-I)*e + f*fz*x)))]], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

```

Rule 5681

```

Int[(((e_.) + (f_.)*(x_)^(m_.))*Sinh[(c_.) + (d_.)*(x_)])/(Cosh[(c_.) + (d_.)*(x_)])*(b_.) + (a_)), x_Symbol]
:> Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)), x] + (Int[(e + f*x)^m*(E^(c + d*x))/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x))], x] + Int[(e + f*x)^m*(E^(c + d*x))/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x))], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]

```

Rule 5882

```

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^(n_.)/(x_), x_Symbol] :> Dist[1/b, Subst[Int[x^n*Tanh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

```

Rule 5883

```

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^(n_.)*((d_.)*(x_)^(m_.)), x_Symbol]
:> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

```

Rule 5957

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcCosh[c*x])/(2*e*(p + 1))),
x] - Dist[b*(c/(2*e*(p + 1))), Int[(d + e*x^2)^(p + 1)/(Sqrt[1 + c*x]*Sqrt[
-1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] &&
NeQ[p, -1]
```

Rule 5959

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_)^(m_.))*((d_.) + (e
_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n,
(f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d
+ e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 5962

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)), x_Symbo
l] := Subst[Int[(a + b*x)^n*(Sinh[x]/(c*d + e*Cosh[x])), x], x, ArcCosh[c*x
]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 6438

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_
)^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x
^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0
] && IntegersQ[m, p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5(a + b\operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx &= -\operatorname{Subst}\left(\int \frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{x^3(e + dx^2)^2} dx, x, \frac{1}{x}\right) \\
&= -\operatorname{Subst}\left(\int \left(\frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{e^2x^3} - \frac{2d(a + b\cosh^{-1}\left(\frac{x}{c}\right))}{e^3x} + \frac{d^2x(a + b\cosh^{-1}\left(\frac{x}{c}\right))}{e^2(e + dx^2)^2}\right) dx, x, \frac{1}{x}\right) \\
&= \frac{(2d)\operatorname{Subst}\left(\int \frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{x} dx, x, \frac{1}{x}\right)}{e^3} - \frac{(2d^2)\operatorname{Subst}\left(\int \frac{x(a + b\cosh^{-1}\left(\frac{x}{c}\right))}{e + dx^2} dx, x, \frac{1}{x}\right)}{e^3} \\
&= \frac{d(a + b\operatorname{sech}^{-1}(cx))}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{x^2(a + b\operatorname{sech}^{-1}(cx))}{2e^2} + \frac{(2d)\operatorname{Subst}\left(\int (a + bx)\tanh(x) dx\right)}{e^3} \\
&= -\frac{b\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x}{2ce^2} + \frac{d(a + b\operatorname{sech}^{-1}(cx))}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{x^2(a + b\operatorname{sech}^{-1}(cx))}{2e^2} - \frac{d}{e^3} \\
&= -\frac{b\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x}{2ce^2} + \frac{d(a + b\operatorname{sech}^{-1}(cx))}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{x^2(a + b\operatorname{sech}^{-1}(cx))}{2e^2} - \frac{d}{e^3} \\
&= -\frac{b\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x}{2ce^2} + \frac{d(a + b\operatorname{sech}^{-1}(cx))}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{x^2(a + b\operatorname{sech}^{-1}(cx))}{2e^2} - \frac{bd}{e^3} \\
&= -\frac{b\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x}{2ce^2} + \frac{d(a + b\operatorname{sech}^{-1}(cx))}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{x^2(a + b\operatorname{sech}^{-1}(cx))}{2e^2} - \frac{bd}{e^3} \\
&= -\frac{b\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x}{2ce^2} + \frac{d(a + b\operatorname{sech}^{-1}(cx))}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{x^2(a + b\operatorname{sech}^{-1}(cx))}{2e^2} - \frac{bd}{e^3}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 3.26, size = 1278, normalized size = 2.03

Warning: Unable to verify antiderivative.

[In] Integrate[(x^5*(a + b*ArcSech[c*x]))/(d + e*x^2)^2,x]

[Out]
$$-1/4*(-2*a*e*x^2 + (2*a*d^2)/(d + e*x^2) + 4*a*d*\text{Log}[d + e*x^2] + b*((2*e*\text{Sqrt}[(1 - c*x)/(1 + c*x)]/c^2 + (2*e*x*\text{Sqrt}[(1 - c*x)/(1 + c*x)]/c - 2*e*x^2*\text{ArcSech}[c*x] + (d^{3/2})*\text{ArcSech}[c*x])/(\text{Sqrt}[d] - I*\text{Sqrt}[e]*x) + (d^{3/2})*\text{ArcSech}[c*x])/(\text{Sqrt}[d] + I*\text{Sqrt}[e]*x) + (16*I)*d*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2]]*\text{ArcTanh}[\text{Sqrt}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]*\text{Tanh}[\text{ArcSech}[c*x]/2]]/\text{Sqrt}[c^2*d + e]] + (16*I)*d*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2]]*\text{ArcTanh}[\text{Sqrt}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]*\text{Tanh}[\text{ArcSech}[c*x]/2]]/\text{Sqrt}[c^2*d + e]] - 8*d*\text{ArcSech}[c*x]*\text{Log}[1 + E^{(-2*\text{ArcSech}[c*x])}] + 4*d*\text{ArcSech}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] - (8*I)*d*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] + 4*d*\text{ArcSech}[c*x]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] - (8*I)*d*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] + 4*d*\text{ArcSech}[c*x]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] + (8*I)*d*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2]]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] + 4*d*\text{ArcSech}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] + (8*I)*d*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] + 2*d*\text{Log}[x] - 2*d*\text{Log}[1 + \text{Sqrt}[(1 - c*x)/(1 + c*x)] + c*x*\text{Sqrt}[(1 - c*x)/(1 + c*x)]] + (d*\text{Sqrt}[e]*\text{Log}[(2*I)*\text{Sqrt}[e]*(\text{Sqrt}[d]*\text{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x) + (\text{Sqrt}[d]*\text{Sqrt}[e] + I*c^2*d*x)/\text{Sqrt}[c^2*d + e]))/(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x))/\text{Sqrt}[c^2*d + e] + (d*\text{Sqrt}[e]*\text{Log}[(2*\text{Sqrt}[e]*(I*\text{Sqrt}[d]*\text{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x) + (I*\text{Sqrt}[d]*\text{Sqrt}[e] + c^2*d*x)/\text{Sqrt}[c^2*d + e]))/((-I)*\text{Sqrt}[d] + \text{Sqrt}[e]*x))/\text{Sqrt}[c^2*d + e] + 4*d*\text{PolyLog}[2, -E^{(-2*\text{ArcSech}[c*x])}] - 4*d*\text{PolyLog}[2, ((-I)*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] - 4*d*\text{PolyLog}[2, (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] - 4*d*\text{PolyLog}[2, ((-I)*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] - 4*d*\text{PolyLog}[2, (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})]))/e^3$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 4.48, size = 908, normalized size = 1.44 Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^2,x,method=_RETURNVERBOSE)

```
[Out] 1/c^6*(1/2*a*c^6*x^2/e^2-1/2*a*c^8*d^2/e^3/(c^2*e*x^2+c^2*d)-a*c^6*d/e^3*ln
(c^2*e*x^2+c^2*d)+b*c^8/(c^2*e*x^2+c^2*d)/e^2*d*arcsech(c*x)*x^2+1/2*b*c^8/
(c^2*e*x^2+c^2*d)/e*arcsech(c*x)*x^4-1/2*b*c^7/(c^2*e*x^2+c^2*d)/e^2*(-(c*x
-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*d*x-1/2*b*c^7/(c^2*e*x^2+c^2*d)/e*(-(c*x
-1)/c/x)^(1/2)*((c*x+1)/c/x)^(1/2)*x^3+1/2*b*c^6/(c^2*e*x^2+c^2*d)/e^2*d+1/
2*b*c^6/(c^2*e*x^2+c^2*d)/e*x^2+1/2*b*c^6*(e*(c^2*d+e))^(1/2)/e^3/(c^2*d+e)
*d*arctanh(1/4*(2*c^2*d*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2+2*c^2*d+
4*e)/(c^2*d+e+e^2)^(1/2))+2*b*c^6*d/e^3*arcsech(c*x)*ln(1+I*(1/c/x+(-1+1/c/
x)^(1/2)*(1+1/c/x)^(1/2)))+2*b*c^6*d/e^3*arcsech(c*x)*ln(1-I*(1/c/x+(-1+1/c/
x)^(1/2)*(1+1/c/x)^(1/2)))+2*b*c^6*d/e^3*dilog(1+I*(1/c/x+(-1+1/c/x)^(1/2)
*(1+1/c/x)^(1/2)))+2*b*c^6*d/e^3*dilog(1-I*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)
)^(1/2)))-1/2*b*c^6*d/e^3*sum((_R1^2*c^2*d+c^2*d+4*e)/(_R1^2*c^2*d+c^2*d+2*
e)*(arcsech(c*x)*ln((_R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/_R1)+dilog
((_R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(
2*c^2*d+4*e)*_Z^2+c^2*d))-1/2*b*c^8*d^2/e^3*sum((_R1^2+1)/(_R1^2*c^2*d+c^2*
d+2*e)*(arcsech(c*x)*ln((_R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/_R1)+d
ilog((_R1-1/c/x-(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z
^4+(2*c^2*d+4*e)*_Z^2+c^2*d))
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="maxima")
```

```
[Out] 1/2*(x^2*e^(-2) - 2*d*e^(-3)*log(x^2*e + d) - d^2/(x^2*e^4 + d*e^3))*a + b*
integrate(x^5*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^4*e^2 +
2*d*x^2*e + d^2), x)
```

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="fricas")
```

```
[Out] integral((b*x^5*arcsech(c*x) + a*x^5)/(x^4*e^2 + 2*d*x^2*e + d^2), x)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5(a + b \operatorname{asech}(cx))}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(a+b*asech(c*x))/(e*x**2+d)**2,x)`

[Out] `Integral(x**5*(a + b*asech(c*x))/(d + e*x**2)**2, x)`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arcsech(c*x) + a)*x^5/(e*x^2 + d)^2, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^5*(a + b*acosh(1/(c*x))))/(d + e*x^2)^2,x)`

[Out] `int((x^5*(a + b*acosh(1/(c*x))))/(d + e*x^2)^2, x)`

$$3.116 \quad \int \frac{x^3 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx$$

Optimal. Leaf size=580

$$\frac{a + b \operatorname{sech}^{-1}(cx)}{2e \left(e + \frac{d}{x^2}\right)} - \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{be^2} + \frac{b \sqrt{-1 + \frac{1}{c^2 x^2}} \operatorname{tanh}^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{-1 + \frac{1}{c^2 x^2}} x} \right)}{2e^{3/2} \sqrt{c^2 d + e} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}} - \frac{(a + b \operatorname{sech}^{-1}(cx))}{e^2}$$

```
[Out] 1/2*(-a-b*arcsech(c*x))/e/(e+d/x^2)-(a+b*arcsech(c*x))^2/b/e^2-(a+b*arcsech
(c*x))*ln(1+1/(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2)/e^2+1/2*(a+b*arcs
ech(c*x))*ln(1-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/
2)-(c^2*d+e)^(1/2)))/e^2+1/2*(a+b*arcsech(c*x))*ln(1+c*(1/c/x+(-1+1/c/x)^(1
/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/e^2+1/2*(a+b*arc
sech(c*x))*ln(1-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1
/2)+(c^2*d+e)^(1/2)))/e^2+1/2*(a+b*arcsech(c*x))*ln(1+c*(1/c/x+(-1+1/c/x)^(
1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/e^2+1/2*b*polyl
og(2,-1/(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))^2)/e^2+1/2*b*polylog(2,-c*
(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2
)))/e^2+1/2*b*polylog(2,c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/
2)/(e^(1/2)-(c^2*d+e)^(1/2)))/e^2+1/2*b*polylog(2,-c*(1/c/x+(-1+1/c/x)^(1/2
)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/e^2+1/2*b*polylog(
2,c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(
1/2)))/e^2+1/2*b*arctanh((c^2*d+e)^(1/2)/c/x/e^(1/2)/(-1+1/c^2/x^2)^(1/2))
*(-1+1/c^2/x^2)^(1/2)/e^(3/2)/(c^2*d+e)^(1/2)/(-1+1/c/x)^(1/2)/(1+1/c/x)^(1
/2)
```

Rubi [A]

time = 0.99, antiderivative size = 580, normalized size of antiderivative = 1.00, number of steps used = 30, number of rules used = 13, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.619$, Rules used = {6438, 5959, 5882, 3799, 2221, 2317, 2438, 5957, 533, 385, 214, 5962, 5681}

$$\frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(1 - \frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{-1 + \frac{1}{c^2 x^2}}}\right)}{2e} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{-1 + \frac{1}{c^2 x^2}}}\right)}{2e} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(1 - \frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{-1 + \frac{1}{c^2 x^2}}}\right)}{2e} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{-1 + \frac{1}{c^2 x^2}}}\right)}{2e} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{-1 + \frac{1}{c^2 x^2}}}\right)}{2e} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{-1 + \frac{1}{c^2 x^2}}}\right)}{2e} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{-1 + \frac{1}{c^2 x^2}}}\right)}{2e} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{-1 + \frac{1}{c^2 x^2}}}\right)}{2e} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{-1 + \frac{1}{c^2 x^2}}}\right)}{2e} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{-1 + \frac{1}{c^2 x^2}}}\right)}{2e}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*ArcSech[c*x]))/(d + e*x^2)^2,x]

```
[Out] -1/2*(a + b*ArcSech[c*x])/e*(e + d/x^2) - (a + b*ArcSech[c*x])^2/(b*e^2)
+ (b*Sqrt[-1 + 1/(c^2*x^2)]*ArcTanh[Sqrt[c^2*d + e]/(c*Sqrt[e]*Sqrt[-1 + 1/
(c^2*x^2)]*x)])/(2*e^(3/2)*Sqrt[c^2*d + e]*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c
*x)]) - ((a + b*ArcSech[c*x])*Log[1 + E^(-2*ArcSech[c*x])])/e^2 + ((a + b*A
```

```
rcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e
))]/(2*e^2) + ((a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sq
rt[e] - Sqrt[c^2*d + e]))]/(2*e^2) + ((a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[
-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e]))]/(2*e^2) + ((a + b*ArcSech
[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e]))]/(2
*e^2) + (b*PolyLog[2, -E^(-2*ArcSech[c*x]))]/(2*e^2) + (b*PolyLog[2, -((c*S
qrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e]))]/(2*e^2) + (b*PolyLog
[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e]))]/(2*e^2) + (b*
PolyLog[2, -((c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e]))]/(2*
e^2) + (b*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e
]))]/(2*e^2)
```

Rule 214

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 385

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 533

```
Int[(u_)*((c_) + (d_)*(x_)^(n_))^(q_)*((a1_) + (b1_)*(x_)^(non2_))^(p
_)*((a2_) + (b2_)*(x_)^(non2_))^(p_), x_Symbol] := Dist[(a1 + b1*x^(n/2))
^FracPart[p]*((a2 + b2*x^(n/2))^FracPart[p]/(a1*a2 + b1*b2*x^n)^FracPart[p]
), Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a1, b1, a2,
b2, c, d, n, p, q}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && !(EqQ
[n, 2] && IGtQ[q, 0])
```

Rule 2221

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3799

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (Complex[0, fz_])*(f_.)*(x_)], x_Symbol] := Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c + d*x)^m*(E^(2*((-I)*e + f*fz*x)))/(1 + E^(2*((-I)*e + f*fz*x)))], x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

Rule 5681

Int[(((e_.) + (f_.)*(x_))^(m_.)*Sinh[(c_.) + (d_.)*(x_)])/(Cosh[(c_.) + (d_.)*(x_)])*(b_.) + (a_.), x_Symbol] := Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)), x] + (Int[(e + f*x)^m*(E^(c + d*x))/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x)), x] + Int[(e + f*x)^m*(E^(c + d*x))/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x)), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]

Rule 5882

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)/(x_), x_Symbol] := Dist[1/b, Subst[Int[x^n*Tanh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 5957

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcCosh[c*x])/(2*e*(p + 1))), x] - Dist[b*(c/(2*e*(p + 1))), Int[(d + e*x^2)^(p + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]

Rule 5959

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

Rule 5962

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)/((d_.) + (e_.)*(x_)), x_Symbol] := Subst[Int[(a + b*x)^n*(Sinh[x]/(c*d + e*Cosh[x])), x], x, ArcCosh[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 6438

```

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_
)^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x
^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0
] && IntegersQ[m, p]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b\operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx &= -\operatorname{Subst}\left(\int \frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{x(e + dx^2)^2} dx, x, \frac{1}{x}\right) \\
&= -\operatorname{Subst}\left(\int \left(\frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{e^2x} - \frac{dx(a + b\cosh^{-1}\left(\frac{x}{c}\right))}{e(e + dx^2)^2} - \frac{dx(a + b\cosh^{-1}\left(\frac{x}{c}\right))}{e^2(e + dx^2)}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{\operatorname{Subst}\left(\int \frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{x} dx, x, \frac{1}{x}\right)}{e^2} + \frac{d\operatorname{Subst}\left(\int \frac{x(a + b\cosh^{-1}\left(\frac{x}{c}\right))}{e + dx^2} dx, x, \frac{1}{x}\right)}{e^2} + \frac{d\operatorname{Subst}\left(\int \frac{1}{e + dx^2} dx, x, \frac{1}{x}\right)}{e^2} \\
&= -\frac{a + b\operatorname{sech}^{-1}(cx)}{2e\left(e + \frac{d}{x^2}\right)} - \frac{\operatorname{Subst}\left(\int (a + bx)\tanh(x) dx, x, \operatorname{sech}^{-1}(cx)\right)}{e^2} + \frac{d\operatorname{Subst}\left(\int \frac{1}{e + dx^2} dx, x, \frac{1}{x}\right)}{e^2} \\
&= -\frac{a + b\operatorname{sech}^{-1}(cx)}{2e\left(e + \frac{d}{x^2}\right)} + \frac{(a + b\operatorname{sech}^{-1}(cx))^2}{2be^2} - \frac{2\operatorname{Subst}\left(\int \frac{e^{2x}(a + bx)}{1 + e^{2x}} dx, x, \operatorname{sech}^{-1}(cx)\right)}{e^2} \\
&= -\frac{a + b\operatorname{sech}^{-1}(cx)}{2e\left(e + \frac{d}{x^2}\right)} + \frac{(a + b\operatorname{sech}^{-1}(cx))^2}{2be^2} - \frac{(a + b\operatorname{sech}^{-1}(cx))\log\left(1 + e^{2\operatorname{sech}^{-1}(cx)}\right)}{e^2} \\
&= -\frac{a + b\operatorname{sech}^{-1}(cx)}{2e\left(e + \frac{d}{x^2}\right)} + \frac{b\sqrt{-1 + \frac{1}{c^2x^2}}\tanh^{-1}\left(\frac{\sqrt{c^2d + e}}{c\sqrt{e}\sqrt{-1 + \frac{1}{c^2x^2}}x}\right)}{2e^{3/2}\sqrt{c^2d + e}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}} - \frac{(a + b\operatorname{sech}^{-1}(cx))^2}{2be^2} \\
&= -\frac{a + b\operatorname{sech}^{-1}(cx)}{2e\left(e + \frac{d}{x^2}\right)} + \frac{b\sqrt{-1 + \frac{1}{c^2x^2}}\tanh^{-1}\left(\frac{\sqrt{c^2d + e}}{c\sqrt{e}\sqrt{-1 + \frac{1}{c^2x^2}}x}\right)}{2e^{3/2}\sqrt{c^2d + e}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}} + \frac{(a + b\operatorname{sech}^{-1}(cx))^2}{2be^2} \\
&= -\frac{a + b\operatorname{sech}^{-1}(cx)}{2e\left(e + \frac{d}{x^2}\right)} + \frac{b\sqrt{-1 + \frac{1}{c^2x^2}}\tanh^{-1}\left(\frac{\sqrt{c^2d + e}}{c\sqrt{e}\sqrt{-1 + \frac{1}{c^2x^2}}x}\right)}{2e^{3/2}\sqrt{c^2d + e}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}} + \frac{(a + b\operatorname{sech}^{-1}(cx))^2}{2be^2}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.84, size = 1208, normalized size = 2.08

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3*(a + b*ArcSech[c*x]))/(d + e*x^2)^2,x]

[Out]
$$\begin{aligned} & ((2*a*d)/(d + e*x^2) + (b*Sqrt[d]*ArcSech[c*x])/(Sqrt[d] - I*Sqrt[e]*x) + (\\ & b*Sqrt[d]*ArcSech[c*x])/(Sqrt[d] + I*Sqrt[e]*x) + (8*I)*b*ArcSin[Sqrt[1 - (\\ & I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTanh[(((-I)*c*Sqrt[d] + Sqrt[e])*Tanh[ArcSech[c*x]/2])/Sqrt[c^2*d + e]] + (8*I)*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*S \\ & qrt[d])]/Sqrt[2]]*ArcTanh[((I*c*Sqrt[d] + Sqrt[e])*Tanh[ArcSech[c*x]/2])/Sqr \\ & rt[c^2*d + e]] - 4*b*ArcSech[c*x]*Log[1 + E^(-2*ArcSech[c*x])] + 2*b*ArcSec \\ & h[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] \\ & - (4*I)*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqr \\ & t[e] - Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + 2*b*ArcSech[c*x]*Log \\ & [1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - (4*I)*b \\ & *ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(-Sqrt[e] + S \\ & qrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + 2*b*ArcSech[c*x]*Log[1 - (I* \\ & (Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + (4*I)*b*ArcSin[S \\ & qrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d \\ & + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + 2*b*ArcSech[c*x]*Log[1 + (I*(Sqrt[e] + \\ & Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + (4*I)*b*ArcSin[Sqrt[1 + (I \\ & *Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c* \\ & Sqrt[d]*E^ArcSech[c*x])] + 2*b*Log[x] + 2*a*Log[d + e*x^2] - 2*b*Log[1 + Sq \\ & rt[(1 - c*x)/(1 + c*x)] + c*x*Sqrt[(1 - c*x)/(1 + c*x)]] + (b*Sqrt[e]*Log[(\\ & (2*I)*Sqrt[e]*(Sqrt[d]*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x) + (Sqrt[d]*Sqrt[\\ & e] + I*c^2*d*x)/Sqrt[c^2*d + e]))/(I*Sqrt[d] + Sqrt[e]*x)]/Sqrt[c^2*d + e] \\ & + (b*Sqrt[e]*Log[(2*Sqrt[e]*(I*Sqrt[d]*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x) \\ & + (I*Sqrt[d]*Sqrt[e] + c^2*d*x)/Sqrt[c^2*d + e]))/((-I)*Sqrt[d] + Sqrt[e]* \\ & x)]/Sqrt[c^2*d + e] + 2*b*PolyLog[2, -E^(-2*ArcSech[c*x])] - 2*b*PolyLog[2 \\ & , ((-I)*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - 2*b*Pol \\ & yLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - 2*b* \\ & PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - \\ & 2*b*PolyLog[2, (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] \\ &)/(4*e^2) \end{aligned}$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 0.88, size = 686, normalized size = 1.18

method	result
--------	--------

derivativedivides	$\frac{\frac{a c^6 d}{2e^2(e c^2 x^2 + c^2 d)} + \frac{a c^4 \ln(e c^2 x^2 + c^2 d)}{2e^2} - \frac{b c^6 x^2 \operatorname{arcsech}(c x)}{2(e c^2 x^2 + c^2 d)e}}{b c^4 \sqrt{e(c^2 d + e)} \operatorname{arctanh}\left(\frac{2c^2 d \left(\frac{1}{c x} + \sqrt{-1 + \frac{1}{c x}}\right) \sqrt{1 + \frac{1}{c x}}}{4\sqrt{c^2 d e + c^2 d^2}}\right)}$
default	$\frac{\frac{a c^6 d}{2e^2(e c^2 x^2 + c^2 d)} + \frac{a c^4 \ln(e c^2 x^2 + c^2 d)}{2e^2} - \frac{b c^6 x^2 \operatorname{arcsech}(c x)}{2(e c^2 x^2 + c^2 d)e}}{b c^4 \sqrt{e(c^2 d + e)} \operatorname{arctanh}\left(\frac{2c^2 d \left(\frac{1}{c x} + \sqrt{-1 + \frac{1}{c x}}\right) \sqrt{1 + \frac{1}{c x}}}{4\sqrt{c^2 d e + c^2 d^2}}\right)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^2,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^4} \left(\frac{1}{2} a c^6 d e^{-2} / (c^2 e x^2 + c^2 d) + \frac{1}{2} a c^4 e^{-2} \ln(c^2 e x^2 + c^2 d) - \frac{1}{2} b c^6 x^2 \operatorname{arcsech}(c x) / (c^2 e x^2 + c^2 d) / e - \frac{1}{2} b c^4 (e(c^2 d + e))^{1/2} / e^2 / (c^2 d + e) \operatorname{arctanh}\left(\frac{1}{4} (2c^2 d (1/cx + (-1 + 1/cx)^{1/2}) * (1 + 1/cx)^{1/2})\right)^2 + 2c^2 d + 4e) / (c^2 d e + e^2)^{1/2} - b c^4 e^{-2} \operatorname{arcsech}(c x) * \ln(1 + I(1/cx + (-1 + 1/cx)^{1/2}) * (1 + 1/cx)^{1/2}) - b c^4 e^{-2} \operatorname{arcsech}(c x) * \ln(1 - I(1/cx + (-1 + 1/cx)^{1/2}) * (1 + 1/cx)^{1/2}) - b c^4 e^{-2} \operatorname{dilog}(1 + I(1/cx + (-1 + 1/cx)^{1/2}) * (1 + 1/cx)^{1/2}) - b c^4 e^{-2} \operatorname{dilog}(1 - I(1/cx + (-1 + 1/cx)^{1/2}) * (1 + 1/cx)^{1/2}) + \frac{1}{4} b c^4 e^{-2} \sum((_R1^2 c^2 d + c^2 d + 4e) / (_R1^2 c^2 d + c^2 d + 2e)) * (\operatorname{arcsech}(c x) * \ln((_R1 - 1/cx - (-1 + 1/cx)^{1/2}) * (1 + 1/cx)^{1/2}) / _R1) + \operatorname{dilog}((_R1 - 1/cx - (-1 + 1/cx)^{1/2}) * (1 + 1/cx)^{1/2}) / _R1), _R1 = \operatorname{RootOf}(c^2 d * _Z^4 + (2c^2 d + 4e) * _Z^2 + c^2 d)) + \frac{1}{4} b c^6 e^{-2} \sum((_R1^2 + 1) / (_R1^2 c^2 d + c^2 d + 2e)) * (\operatorname{arcsech}(c x) * \ln((_R1 - 1/cx - (-1 + 1/cx)^{1/2}) * (1 + 1/cx)^{1/2}) / _R1) + \operatorname{dilog}((_R1 - 1/cx - (-1 + 1/cx)^{1/2}) * (1 + 1/cx)^{1/2}) / _R1), _R1 = \operatorname{RootOf}(c^2 d * _Z^4 + (2c^2 d + 4e) * _Z^2 + c^2 d)) * d \right)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="maxima")`

[Out] $\frac{1}{2} (e^{-2}) \log(x^2 e + d) + \frac{d}{(x^2 e^3 + d e^2)} a + b \operatorname{integrate}(x^3 \log(\operatorname{sqrt}(1/(c x) + 1) * \operatorname{sqrt}(1/(c x) - 1) + 1/(c x)) / (x^4 e^2 + 2 d x^2 e + d^2), x)$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="fricas")``[Out] integral((b*x^3*arcsech(c*x) + a*x^3)/(x^4*e^2 + 2*d*x^2*e + d^2), x)`**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{asech}(cx))}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x**3*(a+b*asech(c*x))/(e*x**2+d)**2,x)``[Out] Integral(x**3*(a + b*asech(c*x))/(d + e*x**2)**2, x)`**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="giac")``[Out] integrate((b*arcsech(c*x) + a)*x^3/(e*x^2 + d)^2, x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3(a + b \operatorname{acosh}(\frac{1}{cx}))}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((x^3*(a + b*acosh(1/(c*x))))/(d + e*x^2)^2,x)``[Out] int((x^3*(a + b*acosh(1/(c*x))))/(d + e*x^2)^2, x)`

$$3.117 \quad \int \frac{x(a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx$$

Optimal. Leaf size=147

$$-\frac{a + b \operatorname{sech}^{-1}(cx)}{2e(d + ex^2)} + \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \tanh^{-1}(\sqrt{1 - c^2 x^2})}{2de} - \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \tanh^{-1}\left(\frac{\sqrt{e} \sqrt{1 - c^2 x^2}}{\sqrt{c^2 d + e}}\right)}{2d\sqrt{e} \sqrt{c^2 d + e}}$$

[Out] 1/2*(-a-b*arcsech(c*x))/e/(e*x^2+d)+1/2*b*arctanh((-c^2*x^2+1)^(1/2))*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/d/e-1/2*b*arctanh(e^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*d+e)^(1/2))*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/d/e^(1/2)/(c^2*d+e)^(1/2)

Rubi [A]

time = 0.16, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {6434, 531, 457, 88, 65, 214}

$$-\frac{a + b \operatorname{sech}^{-1}(cx)}{2e(d + ex^2)} + \frac{b \sqrt{\frac{1}{cx + 1}} \sqrt{cx + 1} \tanh^{-1}(\sqrt{1 - c^2 x^2})}{2de} - \frac{b \sqrt{\frac{1}{cx + 1}} \sqrt{cx + 1} \tanh^{-1}\left(\frac{\sqrt{e} \sqrt{1 - c^2 x^2}}{\sqrt{c^2 d + e}}\right)}{2d\sqrt{e} \sqrt{c^2 d + e}}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*ArcSech[c*x]))/(d + e*x^2)^2,x]

[Out] -1/2*(a + b*ArcSech[c*x])/(e*(d + e*x^2)) + (b*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcTanh[Sqrt[1 - c^2*x^2]])/(2*d*e) - (b*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcTanh[(Sqrt[e]*Sqrt[1 - c^2*x^2])/Sqrt[c^2*d + e]])/(2*d*Sqrt[e]*Sqrt[c^2*d + e])

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 88

Int[((e_.) + (f_.)*(x_))^(p_)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && !IntegerQ[p]

Rule 214

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 531

```
Int[(u_)*((c_) + (d_)*(x_)^(n_))^(q_)*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*(x_)^(non2_))^(p_.), x_Symbol] := Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p, q}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[p] || (GtQ[a1, 0] && GtQ[a2, 0]))
```

Rule 6434

```
Int[((a_) + ArcSech[(c_)*(x_)])*(b_)*(x_)*((d_) + (e_)*(x_)^2)^(p_.), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSech[c*x])/(2*e*(p + 1))), x] + Dist[b*(Sqrt[1 + c*x]/(2*e*(p + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x^2)^(p + 1)/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{2e(d + ex^2)} - \frac{\left(b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \frac{1}{x\sqrt{1-cx} \sqrt{1+cx} (d+ex^2)} dx}{2e} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{2e(d + ex^2)} - \frac{\left(b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \frac{1}{x\sqrt{1-c^2x^2} (d+ex^2)} dx}{2e} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{2e(d + ex^2)} - \frac{\left(b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-c^2x} (d+ex)} dx, x, \sqrt{1-cx}\right)}{4e} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{2e(d + ex^2)} + \frac{\left(b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-c^2x} (d+ex)} dx, x, \sqrt{1-cx}\right)}{4d} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{2e(d + ex^2)} - \frac{\left(b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \operatorname{Subst}\left(\int \frac{1}{d + \frac{e}{c^2} - \frac{ex^2}{c^2}} dx, x, \sqrt{1-c^2x}\right)}{2c^2d} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{2e(d + ex^2)} + \frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \tanh^{-1}\left(\sqrt{1-c^2x^2}\right)}{2de} - \frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}}{2de}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 0.74, size = 345, normalized size = 2.35

$$\frac{\frac{2a}{d+ex^2} + \frac{2b \operatorname{sech}^{-1}(cx)}{d+cx^2} + \frac{2b \log(x)}{d} - \frac{2b \log\left(1 + \sqrt{\frac{1-cx}{1+cx}} + cx \sqrt{\frac{1-cx}{1+cx}}\right)}{d} + \frac{b\sqrt{e} \log\left(\frac{\left(\frac{ide+c^2d^{3/2}\sqrt{e}x}{\sqrt{c^2d+e}(\sqrt{d+e}\sqrt{e}x)}\right)^4 + \frac{de\sqrt{\frac{1-cx}{1+cx}}(1+cx)}{-i\sqrt{d}\sqrt{e+ex}}}\right)}{4e\sqrt{c^2d+e}} + \frac{b\sqrt{e} \log\left(\frac{\left(\frac{de+c^2d^{3/2}\sqrt{e}x}{\sqrt{c^2d+e}(\sqrt{d+e}\sqrt{e}x)}\right)^4 + \frac{de\sqrt{\frac{1-cx}{1+cx}}(1+cx)}{i\sqrt{d}\sqrt{e+ex}}}\right)}{4e\sqrt{c^2d+e}}}{4e}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcSech[c*x]))/(d + e*x^2)^2,x]

[Out] -1/4*((2*a)/(d + e*x^2) + (2*b*ArcSech[c*x])/(d + e*x^2) + (2*b*Log[x])/d - (2*b*Log[1 + Sqrt[(1 - c*x)/(1 + c*x)] + c*x*Sqrt[(1 - c*x)/(1 + c*x]])/d + (b*Sqrt[e]*Log[(4*((I*d*e + c^2*d^(3/2)*Sqrt[e]*x)/(Sqrt[c^2*d + e]*(Sqrt[d + I*Sqrt[e]*x)) + (d*e*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x))/((-I)*Sqrt[d]*Sqrt[e] + e*x)))/b]/(d*Sqrt[c^2*d + e]) + (b*Sqrt[e]*Log[(4*((d*e + I*c^2*d^(3/2)*Sqrt[e]*x)/(Sqrt[c^2*d + e]*(I*Sqrt[d] + Sqrt[e]*x)) + (d*e*Sqr

$t[(1 - cx)/(1 + cx)]*(1 + cx)/(I*\text{Sqrt}[d]*\text{Sqrt}[e] + e*x))/b)/(d*\text{Sqrt}[c^2*d + e])/e$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 853 vs. $2(124) = 248$.

time = 3.70, size = 854, normalized size = 5.81

method	result
derivativedivides	$-\frac{a c^4}{2e(e c^2 x^2 + c^2 d)} - \frac{b c^4 \operatorname{arcsech}(cx)}{2e(e c^2 x^2 + c^2 d)} - \frac{b c^5 \sqrt{-\frac{cx-1}{cx}} x \sqrt{\frac{cx+1}{cx}} \operatorname{arctanh}\left(\frac{1}{\sqrt{-c^2 x^2 + 1}}\right)}{2\sqrt{-c^2 x^2 + 1} (e + \sqrt{-c^2 d e})} + \frac{b e^5 \sqrt{-\frac{cx-1}{cx}} x \sqrt{\frac{cx+1}{cx}} \operatorname{arctanh}\left(\frac{1}{\sqrt{-c^2 x^2 + 1}}\right)}{4\sqrt{-c^2 x^2 + 1} (e + \sqrt{-c^2 d e})}$
default	$-\frac{a c^4}{2e(e c^2 x^2 + c^2 d)} - \frac{b c^4 \operatorname{arcsech}(cx)}{2e(e c^2 x^2 + c^2 d)} - \frac{b c^5 \sqrt{-\frac{cx-1}{cx}} x \sqrt{\frac{cx+1}{cx}} \operatorname{arctanh}\left(\frac{1}{\sqrt{-c^2 x^2 + 1}}\right)}{2\sqrt{-c^2 x^2 + 1} (e + \sqrt{-c^2 d e})} + \frac{b e^5 \sqrt{-\frac{cx-1}{cx}} x \sqrt{\frac{cx+1}{cx}} \operatorname{arctanh}\left(\frac{1}{\sqrt{-c^2 x^2 + 1}}\right)}{4\sqrt{-c^2 x^2 + 1} (e + \sqrt{-c^2 d e})}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsech(c*x))/(e*x^2+d)^2,x,method=_RETURNVERBOSE)`

[Out] $1/c^2*(-1/2*a*c^4/e/(c^2*e*x^2+c^2*d)-1/2*b*c^4/e/(c^2*e*x^2+c^2*d)*\operatorname{arcsech}(c*x)-1/2*b*c^5*(-(c*x-1)/c/x)^{(1/2)}*x*((c*x+1)/c/x)^{(1/2)}/(-c^2*x^2+1)^{(1/2)}/(e+(-c^2*d*e)^{(1/2)})/(-e+(-c^2*d*e)^{(1/2)})*\operatorname{arctanh}(1/(-c^2*x^2+1)^{(1/2)})+1/4*b*c^5*(-(c*x-1)/c/x)^{(1/2)}*x*((c*x+1)/c/x)^{(1/2)}/(-c^2*x^2+1)^{(1/2)}/(e+(-c^2*d*e)^{(1/2)})/(-e+(-c^2*d*e)^{(1/2)})/((c^2*d+e)/e)^{(1/2)}*\ln(2*((-c^2*x^2+1)^{(1/2)}*((c^2*d+e)/e)^{(1/2)}*e+(-c^2*d*e)^{(1/2)}*c*x+e)/(e*c*x+(-c^2*d*e)^{(1/2)}))+1/4*b*c^5*(-(c*x-1)/c/x)^{(1/2)}*x*((c*x+1)/c/x)^{(1/2)}/(-c^2*x^2+1)^{(1/2)}/(e+(-c^2*d*e)^{(1/2)})/(-e+(-c^2*d*e)^{(1/2)})/((c^2*d+e)/e)^{(1/2)}*\ln(2*(-(c^2*x^2+1)^{(1/2)}*((c^2*d+e)/e)^{(1/2)}*e+(-c^2*d*e)^{(1/2)}*c*x-e)/(-e*c*x+(-c^2*d*e)^{(1/2)}))-1/2*b*c^3*(-(c*x-1)/c/x)^{(1/2)}*x*((c*x+1)/c/x)^{(1/2)}/(-c^2*x^2+1)^{(1/2)}/d/(e+(-c^2*d*e)^{(1/2)})/(-e+(-c^2*d*e)^{(1/2)})*\operatorname{arctanh}(1/(-c^2*x^2+1)^{(1/2)})*e+1/4*b*c^3*(-(c*x-1)/c/x)^{(1/2)}*x*((c*x+1)/c/x)^{(1/2)}/(-c^2*x^2+1)^{(1/2)}/d/(e+(-c^2*d*e)^{(1/2)})/(-e+(-c^2*d*e)^{(1/2)})/((c^2*d+e)/e)^{(1/2)}*\ln(2*((-c^2*x^2+1)^{(1/2)}*((c^2*d+e)/e)^{(1/2)}*e+(-c^2*d*e)^{(1/2)}*c*x+e)/(e*c*x+(-c^2*d*e)^{(1/2)}))+e+1/4*b*c^3*(-(c*x-1)/c/x)^{(1/2)}*x*((c*x+1)/c/x)^{(1/2)}/(-c^2*x^2+1)^{(1/2)}/d/(e+(-c^2*d*e)^{(1/2)})/(-e+(-c^2*d*e)^{(1/2)})/((c^2*d+e)/e)^{(1/2)}*\ln(2*(-(c^2*x^2+1)^{(1/2)}*((c^2*d+e)/e)^{(1/2)}*e+(-c^2*d*e)^{(1/2)}*c*x-e)/(-e*c*x+(-c^2*d*e)^{(1/2)}))*e)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="maxima")

[Out] $\frac{1}{2}*(2*c^2*\int \frac{1}{2}*x^3/(c^2*d^2*x^2 + (c^2*d*x^2*e - d*e)*x^2 + (c^2*d^2*x^2 + (c^2*d*x^2*e - d*e)*x^2 - d^2)*\sqrt{c*x + 1}*\sqrt{-c*x + 1} - d^2), x) + (x^2*\log(\sqrt{c*x + 1}*\sqrt{-c*x + 1} + 1) - x^2*\log(c) - x^2*\log(x))/((d*x^2*e + d^2) - 2*\int \frac{1}{2}*x/(c^2*d^2*x^2 + (c^2*d*x^2*e - d*e)*x^2 - d^2), x))*b - 1/2*a/(x^2*e^2 + d*e)$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 441 vs. 2(88) = 176.

time = 0.52, size = 1044, normalized size = 7.10

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="fricas")

[Out] $[-1/4*(2*a*c^2*d^2 + 2*a*d*\cosh(1) + 2*a*d*\sinh(1) - (b*x^2*\cosh(1) + b*x^2*\sinh(1) + b*d)*\sqrt{(c^2*d + \cosh(1) + \sinh(1))/(\cosh(1) - \sinh(1))}*\log((c^4*d^2 - 2*(c^2*x^2 - 2)*\cosh(1)^2 - 2*(c^2*x^2 - 2)*\sinh(1)^2 - (c^4*d*x^2 - 4*c^2*d)*\cosh(1) - (c^4*d*x^2 - 4*c^2*d + 4*(c^2*x^2 - 2)*\cosh(1))*\sinh(1) - 2*(c^2*d - (c^2*x^2 - 2)*\cosh(1) - (c^2*x^2 - 2)*\sinh(1))*\sqrt{(c^2*d + \cosh(1) + \sinh(1))/(\cosh(1) - \sinh(1))} + 2*(2*c^3*d*x*\cosh(1) + 2*c*x*\cosh(1)^2 + 2*c*x*\sinh(1)^2 + 2*(c^3*d*x + 2*c*x*\cosh(1))*\sinh(1) - (c^3*d*x + 2*c*x*\cosh(1) + 2*c*x*\sinh(1))*\sqrt{(c^2*d + \cosh(1) + \sinh(1))/(\cosh(1) - \sinh(1))})*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})/(x^2*\cosh(1) + x^2*\sinh(1) + d) + 2*(b*c^2*d^2 + b*x^2*\cosh(1)^2 + b*x^2*\sinh(1)^2 + (b*c^2*d*x^2 + b*d)*\cosh(1) + (b*c^2*d*x^2 + 2*b*x^2*\cosh(1) + b*d)*\sinh(1))*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - 1)/x) + 2*(b*c^2*d^2 + b*d*\cosh(1) + b*d*\sinh(1))*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)))/(c^2*d^3*\cosh(1) + d*x^2*\cosh(1)^3 + d*x^2*\sinh(1)^3 + (c^2*d^2*x^2 + d^2)*\cosh(1)^2 + (c^2*d^2*x^2 + 3*d*x^2*\cosh(1) + d^2)*\sinh(1)^2 + (c^2*d^3 + 3*d*x^2*\cosh(1)^2 + 2*(c^2*d^2*x^2 + d^2)*\cosh(1))*\sinh(1)), -1/2*(a*c^2*d^2 + a*d*\cosh(1) + a*d*\sinh(1) + (b*x^2*\cosh(1) + b*x^2*\sinh(1) + b*d)*\sqrt{-(c^2*d + \cosh(1) + \sinh(1))/(\cosh(1) - \sinh(1))}*\arctan((c*d*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - x^2*\cosh(1) - x^2*\sinh(1) - d)*\sqrt{-(c^2*d + \cosh(1) + \sinh(1))/(\cosh(1) - \sinh(1))})/(c^2*d*x^2*\cosh(1) + x^2*\cosh(1)^2 + x^2*\sinh(1)^2 + (c^2*d*x^2 + 2*x^2*\cosh(1))*\sinh(1)) + (b*c^2*d^2 + b*x^2*\cosh(1)^2 + b*x^2*\sinh(1)^2 + (b*c^2*d*x^2 + b*d)*\cosh(1) + (b*c^2*d*x^2 + 2*b*x^2*\cosh(1) + b*d)*\sinh(1))*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - 1)/x) + (b*c^2*d^2 + b*d*\cosh(1) + b*d*\sinh(1))*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)))/(c^2*d^3*\cosh(1) + d*x^2*\cosh(1)^3 + d*x^2*\sinh(1)^3 + (c^2*d^2*x^2 + d^2)*\cosh(1)^2 + (c^2*d^2*x^2 + 3*d*x^2*\cosh(1) + d^2)*\sinh(1)^2 + (c^2*d^3 + 3*d*x^2*\cosh(1)^2 + 2*(c^2*d^2*x^2 + d^2)*\cosh(1))*\sinh(1))]$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{asech}(cx))}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asech(c*x))/(e*x**2+d)**2,x)**[Out]** Integral(x*(a + b*asech(c*x))/(d + e*x**2)**2, x)**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="giac")**[Out]** integrate((b*arcsech(c*x) + a)*x/(e*x^2 + d)^2, x)**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x(a + b \operatorname{acosh}(\frac{1}{cx}))}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(a + b*acosh(1/(c*x))))/(d + e*x^2)^2,x)**[Out]** int((x*(a + b*acosh(1/(c*x))))/(d + e*x^2)^2, x)

$$3.118 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{x(d+ex^2)^2} dx$$

Optimal. Leaf size=542

$$-\frac{e(a+b\operatorname{sech}^{-1}(cx))}{2d^2(e+\frac{d}{x^2})} + \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{2bd^2} + \frac{b\sqrt{e}\sqrt{-1+\frac{1}{c^2x^2}} \operatorname{tanh}^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{-1+\frac{1}{c^2x^2}}x}\right)}{2d^2\sqrt{c^2d+e}\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}} - \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{2bd^2}$$

[Out] $-1/2*e*(a+b*\operatorname{arcsech}(c*x))/d^2/(e+d/x^2)+1/2*(a+b*\operatorname{arcsech}(c*x))^2/b/d^2-1/2*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/d^2-1/2*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/d^2-1/2*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/d^2-1/2*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/d^2-1/2*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/d^2-1/2*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/d^2-1/2*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/d^2-1/2*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/d^2+1/2*b*\operatorname{arctanh}((c^2*d+e)^{1/2}/c/x/e^{1/2}/(-1+1/c^2/x^2)^{1/2})*e^{1/2}*(-1+1/c^2/x^2)^{1/2}/d^2/(c^2*d+e)^{1/2}/(-1+1/c/x)^{1/2}/(1+1/c/x)^{1/2}$

Rubi [A]

time = 0.93, antiderivative size = 542, normalized size of antiderivative = 1.00, number of steps used = 25, number of rules used = 11, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.524$, Rules used = {6438, 5959, 5957, 533, 385, 214, 5962, 5681, 2221, 2317, 2438}

$$\frac{(a+b\operatorname{sech}^{-1}(cx))\log\left(1-\frac{\sqrt{c^2d+e}}{\sqrt{e}\sqrt{d+ex^2}}\right)}{2d^2} - \frac{(a+b\operatorname{sech}^{-1}(cx))\log\left(\frac{\sqrt{c^2d+e}}{\sqrt{e}\sqrt{d+ex^2}}+1\right)}{2d^2} - \frac{(a+b\operatorname{sech}^{-1}(cx))\log\left(1-\frac{\sqrt{c^2d+e}}{\sqrt{e}\sqrt{d+ex^2}}\right)}{2d^2} - \frac{(a+b\operatorname{sech}^{-1}(cx))\log\left(\frac{\sqrt{c^2d+e}}{\sqrt{e}\sqrt{d+ex^2}}+1\right)}{2d^2} - \frac{e(a+b\operatorname{sech}^{-1}(cx))}{2d^2(e+\frac{d}{x^2})} + \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{2bd^2} - \frac{b\sqrt{e}\sqrt{-1+\frac{1}{c^2x^2}} \operatorname{tanh}^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{-1+\frac{1}{c^2x^2}}x}\right)}{2d^2\sqrt{c^2d+e}\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}} - \frac{(a+b\operatorname{sech}^{-1}(cx))^2}{2bd^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])/(x*(d + e*x^2)^2), x]

[Out] $-1/2*(e*(a + b*\operatorname{ArcSech}[c*x]))/(d^2*(e + d/x^2)) + (a + b*\operatorname{ArcSech}[c*x])^2/(2*b*d^2) + (b*\sqrt{e}*\sqrt{-1 + 1/(c^2*x^2)}*\operatorname{ArcTanh}[\sqrt{c^2*d + e}/(c*\sqrt{e}*\sqrt{-1 + 1/(c^2*x^2)}*x)])/(2*d^2*\sqrt{c^2*d + e}*\sqrt{-1 + 1/(c*x)}*\operatorname{Sqrt}[1 + 1/(c*x)]) - ((a + b*\operatorname{ArcSech}[c*x])*Log[1 - (c*\sqrt{-d})*E^{\operatorname{ArcSech}[c*x]}])/(Sqrt[e] - Sqrt[c^2*d + e]))/(2*d^2) - ((a + b*\operatorname{ArcSech}[c*x])*Log[1 + (c*\sqrt{-d})*E^{\operatorname{ArcSech}[c*x]}])/(Sqrt[e] - Sqrt[c^2*d + e]))/(2*d^2) - ((a + b*A$

```
rcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e
))]/(2*d^2) - ((a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sq
rt[e] + Sqrt[c^2*d + e]))]/(2*d^2) - (b*PolyLog[2, -((c*Sqrt[-d]*E^ArcSech[
c*x])/(Sqrt[e] - Sqrt[c^2*d + e]))]/(2*d^2) - (b*PolyLog[2, (c*Sqrt[-d]*E^
ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e]))]/(2*d^2) - (b*PolyLog[2, -((c*Sq
rt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e]))]/(2*d^2) - (b*PolyLog[
2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e]))]/(2*d^2)
```

Rule 214

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 385

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 533

```
Int[(u_)*((c_) + (d_)*(x_)^(n_))^(q_)*((a1_) + (b1_)*(x_)^(non2_))^(p
_)*((a2_) + (b2_)*(x_)^(non2_))^(p_), x_Symbol] := Dist[(a1 + b1*x^(n/2))
^FracPart[p]*((a2 + b2*x^(n/2))^FracPart[p]/(a1*a2 + b1*b2*x^n)^FracPart[p]
), Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a1, b1, a2,
b2, c, d, n, p, q}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && !(EqQ
[n, 2] && IGtQ[q, 0])
```

Rule 2221

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 5681

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sinh[(c_.) + (d_.)*(x_)])/(Cosh[(c_.) + (d_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)), x] + (Int[(e + f*x)^m*(E^(c + d*x)/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x))), x] + Int[(e + f*x)^m*(E^(c + d*x)/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]
```

Rule 5957

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcCosh[c*x])/(2*e*(p + 1))), x] - Dist[b*(c/(2*e*(p + 1))), Int[(d + e*x^2)^(p + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 5959

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 5962

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)), x_Symbol] := Subst[Int[(a + b*x)^n*(Sinh[x]/(c*d + e*Cosh[x])), x], x, ArcCosh[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 6438

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegersQ[m, p]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x(d + ex^2)^2} dx &= -\operatorname{Subst} \left(\int \frac{x^3 (a + b \cosh^{-1}(\frac{x}{c}))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\operatorname{Subst} \left(\int \left(-\frac{ex(a + b \cosh^{-1}(\frac{x}{c}))}{d(e + dx^2)^2} + \frac{x(a + b \cosh^{-1}(\frac{x}{c}))}{d(e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\operatorname{Subst} \left(\int \frac{x(a + b \cosh^{-1}(\frac{x}{c}))}{e + dx^2} dx, x, \frac{1}{x} \right)}{d} + \frac{e \operatorname{Subst} \left(\int \frac{x(a + b \cosh^{-1}(\frac{x}{c}))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{e(a + b \operatorname{sech}^{-1}(cx))}{2d^2 \left(e + \frac{d}{x^2} \right)} - \frac{\operatorname{Subst} \left(\int \left(-\frac{\sqrt{-d} (a + b \cosh^{-1}(\frac{x}{c}))}{2d(\sqrt{e} - \sqrt{-d}x)} + \frac{\sqrt{-d} (a + b \cosh^{-1}(\frac{x}{c}))}{2d(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{e(a + b \operatorname{sech}^{-1}(cx))}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{\sqrt{e} - \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2(-d)^{3/2}} - \frac{\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{\sqrt{e} + \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2(-d)^{3/2}} \\
&= -\frac{e(a + b \operatorname{sech}^{-1}(cx))}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{\operatorname{Subst} \left(\int \frac{(a + bx) \sinh(x)}{\sqrt{e} - \sqrt{-d} \cosh(x)} dx, x, \operatorname{sech}^{-1}(cx) \right)}{2(-d)^{3/2}} - \frac{\operatorname{Subst} \left(\int \frac{(a + bx) \sinh(x)}{\sqrt{e} + \sqrt{-d} \cosh(x)} dx, x, \operatorname{sech}^{-1}(cx) \right)}{2(-d)^{3/2}} \\
&= -\frac{e(a + b \operatorname{sech}^{-1}(cx))}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{2bd^2} + \frac{b\sqrt{e} \sqrt{-1 + \frac{1}{c^2 x^2}} \tanh^{-1} \left(\frac{\sqrt{e} - \sqrt{-d}}{c\sqrt{e}} \right)}{2d^2 \sqrt{c^2 d + e} \sqrt{-1 + \frac{1}{c^2 x^2}}} \\
&= -\frac{e(a + b \operatorname{sech}^{-1}(cx))}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{2bd^2} + \frac{b\sqrt{e} \sqrt{-1 + \frac{1}{c^2 x^2}} \tanh^{-1} \left(\frac{\sqrt{e} - \sqrt{-d}}{c\sqrt{e}} \right)}{2d^2 \sqrt{c^2 d + e} \sqrt{-1 + \frac{1}{c^2 x^2}}} \\
&= -\frac{e(a + b \operatorname{sech}^{-1}(cx))}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{2bd^2} + \frac{b\sqrt{e} \sqrt{-1 + \frac{1}{c^2 x^2}} \tanh^{-1} \left(\frac{\sqrt{e} - \sqrt{-d}}{c\sqrt{e}} \right)}{2d^2 \sqrt{c^2 d + e} \sqrt{-1 + \frac{1}{c^2 x^2}}}
\end{aligned}$$

Mathematica [F]

time = 32.98, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x(d + ex^2)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSech[c*x])/(x*(d + e*x^2)^2), x]**[Out]** Integrate[(a + b*ArcSech[c*x])/(x*(d + e*x^2)^2), x]**Maple [C]** Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 4.67, size = 3326, normalized size = 6.14

method	result	size
derivativedivides	Expression too large to display	3326
default	Expression too large to display	3326

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))/x/(e*x^2+d)^2,x,method=_RETURNVERBOSE)

[Out] $\frac{1}{2} \frac{b}{c^2} \frac{1}{d^3} \operatorname{polylog}\left(2, d^2 c^2 \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right) \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right)\right)^2 / (-c^2 d - 2(e^{(c^2 d + e)^{1/2}})^{1/2} - 2e) \left(e^{(c^2 d + e)^{1/2}} - b/c^2 d^3 \operatorname{polylog}\left(2, d^2 c^2 \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right) \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right)\right)^2 / (-c^2 d - 2(e^{(c^2 d + e)^{1/2}})^{1/2} - 2e)\right) e^2 + 2b/c^2 d^3 e \operatorname{arcsech}(c x)^2 + 2b/c^4 d^4 e^2 \operatorname{arcsech}(c x)^2 - b/c^4 d^4 \operatorname{polylog}\left(2, d^2 c^2 \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right) \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right)\right)^2 / (-c^2 d - 2(e^{(c^2 d + e)^{1/2}})^{1/2} - 2e) e^2 - b/c^2 d^3 \operatorname{arcsech}(c x)^2 \left(e^{(c^2 d + e)^{1/2}} - 1/2 b c^2 / (c^2 d + e) / d \operatorname{arcsech}(c x)^2 + 1/4 b c^2 / (c^2 d + e) / d \operatorname{polylog}\left(2, d^2 c^2 \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right) \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right)\right)^2 / (-c^2 d - 2(e^{(c^2 d + e)^{1/2}})^{1/2} - 2e)\right) + b \left(e^{(c^2 d + e)^{1/2}} / (c^2 d + e) / d^2 \operatorname{arcsech}(c x)^2 - 3/4 b / (c^2 d + e) / d^2 \operatorname{polylog}\left(2, d^2 c^2 \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right) \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right)\right)^2 / (-c^2 d - 2(e^{(c^2 d + e)^{1/2}})^{1/2} - 2e)\right) \left(e^{(c^2 d + e)^{1/2}} - 1/2 b \left(e^{(c^2 d + e)^{1/2}} / (c^2 d + e) / d^2 \operatorname{arctanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right) \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right)\right)^2 + 2 c^2 d + 4 e\right) / (c^2 d e + e^2)^{1/2}\right) + 1/4 b \left(e^{(c^2 d + e)^{1/2}} / (c^2 d + e) / d^2 \operatorname{polylog}\left(2, d^2 c^2 \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right) \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right)\right)^2 / (-c^2 d + 2(e^{(c^2 d + e)^{1/2}})^{1/2} - 2e)\right) - 5/2 b / (c^2 d + e) e / d^2 \operatorname{arcsech}(c x)^2 + 5/4 b / (c^2 d + e) e / d^2 \operatorname{polylog}\left(2, d^2 c^2 \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right) \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right)\right)^2 / (-c^2 d - 2(e^{(c^2 d + e)^{1/2}})^{1/2} - 2e)\right) - 1/2 b / d^2 \sum\left(\left(\frac{1}{R_1^2} c^2 d + 2 c^2 d + 4 e\right) / \left(\frac{1}{R_1^2} c^2 d + c^2 d + 2 e\right) \left(\operatorname{arcsech}(c x) \ln\left(\frac{R_1 - 1/c/x - (-1 + 1/c/x)^{1/2} \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right)}{R_1}\right) + \operatorname{dilog}\left(\frac{R_1 - 1/c/x - (-1 + 1/c/x)^{1/2} \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right)}{R_1}\right)\right), R_1 = \operatorname{RootOf}(c^2 d^4 + (2 c^2 d + 4 e) z^2 + c^2 d)\right) - 1/4 b / d^2 \operatorname{polylog}\left(2, d^2 c^2 \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right) \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right)\right)^2 / (-c^2 d - 2(e^{(c^2 d + e)^{1/2}})^{1/2} - 2e) + b \operatorname{arcsech}(c x)^2 / d^2 + 3 b / c^2 / (c^2 d + e) e / d^3 \operatorname{arcsech}(c x)^2 \left(e^{(c^2 d + e)^{1/2}} + 2 b / c^2 / (c^2 d + e) e^2 / d^3 \operatorname{polylog}\left(2, d^2 c^2 \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right) \left(\frac{1}{c/x} + (-1 + 1/c/x)^{1/2}\right)\right)^2 / (-c^2 d - 2(e^{(c^2 d + e)^{1/2}})^{1/2} - 2e)\right) + 4 b / c^2 / (c^2 d + e) e^2 / d^3 \ln(1 - d^2 c^2 (1/$

$$\begin{aligned}
& c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e)) \\
& *arcsech(c*x)+2*b/c^4/(c^2*d+e)*e^3/d^4*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}* \\
& (1+1/c/x)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e)) *arcsech(c*x)-3/2*b/c \\
& ^2/(c^2*d+e)*e/d^3*polylog(2,d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}) \\
& ^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*(e*(c^2*d+e))^{(1/2)}-1/2*b*c^2*x^2*e \\
& arcsech(c*x)/(c^2*e*x^2+c^2*d)/d^2+2*b/c^4/d^4*\ln(1-d*c^2*(1/c/x+(-1+1/c/x) \\
& ^{(1/2)}*(1+1/c/x)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*e*arcsech(c*x) \\
& *(e*(c^2*d+e))^{(1/2)}-1/8*b*c^2/(c^2*d+e)/e/d*polylog(2,d*c^2*(1/c/x+(-1+1/ \\
& c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*(e*(c^2*d \\
& +e))^{(1/2)}-b/c^4/(c^2*d+e)*e^2/d^4*polylog(2,d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}* \\
& (1+1/c/x)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*(e*(c^2*d+e))^{(1/2)}+ \\
& 5/2*b/(c^2*d+e)*e/d^2*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2 \\
& /(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*arcsech(c*x)+1/2*b*(e*(c^2*d+e))^{(1/2)} \\
& /(c^2*d+e)/d^2*arcsech(c*x)*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1 \\
& /2)})^2/(-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e))+b/c^2/d^3*\ln(1-d*c^2*(1/c/x+(-1+ \\
& 1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*arcsech \\
& (c*x)*(e*(c^2*d+e))^{(1/2)}-2*b/c^2/d^3*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}*(1 \\
& +1/c/x)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*arcsech(c*x)*e-2*b/c^4 \\
& /d^4*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2/(-c^2*d-2*(e*(c^ \\
& 2*d+e))^{(1/2)}-2*e))*e^2*arcsech(c*x)+1/2*b*c^2/(c^2*d+e)/d*\ln(1-d*c^2*(1/c/ \\
& x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*a \\
& rcsech(c*x)-2*b/c^4/(c^2*d+e)*e^3/d^4*arcsech(c*x)^2-3/2*b/(c^2*d+e)/d^2*\ln \\
& (1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e)) \\
& ^{(1/2)}-2*e))*arcsech(c*x)*(e*(c^2*d+e))^{(1/2)}+b/c^4/d^4*polylog(2,d*c^2*(1/ \\
& c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e)) \\
& *e*(e*(c^2*d+e))^{(1/2)}-4*b/c^2/(c^2*d+e)*e^2/d^3*arcsech(c*x)^2-1/4*b*c^2/(c^ \\
& 2*d+e)/e/d*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2/(-c^2*d- \\
& 2*(e*(c^2*d+e))^{(1/2)}-2*e))*arcsech(c*x)*(e*(c^2*d+e))^{(1/2)}-3*b/c^2/(c^2*d \\
& +e)*e/d^3*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2/(-c^2*d-2*(\\
& e*(c^2*d+e))^{(1/2)}-2*e))*arcsech(c*x)*(e*(c^2*d+e))^{(1/2)}+1/4*b*c^2*(e*(c^2 \\
& *d+e))^{(1/2)}/(c^2*d+e)/e/d*arcsech(c*x)*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}* \\
& (1+1/c/x)^{(1/2)})^2/(-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e))-2*b/c^4/(c^2*d+e)*e^ \\
& 2/d^4*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2/(-c^2*d-2*(e*(c \\
& ^2*d+e))^{(1/2)}-2*e))*arcsech(c*x)*(e*(c^2*d+e))^{(1/2)}+b/c^4/(c^2*d+e)*e^3/d \\
& ^4*polylog(2,d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2/(-c^2*d-2*(e* \\
& (c^2*d+e))^{(1/2)}-2*e))-2*b/c^4/d^4*e*arcsech(c*x)^2*(e*(c^2*d+e))^{(1/2)}+2*b \\
& /c^4/(c^2*d+e)*e^2/d^4*arcsech(c*x)^2*(e*(c^2*d+e))^{(1/2)}+1/8*b*c^2*(e*(c^2 \\
& *d+e))^{(1/2)}/(c^2*d+e)/e/d*polylog(2,d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x) \\
&)^{(1/2)})^2/(-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e))+1/2*a*c^2/d/(c^2*e*x^2+c^2*d \\
&)-1/2*b/d^2*\ln(1-d*c^2*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})^2/(-c^2*d-2 \\
& *(e*(c^2*d+e))^{(1/2)}-2*e))*arcsech(c*x)+a/d^2*\ln(c*x)-1/2*a/d^2*\ln(c^2*e*x^ \\
& 2+c^2*d)
\end{aligned}$$

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: THROW: The catch RAT-ERR is undefined.

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b*arcsech(c*x) + a)/(x^5*e^2 + 2*d*x^3*e + d^2*x), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x (d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/x/(e*x**2+d)**2,x)

[Out] Integral((a + b*asech(c*x))/(x*(d + e*x**2)**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/((e*x^2 + d)^2*x), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(x*(d + e*x^2)^2),x)

[Out] int((a + b*acosh(1/(c*x)))/(x*(d + e*x^2)^2), x)

$$3.119 \quad \int \frac{x^4 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx$$

Optimal. Leaf size=840

$$\frac{d(a + b \operatorname{sech}^{-1}(cx))}{4e^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{d(a + b \operatorname{sech}^{-1}(cx))}{4e^2 \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{x(a + b \operatorname{sech}^{-1}(cx))}{e^2} + \frac{bd \operatorname{ArcTan} \left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{1 - \frac{d}{cx}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}} \sqrt{1 - \frac{d}{cx}}} \right)}{2 \sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{cd + \sqrt{-d} \sqrt{e}}}$$

[Out] $x*(a+b*\operatorname{arcsech}(c*x))/e^2 - b*\arctan((-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})/c/e^{2+3/4} + (a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)})))*(-d)^{(1/2)}/e^{(5/2)} - 3/4*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)})))*(-d)^{(1/2)}/e^{(5/2)} + 3/4*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)})))*(-d)^{(1/2)}/e^{(5/2)} - 3/4*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)})))*(-d)^{(1/2)}/e^{(5/2)} - 3/4*b*\operatorname{polylog}(2, -c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)})))*(-d)^{(1/2)}/e^{(5/2)} + 3/4*b*\operatorname{polylog}(2, c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)})))*(-d)^{(1/2)}/e^{(5/2)} - 3/4*b*\operatorname{polylog}(2, -c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)})))*(-d)^{(1/2)}/e^{(5/2)} + 3/4*b*\operatorname{polylog}(2, c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)})))*(-d)^{(1/2)}/e^{(5/2)} - 1/4*d*(a+b*\operatorname{arcsech}(c*x))/e^2/(d/x+(-d)^{(1/2)}*e^{(1/2)}) + 1/4*d*(a+b*\operatorname{arcsech}(c*x))/e^2/(d/x+(-d)^{(1/2)}*e^{(1/2)}) + 1/2*b*d*\arctan((1+1/c/x)^{(1/2)}*(c*d-(-d)^{(1/2)}*e^{(1/2)})^{(1/2)}/(-1+1/c/x)^{(1/2)}/(c*d+(-d)^{(1/2)}*e^{(1/2)})^{(1/2)})/e^2/(c*d-(-d)^{(1/2)}*e^{(1/2)})^{(1/2)}/(c*d+(-d)^{(1/2)}*e^{(1/2)})^{(1/2)} + 1/2*b*d*\arctan((1+1/c/x)^{(1/2)}*(c*d+(-d)^{(1/2)}*e^{(1/2)})^{(1/2)}/(-1+1/c/x)^{(1/2)}/(c*d-(-d)^{(1/2)}*e^{(1/2)})^{(1/2)})/e^2/(c*d-(-d)^{(1/2)}*e^{(1/2)})^{(1/2)}/(c*d+(-d)^{(1/2)}*e^{(1/2)})^{(1/2)}}$

Rubi [A]

time = 2.12, antiderivative size = 840, normalized size of antiderivative = 1.00, number of steps used = 50, number of rules used = 13, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.619$, Rules used = {6438, 5959, 5883, 94, 211, 5909, 5963, 95, 5962, 5681, 2221, 2317, 2438}

$\frac{d(a+b \operatorname{sech}^{-1}(cx))}{4e^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{d(a+b \operatorname{sech}^{-1}(cx))}{4e^2 \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{x(a+b \operatorname{sech}^{-1}(cx))}{e^2} + \frac{bd \operatorname{ArcTan} \left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{1 - \frac{d}{cx}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}} \sqrt{1 - \frac{d}{cx}}} \right)}{2 \sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{cd + \sqrt{-d} \sqrt{e}}}$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^4*(a + b*\operatorname{ArcSech}[c*x]))/(d + e*x^2)^2, x]$

```
[Out] -1/4*(d*(a + b*ArcSech[c*x]))/(e^2*(Sqrt[-d]*Sqrt[e] - d/x)) + (d*(a + b*ArcSech[c*x]))/(4*e^2*(Sqrt[-d]*Sqrt[e] + d/x)) + (x*(a + b*ArcSech[c*x]))/e^2 + (b*d*ArcTan[(Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])/(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)])])/(2*Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*e^2) + (b*d*ArcTan[(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])/(Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)])])/(2*Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*e^2) - (b*ArcTan[Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)])/(c*e^2) + (3*Sqrt[-d]*(a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*e^(5/2)) - (3*Sqrt[-d]*(a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*e^(5/2)) + (3*Sqrt[-d]*(a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*e^(5/2)) - (3*Sqrt[-d]*(a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*e^(5/2)) - (3*b*Sqrt[-d]*PolyLog[2, -(c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*e^(5/2)) + (3*b*Sqrt[-d]*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*e^(5/2)) - (3*b*Sqrt[-d]*PolyLog[2, -(c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*e^(5/2)) + (3*b*Sqrt[-d]*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*e^(5/2))
```

Rule 94

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]
```

Rule 95

```
Int[(((a_.) + (b_.)*(x_.))^m)*((c_.) + (d_.)*(x_.))^n)/((e_.) + (f_.)*(x_.)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 211

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 2221

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^n)*((c_.) + (d_.)*(x_.))^m)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^n), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x]
```

)^n/a]], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 5681

Int[(((e_.) + (f_.)*(x_)^(m_.))*Sinh[(c_.) + (d_.)*(x_)])/(Cosh[(c_.) + (d_.)*(x_)])*(b_.) + (a_.), x_Symbol] :> Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)), x] + (Int[(e + f*x)^m*(E^(c + d*x)/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x))), x] + Int[(e + f*x)^m*(E^(c + d*x)/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]

Rule 5883

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_)^(m_.), x_Symbol] :> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5909

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (p > 0 || IGtQ[n, 0])

Rule 5959

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

Rule 5962

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)/((d_.) + (e_.)*(x_)), x_Symbol] :> Subst[Int[(a + b*x)^n*(Sinh[x]/(c*d + e*Cosh[x])), x], x, ArcCosh[c*x]

]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 5963

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_.)*((d_.) + (e_.)*(x_))^(m_.), x_Symbol] :> Simp[(d + e*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(e*(m + 1))), x] - Dist[b*c*(n/(e*(m + 1))), Int[(d + e*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[-1 + c*x]*Sqrt[1 + c*x])), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 6438

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegersQ[m, p]

Rubi steps

$$\begin{aligned}
\int \frac{x^4(a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx &= -\operatorname{Subst}\left(\int \frac{a + b \cosh^{-1}\left(\frac{x}{c}\right)}{x^2(e + dx^2)^2} dx, x, \frac{1}{x}\right) \\
&= -\operatorname{Subst}\left(\int \left(\frac{a + b \cosh^{-1}\left(\frac{x}{c}\right)}{e^2 x^2} - \frac{d(a + b \cosh^{-1}\left(\frac{x}{c}\right))}{e(e + dx^2)^2} - \frac{d(a + b \cosh^{-1}\left(\frac{x}{c}\right))}{e^2(e + dx^2)}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{\operatorname{Subst}\left(\int \frac{a + b \cosh^{-1}\left(\frac{x}{c}\right)}{x^2} dx, x, \frac{1}{x}\right)}{e^2} + \frac{d \operatorname{Subst}\left(\int \frac{a + b \cosh^{-1}\left(\frac{x}{c}\right)}{e + dx^2} dx, x, \frac{1}{x}\right)}{e^2} + \frac{d \operatorname{Subst}\left(\int \frac{a + b \cosh^{-1}\left(\frac{x}{c}\right)}{e + dx^2} dx, x, \frac{1}{x}\right)}{e^2} \\
&= \frac{x(a + b \operatorname{sech}^{-1}(cx))}{e^2} - \frac{b \operatorname{Subst}\left(\int \frac{1}{x \sqrt{-1 + \frac{x}{c}} \sqrt{1 + \frac{x}{c}}} dx, x, \frac{1}{x}\right)}{ce^2} + \frac{d \operatorname{Subst}\left(\int \frac{a + b \cosh^{-1}\left(\frac{x}{c}\right)}{\sqrt{e - \sqrt{-d}x}} dx, x, \frac{1}{x}\right)}{2e^{5/2}} + \frac{d \operatorname{Subst}\left(\int \frac{a + b \cosh^{-1}\left(\frac{x}{c}\right)}{\sqrt{e + \sqrt{-d}x}} dx, x, \frac{1}{x}\right)}{2e^{5/2}} \\
&= -\frac{d(a + b \operatorname{sech}^{-1}(cx))}{4e^2\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} + \frac{d(a + b \operatorname{sech}^{-1}(cx))}{4e^2\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} + \frac{x(a + b \operatorname{sech}^{-1}(cx))}{e^2} - \frac{b \operatorname{ta}}{\dots} \\
&= -\frac{d(a + b \operatorname{sech}^{-1}(cx))}{4e^2\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} + \frac{d(a + b \operatorname{sech}^{-1}(cx))}{4e^2\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} + \frac{x(a + b \operatorname{sech}^{-1}(cx))}{e^2} - \frac{b \operatorname{ta}}{\dots} \\
&= -\frac{d(a + b \operatorname{sech}^{-1}(cx))}{4e^2\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} + \frac{d(a + b \operatorname{sech}^{-1}(cx))}{4e^2\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} + \frac{x(a + b \operatorname{sech}^{-1}(cx))}{e^2} + \frac{bd \operatorname{t}}{2\sqrt{e}} \\
&= -\frac{d(a + b \operatorname{sech}^{-1}(cx))}{4e^2\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} + \frac{d(a + b \operatorname{sech}^{-1}(cx))}{4e^2\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} + \frac{x(a + b \operatorname{sech}^{-1}(cx))}{e^2} + \frac{bd \operatorname{t}}{2\sqrt{e}} \\
&= -\frac{d(a + b \operatorname{sech}^{-1}(cx))}{4e^2\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} + \frac{d(a + b \operatorname{sech}^{-1}(cx))}{4e^2\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} + \frac{x(a + b \operatorname{sech}^{-1}(cx))}{e^2} + \frac{bd \operatorname{t}}{2\sqrt{e}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 1.07, size = 1270, normalized size = 1.51

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4*(a + b*ArcSech[c*x]))/(d + e*x^2)^2,x]

[Out] $(4*a*\sqrt{e}*x + (2*a*d*\sqrt{e}*x)/(d + e*x^2) + 4*b*\sqrt{e}*x*\text{ArcSech}[c*x] + (b*d*\text{ArcSech}[c*x])/((-I)*\sqrt{d} + \sqrt{e}*x) + (b*d*\text{ArcSech}[c*x])/(I*\sqrt{d} + \sqrt{e}*x) - 6*a*\sqrt{d}*\text{ArcTan}[(\sqrt{e}*x)/\sqrt{d}] - (8*b*\sqrt{e}*\text{ArcTan}[\text{Tanh}[\text{ArcSech}[c*x]/2]])/c + 12*b*\sqrt{d}*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{ArcTanh}[((-I)*c*\sqrt{d} + \sqrt{e})*\text{Tanh}[\text{ArcSech}[c*x]/2])/ \sqrt{c^2*d + e}] - 12*b*\sqrt{d}*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{ArcTanh}[(I*c*\sqrt{d} + \sqrt{e})*\text{Tanh}[\text{ArcSech}[c*x]/2])/ \sqrt{c^2*d + e}] + (3*I)*b*\sqrt{d}*\text{ArcSech}[c*x]*\text{Log}[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] + 6*b*\sqrt{d}*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{Log}[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - (3*I)*b*\sqrt{d}*\text{ArcSech}[c*x]*\text{Log}[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - 6*b*\sqrt{d}*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{Log}[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - (3*I)*b*\sqrt{d}*\text{ArcSech}[c*x]*\text{Log}[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] + 6*b*\sqrt{d}*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{Log}[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] + (3*I)*b*\sqrt{d}*\text{ArcSech}[c*x]*\text{Log}[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - 6*b*\sqrt{d}*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{Log}[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - (I*b*\sqrt{d}*\sqrt{e}*\text{Log}[(2*I)*\sqrt{e}*(\sqrt{d}*\sqrt{(1 - c*x)/(1 + c*x)}*(1 + c*x) + (\sqrt{d}*\sqrt{e} + I*c^2*d*x)/\sqrt{c^2*d + e}))/ (I*\sqrt{d} + \sqrt{e}*x)])/\sqrt{c^2*d + e} + (I*b*\sqrt{d}*\sqrt{e}*\text{Log}[(2*\sqrt{e}*(I*\sqrt{d}*\sqrt{(1 - c*x)/(1 + c*x)}*(1 + c*x) + (I*\sqrt{d}*\sqrt{e} + c^2*d*x)/\sqrt{c^2*d + e}))/((-I)*\sqrt{d} + \sqrt{e}*x)])/\sqrt{c^2*d + e} + (3*I)*b*\sqrt{d}*\text{PolyLog}[2, ((-I)*(-\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - (3*I)*b*\sqrt{d}*\text{PolyLog}[2, (I*(-\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - (3*I)*b*\sqrt{d}*\text{PolyLog}[2, ((-I)*(\sqrt{e} + \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] + (3*I)*b*\sqrt{d}*\text{PolyLog}[2, (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})]])/(4*e^(5/2))$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 15.94, size = 2016, normalized size = 2.40

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4*(a+b*\text{arcsech}(c*x))/(e*x^2+d)^2,x)$

[Out] $a/e^2*x^{1/2}*c^2*a/e^2*d*x/(c^2*e*x^2+c^2*d)-3/2*a/e^2*d/(d*e)^{(1/2)}*\arctan(e*x/(d*e)^{(1/2)})+c^2*b*x^3*\text{arcsech}(c*x)/(c^2*e*x^2+c^2*d)/e+3/2*c^2*b*\text{arcsech}(c*x)/e^2*d*x/(c^2*e*x^2+c^2*d)-1/2/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d/e^2-1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^2/e^2*(e*(c^2*d+e))^{(1/2)}-1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^2/e+1/2/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e^2/(c^2*d+e)/d*(e*(c^2*d+e))^{(1/2)}+1/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e/(c^2*d+e)/d+1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e/(c^2*d+e)/d^2*(e*(c^2*d+e))^{(1/2)}+1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/(c^2*d+e)/d^2-1/2/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d/e^2+1/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^2/e^2*(e*(c^2*d+e))^{(1/2)}-1/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^2/e-1/2/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e^2/(c^2*d+e)/d*(e*(c^2*d+e))^{(1/2)}+1/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e/(c^2*d+e)/d-1/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e/(c^2*d+e)/d^2*(e*(c^2*d+e))^{(1/2)}+1/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/(c^2*d+e)/d^2-2/c*b/e^2*\text{arctan}(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})-3/16*c*b/e^3*d*\text{sum}((_R1^2*c^2*d+c^2*d+4*e)/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(\text{arcsech}(c*x)*\ln((_R1-1/c/x-(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})/_R1)+d*\text{ilog}((_R1-1/c/x-(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+3/16*c*b/e^3*d*\text{sum}((_R1^2*c^2*d+4*_R1^2*e+c^2*d)/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(\text{arcsech}(c*x)*\ln((_R1-1/c/x-(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})/_R1)+d*\text{ilog}((_R1-1/c/x-(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))$

Maxima [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b*x^4*arcsech(c*x) + a*x^4)/(x^4*e^2 + 2*d*x^2*e + d^2), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4(a + b \operatorname{asech}(cx))}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(a+b*asech(c*x))/(e*x**2+d)**2,x)

[Out] Integral(x**4*(a + b*asech(c*x))/(d + e*x**2)**2, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x^4/(e*x^2 + d)^2, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(a + b*acosh(1/(c*x))))/(d + e*x^2)^2,x)

[Out] int((x^4*(a + b*acosh(1/(c*x))))/(d + e*x^2)^2, x)

$$3.120 \quad \int \frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx$$

Optimal. Leaf size=786

$$\frac{a + b \operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} - \frac{b \operatorname{ArcTan} \left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{1 + \frac{1}{cx}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}} \sqrt{-1 + \frac{1}{cx}}} \right)}{2\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{cd + \sqrt{-d} \sqrt{e}} e} - \frac{b \operatorname{ArcTan} \left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{1 + \frac{1}{cx}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}} \sqrt{-1 + \frac{1}{cx}}} \right)}{2\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{cd + \sqrt{-d} \sqrt{e}} e}$$

```
[Out] 1/4*(a+b*arcsech(c*x))*ln(1-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/e^(3/2)/(-d)^(1/2)-1/4*(a+b*arcsech(c*x))*ln(1+c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/e^(3/2)/(-d)^(1/2)+1/4*(a+b*arcsech(c*x))*ln(1-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/e^(3/2)/(-d)^(1/2)-1/4*(a+b*arcsech(c*x))*ln(1+c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/e^(3/2)/(-d)^(1/2)-1/4*b*polylog(2,-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/e^(3/2)/(-d)^(1/2)+1/4*b*polylog(2,c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)-(c^2*d+e)^(1/2)))/e^(3/2)/(-d)^(1/2)-1/4*b*polylog(2,-c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/e^(3/2)/(-d)^(1/2)+1/4*b*polylog(2,c*(1/c/x+(-1+1/c/x)^(1/2)*(1+1/c/x)^(1/2))*(-d)^(1/2)/(e^(1/2)+(c^2*d+e)^(1/2)))/e^(3/2)/(-d)^(1/2)+1/4*(a+b*arcsech(c*x))/e/(-d/x+(-d)^(1/2)*e^(1/2))+1/4*(-a-b*arcsech(c*x))/e/(d/x+(-d)^(1/2)*e^(1/2))-1/2*b*arctan((1+1/c/x)^(1/2)*(c*d-(-d)^(1/2)*e^(1/2))^(1/2)/(-1+1/c/x)^(1/2)/(c*d+(-d)^(1/2)*e^(1/2))^(1/2))/e/(c*d-(-d)^(1/2)*e^(1/2))^(1/2)/(c*d+(-d)^(1/2)*e^(1/2))^(1/2)-1/2*b*arctan((1+1/c/x)^(1/2)*(c*d+(-d)^(1/2)*e^(1/2))^(1/2)/(-1+1/c/x)^(1/2)/(c*d-(-d)^(1/2)*e^(1/2))^(1/2))/e/(c*d-(-d)^(1/2)*e^(1/2))^(1/2)/(c*d+(-d)^(1/2)*e^(1/2))^(1/2)
```

Rubi [A]

time = 1.01, antiderivative size = 786, normalized size of antiderivative = 1.00, number of steps used = 27, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {6438, 5909, 5963, 95, 211, 5962, 5681, 2221, 2317, 2438}

$$\frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(\frac{1 - \sqrt{-d} \sqrt{e}}{\sqrt{cd - \sqrt{-d} \sqrt{e}}}\right)}{4e \sqrt{e}} - \frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}}}\right)}{4e \sqrt{e}} + \frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(\frac{1 - \sqrt{-d} \sqrt{e}}{\sqrt{cd - \sqrt{-d} \sqrt{e}}}\right)}{4e \sqrt{e}} - \frac{(a + b \operatorname{sech}^{-1}(cx)) \log\left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}}}\right)}{4e \sqrt{e}} + \frac{a + b \operatorname{sech}^{-1}(cx)}{\ln(\sqrt{-d} \sqrt{e} - \frac{d}{x})} - \frac{a + b \operatorname{sech}^{-1}(cx)}{\ln(\sqrt{-d} \sqrt{e} + \frac{d}{x})} + \frac{b \operatorname{ArcTan}\left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{1 + \frac{1}{cx}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}} \sqrt{-1 + \frac{1}{cx}}}\right)}{2\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{cd + \sqrt{-d} \sqrt{e}} e} + \frac{b \operatorname{ArcTan}\left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{1 + \frac{1}{cx}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}} \sqrt{-1 + \frac{1}{cx}}}\right)}{2\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{cd + \sqrt{-d} \sqrt{e}} e} - \frac{b \operatorname{ArcTan}\left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{1 + \frac{1}{cx}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}} \sqrt{-1 + \frac{1}{cx}}}\right)}{2\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{cd + \sqrt{-d} \sqrt{e}} e} - \frac{b \operatorname{ArcTan}\left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{1 + \frac{1}{cx}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}} \sqrt{-1 + \frac{1}{cx}}}\right)}{2\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{cd + \sqrt{-d} \sqrt{e}} e}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(a + b*ArcSech[c*x]))/(d + e*x^2)^2,x]

[Out] (a + b*ArcSech[c*x])/(4*e*(Sqrt[-d]*Sqrt[e] - d/x)) - (a + b*ArcSech[c*x])/(4*e*(Sqrt[-d]*Sqrt[e] + d/x)) - (b*ArcTan[(Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[e])*(Sqrt[e] + d/x)]/(4*e*(Sqrt[-d]*Sqrt[e] - d/x))) - (b*ArcTan[(Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[e])*(Sqrt[e] + d/x)]/(4*e*(Sqrt[-d]*Sqrt[e] + d/x)))

```

rt[1 + 1/(c*x)]/(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)])))/(2*Sqr
t[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*e) - (b*ArcTan[(Sqrt
[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])/(Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*S
qrt[-1 + 1/(c*x)])))/(2*Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[c*d + Sqrt[-d]*Sq
rt[e]]*e) + ((a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt
[e] - Sqrt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/2)) - ((a + b*ArcSech[c*x])*Log[1
+ (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*Sqrt[-d]*e^
(3/2)) + ((a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e]
+ Sqrt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/2)) - ((a + b*ArcSech[c*x])*Log[1 +
(c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/
2)) - (b*PolyLog[2, -((c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e
]))])/(4*Sqrt[-d]*e^(3/2)) + (b*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqr
t[e] - Sqrt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/2)) - (b*PolyLog[2, -((c*Sqrt[-d
]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/2)) + (b*
PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*Sqr
t[-d]*e^(3/2))

```

Rule 95

```

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 211

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt
[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

Rule 2221

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))*((c_.) + (d_.)*(x_)^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

Rule 2317

```

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 5681

```
Int[(((e_.) + (f_.)*(x_)^(m_.))*Sinh[(c_.) + (d_.)*(x_)])/(Cosh[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)), x] + (Int[(e + f*x)^m*(E^(c + d*x))/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x)), x] + Int[(e + f*x)^m*(E^(c + d*x))/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x)), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]
```

Rule 5909

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (p > 0 || IGtQ[n, 0])
```

Rule 5962

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)/((d_.) + (e_.)*(x_)), x_Symbol] := Subst[Int[(a + b*x)^n*(Sinh[x]/(c*d + e*Cosh[x])), x], x, ArcCosh[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 5963

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((d_.) + (e_.)*(x_)^(m_.)), x_Symbol] := Simp[(d + e*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(e*(m + 1))), x] - Dist[b*c*(n/(e*(m + 1))), Int[(d + e*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[-1 + c*x]*Sqrt[1 + c*x])), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 6438

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m, p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a + b\operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx &= -\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\operatorname{Subst} \left(\int \left(-\frac{d(a + b \cosh^{-1} \left(\frac{x}{c} \right))}{4e \left(\sqrt{-d} \sqrt{e} - dx \right)^2} - \frac{d(a + b \cosh^{-1} \left(\frac{x}{c} \right))}{4e \left(\sqrt{-d} \sqrt{e} + dx \right)^2} - \frac{d(a + b \cosh^{-1} \left(\frac{x}{c} \right))}{2e(-de - dx)} \right) dx, x, \frac{1}{x} \right) \\
&= \frac{d\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{\left(\sqrt{-d} \sqrt{e} - dx \right)^2} dx, x, \frac{1}{x} \right)}{4e} + \frac{d\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{\left(\sqrt{-d} \sqrt{e} + dx \right)^2} dx, x, \frac{1}{x} \right)}{4e} \\
&= \frac{a + b\operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b\operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} - \frac{b\operatorname{Subst} \left(\int \frac{1}{\sqrt{-1 + \frac{x}{c}} \sqrt{1 + \frac{x}{c}}} dx, x, \frac{1}{x} \right)}{4ce} \\
&= \frac{a + b\operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b\operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} - \frac{\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-d} x} dx, x, \frac{1}{x} \right)}{4e^{3/2}} \\
&= \frac{a + b\operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b\operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{\frac{d}{x}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}} \sqrt{\frac{d}{x}}} \right)}{2\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{cd + \sqrt{-d} \sqrt{e}}} \\
&= \frac{a + b\operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b\operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{\frac{d}{x}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}} \sqrt{\frac{d}{x}}} \right)}{2\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{cd + \sqrt{-d} \sqrt{e}}} \\
&= \frac{a + b\operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b\operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{\frac{d}{x}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}} \sqrt{\frac{d}{x}}} \right)}{2\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{cd + \sqrt{-d} \sqrt{e}}} \\
&= \frac{a + b\operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b\operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{\frac{d}{x}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}} \sqrt{\frac{d}{x}}} \right)}{2\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{cd + \sqrt{-d} \sqrt{e}}} \\
&= \frac{a + b\operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{a + b\operatorname{sech}^{-1}(cx)}{4e \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{\frac{d}{x}}}{\sqrt{cd + \sqrt{-d} \sqrt{e}} \sqrt{\frac{d}{x}}} \right)}{2\sqrt{cd - \sqrt{-d} \sqrt{e}} \sqrt{cd + \sqrt{-d} \sqrt{e}}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 1.16, size = 1226, normalized size = 1.56

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*(a + b*ArcSech[c*x]))/(d + e*x^2)^2,x]

[Out]
$$\begin{aligned} &((-2*a*\sqrt{e}*x)/(d + e*x^2) + (b*\text{ArcSech}[c*x])/(I*\sqrt{d} - \sqrt{e}*x) - \\ &(b*\text{ArcSech}[c*x])/(I*\sqrt{d} + \sqrt{e}*x) + (2*a*\text{ArcTan}[\sqrt{e}*x]/\sqrt{d}]/\sqrt{d} - \\ &(4*b*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{ArcTanh}[\frac{((-I)*c*\sqrt{d} + \sqrt{e})*\text{Tanh}[\text{ArcSech}[c*x]/2]}{\sqrt{c^2*d + e}}]/\sqrt{d} \\ &+ (4*b*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{ArcTanh}[\frac{(I*c*\sqrt{d} + \sqrt{e})*\text{Tanh}[\text{ArcSech}[c*x]/2]}{\sqrt{c^2*d + e}}]/\sqrt{d} - \\ &(I*b*\text{ArcSech}[c*x]*\text{Log}[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})])/ \\ &)/\sqrt{d} - (2*b*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{Log}[1 + \\ &(I*(\sqrt{e} - \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})])/ \sqrt{d} + (I* \\ &b*\text{ArcSech}[c*x]*\text{Log}[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})])/ \\ &)/\sqrt{d} + (2*b*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]* \\ &\text{Log}[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})])/ \sqrt{d} \\ &+ (I*b*\text{ArcSech}[c*x]*\text{Log}[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})])/ \\ &)/\sqrt{d} - (2*b*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{Log}[1 - \\ &(I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})])/ \sqrt{d} - \\ &(I*b*\text{ArcSech}[c*x]*\text{Log}[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})])/ \\ &)/\sqrt{d} + (2*b*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{Log}[1 + \\ &(I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})])/ \sqrt{d} + \\ &(I*b*\sqrt{e}*\text{Log}[\frac{(2*I)*\sqrt{e}*(\sqrt{d}*\sqrt{(1 - c*x)/(1 + c*x)}*(1 + c*x) + \\ &(\sqrt{d}*\sqrt{e} + I*c^2*d*x)/\sqrt{c^2*d + e}}{(I*\sqrt{d} + \sqrt{e}*x})}]/(\sqrt{d}*\sqrt{c^2*d + e}) - \\ &(I*b*\sqrt{e}*\text{Log}[\frac{(2*\sqrt{e}*(I*\sqrt{d}*\sqrt{(1 - c*x)/(1 + c*x)}*(1 + c*x) + (I*\sqrt{d}*\sqrt{e} + c^2*d*x)/\sqrt{c^2*d + e})}{((-I)*\sqrt{d} + \sqrt{e}*x})}]/(\sqrt{d}*\sqrt{c^2*d + e}) \\ &- (I*b*\text{PolyLog}[2, ((-I)*(-\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})])/ \\ &)/\sqrt{d} + (I*b*\text{PolyLog}[2, (I*(-\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})])/ \\ &)/\sqrt{d} + (I*b*\text{PolyLog}[2, ((-I)*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})])/ \\ &)/\sqrt{d} - (I*b*\text{PolyLog}[2, (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})])/ \\ &)/\sqrt{d}]/(4*e^{(3/2)}) \end{aligned}$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 46.98, size = 1879, normalized size = 2.39

method	result	size
derivativedivides	Expression too large to display	1879
default	Expression too large to display	1879

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^2,x,method=_RETURNVERBOSE)

[Out] $\frac{1}{c^3} \left(-\frac{1}{2} a c^5 / e x / (c^2 e x^2 + c^2 d) + \frac{1}{2} a c^3 / e / (d e)^{1/2} \arctan(e x / (d e)^{1/2}) - \frac{1}{2} b c^5 x \operatorname{arcsech}(c x) / e / (c^2 e x^2 + c^2 d) - \frac{1}{4} b c^4 / e \operatorname{sum} \left(\frac{R1}{(R1^2 c^2 d + c^2 d + 2 e)} * (\operatorname{arcsech}(c x) * \ln((R1 - 1/c/x - (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) / R1) + \operatorname{dilog}((R1 - 1/c/x - (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) / R1 \right) \right.$
 $, R1 = \operatorname{RootOf}(c^2 d * Z^4 + (2 c^2 d + 4 e) * Z^2 + c^2 d) + \frac{1}{2} b c * (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} * \operatorname{arctanh}((1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) * c d / ((-c^2 d + 2 * (e * (c^2 d + e))^{1/2} - 2 e) * d)^{1/2} / e / d^2 + b / c * (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} * \operatorname{arctanh}((1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) * c d / ((-c^2 d + 2 * (e * (c^2 d + e))^{1/2} - 2 e) * d)^{1/2} / e / d^3 * (e * (c^2 d + e))^{1/2} + b / c * (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} * \operatorname{arctanh}((1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) * c d / ((-c^2 d + 2 * (e * (c^2 d + e))^{1/2} - 2 e) * d)^{1/2} / e / (c^2 d + e) / d^2 * (e * (c^2 d + e))^{1/2} - b * c * (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} * \operatorname{arctanh}((1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) * c d / ((-c^2 d + 2 * (e * (c^2 d + e))^{1/2} - 2 e) * d)^{1/2} / (c^2 d + e) / d^2 - b / c * (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} * \operatorname{arctanh}((1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) * c d / ((-c^2 d + 2 * (e * (c^2 d + e))^{1/2} - 2 e) * d)^{1/2} * e / (c^2 d + e) / d^3 + \frac{1}{2} b c * ((c^2 d + 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} * \operatorname{arctan}((1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) * c d / ((c^2 d + 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} / e / d^2 - b / c * ((c^2 d + 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} * \operatorname{arctan}((1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) * c d / ((c^2 d + 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} / e / d^3 * (e * (c^2 d + e))^{1/2} + b / c * ((c^2 d + 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} * \operatorname{arctan}((1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) * c d / ((c^2 d + 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} / d^3 + \frac{1}{2} b c * ((c^2 d + 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} * \operatorname{arctan}((1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) * c d / ((c^2 d + 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} / e / (c^2 d + e) / d^2 * (e * (c^2 d + e))^{1/2} - b * c * ((c^2 d + 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} * \operatorname{arctan}((1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) * c d / ((c^2 d + 2 * (e * (c^2 d + e))^{1/2} + 2 e) * d)^{1/2} * e / (c^2 d + e) / d^3 + \frac{1}{4} b c^4 / e * \operatorname{sum} \left(\frac{1}{R1} / (R1^2 c^2 d + c^2 d + 2 e)} * (\operatorname{arcsech}(c x) * \ln((R1 - 1/c/x - (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) / R1) + \operatorname{dilog}((R1 - 1/c/x - (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) / R1 \right) \right.$
 $, R1 = \operatorname{RootOf}(c^2 d * Z^4 + (2 c^2 d + 4 e) * Z^2 + c^2 d))$

Maxima [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="maxima")`

[Out] Timed out

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="fricas")`

[Out] `integral((b*x^2*arcsech(c*x) + a*x^2)/(x^4*e^2 + 2*d*x^2*e + d^2), x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2(a + b \operatorname{asech}(cx))}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*asech(c*x))/(e*x**2+d)**2,x)`

[Out] `Integral(x**2*(a + b*asech(c*x))/(d + e*x**2)**2, x)`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arcsech(c*x) + a)*x^2/(e*x^2 + d)^2, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2(a + b \operatorname{acosh}(\frac{1}{cx}))}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(a + b*acosh(1/(c*x))))/(d + e*x^2)^2,x)`

[Out] `int((x^2*(a + b*acosh(1/(c*x))))/(d + e*x^2)^2, x)`

$$3.121 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex^2)^2} dx$$

Optimal. Leaf size=786

$$\frac{a + b\operatorname{sech}^{-1}(cx)}{4d\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} + \frac{a + b\operatorname{sech}^{-1}(cx)}{4d\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} + \frac{b\operatorname{ArcTan}\left(\frac{\sqrt{cd - \sqrt{-d}\sqrt{e}}\sqrt{1 + \frac{1}{cx}}}{\sqrt{cd + \sqrt{-d}\sqrt{e}}\sqrt{-1 + \frac{1}{cx}}}\right)}{2d\sqrt{cd - \sqrt{-d}\sqrt{e}}\sqrt{cd + \sqrt{-d}\sqrt{e}}} + \frac{b\operatorname{ArcTan}\left(\frac{\sqrt{cd - \sqrt{-d}\sqrt{e}}}{\sqrt{cd + \sqrt{-d}\sqrt{e}}}\right)}{2d\sqrt{cd - \sqrt{-d}\sqrt{e}}}$$

[Out] $-1/4*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)))/(-d)^{(3/2)}/e^{(1/2)}+1/4*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)))/(-d)^{(3/2)}/e^{(1/2)}-1/4*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)))/(-d)^{(3/2)}/e^{(1/2)}+1/4*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)))/(-d)^{(3/2)}/e^{(1/2)}+1/4*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)))/(-d)^{(3/2)}/e^{(1/2)}-1/4*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)))/(-d)^{(3/2)}/e^{(1/2)}+1/4*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)))/(-d)^{(3/2)}/e^{(1/2)}+1/4*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)))/(-d)^{(3/2)}/e^{(1/2)}+1/4*(-a-b*\operatorname{arcsech}(c*x))/d/(-d/x+(-d)^{(1/2)}*e^{(1/2)})+1/4*(a+b*\operatorname{arcsech}(c*x))/d/(d/x+(-d)^{(1/2)}*e^{(1/2)})+1/2*b*\operatorname{arctan}((1+1/c/x)^{(1/2)}*(c*d-(-d)^{(1/2)}*e^{(1/2)})^((1/2)/(-1+1/c/x)^{(1/2)}/(c*d+(-d)^{(1/2)}*e^{(1/2)})^((1/2)/d/(c*d-(-d)^{(1/2)}*e^{(1/2)})^((1/2)/(-1+1/c/x)^{(1/2)}/(c*d+(-d)^{(1/2)}*e^{(1/2)})^((1/2)+1/2*b*\operatorname{arctan}((1+1/c/x)^{(1/2)}*(c*d+(-d)^{(1/2)}*e^{(1/2)})^((1/2)/(-1+1/c/x)^{(1/2)}/(c*d-(-d)^{(1/2)}*e^{(1/2)})^((1/2)/d/(c*d-(-d)^{(1/2)}*e^{(1/2)})^((1/2)/(-1+1/c/x)^{(1/2)}/(c*d+(-d)^{(1/2)}*e^{(1/2)})^((1/2)$

Rubi [A]

time = 1.89, antiderivative size = 786, normalized size of antiderivative = 1.00, number of steps used = 47, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.611$, Rules used = {6428, 5959, 5909, 5963, 95, 211, 5962, 5681, 2221, 2317, 2438}

$$\frac{(a + b\operatorname{arcsech}(cx))\ln\left(\frac{1 - \sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}}}{1 - \sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}}}\right)}{4(-d)^{3/2}\sqrt{e}} - \frac{(a + b\operatorname{arcsech}(cx))\ln\left(\frac{\sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}} + 1}{\sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}} + 1}\right)}{4(-d)^{3/2}\sqrt{e}} - \frac{(a + b\operatorname{arcsech}(cx))\ln\left(\frac{1 - \sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}}}{1 - \sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}}}\right)}{4(-d)^{3/2}\sqrt{e}} - \frac{(a + b\operatorname{arcsech}(cx))\ln\left(\frac{\sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}} + 1}{\sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}} + 1}\right)}{4(-d)^{3/2}\sqrt{e}} - \frac{a + b\operatorname{arcsech}(cx)}{4d\sqrt{-d}\sqrt{e}} - \frac{a + b\operatorname{arcsech}(cx)}{4d\sqrt{-d}\sqrt{e}} - \frac{b\operatorname{ArcTan}\left(\frac{\sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}} + 1}{\sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}} + 1}\right)}{2d\sqrt{-d}\sqrt{e}\sqrt{\frac{d+ex^2}{e}} - \frac{b\operatorname{ArcTan}\left(\frac{\sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}} + 1}{\sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}} + 1}\right)}{2d\sqrt{-d}\sqrt{e}\sqrt{\frac{d+ex^2}{e}}} - \frac{b\operatorname{ArcTan}\left(\frac{\sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}}}{\sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}}}\right)}{4(-d)^{3/2}\sqrt{e}} - \frac{b\operatorname{ArcTan}\left(\frac{\sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}}}{\sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}}}\right)}{4(-d)^{3/2}\sqrt{e}} - \frac{b\operatorname{ArcTan}\left(\frac{\sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}}}{\sqrt{\frac{-d}{e}}\sqrt{\frac{d+ex^2}{e}}}\right)}{4(-d)^{3/2}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSech}[c*x])/(d + e*x^2)^2, x]$

[Out] $-1/4*(a + b*\operatorname{ArcSech}[c*x])/(d*(\operatorname{Sqrt}[-d]*\operatorname{Sqrt}[e] - d/x)) + (a + b*\operatorname{ArcSech}[c*x])/(4*d*(\operatorname{Sqrt}[-d]*\operatorname{Sqrt}[e] + d/x)) + (b*\operatorname{ArcTan}[(\operatorname{Sqrt}[c*d - \operatorname{Sqrt}[-d]*\operatorname{Sqrt}[e]]$


```

*Sqrt[1 + 1/(c*x)]/(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)])]/(2*
d*Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[c*d + Sqrt[-d]*Sqrt[e]]) + (b*ArcTan[(S
qrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)]/(Sqrt[c*d - Sqrt[-d]*Sqrt[e]
]*Sqrt[-1 + 1/(c*x)]))]/(2*d*Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[c*d + Sqrt[-
d]*Sqrt[e]]) - ((a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(S
qrt[e] - Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e]) + ((a + b*ArcSech[c*x])*
Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*(-d)^(
3/2)*Sqrt[e]) - ((a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(
Sqrt[e] + Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e]) + ((a + b*ArcSech[c*x])
*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*(-d)^(
3/2)*Sqrt[e]) + (b*PolyLog[2, -((c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqr
t[c^2*d + e]))]/(4*(-d)^(3/2)*Sqrt[e]) - (b*PolyLog[2, (c*Sqrt[-d]*E^ArcSe
ch[c*x])/(Sqrt[e] - Sqrt[c^2*d + e]))]/(4*(-d)^(3/2)*Sqrt[e]) + (b*PolyLog[
2, -((c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e]))]/(4*(-d)^(3/
2)*Sqrt[e]) - (b*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2
*d + e]))]/(4*(-d)^(3/2)*Sqrt[e])

```

Rule 95

```

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q], x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 211

```

Int[(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/R
t[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

Rule 2221

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

Rule 2317

```

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 5681

Int[(((e_.) + (f_.)*(x_)^(m_.))*Sinh[(c_.) + (d_.)*(x_)])/(Cosh[(c_.) + (d_.)*(x_)])*(b_.) + (a_), x_Symbol] := Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)), x] + (Int[(e + f*x)^m*(E^(c + d*x))/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x)), x] + Int[(e + f*x)^m*(E^(c + d*x))/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x)), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]

Rule 5909

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (p > 0 || IGtQ[n, 0])

Rule 5959

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

Rule 5962

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)/((d_.) + (e_.)*(x_)), x_Symbol] := Subst[Int[(a + b*x)^n*(Sinh[x]/(c*d + e*Cosh[x])), x], x, ArcCosh[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 5963

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((d_.) + (e_.)*(x_)^(m_.), x_Symbol] := Simp[(d + e*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(e*(m + 1))), x] - Dist[b*c*(n/(e*(m + 1))), Int[(d + e*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[-1 + c*x]*Sqrt[1 + c*x])), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 6428

Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.))^(n_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x^(2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{(d + ex^2)^2} dx &= -\operatorname{Subst} \left(\int \frac{x^2 (a + b \cosh^{-1}(\frac{x}{c}))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\operatorname{Subst} \left(\int \left(-\frac{e(a + b \cosh^{-1}(\frac{x}{c}))}{d(e + dx^2)^2} + \frac{a + b \cosh^{-1}(\frac{x}{c})}{d(e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{e + dx^2} dx, x, \frac{1}{x} \right)}{d} + \frac{e \operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{\operatorname{Subst} \left(\int \left(\frac{a + b \cosh^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} - \sqrt{-d}x)} + \frac{a + b \cosh^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{d} + \frac{e \operatorname{Subst} \left(\int \left(\frac{a + b \cosh^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} - \sqrt{-d}x)} - \frac{a + b \cosh^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{d} \\
&= -\left(\frac{1}{4} \operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{(\sqrt{-d}\sqrt{e} - dx)^2} dx, x, \frac{1}{x} \right) \right) - \frac{1}{4} \operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{(\sqrt{-d}\sqrt{e} + dx)^2} dx, x, \frac{1}{x} \right) \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \operatorname{sech}^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} - \frac{1}{2} \operatorname{Subst} \left(\int \left(-\frac{a + b \cosh^{-1}(\frac{x}{c})}{2d\sqrt{e}(\sqrt{e} - \sqrt{-d}x)} + \frac{a + b \cosh^{-1}(\frac{x}{c})}{2d\sqrt{e}(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \operatorname{sech}^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{b \operatorname{Subst} \left(\int \frac{1}{d + \frac{\sqrt{-d}\sqrt{e}}{c} - (-d + \frac{\sqrt{-d}\sqrt{e}}{c})} dx, x, \frac{1}{x} \right)}{2cd} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \operatorname{sech}^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{b \tan^{-1} \left(\frac{\sqrt{cd - \sqrt{-d}\sqrt{e}} \sqrt{1 - \frac{d}{cx}}}{\sqrt{cd + \sqrt{-d}\sqrt{e}} \sqrt{1 - \frac{d}{cx}}} \right)}{2d\sqrt{cd - \sqrt{-d}\sqrt{e}} \sqrt{cd + \sqrt{-d}\sqrt{e}}} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \operatorname{sech}^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{b \tan^{-1} \left(\frac{\sqrt{cd - \sqrt{-d}\sqrt{e}} \sqrt{1 - \frac{d}{cx}}}{\sqrt{cd + \sqrt{-d}\sqrt{e}} \sqrt{1 - \frac{d}{cx}}} \right)}{2d\sqrt{cd - \sqrt{-d}\sqrt{e}} \sqrt{cd + \sqrt{-d}\sqrt{e}}} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \operatorname{sech}^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{b \tan^{-1} \left(\frac{\sqrt{cd - \sqrt{-d}\sqrt{e}} \sqrt{1 - \frac{d}{cx}}}{\sqrt{cd + \sqrt{-d}\sqrt{e}} \sqrt{1 - \frac{d}{cx}}} \right)}{2d\sqrt{cd - \sqrt{-d}\sqrt{e}} \sqrt{cd + \sqrt{-d}\sqrt{e}}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 1.27, size = 1216, normalized size = 1.55

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSech[c*x])/(d + e*x^2)^2,x]

[Out]
$$\begin{aligned} & ((2*a*\sqrt{d}*x)/(d + e*x^2) + (b*\sqrt{d}*ArcSech[c*x])/((-I)*\sqrt{d}*\sqrt{e} \\ & + e*x) + (b*\sqrt{d}*ArcSech[c*x])/(I*\sqrt{d}*\sqrt{e} + e*x) + (2*a*ArcTan \\ & n[(\sqrt{e}*x)/\sqrt{d}])/\sqrt{e} - (4*b*ArcSin[\sqrt{1 - (I*\sqrt{e})}/(c*\sqrt{d})] \\ &]/\sqrt{2})*ArcTanh[(((-I)*c*\sqrt{d} + \sqrt{e})*Tanh[ArcSech[c*x]/2])/\sqrt{c^2*d + e}] \\ &]/\sqrt{e} + (4*b*ArcSin[\sqrt{1 + (I*\sqrt{e})}/(c*\sqrt{d})]/\sqrt{2})*ArcTanh[(((I*c*\sqrt{d} + \sqrt{e})*Tanh[ArcSech[c*x]/2])/\sqrt{c^2*d + e}) \\ &]/\sqrt{e} - (I*b*ArcSech[c*x]*Log[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{ArcSech[c*x]})])/\sqrt{e} - (2*b*ArcSin[\sqrt{1 + (I*\sqrt{e})}/(c*\sqrt{d})] \\ &]/\sqrt{2})*Log[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{ArcSech[c*x]})])/\sqrt{e} + (I*b*ArcSech[c*x]*Log[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{ArcSech[c*x]})])/\sqrt{e} + (2*b*ArcSin[\sqrt{1 - (I*\sqrt{e})}/(c*\sqrt{d})] \\ &]/\sqrt{2})*Log[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{ArcSech[c*x]})])/\sqrt{e} + (I*b*ArcSech[c*x]*Log[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{ArcSech[c*x]})])/\sqrt{e} - (2*b*ArcSin[\sqrt{1 - (I*\sqrt{e})}/(c*\sqrt{d})] \\ &]/\sqrt{2})*Log[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{ArcSech[c*x]})])/\sqrt{e} - (I*b*ArcSech[c*x]*Log[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{ArcSech[c*x]})])/\sqrt{e} + (2*b*ArcSin[\sqrt{1 + (I*\sqrt{e})}/(c*\sqrt{d})] \\ &]/\sqrt{2})*Log[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{ArcSech[c*x]})])/\sqrt{e} - (I*b*Log[(((2*I)*\sqrt{e}*(\sqrt{d}*\sqrt{e} + \sqrt{c^2*d + e}))/ (I*\sqrt{d} + \sqrt{e}*x))]/\sqrt{c^2*d + e} + (I*b*Log[(((2*\sqrt{e}*(I*\sqrt{d}*\sqrt{e} + \sqrt{c^2*d + e}))/ (I*\sqrt{d} + \sqrt{e}*x))]/\sqrt{c^2*d + e} + (I*\sqrt{d}*\sqrt{e} + \sqrt{c^2*d + e}))/ (I*\sqrt{d} + \sqrt{e}*x))]/\sqrt{c^2*d + e} + (I*b*Log[(((2*\sqrt{e}*(I*\sqrt{d}*\sqrt{e} + \sqrt{c^2*d + e}))/ (I*\sqrt{d} + \sqrt{e}*x))]/\sqrt{c^2*d + e} + (I*\sqrt{d}*\sqrt{e} + \sqrt{c^2*d + e}))/ (I*\sqrt{d} + \sqrt{e}*x))]/\sqrt{c^2*d + e} - (I*b*PolyLog[2, ((-I)*(-\sqrt{e} + \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{ArcSech[c*x]})])/\sqrt{e} + (I*b*PolyLog[2, (I*(-\sqrt{e} + \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{ArcSech[c*x]})])/\sqrt{e} + (I*b*PolyLog[2, ((-I)*(\sqrt{e} + \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{ArcSech[c*x]})])/\sqrt{e} - (I*b*PolyLog[2, (I*(\sqrt{e} + \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{ArcSech[c*x]})])/\sqrt{e} - (I*b*PolyLog[2, (I*(\sqrt{e} + \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{ArcSech[c*x]})])/\sqrt{e}]/(4*d^(3/2)) \end{aligned}$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 51.62, size = 1879, normalized size = 2.39

method	result	size
derivativedivides	Expression too large to display	1879
default	Expression too large to display	1879

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))/(e*x^2+d)^2,x,method=_RETURNVERBOSE)

[Out] $\frac{1}{c} * \left(\frac{1}{2} * a * c^3 * x / d / (c^2 * e * x^2 + c^2 * d) + \frac{1}{2} * a * c / d / (d * e)^{1/2} * \arctan(e * x / (d * e)^{1/2}) + \frac{1}{2} * b * c^3 * x * \operatorname{arcsech}(c * x) / d / (c^2 * e * x^2 + c^2 * d) - \frac{1}{2} * b * c * \left((c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d \right)^{1/2} * \arctan\left(\frac{1/c/x + (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{(c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d}\right) / d^3 + b/c^3 * \left((c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d \right)^{1/2} * \arctan\left(\frac{1/c/x + (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{(c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d}\right) / d^4 * (e * (c^2 * d + e))^{1/2} - b/c^3 * \left((c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d \right)^{1/2} * \arctan\left(\frac{1/c/x + (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{(c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d}\right) / d^4 * e - \frac{1}{2} * b * c * \left((c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d \right)^{1/2} * \arctan\left(\frac{1/c/x + (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{(c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d}\right) / d^3 + b/c^3 * \left((c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d \right)^{1/2} * \arctan\left(\frac{1/c/x + (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{(c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d}\right) * e / (c^2 * d + e) / d^3 - b/c^3 * \left((c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d \right)^{1/2} * \arctan\left(\frac{1/c/x + (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{(c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d}\right) / (c^2 * d + e) / d^4 * (e * (c^2 * d + e))^{1/2} * e + b/c^3 * \left((c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d \right)^{1/2} * \arctan\left(\frac{1/c/x + (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{(c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d}\right) / (c^2 * d + e) / d^4 * e^2 - \frac{1}{2} * b * c * \left(- (c^2 * d - 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d \right)^{1/2} * \operatorname{arctanh}\left(\frac{1/c/x + (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{(-c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} - 2 * e) * d}\right) / d^3 - b/c^3 * \left(- (c^2 * d - 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d \right)^{1/2} * \operatorname{arctanh}\left(\frac{1/c/x + (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{(-c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} - 2 * e) * d}\right) / d^4 * (e * (c^2 * d + e))^{1/2} - b/c^3 * \left(- (c^2 * d - 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d \right)^{1/2} * \operatorname{arctanh}\left(\frac{1/c/x + (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{(-c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} - 2 * e) * d}\right) / d^4 * e + \frac{1}{2} * b * c * \left(- (c^2 * d - 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d \right)^{1/2} * \operatorname{arctanh}\left(\frac{1/c/x + (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{(-c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} - 2 * e) * d}\right) / d^3 + b/c^3 * \left(- (c^2 * d - 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d \right)^{1/2} * \operatorname{arctanh}\left(\frac{1/c/x + (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{(-c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} - 2 * e) * d}\right) * e / (c^2 * d + e) / d^3 + b/c^3 * \left(- (c^2 * d - 2 * (e * (c^2 * d + e))^{1/2} + 2 * e) * d \right)^{1/2} * \operatorname{arctanh}\left(\frac{1/c/x + (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{(-c^2 * d + 2 * (e * (c^2 * d + e))^{1/2} - 2 * e) * d}\right) / (c^2 * d + e) / d^4 * e^2 - \frac{1}{4} * b * c^2 / d * \operatorname{sum}\left(\frac{R_1}{(R_1^2 * c^2 * d + c^2 * d + 2 * e) * (\operatorname{arcsech}(c * x) * \ln\left(\frac{R_1 - 1/c/x - (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{R_1}\right) + \operatorname{dilog}\left(\frac{R_1 - 1/c/x - (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{R_1}\right))}, R_1 = \operatorname{RootOf}(c^2 * d * Z^4 + (2 * c^2 * d + 4 * e) * Z^2 + c^2 * d)\right) + \frac{1}{4} * b * c^2 / d * \operatorname{sum}\left(\frac{1}{R_1} / \left(\frac{R_1^2 * c^2 * d + c^2 * d + 2 * e}{(R_1 - 1/c/x - (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}) / R_1}\right) + \operatorname{dilog}\left(\frac{R_1 - 1/c/x - (-1 + 1/c/x)^{1/2} * (1 + 1/c/x)^{1/2}}{R_1}\right)\right), R_1 = \operatorname{RootOf}(c^2 * d * Z^4 + (2 * c^2 * d + 4 * e) * Z^2 + c^2 * d))$

Maxima [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="maxima")`

[Out] Timed out

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="fricas")`

[Out] `integral((b*arcsech(c*x) + a)/(x^4*e^2 + 2*d*x^2*e + d^2), x)`

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asech(c*x))/(e*x**2+d)**2,x)`

[Out] `Integral((a + b*asech(c*x))/(d + e*x**2)**2, x)`

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/(e*x^2+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arcsech(c*x) + a)/(e*x^2 + d)^2, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acosh(1/(c*x)))/(d + e*x^2)^2,x)`

[Out] `int((a + b*acosh(1/(c*x)))/(d + e*x^2)^2, x)`

$$3.122 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^2(d+ex^2)^2} dx$$

Optimal. Leaf size=844

$$\frac{bc\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}}{d^2} - \frac{a}{d^2x} - \frac{b\operatorname{sech}^{-1}(cx)}{d^2x} + \frac{e(a+b\operatorname{sech}^{-1}(cx))}{4d^2\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} - \frac{e(a+b\operatorname{sech}^{-1}(cx))}{4d^2\left(\sqrt{-d}\sqrt{e}+\frac{d}{x}\right)} - \frac{be\operatorname{ArcTan}\left(\frac{\sqrt{-d}\sqrt{e}-\frac{d}{x}}{\sqrt{-d}\sqrt{e}+\frac{d}{x}}\right)}{2d^2\sqrt{cd-\sqrt{-d}\sqrt{e}}}$$

[Out] $-a/d^2/x - b*\operatorname{arcsech}(c*x)/d^2/x - 3/4*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))*e^{1/2}/(-d)^{5/2} + 3/4*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))*e^{1/2}/(-d)^{5/2} - 3/4*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))*e^{1/2}/(-d)^{5/2} + 3/4*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))*e^{1/2}/(-d)^{5/2} + 3/4*b*\operatorname{polylog}(2, -c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))*e^{1/2}/(-d)^{5/2} - 3/4*b*\operatorname{polylog}(2, c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))*e^{1/2}/(-d)^{5/2} + 3/4*b*\operatorname{polylog}(2, -c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))*e^{1/2}/(-d)^{5/2} - 3/4*b*\operatorname{polylog}(2, c*(1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))*e^{1/2}/(-d)^{5/2} + 1/4*e*(a+b*\operatorname{arcsech}(c*x))/d^2/(-d/x+(-d)^{1/2})*e^{1/2}) - 1/4*e*(a+b*\operatorname{arcsech}(c*x))/d^2/(d/x+(-d)^{1/2})*e^{1/2}) + b*c*(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2}/d^2 - 1/2*b*e*\operatorname{arctan}((1+1/c/x)^{1/2}*(c*d-(-d)^{1/2})*e^{1/2})^{1/2}/(-1+1/c/x)^{1/2}/(c*d+(-d)^{1/2})*e^{1/2})^{1/2})/d^2/(c*d-(-d)^{1/2})*e^{1/2})^{1/2}/(c*d+(-d)^{1/2})*e^{1/2})^{1/2}) - 1/2*b*e*\operatorname{arctan}((1+1/c/x)^{1/2}*(c*d+(-d)^{1/2})*e^{1/2})^{1/2}/(-1+1/c/x)^{1/2}/(c*d-(-d)^{1/2})*e^{1/2})^{1/2})/d^2/(c*d-(-d)^{1/2})*e^{1/2})^{1/2}/(c*d+(-d)^{1/2})*e^{1/2})^{1/2})$

Rubi [A]

time = 1.99, antiderivative size = 844, normalized size of antiderivative = 1.00, number of steps used = 50, number of rules used = 13, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.619$, Rules used = {6438, 5959, 5879, 75, 5909, 5963, 95, 211, 5962, 5681, 2221, 2317, 2438}

$$\frac{bc\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}}{d^2} - \frac{a}{d^2x} - \frac{b\operatorname{sech}^{-1}(cx)}{d^2x} + \frac{e(a+b\operatorname{sech}^{-1}(cx))}{4d^2\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} - \frac{e(a+b\operatorname{sech}^{-1}(cx))}{4d^2\left(\sqrt{-d}\sqrt{e}+\frac{d}{x}\right)} - \frac{be\operatorname{ArcTan}\left(\frac{\sqrt{-d}\sqrt{e}-\frac{d}{x}}{\sqrt{-d}\sqrt{e}+\frac{d}{x}}\right)}{2d^2\sqrt{cd-\sqrt{-d}\sqrt{e}}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])/(x^2*(d + e*x^2)^2), x]

[Out] (b*c*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]/d^2 - a/(d^2*x) - (b*ArcSech[c*x])/(d^2*x) + (e*(a + b*ArcSech[c*x]))/(4*d^2*(Sqrt[-d]*Sqrt[e] - d/x)) - (e


```

*(a + b*ArcSech[c*x]))/(4*d^2*(Sqrt[-d]*Sqrt[e] + d/x)) - (b*e*ArcTan[(Sqrt
[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])/(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*S
qrt[-1 + 1/(c*x)])])/(2*d^2*Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[c*d + Sqrt[-d
]*Sqrt[e]]) - (b*e*ArcTan[(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])/(
Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)])])/(2*d^2*Sqrt[c*d - Sqrt[
-d]*Sqrt[e]]*Sqrt[c*d + Sqrt[-d]*Sqrt[e]]) - (3*Sqrt[e]*(a + b*ArcSech[c*x]
)*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*(-d
)^(5/2)) + (3*Sqrt[e]*(a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x
])/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) - (3*Sqrt[e]*(a + b*ArcSech
[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(4
*(-d)^(5/2)) + (3*Sqrt[e]*(a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSec
h[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) + (3*b*Sqrt[e]*PolyLog
[2, -((c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e]))]/(4*(-d)^(5
/2)) - (3*b*Sqrt[e]*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[
c^2*d + e])])/(4*(-d)^(5/2)) + (3*b*Sqrt[e]*PolyLog[2, -((c*Sqrt[-d]*E^ArcS
ech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e]))]/(4*(-d)^(5/2)) - (3*b*Sqrt[e]*Poly
Log[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*(-d)^(5
/2))

```

Rule 75

```

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] := Simp[b*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(n + p +
2))), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ
[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

```

Rule 95

```

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 211

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt
[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

Rule 2221

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 5681

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sinh[(c_.) + (d_.)*(x_)])/(Cosh[(c_.) + (d_
.)*(x_)]*(b_.) + (a_)), x_Symbol] :> Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)),
x] + (Int[(e + f*x)^m*(E^(c + d*x)/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x)))
, x] + Int[(e + f*x)^m*(E^(c + d*x)/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x)))
, x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]
```

Rule 5879

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] :> Simp[x*(a + b*A
rcCosh[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[
1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 5909

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.),
x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (d + e*x^2)^p, x],
x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] &&
(p > 0 || IGtQ[n, 0])
```

Rule 5959

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e
_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n,
(f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d
+ e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 5962

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)), x_Symbo
l] :> Subst[Int[(a + b*x)^n*(Sinh[x]/(c*d + e*Cosh[x])), x], x, ArcCosh[c*x
]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 5963

```

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_.)*((d_.) + (e_.)*(x_))^(m_.), x
_Symbol] :> Simp[(d + e*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(e*(m + 1))), x]
- Dist[b*c*(n/(e*(m + 1))), Int[(d + e*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n
- 1)/(Sqrt[-1 + c*x]*Sqrt[1 + c*x])), x], x] /; FreeQ[{a, b, c, d, e, m},
x] && IGtQ[n, 0] && NeQ[m, -1]

```

Rule 6438

```

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_
)^2)^(p_.), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x
^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0
] && IntegersQ[m, p]

```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^2 (d + ex^2)^2} dx &= -\operatorname{Subst} \left(\int \frac{x^4 (a + b \cosh^{-1}(\frac{x}{c}))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\operatorname{Subst} \left(\int \left(\frac{a + b \cosh^{-1}(\frac{x}{c})}{d^2} + \frac{e^2 (a + b \cosh^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)^2} - \frac{2e (a + b \cosh^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\operatorname{Subst} \left(\int (a + b \cosh^{-1}(\frac{x}{c})) dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{e + dx^2} dx, x, \frac{1}{x} \right)}{d^2} - \frac{e^2 \operatorname{Subst} \left(\int \frac{1}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d^2} \\
&= -\frac{a}{d^2 x} - \frac{b \operatorname{Subst} \left(\int \cosh^{-1}(\frac{x}{c}) dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \operatorname{Subst} \left(\int \left(\frac{a + b \cosh^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} - \sqrt{-d}x)} + \frac{1}{2\sqrt{e}(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{d^2} \\
&= -\frac{a}{d^2 x} - \frac{b \operatorname{sech}^{-1}(cx)}{d^2 x} + \frac{b \operatorname{Subst} \left(\int \frac{x}{\sqrt{-1 + \frac{x}{c}} \sqrt{1 + \frac{x}{c}}} dx, x, \frac{1}{x} \right)}{cd^2} + \frac{\sqrt{e} \operatorname{Subst} \left(\int \frac{1}{\sqrt{e} - \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{bc \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{d^2} - \frac{a}{d^2 x} - \frac{b \operatorname{sech}^{-1}(cx)}{d^2 x} + \frac{e(a + b \operatorname{sech}^{-1}(cx))}{4d^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{4d^2 \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} \\
&= \frac{bc \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{d^2} - \frac{a}{d^2 x} - \frac{b \operatorname{sech}^{-1}(cx)}{d^2 x} + \frac{e(a + b \operatorname{sech}^{-1}(cx))}{4d^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{4d^2 \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} \\
&= \frac{bc \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{d^2} - \frac{a}{d^2 x} - \frac{b \operatorname{sech}^{-1}(cx)}{d^2 x} + \frac{e(a + b \operatorname{sech}^{-1}(cx))}{4d^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{4d^2 \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} \\
&= \frac{bc \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{d^2} - \frac{a}{d^2 x} - \frac{b \operatorname{sech}^{-1}(cx)}{d^2 x} + \frac{e(a + b \operatorname{sech}^{-1}(cx))}{4d^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{4d^2 \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} \\
&= \frac{bc \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{d^2} - \frac{a}{d^2 x} - \frac{b \operatorname{sech}^{-1}(cx)}{d^2 x} + \frac{e(a + b \operatorname{sech}^{-1}(cx))}{4d^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{4d^2 \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 0.88, size = 1305, normalized size = 1.55

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSech[c*x])/(x^2*(d + e*x^2)^2), x]

[Out]
$$\begin{aligned} &((-4*a*\sqrt{d})/x + 4*b*c*\sqrt{d}*\sqrt{(1 - c*x)/(1 + c*x)} + (4*b*\sqrt{d}*\sqrt{(1 - c*x)/(1 + c*x)})/x - (2*a*\sqrt{d}*e*x)/(d + e*x^2) - (4*b*\sqrt{d} * \text{ArcSech}[c*x])/x - (b*\sqrt{d}*e*\text{ArcSech}[c*x])/((-I)*\sqrt{d}*\sqrt{e} + e*x) \\ &- (b*\sqrt{d}*e*\text{ArcSech}[c*x])/(I*\sqrt{d}*\sqrt{e} + e*x) - 6*a*\sqrt{e}*\text{ArcTan}[(\sqrt{e}*x)/\sqrt{d}] + 12*b*\sqrt{e}*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}] * \text{ArcTanh}[((-I)*c*\sqrt{d} + \sqrt{e})*\text{Tanh}[\text{ArcSech}[c*x]/2)]/\sqrt{c^2*d + e}] - 12*b*\sqrt{e}*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}] * \text{ArcTanh}[(I*c*\sqrt{d} + \sqrt{e})*\text{Tanh}[\text{ArcSech}[c*x]/2)]/\sqrt{c^2*d + e}] + (3*I)*b*\sqrt{e}*\text{ArcSech}[c*x]*\text{Log}[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] + 6*b*\sqrt{e}*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]] * \text{Log}[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - (3*I)*b*\sqrt{e}*\text{ArcSech}[c*x]*\text{Log}[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - 6*b*\sqrt{e}*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]] * \text{Log}[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - (3*I)*b*\sqrt{e}*\text{ArcSech}[c*x]*\text{Log}[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] + 6*b*\sqrt{e}*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]] * \text{Log}[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] + (3*I)*b*\sqrt{e}*\text{ArcSech}[c*x]*\text{Log}[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] + (I*b*e*\text{Log}[(2*I)*\sqrt{e}*(\sqrt{d}*\sqrt{(1 - c*x)/(1 + c*x)}*(1 + c*x) + (\sqrt{d}*\sqrt{e} + I*c^2*d*x)/\sqrt{c^2*d + e}))/ (I*\sqrt{d} + \sqrt{e}*x)]/\sqrt{c^2*d + e} - (I*b*e*\text{Log}[(2*\sqrt{e}*(I*\sqrt{d}*\sqrt{(1 - c*x)/(1 + c*x)}*(1 + c*x) + (I*\sqrt{d}*\sqrt{e} + c^2*d*x)/\sqrt{c^2*d + e}))/((-I)*\sqrt{d} + \sqrt{e}*x)]/\sqrt{c^2*d + e} + (3*I)*b*\sqrt{e}*\text{PolyLog}[2, ((-I)*(-\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - (3*I)*b*\sqrt{e}*\text{PolyLog}[2, (I*(-\sqrt{e} + \sqrt{c^2*d + e}))/(c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] - (3*I)*b*\sqrt{e}*\text{PolyLog}[2, ((-I)*(\sqrt{e} + \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{\text{ArcSech}[c*x]})] + (3*I)*b*\sqrt{e}*\text{PolyLog}[2, (I*(\sqrt{e} + \sqrt{c^2*d + e}))/ (c*\sqrt{d}*E^{\text{ArcSech}[c*x]})]]/(4*d^(5/2)) \end{aligned}$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 17.99, size = 1952, normalized size = 2.31

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{arcsech}(c*x))/x^2/(e*x^2+d)^2,x)$

[Out]
$$\begin{aligned} & -1/2*a*e/d^2*x*c^2/(c^2*e*x^2+c^2*d)-3/2*a*e/d^2/(d*e)^{(1/2)}*\arctan(e*x/(d*e)^{(1/2)})-a/d^2/x-1/2*b*x*c^2*e*\text{arcsech}(c*x)/d^2/(c^2*e*x^2+c^2*d)-1/2*b/c^2* \\ & (-c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^4/ \\ & (c^2*d+e)*(e*(c^2*d+e))^{(1/2)}-b/c^4*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^5/ \\ & (c^2*d+e)*(e*(c^2*d+e))^{(1/2)}+1/2*b/c^2*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e*\arctan((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^4/ \\ & (c^2*d+e)*(e*(c^2*d+e))^{(1/2)}+b/c^4*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\arctan((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^5/ \\ & (c^2*d+e)*(e*(c^2*d+e))^{(1/2)}-3/4*c*b*e/d^2*\text{sum}(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(\text{arcsech}(c*x)*\ln((_R1-1/c/x-(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+3/4*c*b*e/d^2*\text{sum}(_R1/(_R1^2*c^2*d+c^2*d+2*e)*(\text{arcsech}(c*x)*\ln((_R1-1/c/x-(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+b/c^4*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^5*(e*(c^2*d+e))^{(1/2)}-b/c^2*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^4/(c^2*d+e)-b/c^4*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^3*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^5/(c^2*d+e)-b/c^4*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e*\arctan((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^5*(e*(c^2*d+e))^{(1/2)}-b/c^2*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\arctan((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^4/(c^2*d+e)-b/c^4*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^3*\arctan((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^5/(c^2*d+e)-b*\text{arcsech}(c*x)/d^2/x+1/2*b/c^2*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^4+b/c^4*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^5+1/2*b/c^2*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e*\arctan((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^4+b/c^4*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\arctan((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^5+c*b/d^2*(-(c*x-1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)} \end{aligned}$$

Maxima [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^2/(e*x^2+d)^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^2/(e*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b*arcsech(c*x) + a)/(x^6*e^2 + 2*d*x^4*e + d^2*x^2), x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x^2 (d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/x**2/(e*x**2+d)**2,x)

[Out] Integral((a + b*asech(c*x))/(x**2*(d + e*x**2)**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^2/(e*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/((e*x^2 + d)^2*x^2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x^2 (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(x^2*(d + e*x^2)^2),x)

[Out] int((a + b*acosh(1/(c*x)))/(x^2*(d + e*x^2)^2), x)

$$3.123 \quad \int \frac{x^5 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^3} dx$$

Optimal. Leaf size=778

$$\frac{bd(c^2 - \frac{1}{x^2})}{8ce^2(c^2d + e)(e + \frac{d}{x^2})} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x - \frac{a + b \operatorname{sech}^{-1}(cx)}{4e(e + \frac{d}{x^2})^2} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2e^2(e + \frac{d}{x^2})} - \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{be^3} +$$

[Out] $\frac{1}{4}(-a - b \operatorname{arcsech}(c*x))/e/(e+d/x^2)^2 + \frac{1}{2}(-a - b \operatorname{arcsech}(c*x))/e^2/(e+d/x^2) - (a + b \operatorname{arcsech}(c*x))^2/b/e^3 - (a + b \operatorname{arcsech}(c*x)) \ln(1 + 1/(1/c/x + (-1 + 1/c/x)^{1/2})) / (1 + 1/c/x)^{1/2} / e^3 + \frac{1}{2}(a + b \operatorname{arcsech}(c*x)) \ln(1 - c*(1/c/x + (-1 + 1/c/x)^{1/2})) / (1 + 1/c/x)^{1/2} * (-d)^{1/2} / (e^{1/2} - (c^2*d + e)^{1/2}) / e^3 + \frac{1}{2}(a + b \operatorname{arcsech}(c*x)) \ln(1 + c*(1/c/x + (-1 + 1/c/x)^{1/2})) / (1 + 1/c/x)^{1/2} * (-d)^{1/2} / (e^{1/2} - (c^2*d + e)^{1/2}) / e^3 + \frac{1}{2}(a + b \operatorname{arcsech}(c*x)) \ln(1 + c*(1/c/x + (-1 + 1/c/x)^{1/2})) / (1 + 1/c/x)^{1/2} * (-d)^{1/2} / (e^{1/2} + (c^2*d + e)^{1/2}) / e^3 + \frac{1}{2}(a + b \operatorname{arcsech}(c*x)) \ln(1 + c*(1/c/x + (-1 + 1/c/x)^{1/2})) / (1 + 1/c/x)^{1/2} * (-d)^{1/2} / (e^{1/2} + (c^2*d + e)^{1/2}) / e^3 + \frac{1}{2}b \operatorname{polylog}(2, -1/(1/c/x + (-1 + 1/c/x)^{1/2})) / (1 + 1/c/x)^{1/2} / e^3 + \frac{1}{2}b \operatorname{polylog}(2, -c*(1/c/x + (-1 + 1/c/x)^{1/2})) / (1 + 1/c/x)^{1/2} * (-d)^{1/2} / (e^{1/2} - (c^2*d + e)^{1/2}) / e^3 + \frac{1}{2}b \operatorname{polylog}(2, c*(1/c/x + (-1 + 1/c/x)^{1/2})) / (1 + 1/c/x)^{1/2} * (-d)^{1/2} / (e^{1/2} - (c^2*d + e)^{1/2}) / e^3 + \frac{1}{2}b \operatorname{polylog}(2, -c*(1/c/x + (-1 + 1/c/x)^{1/2})) / (1 + 1/c/x)^{1/2} * (-d)^{1/2} / (e^{1/2} + (c^2*d + e)^{1/2}) / e^3 + \frac{1}{2}b \operatorname{polylog}(2, c*(1/c/x + (-1 + 1/c/x)^{1/2})) / (1 + 1/c/x)^{1/2} * (-d)^{1/2} / (e^{1/2} + (c^2*d + e)^{1/2}) / e^3 + \frac{1}{8}b*d*(c^2 - 1/x^2)/c/e^2/(c^2*d + e)/(e + d/x^2)/x/(-1 + 1/c/x)^{1/2}/(1 + 1/c/x)^{1/2} + \frac{1}{8}b*(c^2*d + 2*e)*\operatorname{arctanh}((c^2*d + e)^{1/2}/c/x/e^{1/2}/(-1 + 1/c^2/x^2)^{1/2}) * (-1 + 1/c^2/x^2)^{1/2}/e^{5/2}/(c^2*d + e)^{3/2}/(-1 + 1/c/x)^{1/2}/(1 + 1/c/x)^{1/2} + \frac{1}{2}b*\operatorname{arctanh}((c^2*d + e)^{1/2}/c/x/e^{1/2}/(-1 + 1/c^2/x^2)^{1/2}) * (-1 + 1/c^2/x^2)^{1/2}/e^{5/2}/(c^2*d + e)^{1/2}/(-1 + 1/c/x)^{1/2}/(1 + 1/c/x)^{1/2}$

Rubi [A]

time = 1.20, antiderivative size = 778, normalized size of antiderivative = 1.00, number of steps used = 35, number of rules used = 14, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {6438, 5959, 5882, 3799, 2221, 2317, 2438, 5957, 533, 390, 385, 214, 5962, 5681}

$$\frac{bd(c^2 - \frac{1}{x^2})}{8ce^2(c^2d + e)(e + \frac{d}{x^2})} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x - \frac{a + b \operatorname{sech}^{-1}(cx)}{4e(e + \frac{d}{x^2})^2} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2e^2(e + \frac{d}{x^2})} - \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{be^3} +$$

Antiderivative was successfully verified.

[In] Int[(x^5*(a + b*ArcSech[c*x]))/(d + e*x^2)^3,x]


```
[Out] (b*d*(c^2 - x^(-2)))/(8*c*e^2*(c^2*d + e)*(e + d/x^2)*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]*x - (a + b*ArcSech[c*x])/(4*e*(e + d/x^2)^2) - (a + b*ArcSech[c*x])/(2*e^2*(e + d/x^2)) - (a + b*ArcSech[c*x])^2/(b*e^3) + (b*Sqrt[-1 + 1/(c^2*x^2)]*ArcTanh[Sqrt[c^2*d + e]/(c*Sqrt[e]*Sqrt[-1 + 1/(c^2*x^2)])*x])/((2*e^(5/2)*Sqrt[c^2*d + e]*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]) + (b*(c^2*d + 2*e)*Sqrt[-1 + 1/(c^2*x^2)]*ArcTanh[Sqrt[c^2*d + e]/(c*Sqrt[e]*Sqrt[-1 + 1/(c^2*x^2)])*x])/((8*e^(5/2)*(c^2*d + e)^(3/2)*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]) - ((a + b*ArcSech[c*x])*Log[1 + E^(-2*ArcSech[c*x])])/e^3 + ((a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/((2*e^3) + ((a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/((2*e^3) + ((a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/((2*e^3) + ((a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/((2*e^3) + (b*PolyLog[2, -E^(-2*ArcSech[c*x])])/((2*e^3) + (b*PolyLog[2, -((c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/((2*e^3) + (b*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/((2*e^3) + (b*PolyLog[2, -((c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/((2*e^3) + (b*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/((2*e^3)
```

Rule 214

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 385

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 390

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Simp[(-b)*x*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*n*(p + 1)*(b*c - a*d))), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]
```

Rule 533

```
Int[(u_)*((c_) + (d_)*(x_)^(n_))^(q_)*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*(x_)^(non2_))^(p_), x_Symbol] := Dist[(a1 + b1*x^(n/2))^FracPart[p]*((a2 + b2*x^(n/2))^FracPart[p]/(a1*a2 + b1*b2*x^n)^FracPart[p]), Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p, q}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && !(EqQ
```

[n, 2] && IGtQ[q, 0])

Rule 2221

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x
))^(n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_)*((F_)^(e_)*((c_) + (d_)*(x_)))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3799

Int[(((c_) + (d_)*(x_))^(m_)*tan[(e_) + (Complex[0, fz_])*(f_)*(x_)], x
_Symbol] := Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(
c + d*x)^m*(E^(2*((-I)*e + f*fz*x)))/(1 + E^(2*((-I)*e + f*fz*x))), x], x]
/; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

Rule 5681

Int[(((e_) + (f_)*(x_))^(m_)*Sinh[(c_) + (d_)*(x_)])/(Cosh[(c_) + (d_)
(x_)](b_) + (a_)), x_Symbol] := Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)),
x] + (Int[(e + f*x)^m*(E^(c + d*x)/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x))
, x] + Int[(e + f*x)^m*(E^(c + d*x)/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x))
, x)) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]

Rule 5882

Int[(((a_) + ArcCosh[(c_)*(x_)])*(b_))^(n_)/(x_), x_Symbol] := Dist[1/b,
Subst[Int[x^n*Tanh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a,
b, c}, x] && IGtQ[n, 0]

Rule 5957

Int[(((a_) + ArcCosh[(c_)*(x_)])*(b_))*(x_)*((d_) + (e_)*(x_)^2)^(p_), x
_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcCosh[c*x])/(2*e*(p + 1))),

$x] - \text{Dist}[b*(c/(2*e*(p + 1))), \text{Int}[(d + e*x^2)^(p + 1)/(\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x]), x], x] /;$ FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]

Rule 5959

$\text{Int}[(a + \text{ArcCosh}[c*(x)]*(b))^(n)*(f*(x))^m*((d) + (e*(x)^2)^(p)), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcCosh}[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

Rule 5962

$\text{Int}[(a + \text{ArcCosh}[c*(x)]*(b))^(n)/((d) + (e)*(x)), x_Symbol] \rightarrow \text{Subst}[\text{Int}[(a + b*x)^n*(\text{Sinh}[x]/(c*d + e*\text{Cosh}[x])), x], x, \text{ArcCosh}[c*x]] /;$ FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 6438

$\text{Int}[(a + \text{ArcSech}[c*(x)]*(b))^(n)*(x)^m*((d) + (e)*(x)^2)^(p), x_Symbol] \rightarrow -\text{Subst}[\text{Int}[(e + d*x^2)^p*((a + b*\text{ArcCosh}[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /;$ FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegersQ[m, p]

Rubi steps

$$\begin{aligned}
\int \frac{x^5 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^3} dx &= -\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{x (e + dx^2)^3} dx, x, \frac{1}{x} \right) \\
&= -\operatorname{Subst} \left(\int \left(\frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{e^3 x} - \frac{dx (a + b \cosh^{-1} \left(\frac{x}{c} \right))}{e (e + dx^2)^3} - \frac{dx (a + b \cosh^{-1} \left(\frac{x}{c} \right))}{e^2 (e + dx^2)^2} \right) \right. \\
&\quad \left. \operatorname{Subst} \left(\int \frac{a + b \cosh^{-1} \left(\frac{x}{c} \right)}{x} dx, x, \frac{1}{x} \right) + \frac{d \operatorname{Subst} \left(\int \frac{x (a + b \cosh^{-1} \left(\frac{x}{c} \right))}{e + dx^2} dx, x, \frac{1}{x} \right)}{e^3} + \frac{d \operatorname{Subst} \left(\int \frac{1}{e + dx^2} dx, x, \frac{1}{x} \right)}{e^3} \right) \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} - \frac{\operatorname{Subst} \left(\int (a + bx) \tanh(x) dx, x, \operatorname{sech}^{-1} \left(\frac{x}{c} \right) \right)}{e^3} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{(a + b \operatorname{sech}^{-1}(cx))^2}{2be^3} - \frac{2 \operatorname{Subst} \left(\int \frac{e^{2x} (a + b \operatorname{sech}^{-1}(cx))}{1 + e^{2x}} dx, x, \operatorname{sech}^{-1} \left(\frac{x}{c} \right) \right)}{e^3} \\
&= \frac{bd \left(c^2 - \frac{1}{x^2} \right)}{8ce^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} \\
&= \frac{bd \left(c^2 - \frac{1}{x^2} \right)}{8ce^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} \\
&= \frac{bd \left(c^2 - \frac{1}{x^2} \right)}{8ce^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} \\
&= \frac{bd \left(c^2 - \frac{1}{x^2} \right)}{8ce^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \operatorname{sech}^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 7.16, size = 2000, normalized size = 2.57

Warning: Unable to verify antiderivative.

[In] Integrate[(x^5*(a + b*ArcSech[c*x]))/(d + e*x^2)^3,x]

[Out]
$$-1/4*(a*d^2)/(e^3*(d + e*x^2)^2) + (a*d)/(e^3*(d + e*x^2)) + (a*\text{Log}[d + e*x^2])/(2*e^3) + b*(-1/16*(d*((-I)*\text{Sqrt}[e]*\text{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x))/(\text{Sqrt}[d]*(c^2*d + e)((-I)*\text{Sqrt}[d] + \text{Sqrt}[e]*x)) - \text{ArcSech}[c*x]/(\text{Sqrt}[e]*((-I)*\text{Sqrt}[d] + \text{Sqrt}[e]*x)^2) + \text{Log}[x]/(d*\text{Sqrt}[e]) - \text{Log}[1 + \text{Sqrt}[(1 - c*x)/(1 + c*x)] + c*x*\text{Sqrt}[(1 - c*x)/(1 + c*x)])/(d*\text{Sqrt}[e]) + ((2*c^2*d + e)*\text{Log}[(-4*d*\text{Sqrt}[e]*\text{Sqrt}[c^2*d + e]*(\text{Sqrt}[e] - I*c^2*\text{Sqrt}[d]*x + \text{Sqrt}[c^2*d + e]*\text{Sqrt}[(1 - c*x)/(1 + c*x)] + c*\text{Sqrt}[c^2*d + e]*x*\text{Sqrt}[(1 - c*x)/(1 + c*x)])]/((2*c^2*d + e)((-I)*\text{Sqrt}[d] + \text{Sqrt}[e]*x)))/(d*(c^2*d + e)^{(3/2)})))/e^{(5/2)} - (d*((I*\text{Sqrt}[e]*\text{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x))/(\text{Sqrt}[d]*(c^2*d + e)*(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x)) - \text{ArcSech}[c*x]/(\text{Sqrt}[e]*(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x)^2) + \text{Log}[x]/(d*\text{Sqrt}[e]) - \text{Log}[1 + \text{Sqrt}[(1 - c*x)/(1 + c*x)] + c*x*\text{Sqrt}[(1 - c*x)/(1 + c*x)])/(d*\text{Sqrt}[e]) + ((2*c^2*d + e)*\text{Log}[(-4*d*\text{Sqrt}[e]*\text{Sqrt}[c^2*d + e]*(\text{Sqrt}[e] + I*c^2*\text{Sqrt}[d]*x + \text{Sqrt}[c^2*d + e]*\text{Sqrt}[(1 - c*x)/(1 + c*x)] + c*\text{Sqrt}[c^2*d + e]*x*\text{Sqrt}[(1 - c*x)/(1 + c*x)])]/((2*c^2*d + e)*(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x)))/(d*(c^2*d + e)^{(3/2)})))/(16*e^{(5/2)}) - (((7*I)/16)*\text{Sqrt}[d]*(-\text{ArcSech}[c*x]/(I*\text{Sqrt}[d]*\text{Sqrt}[e] + e*x)) + (I*(\text{Log}[x]/\text{Sqrt}[e] - \text{Log}[1 + \text{Sqrt}[(1 - c*x)/(1 + c*x)] + c*x*\text{Sqrt}[(1 - c*x)/(1 + c*x)])/\text{Sqrt}[e] + \text{Log}[(2*I)*\text{Sqrt}[e]*(\text{Sqrt}[d]*\text{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x) + (\text{Sqrt}[d]*\text{Sqrt}[e] + I*c^2*d*x)/\text{Sqrt}[c^2*d + e]))/(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x))/\text{Sqrt}[c^2*d + e]))/\text{Sqrt}[d])/e^{(5/2)} + (((7*I)/16)*\text{Sqrt}[d]*(-\text{ArcSech}[c*x]/((-I)*\text{Sqrt}[d]*\text{Sqrt}[e] + e*x)) - (I*(\text{Log}[x]/\text{Sqrt}[e] - \text{Log}[1 + \text{Sqrt}[(1 - c*x)/(1 + c*x)] + c*x*\text{Sqrt}[(1 - c*x)/(1 + c*x)])/\text{Sqrt}[e] + \text{Log}[(2*\text{Sqrt}[e]*(I*\text{Sqrt}[d]*\text{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x) + (I*\text{Sqrt}[d]*\text{Sqrt}[e] + c^2*d*x)/\text{Sqrt}[c^2*d + e]))/((-I)*\text{Sqrt}[d] + \text{Sqrt}[e]*x))/\text{Sqrt}[c^2*d + e]))/\text{Sqrt}[d])/e^{(5/2)} + (\text{PolyLog}[2, -E^{(-2*\text{ArcSech}[c*x])}] - 2*((-4*I)*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]]/\text{Sqrt}[2]]*\text{ArcTanh}[(I*c*\text{Sqrt}[d] + \text{Sqrt}[e])*\text{Tanh}[\text{ArcSech}[c*x]/2])/\text{Sqrt}[c^2*d + e]] + \text{ArcSech}[c*x]*\text{Log}[1 + E^{(-2*\text{ArcSech}[c*x])}] - \text{ArcSech}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})]) + (2*I)*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})]) - \text{ArcSech}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})]) - (2*I)*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})]) + \text{PolyLog}[2, (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})]) + \text{PolyLog}[2, ((-I)*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})]))/(4*e^3) - (-\text{PolyLog}[2, -E^{(-2*\text{ArcSech}[c*x])}] + 2*((-4*I)*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]]/\text{Sqrt}[2]]*\text{ArcTanh}[($$

$$\begin{aligned} &) * c * \sqrt{d} + \sqrt{e} * \operatorname{Tanh}[\operatorname{ArcSech}[c * x] / 2] / \sqrt{c^2 * d + e} + \operatorname{ArcSech}[c * x] \\ & * \operatorname{Log}[1 + E^{(-2 * \operatorname{ArcSech}[c * x])}] - \operatorname{ArcSech}[c * x] * \operatorname{Log}[1 + (I * (-\sqrt{e} + \sqrt{c^2 * d + e})) / \\ & (c * \sqrt{d}) * E^{\operatorname{ArcSech}[c * x]}] + (2 * I) * \operatorname{ArcSin}[\sqrt{1 - (I * \sqrt{e})} / \\ & (c * \sqrt{d})] / \sqrt{2}] * \operatorname{Log}[1 + (I * (-\sqrt{e} + \sqrt{c^2 * d + e})) / (c * \sqrt{d} * \\ & E^{\operatorname{ArcSech}[c * x]})] - \operatorname{ArcSech}[c * x] * \operatorname{Log}[1 - (I * (\sqrt{e} + \sqrt{c^2 * d + e})) / (c * \\ & \sqrt{d} * E^{\operatorname{ArcSech}[c * x]})] - (2 * I) * \operatorname{ArcSin}[\sqrt{1 - (I * \sqrt{e})} / (c * \sqrt{d})] / \sqrt{2}] \\ & * \operatorname{Log}[1 - (I * (\sqrt{e} + \sqrt{c^2 * d + e})) / (c * \sqrt{d} * E^{\operatorname{ArcSech}[c * x]})] \\ & + \operatorname{PolyLog}[2, ((-I) * (-\sqrt{e} + \sqrt{c^2 * d + e})) / (c * \sqrt{d} * E^{\operatorname{ArcSech}[c * x]})] \\ &) + \operatorname{PolyLog}[2, (I * (\sqrt{e} + \sqrt{c^2 * d + e})) / (c * \sqrt{d} * E^{\operatorname{ArcSech}[c * x]})] \\ &) / (4 * e^3) \end{aligned}$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 5.82, size = 1804, normalized size = 2.32

method	result	size
derivativedivides	Expression too large to display	1804
default	Expression too large to display	1804

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^3,x,method=_RETURNVERBOSE)`

[Out]
$$\begin{aligned} & 1/c^6 * (-b * c^6 / e^2 / (c^2 * d + e) * \operatorname{arcsech}(c * x) * \ln(1 - I * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + \\ & 1/c/x)^{1/2})) - 1/2 * b * c^{12} / e^2 / (c^2 * d + e) / (c^2 * e * x^2 + c^2 * d)^2 * d^2 * \operatorname{arcsech}(c * x) \\ & * x^2 - 3/4 * b * c^{12} / e / (c^2 * d + e) / (c^2 * e * x^2 + c^2 * d)^2 * d * \operatorname{arcsech}(c * x) * x^4 - 1/2 * b * c \\ & ^{10} / e / (c^2 * d + e) / (c^2 * e * x^2 + c^2 * d)^2 * d * \operatorname{arcsech}(c * x) * x^2 + 1/4 * b * c^8 / e^2 / (c^2 * d \\ & + e) * \operatorname{sum}((_R1^2 + 1) / (_R1^2 * c^2 * d + c^2 * d + 2 * e) * (\operatorname{arcsech}(c * x) * \ln((_R1 - 1/c/x - (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) / \\ & _R1) + \operatorname{dilog}((_R1 - 1/c/x - (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) / _R1), _R1 = \operatorname{RootOf}(c^2 * d * _Z^4 + (2 * c^2 * d + 4 * e) * _Z^2 + c^2 * d) * \\ & d + 1/4 * b * c^8 / e^3 / (c^2 * d + e) * d * \operatorname{sum}((_R1^2 * c^2 * d + c^2 * d + 4 * e) / (_R1^2 * c^2 * d + c^2 * d + 2 * e) * (\operatorname{arcsech}(c * x) * \ln((_R1 - 1/c/x - (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) / \\ & _R1) + \operatorname{dilog}((_R1 - 1/c/x - (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) / _R1), _R1 = \operatorname{RootOf}(c^2 * d * _Z^4 + (2 * c^2 * d + 4 * e) * _Z^2 + c^2 * d) - \\ & b * c^8 / e^3 / (c^2 * d + e) * d * \operatorname{dilog}(1 + I * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})) - b * c^8 / e^3 / (c^2 * d + e) * d * \operatorname{dilog}(1 - I * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})) \\ & + 1/4 * b * c^{10} / e^3 / (c^2 * d + e) * d^2 * \operatorname{sum}((_R1^2 + 1) / (_R1^2 * c^2 * d + c^2 * d + 2 * e) * (\operatorname{arcsech}(c * x) * \ln((_R1 - 1/c/x - (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) / \\ & _R1) + \operatorname{dilog}((_R1 - 1/c/x - (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}) / _R1), _R1 = \operatorname{RootOf}(c^2 * d * _Z^4 + (2 * c^2 * d + 4 * e) * _Z^2 + c^2 * d) + 1/8 * b * c^{10} / e^2 / (c^2 * d + e) / (c^2 * e * x^2 + c^2 * d)^2 \\ & * d^2 - 3/4 * b * c^6 * (e * (c^2 * d + e))^{1/2} / e^2 / (c^2 * d + e)^2 * \operatorname{arctanh}(1/4 * (2 * c^2 * d * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}))^2 + 2 * c^2 * d + 4 * e) / (c^2 * d * e + e^2)^{1/2} - \\ & b * c^6 / e^2 / (c^2 * d + e) * \operatorname{arcsech}(c * x) * \ln(1 + I * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})) + 1/8 * b * c^{10} / (c^2 * d + e) / (c^2 * e * x^2 + c^2 * d)^2 * x^4 - b * c^8 / e^3 / (c^2 * d + e) * d * \operatorname{arcsech}(c * x) * \ln(1 - I * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})) - b * c^8 / e^3 / (c^2 * d + e) * d * \operatorname{arcsech}(c * x) * \ln(1 + I * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2})) - 5/8 * b * c^8 * (e * (c^2 * d + e))^{1/2} / e^3 / (c^2 * d + e)^2 * d * \operatorname{arctanh}(1/4 * (2 * c^2 * d * (1/c/x + (-1 + 1/c/x)^{1/2}) * (1 + 1/c/x)^{1/2}))^2 + 2 * c^2 * d + 4 * e) / (c^2 * d * e + e^2)^{1/2} - 1/8 * b * c^{11} \end{aligned}$$

$$\frac{1}{e^2} \frac{1}{(c^2 d + e)} \frac{1}{(c^2 e x^2 + c^2 d)^2} \left(-\frac{c x - 1}{c x} \right)^{1/2} \left(\frac{c x + 1}{c x} \right)^{1/2} d^2 x - \frac{1}{8} b c^{11} \frac{1}{e} \frac{1}{(c^2 d + e)} \frac{1}{(c^2 e x^2 + c^2 d)^2} \left(-\frac{c x - 1}{c x} \right)^{1/2} \left(\frac{c x + 1}{c x} \right)^{1/2} d x^3 + \frac{1}{4} b c^{10} \frac{1}{e} \frac{1}{(c^2 d + e)} \frac{1}{(c^2 e x^2 + c^2 d)^2} d x^2 - \frac{3}{4} b c^{10} \frac{1}{(c^2 d + e)} \frac{1}{(c^2 e x^2 + c^2 d)^2} \operatorname{arcsech}(c x) x^4 - \frac{1}{4} a c^{10} \frac{1}{e^3} \frac{1}{(c^2 e x^2 + c^2 d)^2} + a c^8 \frac{1}{e^3} \frac{1}{(c^2 e x^2 + c^2 d)} + \frac{1}{4} b c^6 \frac{1}{e^2} \frac{1}{(c^2 d + e)} \sum \left(\frac{{}_R1^2 c^2 d + c^2 d + 4 e}{{}_R1^2 c^2 d + c^2 d + 2 e} \right) \operatorname{arcsech}(c x) \ln \left(\frac{{}_R1 - 1/c/x - (-1 + 1/c/x)^{1/2} (1 + 1/c/x)^{1/2}}{{}_R1} \right) + \operatorname{dilog} \left(\frac{{}_R1 - 1/c/x - (-1 + 1/c/x)^{1/2} (1 + 1/c/x)^{1/2}}{{}_R1} \right), {}_R1 = \operatorname{RootOf}(c^2 d x^4 + (2 c^2 d + 4 e) x^2 + c^2 d) - b c^6 \frac{1}{e^2} \frac{1}{(c^2 d + e)} \operatorname{dilog}(1 + i (1/c/x + (-1 + 1/c/x)^{1/2} (1 + 1/c/x)^{1/2})) - b c^6 \frac{1}{e^2} \frac{1}{(c^2 d + e)} \operatorname{dilog}(1 - i (1/c/x + (-1 + 1/c/x)^{1/2} (1 + 1/c/x)^{1/2})) + \frac{1}{2} a c^6 \frac{1}{e^3} \ln(c^2 e x^2 + c^2 d)$$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] $\frac{1}{4} (2 e^{-3}) \log(x^2 e + d) + \frac{(4 d x^2 e + 3 d^2)}{(x^4 e^5 + 2 d x^2 e^4 + d^2 e^3)} a + b \operatorname{integrate}(x^5 \log(\sqrt{1/(c x)} + 1) \sqrt{1/(c x)} - 1) + 1/(c x)) / (x^6 e^3 + 3 d x^4 e^2 + 3 d^2 x^2 e + d^3), x$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="fricas")

[Out] $\operatorname{integral}((b x^5 \operatorname{arcsech}(c x) + a x^5) / (x^6 e^3 + 3 d x^4 e^2 + 3 d^2 x^2 e + d^3), x)$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*asech(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x^5/(e*x^2 + d)^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 (a + b \operatorname{acosh}(\frac{1}{cx}))}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(a + b*acosh(1/(c*x))))/(d + e*x^2)^3,x)

[Out] int((x^5*(a + b*acosh(1/(c*x))))/(d + e*x^2)^3, x)

$$3.124 \quad \int \frac{x^3 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^3} dx$$

Optimal. Leaf size=173

$$\frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{8e(c^2d+e)(d+ex^2)} + \frac{x^4(a+b \operatorname{sech}^{-1}(cx))}{4d(d+ex^2)^2} - \frac{b(c^2d+2e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{1-c^2d}}{\sqrt{c^2d+e}}\right)}{8de^{3/2}(c^2d+e)^{3/2}}$$

[Out] 1/4*x^4*(a+b*arcsech(c*x))/d/(e*x^2+d)^2-1/8*b*(c^2*d+2*e)*arctanh(e^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*d+e)^(1/2))*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/d/e^(3/2)/(c^2*d+e)^(3/2)+1/8*b*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)*(-c^2*x^2+1)^(1/2)/e/(c^2*d+e)/(e*x^2+d)

Rubi [A]

time = 0.14, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {270, 6436, 12, 457, 79, 65, 214}

$$\frac{x^4(a+b \operatorname{sech}^{-1}(cx))}{4d(d+ex^2)^2} - \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} (c^2d+2e) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{1-c^2x^2}}{\sqrt{c^2d+e}}\right)}{8de^{3/2}(c^2d+e)^{3/2}} + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2}}{8e(c^2d+e)(d+ex^2)}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*ArcSech[c*x]))/(d + e*x^2)^3,x]

[Out] (b*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*Sqrt[1 - c^2*x^2])/(8*e*(c^2*d + e)*(d + e*x^2)) + (x^4*(a + b*ArcSech[c*x]))/(4*d*(d + e*x^2)^2) - (b*(c^2*d + 2*e)*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcTanh[(Sqrt[e]*Sqrt[1 - c^2*x^2])/Sqrt[c^2*d + e]])/(8*d*e^(3/2)*(c^2*d + e)^(3/2))

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 79

```

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(-b*e - a*f)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(f*(p + 1)*(c*f - d*e))), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

```

Rule 214

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 270

```

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*c*(m + 1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

```

Rule 457

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

```

Rule 6436

```

Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b\operatorname{sech}^{-1}(cx))}{(d + ex^2)^3} dx &= \frac{x^4(a + b\operatorname{sech}^{-1}(cx))}{4d(d + ex^2)^2} + \left(b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\right) \int \frac{x^3}{4d\sqrt{1 - c^2x^2}(d + ex^2)^2} dx \\
&= \frac{x^4(a + b\operatorname{sech}^{-1}(cx))}{4d(d + ex^2)^2} + \frac{\left(b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\right) \int \frac{x^3}{\sqrt{1 - c^2x^2}(d + ex^2)^2} dx}{4d} \\
&= \frac{x^4(a + b\operatorname{sech}^{-1}(cx))}{4d(d + ex^2)^2} + \frac{\left(b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\right) \operatorname{Subst}\left(\int \frac{x}{\sqrt{1 - c^2x}(d + ex)^2} dx\right)}{8d} \\
&= \frac{b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}}{8e(c^2d + e)(d + ex^2)} + \frac{x^4(a + b\operatorname{sech}^{-1}(cx))}{4d(d + ex^2)^2} + \frac{\left(b(c^2d + 2e)\sqrt{\frac{1}{1 + cx}}\right)}{4d(d + ex^2)^2} \\
&= \frac{b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}}{8e(c^2d + e)(d + ex^2)} + \frac{x^4(a + b\operatorname{sech}^{-1}(cx))}{4d(d + ex^2)^2} - \frac{\left(b(c^2d + 2e)\sqrt{\frac{1}{1 + cx}}\right)}{4d(d + ex^2)^2} \\
&= \frac{b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}}{8e(c^2d + e)(d + ex^2)} + \frac{x^4(a + b\operatorname{sech}^{-1}(cx))}{4d(d + ex^2)^2} - \frac{b(c^2d + 2e)\sqrt{\frac{1}{1 + cx}}}{4d(d + ex^2)^2}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 1.58, size = 486, normalized size = 2.81

$$\frac{-\frac{d \operatorname{arctan}\left(\frac{x \sqrt{1 - cx}}{\sqrt{1 + cx}}\right) + \frac{2x \sqrt{\frac{1 - cx}{1 + cx}} \operatorname{arctan}\left(\frac{x \sqrt{1 - cx}}{\sqrt{1 + cx}}\right)}{(d + ex^2)^2} + \frac{d \operatorname{arctan}\left(\frac{x \sqrt{1 - cx}}{\sqrt{1 + cx}}\right) + \frac{d \operatorname{arctan}\left(\frac{x \sqrt{1 - cx}}{\sqrt{1 + cx}}\right)}{(d + ex^2)^2}}{(d + ex^2)^2} + \frac{d \operatorname{arctan}\left(\frac{x \sqrt{1 - cx}}{\sqrt{1 + cx}}\right) + \frac{d \operatorname{arctan}\left(\frac{x \sqrt{1 - cx}}{\sqrt{1 + cx}}\right)}{(d + ex^2)^2}}{(d + ex^2)^2} + \frac{b \sqrt{e} \sqrt{c^2 d + e} \operatorname{Log}\left(\frac{\sqrt{e} \sqrt{c^2 d + e} \sqrt{1 - cx} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} + \sqrt{1 - cx} \sqrt{1 + cx} \sqrt{c^2 d + e} \sqrt{1 - c^2 x^2}}{e \sqrt{1 - cx} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}\right)}{16 e^2} + \frac{b \sqrt{e} \sqrt{c^2 d + e} \operatorname{Log}\left(\frac{\sqrt{e} \sqrt{c^2 d + e} \sqrt{1 - cx} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} - \sqrt{1 - cx} \sqrt{1 + cx} \sqrt{c^2 d + e} \sqrt{1 - c^2 x^2}}{e \sqrt{1 - cx} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}\right)}{16 e^2}}{(d + ex^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*ArcSech[c*x]))/(d + e*x^2)^3,x]

[Out] $-\frac{1}{16} \frac{(-4ad)}{(d + ex^2)^2} + \frac{8a}{(d + ex^2)} - \frac{2e\sqrt{1 - cx}}{(1 + cx)} \frac{(b + bcx)}{(c^2d + e)(d + ex^2)} + \frac{4b(d + 2ex^2)\operatorname{ArcSech}[cx]}{(d + ex^2)^2} + \frac{4b\operatorname{Log}[x]}{d} - \frac{4b\operatorname{Log}\left[1 + \sqrt{\frac{1 - cx}{1 + cx}}\right]}{d} + \frac{cx\sqrt{\frac{1 - cx}{1 + cx}}}{d} + \frac{b\sqrt{e}(c^2d + 2e)\operatorname{Log}\left[\frac{16de^{3/2}\sqrt{c^2d + e}(\sqrt{e} - I c^2\sqrt{d}x + \sqrt{c^2d + e}\sqrt{\frac{1 - cx}{1 + cx}} + c\sqrt{c^2d + e}x\sqrt{\frac{1 - cx}{1 + cx}})}{(b(c^2d + 2e)((-I)\sqrt{d} + \sqrt{e}x))}\right]}{d(c^2d + e)^{3/2}} + \frac{b\sqrt{e}(c^2d + 2e)\operatorname{Log}\left[\frac{16de^{3/2}\sqrt{c^2d + e}(\sqrt{e} + I c^2\sqrt{d}x + \sqrt{c^2d + e}\sqrt{\frac{1 - cx}{1 + cx}} + c\sqrt{c^2d + e}x\sqrt{\frac{1 - cx}{1 + cx}})}{(b(c^2d + 2e)(I\sqrt{d} + \sqrt{e}x))}\right]}{d(c^2d + e)^{3/2}}$

$(1 - cx)/(1 + cx)))/(b*(c^2*d + 2*e)*(I*sqrt[d] + sqrt[e]*x)))/(d*(c^2*d + e)^{(3/2)})/e^2$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 3347 vs. $2(147) = 294$.

time = 4.60, size = 3348, normalized size = 19.35

method	result	size
derivativedivides	Expression too large to display	3348
default	Expression too large to display	3348

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^3,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^4} \left(a c^6 \frac{-1/2 e^2 / (c^2 e x^2 + c^2 d) + 1/4 d c^2 / e^2 / (c^2 e x^2 + c^2 d)^2}{-1/2 b c^6 \operatorname{arcsech}(c x) / e^2 / (c^2 e x^2 + c^2 d) + 1/4 b c^8 \operatorname{arcsech}(c x) d / e^2 / (c^2 e x^2 + c^2 d)^2} - 1/4 b c^{11} \frac{(-c x - 1) / c x)^{1/2} x ((c x + 1) / c x)^{1/2} e d^2 / (e c x + (-c^2 d e)^{1/2})}{(-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})} \right)^2 / (e + (-c^2 d e)^{1/2})^2 / (-c^2 x^2 + 1)^{1/2} \operatorname{arctanh}(1 / (-c^2 x^2 + 1)^{1/2}) - 1/4 b c^{11} \frac{(-c x - 1) / c x)^{1/2} x^3 ((c x + 1) / c x)^{1/2} e^2 d / (e c x + (-c^2 d e)^{1/2})}{(-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})} \right)^2 / (e + (-c^2 d e)^{1/2})^2 / (-c^2 x^2 + 1)^{1/2} \operatorname{arctanh}(1 / (-c^2 x^2 + 1)^{1/2}) + 1/16 b c^{11} \frac{(-c x - 1) / c x)^{1/2} x ((c x + 1) / c x)^{1/2} e d^2 / (e c x + (-c^2 d e)^{1/2})}{((c^2 d + e) / e)^{1/2} / (-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})} \right)^2 / (e + (-c^2 d e)^{1/2})^2 / (-c^2 x^2 + 1)^{1/2} \ln(2 * (-(-c^2 x^2 + 1)^{1/2} * ((c^2 d + e) / e)^{1/2} * e + (-c^2 d e)^{1/2} * c x - e) / (-e c x + (-c^2 d e)^{1/2})) + 1/16 b c^{11} \frac{(-c x - 1) / c x)^{1/2} x^3 ((c x + 1) / c x)^{1/2} e^2 d / (e c x + (-c^2 d e)^{1/2})}{((c^2 d + e) / e)^{1/2} / (-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})} \right)^2 / (e + (-c^2 d e)^{1/2})^2 / (-c^2 x^2 + 1)^{1/2} \ln(2 * ((-c^2 x^2 + 1)^{1/2} * ((c^2 d + e) / e)^{1/2} * e + (-c^2 d e)^{1/2} * c x + e) / (e c x + (-c^2 d e)^{1/2})) + 1/16 b c^{11} \frac{(-c x - 1) / c x)^{1/2} x^3 ((c x + 1) / c x)^{1/2} e^2 d / (e c x + (-c^2 d e)^{1/2})}{((c^2 d + e) / e)^{1/2} / (-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})} \right)^2 / (e + (-c^2 d e)^{1/2})^2 / (-c^2 x^2 + 1)^{1/2} \ln(2 * ((-c^2 x^2 + 1)^{1/2} * ((c^2 d + e) / e)^{1/2} * e + (-c^2 d e)^{1/2} * c x + e) / (e c x + (-c^2 d e)^{1/2})) - 1/8 b c^9 \frac{(-c x - 1) / c x)^{1/2} x ((c x + 1) / c x)^{1/2} e^2 d / (e c x + (-c^2 d e)^{1/2})}{(-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})} \right)^2 - 1/2 b c^9 \frac{(-c x - 1) / c x)^{1/2} x ((c x + 1) / c x)^{1/2} e^2 d / (e c x + (-c^2 d e)^{1/2})}{(-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})} \right)^2 / (-c^2 x^2 + 1)^{1/2} \operatorname{arctanh}(1 / (-c^2 x^2 + 1)^{1/2}) - 1/2 b c^9 \frac{(-c x - 1) / c x)^{1/2} x^3 ((c x + 1) / c x)^{1/2} e^3 / (e c x + (-c^2 d e)^{1/2})}{(-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})} \right)^2 / (e + (-c^2 d e)^{1/2})^2 / (-c^2 x^2 + 1)^{1/2} \operatorname{arctanh}(1 / (-$

$$\begin{aligned}
& c^2 x^{2+1} \wedge (1/2) + 3/16 * b * c^9 * (-c * x - 1) / c / x \wedge (1/2) * x * ((c * x + 1) / c / x) \wedge (1/2) * e^2 \\
& * d / (e * c * x + (-c^2 * d * e) \wedge (1/2)) / ((c^2 * d + e) / e) \wedge (1/2) / (-e * c * x + (-c^2 * d * e) \wedge (1/2)) / (\\
& -e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (-c^2 * x^{2+1} \wedge (1/2) * \ln(2 * (-c \\
& ^2 * x^{2+1} \wedge (1/2) * ((c^2 * d + e) / e) \wedge (1/2) * e + (-c^2 * d * e) \wedge (1/2) * c * x - e) / (-e * c * x + (-c^2 \\
& * d * e) \wedge (1/2))) + 3/16 * b * c^9 * (-c * x - 1) / c / x \wedge (1/2) * x^3 * ((c * x + 1) / c / x) \wedge (1/2) * e^3 / (\\
& e * c * x + (-c^2 * d * e) \wedge (1/2)) / ((c^2 * d + e) / e) \wedge (1/2) / (-e * c * x + (-c^2 * d * e) \wedge (1/2)) / (-e + (\\
& -c^2 * d * e) \wedge (1/2)) \wedge 2 / (e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (-c^2 * x^{2+1} \wedge (1/2) * \ln(2 * (-c^2 * x \\
& ^2 + 1) \wedge (1/2) * ((c^2 * d + e) / e) \wedge (1/2) * e + (-c^2 * d * e) \wedge (1/2) * c * x - e) / (-e * c * x + (-c^2 * d * e \\
&) \wedge (1/2))) + 3/16 * b * c^9 * (-c * x - 1) / c / x \wedge (1/2) * x * ((c * x + 1) / c / x) \wedge (1/2) * e^2 * d / (e * c * \\
& x + (-c^2 * d * e) \wedge (1/2)) / ((c^2 * d + e) / e) \wedge (1/2) / (-e * c * x + (-c^2 * d * e) \wedge (1/2)) / (-e + (-c^2 \\
& * d * e) \wedge (1/2)) \wedge 2 / (e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (-c^2 * x^{2+1} \wedge (1/2) * \ln(2 * ((-c^2 * x^{2+1} \\
& ^2 + 1) \wedge (1/2) * ((c^2 * d + e) / e) \wedge (1/2) * e + (-c^2 * d * e) \wedge (1/2) * c * x + e) / (e * c * x + (-c^2 * d * e) \wedge (1/2) \\
&))) + 3/16 * b * c^9 * (-c * x - 1) / c / x \wedge (1/2) * x^3 * ((c * x + 1) / c / x) \wedge (1/2) * e^3 / (e * c * x + (-c^ \\
& 2 * d * e) \wedge (1/2)) / ((c^2 * d + e) / e) \wedge (1/2) / (-e * c * x + (-c^2 * d * e) \wedge (1/2)) / (-e + (-c^2 * d * e) \wedge \\
& (1/2)) \wedge 2 / (e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (-c^2 * x^{2+1} \wedge (1/2) * \ln(2 * ((-c^2 * x^{2+1} \wedge (1/2) \\
& * ((c^2 * d + e) / e) \wedge (1/2) * e + (-c^2 * d * e) \wedge (1/2) * c * x + e) / (e * c * x + (-c^2 * d * e) \wedge (1/2) \\
&))) - 1 / \\
& 8 * b * c^7 * (-c * x - 1) / c / x \wedge (1/2) * x * ((c * x + 1) / c / x) \wedge (1/2) * e^3 / (e * c * x + (-c^2 * d * e) \wedge (1 \\
& / 2)) / (-e * c * x + (-c^2 * d * e) \wedge (1/2)) / (-e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (e + (-c^2 * d * e) \wedge (1/2)) \\
& ^2 - 1/4 * b * c^7 * (-c * x - 1) / c / x \wedge (1/2) * x * ((c * x + 1) / c / x) \wedge (1/2) * e^3 / (e * c * x + (-c^2 * d * \\
& e) \wedge (1/2)) / (-e * c * x + (-c^2 * d * e) \wedge (1/2)) / (-e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (e + (-c^2 * d * e) \wedge (\\
& 1/2)) \wedge 2 / (-c^2 * x^{2+1} \wedge (1/2) * \operatorname{arctanh}(1 / (-c^2 * x^{2+1} \wedge (1/2)) - 1/4 * b * c^7 * (-c * x - 1 \\
&) / c / x) \wedge (1/2) * x^3 * ((c * x + 1) / c / x) \wedge (1/2) * e^4 / d / (e * c * x + (-c^2 * d * e) \wedge (1/2)) / (-e * c * x \\
& + (-c^2 * d * e) \wedge (1/2)) / (-e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (-c^2 * x^{2 \\
& + 1) \wedge (1/2) * \operatorname{arctanh}(1 / (-c^2 * x^{2+1} \wedge (1/2)) + 1/8 * b * c^7 * (-c * x - 1) / c / x) \wedge (1/2) * x * ((\\
& c * x + 1) / c / x) \wedge (1/2) * e^3 / (e * c * x + (-c^2 * d * e) \wedge (1/2)) / ((c^2 * d + e) / e) \wedge (1/2) / (-e * c * x + \\
& (-c^2 * d * e) \wedge (1/2)) / (-e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (-c^2 * x^{2+ \\
& 1) \wedge (1/2) * \ln(2 * (-c^2 * x^{2+1} \wedge (1/2) * ((c^2 * d + e) / e) \wedge (1/2) * e + (-c^2 * d * e) \wedge (1/2) * c \\
& * x - e) / (-e * c * x + (-c^2 * d * e) \wedge (1/2))) + 1/8 * b * c^7 * (-c * x - 1) / c / x \wedge (1/2) * x^3 * ((c * x + 1 \\
&) / c / x) \wedge (1/2) * e^4 / d / (e * c * x + (-c^2 * d * e) \wedge (1/2)) / ((c^2 * d + e) / e) \wedge (1/2) / (-e * c * x + (-c \\
& ^2 * d * e) \wedge (1/2)) / (-e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (-c^2 * x^{2+1} \wedge \\
& (1/2) * \ln(2 * (-c^2 * x^{2+1} \wedge (1/2) * ((c^2 * d + e) / e) \wedge (1/2) * e + (-c^2 * d * e) \wedge (1/2) * c * x - \\
& e) / (-e * c * x + (-c^2 * d * e) \wedge (1/2))) + 1/8 * b * c^7 * (-c * x - 1) / c / x \wedge (1/2) * x * ((c * x + 1) / c / x \\
&) \wedge (1/2) * e^3 / (e * c * x + (-c^2 * d * e) \wedge (1/2)) / ((c^2 * d + e) / e) \wedge (1/2) / (-e * c * x + (-c^2 * d * e) \\
& ^2) / (-e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (e + (-c^2 * d * e) \wedge (1/2)) \wedge 2 / (-c^2 * x^{2+1} \wedge (1/2) * \ln \\
& (2 * ((-c^2 * x^{2+1} \wedge (1/2) * ((c^2 * d + e) / e) \wedge (1/2) * e + (-c^2 * d * e) \wedge (1/2) * c * x + e) / (e * c * \\
& x + (-c^2 * d * e) \wedge (1/2))) + 1/8 * b * c^7 * (-c * x - 1) / c / x \wedge (\dots
\end{aligned}$$

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: THROW: The catch RAT-ERR is undefined.

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 1804 vs. 2(118) = 236.

time = 0.71, size = 3769, normalized size = 21.79

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [-1/16*(4*a*c^4*d^4 - 2*b*x^4*cosh(1)^4 - 2*b*x^4*sinh(1)^4 - 2*(b*c^2*d*x^4 \\ & - 2*(2*a - b)*d*x^2)*cosh(1)^3 - 2*(b*c^2*d*x^4 + 4*b*x^4*cosh(1) - 2*(2* \\ & a - b)*d*x^2)*sinh(1)^3 + 2*(2*(4*a - b)*c^2*d^2*x^2 + (2*a - b)*d^2)*cosh(\\ & 1)^2 + 2*(2*(4*a - b)*c^2*d^2*x^2 - 6*b*x^4*cosh(1)^2 + (2*a - b)*d^2 - 3*(\\ & b*c^2*d*x^4 - 2*(2*a - b)*d*x^2)*cosh(1))*sinh(1)^2 - (2*b*x^4*cosh(1)^3 + \\ & 2*b*x^4*sinh(1)^3 + b*c^2*d^3 + (b*c^2*d*x^4 + 4*b*d*x^2)*cosh(1)^2 + (b*c^ \\ & 2*d*x^4 + 6*b*x^4*cosh(1) + 4*b*d*x^2)*sinh(1)^2 + 2*(b*c^2*d^2*x^2 + b*d^2 \\ &)*cosh(1) + 2*(b*c^2*d^2*x^2 + 3*b*x^4*cosh(1)^2 + b*d^2 + (b*c^2*d*x^4 + 4 \\ & *b*d*x^2)*cosh(1))*sinh(1))*sqrt((c^2*d + cosh(1) + sinh(1))/(cosh(1) - sin \\ & h(1)))*log((c^4*d^2 - 2*(c^2*x^2 - 2)*cosh(1)^2 - 2*(c^2*x^2 - 2)*sinh(1)^2 \\ & - (c^4*d*x^2 - 4*c^2*d)*cosh(1) - (c^4*d*x^2 - 4*c^2*d + 4*(c^2*x^2 - 2)*c \\ & osh(1))*sinh(1) - 2*(c^2*d - (c^2*x^2 - 2)*cosh(1) - (c^2*x^2 - 2)*sinh(1)) \\ & *sqrt((c^2*d + cosh(1) + sinh(1))/(cosh(1) - sinh(1))) + 2*(2*c^3*d*x*cosh(\\ & 1) + 2*c*x*cosh(1)^2 + 2*c*x*sinh(1)^2 + 2*(c^3*d*x + 2*c*x*cosh(1))*sinh(1 \\ &) - (c^3*d*x + 2*c*x*cosh(1) + 2*c*x*sinh(1))*sqrt((c^2*d + cosh(1) + sinh(\\ & 1))/(cosh(1) - sinh(1))))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/(x^2*cosh(1) + x^ \\ & 2*sinh(1) + d)) + 2*(4*a*c^4*d^3*x^2 + (4*a - b)*c^2*d^3)*cosh(1) + 4*(b*c^ \\ & 4*d^4 + b*x^4*cosh(1)^4 + b*x^4*sinh(1)^4 + 2*(b*c^2*d*x^4 + b*d*x^2)*cosh(\\ & 1)^3 + 2*(b*c^2*d*x^4 + 2*b*x^4*cosh(1) + b*d*x^2)*sinh(1)^3 + (b*c^4*d^2*x \\ & ^4 + 4*b*c^2*d^2*x^2 + b*d^2)*cosh(1)^2 + (b*c^4*d^2*x^4 + 4*b*c^2*d^2*x^2 \\ & + 6*b*x^4*cosh(1)^2 + b*d^2 + 6*(b*c^2*d*x^4 + b*d*x^2)*cosh(1))*sinh(1)^2 \\ & + 2*(b*c^4*d^3*x^2 + b*c^2*d^3)*cosh(1) + 2*(b*c^4*d^3*x^2 + 2*b*x^4*cosh(1 \\ &)^3 + b*c^2*d^3 + 3*(b*c^2*d*x^4 + b*d*x^2)*cosh(1)^2 + (b*c^4*d^2*x^4 + 4* \\ & b*c^2*d^2*x^2 + b*d^2)*cosh(1))*sinh(1))*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2* \\ & x^2)) - 1)/x) + 4*(b*c^4*d^4 + 2*b*d*x^2*cosh(1)^3 + 2*b*d*x^2*sinh(1)^3 + \\ & (4*b*c^2*d^2*x^2 + b*d^2)*cosh(1)^2 + (4*b*c^2*d^2*x^2 + 6*b*d*x^2*cosh(1) \\ & + b*d^2)*sinh(1)^2 + 2*(b*c^4*d^3*x^2 + b*c^2*d^3)*cosh(1) + 2*(b*c^4*d^3*x \\ & ^2 + b*c^2*d^3 + 3*b*d*x^2*cosh(1)^2 + (4*b*c^2*d^2*x^2 + b*d^2)*cosh(1))*s \\ & inh(1))*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + 2*(4*a*c^4*d^ \\ & 3*x^2 - 4*b*x^4*cosh(1)^3 + (4*a - b)*c^2*d^3 - 3*(b*c^2*d*x^4 - 2*(2*a - b \\ &)*d*x^2)*cosh(1)^2 + 2*(2*(4*a - b)*c^2*d^2*x^2 + (2*a - b)*d^2)*cosh(1))*s \\ & inh(1) - 2*(b*c^3*d^3*x*cosh(1) + b*c*d*x^3*cosh(1)^3 + b*c*d*x^3*sinh(1)^3 \\ & + (b*c^3*d^2*x^3 + b*c*d^2*x)*cosh(1)^2 + (b*c^3*d^2*x^3 + 3*b*c*d*x^3*cos \end{aligned}$$

$$\begin{aligned}
& h(1) + b*c*d^2*x)*\sinh(1)^2 + (b*c^3*d^3*x + 3*b*c*d*x^3*\cosh(1)^2 + 2*(b*c \\
& ^3*d^2*x^3 + b*c*d^2*x)*\cosh(1))*\sinh(1))*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2))}/(\\
& c^4*d^5*\cosh(1)^2 + d*x^4*\cosh(1)^6 + d*x^4*\sinh(1)^6 + 2*(c^2*d^2*x^4 + d^ \\
& 2*x^2)*\cosh(1)^5 + 2*(c^2*d^2*x^4 + 3*d*x^4*\cosh(1) + d^2*x^2)*\sinh(1)^5 + \\
& (c^4*d^3*x^4 + 4*c^2*d^3*x^2 + d^3)*\cosh(1)^4 + (c^4*d^3*x^4 + 4*c^2*d^3*x^ \\
& 2 + 15*d*x^4*\cosh(1)^2 + d^3 + 10*(c^2*d^2*x^4 + d^2*x^2)*\cosh(1))*\sinh(1)^ \\
& 4 + 2*(c^4*d^4*x^2 + c^2*d^4)*\cosh(1)^3 + 2*(c^4*d^4*x^2 + 10*d*x^4*\cosh(1) \\
& ^3 + c^2*d^4 + 10*(c^2*d^2*x^4 + d^2*x^2)*\cosh(1)^2 + 2*(c^4*d^3*x^4 + 4*c^ \\
& 2*d^3*x^2 + d^3)*\cosh(1))*\sinh(1)^3 + (c^4*d^5 + 15*d*x^4*\cosh(1)^4 + 20*(c \\
& ^2*d^2*x^4 + d^2*x^2)*\cosh(1)^3 + 6*(c^4*d^3*x^4 + 4*c^2*d^3*x^2 + d^3)*\cos \\
& h(1)^2 + 6*(c^4*d^4*x^2 + c^2*d^4)*\cosh(1))*\sinh(1)^2 + 2*(c^4*d^5*\cosh(1) \\
& + 3*d*x^4*\cosh(1)^5 + 5*(c^2*d^2*x^4 + d^2*x^2)*\cosh(1)^4 + 2*(c^4*d^3*x^4 \\
& + 4*c^2*d^3*x^2 + d^3)*\cosh(1)^3 + 3*(c^4*d^4*x^2 + c^2*d^4)*\cosh(1)^2)*\sin \\
& h(1)), -1/8*(2*a*c^4*d^4 - b*x^4*\cosh(1)^4 - b*x^4*\sinh(1)^4 - (b*c^2*d*x^4 \\
& - 2*(2*a - b)*d*x^2)*\cosh(1)^3 - (b*c^2*d*x^4 + 4*b*x^4*\cosh(1) - 2*(2*a - \\
& b)*d*x^2)*\sinh(1)^3 + (2*(4*a - b)*c^2*d^2*x^2 + (2*a - b)*d^2)*\cosh(1)^2 \\
& + (2*(4*a - b)*c^2*d^2*x^2 - 6*b*x^4*\cosh(1)^2 + (2*a - b)*d^2 - 3*(b*c^2*d \\
& *x^4 - 2*(2*a - b)*d*x^2)*\cosh(1))*\sinh(1)^2 + (2*b*x^4*\cosh(1)^3 + 2*b*x^4 \\
& *\sinh(1)^3 + b*c^2*d^3 + (b*c^2*d*x^4 + 4*b*d*x^2)*\cosh(1)^2 + (b*c^2*d*x^4 \\
& + 6*b*x^4*\cosh(1) + 4*b*d*x^2)*\sinh(1)^2 + 2*(b*c^2*d^2*x^2 + b*d^2)*\cosh(\\
& 1) + 2*(b*c^2*d^2*x^2 + 3*b*x^4*\cosh(1)^2 + b*d^2 + (b*c^2*d*x^4 + 4*b*d*x^ \\
& 2)*\cosh(1))*\sinh(1))*\sqrt{-(c^2*d + \cosh(1) + \sinh(1))/(\cosh(1) - \sinh(1))} \\
& *\arctan((c*d*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - x^2*\cosh(1) - x^2*\sinh(1) - \\
& d)*\sqrt{-(c^2*d + \cosh(1) + \sinh(1))/(\cosh(1) - \sinh(1))}/(c^2*d*x^2*\cosh(\\
& 1) + x^2*\cosh(1)^2 + x^2*\sinh(1)^2 + (c^2*d*x^2 + 2*x^2*\cosh(1))*\sinh(1))) \\
& + (4*a*c^4*d^3*x^2 + (4*a - b)*c^2*d^3)*\cosh(1) + 2*(b*c^4*d^4 + b*x^4*\cosh \\
& (1)^4 + b*x^4*\sinh(1)^4 + 2*(b*c^2*d*x^4 + b*d*x^2)*\cosh(1)^3 + 2*(b*c^2*d* \\
& x^4 + 2*b*x^4*\cosh(1) + b*d*x^2)*\sinh(1)^3 + (b*c^4*d^2*x^4 + 4*b*c^2*d^2*x \\
& ^2 + b*d^2)*\cosh(1)^2 + (b*c^4*d^2*x^4 + 4*b*c^2*d^2*x^2 + 6*b*x^4*\cosh(1)^ \\
& 2 + b*d^2 + 6*(b*c^2*d*x^4 + b*d*x^2)*\cosh(1))*\sinh(1)^2 + 2*(b*c^4*d^3*x^2 \\
& + b*c^2*d^3)*\cosh(1) + 2*(b*c^4*d^3*x^2 + 2*b*x^4*\cosh(1)^3 + b*c^2*d^3 + \\
& 3*(b*c^2*d*x^4 + b*d*x^2)*\cosh(1)^2 + (b*c^4*d^2*x^4 + 4*b*c^2*d^2*x^2 + b* \\
& d^2)*\cosh(1))*\sinh(1))*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} - 1)/x) + 2* \\
& (b*c^4*d^4 + 2*b*d*x^2*\cosh(1)^3 + 2*b*d*x^2*\si...
\end{aligned}$$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asech(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x^3/(e*x^2 + d)^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)}{(e x^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(a + b*acosh(1/(c*x))))/(d + e*x^2)^3,x)

[Out] int((x^3*(a + b*acosh(1/(c*x))))/(d + e*x^2)^3, x)

$$3.125 \quad \int \frac{x \left(a + b \operatorname{sech}^{-1}(cx) \right)}{(d + ex^2)^3} dx$$

Optimal. Leaf size=217

$$\frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{8d(c^2d+e)(d+ex^2)} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4e(d+ex^2)^2} + \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \tanh^{-1}\left(\sqrt{1-c^2x^2}\right)}{4d^2e} - \frac{b(3c^2d+e)}{4d^2e}$$

[Out] $1/4*(-a-b*\operatorname{arcsech}(c*x))/e/(e*x^2+d)^2+1/4*b*\operatorname{arctanh}((-c^2*x^2+1)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/d^2/e-1/8*b*(3*c^2*d+2*e)*\operatorname{arctanh}(e^{(1/2)}*(-c^2*x^2+1)^{(1/2)})/(c^2*d+e)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/d^2/(c^2*d+e)^{(3/2)}/e^{(1/2)}-1/8*b*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/d/(c^2*d+e)/(e*x^2+d)$

Rubi [A]

time = 0.22, antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {6434, 531, 457, 105, 162, 65, 214}

$$-\frac{a + b \operatorname{sech}^{-1}(cx)}{4e(d+ex^2)^2} + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \tanh^{-1}\left(\sqrt{1-c^2x^2}\right)}{4d^2e} - \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} (3c^2d+2e) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{1-c^2x^2}}{\sqrt{c^2d+e}}\right)}{8d^2\sqrt{e}(c^2d+e)^{3/2}} - \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2}}{8d(c^2d+e)(d+ex^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x*(a + b*\operatorname{ArcSech}[c*x]))/(d + e*x^2)^3, x]$

[Out] $-1/8*(b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/(d*(c^2*d + e)*(d + e*x^2)) - (a + b*\operatorname{ArcSech}[c*x])/(4*e*(d + e*x^2)^2) + (b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTanh}[\operatorname{Sqrt}[1 - c^2*x^2]])/(4*d^2*e) - (b*(3*c^2*d + 2*e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[1 - c^2*x^2])]/\operatorname{Sqrt}[c^2*d + e])/(8*d^2*\operatorname{Sqrt}[e]*(c^2*d + e)^{(3/2)})$

Rule 65

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - a*(d/b) + d*(x^{p/b})^n), x], x, (a + b*x)^{(1/p)}, x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 105

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}*((e_.) + (f_.)*(x_.))^{(p_.)}, x_Symbol] \rightarrow \operatorname{Simp}[b*(a + b*x)^{(m+1)}*(c + d*x)^{(n+1)}*((e + f*x)^{(p+1})/((m+1)*(b*c - a*d)*(b*e - a*f))), x] + \operatorname{Dist}[1/((m+1)*(b*c - a$

```
*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*
(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x,
x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && ILtQ[m, -1] && (Integer
Q[n] || IntegersQ[2*n, 2*p] || ILtQ[m + n + p + 3, 0])
```

Rule 162

```
Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*
((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e +
f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c
+ d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]
```

Rule 214

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 457

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 531

```
Int[(u_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p
_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.), x_Symbol] := Int[u*(a1*a2 + b1*b2
*x^n)^p*(c + d*x^n)^q, x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p, q}, x] && E
qQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[p] || (GtQ[a1, 0] && Gt
Q[a2, 0]))
```

Rule 6434

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.),
x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSech[c*x])/(2*e*(p + 1))),
x] + Dist[b*(Sqrt[1 + c*x]/(2*e*(p + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x^
2)^(p + 1)/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e,
p}, x] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^3} dx &= \frac{a + b \operatorname{sech}^{-1}(cx)}{4e(d + ex^2)^2} - \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{x\sqrt{1-cx}\sqrt{1+cx}(d+ex^2)^2} dx}{4e} \\
&= \frac{a + b \operatorname{sech}^{-1}(cx)}{4e(d + ex^2)^2} - \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{x\sqrt{1-c^2x^2}(d+ex^2)^2} dx}{4e} \\
&= \frac{a + b \operatorname{sech}^{-1}(cx)}{4e(d + ex^2)^2} - \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-c^2x}(d+ex)^2} dx, x\right)}{8e} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{8d(c^2d+e)(d+ex^2)} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4e(d + ex^2)^2} - \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right)}{4e(d + ex^2)^2} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{8d(c^2d+e)(d+ex^2)} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4e(d + ex^2)^2} - \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right)}{4e(d + ex^2)^2} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{8d(c^2d+e)(d+ex^2)} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4e(d + ex^2)^2} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right)}{4e(d + ex^2)^2} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{8d(c^2d+e)(d+ex^2)} - \frac{a + b \operatorname{sech}^{-1}(cx)}{4e(d + ex^2)^2} + \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{4e(d + ex^2)^2}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 0.75, size = 486, normalized size = 2.24

$$\left(\frac{1}{16} \left[\frac{4a}{c(d+ex^2)^2} - \frac{2\sqrt{\frac{1-cx}{1+cx}}(b+bcx)}{d(c^2d+e)(d+ex^2)} - \frac{4b \operatorname{sech}^{-1}(cx)}{c(d+ex^2)^2} - \frac{4b \log(x)}{d^2c} + \frac{4b \log\left(1 + \sqrt{\frac{1-cx}{1+cx}} + cx\sqrt{\frac{1-cx}{1+cx}}\right)}{d^2c} - \frac{b(3c^2d+2e) \log\left(\frac{\sqrt{d}\sqrt{c}\sqrt{c^2d+e}\left(\sqrt{c}\sqrt{d}\sqrt{d+e}\sqrt{c^2d+e}\sqrt{\frac{1-cx}{1+cx}} + \sqrt{c^2d+e}\sqrt{\frac{1-cx}{1+cx}}\right)}{d^2\sqrt{c}(c^2d+e)^{3/2}}}\right)}{d^2\sqrt{c}(c^2d+e)^{3/2}} - \frac{b(3c^2d+2e) \log\left(\frac{\sqrt{d}\sqrt{c}\sqrt{c^2d+e}\left(\sqrt{c}\sqrt{d}\sqrt{d+e}\sqrt{c^2d+e}\sqrt{\frac{1-cx}{1+cx}} + \sqrt{c^2d+e}\sqrt{\frac{1-cx}{1+cx}}\right)}{d^2\sqrt{c}(c^2d+e)^{3/2}}}\right)}{d^2\sqrt{c}(c^2d+e)^{3/2}} \right] \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcSech[c*x]))/(d + e*x^2)^3,x]

[Out] ((-4*a)/(e*(d + e*x^2)^2) - (2*Sqrt[(1 - c*x)/(1 + c*x)]*(b + b*c*x))/(d*(c^2*d + e)*(d + e*x^2)) - (4*b*ArcSech[c*x])/(e*(d + e*x^2)^2) - (4*b*Log[x])/(d^2*e) + (4*b*Log[1 + Sqrt[(1 - c*x)/(1 + c*x)] + c*x*Sqrt[(1 - c*x)/(1 + c*x]]))/(d^2*e) - (b*(3*c^2*d + 2*e)*Log[(16*d^2*Sqrt[e]*Sqrt[c^2*d + e]*

$$\frac{(\text{Sqrt}[e] - I*c^2*\text{Sqrt}[d]*x + \text{Sqrt}[c^2*d + e]*\text{Sqrt}[(1 - c*x)/(1 + c*x)] + c*\text{Sqrt}[c^2*d + e]*x*\text{Sqrt}[(1 - c*x)/(1 + c*x]))/(b*(3*c^2*d + 2*e)*((-I)*\text{Sqrt}[d] + \text{Sqrt}[e]*x)))/(d^2*\text{Sqrt}[e]*(c^2*d + e)^{(3/2)}) - (b*(3*c^2*d + 2*e)*\text{Log}[(16*d^2*\text{Sqrt}[e]*\text{Sqrt}[c^2*d + e]*(\text{Sqrt}[e] + I*c^2*\text{Sqrt}[d]*x + \text{Sqrt}[c^2*d + e]*\text{Sqrt}[(1 - c*x)/(1 + c*x)] + c*\text{Sqrt}[c^2*d + e]*x*\text{Sqrt}[(1 - c*x)/(1 + c*x])))/(b*(3*c^2*d + 2*e)*(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x)))/(d^2*\text{Sqrt}[e]*(c^2*d + e)^{(3/2)})/16$$

Maple [B] Leaf count of result is larger than twice the leaf count of optimal. 3304 vs. $2(186) = 372$.

time = 4.54, size = 3305, normalized size = 15.23

method	result	size
derivativedivides	Expression too large to display	3305
default	Expression too large to display	3305

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsech(c*x))/(e*x^2+d)^3,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^2} \left(-\frac{1}{4} a c^6 / e / (c^2 e x^2 + c^2 d)^2 - \frac{1}{4} b c^6 / e / (c^2 e x^2 + c^2 d)^2 \operatorname{arcsech}(c x) - \frac{1}{4} b c^9 (-c x - 1) / c x^{1/2} x \left((c x + 1) / c x \right)^{1/2} e^{2 d} / (e c x + (-c^2 d e)^{1/2}) / (-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})^2 / (e + (-c^2 d e)^{1/2})^2 / (-c^2 x^2 + 1)^{1/2} \operatorname{arctanh}(1 / (-c^2 x^2 + 1)^{1/2}) - \frac{1}{4} b c^9 (-c x - 1) / c x^{1/2} x^3 \left((c x + 1) / c x \right)^{1/2} e^3 / (e c x + (-c^2 d e)^{1/2}) / (-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})^2 / (e + (-c^2 d e)^{1/2})^2 / (-c^2 x^2 + 1)^{1/2} \operatorname{arctanh}(1 / (-c^2 x^2 + 1)^{1/2}) + \frac{3}{16} b c^9 (-c x - 1) / c x^{1/2} x \left((c x + 1) / c x \right)^{1/2} e^{2 d} / (e c x + (-c^2 d e)^{1/2}) / ((c^2 d + e) / e)^{1/2} / (-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})^2 / (e + (-c^2 d e)^{1/2})^2 / (-c^2 x^2 + 1)^{1/2} \ln(2 * ((-c^2 x^2 + 1)^{1/2} * ((c^2 d + e) / e)^{1/2} * e + (-c^2 d e)^{1/2}) * c x + e) / (e c x + (-c^2 d e)^{1/2}) + \frac{3}{16} b c^9 (-c x - 1) / c x^{1/2} x^3 \left((c x + 1) / c x \right)^{1/2} e^3 / (e c x + (-c^2 d e)^{1/2}) / ((c^2 d + e) / e)^{1/2} / (-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})^2 / (e + (-c^2 d e)^{1/2})^2 / (-c^2 x^2 + 1)^{1/2} \ln(2 * ((-c^2 x^2 + 1)^{1/2} * ((c^2 d + e) / e)^{1/2} * e + (-c^2 d e)^{1/2}) * c x + e) / (e c x + (-c^2 d e)^{1/2}) + \frac{3}{16} b c^9 (-c x - 1) / c x^{1/2} x \left((c x + 1) / c x \right)^{1/2} e^{2 d} / (e c x + (-c^2 d e)^{1/2}) / ((c^2 d + e) / e)^{1/2} / (-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})^2 / (e + (-c^2 d e)^{1/2})^2 / (-c^2 x^2 + 1)^{1/2} \ln(2 * (-(-c^2 x^2 + 1)^{1/2} * ((c^2 d + e) / e)^{1/2} * e + (-c^2 d e)^{1/2}) * c x - e) / (-e c x + (-c^2 d e)^{1/2}) + \frac{3}{16} b c^9 (-c x - 1) / c x^{1/2} x^3 \left((c x + 1) / c x \right)^{1/2} e^3 / (e c x + (-c^2 d e)^{1/2}) / ((c^2 d + e) / e)^{1/2} / (-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})^2 / (e + (-c^2 d e)^{1/2})^2 / (-c^2 x^2 + 1)^{1/2} \ln(2 * (-(-c^2 x^2 + 1)^{1/2} * ((c^2 d + e) / e)^{1/2} * e + (-c^2 d e)^{1/2}) * c x - e) / (-e c x + (-c^2 d e)^{1/2}) - \frac{1}{2} b c^7 (-c x - 1) / c x^{1/2} x \left((c x + 1) / c x \right)^{1/2} e^3 / (e c x + (-c^2 d e)^{1/2}) / (-e c x + (-c^2 d e)^{1/2}) / (-e + (-c^2 d e)^{1/2})^2 / (e + (-c^2 d e)^{1/2})^2 / (-c^2 x^2 + 1)^{1/2} \operatorname{arctanh}(1 / (-c^2 x^2 + 1)^{1/2}) - \frac{1}{2} b c^7 (-c x - 1) / c x^{1/2} x^3 \left((c x + 1) / c x \right)^{1/2} e^4 / d / (e c x +$

$$\begin{aligned}
& -c^2*d*e)^{(1/2)})/(-e*c*x+(-c^2*d*e)^{(1/2)})/(-e+(-c^2*d*e)^{(1/2)})^2/(e+(-c^2 \\
& *d*e)^{(1/2)})^2/(-c^2*x^2+1)^{(1/2)}*\operatorname{arctanh}(1/(-c^2*x^2+1)^{(1/2)})+1/8*b*c^7*(\\
& -(c*x-1)/c/x)^{(1/2)}*x*((c*x+1)/c/x)^{(1/2)}*e^3/(e*c*x+(-c^2*d*e)^{(1/2)})/(-e* \\
& c*x+(-c^2*d*e)^{(1/2)})/(-e+(-c^2*d*e)^{(1/2)})^2/(e+(-c^2*d*e)^{(1/2)})^2+5/16*b \\
& *c^7*(-(c*x-1)/c/x)^{(1/2)}*x*((c*x+1)/c/x)^{(1/2)}*e^3/(e*c*x+(-c^2*d*e)^{(1/2)} \\
&)/((c^2*d+e)/e)^{(1/2)}/(-e*c*x+(-c^2*d*e)^{(1/2)})/(-e+(-c^2*d*e)^{(1/2)})^2/(e+ \\
& (-c^2*d*e)^{(1/2)})^2/(-c^2*x^2+1)^{(1/2)}*\ln(2*((-c^2*x^2+1)^{(1/2)}*((c^2*d+e)/ \\
& e)^{(1/2)}*e+(-c^2*d*e)^{(1/2)}*c*x+e)/(e*c*x+(-c^2*d*e)^{(1/2)}))+5/16*b*c^7*(-(c \\
& *x-1)/c/x)^{(1/2)}*x^3*((c*x+1)/c/x)^{(1/2)}*e^4/d/(e*c*x+(-c^2*d*e)^{(1/2)})/((\\
& c^2*d+e)/e)^{(1/2)}/(-e*c*x+(-c^2*d*e)^{(1/2)})/(-e+(-c^2*d*e)^{(1/2)})^2/(e+(-c^ \\
& 2*d*e)^{(1/2)})^2/(-c^2*x^2+1)^{(1/2)}*\ln(2*((-c^2*x^2+1)^{(1/2)}*((c^2*d+e)/e)^{(\\
& 1/2)}*e+(-c^2*d*e)^{(1/2)}*c*x+e)/(e*c*x+(-c^2*d*e)^{(1/2)}))+5/16*b*c^7*(-(c*x- \\
& 1)/c/x)^{(1/2)}*x*((c*x+1)/c/x)^{(1/2)}*e^3/(e*c*x+(-c^2*d*e)^{(1/2)})/((c^2*d+e) \\
& /e)^{(1/2)}/(-e*c*x+(-c^2*d*e)^{(1/2)})/(-e+(-c^2*d*e)^{(1/2)})^2/(e+(-c^2*d*e)^{(\\
& 1/2)})^2/(-c^2*x^2+1)^{(1/2)}*\ln(2*(-(-c^2*x^2+1)^{(1/2)}*((c^2*d+e)/e)^{(1/2)}*e+ \\
& (-c^2*d*e)^{(1/2)}*c*x-e)/(-e*c*x+(-c^2*d*e)^{(1/2)}))+5/16*b*c^7*(-(c*x-1)/c/x \\
&)^{(1/2)}*x^3*((c*x+1)/c/x)^{(1/2)}*e^4/d/(e*c*x+(-c^2*d*e)^{(1/2)})/((c^2*d+e)/e \\
&)^{(1/2)}/(-e*c*x+(-c^2*d*e)^{(1/2)})/(-e+(-c^2*d*e)^{(1/2)})^2/(e+(-c^2*d*e)^{(1/ \\
& 2)})^2/(-c^2*x^2+1)^{(1/2)}*\ln(2*(-(-c^2*x^2+1)^{(1/2)}*((c^2*d+e)/e)^{(1/2)}*e+(- \\
& c^2*d*e)^{(1/2)}*c*x-e)/(-e*c*x+(-c^2*d*e)^{(1/2)}))-1/4*b*c^5*e^4*(-(c*x-1)/c/ \\
& x)^{(1/2)}*x*((c*x+1)/c/x)^{(1/2)}/(e*c*x+(-c^2*d*e)^{(1/2)})/(-e*c*x+(-c^2*d*e)^ \\
& (1/2))/d/(-e+(-c^2*d*e)^{(1/2)})^2/(e+(-c^2*d*e)^{(1/2)})^2/(-c^2*x^2+1)^{(1/2)}* \\
& \operatorname{arctanh}(1/(-c^2*x^2+1)^{(1/2)})-1/4*b*c^5*e^5*(-(c*x-1)/c/x)^{(1/2)}*x^3*((c*x+ \\
& 1)/c/x)^{(1/2)}/(e*c*x+(-c^2*d*e)^{(1/2)})/(-e*c*x+(-c^2*d*e)^{(1/2)})/d^2/(-e+(- \\
& c^2*d*e)^{(1/2)})^2/(e+(-c^2*d*e)^{(1/2)})^2/(-c^2*x^2+1)^{(1/2)}*\operatorname{arctanh}(1/(-c^2 \\
& *x^2+1)^{(1/2)})+1/8*b*c^5*e^4*(-(c*x-1)/c/x)^{(1/2)}*x*((c*x+1)/c/x)^{(1/2)}/(e* \\
& c*x+(-c^2*d*e)^{(1/2)})/(-e*c*x+(-c^2*d*e)^{(1/2)})/d/(-e+(-c^2*d*e)^{(1/2)})^2/(\\
& e+(-c^2*d*e)^{(1/2)})^2+1/8*b*c^5*e^4*(-(c*x-1)/c/x)^{(1/2)}*x*((c*x+1)/c/x)^{(1 \\
& /2)}/(e*c*x+(-c^2*d*e)^{(1/2)})/(-e*c*x+(-c^2*d*e)^{(1/2)})/((c^2*d+e)/e)^{(1/2)}/ \\
& d/(-e+(-c^2*d*e)^{(1/2)})^2/(e+(-c^2*d*e)^{(1/2)})^2/(-c^2*x^2+1)^{(1/2)}*\ln(2*((\\
& -c^2*x^2+1)^{(1/2)}*((c^2*d+e)/e)^{(1/2)}*e+(-c^2*d*e)^{(1/2)}*c*x+e)/(e*c*x+(-c^ \\
& 2*d*e)^{(1/2)}))+1/8*b*c^5*e^5*(-(c*x-1)/c/x)^{(1/2)}*x^3*((c*x+1)/c/x)^{(1/2)}/(\\
& e*c*x+(-c^2*d*e)^{(1/2)})/(-e*c*x+(-c^2*d*e)^{(1/2)})/((c^2*d+e)/e)^{(1/2)}/d^2/(\\
& -e+(-c^2*d*e)^{(1/2)})^2/(e+(-c^2*d*e)^{(1/2)})^2/(-c^2*x^2+1)^{(1/2)}*\ln(2*((-c^ \\
& 2*x^2+1)^{(1/2)}*((c^2*d+e)/e)^{(1/2)}*e+(-c^2*d*e)^{(1/2)}*c*x+e)/(e*c*x+(-c^2*d \\
& *e)^{(1/2)}))+1/8*b*c^5*e^4*(-(c*x-1)/c/x)^{(1/2)}*x*((c*x+1)/c/x)^{(1/2)}/(e*c*x \\
& +(-c^2*d*e)^{(1/2)})/(-e*c*x+(-c^2*d*e)^{(1/2)})/((c^2*d+e)/e)^{(1/2)}/d/(-e+(-c^ \\
& 2*d*e)^{(1/2)})^2/(e+(-c^2*d*e)^{(1/2)})^2/(-c^2*x^2+1)^{(1/2)}*\ln(2*(-(-c^2*x^2+ \\
& 1)^{(1/2)}*((c^2*d+e)/e)^{(1/2)}*e+(-c^2*d*e)^{(1/2)}*c*x-e)/(-e*c*x+(-c^2*d*e)^{(\\
& 1/2)}))+1/8*b*c^5*e^5*(-(c*x-1)/c/x)^{(1/2)}*x^3*((c*x+1)/c/x)^{(1/2)}/(e*c*x+(- \\
& c^2*d*e)^{(1/2)})/(-e*c*x+(-c^2*d*e)^{(1/2)})/((c^2\dots
\end{aligned}$$

Maxima [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: THROW: The catch RAT-ERR is und
efined.
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 1526 vs. 2(137) = 274.

time = 0.56, size = 3218, normalized size = 14.83

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="fricas")
```

```
[Out] [-1/16*(4*a*c^4*d^4 + 2*b*x^4*cosh(1)^4 + 2*b*x^4*sinh(1)^4 + 2*(4*a + b)*c
^2*d^3*cosh(1) + 2*(b*c^2*d*x^4 + 2*b*d*x^2)*cosh(1)^3 + 2*(b*c^2*d*x^4 + 4
*b*x^4*cosh(1) + 2*b*d*x^2)*sinh(1)^3 + 2*(2*b*c^2*d^2*x^2 + (2*a + b)*d^2)
*cosh(1)^2 + 2*(2*b*c^2*d^2*x^2 + 6*b*x^4*cosh(1)^2 + (2*a + b)*d^2 + 3*(b*
c^2*d*x^4 + 2*b*d*x^2)*cosh(1))*sinh(1)^2 - (2*b*x^4*cosh(1)^3 + 2*b*x^4*si
nh(1)^3 + 3*b*c^2*d^3 + (3*b*c^2*d*x^4 + 4*b*d*x^2)*cosh(1)^2 + (3*b*c^2*d*
x^4 + 6*b*x^4*cosh(1) + 4*b*d*x^2)*sinh(1)^2 + 2*(3*b*c^2*d^2*x^2 + b*d^2)*
cosh(1) + 2*(3*b*c^2*d^2*x^2 + 3*b*x^4*cosh(1)^2 + b*d^2 + (3*b*c^2*d*x^4 +
4*b*d*x^2)*cosh(1))*sinh(1))*sqrt((c^2*d + cosh(1) + sinh(1))/(cosh(1) - s
inh(1)))*log((c^4*d^2 - 2*(c^2*x^2 - 2)*cosh(1)^2 - 2*(c^2*x^2 - 2)*sinh(1)
^2 - (c^4*d*x^2 - 4*c^2*d)*cosh(1) - (c^4*d*x^2 - 4*c^2*d + 4*(c^2*x^2 - 2)
*cosh(1))*sinh(1) - 2*(c^2*d - (c^2*x^2 - 2)*cosh(1) - (c^2*x^2 - 2)*sinh(1)
))*sqrt((c^2*d + cosh(1) + sinh(1))/(cosh(1) - sinh(1))) + 2*(2*c^3*d*x*cos
h(1) + 2*c*x*cosh(1)^2 + 2*c*x*sinh(1)^2 + 2*(c^3*d*x + 2*c*x*cosh(1))*sinh
(1) - (c^3*d*x + 2*c*x*cosh(1) + 2*c*x*sinh(1))*sqrt((c^2*d + cosh(1) + sin
h(1))/(cosh(1) - sinh(1))))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/(x^2*cosh(1) +
x^2*sinh(1) + d) + 4*(b*c^4*d^4 + b*x^4*cosh(1)^4 + b*x^4*sinh(1)^4 + 2*(b
*c^2*d*x^4 + b*d*x^2)*cosh(1)^3 + 2*(b*c^2*d*x^4 + 2*b*x^4*cosh(1) + b*d*x^
2)*sinh(1)^3 + (b*c^4*d^2*x^4 + 4*b*c^2*d^2*x^2 + b*d^2)*cosh(1)^2 + (b*c^4
*d^2*x^4 + 4*b*c^2*d^2*x^2 + 6*b*x^4*cosh(1)^2 + b*d^2 + 6*(b*c^2*d*x^4 + b
*d*x^2)*cosh(1))*sinh(1)^2 + 2*(b*c^4*d^3*x^2 + b*c^2*d^3)*cosh(1) + 2*(b*c
^4*d^3*x^2 + 2*b*x^4*cosh(1)^3 + b*c^2*d^3 + 3*(b*c^2*d*x^4 + b*d*x^2)*cosh
(1)^2 + (b*c^4*d^2*x^4 + 4*b*c^2*d^2*x^2 + b*d^2)*cosh(1))*sinh(1))*log((c*
x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/x) + 4*(b*c^4*d^4 + 2*b*c^2*d^3*cosh(
1) + b*d^2*cosh(1)^2 + b*d^2*sinh(1)^2 + 2*(b*c^2*d^3 + b*d^2*cosh(1))*sinh
(1))*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + 2*(4*b*x^4*cosh(
1)^3 + (4*a + b)*c^2*d^3 + 3*(b*c^2*d*x^4 + 2*b*d*x^2)*cosh(1)^2 + 2*(2*b*c
^2*d^2*x^2 + (2*a + b)*d^2)*cosh(1))*sinh(1) + 2*(b*c^3*d^3*x*cosh(1) + b*c
*d*x^3*cosh(1)^3 + b*c*d*x^3*sinh(1)^3 + (b*c^3*d^2*x^3 + b*c*d^2*x)*cosh(1)
)^2 + (b*c^3*d^2*x^3 + 3*b*c*d*x^3*cosh(1) + b*c*d^2*x)*sinh(1)^2 + (b*c^3*
```

$$\begin{aligned}
& d^3x + 3bc^2d^2x^3 \cosh(1)^2 + 2*(b^3c^3d^2x^3 + b^2cd^2x) \cosh(1) \sinh(1) \sqrt{-(c^2x^2 - 1)/(c^2x^2))} / (c^4d^6 \cosh(1) + d^2x^4 \cosh(1)^5 + \\
& d^2x^4 \sinh(1)^5 + 2*(c^2d^3x^4 + d^3x^2) \cosh(1)^4 + (2c^2d^3x^4 + 5d^2x^4 \cosh(1) + 2d^3x^2) \sinh(1)^4 + (c^4d^4x^4 + 4c^2d^4x^2 + \\
& d^4) \cosh(1)^3 + (c^4d^4x^4 + 4c^2d^4x^2 + 10d^2x^4 \cosh(1)^2 + d^4 + 8*(c^2d^3x^4 + d^3x^2) \cosh(1)) \sinh(1)^3 + 2*(c^4d^5x^2 + c^2d^5) \cosh(1)^2 + \\
& (2c^4d^5x^2 + 10d^2x^4 \cosh(1)^3 + 2c^2d^5 + 12*(c^2d^3x^4 + d^3x^2) \cosh(1)^2 + 3*(c^4d^4x^4 + 4c^2d^4x^2 + d^4) \cosh(1)) \sinh(1)^2 + \\
& (c^4d^6 + 5d^2x^4 \cosh(1)^4 + 8*(c^2d^3x^4 + d^3x^2) \cosh(1)^3 + 3*(c^4d^4x^4 + 4c^2d^4x^2 + d^4) \cosh(1)^2 + 4*(c^4d^5x^2 + c^2d^5) \cosh(1)) \sinh(1), \\
& -1/8*(2ac^4d^4 + b^2x^4 \cosh(1)^4 + b^2x^4 \sinh(1)^4 + (4a + b)c^2d^3 \cosh(1) + (b^2c^2d^2x^4 + 2bd^2x^2) \cosh(1)^3 + \\
& (b^2c^2d^2x^4 + 4b^2x^4 \cosh(1) + 2bd^2x^2) \sinh(1)^3 + (2b^2c^2d^2x^2 + (2a + b)d^2) \cosh(1)^2 + (2b^2c^2d^2x^2 + 6b^2x^4 \cosh(1)^2 + (2a + b)d^2 + \\
& 3*(b^2c^2d^2x^4 + 2bd^2x^2) \cosh(1)) \sinh(1)^2 + (2b^2x^4 \cosh(1)^3 + 2b^2x^4 \sinh(1)^3 + 3b^2c^2d^3 + (3b^2c^2d^2x^4 + 4bd^2x^2) \cosh(1)^2 + \\
& (3b^2c^2d^2x^4 + 6b^2x^4 \cosh(1) + 4bd^2x^2) \sinh(1)^2 + 2*(3b^2c^2d^2x^2 + bd^2) \cosh(1) + 2*(3b^2c^2d^2x^2 + 3b^2x^4 \cosh(1)^2 + bd^2 + (3b^2c^2d^2x^4 + 4bd^2x^2) \cosh(1)) \sinh(1)) \sqrt{-(c^2d + \cosh(1) + \sinh(1)) / (\cosh(1) - \sinh(1))} \arctan((c^2d^2x^2 \sqrt{-(c^2x^2 - 1)/(c^2x^2))} - x^2 \cosh(1) - x^2 \sinh(1) - d) \sqrt{-(c^2d + \cosh(1) + \sinh(1)) / (\cosh(1) - \sinh(1))} / (c^2d^2x^2 \cosh(1) + x^2 \cosh(1)^2 + x^2 \sinh(1)^2 + (c^2d^2x^2 + 2x^2 \cosh(1)) \sinh(1))) + 2*(b^2c^4d^4 + b^2x^4 \cosh(1)^4 + b^2x^4 \sinh(1)^4 + 2*(b^2c^2d^2x^4 + bd^2x^2) \cosh(1)^3 + 2*(b^2c^2d^2x^4 + 2b^2x^4 \cosh(1) + bd^2x^2) \sinh(1)^3 + (b^2c^4d^2x^4 + 4b^2c^2d^2x^2 + bd^2) \cosh(1)^2 + (b^2c^4d^2x^4 + 4b^2c^2d^2x^2 + 6b^2x^4 \cosh(1)^2 + bd^2 + 6*(b^2c^2d^2x^4 + bd^2x^2) \cosh(1)) \sinh(1)^2 + 2*(b^2c^4d^3x^2 + b^2c^2d^3) \cosh(1) + 2*(b^2c^4d^3x^2 + 2b^2x^4 \cosh(1)^3 + b^2c^2d^3 + 3*(b^2c^2d^2x^4 + bd^2x^2) \cosh(1)^2 + (b^2c^4d^2x^4 + 4b^2c^2d^2x^2 + bd^2) \cosh(1)) \sinh(1)) \log((c^2d^2x^2 \sqrt{-(c^2x^2 - 1)/(c^2x^2))} - 1)/x) + 2*(b^2c^4d^4 + 2b^2c^2d^3 \cosh(1) + bd^2 \cosh(1)^2 + bd^2 \sinh(1)^2 + 2*(b^2c^2d^3 + bd^2 \cosh(1)) \sinh(1)) \log((c^2d^2x^2 \sqrt{-(c^2x^2 - 1)/(c^2x^2))} + 1)/(c^2d^2x^2)) + (4b^2x^4 \cosh(1)^3 + (4a + b)c^2d^3 + 3*(b^2c^2d^2x^4 + 2bd^2x^2) \cosh(1)^2 + 2*(2b^2c^2d^2x^2 + (2a + b)d^2) \cosh(1)) \sinh(1) + (b^2c^3d^3x^3 \cosh(1) + b^2c^3d^3x^3 \sinh(1)^3 + b^2c^3d^3x^3 \cosh(1)^3 + b^2cd^2x^3 \sinh(1)^3 + (b^2c^3d^2x^3 + b^2cd^2x) \cosh(1)^2 + (b^2c^3d^2x^3 + 3b^2cd^2x^3 \cosh(1) + b^2cd^2x) \sinh(1)^2 + (b^2c^3d^2x^3 + 3b^2cd^2x^3 \cosh(1)^2 + 2*(b^2c^3d^2x^3...
\end{aligned}$$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asech(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x/(e*x^2 + d)^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)}{(e x^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(a + b*acosh(1/(c*x))))/(d + e*x^2)^3,x)

[Out] int((x*(a + b*acosh(1/(c*x))))/(d + e*x^2)^3, x)

$$3.126 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{x(d+ex^2)^3} dx$$

Optimal. Leaf size=741

$$-\frac{be\left(c^2 - \frac{1}{x^2}\right)}{8cd^2(c^2d + e)\left(e + \frac{d}{x^2}\right)\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x} + \frac{e^2(a + b\operatorname{sech}^{-1}(cx))}{4d^3\left(e + \frac{d}{x^2}\right)^2} - \frac{e(a + b\operatorname{sech}^{-1}(cx))}{d^3\left(e + \frac{d}{x^2}\right)} + \frac{(a + b\operatorname{sech}^{-1}(cx))}{2bd^3}$$

[Out] $\frac{1}{4}e^2(a+b\operatorname{arcsech}(c*x))/d^3/(e+d/x^2)^2 - e(a+b\operatorname{arcsech}(c*x))/d^3/(e+d/x^2) + \frac{1}{2}(a+b\operatorname{arcsech}(c*x))^2/b/d^3 - \frac{1}{2}(a+b\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/d^3 - \frac{1}{2}(a+b\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/d^3 - \frac{1}{2}(a+b\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/d^3 - \frac{1}{2}(a+b\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/d^3 - \frac{1}{2}b*\operatorname{polylog}(2, -c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/d^3 - \frac{1}{2}b*\operatorname{polylog}(2, c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/d^3 - \frac{1}{2}b*\operatorname{polylog}(2, -c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/d^3 - \frac{1}{2}b*\operatorname{polylog}(2, c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/d^3 - \frac{1}{8}b*e*(c^2-1/x^2)/c/d^2/(c^2*d+e)/(e+d/x^2)/x/(-1+1/c/x)^{1/2}/(1+1/c/x)^{1/2} - \frac{1}{8}b*(c^2*d+2*e)*\operatorname{arctanh}((c^2*d+e)^{1/2}/c/x/e^{1/2}/(-1+1/c^2/x^2)^{1/2})*e^{1/2}/(-1+1/c^2/x^2)^{1/2}/d^3/(c^2*d+e)^{3/2}/(-1+1/c/x)^{1/2}/(1+1/c/x)^{1/2} + b*\operatorname{arctanh}((c^2*d+e)^{1/2}/c/x/e^{1/2}/(-1+1/c^2/x^2)^{1/2})*e^{1/2}/(-1+1/c^2/x^2)^{1/2}/d^3/(c^2*d+e)^{1/2}/(-1+1/c/x)^{1/2}/(1+1/c/x)^{1/2}$

Rubi [A]

time = 1.08, antiderivative size = 741, normalized size of antiderivative = 1.00, number of steps used = 30, number of rules used = 12, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {6438, 5959, 5957, 533, 390, 385, 214, 5962, 5681, 2221, 2317, 2438}

$$\frac{b\sqrt{c^2-1/x^2}\operatorname{arctanh}\left(\frac{c^2*d+e}{c^2*d+e}\right)}{8cd^2(c^2d+e)\left(e+\frac{d}{x^2}\right)\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x} + \frac{e^2(a+b\operatorname{sech}^{-1}(cx))}{4d^3\left(e+\frac{d}{x^2}\right)^2} - \frac{e(a+b\operatorname{sech}^{-1}(cx))}{d^3\left(e+\frac{d}{x^2}\right)} + \frac{(a+b\operatorname{sech}^{-1}(cx))}{2bd^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])/(x*(d + e*x^2)^3), x]

[Out] $-\frac{1}{8}(b*e*(c^2 - x^{-2}))/c*d^2*(c^2*d + e)*(e + d/x^2)*\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]*x + \frac{e^2(a + b\operatorname{ArcSech}[c*x])}{(4*d^3*(e + d/x^2)^2)} - \frac{e*(a + b\operatorname{ArcSech}[c*x])}{(d^3*(e + d/x^2))} + \frac{(a + b\operatorname{ArcSech}[c*x])^2}{(2*b*d^3)}$

3) + (b*Sqrt[e]*Sqrt[-1 + 1/(c^2*x^2)]*ArcTanh[Sqrt[c^2*d + e]/(c*Sqrt[e]*Sqrt[-1 + 1/(c^2*x^2)]*x)]/(d^3*Sqrt[c^2*d + e]*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]) - (b*Sqrt[e]*(c^2*d + 2*e)*Sqrt[-1 + 1/(c^2*x^2)]*ArcTanh[Sqrt[c^2*d + e]/(c*Sqrt[e]*Sqrt[-1 + 1/(c^2*x^2)]*x)]/(8*d^3*(c^2*d + e)^(3/2)*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]) - ((a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d^3) - ((a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d^3) - ((a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d^3) - ((a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d^3) - (b*PolyLog[2, -(c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d^3) - (b*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d^3) - (b*PolyLog[2, -(c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d^3) - (b*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d^3))

Rule 214

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 390

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(-b)*x*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*n*(p + 1)*(b*c - a*d))), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]

Rule 533

Int[(u_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_), x_Symbol] := Dist[(a1 + b1*x^(n/2))^FracPart[p]*(a2 + b2*x^(n/2))^FracPart[p]/(a1*a2 + b1*b2*x^n)^FracPart[p], Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p, q}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && !(EqQ[n, 2] && IGtQ[q, 0])

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*(c_) + (d_)*(x_)))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 5681

```
Int[(((e_) + (f_)*(x_))^(m_)*Sinh[(c_) + (d_)*(x_)])/(Cosh[(c_) + (d_
)*(x_)]*(b_) + (a_)), x_Symbol] := Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)),
x] + (Int[(e + f*x)^m*(E^(c + d*x)/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x)))
, x] + Int[(e + f*x)^m*(E^(c + d*x)/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x)))
, x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]
```

Rule 5957

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))*((d_) + (e_)*(x_)^2)^(p_), x
_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcCosh[c*x])/(2*e*(p + 1))),
x] - Dist[b*(c/(2*e*(p + 1))), Int[(d + e*x^2)^(p + 1)/(Sqrt[1 + c*x]*Sqrt[
-1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] &&
NeQ[p, -1]
```

Rule 5959

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((f_)*(x_))^(m_)*((d_) + (e
_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n,
(f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d
+ e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 5962

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)/((d_) + (e_)*(x_)), x_Symbo
l] := Subst[Int[(a + b*x)^n*(Sinh[x]/(c*d + e*Cosh[x])), x], x, ArcCosh[c*x
]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 6438

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegersQ[m, p]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x(d + ex^2)^3} dx &= -\operatorname{Subst} \left(\int \frac{x^5 (a + b \cosh^{-1}(\frac{x}{c}))}{(e + dx^2)^3} dx, x, \frac{1}{x} \right) \\
&= -\operatorname{Subst} \left(\int \left(\frac{e^2 x (a + b \cosh^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)^3} - \frac{2ex(a + b \cosh^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)^2} + \frac{x(a + b \cosh^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\operatorname{Subst} \left(\int \frac{x(a + b \cosh^{-1}(\frac{x}{c}))}{e + dx^2} dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \operatorname{Subst} \left(\int \frac{x(a + b \cosh^{-1}(\frac{x}{c}))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d^2} - \frac{e^2 \operatorname{Subst} \left(\int \frac{x(a + b \cosh^{-1}(\frac{x}{c}))}{(e + dx^2)^3} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{e^2(a + b \operatorname{sech}^{-1}(cx))}{4d^3 \left(e + \frac{d}{x^2}\right)^2} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{d^3 \left(e + \frac{d}{x^2}\right)} - \frac{\operatorname{Subst} \left(\int \left(-\frac{\sqrt{-d} (a + b \cosh^{-1}(\frac{x}{c}))}{2d(\sqrt{e} - \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{e^2(a + b \operatorname{sech}^{-1}(cx))}{4d^3 \left(e + \frac{d}{x^2}\right)^2} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{d^3 \left(e + \frac{d}{x^2}\right)} - \frac{\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{\sqrt{e} - \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2(-d)^{5/2}} + \dots \\
&= -\frac{be\left(c^2 - \frac{1}{x^2}\right)}{8cd^2(c^2d + e)\left(e + \frac{d}{x^2}\right)\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x} + \frac{e^2(a + b \operatorname{sech}^{-1}(cx))}{4d^3\left(e + \frac{d}{x^2}\right)^2} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{d^3} \\
&= -\frac{be\left(c^2 - \frac{1}{x^2}\right)}{8cd^2(c^2d + e)\left(e + \frac{d}{x^2}\right)\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x} + \frac{e^2(a + b \operatorname{sech}^{-1}(cx))}{4d^3\left(e + \frac{d}{x^2}\right)^2} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{d^3} \\
&= -\frac{be\left(c^2 - \frac{1}{x^2}\right)}{8cd^2(c^2d + e)\left(e + \frac{d}{x^2}\right)\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x} + \frac{e^2(a + b \operatorname{sech}^{-1}(cx))}{4d^3\left(e + \frac{d}{x^2}\right)^2} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{d^3} \\
&= -\frac{be\left(c^2 - \frac{1}{x^2}\right)}{8cd^2(c^2d + e)\left(e + \frac{d}{x^2}\right)\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x} + \frac{e^2(a + b \operatorname{sech}^{-1}(cx))}{4d^3\left(e + \frac{d}{x^2}\right)^2} - \frac{e(a + b \operatorname{sech}^{-1}(cx))}{d^3}
\end{aligned}$$

Mathematica [F]

time = 56.14, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x (d + ex^2)^3} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSech[c*x])/(x*(d + e*x^2)^3), x]

[Out] Integrate[(a + b*ArcSech[c*x])/(x*(d + e*x^2)^3), x]

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 2.17, size = 5713, normalized size = 7.71

method	result	size
derivativedivides	Expression too large to display	5713
default	Expression too large to display	5713

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))/x/(e*x^2+d)^3,x,method=_RETURNVERBOSE)

[Out] result too large to display

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^3,x, algorithm="maxima")

[Out] $\frac{1}{4}a \cdot \left(\frac{2x^2e + 3d}{d^2x^4e^2 + 2d^3x^2e + d^4} - 2 \log(x^2e + d) \right) / d^3 + 4 \log(x) / d^3 + b \cdot \int (\log(\sqrt{1/(cx)} + 1) \sqrt{1/(cx)} - 1 + 1/(cx)) / (x^7e^3 + 3d^2x^5e^2 + 3d^2x^3e + d^3x), x)$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^3,x, algorithm="fricas")

[Out] integral((b*arcsech(c*x) + a)/(x^7*e^3 + 3*d*x^5*e^2 + 3*d^2*x^3*e + d^3*x), x)

Sympy [F(-1)] Timed out
time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/x/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F]
time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^3,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/((e*x^2 + d)^3*x), x)

Mupad [F]
time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x (e x^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(x*(d + e*x^2)^3),x)

[Out] int((a + b*acosh(1/(c*x)))/(x*(d + e*x^2)^3), x)

$$3.127 \quad \int \frac{x^4 \left(a + b \operatorname{sech}^{-1}(cx) \right)}{(d + ex^2)^3} dx$$

Optimal. Leaf size=1272

$$\frac{bc\sqrt{-d} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{-d} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{16e^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{\sqrt{-d} (a + b \operatorname{sech}^{-1}(cx))}{16e^{3/2} \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)^2} + \frac{3(a + bs)}{16e^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)}$$

[Out] $3/16*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}-3/16*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}+3/16*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}-3/16*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}-3/16*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}+3/16*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}-3/16*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/e^{(5/2)}/(-d)^{(1/2)}-1/8*b*d*\operatorname{arctan}((1+1/c/x)^{(1/2)}*(c*d-(-d)^{(1/2)}*e^{(1/2)})^2)/(-1+1/c/x)^{(1/2)}/(c*d+(-d)^{(1/2)}*e^{(1/2)})^2)/e/(c*d-(-d)^{(1/2)}*e^{(1/2)})^2)^{(3/2)}/(c*d+(-d)^{(1/2)}*e^{(1/2)})^2)-1/8*b*d*\operatorname{arctan}((1+1/c/x)^{(1/2)}*(c*d+(-d)^{(1/2)}*e^{(1/2)})^2)/(-1+1/c/x)^{(1/2)}/(c*d-(-d)^{(1/2)}*e^{(1/2)})^2)/e/(c*d-(-d)^{(1/2)}*e^{(1/2)})^2)^{(3/2)}/(c*d+(-d)^{(1/2)}*e^{(1/2)})^2)+1/16*(a+b*\operatorname{arcsech}(c*x))*(-d)^{(1/2)}/e^{(3/2)}/(-d/x+(-d)^{(1/2)}*e^{(1/2)})^2+3/16*(a+b*\operatorname{arcsech}(c*x))/e^2/(-d/x+(-d)^{(1/2)}*e^{(1/2)})-1/16*(a+b*\operatorname{arcsech}(c*x))*(-d)^{(1/2)}/e^{(3/2)}/(d/x+(-d)^{(1/2)}*e^{(1/2)})+1/16*b*c*(-d)^{(1/2)}*(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}/e^{(3/2)}/(c^2*d+e)/(-d/x+(-d)^{(1/2)}*e^{(1/2)})+1/16*b*c*(-d)^{(1/2)}*(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}/e^{(3/2)}/(c^2*d+e)/(d/x+(-d)^{(1/2)}*e^{(1/2)})-3/8*b*\operatorname{arctan}((1+1/c/x)^{(1/2)}*(c*d-(-d)^{(1/2)}*e^{(1/2)})^2)/(-1+1/c/x)^{(1/2)}/(c*d+(-d)^{(1/2)}*e^{(1/2)})^2)/e^2/(c*d-(-d)^{(1/2)}*e^{(1/2)})^2)/(-1+1/c/x)^{(1/2)}/(c*d-(-d)^{(1/2)}*e^{(1/2)})^2)/e^2/(c*d-(-d)^{(1/2)}*e^{(1/2)})^2)/(-1+1/c/x)^{(1/2)}/(c*d+(-d)^{(1/2)}*e^{(1/2)})^2)$

Rubi [A]

time = 1.50, antiderivative size = 1272, normalized size of antiderivative = 1.00, number of

steps used = 35, number of rules used = 11, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.524$,
 Rules used = {6438, 5909, 5963, 98, 95, 211, 5962, 5681, 2221, 2317, 2438}



Antiderivative was successfully verified.

[In] Int[(x^4*(a + b*ArcSech[c*x]))/(d + e*x^2)^3,x]

[Out] (b*c*Sqrt[-d]*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]/(16*e^(3/2)*(c^2*d + e) * (Sqrt[-d]*Sqrt[e] - d/x)) + (b*c*Sqrt[-d]*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]/(16*e^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] + d/x)) + (Sqrt[-d]*(a + b*ArcSech[c*x]))/(16*e^(3/2)*(Sqrt[-d]*Sqrt[e] - d/x)^2) + (3*(a + b*ArcSech[c*x]))/(16*e^2*(Sqrt[-d]*Sqrt[e] - d/x)) - (Sqrt[-d]*(a + b*ArcSech[c*x]))/(16*e^(3/2)*(Sqrt[-d]*Sqrt[e] + d/x)^2) - (3*(a + b*ArcSech[c*x]))/(16*e^2*(Sqrt[-d]*Sqrt[e] + d/x)) - (3*b*ArcTan[(Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])]/(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)])))/(8*Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*e^2) - (b*d*ArcTan[(Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])]/(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)])))/(8*(c*d - Sqrt[-d]*Sqrt[e])^(3/2)*(c*d + Sqrt[-d]*Sqrt[e])^(3/2)*e) - (3*b*ArcTan[(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])/((Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)]))])/(8*Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*e^2) - (b*d*ArcTan[(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])/((Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)]))])/(8*(c*d - Sqrt[-d]*Sqrt[e])^(3/2)*(c*d + Sqrt[-d]*Sqrt[e])^(3/2)*e) + (3*(a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) - (3*(a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) + (3*(a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) - (3*(a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) - (3*b*PolyLog[2, -((c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e]))])/(16*Sqrt[-d]*e^(5/2)) + (3*b*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) - (3*b*PolyLog[2, -((c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e]))])/(16*Sqrt[-d]*e^(5/2)) + (3*b*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2))

Rule 95

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 98

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[(a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && (LtQ[m, -1] || SumSimplerQ[m, 1])

```

Rule 211

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

Rule 2221

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

Rule 2317

```

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

Rule 2438

```

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

```

Rule 5681

```

Int[(((e_.) + (f_.)*(x_))^(m_.)*Sinh[(c_.) + (d_.)*(x_)])/(Cosh[(c_.) + (d_.)*(x_)])*(b_.) + (a_.)), x_Symbol] := Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)), x] + (Int[(e + f*x)^m*(E^(c + d*x))/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x)), x] + Int[(e + f*x)^m*(E^(c + d*x))/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x)), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]

```

Rule 5909

```

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (p > 0 || IGtQ[n, 0])

```

Rule 5962

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)), x_Symbol]
:> Subst[Int[(a + b*x)^n*(Sinh[x]/(c*d + e*Cosh[x])), x], x, ArcCosh[c*x]]
/; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 5963

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_))^(m_.), x_Symbol]
:> Simp[(d + e*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(e*(m + 1))), x]
- Dist[b*c*(n/(e*(m + 1))), Int[(d + e*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)
/(Sqrt[-1 + c*x]*Sqrt[1 + c*x])), x], x] /; FreeQ[{a, b, c, d, e, m}, x]
&& IGtQ[n, 0] && NeQ[m, -1]
```

Rule 6438

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegersQ[m, p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(a + b\operatorname{sech}^{-1}(cx))}{(d + ex^2)^3} dx &= -\operatorname{Subst}\left(\int \frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{(e + dx^2)^3} dx, x, \frac{1}{x}\right) \\
&= -\operatorname{Subst}\left(\int \left(-\frac{d^3(a + b\cosh^{-1}\left(\frac{x}{c}\right))}{8(-d)^{3/2}e^{3/2}(\sqrt{-d}\sqrt{e} - dx)^3} - \frac{3d(a + b\cosh^{-1}\left(\frac{x}{c}\right))}{16e^2(\sqrt{-d}\sqrt{e} - dx)^2}\right) dx, x, \frac{1}{x}\right) \\
&= \frac{(3d)\operatorname{Subst}\left(\int \frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{(\sqrt{-d}\sqrt{e} - dx)^2} dx, x, \frac{1}{x}\right)}{16e^2} + \frac{(3d)\operatorname{Subst}\left(\int \frac{a + b\cosh^{-1}\left(\frac{x}{c}\right)}{(\sqrt{-d}\sqrt{e} + dx)^2} dx, x, \frac{1}{x}\right)}{16e^2} \\
&= \frac{\sqrt{-d}(a + b\operatorname{sech}^{-1}(cx))}{16e^{3/2}(\sqrt{-d}\sqrt{e} - \frac{d}{x})^2} + \frac{3(a + b\operatorname{sech}^{-1}(cx))}{16e^2(\sqrt{-d}\sqrt{e} - \frac{d}{x})} - \frac{\sqrt{-d}(a + b\operatorname{sech}^{-1}(cx))}{16e^{3/2}(\sqrt{-d}\sqrt{e} + \frac{d}{x})^2} \\
&= \frac{bc\sqrt{-d}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16e^{3/2}(c^2d + e)(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{bc\sqrt{-d}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16e^{3/2}(c^2d + e)(\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{\sqrt{-d}a}{16e^{3/2}(c^2d + e)} \\
&= \frac{bc\sqrt{-d}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16e^{3/2}(c^2d + e)(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{bc\sqrt{-d}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16e^{3/2}(c^2d + e)(\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{\sqrt{-d}a}{16e^{3/2}(c^2d + e)} \\
&= \frac{bc\sqrt{-d}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16e^{3/2}(c^2d + e)(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{bc\sqrt{-d}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16e^{3/2}(c^2d + e)(\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{\sqrt{-d}a}{16e^{3/2}(c^2d + e)} \\
&= \frac{bc\sqrt{-d}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16e^{3/2}(c^2d + e)(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{bc\sqrt{-d}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16e^{3/2}(c^2d + e)(\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{\sqrt{-d}a}{16e^{3/2}(c^2d + e)} \\
&= \frac{bc\sqrt{-d}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16e^{3/2}(c^2d + e)(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{bc\sqrt{-d}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16e^{3/2}(c^2d + e)(\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{\sqrt{-d}a}{16e^{3/2}(c^2d + e)}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 6.08, size = 2022, normalized size = 1.59

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4*(a + b*ArcSech[c*x]))/(d + e*x^2)^3,x]

[Out] (a*d*x)/(4*e^2*(d + e*x^2)^2) - (5*a*x)/(8*e^2*(d + e*x^2)) + (3*a*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*Sqrt[d]*e^(5/2)) + b*(((I/16)*Sqrt[d]*(((I)*Sqrt[e]*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x))/(Sqrt[d]*(c^2*d + e)*((I)*Sqrt[d] + Sqrt[e]*x)) - ArcSech[c*x]/(Sqrt[e]*((I)*Sqrt[d] + Sqrt[e]*x)^2) + Log[x]/(d*Sqrt[e]) - Log[1 + Sqrt[(1 - c*x)/(1 + c*x)] + c*x*Sqrt[(1 - c*x)/(1 + c*x)]]/(d*Sqrt[e]) + ((2*c^2*d + e)*Log[(-4*d*Sqrt[e]*Sqrt[c^2*d + e]*(Sqrt[e] - I*c^2*Sqrt[d]*x + Sqrt[c^2*d + e]*Sqrt[(1 - c*x)/(1 + c*x)] + c*Sqrt[c^2*d + e]*x*Sqrt[(1 - c*x)/(1 + c*x)])]/((2*c^2*d + e)*((I)*Sqrt[d] + Sqrt[e]*x)))/(d*(c^2*d + e)^(3/2))))/e^2 - ((I/16)*Sqrt[d]*((I*Sqrt[e]*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x))/(Sqrt[d]*(c^2*d + e)*(I*Sqrt[d] + Sqrt[e]*x)) - ArcSech[c*x]/(Sqrt[e]*(I*Sqrt[d] + Sqrt[e]*x)^2) + Log[x]/(d*Sqrt[e]) - Log[1 + Sqrt[(1 - c*x)/(1 + c*x)] + c*x*Sqrt[(1 - c*x)/(1 + c*x)]]/(d*Sqrt[e]) + ((2*c^2*d + e)*Log[(-4*d*Sqrt[e]*Sqrt[c^2*d + e]*(Sqrt[e] + I*c^2*Sqrt[d]*x + Sqrt[c^2*d + e]*Sqrt[(1 - c*x)/(1 + c*x)] + c*Sqrt[c^2*d + e]*x*Sqrt[(1 - c*x)/(1 + c*x)])]/((2*c^2*d + e)*(I*Sqrt[d] + Sqrt[e]*x)))/(d*(c^2*d + e)^(3/2))))/e^2 + (5*(-ArcSech[c*x]/(I*Sqrt[d]*Sqrt[e] + e*x)) + (I*(Log[x]/Sqrt[e] - Log[1 + Sqrt[(1 - c*x)/(1 + c*x)] + c*x*Sqrt[(1 - c*x)/(1 + c*x)]]/Sqrt[e] + Log[((2*I)*Sqrt[e]*(Sqrt[d]*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x) + (Sqrt[d]*Sqrt[e] + I*c^2*d*x)/Sqrt[c^2*d + e]))/(I*Sqrt[d] + Sqrt[e]*x))/Sqrt[c^2*d + e])/Sqrt[d]))/(16*e^2) + (5*(-ArcSech[c*x]/((I)*Sqrt[d]*Sqrt[e] + e*x)) - (I*(Log[x]/Sqrt[e] - Log[1 + Sqrt[(1 - c*x)/(1 + c*x)] + c*x*Sqrt[(1 - c*x)/(1 + c*x)]]/Sqrt[e] + Log[(2*Sqrt[e]*(I*Sqrt[d]*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x) + (I*Sqrt[d]*Sqrt[e] + c^2*d*x)/Sqrt[c^2*d + e]))/((I)*Sqrt[d] + Sqrt[e]*x))/Sqrt[c^2*d + e])/Sqrt[d]))/(16*e^2) - (((3*I)/32)*(PolyLog[2, -E^(-2*ArcSech[c*x])] - 2*((-4*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*ArcTanh[((I*c*Sqrt[d] + Sqrt[e])*Tanh[ArcSech[c*x]/2])/Sqrt[c^2*d + e]] + ArcSech[c*x]*Log[1 + E^(-2*ArcSech[c*x])]) - ArcSech[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + (2*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - ArcSech[c*x]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - (2*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + PolyLog[2, ((I)*(Sqrt[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])]))/(Sqrt[d]*e^(5/2)) - (((3*I)/32)*(-PolyLog[2, -E^(-2*ArcSech[c*x])] + 2*((-4*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*ArcTanh[((I)*c*Sqrt[d] + Sqrt[e])*Tanh[ArcSech[c

$$\begin{aligned} & *x/2))/\text{Sqrt}[c^2*d + e]] + \text{ArcSech}[c*x]*\text{Log}[1 + E^{(-2*\text{ArcSech}[c*x])}] - \text{ArcSech}[c*x]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] \\ &)] + (2*I)*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] - \text{ArcSech}[c*x]*\text{Log}[1 \\ & - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] - (2*I)*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]/\text{Sqrt}[2]]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] + \text{PolyLog}[2, ((-I)*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] + \text{PolyLog}[2, (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})])]/(\text{Sqrt}[d]*e^{(5/2)}) \end{aligned}$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 160.54, size = 3468, normalized size = 2.73

method	result	size
derivativedivides	Expression too large to display	3468
default	Expression too large to display	3468

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^3,x,method=_RETURNVERBOSE)`

[Out]
$$\begin{aligned} & 1/c^5*(-3/16*b*c^8/e^2/(c^2*d+e)*d*\text{sum}(_R1/(_R1^2*c^2*d+c^2*d+2*e)*(\text{arcsech}(c*x)*\ln((_R1-1/c/x-(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x \\ & -(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+b*c*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/ \\ & c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/(c^2*d+e)/d^3-7/4*b*c^3*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/(c^2*d+e)^2/d^2+3/16*b*c^8/e^2/(c^2*d+e)*d*\text{sum}(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(\text{arcsech}(c*x)*\ln((_R1-1/c/x-(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-5/8*a*c^9/(c^2*e*x^2+c^2*d)^2/e*x^3-7/4*b*c^3*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/(c^2*d+e)^2/d^2-3/4*b*c^3*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e^2/(c^2*d+e)/d^2*(e*(c^2*d+e))^{(1/2)}+3/4*b*c^3*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e^2/(c^2*d+e)/d^2*(e*(c^2*d+e))^{(1/2)}-3/8*b*c^5*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e^2/(c^2*d+e)^2/d*(e*(c^2*d+e))^{(1/2)}-b*c*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e/(c^2*d+e)/d^3*(e*(c^2*d+e))^{(1/2)}+5/4*b*c^3*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}) \end{aligned}$$

$$\begin{aligned}
& d+2*(e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)})/(c^2*d+e)^2/e/d^2*(e*(c^2*d+e))^{(1/2)} \\
&)+b*c*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)}*\operatorname{arctanh}((1/c/x+(-1+1/c/x) \\
&)^{(1/2)}*(1+1/c/x)^{(1/2)))*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)-2*e}*d)^{(1/2)})/ \\
& e/(c^2*d+e)/d^3*(e*(c^2*d+e))^{(1/2)}-5/4*b*c^3*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)} \\
&)+2*e)*d)^{(1/2)}*\operatorname{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)))*c*d/((-c^2 \\
& *d+2*(e*(c^2*d+e))^{(1/2)-2*e}*d)^{(1/2)})/(c^2*d+e)^2/e/d^2*(e*(c^2*d+e))^{(1/2)} \\
&)+1/8*b*c^10*x^4/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*(-(c*x-1)/c/x)^{(1/2)}*((c*x+ \\
& 1)/c/x)^{(1/2)}-5/8*b*c^9*x^3/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*\operatorname{arcsech}(c*x)-3/8* \\
& a*c^9/(c^2*e*x^2+c^2*d)^2*d/e^2*x+5/4*b*c^3*((c^2*d+2*(e*(c^2*d+e))^{(1/2)+2 \\
& *e)*d)^{(1/2)}*\operatorname{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)))*c*d/((c^2*d+2* \\
& (e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)})/e/(c^2*d+e)/d^2-b*c*((c^2*d+2*(e*(c^2*d+ \\
& e))^{(1/2)+2*e}*d)^{(1/2)}*\operatorname{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)))*c*d \\
& /((c^2*d+2*(e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)})/(c^2*d+e)^2*e/d^3+3/8*b*c^5*(\\
& -(c^2*d-2*(e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)}*\operatorname{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)} \\
& *(1+1/c/x)^{(1/2)))*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)-2*e}*d)^{(1/2)})/e^2/(c^ \\
& 2*d+e)/d-3/4*b*c^5*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)}*\operatorname{arctanh}((1/ \\
& c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)))*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)-2* \\
& e)*d)^{(1/2)})/e/(c^2*d+e)^2/d+5/4*b*c^3*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)+2*e}* \\
& d)^{(1/2)}*\operatorname{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)))*c*d/((-c^2*d+2*(e \\
& *(c^2*d+e))^{(1/2)-2*e}*d)^{(1/2)})/e/(c^2*d+e)/d^2-3/4*b*c^5*((c^2*d+2*(e*(c^ \\
& 2*d+e))^{(1/2)+2*e}*d)^{(1/2)}*\operatorname{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)) \\
&)*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)})/e/(c^2*d+e)^2/d+b*c*((c^2 \\
& *d+2*(e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)}*\operatorname{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/ \\
& c/x)^{(1/2)))*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)})/(c^2*d+e)^2/d^ \\
& 3*(e*(c^2*d+e))^{(1/2)}-b*c*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)}*\operatorname{arct} \\
& \operatorname{anh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)))*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(\\
& 1/2)-2*e}*d)^{(1/2)})/(c^2*d+e)^2/d^3*(e*(c^2*d+e))^{(1/2)}-b*c*(-(c^2*d-2*(e*(\\
& c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)}*\operatorname{arctanh}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/ \\
& 2)))*c*d/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)-2*e}*d)^{(1/2)})/(c^2*d+e)^2*e/d^3+3/8 \\
& *b*c^5*((c^2*d+2*(e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)}*\operatorname{arctan}((1/c/x+(-1+1/c/x) \\
&)^{(1/2)}*(1+1/c/x)^{(1/2)))*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)})/e^ \\
& 2/(c^2*d+e)/d-3/8*b*c^11*x/e^2/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*d^2*\operatorname{arcsech}(c* \\
& x)-5/8*b*c^11*x^3/e/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*d*\operatorname{arcsech}(c*x)-3/8*b*c^9* \\
& x/e/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*d*\operatorname{arcsech}(c*x)+b*c*((c^2*d+2*(e*(c^2*d+e) \\
&)^{(1/2)+2*e}*d)^{(1/2)}*\operatorname{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)))*c*d/(\\
& (c^2*d+2*(e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)})/(c^2*d+e)/d^3+3/8*b*c^5*((c^2*d \\
& +2*(e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)}*\operatorname{arctan}((1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/ \\
& x)^{(1/2)))*c*d/((c^2*d+2*(e*(c^2*d+e))^{(1/2)+2*e}*d)^{(1/2)})/e^2/(c^2*d+e)^2/ \\
& d*(e*(c^2*d+e))^{(1/2)}+1/8*b*c^10*x^2/e/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*(-(c*x \\
& -1)/c/x)^{(1/2)}*((c*x+1)/c/x)^{(1/2)}*d+3/8*a*c^5/e^2/(d*e))^{(1/2)}*\operatorname{arctan}(e*x/(\\
& d*e))^{(1/2)}-3/16*b*c^6/e/(c^2*d+e)*\operatorname{sum}(_R1/(_R1^2*c^2*d+c^2*d+2*e))*(\operatorname{arcsech} \\
& (c*x)*\ln((_R1-1/c/x-(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{\dots}
\end{aligned}$$

Maxima [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="fricas")

[Out] integral((b*x^4*arcsech(c*x) + a*x^4)/(x^6*e^3 + 3*d*x^4*e^2 + 3*d^2*x^2*e + d^3), x)

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(a+b*asech(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x^4/(e*x^2 + d)^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)}{(e x^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(a + b*acosh(1/(c*x))))/(d + e*x^2)^3,x)

[Out] int((x^4*(a + b*acosh(1/(c*x))))/(d + e*x^2)^3, x)

$$3.128 \quad \int \frac{x^2 \left(a + b \operatorname{sech}^{-1}(cx) \right)}{(d + ex^2)^3} dx$$

Optimal. Leaf size=1276

$$\frac{bc \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{16\sqrt{-d} \sqrt{e} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{16\sqrt{-d} \sqrt{e} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \frac{a + b \operatorname{sech}^{-1}(cx)}{16\sqrt{-d} \sqrt{e} \left(\sqrt{-d} \sqrt{e} \right)}$$

[Out] $-1/16*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}+1/16*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}-1/16*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}+1/16*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}+1/16*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}-1/16*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}-(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}+1/16*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}-1/16*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)})*(-d)^{(1/2)}/(e^{(1/2)}+(c^2*d+e)^{(1/2)}))/(-d)^{(3/2)}/e^{(3/2)}+1/8*b*\operatorname{arctan}((1+1/c/x)^{(1/2)}*(c*d-(-d)^{(1/2)}*e^{(1/2)})^2)/(-1+1/c/x)^{(1/2)}/(c*d+(-d)^{(1/2)}*e^{(1/2)})^2)/((c*d-(-d)^{(1/2)}*e^{(1/2)})^2)/((c*d+(-d)^{(1/2)}*e^{(1/2)})^2)+1/8*b*\operatorname{arctan}((1+1/c/x)^{(1/2)}*(c*d+(-d)^{(1/2)}*e^{(1/2)})^2)/(-1+1/c/x)^{(1/2)}/(c*d-(-d)^{(1/2)}*e^{(1/2)})^2)/((c*d-(-d)^{(1/2)}*e^{(1/2)})^2)/((c*d+(-d)^{(1/2)}*e^{(1/2)})^2)+1/16*(a+b*\operatorname{arcsech}(c*x))/(-d)^{(1/2)}/e^{(1/2)}/(-d/x+(-d)^{(1/2)}*e^{(1/2)})^2+1/16*(a+b*\operatorname{arcsech}(c*x))/d/e/(-d/x+(-d)^{(1/2)}*e^{(1/2)})+1/16*(-a-b*\operatorname{arcsech}(c*x))/(-d)^{(1/2)}/e^{(1/2)}/(d/x+(-d)^{(1/2)}*e^{(1/2)})^2+1/16*(-a-b*\operatorname{arcsech}(c*x))/d/e/(d/x+(-d)^{(1/2)}*e^{(1/2)})+1/16*b*c*(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}/(c^2*d+e)/(-d)^{(1/2)}/e^{(1/2)}/(-d/x+(-d)^{(1/2)}*e^{(1/2)})+1/16*b*c*(-1+1/c/x)^{(1/2)}*(1+1/c/x)^{(1/2)}/(c^2*d+e)/(-d)^{(1/2)}/e^{(1/2)}/(d/x+(-d)^{(1/2)}*e^{(1/2)})-1/8*b*\operatorname{arctan}((1+1/c/x)^{(1/2)}*(c*d-(-d)^{(1/2)}*e^{(1/2)})^2)/(-1+1/c/x)^{(1/2)}/(c*d+(-d)^{(1/2)}*e^{(1/2)})^2)/((c*d-(-d)^{(1/2)}*e^{(1/2)})^2)/((c*d+(-d)^{(1/2)}*e^{(1/2)})^2)-1/8*b*\operatorname{arctan}((1+1/c/x)^{(1/2)}*(c*d+(-d)^{(1/2)}*e^{(1/2)})^2)/(-1+1/c/x)^{(1/2)}/(c*d-(-d)^{(1/2)}*e^{(1/2)})^2)/((c*d-(-d)^{(1/2)}*e^{(1/2)})^2)/((c*d+(-d)^{(1/2)}*e^{(1/2)})^2)-1/8$

Rubi [A]

time = 2.62, antiderivative size = 1276, normalized size of antiderivative = 1.00, number of

steps used = 63, number of rules used = 12, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$,
 Rules used = {6438, 5959, 5909, 5963, 98, 95, 211, 5962, 5681, 2221, 2317, 2438}



Antiderivative was successfully verified.

[In] Int[(x^2*(a + b*ArcSech[c*x]))/(d + e*x^2)^3,x]

[Out] (b*c*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]/(16*Sqrt[-d]*Sqrt[e]*(c^2*d + e)
 *(Sqrt[-d]*Sqrt[e] - d/x)) + (b*c*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]/(16
 *Sqrt[-d]*Sqrt[e]*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] + d/x)) + (a + b*ArcSech[c*
 x))/(16*Sqrt[-d]*Sqrt[e]*(Sqrt[-d]*Sqrt[e] - d/x)^2) + (a + b*ArcSech[c*x])
 /(16*d*e*(Sqrt[-d]*Sqrt[e] - d/x)) - (a + b*ArcSech[c*x])/(16*Sqrt[-d]*Sqrt
 [e]*(Sqrt[-d]*Sqrt[e] + d/x)^2) - (a + b*ArcSech[c*x])/(16*d*e*(Sqrt[-d]*Sqr
 t[e] + d/x)) + (b*ArcTan[(Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])]/
 (Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)])))/(8*(c*d - Sqrt[-d]*Sqrt
 [e])^(3/2)*(c*d + Sqrt[-d]*Sqrt[e])^(3/2)) - (b*ArcTan[(Sqrt[c*d - Sqrt[-d]
 *Sqrt[e]]*Sqrt[1 + 1/(c*x)])/(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x
])))]/(8*d*Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*e) + (b
 *ArcTan[(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])/(Sqrt[c*d - Sqrt[-
 d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)]))]/(8*(c*d - Sqrt[-d]*Sqrt[e])^(3/2)*(c*d +
 Sqrt[-d]*Sqrt[e])^(3/2)) - (b*ArcTan[(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[1
 + 1/(c*x)])/(Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)]))]/(8*d*Sqrt[c
 *d - Sqrt[-d]*Sqrt[e]]*Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*e) - ((a + b*ArcSech[c*
 x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(
 -d)^(3/2)*e^(3/2)) + ((a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*
 x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) - ((a + b*ArcSech
 [c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(1
 6*(-d)^(3/2)*e^(3/2)) + ((a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech
 [c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) + (b*PolyLog[2
 , -((c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e]))]/(16*(-d)^(3/
 2)*e^(3/2)) - (b*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2
 d + e])])/(16(-d)^(3/2)*e^(3/2)) + (b*PolyLog[2, -((c*Sqrt[-d]*E^ArcSech[
 c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])]/(16*(-d)^(3/2)*e^(3/2)) - (b*PolyLog[2
 , (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])]/(16*(-d)^(3/2)*
 e^(3/2))

Rule 95

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
 _)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
 - 1)/(b*e - a*f - (d*e - c*f)*x^q], x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
 && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 98

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x
)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[(a*d*f*(m + 1) + b*
c*f*(n + 1) + b*d*e*(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*
x)^(m + 1)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && (LtQ[m, -1] || SumSimplerQ[m
, 1])

```

Rule 211

```

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/R
t[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

Rule 2221

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x
)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

Rule 2317

```

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

Rule 2438

```

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

```

Rule 5681

```

Int[(((e_.) + (f_.)*(x_))^(m_.)*Sinh[(c_.) + (d_.)*(x_)])/(Cosh[(c_.) + (d_
.)*(x_)])*(b_.) + (a_.)), x_Symbol] := Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)),
x] + (Int[(e + f*x)^m*(E^(c + d*x)/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x)))
, x] + Int[(e + f*x)^m*(E^(c + d*x)/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x)))
, x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]

```

Rule 5909

```

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.),
x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (d + e*x^2)^p, x],
x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] &&
(p > 0 || IGtQ[n, 0])

```

Rule 5959

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 5962

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_.)/((d_.) + (e_.)*(x_)), x_Symbol] := Subst[Int[(a + b*x)^n*(Sinh[x]/(c*d + e*Cosh[x])), x], x, ArcCosh[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 5963

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_.)*((d_.) + (e_.)*(x_))^(m_.), x_Symbol] := Simp[(d + e*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(e*(m + 1))), x] - Dist[b*c*(n/(e*(m + 1))), Int[(d + e*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[-1 + c*x]*Sqrt[1 + c*x])), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 6438

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x^(m + 2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegersQ[m, p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^3} dx &= -\operatorname{Subst} \left(\int \frac{x^2(a + b \cosh^{-1}(\frac{x}{c}))}{(e + dx^2)^3} dx, x, \frac{1}{x} \right) \\
&= -\operatorname{Subst} \left(\int \left(-\frac{e(a + b \cosh^{-1}(\frac{x}{c}))}{d(e + dx^2)^3} + \frac{a + b \cosh^{-1}(\frac{x}{c})}{d(e + dx^2)^2} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d} + \frac{e \operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{(e + dx^2)^3} dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{\operatorname{Subst} \left(\int \left(-\frac{d(a + b \cosh^{-1}(\frac{x}{c}))}{4e(\sqrt{-d}\sqrt{e - dx})^2} - \frac{d(a + b \cosh^{-1}(\frac{x}{c}))}{4e(\sqrt{-d}\sqrt{e + dx})^2} - \frac{d(a + b \cosh^{-1}(\frac{x}{c}))}{2e(-de - d^2x^2)} \right) dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{3 \operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{(\sqrt{-d}\sqrt{e - dx})^2} dx, x, \frac{1}{x} \right)}{16e} - \frac{3 \operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{(\sqrt{-d}\sqrt{e + dx})^2} dx, x, \frac{1}{x} \right)}{16e} \\
&= \frac{a + b \operatorname{sech}^{-1}(cx)}{16\sqrt{-d}\sqrt{e}\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)^2} + \frac{a + b \operatorname{sech}^{-1}(cx)}{16de\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{a + b \operatorname{sech}^{-1}(cx)}{16\sqrt{-d}\sqrt{e}\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} \\
&= \frac{bc\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} + \frac{bc\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} \\
&= \frac{bc\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} + \frac{bc\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} \\
&= \frac{bc\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} + \frac{bc\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} \\
&= \frac{bc\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} + \frac{bc\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 6.05, size = 2030, normalized size = 1.59

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(x^2*(a + b*ArcSech[c*x]))/(d + e*x^2)^3,x]
[Out] -1/4*(a*x)/(e*(d + e*x^2)^2) + (a*x)/(8*d*e*(d + e*x^2)) + (a*ArcTan[(Sqrt[
e]*x)/Sqrt[d]])/(8*d^(3/2)*e^(3/2)) + b*(((1/16*I)*((-I)*Sqrt[e]*Sqrt[(1
- c*x)/(1 + c*x)]*(1 + c*x))/(Sqrt[d]*(c^2*d + e)*((-I)*Sqrt[d] + Sqrt[e]*x
)) - ArcSech[c*x]/(Sqrt[e]*((-I)*Sqrt[d] + Sqrt[e]*x)^2) + Log[x]/(d*Sqrt[e
]) - Log[1 + Sqrt[(1 - c*x)/(1 + c*x)] + c*x*Sqrt[(1 - c*x)/(1 + c*x)]]/(d*
Sqrt[e]) + ((2*c^2*d + e)*Log[(-4*d*Sqrt[e]*Sqrt[c^2*d + e]*(Sqrt[e] - I*c^
2*Sqrt[d]*x + Sqrt[c^2*d + e]*Sqrt[(1 - c*x)/(1 + c*x)] + c*Sqrt[c^2*d + e]
*x*Sqrt[(1 - c*x)/(1 + c*x]))]/((2*c^2*d + e)*((-I)*Sqrt[d] + Sqrt[e]*x)))]
/(d*(c^2*d + e)^(3/2)))/(Sqrt[d]*e) + ((I/16)*((I*Sqrt[e]*Sqrt[(1 - c*x)/(
1 + c*x)]*(1 + c*x))/(Sqrt[d]*(c^2*d + e)*(I*Sqrt[d] + Sqrt[e]*x)) - ArcSec
h[c*x]/(Sqrt[e]*(I*Sqrt[d] + Sqrt[e]*x)^2) + Log[x]/(d*Sqrt[e]) - Log[1 + S
qrt[(1 - c*x)/(1 + c*x)] + c*x*Sqrt[(1 - c*x)/(1 + c*x)]]/(d*Sqrt[e]) + ((2
*c^2*d + e)*Log[(-4*d*Sqrt[e]*Sqrt[c^2*d + e]*(Sqrt[e] + I*c^2*Sqrt[d]*x +
Sqrt[c^2*d + e]*Sqrt[(1 - c*x)/(1 + c*x)] + c*Sqrt[c^2*d + e]*x*Sqrt[(1 - c
*x)/(1 + c*x]))]/((2*c^2*d + e)*(I*Sqrt[d] + Sqrt[e]*x)))]/(d*(c^2*d + e)^(
3/2)))/(Sqrt[d]*e) - (-ArcSech[c*x]/(I*Sqrt[d]*Sqrt[e] + e*x)) + (I*(Log[
x]/Sqrt[e] - Log[1 + Sqrt[(1 - c*x)/(1 + c*x)] + c*x*Sqrt[(1 - c*x)/(1 + c*
x)]]/Sqrt[e] + Log[((2*I)*Sqrt[e]*(Sqrt[d]*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c
*x) + (Sqrt[d]*Sqrt[e] + I*c^2*d*x)/Sqrt[c^2*d + e]))]/(I*Sqrt[d] + Sqrt[e]*
x)]/Sqrt[c^2*d + e])/Sqrt[d]/(16*d*e) - (-ArcSech[c*x]/((-I)*Sqrt[d]*Sqr
t[e] + e*x)) - (I*(Log[x]/Sqrt[e] - Log[1 + Sqrt[(1 - c*x)/(1 + c*x)] + c*x
*Sqrt[(1 - c*x)/(1 + c*x)]]/Sqrt[e] + Log[(2*Sqrt[e]*(I*Sqrt[d]*Sqrt[(1 - c
*x)/(1 + c*x)]*(1 + c*x) + (I*Sqrt[d]*Sqrt[e] + c^2*d*x)/Sqrt[c^2*d + e]))]/
((-I)*Sqrt[d] + Sqrt[e]*x)]/Sqrt[c^2*d + e])/Sqrt[d]/(16*d*e) - ((I/32)*(
PolyLog[2, -E^(-2*ArcSech[c*x])] - 2*((-4*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c
*Sqrt[d])]]/Sqrt[2]]*ArcTanh[((I*c*Sqrt[d] + Sqrt[e])*Tanh[ArcSech[c*x]/2)]/
Sqrt[c^2*d + e]] + ArcSech[c*x]*Log[1 + E^(-2*ArcSech[c*x])] - ArcSech[c*x]
*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] + (2*I
)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] - S
qrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - ArcSech[c*x]*Log[1 + (I*(Sqr
t[e] + Sqrt[c^2*d + e]))/(c*Sqrt[d]*E^ArcSech[c*x])] - (2*I)*ArcSin[Sqrt[1
+ (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e]))
/(c*Sqrt[d]*E^ArcSech[c*x])] + PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e]))/
(c*Sqrt[d]*E^ArcSech[c*x])] + PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e]))
/(c*Sqrt[d]*E^ArcSech[c*x])])))/(d^(3/2)*e^(3/2)) - ((I/32)*(-PolyLog[2, -E
^(-2*ArcSech[c*x])] + 2*((-4*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sq
rt[2]]*ArcTanh[((-I)*c*Sqrt[d] + Sqrt[e])*Tanh[ArcSech[c*x]/2)]/Sqrt[c^2*d
```

$$+ e]] + \text{ArcSech}[c*x] * \text{Log}[1 + E^{(-2*\text{ArcSech}[c*x])}] - \text{ArcSech}[c*x] * \text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] + (2*I)*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]/\text{Sqrt}[2]] * \text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] - \text{ArcSech}[c*x] * \text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] - (2*I)*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]/\text{Sqrt}[2]] * \text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] + \text{PolyLog}[2, ((-I)*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] + \text{PolyLog}[2, (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})]])/(d^{(3/2)}*e^{(3/2)})$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 172.57, size = 2550, normalized size = 2.00

method	result	size
derivativedivides	Expression too large to display	2550
default	Expression too large to display	2550

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^3,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c^3} \left(\frac{1}{4} b c (-c^{2d-2} (e^{c^{2d+e}})^{1/2} + 2e) d^{1/2} \operatorname{arctanh}\left(\frac{1}{c/x} + (-1+1/c/x)^{1/2} (1+1/c/x)^{1/2}\right) c d / \left((-c^{2d+2} (e^{c^{2d+e}})^{1/2} - 2e) d^{1/2} \right) / (c^{2d+e}) / d^3 - \frac{1}{4} b c^3 (-c^{2d-2} (e^{c^{2d+e}})^{1/2} + 2e) d^{1/2} \operatorname{arctanh}\left(\frac{1}{c/x} + (-1+1/c/x)^{1/2} (1+1/c/x)^{1/2}\right) c d / \left((-c^{2d+2} (e^{c^{2d+e}})^{1/2} - 2e) d^{1/2} \right) / (c^{2d+e})^2 / d^2 + \frac{1}{8} b c^7 x^3 / d e / (c^{2d+e}) / (c^2 e x^2 + c^{2d})^2 \operatorname{arcsech}(c x) - \frac{1}{16} b c^4 / d / (c^{2d+e}) \operatorname{sum}\left(\frac{R_1}{R_1^2 c^{2d} + c^{2d+2e}}\right) * (\operatorname{arcsech}(c x) * \ln\left(\frac{R_1 - 1/c/x - (-1+1/c/x)^{1/2} (1+1/c/x)^{1/2}}{R_1}\right) + \operatorname{dilog}\left(\frac{R_1 - 1/c/x - (-1+1/c/x)^{1/2} (1+1/c/x)^{1/2}}{R_1}\right), R_1 = \operatorname{RootOf}(c^{2d} * Z^4 + (2c^{2d+4e}) * Z^2 + c^{2d}) \right) + \frac{1}{16} b c^4 / d / (c^{2d+e}) \operatorname{sum}\left(\frac{1}{R_1} / (R_1^2 c^{2d} + c^{2d+2e})\right) * (\operatorname{arcsech}(c x) * \ln\left(\frac{R_1 - 1/c/x - (-1+1/c/x)^{1/2} (1+1/c/x)^{1/2}}{R_1}\right) / R_1 + \operatorname{dilog}\left(\frac{R_1 - 1/c/x - (-1+1/c/x)^{1/2} (1+1/c/x)^{1/2}}{R_1}\right), R_1 = \operatorname{RootOf}(c^{2d} * Z^4 + (2c^{2d+4e}) * Z^2 + c^{2d}) \right) - \frac{1}{4} b c^3 \left((c^{2d+2} (e^{c^{2d+e}})^{1/2} + 2e) d^{1/2} \operatorname{arctan}\left(\frac{1}{c/x} + (-1+1/c/x)^{1/2} (1+1/c/x)^{1/2}\right) c d / \left((c^{2d+2} (e^{c^{2d+e}})^{1/2} + 2e) d^{1/2} \right) / (c^{2d+e})^2 / d^2 + \frac{1}{8} a c^3 / d e / (d e)^{1/2} \operatorname{arctan}(e x / (d e)^{1/2}) - \frac{1}{8} b c^7 x / (c^{2d+e}) / (c^2 e x^2 + c^{2d})^2 \operatorname{arcsech}(c x) - \frac{1}{4} b c \left((c^{2d+2} (e^{c^{2d+e}})^{1/2} + 2e) d^{1/2} \operatorname{arctan}\left(\frac{1}{c/x} + (-1+1/c/x)^{1/2} (1+1/c/x)^{1/2}\right) c d / \left((c^{2d+2} (e^{c^{2d+e}})^{1/2} + 2e) d^{1/2} \right) / e / (c^{2d+e}) / d^3 \left((e^{c^{2d+e}})^{1/2} + \frac{1}{8} b c^3 \left((c^{2d+2} (e^{c^{2d+e}})^{1/2} + 2e) d^{1/2} \right) \operatorname{arctan}\left(\frac{1}{c/x} + (-1+1/c/x)^{1/2} (1+1/c/x)^{1/2}\right) c d / \left((c^{2d+2} (e^{c^{2d+e}})^{1/2} + 2e) d^{1/2} \right) / (c^{2d+e})^2 / e / d^2 \left((e^{c^{2d+e}})^{1/2} + \frac{1}{4} b c \left((-c^{2d-2} (e^{c^{2d+e}})^{1/2} + 2e) d^{1/2} \right) \operatorname{arctanh}\left(\frac{1}{c/x} + (-1+1/c/x)^{1/2} (1+1/c/x)^{1/2}\right) c d / \left((-c^{2d+2} (e^{c^{2d+e}})^{1/2} - 2e) d^{1/2} \right) / (c^{2d+e}) / d^3 \left((e^{c^{2d+e}})^{1/2} - \frac{1}{8} b c^3 \left((-c^{2d-2} (e^{c^{2d+e}})^{1/2} + 2e) d^{1/2} \right) \operatorname{arctanh}\left(\frac{1}{c/x} + (-1+1/c/x)^{1/2} (1+1/c/x)^{1/2}\right) c d / \left((-c^{2d+2} (e^{c^{2d+e}})^{1/2} - 2e) d^{1/2} \right) / (c^{2d+e})^2 / e / d^2 \left((e^{c^{2d+e}})^{1/2} \right. \right. \right.$

$$\begin{aligned}
& *d+e))^{\frac{1}{2}}-1/8*b*c^8*x^4/d*e/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*(-(c*x-1)/c/x) \\
& ^{\frac{1}{2}}*((c*x+1)/c/x)^{\frac{1}{2}}+1/8*b*c^9*x^3/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*\text{arcs} \\
& \text{ech}(c*x)+1/8*b*c^3*((c^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}}*\text{arctan}((1/c/ \\
& x+(-1+1/c/x)^{\frac{1}{2}}*(1+1/c/x)^{\frac{1}{2}})*c*d/((c^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}}+2*e)* \\
& d)^{\frac{1}{2}})/e/(c^2*d+e)/d^2-1/4*b*c*((c^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}} \\
& *\text{arctan}((1/c/x+(-1+1/c/x)^{\frac{1}{2}}*(1+1/c/x)^{\frac{1}{2}})*c*d/((c^2*d+2*(e*(c^2*d+ \\
& e))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}})/(c^2*d+e)^2*e/d^3+1/8*b*c^3*(-(c^2*d-2*(e*(c^2*d+e \\
&))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}}*\text{arctanh}((1/c/x+(-1+1/c/x)^{\frac{1}{2}}*(1+1/c/x)^{\frac{1}{2}})*c*d \\
& /((-c^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}}-2*e)*d)^{\frac{1}{2}})/e/(c^2*d+e)/d^2+1/4*b*c*((c^ \\
& 2*d+2*(e*(c^2*d+e))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}}*\text{arctan}((1/c/x+(-1+1/c/x)^{\frac{1}{2}}*(1+1 \\
& /c/x)^{\frac{1}{2}})*c*d/((c^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}})/(c^2*d+e)^2/d \\
& ^3*(e*(c^2*d+e))^{\frac{1}{2}}-1/4*b*c*(-(c^2*d-2*(e*(c^2*d+e))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}} \\
& *\text{arctanh}((1/c/x+(-1+1/c/x)^{\frac{1}{2}}*(1+1/c/x)^{\frac{1}{2}})*c*d/((-c^2*d+2*(e*(c^2*d+ \\
& e))^{\frac{1}{2}}-2*e)*d)^{\frac{1}{2}})/(c^2*d+e)^2/d^3*(e*(c^2*d+e))^{\frac{1}{2}}-1/4*b*c*(-(c^2 \\
& *d-2*(e*(c^2*d+e))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}}*\text{arctanh}((1/c/x+(-1+1/c/x)^{\frac{1}{2}}*(1+1 \\
& /c/x)^{\frac{1}{2}})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}}-2*e)*d)^{\frac{1}{2}})/(c^2*d+e)^2* \\
& e/d^3-1/8*b*c^9*x/e/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*d*\text{arcsech}(c*x)+1/4*b*c*((\\
& c^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}}*\text{arctan}((1/c/x+(-1+1/c/x)^{\frac{1}{2}}*(1 \\
& +1/c/x)^{\frac{1}{2}})*c*d/((c^2*d+2*(e*(c^2*d+e))^{\frac{1}{2}}+2*e)*d)^{\frac{1}{2}})/(c^2*d+e)/d \\
& ^3-1/8*b*c^8*x^2/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*(-(c*x-1)/c/x)^{\frac{1}{2}}*((c*x+1 \\
&)/c/x)^{\frac{1}{2}}-1/16*b*c^6/e/(c^2*d+e)*\text{sum}(_R1/(_R1^2*c^2*d+c^2*d+2*e)*(\text{arcsec} \\
& h(c*x)*\ln((_R1-1/c/x-(-1+1/c/x)^{\frac{1}{2}}*(1+1/c/x)^{\frac{1}{2}})/_R1)+\text{dilog}((_R1-1/c/ \\
& x-(-1+1/c/x)^{\frac{1}{2}}*(1+1/c/x)^{\frac{1}{2}})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4* \\
& e)*_Z^2+c^2*d))+1/16*b*c^6/e/(c^2*d+e)*\text{sum}(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(\text{a} \\
& rcsech(c*x)*\ln((_R1-1/c/x-(-1+1/c/x)^{\frac{1}{2}}*(1+1/c/x)^{\frac{1}{2}})/_R1)+\text{dilog}((_R1 \\
& -1/c/x-(-1+1/c/x)^{\frac{1}{2}}*(1+1/c/x)^{\frac{1}{2}})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2 \\
& *d+4*e)*_Z^2+c^2*d))+1/8*a*c^7/(c^2*e*x^2+c^2*d)^2/d*x^3-1/8*a*c^7/(c^2*e*x \\
& ^2+c^2*d)^2/e*x)
\end{aligned}$$

Maxima [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="fricas")

[Out] `integral((b*x^2*arcsech(c*x) + a*x^2)/(x^6*e^3 + 3*d*x^4*e^2 + 3*d^2*x^2*e + d^3), x)`

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*asech(c*x))/(e*x**2+d)**3,x)`

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="giac")`

[Out] `integrate((b*arcsech(c*x) + a)*x^2/(e*x^2 + d)^3, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (a + b \operatorname{acosh}(\frac{1}{cx}))}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(a + b*acosh(1/(c*x))))/(d + e*x^2)^3,x)`

[Out] `int((x^2*(a + b*acosh(1/(c*x))))/(d + e*x^2)^3, x)`

$$3.129 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex^2)^3} dx$$

Optimal. Leaf size=1272


$$\frac{bc\sqrt{e} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x}\right)} + \frac{bc\sqrt{e} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x}\right)} + \frac{\sqrt{e} (a + b\operatorname{sech}^{-1}(cx))}{16(-d)^{3/2} \left(\sqrt{-d} \sqrt{e} - \frac{d}{x}\right)^2}$$

[Out] $3/16*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/(-d)^{5/2}/e^{1/2}-3/16*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/(-d)^{5/2}/e^{1/2}+3/16*(a+b*\operatorname{arcsech}(c*x))*\ln(1-c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/(-d)^{5/2}/e^{1/2}-3/16*(a+b*\operatorname{arcsech}(c*x))*\ln(1+c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/(-d)^{5/2}/e^{1/2}-3/16*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/(-d)^{5/2}/e^{1/2}+3/16*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}-(c^2*d+e)^{1/2}))/(-d)^{5/2}/e^{1/2}-3/16*b*\operatorname{polylog}(2,-c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/(-d)^{5/2}/e^{1/2}+3/16*b*\operatorname{polylog}(2,c*(1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*(-d)^{1/2}/(e^{1/2}+(c^2*d+e)^{1/2}))/(-d)^{5/2}/e^{1/2}-1/8*b*e*\arctan((1+1/c/x)^{1/2}*(c*d-(-d)^{1/2}*e^{1/2})^{1/2}/(-1+1/c/x)^{1/2}/(c*d+(-d)^{1/2}*e^{1/2})^{1/2})/d/(c*d-(-d)^{1/2}*e^{1/2})^{3/2}/(c*d+(-d)^{1/2}*e^{1/2})^{3/2}-1/8*b*e*\arctan((1+1/c/x)^{1/2}*(c*d+(-d)^{1/2}*e^{1/2})^{1/2}/(-1+1/c/x)^{1/2}/(c*d-(-d)^{1/2}*e^{1/2})^{1/2})/d/(c*d-(-d)^{1/2}*e^{1/2})^{3/2}/(c*d+(-d)^{1/2}*e^{1/2})^{3/2}+1/16*(a+b*\operatorname{arcsech}(c*x))*e^{1/2}/(-d)^{3/2}/(-d/x+(-d)^{1/2}*e^{1/2})^2-5/16*(a+b*\operatorname{arcsech}(c*x))/d^2/(-d/x+(-d)^{1/2}*e^{1/2})-1/16*(a+b*\operatorname{arcsech}(c*x))*e^{1/2}/(-d)^{3/2}/(d/x+(-d)^{1/2}*e^{1/2})^2+5/16*(a+b*\operatorname{arcsech}(c*x))/d^2/(d/x+(-d)^{1/2}*e^{1/2})+1/16*b*c*e^{1/2}*(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2}/(-d)^{3/2}/(c^2*d+e)/(-d/x+(-d)^{1/2}*e^{1/2})+1/16*b*c*e^{1/2}*(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2}/(-d)^{3/2}/(c^2*d+e)/(d/x+(-d)^{1/2}*e^{1/2})+5/8*b*\arctan((1+1/c/x)^{1/2}*(c*d-(-d)^{1/2}*e^{1/2})^{1/2}/(-1+1/c/x)^{1/2}/(c*d+(-d)^{1/2}*e^{1/2})^{1/2})/d^2/(c*d-(-d)^{1/2}*e^{1/2})^{1/2}/(c*d+(-d)^{1/2}*e^{1/2})^{1/2})+5/8*b*\arctan((1+1/c/x)^{1/2}*(c*d+(-d)^{1/2}*e^{1/2})^{1/2}/(-1+1/c/x)^{1/2}/(c*d-(-d)^{1/2}*e^{1/2})^{1/2})/d^2/(c*d-(-d)^{1/2}*e^{1/2})^{1/2}/(c*d+(-d)^{1/2}*e^{1/2})^{1/2})$

Rubi [A]

time = 3.35, antiderivative size = 1272, normalized size of antiderivative = 1.00, number of steps used = 81, number of rules used = 12, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$,

Rules used = {6428, 5959, 5909, 5963, 98, 95, 211, 5962, 5681, 2221, 2317, 2438}



Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])/(d + e*x^2)^3,x]

[Out] (b*c*Sqrt[e]*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]/(16*(-d)^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] - d/x)) + (b*c*Sqrt[e]*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]/(16*(-d)^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] + d/x)) + (Sqrt[e]*(a + b*ArcSech[c*x]))/(16*(-d)^(3/2)*(Sqrt[-d]*Sqrt[e] - d/x)^2) - (5*(a + b*ArcSech[c*x]))/(16*d^2*(Sqrt[-d]*Sqrt[e] - d/x)) - (Sqrt[e]*(a + b*ArcSech[c*x]))/(16*(-d)^(3/2)*(Sqrt[-d]*Sqrt[e] + d/x)^2) + (5*(a + b*ArcSech[c*x]))/(16*d^2*(Sqrt[-d]*Sqrt[e] + d/x)) + (5*b*ArcTan[(Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])/(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)])])/(8*d^2*Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[c*d + Sqrt[-d]*Sqrt[e]]) - (b*e*ArcTan[(Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])/(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)])])/(8*d*(c*d - Sqrt[-d]*Sqrt[e])^(3/2)*(c*d + Sqrt[-d]*Sqrt[e])^(3/2)) + (5*b*ArcTan[(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])/(Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)])])/(8*d^2*Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[c*d + Sqrt[-d]*Sqrt[e]]) - (b*e*ArcTan[(Sqrt[c*d + Sqrt[-d]*Sqrt[e]]*Sqrt[1 + 1/(c*x)])/(Sqrt[c*d - Sqrt[-d]*Sqrt[e]]*Sqrt[-1 + 1/(c*x)])])/(8*d*(c*d - Sqrt[-d]*Sqrt[e])^(3/2)*(c*d + Sqrt[-d]*Sqrt[e])^(3/2)) + (3*(a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (3*(a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) + (3*(a + b*ArcSech[c*x])*Log[1 - (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (3*(a + b*ArcSech[c*x])*Log[1 + (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (3*b*PolyLog[2, -(c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) + (3*b*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (3*b*PolyLog[2, -(c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) + (3*b*PolyLog[2, (c*Sqrt[-d]*E^ArcSech[c*x])/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e])

Rule 95

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 98

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[(a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && (LtQ[m, -1] || SumSimplerQ[m, 1])

```

Rule 211

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

Rule 2221

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

Rule 2317

```

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

Rule 2438

```

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

```

Rule 5681

```

Int[(((e_.) + (f_.)*(x_))^(m_.)*Sinh[(c_.) + (d_.)*(x_)])/(Cosh[(c_.) + (d_.)*(x_)])*(b_.) + (a_)), x_Symbol] := Simp[-(e + f*x)^(m + 1)/(b*f*(m + 1)), x] + (Int[(e + f*x)^m*(E^(c + d*x))/(a - Rt[a^2 - b^2, 2] + b*E^(c + d*x)), x] + Int[(e + f*x)^m*(E^(c + d*x))/(a + Rt[a^2 - b^2, 2] + b*E^(c + d*x)), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0]

```

Rule 5909

```

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (p > 0 || IGtQ[n, 0])

```

Rule 5959

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCosh[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 5962

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)), x_Symbol] := Subst[Int[(a + b*x)^n*(Sinh[x]/(c*d + e*Cosh[x])), x], x, ArcCosh[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 5963

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_))^(m_.), x_Symbol] := Simp[(d + e*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(e*(m + 1))), x] - Dist[b*c*(n/(e*(m + 1))), Int[(d + e*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[-1 + c*x]*Sqrt[1 + c*x])), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 6428

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*((a + b*ArcCosh[x/c])^n/x^(2*(p + 1))), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{(d + ex^2)^3} dx &= -\operatorname{Subst} \left(\int \frac{x^4 (a + b \cosh^{-1}(\frac{x}{c}))}{(e + dx^2)^3} dx, x, \frac{1}{x} \right) \\
&= -\operatorname{Subst} \left(\int \left(\frac{e^2 (a + b \cosh^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)^3} - \frac{2e (a + b \cosh^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)^2} + \frac{a + b \cosh^{-1}(\frac{x}{c})}{d^2 (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{e + dx^2} dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d^2} - \frac{e^2 \operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{(e + dx^2)^3} dx, x, \frac{1}{x} \right)}{d^2} \\
&= -\frac{\operatorname{Subst} \left(\int \left(\frac{a + b \cosh^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} - \sqrt{-d}x)} + \frac{a + b \cosh^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{3 \operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{(\sqrt{-d} \sqrt{e} - dx)^2} dx, x, \frac{1}{x} \right)}{16d} + \frac{3 \operatorname{Subst} \left(\int \frac{a + b \cosh^{-1}(\frac{x}{c})}{(\sqrt{-d} \sqrt{e} + dx)^2} dx, x, \frac{1}{x} \right)}{16d} + \dots \\
&= \frac{\sqrt{e} (a + b \operatorname{sech}^{-1}(cx))}{16(-d)^{3/2} \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)^2} - \frac{5(a + b \operatorname{sech}^{-1}(cx))}{16d^2 \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} - \frac{\sqrt{e} (a + b \operatorname{sech}^{-1}(cx))}{16(-d)^{3/2} \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)^2} \\
&= \frac{bc\sqrt{e} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{e} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \dots \\
&= \frac{bc\sqrt{e} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{e} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \dots \\
&= \frac{bc\sqrt{e} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{e} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \dots \\
&= \frac{bc\sqrt{e} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{e} \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d} \sqrt{e} + \frac{d}{x} \right)} + \dots
\end{aligned}$$

$$\begin{aligned} & [c^2*d + e]] + \text{ArcSech}[c*x]*\text{Log}[1 + E^{(-2*\text{ArcSech}[c*x])}] - \text{ArcSech}[c*x]*\text{Log} \\ & [1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] + (2*I)*\text{A} \\ & \text{rcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqr} \\ & \text{t}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] - \text{ArcSech}[c*x]*\text{Log}[1 - (I*(\text{Sqrt}[\\ & e] + \text{Sqrt}[c^2*d + e]))/(c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] - (2*I)*\text{ArcSin}[\text{Sqrt}[1 - \\ & (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]/\text{Sqrt}[2]]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(\\ & c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] + \text{PolyLog}[2, ((-I)*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])) \\ & / (c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})] + \text{PolyLog}[2, (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/(\\ & c*\text{Sqrt}[d]*E^{\text{ArcSech}[c*x]})])])/(d^{(5/2)}*\text{Sqrt}[e])) \end{aligned}$$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.
time = 163.69, size = 3461, normalized size = 2.72

method	result	size
derivativedivides	Expression too large to display	3461
default	Expression too large to display	3461

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/(e*x^2+d)^3,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{c}(-\frac{5}{8}b*c*(-(c^2*d-2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2}*\text{arctanh}((1/c/x+(-1+1/c/x)^{1/2})*(1+1/c/x)^{1/2})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{1/2}-2*e)*d)^{1/2})/(c^2*d+e)/d^3+3/8*b*c^5*x^3/d^2/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*e^2*a$
 $\text{rcsech}(c*x)+5/8*b*c^5*x/d/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*e*\text{arcsech}(c*x)+3/8*$
 $b*c^7*x^3/d*e/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*\text{arcsech}(c*x)-3/16*b*c^4/d/(c^2*$
 $d+e)*\text{sum}(_R1/(_R1^2*c^2*d+c^2*d+2*e)*(\text{arcsech}(c*x)*\ln((_R1-1/c/x-(-1+1/c/x)$
 $^{1/2}*(1+1/c/x)^{1/2})/_R1)+\text{dilog}((_R1-1/c/x-(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})/_R1)),$
 $_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+3/16*b*c^4/d/(c$
 $^2*d+e)*\text{sum}(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(\text{arcsech}(c*x)*\ln((_R1-1/c/x-(-1+1$
 $/c/x)^{1/2}*(1+1/c/x)^{1/2})/_R1)+\text{dilog}((_R1-1/c/x-(-1+1/c/x)^{1/2}*(1+1/c/x)$
 $^{1/2})/_R1)), _R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-7/4*b/c*(($
 $c^2*d+2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2}*e*\text{arctan}((1/c/x+(-1+1/c/x)^{1/2}*$
 $(1+1/c/x)^{1/2})*c*d/((c^2*d+2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2})/d^4/(c^2*$
 $d+e)-b/c^3*((c^2*d+2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2}*e^2*\text{arctan}((1/c/x+(-$
 $1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*c*d/((c^2*d+2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2})/d^5/(c^2*d+e)+3/8*a*c^3/d^2*x/(c^2*e*x^2+c^2*d)+5/8*b*c^7*x/(c^2*d+e)$
 $/((c^2*e*x^2+c^2*d)^2*\text{arcsech}(c*x)+5/4*b*c*((c^2*d+2*(e*(c^2*d+e))^{1/2}+2*e$
 $)*d)^{1/2}*\text{arctan}((1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*c*d/((c^2*d+2*(e$
 $*c^2*d+e))^{1/2}+2*e)*d)^{1/2})/(c^2*d+e)^2*d^3-5/8*b*c*((c^2*d+2*(e*(c^2$
 $*d+e))^{1/2}+2*e)*d)^{1/2}*\text{arctan}((1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})$
 $*c*d/((c^2*d+2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2})/(c^2*d+e)^2/d^3*(e*(c^2*d$
 $+e))^{1/2}+5/8*b*c*(-(c^2*d-2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2}*\text{arctanh}((1/$
 $c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{1/2}-2*$
 $e)*d)^{1/2})/(c^2*d+e)^2/d^3*(e*(c^2*d+e))^{1/2}+5/4*b*c*(-(c^2*d-2*(e*(c^2$
 $*d+e))^{1/2}+2*e)*d)^{1/2}*\text{arctanh}((1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2}))$

$$\begin{aligned}
& *c*d/((-c^2*d+2*(e*(c^2*d+e))^{1/2}-2*e)*d)^{1/2})/(c^2*d+e)^2*e/d^3-5/8*b* \\
& c*((c^2*d+2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2}*\arctan((1/c/x+(-1+1/c/x)^{1/2} \\
&)*(1+1/c/x)^{1/2})*c*d/((c^2*d+2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2})/(c^2*d+ \\
& e)/d^3+1/8*b*c^6*x^4/d^2/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*(-(c*x-1)/c/x)^{1/2} \\
& *((c*x+1)/c/x)^{1/2}*e^2+1/8*b*c^6*x^2/d/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*(-(c \\
& *x-1)/c/x)^{1/2}*((c*x+1)/c/x)^{1/2}*e+b/c^3*((c^2*d+2*(e*(c^2*d+e))^{1/2}+ \\
& 2*e)*d)^{1/2}*e*\arctan((1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*c*d/((c^2*d \\
& +2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2})/d^5/(c^2*d+e)*(e*(c^2*d+e))^{1/2}-7/4 \\
& *b/c*((c^2*d+2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2}*e*\arctan((1/c/x+(-1+1/c/x) \\
& ^{1/2}*(1+1/c/x)^{1/2})*c*d/((c^2*d+2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2})/d^ \\
& 4/(c^2*d+e)^2*(e*(c^2*d+e))^{1/2}-b/c^3*((c^2*d+2*(e*(c^2*d+e))^{1/2}+2*e)* \\
& d)^{1/2}*e^2*\arctan((1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*c*d/((c^2*d+2* \\
& (e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2})/d^5/(c^2*d+e)^2*(e*(c^2*d+e))^{1/2}-b/c^ \\
& 3*(-(c^2*d-2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2}*e*\operatorname{arctanh}((1/c/x+(-1+1/c/x)^{ \\
& 1/2}*(1+1/c/x)^{1/2})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{1/2}-2*e)*d)^{1/2})/d^ \\
& 5/(c^2*d+e)*(e*(c^2*d+e))^{1/2}+7/4*b/c*(-(c^2*d-2*(e*(c^2*d+e))^{1/2}+2*e) \\
& *d)^{1/2}*e*\operatorname{arctanh}((1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*c*d/((-c^2*d+2 \\
& *(e*(c^2*d+e))^{1/2}-2*e)*d)^{1/2})/d^4/(c^2*d+e)^2*(e*(c^2*d+e))^{1/2}+b/c \\
& ^3*(-(c^2*d-2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2}*e^2*\operatorname{arctanh}((1/c/x+(-1+1/c/ \\
& x)^{1/2}*(1+1/c/x)^{1/2})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{1/2}-2*e)*d)^{1/2}) \\
& /d^5/(c^2*d+e)^2*(e*(c^2*d+e))^{1/2}+3/8*a*c/d^2/(d*e)^{1/2}*\arctan(e*x/(d* \\
& e)^{1/2})+9/4*b/c*((c^2*d+2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2}*e^2*\arctan((1 \\
& /c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*c*d/((c^2*d+2*(e*(c^2*d+e))^{1/2}+2* \\
& e)*d)^{1/2})/d^4/(c^2*d+e)^2+b/c^3*((c^2*d+2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1 \\
& /2}*e^3*\arctan((1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*c*d/((c^2*d+2*(e*(c \\
& ^2*d+e))^{1/2}+2*e)*d)^{1/2})/d^5/(c^2*d+e)^2-7/4*b/c*(-(c^2*d-2*(e*(c^2*d+ \\
& e))^{1/2}+2*e)*d)^{1/2}*e*\operatorname{arctanh}((1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})* \\
& c*d/((-c^2*d+2*(e*(c^2*d+e))^{1/2}-2*e)*d)^{1/2})/d^4/(c^2*d+e)-b/c^3*(-(c^ \\
& 2*d-2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2}*e^2*\operatorname{arctanh}((1/c/x+(-1+1/c/x)^{1/2} \\
& *(1+1/c/x)^{1/2})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{1/2}-2*e)*d)^{1/2})/d^5/(c^ \\
& 2*d+e)+9/4*b/c*(-(c^2*d-2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2}*e^2*\operatorname{arctanh}((1/ \\
& c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{1/2}-2* \\
& e)*d)^{1/2})/d^4/(c^2*d+e)^2+b/c^3*(-(c^2*d-2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{ \\
& 1/2}*e^3*\operatorname{arctanh}((1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*c*d/((-c^2*d+2*(e \\
& *(c^2*d+e))^{1/2}-2*e)*d)^{1/2})/d^5/(c^2*d+e)^2+5/4*b/c*((c^2*d+2*(e*(c^2* \\
& d+e))^{1/2}+2*e)*d)^{1/2}*\arctan((1/c/x+(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*c \\
& *d/((c^2*d+2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2})/d^4/(c^2*d+e)*(e*(c^2*d+e)) \\
& ^{1/2}-5/4*b/c*(-(c^2*d-2*(e*(c^2*d+e))^{1/2}+2*e)*d)^{1/2}*\operatorname{arctanh}((1/c/x+ \\
& (-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2})*c*d/((-c^2*d+2*(e*(c^2*d+e))^{1/2}-2*e)*d \\
&)^{1/2})/d^4/(c^2*d+e)*(e*(c^2*d+e))^{1/2}+1/4*a*c^5*x/d/(c^2*e*x^2+c^2*d)^ \\
& 2-3/16*b*c^2/d^2/(c^2*d+e)*e*\operatorname{sum}(_R1/(_R1^2*c^2*d+c^2*d+2*e))*(\operatorname{arcsech}(c*x)* \\
& \ln((_R1-1/c/x-(-1+1/c/x)^{1/2}*(1+1/c/x)^{1/2}))\dots
\end{aligned}$$

Maxima [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="fricas")

[Out] integral((b*arcsech(c*x) + a)/(x^6*e^3 + 3*d*x^4*e^2 + 3*d^2*x^2*e + d^3), x)

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x^2+d)^3,x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/(e*x^2 + d)^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{(e x^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(d + e*x^2)^3,x)

[Out] int((a + b*acosh(1/(c*x)))/(d + e*x^2)^3, x)

3.130 $\int x^5 \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=447

$$\frac{b(23c^4d^2 + 12c^2de - 75e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{1680c^6e^2} + \frac{b(29c^2d - 25e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{d+ex^2}}{840c^4e^2}$$

[Out] $\frac{1}{3}d^2(e^2x^2+d)^{3/2}(a+b\operatorname{arcsech}(cx))/e^3 - \frac{2}{5}d(e^2x^2+d)^{5/2}(a+b\operatorname{arcsech}(cx))/e^3 + \frac{1}{7}(e^2x^2+d)^{7/2}(a+b\operatorname{arcsech}(cx))/e^3 - \frac{1}{1680}b(105c^6d^3 - 35c^4d^2e + 63c^2d^2e^2 + 75e^3)\operatorname{arctan}(e^{1/2}(-c^2x^2+1)^{1/2}/c/(e^2x^2+d)^{1/2}) \cdot (1/(cx+1))^{1/2} \cdot (cx+1)^{1/2}/c^7/e^{5/2} - \frac{8}{105}bd^{7/2} \cdot \operatorname{arctanh}((e^2x^2+d)^{1/2}/d^{1/2}/(-c^2x^2+1)^{1/2}) \cdot (1/(cx+1))^{1/2} \cdot (cx+1)^{1/2}/e^3 + \frac{1}{840}b(29c^2d - 25e)(e^2x^2+d)^{3/2} \cdot (1/(cx+1))^{1/2} \cdot (cx+1)^{1/2} \cdot (-c^2x^2+1)^{1/2}/c^4/e^2 - \frac{1}{42}b(e^2x^2+d)^{5/2} \cdot (1/(cx+1))^{1/2} \cdot (cx+1)^{1/2} \cdot (-c^2x^2+1)^{1/2}/c^2/e^2 + \frac{1}{1680}b(23c^4d^2 + 12c^2de - 75e^2) \cdot (1/(cx+1))^{1/2} \cdot (cx+1)^{1/2} \cdot (-c^2x^2+1)^{1/2} \cdot (e^2x^2+d)^{1/2}/c^6/e^2$

Rubi [A]

time = 0.93, antiderivative size = 447, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {272, 45, 6436, 12, 1629, 159, 163, 65, 223, 209, 95, 213}

$$\frac{d^2(e^2x^2+d)^{3/2}(a+b\operatorname{arcsech}(cx))}{e^3} - \frac{2d(e^2x^2+d)^{5/2}(a+b\operatorname{arcsech}(cx))}{5e^3} + \frac{d(e^2x^2+d)^{7/2}(a+b\operatorname{arcsech}(cx))}{7e^3} - \frac{b(105c^6d^3 - 35c^4d^2e + 63c^2d^2e^2 + 75e^3)\operatorname{arctan}\left(\frac{\sqrt{e}\sqrt{1-c^2x^2}}{\sqrt{d+ex^2}}\right)}{1680c^7e^{5/2}} - \frac{8bd^{7/2}\operatorname{arctanh}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{105c^4e^2} + \frac{b(29c^2d - 25e)(e^2x^2+d)^{3/2}}{840c^4e^2} \cdot \frac{1}{\sqrt{1+cx}} \cdot \sqrt{1+cx} \cdot \sqrt{d+ex^2}}{1680c^6e^2} + \frac{b(29c^2d - 25e)(e^2x^2+d)^{3/2}}{840c^4e^2} \cdot \frac{1}{\sqrt{1+cx}} \cdot \sqrt{1+cx} \cdot \sqrt{d+ex^2}}{840c^4e^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^5 \operatorname{Sqrt}[d + e x^2] (a + b \operatorname{ArcSech}[c x]), x]$

[Out] $(b(23c^4d^2 + 12c^2de - 75e^2)\operatorname{Sqrt}[(1 + cx)^{-1}]\operatorname{Sqrt}[1 + cx]\operatorname{Sqrt}[1 - c^2x^2]\operatorname{Sqrt}[d + ex^2])/(1680c^6e^2) + (b(29c^2d - 25e)\operatorname{Sqrt}[(1 + cx)^{-1}]\operatorname{Sqrt}[1 + cx]\operatorname{Sqrt}[1 - c^2x^2](d + ex^2)^{3/2})/(840c^4e^2) - (b\operatorname{Sqrt}[(1 + cx)^{-1}]\operatorname{Sqrt}[1 + cx]\operatorname{Sqrt}[1 - c^2x^2](d + ex^2)^{5/2})/(42c^2e^2) + (d^2(d + ex^2)^{3/2}(a + b\operatorname{ArcSech}[cx]))/(3e^3) - (2d(d + ex^2)^{5/2}(a + b\operatorname{ArcSech}[cx]))/(5e^3) + ((d + ex^2)^{7/2}(a + b\operatorname{ArcSech}[cx]))/(7e^3) - (b(105c^6d^3 - 35c^4d^2e + 63c^2d^2e^2 + 75e^3)\operatorname{Sqrt}[(1 + cx)^{-1}]\operatorname{Sqrt}[1 + cx]\operatorname{ArcTan}[\operatorname{Sqrt}[e]\operatorname{Sqrt}[1 - c^2x^2]/(c\operatorname{Sqrt}[d + ex^2])])/(1680c^7e^{5/2}) - (8bd^{7/2}\operatorname{Sqrt}[(1 + cx)^{-1}]\operatorname{Sqrt}[1 + cx]\operatorname{ArcTanh}[\operatorname{Sqrt}[d + ex^2]/(\operatorname{Sqrt}[d]\operatorname{Sqrt}[1 - c^2x^2])])/(105e^3)$

Rule 12

$\operatorname{Int}[(a_)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!MatchQ}[u, (b_)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 45

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 95

```
Int[(((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 159

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_
))^p)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[h*(a + b*x)^m*(c + d*x)^(n +
1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 2))), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /;
FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 163

```
Int[(((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.)*((g_.) + (h_.)*(x_
)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 209

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*A
rcTan[Rt[b, 2]*(x/Rt[a, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 213

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[b, 2])^(-1))*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

Rule 223

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 272

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1629

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*b^(q - 1)*(m + n + p + q + 1))), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x], x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x]
```

Rule 6436

```
Int[((a_) + ArcSech[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int x^5 \sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx)) dx &= \frac{d^2(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{3e^3} - \frac{2d(d+ex^2)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{5e^3} \\
&= \frac{d^2(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{3e^3} - \frac{2d(d+ex^2)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{5e^3} \\
&= \frac{d^2(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{3e^3} - \frac{2d(d+ex^2)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{5e^3} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} (d+ex^2)^{5/2}}{42c^2e^2} + \frac{d^2(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{3e^3} \\
&= \frac{b(29c^2d-25e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} (d+ex^2)^{3/2}}{840c^4e^2} - \frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{1680c^6e^2} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{1680c^6e^2} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{1680c^6e^2} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{1680c^6e^2} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{1680c^6e^2} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{1680c^6e^2} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{1680c^6e^2}
\end{aligned}$$

Mathematica [A]

time = 41.98, size = 340, normalized size = 0.76

$$\frac{\sqrt{d+ex^2} \left(1680c^6(8d^3-4d^2ex^2+3d^2x^4+15c^2x^6) - 6b \sqrt{\frac{1-cx}{1+cx}} (1+cx) (75e^2+2c^2(19d+25cx^2)+c^4(-41d^2+22d^2cx^2+40c^2x^4)) + 1680c^6(8d^3-4d^2ex^2+3d^2x^4+15c^2x^6) \operatorname{sech}^{-1}(cx) \right)}{1680c^6e^2} - \frac{b \sqrt{\frac{1-cx}{1+cx}} \sqrt{-1+c^2x^2} \left(128c^4d^2 \operatorname{ArcTan} \left(\frac{\sqrt{d+ex^2} \sqrt{1+c^2x^2}}{\sqrt{d+cx^2}} \right) + \sqrt{c} (105c^5d^3-35c^4d^2e+63c^3d^2e^2+75e^3) \operatorname{tanh}^{-1} \left(\frac{\sqrt{c} \sqrt{1+c^2x^2}}{\sqrt{d+cx^2}} \right) \right)}{1680c^6e^2(-1+cx)}$$

Antiderivative was successfully verified.

[In] Integrate[x^5*Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]),x]

[Out] (Sqrt[d + e*x^2]*(16*a*c^6*(8*d^3 - 4*d^2*e*x^2 + 3*d*e^2*x^4 + 15*e^3*x^6) - b*e*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(75*e^2 + 2*c^2*e*(19*d + 25*e*x^2) + c^4*(-41*d^2 + 22*d*e*x^2 + 40*e^2*x^4)) + 16*b*c^6*(8*d^3 - 4*d^2*e*x^2 + 3*d*e^2*x^4 + 15*e^3*x^6)*ArcSech[c*x]))/(1680*c^6*e^3) - (b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[-1 + c^2*x^2]*(128*c^7*d^(7/2)*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]] + Sqrt[e]*(105*c^6*d^3 - 35*c^4*d^2*e + 63*c^2*d*e^2 + 75*e^3)*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])]))/(1680*c^7*e^3*(-1 + c*x))

Maple [F]

time = 0.80, size = 0, normalized size = 0.00

$$\int x^5(a + b \operatorname{arcsech}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x)

[Out] int(x^5*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] 1/105*(15*(x^2*e + d)^(3/2)*x^4*e^(-1) - 12*(x^2*e + d)^(3/2)*d*x^2*e^(-2) + 8*(x^2*e + d)^(3/2)*d^2*e^(-3))*a + 1/105*((15*x^6*e^3 + 3*d*x^4*e^2 - 4*d^2*x^2*e + 8*d^3)*sqrt(x^2*e + d)*e^(-3)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1) - 105*integrate(1/105*(210*(c^2*x^6*e^3 - x^4*e^3)*x^5*log(sqrt(x)) + 105*(c^2*x^6*e^3*log(c) - x^4*e^3*log(c))*x^5 + (210*(c^2*x^6*e^3 - x^4*e^3)*x^5*log(sqrt(x)) + (15*c^2*x^6*(7*log(c) + 1)*e^3 - 4*c^2*d^2*x^2*e + 8*c^2*d^3 + 3*(c^2*d*e^2 - 35*e^3*log(c))*x^4)*x^5)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1))*sqrt(x^2*e + d)/(c^2*x^6*e^3 - x^4*e^3 + (c^2*x^6*e^3 - x^4*e^3)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1))), x))*b

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 1035 vs. 2(296) = 592.

time = 2.41, size = 2105, normalized size = 4.71

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out] [1/3360*(64*b*c^7*d^(7/2)*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*cosh(1)^2 + x^4*sinh(1)^2 + 4*(c^3*d*x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) - 2*c*d*x)*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*cosh(1) - 2*(3*c^2*d*x^4 - x^4*cosh(1) - 4*d*x^2)*sinh(1))/x^4 - (105*b*c^6*d^3 - 35*b*c^4*d^2*cosh(1) + 63*b*c^2*d*cosh(1)^2 + 75*b*cosh(1)^3 + 75*b*sinh(1)^3 + 9*(7*b*c^2*d + 25*b*cosh(1))*sinh(1)^2 - (35*b*c^4*d^2 - 126*b*c^2*d*cosh(1) - 225*b*cosh(1)^2)*sinh(1))*sqrt(cosh(1) + sinh(1))*arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*cosh(1) + (2*c^2*x^3 - x)*sinh(1))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(cosh(1) + sinh(1))/((c^2*x^4 - x^2)*cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^2 + (c^2*d*x^2 - d)*cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*cosh(1) - d)*sinh(1))) + 32*(15*b*c^7*x^6*cosh(1)^3 + 15*b*c^7*x^6*sinh(1)^3 + 3*b*c^7*d*x^4*cosh(1)^2 - 4*b*c^7*d^2*x^2*cosh(1) + 8*b*c^7*d^3 + 3*(15*b*c^7*x^6*cosh(1) + b*c^7*d*x^4)*sinh(1)^2 + (45*b*c^7*x^6*cosh(1)^2 + 6*b*c^7*d*x^4*cosh(1) - 4*b*c^7*d^2*x^2)*sinh(1))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + 2*(240*a*c^7*x^6*cosh(1)^3 + 240*a*c^7*x^6*sinh(1)^3 + 48*a*c^7*d*x^4*cosh(1)^2 - 64*a*c^7*d^2*x^2*cosh(1) + 128*a*c^7*d^3 + 48*(15*a*c^7*x^6*cosh(1) + a*c^7*d*x^4)*sinh(1)^2 + 16*(45*a*c^7*x^6*cosh(1)^2 + 6*a*c^7*d*x^4*cosh(1) - 4*a*c^7*d^2*x^2)*sinh(1) + (41*b*c^6*d^2*x*cosh(1) - 5*(8*b*c^6*x^5 + 10*b*c^4*x^3 + 15*b*c^2*x)*cosh(1)^3 - 5*(8*b*c^6*x^5 + 10*b*c^4*x^3 + 15*b*c^2*x)*sinh(1)^3 - 2*(11*b*c^6*d*x^3 + 19*b*c^4*d*x)*cosh(1)^2 - (22*b*c^6*d*x^3 + 38*b*c^4*d*x + 15*(8*b*c^6*x^5 + 10*b*c^4*x^3 + 15*b*c^2*x)*cosh(1))*sinh(1)^2 + (41*b*c^6*d^2*x - 15*(8*b*c^6*x^5 + 10*b*c^4*x^3 + 15*b*c^2*x)*cosh(1)^2 - 4*(11*b*c^6*d*x^3 + 19*b*c^4*d*x)*cosh(1))*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d))/(c^7*cosh(1)^3 + 3*c^7*cosh(1)^2*sinh(1) + 3*c^7*cosh(1)*sinh(1)^2 + c^7*sinh(1)^3), -1/3360*(128*b*c^7*sqrt(-d)*d^3*arctan(-1/2*(c^3*d*x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) - 2*c*d*x)*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*cosh(1) + (c^2*d*x^4 - d*x^2)*sinh(1))) + (105*b*c^6*d^3 - 35*b*c^4*d^2*cosh(1) + 63*b*c^2*d*cosh(1)^2 + 75*b*cosh(1)^3 + 75*b*sinh(1)^3 + 9*(7*b*c^2*d + 25*b*cosh(1))*sinh(1)^2 - (35*b*c^4*d^2 - 126*b*c^2*d*cosh(1) - 225*b*cosh(1)^2)*sinh(1))*sqrt(cosh(1) + sinh(1))*arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*cosh(1) + (2*c^2*x^3 - x)*sinh(1))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(cosh(1) + sinh(1))/((c^2*x^4 - x^2)*cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^2 + (c^2*d*x^2 - d)*cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*cosh(1) - d)*sinh(1))) - 32*(15*b*c^7*x^6*cosh(1)^3 + 15*b*c^7*x^6*sinh(1)^3 + 3*b*c^7*d*x^4*cosh(1)^2 - 4*b*c^7*d^2*x^2*cosh(1) + 8*b*c^7*d^3 + 3*(15*b*c^7*x^6*cosh(1) + b*c^7*d*x^4)*sinh(1)^2 + (45*b*c^7*x^6*cosh(1)^2 + 6*b*c^7*d*x^4*cosh(1) - 4*b*c^7*d^2*x^2)*sinh(1))*sqrt(x^2*cosh(1) + x^2*sinh(1)

) + d)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) - 2*(240*a*c^7*x^6*cosh(1)^3 + 240*a*c^7*x^6*sinh(1)^3 + 48*a*c^7*d*x^4*cosh(1)^2 - 64*a*c^7*d^2*x^2*cosh(1) + 128*a*c^7*d^3 + 48*(15*a*c^7*x^6*cosh(1) + a*c^7*d*x^4)*sinh(1)^2 + 16*(45*a*c^7*x^6*cosh(1)^2 + 6*a*c^7*d*x^4*cosh(1) - 4*a*c^7*d^2*x^2)*sinh(1) + (41*b*c^6*d^2*x*cosh(1) - 5*(8*b*c^6*x^5 + 10*b*c^4*x^3 + 15*b*c^2*x)*cosh(1)^3 - 5*(8*b*c^6*x^5 + 10*b*c^4*x^3 + 15*b*c^2*x)*sinh(1)^3 - 2*(11*b*c^6*d*x^3 + 19*b*c^4*d*x)*cosh(1)^2 - (22*b*c^6*d*x^3 + 38*b*c^4*d*x + 15*(8*b*c^6*x^5 + 10*b*c^4*x^3 + 15*b*c^2*x)*cosh(1))*sinh(1)^2 + (41*b*c^6*d^2*x - 15*(8*b*c^6*x^5 + 10*b*c^4*x^3 + 15*b*c^2*x)*cosh(1))^2 - 4*(11*b*c^6*d*x^3 + 19*b*c^4*d*x)*cosh(1))*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d))/(c^7*cosh(1)^3 + 3*c^7*cosh(1)^2*sinh(1) + 3*c^7*cosh(1)*sinh(1)^2 + c^7*sinh(1)^3]

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^5(a + b \operatorname{asech}(cx)) \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*asech(c*x))*(e*x**2+d)**(1/2),x)

[Out] Integral(x**5*(a + b*asech(c*x))*sqrt(d + e*x**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(e*x^2 + d)*(b*arcsech(c*x) + a)*x^5, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^5 \sqrt{ex^2 + d} \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))),x)

[Out] int(x^5*(d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))), x)

3.131 $\int x^3 \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=329

$$\frac{b(c^2d + 9e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{120c^4e} - \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} (d+ex^2)^{3/2}}{20c^2e} - \frac{d(d+ex^2)^{3/2}}{20c^2e}$$

[Out] $-1/3*d*(e*x^2+d)^{(3/2)}*(a+b*\operatorname{arcsech}(c*x))/e^2+1/5*(e*x^2+d)^{(5/2)}*(a+b*\operatorname{arcsech}(c*x))/e^2+1/120*b*(15*c^4*d^2-10*c^2*d*e-9*e^2)*\arctan(e^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c/(e*x^2+d)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^5/e^{(3/2)}+2/15*b*d^{(5/2)}*\operatorname{arctanh}((e*x^2+d)^{(1/2)}/d^{(1/2)}/(-c^2*x^2+1)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/e^2-1/20*b*(e*x^2+d)^{(3/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2/e-1/120*b*(c^2*d+9*e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/c^4/e$

Rubi [A]

time = 0.29, antiderivative size = 329, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {272, 45, 6436, 12, 587, 159, 163, 65, 223, 209, 95, 213}

$$\frac{d(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{3e^2} + \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{5e^2} + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} (15c^4d^2 - 10c^2de - 9e^2) \operatorname{ArcTan}\left(\frac{\sqrt{c} \sqrt{1-c^2x^2}}{\sqrt{d+ex^2}}\right)}{120c^5e^{3/2}} + \frac{2bd^{5/2} \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \operatorname{tanh}^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d+ex^2}}\right)}{15e^2} - \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2} (d+ex^2)^{3/2}}{20c^2e} - \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2} (c^2d+9e) \sqrt{d+ex^2}}{120c^4e}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^3 \operatorname{Sqrt}[d + e*x^2] * (a + b*\operatorname{ArcSech}[c*x]), x]$

[Out] $-1/120*(b*(c^2*d + 9*e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[d + e*x^2])/(c^4*e) - (b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*(d + e*x^2)^{(3/2)})/(20*c^2*e) - (d*(d + e*x^2)^{(3/2)}*(a + b*\operatorname{ArcSech}[c*x]))/(3*e^2) + ((d + e*x^2)^{(5/2)}*(a + b*\operatorname{ArcSech}[c*x]))/(5*e^2) + (b*(15*c^4*d^2 - 10*c^2*d*e - 9*e^2)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTan}[\operatorname{Sqrt}[e]*\operatorname{Sqrt}[1 - c^2*x^2])/(c*\operatorname{Sqrt}[d + e*x^2])]/(120*c^5*e^{(3/2)}) + (2*b*d^{(5/2)}*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTanh}[\operatorname{Sqrt}[d + e*x^2]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[1 - c^2*x^2])]/(15*e^2)$

Rule 12

$\operatorname{Int}[(a_*)*(u_*) , x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{MatchQ}[u, (b_*)*(v_*) /; \operatorname{FreeQ}[b, x]]$

Rule 45

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*)^{(n_*)}), x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \operatorname{FreeQ}[\{a, b, c, d, n\}, x] \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \ \operatorname{IGtQ}[m, 0] \ \&\& \ (!\operatorname{IntegerQ}[n] \ || \ (\operatorname{EqQ}[c, 0] \ \&\& \ \operatorname{LeQ}[7*m + 4*n + 4, 0])) \ || \ \operatorname{LtQ}[9*m + 5*(n + 1), 0] \ || \ \operatorname{GtQ}[m + n + 2, 0]$

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 95

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 159

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^p)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[h*(a + b*x)^m*(c + d*x)^(n +
1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 2))), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 163

```
Int((((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_
))))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 209

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*A
rcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 213

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[b, 2])^(-
1))*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] &&
(LtQ[a, 0] || GtQ[b, 0])
```

Rule 223

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 272

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 587

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
)*(e_) + (f_)*(x_)^(n_))^(r_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simpl
ify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /;
FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n
]]
```

Rule 6436

```
Int[((a_) + ArcSech[(c_)*(x_)])*(b_)*((f_)*(x_)^(m_)*((d_) + (e_)*(
x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int x^3 \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx &= -\frac{d(d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{3e^2} + \frac{(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2} \\
&= -\frac{d(d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{3e^2} + \frac{(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2} \\
&= -\frac{d(d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{3e^2} + \frac{(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2} \\
&= -\frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} (d + ex^2)^{3/2}}{20c^2 e} - \frac{d(d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{3e^2} \\
&= -\frac{b(c^2 d + 9e) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{120c^4 e} - \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{120c^4 e} \\
&= -\frac{b(c^2 d + 9e) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{120c^4 e} - \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{120c^4 e} \\
&= -\frac{b(c^2 d + 9e) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{120c^4 e} - \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{120c^4 e} \\
&= -\frac{b(c^2 d + 9e) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{120c^4 e} - \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{120c^4 e} \\
&= -\frac{b(c^2 d + 9e) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{120c^4 e} - \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{120c^4 e}
\end{aligned}$$

Mathematica [A]

time = 21.15, size = 365, normalized size = 1.11

$$-\frac{\sqrt{d+ex^2} \left(8ac^4(2d^2 - dex^2 - 3e^2x^4) + be \sqrt{\frac{1-cx}{1+cx}} (1+cx) (9e + c^2(7d + 6ex^2)) + 80c^4(2d^2 - dex^2 - 3e^2x^4) \operatorname{sech}^{-1}(cx) \right)}{120c^4e^2} - \frac{b \sqrt{\frac{1-cx}{1+cx}} \sqrt{1-c^2x^2} \left(\sqrt{-c} \sqrt{-c^2d-e} \sqrt{e} (15c^2d^2 - 10c^2de - 9e^2) \sqrt{\frac{c^2(d+ex^2)}{c^2d+e}} \operatorname{ArcSin} \left(\frac{cx \sqrt{e} \sqrt{1-c^2x^2}}{\sqrt{-c^2} \sqrt{-c^2d-e}} \right) + 16c^2d^{3/2} \sqrt{-d-ex^2} \operatorname{ArcTan} \left(\frac{\sqrt{d} \sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}} \right) \right)}{120c^4e^2(-1+cx)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*sqrt[d + e*x^2]*(a + b*ArcSech[c*x]), x]

```
[Out] -1/120*(Sqrt[d + e*x^2]*(8*a*c^4*(2*d^2 - d*e*x^2 - 3*e^2*x^4) + b*e*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(9*e + c^2*(7*d + 6*e*x^2)) + 8*b*c^4*(2*d^2 - d*e*x^2 - 3*e^2*x^4)*ArcSech[c*x]))/(c^4*e^2) - (b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^2*x^2]*(Sqrt[-c^2]*Sqrt[-(c^2*d) - e])*Sqrt[e]*(15*c^4*d^2 - 10*c^2*d*e - 9*e^2)*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSin[(c*Sqrt[e]*Sqrt[1 - c^2*x^2])/(Sqrt[-c^2]*Sqrt[-(c^2*d) - e])]) + 16*c^7*d^(5/2)*Sqrt[-d - e*x^2]*ArcTan[(Sqrt[d]*Sqrt[1 - c^2*x^2])/Sqrt[-d - e*x^2]])/(120*c^7*e^2*(-1 + c*x)*Sqrt[d + e*x^2])
```

Maple [F]

time = 0.75, size = 0, normalized size = 0.00

$$\int x^3(a + b \operatorname{arcsech}(cx)) \sqrt{e x^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x)
```

```
[Out] int(x^3*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] 1/15*(3*(x^2*e + d)^(3/2)*x^2*e^(-1) - 2*(x^2*e + d)^(3/2)*d*e^(-2))*a + 1/15*((3*x^4*e^2 + d*x^2*e - 2*d^2)*sqrt(x^2*e + d)*e^(-2)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1) - 15*integrate(1/15*(30*(c^2*x^4*e^2 - x^2*e^2)*x^3*log(sqrt(x)) + 15*(c^2*x^4*e^2*log(c) - x^2*e^2*log(c))*x^3 + (30*(c^2*x^4*e^2 - x^2*e^2)*x^3*log(sqrt(x)) + (3*c^2*x^4*(5*log(c) + 1)*e^2 - 2*c^2*d^2 + (c^2*d*e - 15*e^2*log(c))*x^2)*x^3)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)))*sqrt(x^2*e + d)/(c^2*x^4*e^2 - x^2*e^2 + (c^2*x^4*e^2 - x^2*e^2)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1))), x))*b
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 721 vs. 2(209) = 418.

time = 0.93, size = 1476, normalized size = 4.49

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/240*(8*b*c^5*d^(5/2)*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*cosh(1)^2 +
x^4*sinh(1)^2 - 4*(c^3*d*x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) - 2*c*d*x)*sqrt
(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 8
*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*cosh(1) - 2*(3*c^2*d*x^4 - x^4*cosh(1) - 4
*d*x^2)*sinh(1))/x^4) + (15*b*c^4*d^2 - 10*b*c^2*d*cosh(1) - 9*b*cosh(1)^2
- 9*b*sinh(1)^2 - 2*(5*b*c^2*d + 9*b*cosh(1))*sinh(1))*sqrt(cosh(1) + sinh(
1))*arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*cosh(1) + (2*c^2*x^3 - x)*sinh(1)
)*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(c
osh(1) + sinh(1))/((c^2*x^4 - x^2)*cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^2 +
(c^2*d*x^2 - d)*cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*cosh(1) - d)*sinh(
1))) + 16*(3*b*c^5*x^4*cosh(1)^2 + 3*b*c^5*x^4*sinh(1)^2 + b*c^5*d*x^2*cosh
(1) - 2*b*c^5*d^2 + (6*b*c^5*x^4*cosh(1) + b*c^5*d*x^2)*sinh(1))*sqrt(x^2*c
osh(1) + x^2*sinh(1) + d)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x
)) + 2*(24*a*c^5*x^4*cosh(1)^2 + 24*a*c^5*x^4*sinh(1)^2 + 8*a*c^5*d*x^2*cos
h(1) - 16*a*c^5*d^2 + 8*(6*a*c^5*x^4*cosh(1) + a*c^5*d*x^2)*sinh(1) - (7*b*
c^4*d*x*cosh(1) + 3*(2*b*c^4*x^3 + 3*b*c^2*x)*cosh(1)^2 + 3*(2*b*c^4*x^3 +
3*b*c^2*x)*sinh(1)^2 + (7*b*c^4*d*x + 6*(2*b*c^4*x^3 + 3*b*c^2*x)*cosh(1))*
sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d
))/(c^5*cosh(1)^2 + 2*c^5*cosh(1)*sinh(1) + c^5*sinh(1)^2), 1/240*(16*b*c^5
*sqrt(-d)*d^2*arctan(-1/2*(c^3*d*x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) - 2*c*
d*x)*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-d)*sqrt(-(c^2*x^2 - 1)/(c^2*
x^2)))/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*cosh(1) + (c^2*d*x^4 - d*x^2
)*sinh(1))) + (15*b*c^4*d^2 - 10*b*c^2*d*cosh(1) - 9*b*cosh(1)^2 - 9*b*sinh
(1)^2 - 2*(5*b*c^2*d + 9*b*cosh(1))*sinh(1))*sqrt(cosh(1) + sinh(1))*arctan
(1/2*(c^2*d*x + (2*c^2*x^3 - x)*cosh(1) + (2*c^2*x^3 - x)*sinh(1))*sqrt(x^2
*cosh(1) + x^2*sinh(1) + d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(cosh(1) + s
inh(1))/((c^2*x^4 - x^2)*cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^2 + (c^2*d*x^2
- d)*cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*cosh(1) - d)*sinh(1))) + 16*
(3*b*c^5*x^4*cosh(1)^2 + 3*b*c^5*x^4*sinh(1)^2 + b*c^5*d*x^2*cosh(1) - 2*b*
c^5*d^2 + (6*b*c^5*x^4*cosh(1) + b*c^5*d*x^2)*sinh(1))*sqrt(x^2*cosh(1) + x
^2*sinh(1) + d)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + 2*(24
*a*c^5*x^4*cosh(1)^2 + 24*a*c^5*x^4*sinh(1)^2 + 8*a*c^5*d*x^2*cosh(1) - 16*
a*c^5*d^2 + 8*(6*a*c^5*x^4*cosh(1) + a*c^5*d*x^2)*sinh(1) - (7*b*c^4*d*x*co
sh(1) + 3*(2*b*c^4*x^3 + 3*b*c^2*x)*cosh(1)^2 + 3*(2*b*c^4*x^3 + 3*b*c^2*x)
*sinh(1)^2 + (7*b*c^4*d*x + 6*(2*b*c^4*x^3 + 3*b*c^2*x)*cosh(1))*sinh(1))*s
qrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d))/(c^5*co
sh(1)^2 + 2*c^5*cosh(1)*sinh(1) + c^5*sinh(1)^2)]
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^3(a + b \operatorname{asech}(cx)) \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*asech(c*x))*(e*x**2+d)**(1/2),x)
```

[Out] Integral(x**3*(a + b*asech(c*x))*sqrt(d + e*x**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(e*x^2 + d)*(b*arcsech(c*x) + a)*x^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \sqrt{e x^2 + d} \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))),x)

[Out] int(x^3*(d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))), x)

3.132 $\int x \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=221

$$\frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{6c^2} + \frac{(d+ex^2)^{3/2} (a+b \operatorname{sech}^{-1}(cx))}{3e} - \frac{b(3c^2d+e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx}}{6c^2}$$

[Out] $\frac{1}{3} (e x^2 + d)^{3/2} (a + b \operatorname{arcsech}(c x)) / e - \frac{1}{3} b d^{3/2} \operatorname{arctanh}((e x^2 + d)^{1/2} / d^{1/2} / (-c^2 x^2 + 1)^{1/2}) * (1 / (c x + 1))^{1/2} * (c x + 1)^{1/2} / e - \frac{1}{6} b * (3 c^2 d + e) * \operatorname{arctan}(e^{1/2} * (-c^2 x^2 + 1)^{1/2} / c / (e x^2 + d)^{1/2}) * (1 / (c x + 1))^{1/2} * (c x + 1)^{1/2} / c^3 e^{1/2} - \frac{1}{6} b * (1 / (c x + 1))^{1/2} * (c x + 1)^{1/2} * (-c^2 x^2 + 1)^{1/2} * (e x^2 + d)^{1/2} / c^2$

Rubi [A]

time = 0.22, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {6434, 531, 457, 104, 163, 65, 223, 209, 95, 213}

$$\frac{(d+ex^2)^{3/2} (a+b \operatorname{sech}^{-1}(cx))}{3e} - \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} (3c^2d+e) \operatorname{ArcTan}\left(\frac{\sqrt{e} \sqrt{1-c^2x^2}}{c \sqrt{d+ex^2}}\right)}{6c^3 \sqrt{e}} - \frac{bd^{3/2} \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \operatorname{tanh}^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d} \sqrt{1-c^2x^2}}\right)}{3e} - \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{6c^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x \operatorname{Sqrt}[d + e x^2] * (a + b \operatorname{ArcSech}[c x]), x]$

[Out] $-\frac{1}{6} b \operatorname{Sqrt}[(1 + c x)^{-1}] * \operatorname{Sqrt}[1 + c x] * \operatorname{Sqrt}[1 - c^2 x^2] * \operatorname{Sqrt}[d + e x^2] / c^2 + ((d + e x^2)^{3/2} (a + b \operatorname{ArcSech}[c x])) / (3 e) - (b * (3 c^2 d + e) * \operatorname{Sqrt}[(1 + c x)^{-1}] * \operatorname{Sqrt}[1 + c x] * \operatorname{ArcTan}[(\operatorname{Sqrt}[e] * \operatorname{Sqrt}[1 - c^2 x^2]) / (c \operatorname{Sqrt}[d + e x^2])]) / (6 c^3 \operatorname{Sqrt}[e]) - (b d^{3/2} * \operatorname{Sqrt}[(1 + c x)^{-1}] * \operatorname{Sqrt}[1 + c x] * \operatorname{ArcTanh}[\operatorname{Sqrt}[d + e x^2] / (\operatorname{Sqrt}[d] * \operatorname{Sqrt}[1 - c^2 x^2])]) / (3 e)$

Rule 65

$\operatorname{Int}[(a_. + (b_.)(x_.))^{(m_.)} * ((c_.) + (d_.)(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p(m+1)-1)} * (c - a*(d/b) + d*(x^p/b))^{(n)}, x], x, (a + b*x)^{(1/p)}, x]] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 95

$\operatorname{Int}[(a_. + (b_.)(x_.))^{(m_.)} * ((c_.) + (d_.)(x_.))^{(n_.)} / ((e_.) + (f_.)(x_.)), x_Symbol] \rightarrow \operatorname{With}[\{q = \operatorname{Denominator}[m]\}, \operatorname{Dist}[q, \operatorname{Subst}[\operatorname{Int}[x^{(q(m+1)-1)} / (b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^{(1/q)} / (c + d*x)^{(1/q)}, x]] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{EqQ}[m + n + 1, 0] \&\& \operatorname{RationalQ}[n] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{SimplerQ}[a + b*x, c + d*x]$

Rule 104

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 1))), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 163

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 209

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*ArcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 213

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[b, 2])^(-1)*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

Rule 223

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 531

```
Int[(u_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.), x_Symbol] := Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p, q}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[p] || (GtQ[a1, 0] && Gt
```

Q[a2, 0])

Rule 6434

Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))*(x_.)*((d_.) + (e_.)*(x_)^2)^(p_.),
 x_Symbol] :> Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSech[c*x])/(2*e*(p + 1))),
 x] + Dist[b*(Sqrt[1 + c*x]/(2*e*(p + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x^2)^(p + 1)/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int x\sqrt{d+ex^2}(a+b\operatorname{sech}^{-1}(cx))dx &= \frac{(d+ex^2)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{3e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right)\int\frac{(d+ex^2)^{3/2}}{x\sqrt{1-cx}}dx}{3e} \\
 &= \frac{(d+ex^2)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{3e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right)\int\frac{(d+ex^2)^{3/2}}{x\sqrt{1-cx}}dx}{3e} \\
 &= \frac{(d+ex^2)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{3e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right)\operatorname{Subst}\left(\int\frac{(d+ex^2)^{3/2}}{x\sqrt{1-cx}}dx\right)}{6e} \\
 &= -\frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{6c^2} + \frac{(d+ex^2)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{3e} \\
 &= -\frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{6c^2} + \frac{(d+ex^2)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{3e} \\
 &= -\frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{6c^2} + \frac{(d+ex^2)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{3e} \\
 &= -\frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{6c^2} + \frac{(d+ex^2)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{3e} \\
 &= -\frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{6c^2} + \frac{(d+ex^2)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{3e}
 \end{aligned}$$

Mathematica [A]

time = 20.86, size = 307, normalized size = 1.39

$$\frac{\sqrt{d+ex^2} \left(-be\sqrt{\frac{1-cx}{1+cx}} (1+cx) + 2ac^2(d+ex^2) + 2b^2c^2(d+ex^2) \operatorname{sech}^{-1}(cx) \right)}{6c^2e} + \frac{b\sqrt{\frac{1-cx}{1+cx}} \sqrt{1-c^2x^2} \left(\sqrt{-c^2d+e} \sqrt{c(3c^2d+e)} \sqrt{\frac{c^2(d+ex^2)}{c^2d+e}} \operatorname{ArcSin}\left(\frac{c\sqrt{e}\sqrt{1-c^2x^2}}{\sqrt{-c^2d+e}}\right) + 2c^3d^{3/2}\sqrt{-d-ex^2} \operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right) \right)}{6c^2e(-1+cx)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x*Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]),x]

[Out] (Sqrt[d + e*x^2]*(-(b*e*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)) + 2*a*c^2*(d + e*x^2) + 2*b*c^2*(d + e*x^2)*ArcSech[c*x]))/(6*c^2*e) + (b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^2*x^2]*(Sqrt[-c^2]*Sqrt[-(c^2*d) - e]*Sqrt[e]*(3*c^2*d + e)*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSin[(c*Sqrt[e]*Sqrt[1 - c^2*x^2])/(Sqrt[-c^2]*Sqrt[-(c^2*d) - e])]) + 2*c^5*d^(3/2)*Sqrt[-d - e*x^2]*ArcTan[(Sqrt[d]*Sqrt[1 - c^2*x^2])/Sqrt[-d - e*x^2]])/(6*c^5*e*(-1 + c*x)*Sqrt[d + e*x^2])

Maple [F]

time = 0.48, size = 0, normalized size = 0.00

$$\int x(a + b \operatorname{arcsech}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x)**[Out]** int(x*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x)**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] 1/3*(x^2*e + d)^(3/2)*a*e^(-1) + 1/3*((x^2*e + d)^(3/2)*e^(-1)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1) - 3*integrate(1/3*sqrt(x^2*e + d)*(6*(c^2*x^2*e - e)*x*log(sqrt(x)) + 3*(c^2*x^2*e*log(c) - e*log(c))*x + (6*(c^2*x^2*e - e)*x*log(sqrt(x)) + (c^2*x^2*(3*log(c) + 1)*e + c^2*d - 3*e*log(c))*x)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)))/(c^2*x^2*e + (c^2*x^2*e - e)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)) - e), x)*b

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 512 vs. 2(132) = 264.

time = 0.67, size = 1060, normalized size = 4.80

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/12*(b*c^3*d^{(3/2)}*\log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*\cosh(1)^2 + x^4 \\ & *sinh(1)^2 + 4*(c^3*d*x^3 - c*x^3*\cosh(1) - c*x^3*sinh(1) - 2*c*d*x)*\sqrt{x \\ & ^2*\cosh(1) + x^2*sinh(1) + d}*\sqrt{d}*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 8*d^ \\ & 2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*\cosh(1) - 2*(3*c^2*d*x^4 - x^4*\cosh(1) - 4*d* \\ & x^2)*sinh(1))/x^4) - (3*b*c^2*d + b*\cosh(1) + b*sinh(1))*\sqrt{\cosh(1) + \sin \\ & h(1)}*\arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*\cosh(1) + (2*c^2*x^3 - x)*sinh(\\ & 1))*\sqrt{x^2*\cosh(1) + x^2*sinh(1) + d}*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)}*\sqrt{ \\ & (\cosh(1) + sinh(1))/((c^2*x^4 - x^2)*\cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^2 \\ & + (c^2*d*x^2 - d)*\cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*\cosh(1) - d)*\sin \\ & h(1))) + 4*(b*c^3*x^2*\cosh(1) + b*c^3*x^2*sinh(1) + b*c^3*d)*\sqrt{x^2*\cosh(\\ & 1) + x^2*sinh(1) + d}*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) + \\ & 2*(2*a*c^3*x^2*\cosh(1) + 2*a*c^3*x^2*sinh(1) + 2*a*c^3*d - (b*c^2*x*\cosh(1) \\ &) + b*c^2*x*sinh(1))*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)}*\sqrt{x^2*\cosh(1) + x^2 \\ & *sinh(1) + d)/(c^3*\cosh(1) + c^3*sinh(1)), -1/12*(2*b*c^3*\sqrt{-d}*d*\arctan \\ & (-1/2*(c^3*d*x^3 - c*x^3*\cosh(1) - c*x^3*sinh(1) - 2*c*d*x)*\sqrt{x^2*\cosh(\\ & 1) + x^2*sinh(1) + d}*\sqrt{-d}*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})/(c^2*d^2*x^2 \\ & - d^2 + (c^2*d*x^4 - d*x^2)*\cosh(1) + (c^2*d*x^4 - d*x^2)*sinh(1))) + (3*b* \\ & c^2*d + b*\cosh(1) + b*sinh(1))*\sqrt{\cosh(1) + sinh(1)}*\arctan(1/2*(c^2*d*x \\ & + (2*c^2*x^3 - x)*\cosh(1) + (2*c^2*x^3 - x)*sinh(1))*\sqrt{x^2*\cosh(1) + x^2 \\ & *sinh(1) + d}*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)}*\sqrt{\cosh(1) + sinh(1))/((c^2* \\ & x^4 - x^2)*\cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^2 + (c^2*d*x^2 - d)*\cosh(1) \\ & + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*\cosh(1) - d)*sinh(1))) - 4*(b*c^3*x^2*\cosh \\ & (1) + b*c^3*x^2*sinh(1) + b*c^3*d)*\sqrt{x^2*\cosh(1) + x^2*sinh(1) + d}*\log(\\ & (c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) - 2*(2*a*c^3*x^2*\cosh(1) + \\ & 2*a*c^3*x^2*sinh(1) + 2*a*c^3*d - (b*c^2*x*\cosh(1) + b*c^2*x*sinh(1))*\sqrt{ \\ & -(c^2*x^2 - 1)/(c^2*x^2)}*\sqrt{x^2*\cosh(1) + x^2*sinh(1) + d)/(c^3*\cosh(1) \\ &) + c^3*sinh(1))] \end{aligned}$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x(a + b \operatorname{asech}(cx)) \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asech(c*x))*(e*x**2+d)**(1/2),x)

[Out] Integral(x*(a + b*asech(c*x))*sqrt(d + e*x**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arcsech(c*x) + a)*x, x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x \sqrt{e x^2 + d} \left(a + b \operatorname{acosh} \left(\frac{1}{c x} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))),x)`

[Out] `int(x*(d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))), x)`

$$3.133 \quad \int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x} dx$$

Optimal. Leaf size=26

$$\operatorname{Int}\left(\frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x}, x\right)$$

[Out] Unintegrable((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x,x)

Rubi [A]

time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x} dx$$

Verification is not applicable to the result.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x,x]

[Out] Defer[Int] [(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x, x]

Rubi steps

$$\int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x} dx = \int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x} dx$$

Mathematica [A]

time = 3.81, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x} dx$$

Verification is not applicable to the result.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x,x]

[Out] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x, x]

Maple [A]

time = 0.39, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{arcsech}(cx)) \sqrt{ex^2 + d}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x,x)
```

```
[Out] int((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x,x)
```

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x,x, algorithm="maxima")
```

```
[Out] -(sqrt(d)*arcsinh(sqrt(d)*e^(-1/2)/abs(x)) - sqrt(x^2*e + d))*a + b*integrate(sqrt(x^2*e + d)*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/x, x)
```

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x,x, algorithm="fricas")
```

```
[Out] integral(sqrt(x^2*e + d)*(b*arcsech(c*x) + a)/x, x)
```

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx)) \sqrt{d + ex^2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asech(c*x))*(e*x**2+d)**(1/2)/x,x)
```

```
[Out] Integral((a + b*asech(c*x))*sqrt(d + e*x**2)/x, x)
```

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x,x, algorithm="giac")
```

```
[Out] integrate(sqrt(e*x^2 + d)*(b*arcsech(c*x) + a)/x, x)
```


Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sqrt{ex^2 + d} (a + b \operatorname{acosh}(\frac{1}{cx}))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))))/x,x)

[Out] int(((d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))))/x, x)

$$3.134 \quad \int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x^3} dx$$

Optimal. Leaf size=26

$$\operatorname{Int}\left(\frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x^3}, x\right)$$

[Out] Unintegrable((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^3,x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x^3} dx$$

Verification is not applicable to the result.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x^3,x]

[Out] Defer[Int] [(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x^3, x]

Rubi steps

$$\int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x^3} dx = \int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x^3} dx$$

Mathematica [A]

time = 3.96, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x^3} dx$$

Verification is not applicable to the result.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x^3,x]

[Out] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x^3, x]

Maple [A]

time = 0.24, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{arcsech}(cx)) \sqrt{ex^2 + d}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^3,x)`

[Out] `int((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^3,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^3,x, algorithm="maxima")`

[Out] `-1/2*(arcsinh(sqrt(d)*e^(-1/2)/abs(x))*e/sqrt(d) - sqrt(x^2*e + d)*e/d + (x^2*e + d)^(3/2)/(d*x^2))*a + b*integrate(sqrt(x^2*e + d)*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/x^3, x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^3,x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsech(c*x) + a)/x^3, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx)) \sqrt{d + ex^2}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asech(c*x))*(e*x**2+d)**(1/2)/x**3,x)`

[Out] `Integral((a + b*asech(c*x))*sqrt(d + e*x**2)/x**3, x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^3,x, algorithm="giac")`

[Out] integrate(sqrt(e*x^2 + d)*(b*arcsech(c*x) + a)/x^3, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sqrt{e x^2 + d} \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))))/x^3,x)

[Out] int(((d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))))/x^3, x)

3.135 $\int x^2 \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=26

$$\operatorname{Int}\left(x^2 \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)), x\right)$$

[Out] Unintegrable($x^2*(a+b*\operatorname{arcsech}(c*x))*(e*x^2+d)^{(1/2)}$), x]

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int x^2 \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Int [$x^2*\operatorname{Sqrt}[d + e*x^2]*(a + b*\operatorname{ArcSech}[c*x])$], x]

[Out] Defer[Int] [$x^2*\operatorname{Sqrt}[d + e*x^2]*(a + b*\operatorname{ArcSech}[c*x])$], x]

Rubi steps

$$\int x^2 \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx = \int x^2 \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Mathematica [A]

time = 9.58, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate [$x^2*\operatorname{Sqrt}[d + e*x^2]*(a + b*\operatorname{ArcSech}[c*x])$], x]

[Out] Integrate [$x^2*\operatorname{Sqrt}[d + e*x^2]*(a + b*\operatorname{ArcSech}[c*x])$], x]

Maple [A]

time = 0.69, size = 0, normalized size = 0.00

$$\int x^2 (a + b \operatorname{arcsech}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x)`

[Out] `int(x^2*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `-1/8*(d^2*arcsinh(x*e^(1/2)/sqrt(d))*e^(-3/2) - 2*(x^2*e + d)^(3/2)*x*e^(-1) + sqrt(x^2*e + d)*d*x*e^(-1))*a + b*integrate(sqrt(x^2*e + d)*x^2*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x)), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral((b*x^2*arcsech(c*x) + a*x^2)*sqrt(x^2*e + d), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2(a + b \operatorname{asech}(cx)) \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*asech(c*x))*(e*x**2+d)**(1/2),x)`

[Out] `Integral(x**2*(a + b*asech(c*x))*sqrt(d + e*x**2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arcsech(c*x) + a)*x^2, x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int x^2 \sqrt{e x^2 + d} \left(a + b \operatorname{acosh} \left(\frac{1}{c x} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))), x)`

[Out] `int(x^2*(d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))), x)`

3.136 $\int \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=23

$$\operatorname{Int}\left(\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)), x\right)$$

[Out] Unintegrable((a+b*arcsech(c*x))*(e*x^2+d)^(1/2), x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Int[Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]), x]

[Out] Defer[Int][Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]), x]

Rubi steps

$$\int \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx = \int \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Mathematica [A]

time = 2.72, size = 0, normalized size = 0.00

$$\int \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate[Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]), x]

[Out] Integrate[Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]), x]

Maple [A]

time = 0.36, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{arcsech}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x)`

[Out] `int((a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `1/2*(d*arcsinh(x*e^(1/2)/sqrt(d))*e^(-1/2) + sqrt(x^2*e + d)*x)*a + b*integrate(sqrt(x^2*e + d)*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x)), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsech(c*x) + a), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asech}(cx)) \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asech(c*x))*(e*x**2+d)**(1/2),x)`

[Out] `Integral((a + b*asech(c*x))*sqrt(d + e*x**2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arcsech(c*x) + a), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \sqrt{e x^2 + d} \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))),x)

[Out] int((d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))), x)

$$3.137 \quad \int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x^2} dx$$

Optimal. Leaf size=26

$$\operatorname{Int}\left(\frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x^2}, x\right)$$

[Out] Unintegrable((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^2,x)

Rubi [A]

time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x^2} dx$$

Verification is not applicable to the result.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x^2,x]

[Out] Defer[Int] [(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x^2, x]

Rubi steps

$$\int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x^2} dx = \int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x^2} dx$$

Mathematica [A]

time = 1.26, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{x^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x^2,x]

[Out] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x^2, x]

Maple [A]

time = 0.31, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{arcsech}(cx)) \sqrt{ex^2 + d}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^2,x)`

[Out] `int((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^2,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^2,x, algorithm="maxima")`

[Out] `(arcsinh(x*e^(1/2)/sqrt(d))*e^(1/2) - sqrt(x^2*e + d)/x)*a + b*integrate(sqrt(x^2*e + d)*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/x^2, x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^2,x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsech(c*x) + a)/x^2, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx)) \sqrt{d + ex^2}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asech(c*x))*(e*x**2+d)**(1/2)/x**2,x)`

[Out] `Integral((a + b*asech(c*x))*sqrt(d + e*x**2)/x**2, x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^2,x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arcsech(c*x) + a)/x^2, x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sqrt{ex^2 + d} \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))))/x^2, x)

[Out] int(((d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))))/x^2, x)

$$3.138 \quad \int \frac{\sqrt{d+ex^2} \left(a+b\operatorname{sech}^{-1}(cx)\right)}{x^4} dx$$

Optimal. Leaf size=312

$$\frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{9x^3} + \frac{2b(c^2d+2e)\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{9dx} - \frac{(d+ex^2)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{9x^3} + \frac{2b(c^2d+2e)(d+ex^2)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{9dx}$$

[Out] $-1/3*(e*x^2+d)^{(3/2)}*(a+b*\operatorname{arcsech}(c*x))/d/x^3+1/9*b*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/x^3+2/9*b*(c^2*d+2*e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/x+2/9*b*c*(c^2*d+2*e)*\operatorname{EllipticE}(c*x,(-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/(1+e*x^2/d)^{(1/2)}-1/9*b*(c^2*d+e)*(2*c^2*d+3*e)*\operatorname{EllipticF}(c*x,(-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/c/d/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.26, antiderivative size = 312, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {270, 6436, 12, 485, 597, 538, 437, 435, 432, 430}

$$\frac{(d+ex^2)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{3dx^3} - \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(c^2d+e)(2x^2+3e)\sqrt{\frac{ex^2}{d}+1}F(\operatorname{ArcSin}(cx)|-\frac{2e}{d})}{9cd\sqrt{d+ex^2}} + \frac{2bc\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(c^2d+2e)\sqrt{d+ex^2}E(\operatorname{ArcSin}(cx)|-\frac{2e}{d})}{9d\sqrt{\frac{ex^2}{d}+1}} + \frac{2b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(c^2d+2e)\sqrt{d+ex^2}}{9dx} + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{9x^3}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x^4,x]

[Out] $(b*\operatorname{Sqrt}[(1+cx)^{-1}]*\operatorname{Sqrt}[1+cx]*\operatorname{Sqrt}[1-c^2*x^2]*\operatorname{Sqrt}[d+e*x^2])/(9*x^3) + (2*b*(c^2*d+2*e)*\operatorname{Sqrt}[(1+cx)^{-1}]*\operatorname{Sqrt}[1+cx]*\operatorname{Sqrt}[1-c^2*x^2]*\operatorname{Sqrt}[d+e*x^2])/(9*d*x) - ((d+e*x^2)^{(3/2)}*(a+b*\operatorname{ArcSech}[c*x]))/(3*d*x^3) + (2*b*c*(c^2*d+2*e)*\operatorname{Sqrt}[(1+cx)^{-1}]*\operatorname{Sqrt}[1+cx]*\operatorname{Sqrt}[d+e*x^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[c*x],-(e/(c^2*d))])/(9*d*\operatorname{Sqrt}[1+(e*x^2)/d]) - (b*(c^2*d+e)*(2*c^2*d+3*e)*\operatorname{Sqrt}[(1+cx)^{-1}]*\operatorname{Sqrt}[1+cx]*\operatorname{Sqrt}[1+(e*x^2)/d]*\operatorname{EllipticF}[\operatorname{ArcSin}[c*x],-(e/(c^2*d))])/(9*c*d*\operatorname{Sqrt}[d+e*x^2])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 270

Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m+1)*((a+b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n,

p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 430

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2])*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])

Rule 432

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]

Rule 435

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2])*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 437

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]

Rule 485

Int[((e_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q - 1)/(a*e*(m + 1))), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(c*b - a*d)*(m + 1) + c*n*(b*c*(p + 1) + a*d*(q - 1)) + d*((c*b - a*d)*(m + 1) + c*b*n*(p + q))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

Rule 538

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-b/a, -d/c]))))))

Rule 597

```
Int[((g_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx))}{x^4} dx &= -\frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{3dx^3} + \left(b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int -\frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{3dx^3} \\
&= -\frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{3dx^3} - \frac{\left(b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}\right) \int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^4 \sqrt{1+cx}}}{3d} \\
&= \frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{9x^3} - \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{3dx^3} \\
&= \frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{9x^3} + \frac{2b(c^2d+2e) \sqrt{\frac{1}{1+cx}}}{9x^3} \\
&= \frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{9x^3} + \frac{2b(c^2d+2e) \sqrt{\frac{1}{1+cx}}}{9x^3} \\
&= \frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{9x^3} + \frac{2b(c^2d+2e) \sqrt{\frac{1}{1+cx}}}{9x^3} \\
&= \frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{9x^3} + \frac{2b(c^2d+2e) \sqrt{\frac{1}{1+cx}}}{9x^3}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 22.11, size = 576, normalized size = 1.85

$$\frac{\sqrt{\frac{1-cx}{1+cx}} \sqrt{d+ex^2} + b\sqrt{\frac{1-cx}{1+cx}} \sqrt{d+ex^2} + \frac{2b(c^2d+2e)\sqrt{\frac{1-cx}{1+cx}} \sqrt{d+ex^2}}{9x^3} - \frac{2b(c^2d+2e)\sqrt{\frac{1-cx}{1+cx}} \sqrt{d+ex^2}}{9x^3} - \frac{2b(c^2d+2e)\sqrt{\frac{1-cx}{1+cx}} \sqrt{d+ex^2}}{9x^3} - \frac{2b(c^2d+2e)\sqrt{\frac{1-cx}{1+cx}} \sqrt{d+ex^2}}{9x^3}}{9\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x^4, x]

[Out] ((b*Sqrt[(1 - c*x)/(1 + c*x)]*(d + e*x^2))/x^3 + (b*c*Sqrt[(1 - c*x)/(1 + c*x)]*(d + e*x^2))/x^2 + (2*b*(c^2*d + 2*e)*Sqrt[(1 - c*x)/(1 + c*x)]*(d + e*x^2))/(d*x) - (3*a*(d + e*x^2)^2)/(d*x^3) - (3*b*(d + e*x^2)^2*ArcSech[c*x])/(d*x^3) - ((2*I)*b*(c*Sqrt[d] - I*Sqrt[e])^2*Sqrt[(1 - c*x)/(1 + c*x)]*(

$$\frac{(1 + cx)\sqrt{(c(\sqrt{d} - I\sqrt{e}x))/((c\sqrt{d} - I\sqrt{e})(1 + cx))}\sqrt{(c(\sqrt{d} + I\sqrt{e}x))/((c\sqrt{d} + I\sqrt{e})(1 + cx))}((c^2d + 2e)\text{EllipticE}[I\text{ArcSinh}[\sqrt{(c^2d + e)(1 - cx)}]/((c\sqrt{d} + I\sqrt{e})^2(1 + cx))], (c\sqrt{d} + I\sqrt{e})^2/(c\sqrt{d} - I\sqrt{e})^2 + ((2I)c\sqrt{d} - 3\sqrt{e})\sqrt{e}\text{EllipticF}[I\text{ArcSinh}[\sqrt{(c^2d + e)(1 - cx)}]/((c\sqrt{d} + I\sqrt{e})^2(1 + cx))], (c\sqrt{d} + I\sqrt{e})^2/(c\sqrt{d} - I\sqrt{e})^2)}{(c^2d\sqrt{-((c\sqrt{d} - I\sqrt{e})(1 + cx))})/((c\sqrt{d} + I\sqrt{e})(1 + cx)))/(9\sqrt{d + ex^2})}$$

Maple [F]

time = 0.38, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{arcsech}(cx)) \sqrt{ex^2 + d}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^4,x)

[Out] int((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^4,x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^4,x, algorithm="maxima")

[Out] $-1/3*b*((x^3*e + d*x)*\sqrt{x^2*e + d}*\log(\sqrt{c*x + 1}*\sqrt{-c*x + 1} + 1)/(d*x^4) + 3*\integrate(1/3*(3*c^2*d*x^2*\log(c) - (c^2*x^4*e - (3*d*\log(c) - d)*c^2*x^2 + 3*d*\log(c) - 6*(c^2*d*x^2 - d)*\log(\sqrt{x}))*e^{1/2*\log(c*x + 1)} + 1/2*\log(-c*x + 1)) - 3*d*\log(c) + 6*(c^2*d*x^2 - d)*\log(\sqrt{x}))*\sqrt{x^2*e + d}/((c^2*d*x^2 - d)*x^4 + (c^2*d*x^2 - d)*e^{1/2*\log(c*x + 1)} + 1/2*\log(-c*x + 1) + 4*\log(x)), x) - 1/3*(x^2*e + d)^{(3/2)}*a/(d*x^3)$

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^4,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx)) \sqrt{d + ex^2}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))*(e*x**2+d)**(1/2)/x**4,x)**[Out]** Integral((a + b*asech(c*x))*sqrt(d + e*x**2)/x**4, x)**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^4,x, algorithm="giac")**[Out]** integrate(sqrt(e*x^2 + d)*(b*arcsech(c*x) + a)/x^4, x)**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{ex^2 + d} (a + b \operatorname{acosh}(\frac{1}{cx}))}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))))/x^4,x)**[Out]** int(((d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))))/x^4, x)

$$3.139 \quad \int \frac{\sqrt{d+ex^2} \left(a+b\operatorname{sech}^{-1}(cx) \right)}{x^6} dx$$

Optimal. Leaf size=446

$$\frac{b(12c^2d - e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{225dx^3} + \frac{b(24c^4d^2 + 19c^2de - 31e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{225d^2x}$$

[Out] $-1/5*(e*x^2+d)^{(3/2)}*(a+b*\operatorname{arcsech}(c*x))/d/x^5+2/15*e*(e*x^2+d)^{(3/2)}*(a+b*\operatorname{arcsech}(c*x))/d^2/x^3+1/25*b*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/x^5+1/45*b*e*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/x^3+1/75*b*(4*c^2*d+e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/x^3-2/15*b*e^2*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/x+1/45*b*e*(2*c^2*d+e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/x+1/75*b*(8*c^4*d^2+3*c^2*d*e-2*e^2)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/x-2/15*b*c*e^2*\operatorname{EllipticE}(c*x, (-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(1+e*x^2/d)^{(1/2)}+1/45*b*c*e*(2*c^2*d+e)*\operatorname{EllipticE}(c*x, (-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(1+e*x^2/d)^{(1/2)}+1/75*b*c*(8*c^4*d^2+3*c^2*d*e-2*e^2)*\operatorname{EllipticE}(c*x, (-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(1+e*x^2/d)^{(1/2)}-1/75*b*c*(8*c^2*d-e)*(c^2*d+e)*\operatorname{EllipticF}(c*x, (-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/d/(e*x^2+d)^{(1/2)}-2/45*b*c*e*(c^2*d+e)*\operatorname{EllipticF}(c*x, (-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/d/(e*x^2+d)^{(1/2)}+2/15*b*e^2*(c^2*d+e)*\operatorname{EllipticF}(c*x, (-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/c/d^2/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.38, antiderivative size = 446, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {277, 270, 6436, 12, 594, 597, 538, 437, 435, 432, 430}

$$\frac{2d(d+ex^2)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{15d^2x^3} - \frac{(d+ex^2)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{5d^2x^3} - \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{225dx^3} + \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{225d^2x} + \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{225d^2x} + \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{225d^2x} + \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{225d^2x} + \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{225d^2x} + \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{225d^2x} + \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{225d^2x} + \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{225d^2x}$$

Antiderivative was successfully verified.

[In] `Int[(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x^6,x]`

[Out] $(b*(12*c^2*d - e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[d + e*x^2])/(225*d*x^3) + (b*(24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[d + e*x^2])/(225*d^2*x) + (b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*(d + e*x^2)^{(3/2)})/($

$$25*d*x^5) - ((d + e*x^2)^{(3/2)}*(a + b*ArcSech[c*x]))/(5*d*x^5) + (2*e*(d + e*x^2)^{(3/2)}*(a + b*ArcSech[c*x]))/(15*d^2*x^3) + (b*c*(24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*Sqrt[(1 + c*x)^{-1}]*Sqrt[1 + c*x]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(225*d^2*Sqrt[1 + (e*x^2)/d]) - (b*(c^2*d + e)*(24*c^4*d^2 + 7*c^2*d*e - 30*e^2)*Sqrt[(1 + c*x)^{-1}]*Sqrt[1 + c*x]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(225*c*d^2*Sqrt[d + e*x^2])$$
Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 270

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*c*(m + 1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 277

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] := Simp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 435

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 538

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-b/a, -d/c]))))))
```

Rule 594

```
Int[((g_.)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_
))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b
*x^n)^(p + 1)*((c + d*x^n)^q/(a*g*(m + 1))), x] - Dist[1/(a*g^n*(m + 1)), I
nt[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f)*(m +
1) + e*n*(b*c*(p + 1) + a*d*q) + d*((b*e - a*f)*(m + 1) + b*e*n*(p + q + 1
))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && Gt
Q[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplerQ[e + f*x^n, c + d*x^n])
```

Rule 597

```
Int[((g_.)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_
))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b
*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^n*(
m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) -
e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2
) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0
] && LtQ[m, -1]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((f_.)*(x_)^(m_.)*((d_.) + (e_.)*(
x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx))}{x^6} dx &= -\frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{5dx^5} + \frac{2e(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{15d^2x^3} \\
&= -\frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{5dx^5} + \frac{2e(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{15d^2x^3} \\
&= \frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} (d+ex^2)^{3/2}}{25dx^5} - \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{5dx^5} \\
&= \frac{b(12c^2d-e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{225dx^3} + \frac{b\sqrt{\frac{1}{1+cx}}}{5dx^5} \\
&= \frac{b(12c^2d-e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{225dx^3} + \frac{b(24c^4d^2+e^2)}{225dx^3} \\
&= \frac{b(12c^2d-e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{225dx^3} + \frac{b(24c^4d^2+e^2)}{225dx^3} \\
&= \frac{b(12c^2d-e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{225dx^3} + \frac{b(24c^4d^2+e^2)}{225dx^3} \\
&= \frac{b(12c^2d-e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{225dx^3} + \frac{b(24c^4d^2+e^2)}{225dx^3}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 24.18, size = 641, normalized size = 1.44

$$\frac{\sqrt{d+ex^2} \left(\frac{a+b\operatorname{sech}^{-1}(cx)}{x^5} - \frac{2e(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{15d^2x^3} \right)}{225d^2\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/x^6, x]

```
[Out] ((15*a*(d + e*x^2)^2*(-3*d + 2*e*x^2))/x^5 + (b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(d + e*x^2)*(-31*e^2*x^4 + d*e*x^2*(8 + 19*c^2*x^2) + 3*d^2*(3 + 4*c^2*x^2 + 8*c^4*x^4)))/x^5 + (15*b*(d + e*x^2)^2*(-3*d + 2*e*x^2)*ArcSech[c*x])/x^5 + (b*Sqrt[(1 - c*x)/(1 + c*x)]*(-(c^2*(24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*(d + e*x^2)) - (I*(c*Sqrt[d] - I*Sqrt[e])^2*(1 + c*x)*Sqrt[(c*(Sqrt[d] - I*Sqrt[e]*x))/((c*Sqrt[d] - I*Sqrt[e])*(1 + c*x))]*Sqrt[(c*(Sqrt[d] + I*Sqrt[e]*x))/((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x))])*((24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*EllipticE[I*ArcSinh[Sqrt[((c^2*d + e)*(1 - c*x))/((c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x))]]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2) + 2*Sqrt[e]*((24*I)*c^3*d^(3/2) - 36*c^2*d*Sqrt[e] - (29*I)*c*Sqrt[d]*e + 30*e^(3/2))*EllipticF[I*ArcSinh[Sqrt[((c^2*d + e)*(1 - c*x))/((c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x))]]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2)))/Sqrt[-(((c*Sqrt[d] - I*Sqrt[e])*(-1 + c*x))/((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x)))]))/c/(225*d^2*Sqrt[d + e*x^2])
```

Maple [F]

time = 0.43, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{arcsech}(cx)) \sqrt{ex^2 + d}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^6,x)
```

```
[Out] int((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^6,x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^6,x, algorithm="maxima")
```

```
[Out] 1/15*a*(2*(x^2*e + d)^(3/2)*e/(d^2*x^3) - 3*(x^2*e + d)^(3/2)/(d*x^5)) + 1/15*b*((2*x^5*e^2 - d*x^3*e - 3*d^2*x)*sqrt(x^2*e + d)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1)/(d^2*x^6) - 15*integrate(1/15*(15*c^2*d^2*x^2*log(c) - 15*d^2*log(c) + (2*c^2*x^6*e^2 - c^2*d*x^4*e + 3*(5*d^2*log(c) - d^2)*c^2*x^2 - 15*d^2*log(c) + 30*(c^2*d^2*x^2 - d^2)*log(sqrt(x)))*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)) + 30*(c^2*d^2*x^2 - d^2)*log(sqrt(x)))*sqrt(x^2*e + d)/((c^2*d^2*x^2 - d^2)*x^6 + (c^2*d^2*x^2 - d^2)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1) + 6*log(x))), x))
```

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^6,x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx)) \sqrt{d + ex^2}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asech(c*x))*(e*x**2+d)**(1/2)/x**6,x)
```

```
[Out] Integral((a + b*asech(c*x))*sqrt(d + e*x**2)/x**6, x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/x^6,x, algorithm="giac")
```

```
[Out] integrate(sqrt(e*x^2 + d)*(b*arcsech(c*x) + a)/x^6, x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{ex^2 + d} (a + b \operatorname{acosh}(\frac{1}{cx}))}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))))/x^6,x)
```

```
[Out] int(((d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))))/x^6, x)
```

3.140 $\int x^3(d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=418

$$\frac{b(3c^4d^2 - 38c^2de - 25e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{560c^6e} - \frac{b(13c^2d + 25e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{840c^4e}$$

[Out] $-1/5*d*(e*x^2+d)^{(5/2)}*(a+b*\operatorname{arcsech}(c*x))/e^2+1/7*(e*x^2+d)^{(7/2)}*(a+b*\operatorname{arcsch}(c*x))/e^2+1/560*b*(35*c^6*d^3-35*c^4*d^2*e-63*c^2*d*e^2-25*e^3)*\operatorname{arctan}(e^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c/(e*x^2+d)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^7/e^{(3/2)}+2/35*b*d^{(7/2)}*\operatorname{arctanh}((e*x^2+d)^{(1/2)}/d^{(1/2)}/(-c^2*x^2+1)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/e^2-1/840*b*(13*c^2*d+25*e)*(e*x^2+d)^{(3/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^4/e-1/42*b*(e*x^2+d)^{(5/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2/e+1/560*b*(3*c^4*d^2-38*c^2*d*e-25*e^2)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/c^6/e$

Rubi [A]

time = 0.36, antiderivative size = 418, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {272, 45, 6436, 12, 587, 159, 163, 65, 223, 209, 95, 213}

$$\frac{d(d+ex^2)^{3/2}(a+b \operatorname{sech}^{-1}(cx))}{560c^6e} - \frac{d(d+ex^2)^{5/2}(a+b \operatorname{sech}^{-1}(cx))}{840c^4e} + \frac{\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{560c^6e} \operatorname{Arctan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d+ex^2}}\right) + \frac{2b^{1/2} \sqrt{\frac{1}{1+cx}} \operatorname{arctanh}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d+ex^2}}\right)}{35c^4} + \frac{\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} (d+ex^2)^{3/2}}{840c^4e} + \frac{\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} (13c^2d+25e)(d+ex^2)^{3/2}}{840c^4e} + \frac{\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} (3c^4d^2-38c^2de-25e^2) \sqrt{d+ex^2}}{560c^6e}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^3*(d + e*x^2)^{(3/2)}*(a + b*\operatorname{ArcSech}[c*x]), x]$

[Out] $(b*(3*c^4*d^2 - 38*c^2*d*e - 25*e^2)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[d + e*x^2])/(560*c^6*e) - (b*(13*c^2*d + 25*e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*(d + e*x^2)^{(3/2)})/(840*c^4*e) - (b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*(d + e*x^2)^{(5/2)})/(42*c^2*e) - (d*(d + e*x^2)^{(5/2)}*(a + b*\operatorname{ArcSech}[c*x]))/(5*e^2) + ((d + e*x^2)^{(7/2)}*(a + b*\operatorname{ArcSech}[c*x]))/(7*e^2) + (b*(35*c^6*d^3 - 35*c^4*d^2*e - 63*c^2*d*e^2 - 25*e^3)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTan}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[1 - c^2*x^2])/(c*\operatorname{Sqrt}[d + e*x^2])])/(560*c^7*e^{(3/2)}) + (2*b*d^{(7/2)}*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTanh}[\operatorname{Sqrt}[d + e*x^2]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[1 - c^2*x^2])])/(35*e^2)$

Rule 12

$\operatorname{Int}[(a_*)*(u_), x_Symbol] :> \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{Match}Q[u, (b_*)*(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 45

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 95

```
Int[(((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 159

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_)
)^(p_.)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[h*(a + b*x)^m*(c + d*x)^(n +
1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 2))), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^(n)*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 163

```
Int[(((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.)*((g_.) + (h_.)*(x_
)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*(e + f*x)^p/(a + b*x), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 209

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*A
rcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 213

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-(Rt[-a, 2]*Rt[b, 2])^(-1))*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

Rule 223

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 587

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_))^(r_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((f_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int x^3 (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx &= -\frac{d(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \operatorname{sech}^{-1}(cx))}{7e^2} \\
&= -\frac{d(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \operatorname{sech}^{-1}(cx))}{7e^2} \\
&= -\frac{d(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \operatorname{sech}^{-1}(cx))}{7e^2} \\
&= -\frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} (d + ex^2)^{5/2}}{42c^2 e} - \frac{d(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2} \\
&= -\frac{b(13c^2 d + 25e) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} (d + ex^2)^{3/2}}{840c^4 e} - \frac{d(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2} \\
&= \frac{b(3c^4 d^2 - 38c^2 de - 25e^2) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{560c^6 e} - \frac{d(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2} \\
&= \frac{b(3c^4 d^2 - 38c^2 de - 25e^2) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{560c^6 e} - \frac{d(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2} \\
&= \frac{b(3c^4 d^2 - 38c^2 de - 25e^2) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{560c^6 e} - \frac{d(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2} \\
&= \frac{b(3c^4 d^2 - 38c^2 de - 25e^2) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{560c^6 e} - \frac{d(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2} \\
&= \frac{b(3c^4 d^2 - 38c^2 de - 25e^2) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{560c^6 e} - \frac{d(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2} \\
&= \frac{b(3c^4 d^2 - 38c^2 de - 25e^2) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{560c^6 e} - \frac{d(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2} \\
&= \frac{b(3c^4 d^2 - 38c^2 de - 25e^2) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{560c^6 e} - \frac{d(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5e^2}
\end{aligned}$$

Mathematica [A]

time = 41.76, size = 313, normalized size = 0.75

$$\frac{\sqrt{d + ex^2} \left(48ac^6(2d - 5ex^2)(d + ex^2)^2 + bc \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx)(75c^2 + 2d^2(82d + 25ex^2) + c^2(57d^2 + 106dex^2 + 40e^2x^4)) + 48bc^6(2d - 5ex^2)(d + ex^2)^2 \operatorname{sech}^{-1}(cx) \right)}{1680c^6 e^2} - \frac{b \sqrt{\frac{1 - cx}{1 + cx}} \sqrt{-1 + c^2 x^2} \left(-32c^2 d^{1/2} \operatorname{ArcTan} \left(\frac{\sqrt{d} \sqrt{-1 + c^2 x^2}}{\sqrt{d + ex^2}} \right) + \sqrt{e} (-35c^2 d^2 + 35c^2 d^2 e + 63c^2 d^2 e^2 + 25e^2) \operatorname{tanh}^{-1} \left(\frac{\sqrt{c} \sqrt{-1 + c^2 x^2}}{c \sqrt{d + ex^2}} \right) \right)}{560c^6 e^2 (-1 + cx)}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]),x]

[Out]
$$-1/1680*(\text{Sqrt}[d + e*x^2]*(48*a*c^6*(2*d - 5*e*x^2)*(d + e*x^2)^2 + b*e*\text{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(75*e^2 + 2*c^2*e*(82*d + 25*e*x^2) + c^4*(57*d^2 + 106*d*e*x^2 + 40*e^2*x^4)) + 48*b*c^6*(2*d - 5*e*x^2)*(d + e*x^2)^2*\text{ArcSech}[c*x]))/(c^6*e^2) - (b*\text{Sqrt}[(1 - c*x)/(1 + c*x)]*\text{Sqrt}[-1 + c^2*x^2]*(-32*c^7*d^(7/2)*\text{ArcTan}[(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])/(\text{Sqrt}[d + e*x^2])] + \text{Sqrt}[e]*(-35*c^6*d^3 + 35*c^4*d^2*e + 63*c^2*d*e^2 + 25*e^3)*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])]))/(560*c^7*e^2*(-1 + c*x))$$

Maple [F]

time = 0.78, size = 0, normalized size = 0.00

$$\int x^3 (e x^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x)

[Out] int(x^3*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="maxima")

[Out]
$$1/35*(5*(x^2*e + d)^(5/2)*x^2*e^(-1) - 2*(x^2*e + d)^(5/2)*d*e^(-2))*a + 1/105*b*((15*x^6*e^3 + 3*d*x^4*e^2 - 4*d^2*x^2*e + 8*d^3)*x^5 + 7*(3*d*x^6*e^2 + d^2*x^4*e - 2*d^3*x^2)*x^3)*\text{sqrt}(x^2*e + d)*e^(-2)*\log(\text{sqrt}(c*x + 1))*\text{sqrt}(-c*x + 1) + 1/x^5 - 105*\text{integrate}(1/105*(105*(c^2*x^6*e^3*\log(c) - x^4*e^3*\log(c))*x^5 + 105*(c^2*d*x^6*e^2*\log(c) - d*x^4*e^2*\log(c))*x^3 + ((15*c^2*x^6*(7*\log(c) + 1)*e^3 - 4*c^2*d^2*x^2*e + 8*c^2*d^3 + 3*(c^2*d*e^2 - 35*e^3*\log(c))*x^4)*x^5 + 7*(3*(5*d*\log(c) + d)*c^2*x^6*e^2 - 2*c^2*d^3*x^2 + (c^2*d^2*e - 15*d*e^2*\log(c))*x^4)*x^3 + 210*((c^2*x^6*e^3 - x^4*e^3)*x^5 + (c^2*d*x^6*e^2 - d*x^4*e^2)*x^3)*\log(\text{sqrt}(x)))*e^(1/2*\log(c*x + 1) + 1/2*\log(-c*x + 1)) + 210*((c^2*x^6*e^3 - x^4*e^3)*x^5 + (c^2*d*x^6*e^2 - d*x^4*e^2)*x^3)*\log(\text{sqrt}(x))*\text{sqrt}(x^2*e + d)/(c^2*x^6*e^2 - x^4*e^2 + (c^2*x^6*e^2 - x^4*e^2)*e^(1/2*\log(c*x + 1) + 1/2*\log(-c*x + 1))), x)$$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 1021 vs. 2(271) = 542.

time = 1.59, size = 2076, normalized size = 4.97

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [1/3360*(48*b*c^7*d^{7/2}*\log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*\cosh(1))^2 \\ & + x^4*\sinh(1)^2 - 4*(c^3*d*x^3 - c*x^3*\cosh(1) - c*x^3*\sinh(1) - 2*c*d*x)*s \\ & \text{qrt}(x^2*\cosh(1) + x^2*\sinh(1) + d)*\text{sqrt}(d)*\text{sqrt}(-(c^2*x^2 - 1)/(c^2*x^2)) + \\ & 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*\cosh(1) - 2*(3*c^2*d*x^4 - x^4*\cosh(1) - \\ & 4*d*x^2)*\sinh(1))/x^4) + 3*(35*b*c^6*d^3 - 35*b*c^4*d^2*\cosh(1) - 63*b*c^2 \\ & *d*\cosh(1)^2 - 25*b*\cosh(1)^3 - 25*b*\sinh(1)^3 - 3*(21*b*c^2*d + 25*b*\cosh(\\ & 1))*\sinh(1)^2 - (35*b*c^4*d^2 + 126*b*c^2*d*\cosh(1) + 75*b*\cosh(1)^2)*\sinh(\\ & 1))*\text{sqrt}(\cosh(1) + \sinh(1))*\arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*\cosh(1) + \\ & (2*c^2*x^3 - x)*\sinh(1))*\text{sqrt}(x^2*\cosh(1) + x^2*\sinh(1) + d)*\text{sqrt}(-(c^2*x^ \\ & 2 - 1)/(c^2*x^2))*\text{sqrt}(\cosh(1) + \sinh(1))/((c^2*x^4 - x^2)*\cosh(1)^2 + (c^2 \\ & *x^4 - x^2)*\sinh(1)^2 + (c^2*d*x^2 - d)*\cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - \\ & x^2)*\cosh(1) - d)*\sinh(1))) + 96*(5*b*c^7*x^6*\cosh(1)^3 + 5*b*c^7*x^6*\sinh \\ & (1)^3 + 8*b*c^7*d*x^4*\cosh(1)^2 + b*c^7*d^2*x^2*\cosh(1) - 2*b*c^7*d^3 + (15 \\ & *b*c^7*x^6*\cosh(1) + 8*b*c^7*d*x^4)*\sinh(1)^2 + (15*b*c^7*x^6*\cosh(1)^2 + 1 \\ & 6*b*c^7*d*x^4*\cosh(1) + b*c^7*d^2*x^2)*\sinh(1))*\text{sqrt}(x^2*\cosh(1) + x^2*\sinh \\ & (1) + d)*\log((c*x*\text{sqrt}(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + 2*(240*a*c^7 \\ & *x^6*\cosh(1)^3 + 240*a*c^7*x^6*\sinh(1)^3 + 384*a*c^7*d*x^4*\cosh(1)^2 + 48*a \\ & *c^7*d^2*x^2*\cosh(1) - 96*a*c^7*d^3 + 48*(15*a*c^7*x^6*\cosh(1) + 8*a*c^7*d*x \\ & x^4)*\sinh(1)^2 + 48*(15*a*c^7*x^6*\cosh(1)^2 + 16*a*c^7*d*x^4*\cosh(1) + a*c^ \\ & 7*d^2*x^2)*\sinh(1) - (57*b*c^6*d^2*x*\cosh(1) + 5*(8*b*c^6*x^5 + 10*b*c^4*x^ \\ & 3 + 15*b*c^2*x)*\cosh(1)^3 + 5*(8*b*c^6*x^5 + 10*b*c^4*x^3 + 15*b*c^2*x)*\sinh \\ & (1)^3 + 2*(53*b*c^6*d*x^3 + 82*b*c^4*d*x)*\cosh(1)^2 + (106*b*c^6*d*x^3 + 1 \\ & 64*b*c^4*d*x + 15*(8*b*c^6*x^5 + 10*b*c^4*x^3 + 15*b*c^2*x)*\cosh(1))*\sinh(1 \\ &)^2 + (57*b*c^6*d^2*x + 15*(8*b*c^6*x^5 + 10*b*c^4*x^3 + 15*b*c^2*x)*\cosh(1 \\ &)^2 + 4*(53*b*c^6*d*x^3 + 82*b*c^4*d*x)*\cosh(1))*\sinh(1))*\text{sqrt}(-(c^2*x^2 - \\ & 1)/(c^2*x^2))*\text{sqrt}(x^2*\cosh(1) + x^2*\sinh(1) + d))/(c^7*\cosh(1)^2 + 2*c^7* \\ & \cosh(1)*\sinh(1) + c^7*\sinh(1)^2), 1/3360*(96*b*c^7*\text{sqrt}(-d)*d^3*\arctan(-1/2 \\ & *(c^3*d*x^3 - c*x^3*\cosh(1) - c*x^3*\sinh(1) - 2*c*d*x)*\text{sqrt}(x^2*\cosh(1) + x \\ & ^2*\sinh(1) + d)*\text{sqrt}(-d)*\text{sqrt}(-(c^2*x^2 - 1)/(c^2*x^2))/(c^2*d^2*x^2 - d^2 \\ & + (c^2*d*x^4 - d*x^2)*\cosh(1) + (c^2*d*x^4 - d*x^2)*\sinh(1))) + 3*(35*b*c^6 \\ & *d^3 - 35*b*c^4*d^2*\cosh(1) - 63*b*c^2*d*\cosh(1)^2 - 25*b*\cosh(1)^3 - 25*b* \\ & \sinh(1)^3 - 3*(21*b*c^2*d + 25*b*\cosh(1))*\sinh(1)^2 - (35*b*c^4*d^2 + 126*b \\ & *c^2*d*\cosh(1) + 75*b*\cosh(1)^2)*\sinh(1))*\text{sqrt}(\cosh(1) + \sinh(1))*\arctan(1/ \\ & 2*(c^2*d*x + (2*c^2*x^3 - x)*\cosh(1) + (2*c^2*x^3 - x)*\sinh(1))*\text{sqrt}(x^2*\co \\ & sh(1) + x^2*\sinh(1) + d)*\text{sqrt}(-(c^2*x^2 - 1)/(c^2*x^2))*\text{sqrt}(\cosh(1) + \sinh \\ & (1))/((c^2*x^4 - x^2)*\cosh(1)^2 + (c^2*x^4 - x^2)*\sinh(1)^2 + (c^2*d*x^2 - \\ & d)*\cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*\cosh(1) - d)*\sinh(1))) + 96*(5* \\ & b*c^7*x^6*\cosh(1)^3 + 5*b*c^7*x^6*\sinh(1)^3 + 8*b*c^7*d*x^4*\cosh(1)^2 + b*c \\ & ^7*d^2*x^2*\cosh(1) - 2*b*c^7*d^3 + (15*b*c^7*x^6*\cosh(1) + 8*b*c^7*d*x^4)*s \\ & inh(1)^2 + (15*b*c^7*x^6*\cosh(1)^2 + 16*b*c^7*d*x^4*\cosh(1) + b*c^7*d^2*x^2 \\ &)*\sinh(1))*\text{sqrt}(x^2*\cosh(1) + x^2*\sinh(1) + d)*\log((c*x*\text{sqrt}(-(c^2*x^2 - 1) \end{aligned}$$

$$\begin{aligned} & / (c^2 x^2) + 1) / (c x) + 2 * (240 * a * c^7 * x^6 * \cosh(1)^3 + 240 * a * c^7 * x^6 * \sinh(1) \\ &)^3 + 384 * a * c^7 * d * x^4 * \cosh(1)^2 + 48 * a * c^7 * d^2 * x^2 * \cosh(1) - 96 * a * c^7 * d^3 + \\ & 48 * (15 * a * c^7 * x^6 * \cosh(1) + 8 * a * c^7 * d * x^4) * \sinh(1)^2 + 48 * (15 * a * c^7 * x^6 * \cosh(1) \\ &)^2 + 16 * a * c^7 * d * x^4 * \cosh(1) + a * c^7 * d^2 * x^2) * \sinh(1) - (57 * b * c^6 * d^2 * x * \\ & \cosh(1) + 5 * (8 * b * c^6 * x^5 + 10 * b * c^4 * x^3 + 15 * b * c^2 * x) * \cosh(1)^3 + 5 * (8 * b * c^6 * x^5 \\ & + 10 * b * c^4 * x^3 + 15 * b * c^2 * x) * \sinh(1)^3 + 2 * (53 * b * c^6 * d * x^3 + 82 * b * c^4 \\ & * d * x) * \cosh(1)^2 + (106 * b * c^6 * d * x^3 + 164 * b * c^4 * d * x + 15 * (8 * b * c^6 * x^5 + 10 * b \\ & * c^4 * x^3 + 15 * b * c^2 * x) * \cosh(1)) * \sinh(1)^2 + (57 * b * c^6 * d^2 * x + 15 * (8 * b * c^6 * x^5 \\ & + 10 * b * c^4 * x^3 + 15 * b * c^2 * x) * \cosh(1)^2 + 4 * (53 * b * c^6 * d * x^3 + 82 * b * c^4 * d * \\ & x) * \cosh(1)) * \sinh(1)) * \sqrt{-(c^2 x^2 - 1) / (c^2 x^2))} * \sqrt{x^2 * \cosh(1) + x^2 \\ & * \sinh(1) + d} / (c^7 * \cosh(1)^2 + 2 * c^7 * \cosh(1) * \sinh(1) + c^7 * \sinh(1)^2) \end{aligned}$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 (a + b \operatorname{asech}(cx)) (d + ex^2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(e*x**2+d)**(3/2)*(a+b*asech(c*x)),x)

[Out] Integral(x**3*(a + b*asech(c*x))*(d + e*x**2)**(3/2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsech(c*x) + a)*x^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 (ex^2 + d)^{3/2} \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))),x)

[Out] int(x^3*(d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))), x)

3.141 $\int x(d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=297

$$\frac{b(7c^2d + 3e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{40c^4} - \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} (d+ex^2)^{3/2}}{20c^2} + \dots$$

[Out] $1/5*(e*x^2+d)^{(5/2)}*(a+b*\operatorname{arcsech}(c*x))/e-1/5*b*d^{(5/2)}*\operatorname{arctanh}((e*x^2+d)^{(1/2)}/d^{(1/2)})/(-c^2*x^2+1)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/e-1/40*b*(15*c^4*d^2+10*c^2*d*e+3*e^2)*\operatorname{arctan}(e^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c/(e*x^2+d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^5/e^{(1/2)}-1/20*b*(e*x^2+d)^{(3/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2-1/40*b*(7*c^2*d+3*e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/c^4$

Rubi [A]

time = 0.29, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.524$, Rules used = {6434, 531, 457, 104, 159, 163, 65, 223, 209, 95, 213}

$$\frac{(d+ex^2)^{5/2}(a+b\operatorname{sech}^{-1}(cx))}{5e} - \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(15c^4d^2+10c^2de+3e^2)\operatorname{ArcTan}\left(\frac{\sqrt{e}\sqrt{1-c^2x^2}}{e\sqrt{d+ex^2}}\right)}{40c^5\sqrt{e}} - \frac{b^{5/2}\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{5e} - \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(d+ex^2)^{3/2}}{20c^2} - \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(7c^2d+3e)\sqrt{d+ex^2}}{40c^4}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*(d + e*x^2)^{(3/2)}*(a + b*\operatorname{ArcSech}[c*x]), x]$

[Out] $-1/40*(b*(7*c^2*d + 3*e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[d + e*x^2])/c^4 - (b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*(d + e*x^2)^{(3/2)})/(20*c^2) + ((d + e*x^2)^{(5/2)}*(a + b*\operatorname{ArcSech}[c*x]))/(5*e) - (b*(15*c^4*d^2 + 10*c^2*d*e + 3*e^2)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTan}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[1 - c^2*x^2])/(\operatorname{Sqrt}[d + e*x^2])])/(40*c^5*\operatorname{Sqrt}[e]) - (b*d^{(5/2)}*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTanh}[\operatorname{Sqrt}[d + e*x^2]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[1 - c^2*x^2])])/(5*e)$

Rule 65

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - a*(d/b) + d*(x^p/b))^{(n)}, x], x, (a + b*x)^{(1/p)}, x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 95

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}]/((e_.) + (f_.)*(x_.)), x_Symbol] \rightarrow \operatorname{With}[\{q = \operatorname{Denominator}[m]\}, \operatorname{Dist}[q, \operatorname{Subst}[\operatorname{Int}[x^{(q*(m+1)-1)} - 1]/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^{(1/q)}/(c + d*x)^{(1/q)}$

], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 104

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 1))), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegersQ[2*m, 2*n, 2*p]

Rule 159

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[h*(a + b*x)^m*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 2))), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]

Rule 163

Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

Rule 209

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*ArcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 213

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[b, 2])^(-1)*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 223

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 531

```
Int[(u_)*((c_) + (d_)*(x_)^(n_))^(q_)*((a1_) + (b1_)*(x_)^(non2_))^(p
_)*((a2_) + (b2_)*(x_)^(non2_))^(p_), x_Symbol] := Int[u*(a1*a2 + b1*b2
*x^n)^p*(c + d*x^n)^q, x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p, q}, x] && E
qQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[p] || (GtQ[a1, 0] && Gt
Q[a2, 0]))
```

Rule 6434

```
Int[((a_) + ArcSech[(c_)*(x_)])*(b_)*(x_)*((d_) + (e_)*(x_)^2)^(p_),
x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSech[c*x])/(2*e*(p + 1))),
x] + Dist[b*(Sqrt[1 + c*x]/(2*e*(p + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x^
2)^(p + 1)/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e,
p}, x] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int x(d+ex^2)^{3/2}(a+b\operatorname{sech}^{-1}(cx))dx &= \frac{(d+ex^2)^{5/2}(a+b\operatorname{sech}^{-1}(cx))}{5e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{x\sqrt{1+cx}}}{5e} \\
&= \frac{(d+ex^2)^{5/2}(a+b\operatorname{sech}^{-1}(cx))}{5e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{(d+ex^2)^{3/2}}{x\sqrt{1+cx}}}{5e} \\
&= \frac{(d+ex^2)^{5/2}(a+b\operatorname{sech}^{-1}(cx))}{5e} + \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1+cx}}\right)}{10e} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}(d+ex^2)^{3/2}}{20c^2} + \frac{(d+ex^2)^{5/2}(a+b\operatorname{sech}^{-1}(cx))}{5e} \\
&= -\frac{b(7c^2d+3e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{40c^4} - \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{10e} \\
&= -\frac{b(7c^2d+3e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{40c^4} - \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{10e} \\
&= -\frac{b(7c^2d+3e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{40c^4} - \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{10e} \\
&= -\frac{b(7c^2d+3e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{40c^4} - \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{10e} \\
&= -\frac{b(7c^2d+3e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{40c^4} - \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{10e}
\end{aligned}$$

Mathematica [A]

time = 21.02, size = 342, normalized size = 1.15

$$\frac{\sqrt{d+ex^2}\left(8a^2(d+ex^2)^2 - bc\sqrt{\frac{1-cx}{1+cx}}(1+cx)(3e+c^2(9d+2ex^2)) + 8bc^2(d+ex^2)^2\operatorname{sech}^{-1}(cx)\right)}{40c^2e} + \frac{b\sqrt{\frac{1-cx}{1+cx}}\sqrt{1-c^2x^2}\left(\sqrt{-c^2}\sqrt{-c^2d-e}\sqrt{e(15c^4d^2+10c^2de+3e^2)}\sqrt{\frac{d+ex^2}{c^2d+e}}\operatorname{ArcSin}\left(\frac{c\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-c^2}\sqrt{-c^2d-e}}\right) + 8c^2d^{3/2}\sqrt{-d-ex^2}\operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right)\right)}{40c^2e(-1+cx)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x*(d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]),x]

[Out] (Sqrt[d + e*x^2]*(8*a*c^4*(d + e*x^2)^2 - b*e*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(3*e + c^2*(9*d + 2*e*x^2)) + 8*b*c^4*(d + e*x^2)^2*ArcSech[c*x]))/(40*c^4*e) + (b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^2*x^2]*(Sqrt[-c^2]*Sqrt[-(c^2*d) - e]*Sqrt[e]*(15*c^4*d^2 + 10*c^2*d*e + 3*e^2)*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSin[(c*Sqrt[e]*Sqrt[1 - c^2*x^2])/(Sqrt[-c^2]*Sqrt[-(c^2*d) - e])]) + 8*c^7*d^(5/2)*Sqrt[-d - e*x^2]*ArcTan[(Sqrt[d]*Sqrt[1 - c^2*x^2])/Sqrt[-d - e*x^2]))/(40*c^7*e*(-1 + c*x)*Sqrt[d + e*x^2])

Maple [F]

time = 0.75, size = 0, normalized size = 0.00

$$\int x(e x^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsech}(c x)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x)

[Out] int(x*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="maxima")

[Out] 1/5*(x^2*e + d)^(5/2)*a*e^(-1) + 1/15*b*(((3*x^4*e^2 + d*x^2*e - 2*d^2)*x^3 + 5*(d*x^4*e + d^2*x^2)*x)*sqrt(x^2*e + d)*e^(-1)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1)/x^3 - 15*integrate(1/15*(15*(c^2*x^4*e^2*log(c) - x^2*e^2*log(c))*x^3 + 15*(c^2*d*x^4*e*log(c) - d*x^2*e*log(c))*x + ((3*c^2*x^4*(5*log(c) + 1)*e^2 - 2*c^2*d^2 + (c^2*d*e - 15*e^2*log(c))*x^2)*x^3 + 5*((3*d*log(c) + d)*c^2*x^4*e + (c^2*d^2 - 3*d*e*log(c))*x^2)*x + 30*((c^2*x^4*e^2 - x^2*e^2)*x^3 + (c^2*d*x^4*e - d*x^2*e)*x)*log(sqrt(x)))*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)) + 30*((c^2*x^4*e^2 - x^2*e^2)*x^3 + (c^2*d*x^4*e - d*x^2*e)*x)*log(sqrt(x))*sqrt(x^2*e + d)/(c^2*x^4*e - x^2*e + (c^2*x^4*e - x^2*e)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1))), x)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 703 vs. 2(183) = 366.

time = 0.92, size = 1441, normalized size = 4.85

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] [1/80*(4*b*c^5*d^(5/2)*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*cosh(1)^2 + x^4*sinh(1)^2 + 4*(c^3*d*x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) - 2*c*d*x)*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*cosh(1) - 2*(3*c^2*d*x^4 - x^4*cosh(1) - 4*d*x^2)*sinh(1))/x^4) - (15*b*c^4*d^2 + 10*b*c^2*d*cosh(1) + 3*b*cosh(1)^2 + 3*b*sinh(1)^2 + 2*(5*b*c^2*d + 3*b*cosh(1))*sinh(1))*sqrt(cosh(1) + sinh(1))*arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*cosh(1) + (2*c^2*x^3 - x)*sinh(1))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(cosh(1) + sinh(1)))/((c^2*x^4 - x^2)*cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^2 + (c^2*d*x^2 - d)*cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*cosh(1) - d)*sinh(1))) + 16*(b*c^5*x^4*cosh(1)^2 + b*c^5*x^4*sinh(1)^2 + 2*b*c^5*d*x^2*cosh(1) + b*c^5*d^2 + 2*(b*c^5*x^4*cosh(1) + b*c^5*d*x^2)*sinh(1))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + 2*(8*a*c^5*x^4*cosh(1)^2 + 8*a*c^5*x^4*sinh(1)^2 + 16*a*c^5*d*x^2*cosh(1) + 8*a*c^5*d^2 + 16*(a*c^5*x^4*cosh(1) + a*c^5*d*x^2)*sinh(1) - (9*b*c^4*d*x*cosh(1) + (2*b*c^4*x^3 + 3*b*c^2*x)*cosh(1)^2 + (2*b*c^4*x^3 + 3*b*c^2*x)*sinh(1)^2 + (9*b*c^4*d*x + 2*(2*b*c^4*x^3 + 3*b*c^2*x)*cosh(1))*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d))/(c^5*cosh(1) + c^5*sinh(1)), -1/80*(8*b*c^5*sqrt(-d)*d^2*arctan(-1/2*(c^3*d*x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) - 2*c*d*x)*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*cosh(1) + (c^2*d*x^4 - d*x^2)*sinh(1))) + (15*b*c^4*d^2 + 10*b*c^2*d*cosh(1) + 3*b*cosh(1)^2 + 3*b*sinh(1)^2 + 2*(5*b*c^2*d + 3*b*cosh(1))*sinh(1))*sqrt(cosh(1) + sinh(1))*arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*cosh(1) + (2*c^2*x^3 - x)*sinh(1))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(cosh(1) + sinh(1)))/((c^2*x^4 - x^2)*cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^2 + (c^2*d*x^2 - d)*cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*cosh(1) - d)*sinh(1))) - 16*(b*c^5*x^4*cosh(1)^2 + b*c^5*x^4*sinh(1)^2 + 2*b*c^5*d*x^2*cosh(1) + b*c^5*d^2 + 2*(b*c^5*x^4*cosh(1) + b*c^5*d*x^2)*sinh(1))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) - 2*(8*a*c^5*x^4*cosh(1)^2 + 8*a*c^5*x^4*sinh(1)^2 + 16*a*c^5*d*x^2*cosh(1) + 8*a*c^5*d^2 + 16*(a*c^5*x^4*cosh(1) + a*c^5*d*x^2)*sinh(1) - (9*b*c^4*d*x*cosh(1) + (2*b*c^4*x^3 + 3*b*c^2*x)*cosh(1)^2 + (2*b*c^4*x^3 + 3*b*c^2*x)*sinh(1)^2 + (9*b*c^4*d*x + 2*(2*b*c^4*x^3 + 3*b*c^2*x)*cosh(1))*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d))/(c^5*cosh(1) + c^5*sinh(1))]

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x(a + b \operatorname{asech}(cx)) (d + ex^2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d)**(3/2)*(a+b*asech(c*x)),x)

[Out] Integral(x*(a + b*asech(c*x))*(d + e*x**2)**(3/2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsech(c*x) + a)*x, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x (e x^2 + d)^{3/2} \left(a + b \operatorname{acosh} \left(\frac{1}{c x} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))),x)

[Out] int(x*(d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))), x)

$$3.142 \quad \int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x} dx$$

Optimal. Leaf size=26

$$\operatorname{Int}\left(\frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x}, x\right)$$

[Out] Unintegrable((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x,x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x} dx$$

Verification is not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x,x]

[Out] Defer[Int] [((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x} dx = \int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x} dx$$

Mathematica [A]

time = 4.62, size = 0, normalized size = 0.00

$$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x} dx$$

Verification is not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x,x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x, x]

Maple [A]

time = 0.38, size = 0, normalized size = 0.00

$$\int \frac{(ex^2+d)^{\frac{3}{2}} (a+b\operatorname{arcsech}(cx))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x,x)`

[Out] `int((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x,x, algorithm="maxima")`

[Out] `-1/3*(3*d^(3/2)*arcsinh(sqrt(d)*e^(-1/2)/abs(x)) - (x^2*e + d)^(3/2) - 3*sqrt(x^2*e + d)*d)*a + b*integrate((x^2*e + d)^(3/2)*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/x, x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x,x, algorithm="fricas")`

[Out] `integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsech(c*x))*sqrt(x^2*e + d)/x, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx)) (d + ex^2)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**(3/2)*(a+b*asech(c*x))/x,x)`

[Out] `Integral((a + b*asech(c*x))*(d + e*x**2)**(3/2)/x, x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x,x, algorithm="giac")`

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsech(c*x) + a)/x, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(e x^2 + d)^{3/2} (a + b \operatorname{acosh}(\frac{1}{c x}))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))))/x,x)

[Out] int(((d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))))/x, x)

$$3.143 \quad \int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^3} dx$$

Optimal. Leaf size=26

$$\operatorname{Int}\left(\frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^3}, x\right)$$

[Out] Unintegrable((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^3,x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^3} dx$$

Verification is not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^3,x]

[Out] Defer[Int](((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^3, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^3} dx = \int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^3} dx$$

Mathematica [A]

time = 3.90, size = 0, normalized size = 0.00

$$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^3} dx$$

Verification is not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^3,x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^3, x]

Maple [A]

time = 0.22, size = 0, normalized size = 0.00

$$\int \frac{(ex^2+d)^{\frac{3}{2}} (a+b\operatorname{arcsech}(cx))}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^3,x)`

[Out] `int((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^3,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^3,x, algorithm="maxima")`

[Out] `-1/2*(3*sqrt(d)*arcsinh(sqrt(d)*e^(-1/2)/abs(x))*e - 3*sqrt(x^2*e + d)*e - (x^2*e + d)^(3/2)*e/d + (x^2*e + d)^(5/2)/(d*x^2))*a + b*integrate((x^2*e + d)^(3/2)*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/x^3, x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^3,x, algorithm="fricas")`

[Out] `integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsech(c*x))*sqrt(x^2*e + d)/x^3, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))(d + ex^2)^{\frac{3}{2}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**(3/2)*(a+b*asech(c*x))/x**3,x)`

[Out] `Integral((a + b*asech(c*x))*(d + e*x**2)**(3/2)/x**3, x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^3,x, algorithm="giac")`

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsech(c*x) + a)/x^3, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(e x^2 + d)^{3/2} \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))))/x^3,x)

[Out] int(((d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))))/x^3, x)

$$3.144 \quad \int x^2 (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Optimal. Leaf size=26

$$\operatorname{Int}\left(x^2 (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)), x\right)$$

[Out] Unintegrable($x^2*(e*x^2+d)^{(3/2)*(a+b*\operatorname{arcsech}(c*x))$), x]

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int x^2 (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Int [$x^2*(d + e*x^2)^{(3/2)*(a + b*\operatorname{ArcSech}[c*x])$], x]

[Out] Defer[Int] [$x^2*(d + e*x^2)^{(3/2)*(a + b*\operatorname{ArcSech}[c*x])$], x]

Rubi steps

$$\int x^2 (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx = \int x^2 (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Mathematica [A]

time = 9.79, size = 0, normalized size = 0.00

$$\int x^2 (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate [$x^2*(d + e*x^2)^{(3/2)*(a + b*\operatorname{ArcSech}[c*x])$], x]

[Out] Integrate [$x^2*(d + e*x^2)^{(3/2)*(a + b*\operatorname{ArcSech}[c*x])$], x]

Maple [A]

time = 0.65, size = 0, normalized size = 0.00

$$\int x^2 (e x^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x)`

[Out] `int(x^2*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] `-1/48*(3*d^3*arcsinh(x*e^(1/2)/sqrt(d))*e^(-3/2) - 8*(x^2*e + d)^(5/2)*x*e^(-1) + 2*(x^2*e + d)^(3/2)*d*x*e^(-1) + 3*sqrt(x^2*e + d)*d^2*x*e^(-1))*a + b*integrate((x^2*e + d)^(3/2)*x^2*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x)), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="fricas")`

[Out] `integral((a*x^4*e + a*d*x^2 + (b*x^4*e + b*d*x^2)*arcsech(c*x))*sqrt(x^2*e + d), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2(a + b \operatorname{asech}(cx)) (d + ex^2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x**2+d)**(3/2)*(a+b*asech(c*x)),x)`

[Out] `Integral(x**2*(a + b*asech(c*x))*(d + e*x**2)**(3/2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="giac")`

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsech(c*x) + a)*x^2, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int x^2 (e x^2 + d)^{3/2} \left(a + b \operatorname{acosh} \left(\frac{1}{c x} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))),x)

[Out] int(x^2*(d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))), x)

3.145 $\int (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=23

$$\operatorname{Int}\left((d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)), x\right)$$

[Out] Unintegrable((e*x^2+d)^(3/2)*(a+b*arcsech(c*x)), x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Int[(d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]), x]

[Out] Defer[Int] [(d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]), x]

Rubi steps

$$\int (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx = \int (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Mathematica [A]

time = 3.45, size = 0, normalized size = 0.00

$$\int (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate[(d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]), x]

[Out] Integrate[(d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]), x]

Maple [A]

time = 0.36, size = 0, normalized size = 0.00

$$\int (ex^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x)`

[Out] `int((e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="maxima")`

[Out] `1/8*(3*d^2*arcsinh(x*e^(1/2)/sqrt(d))*e^(-1/2) + 2*(x^2*e + d)^(3/2)*x + 3*sqrt(x^2*e + d)*d*x)*a + b*integrate((x^2*e + d)^(3/2)*log(sqrt(1/(c*x) + 1))*sqrt(1/(c*x) - 1) + 1/(c*x)), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="fricas")`

[Out] `integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsech(c*x))*sqrt(x^2*e + d), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asech}(cx)) (d + ex^2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**(3/2)*(a+b*asech(c*x)),x)`

[Out] `Integral((a + b*asech(c*x))*(d + e*x**2)**(3/2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^(3/2)*(b*arcsech(c*x) + a), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int (ex^2 + d)^{3/2} \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))), x)

[Out] int((d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))), x)

$$3.146 \quad \int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^2} dx$$

Optimal. Leaf size=26

$$\operatorname{Int}\left(\frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^2}, x\right)$$

[Out] Unintegrable((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^2,x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^2} dx$$

Verification is not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^2,x]

[Out] Defer[Int] [((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^2, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^2} dx = \int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^2} dx$$

Mathematica [A]

time = 5.75, size = 0, normalized size = 0.00

$$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^2} dx$$

Verification is not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^2,x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^2, x]

Maple [A]

time = 0.31, size = 0, normalized size = 0.00

$$\int \frac{(ex^2+d)^{\frac{3}{2}} (a+b\operatorname{arcsech}(cx))}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^2,x)`

[Out] `int((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^2,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^2,x, algorithm="maxima")`

[Out] `1/2*(3*d*arcsinh(x*e^(1/2)/sqrt(d))*e^(1/2) + 3*sqrt(x^2*e + d)*x*e - 2*(x^2*e + d)^(3/2)/x)*a + b*integrate((x^2*e + d)^(3/2)*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/x^2, x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^2,x, algorithm="fricas")`

[Out] `integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsech(c*x))*sqrt(x^2*e + d)/x^2, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx)) (d + ex^2)^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**(3/2)*(a+b*asech(c*x))/x**2,x)`

[Out] `Integral((a + b*asech(c*x))*(d + e*x**2)**(3/2)/x**2, x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^2,x, algorithm="giac")`

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsech(c*x) + a)/x^2, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(e x^2 + d)^{3/2} (a + b \operatorname{acosh}(\frac{1}{c x}))}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))))/x^2,x)

[Out] int(((d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))))/x^2, x)

$$3.147 \quad \int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^4} dx$$

Optimal. Leaf size=26

$$\operatorname{Int}\left(\frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^4}, x\right)$$

[Out] Unintegrable((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^4, x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^4} dx$$

Verification is not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^4, x]

[Out] Defer[Int](((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^4, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^4} dx = \int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^4} dx$$

Mathematica [A]

time = 9.84, size = 0, normalized size = 0.00

$$\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^4} dx$$

Verification is not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^4, x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^4, x]

Maple [A]

time = 0.36, size = 0, normalized size = 0.00

$$\int \frac{(ex^2+d)^{\frac{3}{2}} (a+b\operatorname{arcsech}(cx))}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^4,x)`

[Out] `int((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^4,x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^4,x, algorithm="maxima")`

[Out] `1/3*(3*arcsinh(x*e^(1/2)/sqrt(d))*e^(3/2) + 3*sqrt(x^2*e + d)*x*e^2/d - 2*(x^2*e + d)^(3/2)*e/(d*x) - (x^2*e + d)^(5/2)/(d*x^3))*a + b*integrate((x^2*e + d)^(3/2)*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/x^4, x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^4,x, algorithm="fricas")`

[Out] `integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsech(c*x))*sqrt(x^2*e + d)/x^4, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx))(d + ex^2)^{\frac{3}{2}}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**(3/2)*(a+b*asech(c*x))/x**4,x)`

[Out] `Integral((a + b*asech(c*x))*(d + e*x**2)**(3/2)/x**4, x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^4,x, algorithm="giac")`

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsech(c*x) + a)/x^4, x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(e x^2 + d)^{3/2} \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))))/x^4,x)

[Out] int(((d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))))/x^4, x)

$$3.148 \quad \int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^6} dx$$

Optimal. Leaf size=409

$$\frac{4b(c^2d+2e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{75x^3} + \frac{b(8c^4d^2+23c^2de+23e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{75dx}$$

[Out] $-1/5*(e*x^2+d)^{(5/2)}*(a+b*\operatorname{arcsech}(c*x))/d/x^5+1/25*b*(e*x^2+d)^{(3/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/x^5+4/75*b*(c^2*d+2*e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/x^3+1/75*b*(8*c^4*d^2+23*c^2*d*e+23*e^2)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/x+1/75*b*c*(8*c^4*d^2+23*c^2*d*e+23*e^2)*\operatorname{EllipticE}(c*x, (-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/(1+e*x^2/d)^{(1/2)}-1/75*b*(c^2*d+e)*(8*c^4*d^2+19*c^2*d*e+15*e^2)*\operatorname{EllipticF}(c*x, (-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/c/d/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.34, antiderivative size = 409, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {270, 6436, 12, 485, 594, 597, 538, 437, 435, 432, 430}

$$\frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{5d^2} - \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{c^2d+2e} (8c^4d^2+23c^2de+23e^2) \sqrt{\frac{d+ex^2}{1+cx}} F(\operatorname{ArcSin}(cx) | -\frac{2e}{c^2d+2e})}{75cd\sqrt{d+ex^2}} + \frac{bc \sqrt{\frac{1}{1+cx}} \sqrt{c^2d+2e} (8c^4d^2+23c^2de+23e^2) \sqrt{d+ex^2} E(\operatorname{ArcSin}(cx) | -\frac{2e}{c^2d+2e})}{75d\sqrt{\frac{d+ex^2}{1+cx}}} + \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{c^2d+2e} (d+ex^2)^{3/2}}{25d^2} + \frac{4b \sqrt{\frac{1}{1+cx}} \sqrt{c^2d+2e} (8c^4d^2+23c^2de+23e^2) \sqrt{d+ex^2}}{75d^2} + \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{c^2d+2e} (8c^4d^2+23c^2de+23e^2) \sqrt{d+ex^2}}{75dx}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d+e*x^2)^{(3/2)}*(a+b*\operatorname{ArcSech}[c*x])/x^6,x]$

[Out] $(4*b*(c^2*d+2*e)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2]*\operatorname{Sqrt}[d+e*x^2])/(75*x^3) + (b*(8*c^4*d^2+23*c^2*d*e+23*e^2)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2]*\operatorname{Sqrt}[d+e*x^2])/(75*d*x) + (b*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2]*(d+e*x^2)^{(3/2)})/(25*x^5) - ((d+e*x^2)^{(5/2)}*(a+b*\operatorname{ArcSech}[c*x]))/(5*d*x^5) + (b*c*(8*c^4*d^2+23*c^2*d*e+23*e^2)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[d+e*x^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[c*x], -(e/(c^2*d))])/(75*d*\operatorname{Sqrt}[1+(e*x^2)/d]) - (b*(c^2*d+e)*(8*c^4*d^2+19*c^2*d*e+15*e^2)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1+(e*x^2)/d]*\operatorname{EllipticF}[\operatorname{ArcSin}[c*x], -(e/(c^2*d))])/(75*c*d*\operatorname{Sqrt}[d+e*x^2])$

Rule 12

$\operatorname{Int}[(a_*)*(u_*) , x_Symbol] :> \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& !\operatorname{MatchQ}[u, (b_*)*(v_*) /; \operatorname{FreeQ}[b, x]]$

Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*c*(m + 1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 485

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q - 1)/(a*e*(m + 1))), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(c*b - a*d)*(m + 1) + c*n*(b*c*(p + 1) + a*d*(q - 1)) + d*((c*b - a*d)*(m + 1) + c*b*n*(p + q))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 538

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x]
```

```
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-b/a, -d/c]))))))
```

Rule 594

```
Int[((g_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^q/(a*g*(m + 1))), x] - Dist[1/(a*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f)*(m + 1) + e*n*(b*c*(p + 1) + a*d*q) + d*((b*e - a*f)*(m + 1) + b*e*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && GtQ[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplerQ[e + f*x^n, c + d*x^n])
```

Rule 597

```
Int[((g_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{x^6} dx &= -\frac{(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5dx^5} + \left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int -\frac{d}{5d} \\
&= -\frac{(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5dx^5} - \frac{\left(b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \right) \int \frac{(d + ex^2)^{3/2}}{x^6 \sqrt{1+cx}}}{5d} \\
&= \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} (d + ex^2)^{3/2}}{25x^5} - \frac{(d + ex^2)^{5/2} (a + b \operatorname{sech}^{-1}(cx))}{5dx^5} \\
&= \frac{4b(c^2d + 2e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d + ex^2}}{75x^3} + \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx}}{75x^3} \\
&= \frac{4b(c^2d + 2e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d + ex^2}}{75x^3} + \frac{b(8c^4d^2 + 8c^2d + 2e)}{75x^3} \\
&= \frac{4b(c^2d + 2e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d + ex^2}}{75x^3} + \frac{b(8c^4d^2 + 8c^2d + 2e)}{75x^3} \\
&= \frac{4b(c^2d + 2e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d + ex^2}}{75x^3} + \frac{b(8c^4d^2 + 8c^2d + 2e)}{75x^3} \\
&= \frac{4b(c^2d + 2e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d + ex^2}}{75x^3} + \frac{b(8c^4d^2 + 8c^2d + 2e)}{75x^3} \\
&= \frac{4b(c^2d + 2e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d + ex^2}}{75x^3} + \frac{b(8c^4d^2 + 8c^2d + 2e)}{75x^3}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 24.06, size = 620, normalized size = 1.52

$$\frac{\sqrt{\frac{1-c^2x^2}{1+cx}} \left(\frac{c(\sqrt{d+ex^2})}{(c\sqrt{d+ex^2})^{3/2} (1+cx)} \sqrt{\frac{c(\sqrt{d+ex^2})}{(c\sqrt{d+ex^2})^{3/2} (1+cx)}} \right)^{3/2} \sqrt{\frac{1-c^2x^2}{1+cx}} \left(\frac{c(\sqrt{d+ex^2})}{(c\sqrt{d+ex^2})^{3/2} (1+cx)} \sqrt{\frac{c(\sqrt{d+ex^2})}{(c\sqrt{d+ex^2})^{3/2} (1+cx)}} \right)^{3/2} \sqrt{\frac{1-c^2x^2}{1+cx}} \left(\frac{c(\sqrt{d+ex^2})}{(c\sqrt{d+ex^2})^{3/2} (1+cx)} \sqrt{\frac{c(\sqrt{d+ex^2})}{(c\sqrt{d+ex^2})^{3/2} (1+cx)}} \right)^{3/2}}{75d\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^6,x]

```
[Out] ((-15*a*(d + e*x^2)^3)/x^5 + (b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(d + e*x^2)*(23*e^2*x^4 + d*e*x^2*(11 + 23*c^2*x^2) + d^2*(3 + 4*c^2*x^2 + 8*c^4*x^4)))/x^5 - (15*b*(d + e*x^2)^3*ArcSech[c*x])/x^5 + (b*Sqrt[(1 - c*x)/(1 + c*x)]*(-(c^2*(8*c^4*d^2 + 23*c^2*d*e + 23*e^2)*(d + e*x^2)) - (I*(c*Sqrt[d] - I*Sqrt[e])^2*(1 + c*x)*Sqrt[(c*(Sqrt[d] - I*Sqrt[e]*x))/((c*Sqrt[d] - I*Sqrt[e])*(1 + c*x))])*Sqrt[(c*(Sqrt[d] + I*Sqrt[e]*x))/((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x))])*((8*c^4*d^2 + 23*c^2*d*e + 23*e^2)*EllipticE[I*ArcSinh[Sqrt[((c^2*d + e)*(1 - c*x))/((c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x))]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2 + 2*Sqrt[e]*((8*I)*c^3*d^(3/2) - 12*c^2*d*Sqrt[e] + (7*I)*c*Sqrt[d]*e - 15*e^(3/2))*EllipticF[I*ArcSinh[Sqrt[((c^2*d + e)*(1 - c*x))/((c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x))]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2)))/Sqrt[-((c*Sqrt[d] - I*Sqrt[e])*(-1 + c*x))/((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x))]))/c)/(75*d*Sqrt[d + e*x^2])
```

Maple [F]

time = 0.42, size = 0, normalized size = 0.00

$$\int \frac{(e x^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsech}(c x))}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^6,x)
```

```
[Out] int((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^6,x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^6,x, algorithm="maxima")
```

```
[Out] 1/15*b*((2*x^5*e^2 - d*x^3*e - 3*d^2*x - 5*(x^3*e^2 + d*x*e)*x^2)*sqrt(x^2*e + d)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1)/(d*x^6) - 15*integrate(1/15*(15*c^2*d^2*x^2*log(c) + 15*(c^2*d*x^2*e*log(c) - d*e*log(c))*x^2 - 15*d^2*log(c) + (2*c^2*x^6*e^2 - c^2*d*x^4*e + 3*(5*d^2*log(c) - d^2)*c^2*x^2 - 5*(c^2*x^4*e^2 - (3*d*log(c) - d)*c^2*x^2*e + 3*d*e*log(c))*x^2 - 15*d^2*log(c) + 30*(c^2*d^2*x^2 + (c^2*d*x^2*e - d*e)*x^2 - d^2)*log(sqrt(x)))*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)) + 30*(c^2*d^2*x^2 + (c^2*d*x^2*e - d*e)*x^2 - d^2)*log(sqrt(x))*sqrt(x^2*e + d)/((c^2*d*x^2 - d)*x^6 + (c^2*d*x^2 - d)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1) + 6*log(x))), x) - 1/5*(x^2*e + d)^(5/2)*a/(d*x^5)
```

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^6,x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asech}(cx)) (d + ex^2)^{\frac{3}{2}}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**(3/2)*(a+b*asech(c*x))/x**6,x)
```

```
[Out] Integral((a + b*asech(c*x))*(d + e*x**2)**(3/2)/x**6, x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^6,x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsech(c*x) + a)/x^6, x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^{3/2} (a + b \operatorname{acosh}(\frac{1}{cx}))}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))))/x^6,x)
```

```
[Out] int(((d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))))/x^6, x)
```

$$3.149 \quad \int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^8} dx$$

Optimal. Leaf size=556

$$\frac{b(120c^4d^2 + 159c^2de - 37e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{3675dx^3} + \frac{b(240c^6d^3 + 528c^4d^2e + 193c^2de^2 - 247e^3)}{3675dx^3} + \frac{b(30c^2d + 11e) \sqrt{d+ex^2}}{1225d^2x^5} + \frac{b(240c^6d^3 + 528c^4d^2e + 193c^2de^2 - 247e^3) \operatorname{EllipticE}(cx, -e/c^2/d)}{3675d^2x^3} + \frac{b(240c^6d^3 + 528c^4d^2e + 193c^2de^2 - 247e^3) \operatorname{EllipticF}(cx, -e/c^2/d)}{3675d^2x^3}$$

```
[Out] -1/7*(e*x^2+d)^(5/2)*(a+b*arcsech(c*x))/d/x^7+2/35*e*(e*x^2+d)^(5/2)*(a+b*arcsech(c*x))/d^2/x^5+1/1225*b*(30*c^2*d+11*e)*(e*x^2+d)^(3/2)*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)*(-c^2*x^2+1)^(1/2)/d/x^5+1/49*b*(e*x^2+d)^(5/2)*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)*(-c^2*x^2+1)^(1/2)/d/x^7+1/3675*b*(120*c^4*d^2+159*c^2*d*e-37*e^2)*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)*(-c^2*x^2+1)^(1/2)*(e*x^2+d)^(1/2)/d/x^3+1/3675*b*(240*c^6*d^3+528*c^4*d^2*e+193*c^2*d*e^2-247*e^3)*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)*(-c^2*x^2+1)^(1/2)*(e*x^2+d)^(1/2)/d^2/x+1/3675*b*c*(240*c^6*d^3+528*c^4*d^2*e+193*c^2*d*e^2-247*e^3)*EllipticE(c*x, (-e/c^2/d)^(1/2))*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)*(e*x^2+d)^(1/2)/d^2/(1+e*x^2/d)^(1/2)-2/3675*b*(c^2*d+e)*(120*c^6*d^3+204*c^4*d^2*e+17*c^2*d*e^2-105*e^3)*EllipticF(c*x, (-e/c^2/d)^(1/2))*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)*(1+e*x^2/d)^(1/2)/c/d^2/(e*x^2+d)^(1/2)
```

Rubi [A]

time = 0.50, antiderivative size = 556, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {277, 270, 6436, 12, 594, 597, 538, 437, 435, 432, 430}

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^8,x]

```
[Out] (b*(120*c^4*d^2 + 159*c^2*d*e - 37*e^2)*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])/(3675*d*x^3) + (b*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])/(3675*d^2*x) + (b*(30*c^2*d + 11*e)*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*Sqrt[1 - c^2*x^2]*(d + e*x^2)^(3/2))/(1225*d*x^5) + (b*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*Sqrt[1 - c^2*x^2]*(d + e*x^2)^(5/2))/(49*d*x^7) - ((d + e*x^2)^(5/2)*(a + b*ArcSech[c*x]))/(7*d*x^7) + (2*e*(d + e*x^2)^(5/2)*(a + b*ArcSech[c*x]))/(35*d^2*x^5) + (b*c*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(3675*d^2*Sqrt[1 + (e*x^2)/d]) - (2*b*(c^2*d + e)*(120*c^6*d^3 + 204*c^4*d^2*e + 17*c^2*d*e^2 - 105*e^3)*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3675*d^2*x^3)
```


$05e^3 \sqrt{(1 + cx)^{-1}} \sqrt{1 + cx} \sqrt{1 + (e^2 x^2)/d} \text{EllipticF}[\text{ArcSin}[cx], -(e/(c^2 d))]/(3675 c^2 d^2 \sqrt{d + e^2 x^2})$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 270

$\text{Int}[(c_*)(x_)^{(m_)}*((a_)+(b_*)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(c*x)^{(m+1)}*((a+b*x^n)^{(p+1)}/(a*c*(m+1))), x] /; \text{FreeQ}\{a, b, c, m, n, p\}, x] \&\& \text{EqQ}[(m+1)/n+p+1, 0] \&\& \text{NeQ}[m, -1]$

Rule 277

$\text{Int}[(x_)^{(m_)}*((a_)+(b_*)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[x^{(m+1)}*((a+b*x^n)^{(p+1)}/(a*(m+1))), x] - \text{Dist}[b*((m+n*(p+1)+1)/(a*(m+1))), \text{Int}[x^{(m+n)}*(a+b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \&\& \text{IntQ}[\text{Simplify}[(m+1)/n+p+1], 0] \&\& \text{NeQ}[m, -1]$

Rule 430

$\text{Int}[1/(\sqrt{(a_)+(b_*)(x_)^2})*\sqrt{(c_)+(d_*)(x_)^2}), x_Symbol] \rightarrow \text{Simp}[(1/(\sqrt{a}*\sqrt{c}*\text{Rt}[-d/c, 2]))*\text{EllipticF}[\text{ArcSin}[\text{Rt}[-d/c, 2]*x], b*(c/(a*d))], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NegQ}[d/c] \&\& \text{GtQ}[c, 0] \&\& \text{GtQ}[a, 0] \&\& \text{!}(\text{NegQ}[b/a] \&\& \text{SimplerSqrtQ}[-b/a, -d/c])$

Rule 432

$\text{Int}[1/(\sqrt{(a_)+(b_*)(x_)^2})*\sqrt{(c_)+(d_*)(x_)^2}), x_Symbol] \rightarrow \text{Dist}[\sqrt{1+(d/c)*x^2}/\sqrt{c+d*x^2}, \text{Int}[1/(\sqrt{a+b*x^2})*\sqrt{1+(d/c)*x^2}), x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{!GtQ}[c, 0]$

Rule 435

$\text{Int}[\sqrt{(a_)+(b_*)(x_)^2}/\sqrt{(c_)+(d_*)(x_)^2}), x_Symbol] \rightarrow \text{Simp}[(\sqrt{a}/(\sqrt{c}*\text{Rt}[-d/c, 2]))*\text{EllipticE}[\text{ArcSin}[\text{Rt}[-d/c, 2]*x], b*(c/(a*d))], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NegQ}[d/c] \&\& \text{GtQ}[c, 0] \&\& \text{GtQ}[a, 0]$

Rule 437

$\text{Int}[\sqrt{(a_)+(b_*)(x_)^2}/\sqrt{(c_)+(d_*)(x_)^2}), x_Symbol] \rightarrow \text{Dist}[\sqrt{a+b*x^2}/\sqrt{1+(b/a)*x^2}, \text{Int}[\sqrt{1+(b/a)*x^2}/\sqrt{c+d*x^2}], x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NegQ}[d/c] \&\& \text{GtQ}[c, 0] \&\& \text{!GtQ}[a, 0]$

Rule 538

```
Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-b/a, -d/c]))))))
```

Rule 594

```
Int[((g_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_
))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b
*x^n)^(p + 1)*((c + d*x^n)^q/(a*g*(m + 1))), x] - Dist[1/(a*g^(m + 1)), I
nt[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f)*(m +
1) + e*n*(b*c*(p + 1) + a*d*q) + d*((b*e - a*f)*(m + 1) + b*e*n*(p + q + 1
))*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && Gt
Q[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplerQ[e + f*x^n, c + d*x^n])
```

Rule 597

```
Int[((g_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_
))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b
*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^(m
+ 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) -
e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2
) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0
] && LtQ[m, -1]
```

Rule 6436

```
Int[((a_) + ArcSech[(c_)*(x_)]*(b_))*((f_)*(x_)^(m_)*((d_) + (e_)*(
x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^{3/2} (a+b\operatorname{sech}^{-1}(cx))}{x^8} dx &= -\frac{(d+ex^2)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{7dx^7} + \frac{2e(d+ex^2)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{35d^2x^5} \\
&= -\frac{(d+ex^2)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{7dx^7} + \frac{2e(d+ex^2)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{35d^2x^5} \\
&= \frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} (d+ex^2)^{5/2}}{49dx^7} - \frac{(d+ex^2)^{5/2} (a+b\operatorname{sech}^{-1}(cx))}{7dx^7} \\
&= \frac{b(30c^2d+11e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} (d+ex^2)^{3/2}}{1225dx^5} + \frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{3675dx^3} \\
&= \frac{b(120c^4d^2+159c^2de-37e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{3675dx^3} \\
&= \frac{b(120c^4d^2+159c^2de-37e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{3675dx^3} \\
&= \frac{b(120c^4d^2+159c^2de-37e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{3675dx^3} \\
&= \frac{b(120c^4d^2+159c^2de-37e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{3675dx^3} \\
&= \frac{b(120c^4d^2+159c^2de-37e^2) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{3675dx^3}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 24.96, size = 728, normalized size = 1.31

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]))/x^8,x]

[Out] ((105*a*(d + e*x^2)^3*(-5*d + 2*e*x^2))/x^7 + (b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(d + e*x^2)*(-247*e^3*x^6 + d*e^2*x^4*(71 + 193*c^2*x^2) + 3*d^2*e*x^2*(61 + 83*c^2*x^2 + 176*c^4*x^4) + 15*d^3*(5 + 6*c^2*x^2 + 8*c^4*x^4 + 16*c^6*x^6)))/x^7 + (105*b*(d + e*x^2)^3*(-5*d + 2*e*x^2)*ArcSech[c*x])/x^7 + (b*Sqrt[(1 - c*x)/(1 + c*x)]*(-(c^2*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*(d + e*x^2)) - (I*(c*Sqrt[d] - I*Sqrt[e])^2*(1 + c*x)*Sqrt[(c*(Sqrt[d] - I*Sqrt[e]*x))/((c*Sqrt[d] - I*Sqrt[e])*(1 + c*x))]*Sqrt[(c*(Sqrt[d] + I*Sqrt[e]*x))/((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x))]*((240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*EllipticE[I*ArcSinh[Sqrt[((c^2*d + e)*(1 - c*x))/((c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x))]]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2 + 2*Sqrt[e]*((240*I)*c^5*d^(5/2) - 360*c^4*d^2*Sqrt[e] + (48*I)*c^3*d^(3/2)*e - 207*c^2*d*e^(3/2) - (173*I)*c*Sqrt[d]*e^2 + 210*e^(5/2))*EllipticF[I*ArcSinh[Sqrt[((c^2*d + e)*(1 - c*x))/((c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x))]]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2))/Sqrt[-(((c*Sqrt[d] - I*Sqrt[e])*(-1 + c*x))/((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x)))))/c)/(3675*d^2*Sqrt[d + e*x^2])

Maple [F]

time = 0.42, size = 0, normalized size = 0.00

$$\int \frac{(e x^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsech}(c x))}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^8,x)

[Out] int((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^8,x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^8,x, algorithm="maxima")

[Out] 1/35*a*(2*(x^2*e + d)^(5/2)*e/(d^2*x^5) - 5*(x^2*e + d)^(5/2)/(d*x^7)) - 1/105*b*((8*x^7*e^3 - 4*d*x^5*e^2 + 3*d^2*x^3*e + 15*d^3*x - 7*(2*x^5*e^3 - d*x^3*e^2 - 3*d^2*x*e)*x^2)*sqrt(x^2*e + d)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1)/(d^2*x^8) + 105*integrate(1/105*(105*c^2*d^3*x^2*log(c) - 105*d^3*log(c) + 105*(c^2*d^2*x^2*e*log(c) - d^2*e*log(c))*x^2 - (8*c^2*x^8*e^3 - 4*c^2*d*x^6*e^2 + 3*c^2*d^2*x^4*e - 15*(7*d^3*log(c) - d^3)*c^2*x^2 + 105*d^3*log(c) - 7*(2*c^2*x^6*e^3 - c^2*d*x^4*e^2 + 3*(5*d^2*log(c) - d^2)*c^2*x^2*e - 15*d^2*e*log(c))*x^2 - 210*(c^2*d^3*x^2 - d^3 + (c^2*d^2*x^2*e - d^2*e)*

$x^2 \cdot \log(\sqrt{x}) \cdot e^{(1/2 \cdot \log(cx + 1) + 1/2 \cdot \log(-cx + 1))} + 210 \cdot (c^2 d^3 x^2 - d^3 + (c^2 d^2 x^2 e - d^2 e) x^2) \cdot \log(\sqrt{x}) \cdot \sqrt{x^2 e + d} / ((c^2 d^2 x^2 - d^2) x^8 + (c^2 d^2 x^2 - d^2) e^{(1/2 \cdot \log(cx + 1) + 1/2 \cdot \log(-cx + 1) + 8 \cdot \log(x))}, x)$

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^8,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(3/2)*(a+b*asech(c*x))/x**8,x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsech(c*x))/x^8,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsech(c*x) + a)/x^8, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e x^2 + d)^{3/2} \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))))/x^8,x)

[Out] int(((d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))))/x^8, x)

$$3.150 \quad \int \frac{x^5 (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Optimal. Leaf size=356

$$\frac{b(19c^2d - 9e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{120c^4e^2} - \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} (d+ex^2)^{3/2}}{20c^2e^2} + d^2 \sqrt{\dots}$$

[Out] $-2/3*d*(e*x^2+d)^{(3/2)}*(a+b*\operatorname{arcsech}(c*x))/e^3+1/5*(e*x^2+d)^{(5/2)}*(a+b*\operatorname{arcsech}(c*x))/e^3-1/120*b*(45*c^4*d^2-10*c^2*d*e+9*e^2)*\arctan(e^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c/(e*x^2+d)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^5/e^{(5/2)}-8/15*b*d^{(5/2)}*\operatorname{arctanh}((e*x^2+d)^{(1/2)}/d^{(1/2)}/(-c^2*x^2+1)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/e^3-1/20*b*(e*x^2+d)^{(3/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2/e^2+d^2*(a+b*\operatorname{arcsech}(c*x))*(e*x^2+d)^{(1/2)}/e^3+1/120*b*(19*c^2*d-9*e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/c^4/e^2$

Rubi [A]

time = 0.77, antiderivative size = 356, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {272, 45, 6436, 12, 1629, 159, 163, 65, 223, 209, 95, 213}

$$\frac{d^2 \sqrt{d+ex^2} (a+b \operatorname{sech}^{-1}(cx))}{c^2} - \frac{2d(d+ex^2)^{3/2} (a+b \operatorname{sech}^{-1}(cx))}{3c^2} + \frac{(d+ex^2)^{5/2} (a+b \operatorname{sech}^{-1}(cx))}{5c^2} - \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} (45c^4d^2 - 10c^2de + 9e^2) \operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d+cx^2}}\right)}{120c^4e^2} - \frac{8bd^2 \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \operatorname{tanh}^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d+cx^2}}\right)}{15c^2} + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2} (d+ex^2)^{3/2}}{20c^2e^2} + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2} (19c^2d - 9e) \sqrt{d+ex^2}}{120c^4e^2}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(a + b*ArcSech[c*x]))/Sqrt[d + e*x^2],x]

[Out] $(b*(19*c^2*d - 9*e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[d + e*x^2])/(120*c^4*e^2) - (b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*(d + e*x^2)^{(3/2)})/(20*c^2*e^2) + (d^2*\operatorname{Sqrt}[d + e*x^2]*(a + b*\operatorname{ArcSech}[c*x]))/e^3 - (2*d*(d + e*x^2)^{(3/2)}*(a + b*\operatorname{ArcSech}[c*x]))/(3*e^3) + ((d + e*x^2)^{(5/2)}*(a + b*\operatorname{ArcSech}[c*x]))/(5*e^3) - (b*(45*c^4*d^2 - 10*c^2*d*e + 9*e^2)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTan}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[1 - c^2*x^2])/(c*\operatorname{Sqrt}[d + e*x^2])])/(120*c^5*e^{(5/2)}) - (8*b*d^{(5/2)}*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTanh}[\operatorname{Sqrt}[d + e*x^2]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[1 - c^2*x^2])])/(15*e^3)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 45

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 95

```
Int[(((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 159

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_)
)^(p_.)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[h*(a + b*x)^m*(c + d*x)^(n +
1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 2))), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^(n)*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 163

```
Int[(((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.)*((g_.) + (h_.)*(x_
)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*(e + f*x)^p/(a + b*x), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 209

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*A
rcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 213

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[b, 2])^(-1)*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

Rule 223

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1629

```
Int[(Px)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*b^(q - 1)*(m + n + p + q + 1))), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x], x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5(a + b\operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx &= \frac{d^2\sqrt{d + ex^2}(a + b\operatorname{sech}^{-1}(cx))}{e^3} - \frac{2d(d + ex^2)^{3/2}(a + b\operatorname{sech}^{-1}(cx))}{3e^3} + \frac{(d + ex^2)^{5/2}(a + b\operatorname{sech}^{-1}(cx))}{5e^3} \\
&= \frac{d^2\sqrt{d + ex^2}(a + b\operatorname{sech}^{-1}(cx))}{e^3} - \frac{2d(d + ex^2)^{3/2}(a + b\operatorname{sech}^{-1}(cx))}{3e^3} + \frac{(d + ex^2)^{5/2}(a + b\operatorname{sech}^{-1}(cx))}{5e^3} \\
&= \frac{d^2\sqrt{d + ex^2}(a + b\operatorname{sech}^{-1}(cx))}{e^3} - \frac{2d(d + ex^2)^{3/2}(a + b\operatorname{sech}^{-1}(cx))}{3e^3} + \frac{(d + ex^2)^{5/2}(a + b\operatorname{sech}^{-1}(cx))}{5e^3} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}(d + ex^2)^{3/2}}{20c^2e^2} + \frac{d^2\sqrt{d + ex^2}(a + b\operatorname{sech}^{-1}(cx))}{e^3} \\
&= \frac{b(19c^2d - 9e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d + ex^2}}{120c^4e^2} - \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{120c^4e^2} \\
&= \frac{b(19c^2d - 9e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d + ex^2}}{120c^4e^2} - \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{120c^4e^2} \\
&= \frac{b(19c^2d - 9e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d + ex^2}}{120c^4e^2} - \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{120c^4e^2} \\
&= \frac{b(19c^2d - 9e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d + ex^2}}{120c^4e^2} - \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{120c^4e^2} \\
&= \frac{b(19c^2d - 9e)\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}\sqrt{d + ex^2}}{120c^4e^2} - \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{120c^4e^2}
\end{aligned}$$

Mathematica [A]

time = 21.05, size = 366, normalized size = 1.03

$$\frac{\sqrt{d + ex^2} \left(8ac^4(8d^2 - 4dex^2 + 3e^2x^4) - 6e\sqrt{\frac{1-cx}{1+cx}}(1+cx)(9e + c^2(-13d + 6ex^2)) + 8bc^4(8d^2 - 4dex^2 + 3e^2x^4)\operatorname{sech}^{-1}(cx) \right) + b\sqrt{\frac{1-cx}{1+cx}}\sqrt{1-c^2x^2} \left(\sqrt{-c^2}\sqrt{-c^2d-e}\sqrt{e(45c^4d^2 - 10c^2de + 9e^2)}\sqrt{\frac{d^2(d+ex^2)}{c^2d+e}}\operatorname{ArcSin}\left(\frac{cx\sqrt{d+ex^2}}{\sqrt{-c^2}\sqrt{-c^2d-e}}\right) + 64c^2d^{3/2}\sqrt{-d-ex^2}\operatorname{ArcTan}\left(\frac{\sqrt{d+ex^2}}{\sqrt{-d-ex^2}}\right) \right)}{120c^4e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(a + b*ArcSech[c*x]))/Sqrt[d + e*x^2], x]

```
[Out] (Sqrt[d + e*x^2]*(8*a*c^4*(8*d^2 - 4*d*e*x^2 + 3*e^2*x^4) - b*e*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(9*e + c^2*(-13*d + 6*e*x^2)) + 8*b*c^4*(8*d^2 - 4*d*e*x^2 + 3*e^2*x^4)*ArcSech[c*x]))/(120*c^4*e^3) + (b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^2*x^2]*(Sqrt[-c^2]*Sqrt[-(c^2*d) - e])*Sqrt[e]*(45*c^4*d^2 - 10*c^2*d*e + 9*e^2)*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSin[(c*Sqrt[e]*Sqrt[1 - c^2*x^2])/(Sqrt[-c^2]*Sqrt[-(c^2*d) - e])]) + 64*c^7*d^(5/2)*Sqrt[-d - e*x^2]*ArcTan[(Sqrt[d]*Sqrt[1 - c^2*x^2])/Sqrt[-d - e*x^2]))/(120*c^7*e^3*(-1 + c*x)*Sqrt[d + e*x^2])
```

Maple [F]

time = 1.36, size = 0, normalized size = 0.00

$$\int \frac{x^5(a + b \operatorname{arcsech}(cx))}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x)
```

```
[Out] int(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] 1/15*(3*sqrt(x^2*e + d)*x^4*e^(-1) - 4*sqrt(x^2*e + d)*d*x^2*e^(-2) + 8*sqrt(x^2*e + d)*d^2*e^(-3))*a + 1/15*((3*x^6*e^3 - d*x^4*e^2 + 4*d^2*x^2*e + 8*d^3)*e^(-3)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1)/sqrt(x^2*e + d) - 15*integrate(1/15*(30*(c^2*x^6*e^3 - x^4*e^3)*x^5*log(sqrt(x)) + 15*(c^2*x^6*e^3*log(c) - x^4*e^3*log(c))*x^5 + (30*(c^2*x^6*e^3 - x^4*e^3)*x^5*log(sqrt(x)) + (3*c^2*x^6*(5*log(c) + 1)*e^3 + 4*c^2*d^2*x^2*e + 8*c^2*d^3 - (c^2*d*e^2 + 15*e^3*log(c))*x^4)*x^5)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)))/((c^2*x^6*e^3 - x^4*e^3 + (c^2*x^6*e^3 - x^4*e^3)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)))*sqrt(x^2*e + d)), x))*b
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 737 vs. 2(234) = 468.

time = 1.19, size = 1509, normalized size = 4.24

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/240*(32*b*c^5*d^(5/2)*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*cosh(1)^2 +
x^4*sinh(1)^2 + 4*(c^3*d*x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) - 2*c*d*x)*sq
rt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) +
8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*cosh(1) - 2*(3*c^2*d*x^4 - x^4*cosh(1) -
4*d*x^2)*sinh(1))/x^4 - (45*b*c^4*d^2 - 10*b*c^2*d*cosh(1) + 9*b*cosh(1)^2
+ 9*b*sinh(1)^2 - 2*(5*b*c^2*d - 9*b*cosh(1))*sinh(1))*sqrt(cosh(1) + sinh
(1))*arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*cosh(1) + (2*c^2*x^3 - x)*sinh(1
))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(
cosh(1) + sinh(1))/((c^2*x^4 - x^2)*cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^2 +
(c^2*d*x^2 - d)*cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*cosh(1) - d)*sinh
(1))) + 16*(3*b*c^5*x^4*cosh(1)^2 + 3*b*c^5*x^4*sinh(1)^2 - 4*b*c^5*d*x^2*c
osh(1) + 8*b*c^5*d^2 + 2*(3*b*c^5*x^4*cosh(1) - 2*b*c^5*d*x^2)*sinh(1))*sq
rt(x^2*cosh(1) + x^2*sinh(1) + d)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) +
1)/(c*x)) + 2*(24*a*c^5*x^4*cosh(1)^2 + 24*a*c^5*x^4*sinh(1)^2 - 32*a*c^5*d
*x^2*cosh(1) + 64*a*c^5*d^2 + 16*(3*a*c^5*x^4*cosh(1) - 2*a*c^5*d*x^2)*sinh
(1) + (13*b*c^4*d*x*cosh(1) - 3*(2*b*c^4*x^3 + 3*b*c^2*x)*cosh(1)^2 - 3*(2*
b*c^4*x^3 + 3*b*c^2*x)*sinh(1)^2 + (13*b*c^4*d*x - 6*(2*b*c^4*x^3 + 3*b*c^2
*x)*cosh(1))*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(x^2*cosh(1) + x^
2*sinh(1) + d))/(c^5*cosh(1)^3 + 3*c^5*cosh(1)^2*sinh(1) + 3*c^5*cosh(1)*si
nh(1)^2 + c^5*sinh(1)^3), -1/240*(64*b*c^5*sqrt(-d)*d^2*arctan(-1/2*(c^3*d*
x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) - 2*c*d*x)*sqrt(x^2*cosh(1) + x^2*sinh(
1) + d)*sqrt(-d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/(c^2*d^2*x^2 - d^2 + (c^2*d
*x^4 - d*x^2)*cosh(1) + (c^2*d*x^4 - d*x^2)*sinh(1))) + (45*b*c^4*d^2 - 10*
b*c^2*d*cosh(1) + 9*b*cosh(1)^2 + 9*b*sinh(1)^2 - 2*(5*b*c^2*d - 9*b*cosh(1
))*sinh(1))*sqrt(cosh(1) + sinh(1))*arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*c
osh(1) + (2*c^2*x^3 - x)*sinh(1))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(
-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(cosh(1) + sinh(1))/((c^2*x^4 - x^2)*cosh(1)^
2 + (c^2*x^4 - x^2)*sinh(1)^2 + (c^2*d*x^2 - d)*cosh(1) + (c^2*d*x^2 + 2*(c
^2*x^4 - x^2)*cosh(1) - d)*sinh(1))) - 16*(3*b*c^5*x^4*cosh(1)^2 + 3*b*c^5*
x^4*sinh(1)^2 - 4*b*c^5*d*x^2*cosh(1) + 8*b*c^5*d^2 + 2*(3*b*c^5*x^4*cosh(1
) - 2*b*c^5*d*x^2)*sinh(1))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*log((c*x*sq
rt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) - 2*(24*a*c^5*x^4*cosh(1)^2 + 24*a
*c^5*x^4*sinh(1)^2 - 32*a*c^5*d*x^2*cosh(1) + 64*a*c^5*d^2 + 16*(3*a*c^5*x^
4*cosh(1) - 2*a*c^5*d*x^2)*sinh(1) + (13*b*c^4*d*x*cosh(1) - 3*(2*b*c^4*x^3
+ 3*b*c^2*x)*cosh(1)^2 - 3*(2*b*c^4*x^3 + 3*b*c^2*x)*sinh(1)^2 + (13*b*c^4
*d*x - 6*(2*b*c^4*x^3 + 3*b*c^2*x)*cosh(1))*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c
^2*x^2))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d))/(c^5*cosh(1)^3 + 3*c^5*cosh(
1)^2*sinh(1) + 3*c^5*cosh(1)*sinh(1)^2 + c^5*sinh(1)^3)]
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5(a + b \operatorname{asech}(cx))}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*asech(c*x))/(e*x**2+d)**(1/2),x)

[Out] Integral(x**5*(a + b*asech(c*x))/sqrt(d + e*x**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x^5/sqrt(e*x^2 + d), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 (a + b \operatorname{acosh}(\frac{1}{cx}))}{\sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(1/2),x)

[Out] int((x^5*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(1/2), x)

$$3.151 \quad \int \frac{x^3 (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Optimal. Leaf size=251

$$\frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{6c^2e} - \frac{d\sqrt{d+ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^2} + \frac{(d+ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{3e^2}$$

[Out] $1/3*(e*x^2+d)^{(3/2)}*(a+b*\operatorname{arcsech}(c*x))/e^2+1/6*b*(3*c^2*d-e)*\arctan(e^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c/(e*x^2+d)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^{3/2})/e^{(3/2)}+2/3*b*d^{(3/2)}*\operatorname{arctanh}((e*x^2+d)^{(1/2)}/d^{(1/2)}/(-c^2*x^2+1)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/e^2-d*(a+b*\operatorname{arcsech}(c*x))*(e*x^2+d)^{(1/2)}/e^2-1/6*b*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/c^2/e$

Rubi [A]

time = 0.22, antiderivative size = 251, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {272, 45, 6436, 12, 587, 159, 163, 65, 223, 209, 95, 213}

$$\frac{d\sqrt{d+ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^2} + \frac{(d+ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{3e^2} + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} (3c^2d-e) \operatorname{ArcTan}\left(\frac{\sqrt{c}\sqrt{1-c^2x^2}}{c\sqrt{d+ex^2}}\right)}{6c^2e^{3/2}} + \frac{2bd^{3/2} \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{3e^2} - \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{6c^2e}$$

Antiderivative was successfully verified.

[In] `Int[(x^3*(a + b*ArcSech[c*x]))/Sqrt[d + e*x^2], x]`

[Out] $-1/6*(b*\operatorname{Sqrt}[(1+cx)^{-1}]*\operatorname{Sqrt}[1+cx]*\operatorname{Sqrt}[1-c^2*x^2]*\operatorname{Sqrt}[d+e*x^2])/(c^2*e) - (d*\operatorname{Sqrt}[d+e*x^2]*(a+b*\operatorname{ArcSech}[c*x]))/e^2 + ((d+e*x^2)^{(3/2)}*(a+b*\operatorname{ArcSech}[c*x]))/(3*e^2) + (b*(3*c^2*d-e)*\operatorname{Sqrt}[(1+cx)^{-1}]*\operatorname{Sqrt}[1+cx]*\operatorname{ArcTan}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[1-c^2*x^2])/(c*\operatorname{Sqrt}[d+e*x^2])])/(6*c^2*3*e^{(3/2)}) + (2*b*d^{(3/2)}*\operatorname{Sqrt}[(1+cx)^{-1}]*\operatorname{Sqrt}[1+cx]*\operatorname{ArcTanh}[\operatorname{Sqrt}[d+e*x^2]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[1-c^2*x^2])])/(3*e^2)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 45

`Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])`

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 95

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 159

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_)
)^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[h*(a + b*x)^m*(c + d*x)^(n +
1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 2))), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))*x, x], x] /;
FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 163

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)
)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 209

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*A
rcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 213

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-(Rt[-a, 2]*Rt[b, 2])^(-
1))*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] &&
(LtQ[a, 0] || GtQ[b, 0])
```

Rule 223

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 587

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
)*(e_) + (f_.)*(x_)^(n_))^(r_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simpl
ify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /;
FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n
]]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((f_.)*(x_)^(m_.)*((d_.) + (e_.)*(
x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b\operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx &= -\frac{d\sqrt{d + ex^2}(a + b\operatorname{sech}^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b\operatorname{sech}^{-1}(cx))}{3e^2} + \left(b\sqrt{\frac{1}{1 + cx}}\right) \\
&= -\frac{d\sqrt{d + ex^2}(a + b\operatorname{sech}^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b\operatorname{sech}^{-1}(cx))}{3e^2} + \left(b\sqrt{\frac{1}{1 + cx}}\right) \\
&= -\frac{d\sqrt{d + ex^2}(a + b\operatorname{sech}^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b\operatorname{sech}^{-1}(cx))}{3e^2} + \left(b\sqrt{\frac{1}{1 + cx}}\right) \\
&= -\frac{b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}\sqrt{d + ex^2}}{6c^2e} - \frac{d\sqrt{d + ex^2}(a + b\operatorname{sech}^{-1}(cx))}{e^2} \\
&= -\frac{b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}\sqrt{d + ex^2}}{6c^2e} - \frac{d\sqrt{d + ex^2}(a + b\operatorname{sech}^{-1}(cx))}{e^2} \\
&= -\frac{b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}\sqrt{d + ex^2}}{6c^2e} - \frac{d\sqrt{d + ex^2}(a + b\operatorname{sech}^{-1}(cx))}{e^2} \\
&= -\frac{b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}\sqrt{d + ex^2}}{6c^2e} - \frac{d\sqrt{d + ex^2}(a + b\operatorname{sech}^{-1}(cx))}{e^2} \\
&= -\frac{b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}\sqrt{d + ex^2}}{6c^2e} - \frac{d\sqrt{d + ex^2}(a + b\operatorname{sech}^{-1}(cx))}{e^2}
\end{aligned}$$

Mathematica [A]

time = 20.86, size = 406, normalized size = 1.62

$$\frac{\sqrt{d + ex^2} \left(b e \sqrt{\frac{1 - cx}{1 + cx}} (1 + cx) + 2ac^2(2d - ex^2) + 2bc^2(2d - ex^2) \operatorname{sech}^{-1}(cx) \right)}{6c^2e} - \frac{b \sqrt{\frac{1 - cx}{1 + cx}} \sqrt{1 - c^2x^2} \left(-3(-c^2)^{3/2} d \sqrt{-c^2d - e} \sqrt{e} \sqrt{\frac{c^2(d + ex^2)}{c^2d + e}} \operatorname{ArcSin} \left(\frac{\sqrt{c^2d + e} \sqrt{1 - c^2x^2}}{\sqrt{-c^2d - e}} \right) + \sqrt{-c^2d - e} e^{3/2} \sqrt{\frac{c^2(d + ex^2)}{c^2d + e}} \operatorname{ArcSin} \left(\frac{\sqrt{c^2d + e} \sqrt{1 - c^2x^2}}{\sqrt{-c^2d - e}} \right) + 4c^2d^{3/2} \sqrt{-d - cx^2} \operatorname{ArcTan} \left(\frac{\sqrt{d} \sqrt{1 - c^2x^2}}{\sqrt{-d - cx^2}} \right) \right)}{6c^2e(-1 + cx)\sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*ArcSech[c*x]))/Sqrt[d + e*x^2], x]

[Out] -1/6*(Sqrt[d + e*x^2]*(b*e*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x) + 2*a*c^2*(2*d - e*x^2) + 2*b*c^2*(2*d - e*x^2)*ArcSech[c*x]))/(c^2*e^2) - (b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^2*x^2]*(-3*(-c^2)^(3/2)*d*Sqrt[-(c^2*d) - e]*Sqrt


```
rt[e]*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSin[(c*Sqrt[e]*Sqrt[1 - c^2*x^2])/(Sqrt[-c^2]*Sqrt[-(c^2*d) - e])] + Sqrt[-c^2]*Sqrt[-(c^2*d) - e]*e^(3/2)*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSin[(Sqrt[-c^2]*Sqrt[e]*Sqrt[1 - c^2*x^2])/(c*Sqrt[-(c^2*d) - e])] + 4*c^5*d^(3/2)*Sqrt[-d - e*x^2]*ArcTan[(Sqrt[d]*Sqrt[1 - c^2*x^2])/Sqrt[-d - e*x^2]]/(6*c^5*e^2*(-1 + c*x)*Sqrt[d + e*x^2])
```

Maple [F]

time = 1.30, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{arcsech}(cx))}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2), x)
```

```
[Out] int(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2), x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2), x, algorithm="maxima")
```

```
[Out] 1/3*(sqrt(x^2*e + d)*x^2*e^(-1) - 2*sqrt(x^2*e + d)*d*e^(-2))*a + 1/3*((x^4*e^2 - d*x^2*e - 2*d^2)*e^(-2)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1)/sqrt(x^2*e + d) - 3*integrate(1/3*(6*(c^2*x^4*e^2 - x^2*e^2)*x^3*log(sqrt(x)) + 3*(c^2*x^4*e^2*log(c) - x^2*e^2*log(c))*x^3 + (6*(c^2*x^4*e^2 - x^2*e^2)*x^3*log(sqrt(x)) + (c^2*x^4*(3*log(c) + 1)*e^2 - 2*c^2*d^2 - (c^2*d*e + 3*e^2*log(c))*x^2)*x^3)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)))/((c^2*x^4*e^2 - x^2*e^2 + (c^2*x^4*e^2 - x^2*e^2)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)))*sqrt(x^2*e + d)), x))*b
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 528 vs. 2(159) = 318.

time = 0.62, size = 1092, normalized size = 4.35

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2), x, algorithm="fricas")
```

```
[Out] [1/12*(2*b*c^3*d^(3/2)*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*cosh(1))^2 + x^4*sinh(1)^2 - 4*(c^3*d*x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) - 2*c*d*x)*sqrt
```

```
(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 8*
d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*cosh(1) - 2*(3*c^2*d*x^4 - x^4*cosh(1) - 4*
d*x^2)*sinh(1))/x^4) + (3*b*c^2*d - b*cosh(1) - b*sinh(1))*sqrt(cosh(1) + s
inh(1))*arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*cosh(1) + (2*c^2*x^3 - x)*sin
h(1))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sq
rt(cosh(1) + sinh(1))/((c^2*x^4 - x^2)*cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^
2 + (c^2*d*x^2 - d)*cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*cosh(1) - d)*s
inh(1))) + 4*(b*c^3*x^2*cosh(1) + b*c^3*x^2*sinh(1) - 2*b*c^3*d)*sqrt(x^2*c
osh(1) + x^2*sinh(1) + d)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x
)) + 2*(2*a*c^3*x^2*cosh(1) + 2*a*c^3*x^2*sinh(1) - 4*a*c^3*d - (b*c^2*x*c
osh(1) + b*c^2*x*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))*sqrt(x^2*cosh(1) +
x^2*sinh(1) + d))/(c^3*cosh(1)^2 + 2*c^3*cosh(1)*sinh(1) + c^3*sinh(1)^2),
1/12*(4*b*c^3*sqrt(-d)*d*arctan(-1/2*(c^3*d*x^3 - c*x^3*cosh(1) - c*x^3*si
nh(1) - 2*c*d*x)*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-d)*sqrt(-(c^2*x^
2 - 1)/(c^2*x^2)))/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*cosh(1) + (c^2*d
*x^4 - d*x^2)*sinh(1))) + (3*b*c^2*d - b*cosh(1) - b*sinh(1))*sqrt(cosh(1)
+ sinh(1))*arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*cosh(1) + (2*c^2*x^3 - x)*
sinh(1))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))
)*sqrt(cosh(1) + sinh(1))/((c^2*x^4 - x^2)*cosh(1)^2 + (c^2*x^4 - x^2)*sinh(
1)^2 + (c^2*d*x^2 - d)*cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*cosh(1) - d
)*sinh(1))) + 4*(b*c^3*x^2*cosh(1) + b*c^3*x^2*sinh(1) - 2*b*c^3*d)*sqrt(x^
2*cosh(1) + x^2*sinh(1) + d)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(
c*x)) + 2*(2*a*c^3*x^2*cosh(1) + 2*a*c^3*x^2*sinh(1) - 4*a*c^3*d - (b*c^2*x
*cosh(1) + b*c^2*x*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))*sqrt(x^2*cosh(1
) + x^2*sinh(1) + d))/(c^3*cosh(1)^2 + 2*c^3*cosh(1)*sinh(1) + c^3*sinh(1)^
2)]
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{asech}(cx))}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asech(c*x))/(e*x**2+d)**(1/2),x)

[Out] Integral(x**3*(a + b*asech(c*x))/sqrt(d + e*x**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x^3/sqrt(e*x^2 + d), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 (a + b \operatorname{acosh}(\frac{1}{cx}))}{\sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(1/2), x)

[Out] int((x^3*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(1/2), x)

$$3.152 \quad \int \frac{x(a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Optimal. Leaf size=153

$$\frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e} - \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \operatorname{ArcTan}\left(\frac{\sqrt{e} \sqrt{1 - c^2 x^2}}{c \sqrt{d + ex^2}}\right)}{c \sqrt{e}} - \frac{b \sqrt{d} \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \operatorname{tanh}^{-1}\left(\frac{\sqrt{d + ex^2}}{\sqrt{d} \sqrt{1 - c^2 x^2}}\right)}{e}$$

[Out] -b*arctanh((e*x^2+d)^(1/2)/d^(1/2)/(-c^2*x^2+1)^(1/2))*d^(1/2)*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/e-b*arctan(e^(1/2)*(-c^2*x^2+1)^(1/2)/c/(e*x^2+d)^(1/2))*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/c/e^(1/2)+(a+b*arcsech(c*x))*(e*x^2+d)^(1/2)/e

Rubi [A]

time = 0.19, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {6434, 531, 457, 132, 65, 223, 209, 12, 95, 213}

$$\frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e} - \frac{b \sqrt{\frac{1}{cx + 1}} \sqrt{cx + 1} \operatorname{ArcTan}\left(\frac{\sqrt{e} \sqrt{1 - c^2 x^2}}{c \sqrt{d + ex^2}}\right)}{c \sqrt{e}} - \frac{b \sqrt{d} \sqrt{\frac{1}{cx + 1}} \sqrt{cx + 1} \operatorname{tanh}^{-1}\left(\frac{\sqrt{d + ex^2}}{\sqrt{d} \sqrt{1 - c^2 x^2}}\right)}{e}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*ArcSech[c*x]))/Sqrt[d + e*x^2], x]

[Out] (Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/e - (b*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcTan[(Sqrt[e]*Sqrt[1 - c^2*x^2])/(c*Sqrt[d + e*x^2])])/(c*Sqrt[e]) - (b*Sqrt[d]*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcTanh[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[1 - c^2*x^2])])/e

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 65

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 95

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 132

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)), x_Symbol] := Dist[b*d^(m + n)*f^p, Int[(a + b*x)^(m - 1)/(c + d*x)^m, x], x] + Int[(a + b*x)^(m - 1)*((e + f*x)^p/(c + d*x)^m)*ExpandToSum[(a + b*x)*(c + d*x)^(-p - 1) - (b*d^(-p - 1)*f^p)/(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && EqQ[m + n + p + 1, 0] && ILtQ[p, 0] && (GtQ[m, 0] || SumSimplerQ[m, -1] || !(GtQ[n, 0] || SumSimplerQ[n, -1]))
```

Rule 209

```
Int[(((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*ArcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 213

```
Int[(((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-(Rt[-a, 2]*Rt[b, 2])^(-1))*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

Rule 223

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 531

```
Int[(u_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_), x_Symbol] := Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p, q}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[p] || (GtQ[a1, 0] && GtQ[a2, 0]))
```

Rule 6434

```
Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))*(x_.)*((d_.) + (e_.)*(x_.)^2)^(p_.),
x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSech[c*x])/(2*e*(p + 1))),
x] + Dist[b*(Sqrt[1 + c*x]/(2*e*(p + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x^
2)^(p + 1)/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e,
p}, x] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx &= \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \int \frac{\sqrt{d + ex^2}}{x \sqrt{1 - cx} \sqrt{1 + cx}}}{e} \\
&= \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \int \frac{\sqrt{d + ex^2}}{x \sqrt{1 - c^2 x^2}} dx}{e} \\
&= \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \operatorname{Subst}\left(\int \frac{\sqrt{d + ex}}{x \sqrt{1 - c^2 x}} dx\right)}{2e} \\
&= \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e} + \frac{1}{2} \left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - c^2 x}} dx\right) \\
&= \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e} - \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}\right) \operatorname{Subst}\left(\int \frac{1}{\sqrt{d + \frac{e}{c^2} - c^2 x}} dx\right)}{c^2} \\
&= \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e} - \frac{b \sqrt{d} \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \tanh^{-1}\left(\frac{\sqrt{d + ex^2}}{\sqrt{d} \sqrt{1 - c^2 x}}\right)}{e} \\
&= \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e} - \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \tan^{-1}\left(\frac{\sqrt{e} \sqrt{1 - c^2 x^2}}{c \sqrt{d + ex^2}}\right)}{c \sqrt{e}}
\end{aligned}$$

Mathematica [A]

time = 19.38, size = 239, normalized size = 1.56

$$\frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e} + \frac{b \sqrt{\frac{1 - cx}{1 + cx}} \sqrt{1 - c^2 x^2} \left(\sqrt{-c^2} \sqrt{-c^2 d - e} \sqrt{e} \sqrt{\frac{c^2 (d + ex^2)}{c^2 d + e}} \operatorname{ArcSin}\left(\frac{c \sqrt{e} \sqrt{1 - c^2 x^2}}{\sqrt{-c^2} \sqrt{-c^2 d - e}}\right) + c^3 \sqrt{d} \sqrt{-d - ex^2} \operatorname{ArcTan}\left(\frac{\sqrt{d} \sqrt{1 - c^2 x^2}}{\sqrt{-d - ex^2}}\right) \right)}{c^3 e (-1 + cx) \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*(a + b*ArcSech[c*x]))/Sqrt[d + e*x^2],x]
```

```
[Out] (Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]))/e + (b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^2*x^2]*(Sqrt[-c^2]*Sqrt[-(c^2*d) - e]*Sqrt[e]*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSin[(c*Sqrt[e]*Sqrt[1 - c^2*x^2])/(Sqrt[-c^2]*Sqrt[-(c^2*d) - e])) + c^3*Sqrt[d]*Sqrt[-d - e*x^2]*ArcTan[(Sqrt[d]*Sqrt[1 - c^2*x^2])/Sqrt[-d - e*x^2]])/(c^3*e*(-1 + c*x)*Sqrt[d + e*x^2])
```

Maple [F]

time = 0.56, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{arcsech}(cx))}{\sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x)
```

```
[Out] int(x*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] sqrt(x^2*e + d)*a*e^(-1) + (sqrt(x^2*e + d)*e^(-1)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1) - integrate((2*(c^2*x^2*e - e)*x*log(sqrt(x)) + (c^2*x^2*e*log(c) - e*log(c))*x + (2*(c^2*x^2*e - e)*x*log(sqrt(x)) + (c^2*x^2*(log(c) + 1)*e + c^2*d - e*log(c))*x)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)))/((c^2*x^2*e + (c^2*x^2*e - e)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)) - e)*sqrt(x^2*e + d)), x))*b
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 398 vs. 2(94) = 188.

time = 0.46, size = 834, normalized size = 5.45

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/4*(4*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*b*c*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + b*c*sqrt(d)*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x
```

$$\begin{aligned} &^4*\cosh(1)^2 + x^4*\sinh(1)^2 + 4*(c^3*d*x^3 - c*x^3*\cosh(1) - c*x^3*\sinh(1) \\ &- 2*c*d*x)*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d}*\sqrt{d}*\sqrt{-(c^2*x^2 - 1)} \\ &/((c^2*x^2)) + 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*\cosh(1) - 2*(3*c^2*d*x^4 - \\ &x^4*\cosh(1) - 4*d*x^2)*\sinh(1))/x^4 + 4*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d} \\ &)*a*c - 2*b*\sqrt{\cosh(1) + \sinh(1)}*\arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*c \\ &\cosh(1) + (2*c^2*x^3 - x)*\sinh(1))*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d}*\sqrt{-(c^2*x^2 - 1)} \\ &/((c^2*x^2))*\sqrt{\cosh(1) + \sinh(1)})/((c^2*x^4 - x^2)*\cosh(1)^2 + (c^2*x^4 - x^2)*\sinh(1)^2 \\ &+ (c^2*d*x^2 - d)*\cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*\cosh(1) - d)*\sinh(1))) \\ &/((c*\cosh(1) + c*\sinh(1))), -1/2*(b*c*\sqrt{-d})*\arctan(-1/2*(c^3*d*x^3 - c*x^3*\cosh(1) - c*x^3*\sinh(1) - 2*c*d*x)* \\ &\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d}*\sqrt{-d}*\sqrt{-(c^2*x^2 - 1)} / ((c^2*x^2)) / (c^2*d^2*x^2 - d^2 \\ &+ (c^2*d*x^4 - d*x^2)*\cosh(1) + (c^2*d*x^4 - d*x^2)*\sinh(1))) - 2*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d} \\ &)*b*c*\log((c*x*\sqrt{-(c^2*x^2 - 1)} / ((c^2*x^2)) + 1) / (c*x)) - 2*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d} \\ &)*a*c + b*\sqrt{\cosh(1) + \sinh(1)}*\arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*\cosh(1) + (2*c^2*x^3 - x)*\sinh(1))* \\ &\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d}*\sqrt{-(c^2*x^2 - 1)} / ((c^2*x^2))*\sqrt{\cosh(1) + \sinh(1)}) / ((c^2*x^4 - x^2)*\cosh(1)^2 \\ &+ (c^2*x^4 - x^2)*\sinh(1)^2 + (c^2*d*x^2 - d)*\cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*\cosh(1) - d)*\sinh(1))) \\ &/((c*\cosh(1) + c*\sinh(1))) \end{aligned}$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{asech}(cx))}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asech(c*x))/(e*x**2+d)**(1/2),x)

[Out] Integral(x*(a + b*asech(c*x))/sqrt(d + e*x**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x/sqrt(e*x^2 + d), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x(a + b \operatorname{acosh}(\frac{1}{cx}))}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(1/2), x)
```

```
[Out] int((x*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(1/2), x)
```

$$3.153 \quad \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x \sqrt{d + ex^2}} dx$$

Optimal. Leaf size=26

$$\operatorname{Int}\left(\frac{a + b \operatorname{sech}^{-1}(cx)}{x \sqrt{d + ex^2}}, x\right)$$

[Out] Unintegrable((a+b*arcsech(c*x))/x/(e*x^2+d)^(1/2), x)

Rubi [A]

time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x \sqrt{d + ex^2}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSech[c*x])/(x*sqrt[d + e*x^2]), x]

[Out] Defer[Int] [(a + b*ArcSech[c*x])/(x*sqrt[d + e*x^2]), x]

Rubi steps

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x \sqrt{d + ex^2}} dx = \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x \sqrt{d + ex^2}} dx$$

Mathematica [A]

time = 2.21, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x \sqrt{d + ex^2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSech[c*x])/(x*sqrt[d + e*x^2]), x]

[Out] Integrate[(a + b*ArcSech[c*x])/(x*sqrt[d + e*x^2]), x]

Maple [A]

time = 0.40, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsech}(cx)}{x \sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/x/(e*x^2+d)^(1/2),x)`

[Out] `int((a+b*arcsech(c*x))/x/(e*x^2+d)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(sqrt(x^2*e + d)*x), x) - a*arcsinh(sqrt(d)*e^(-1/2)/abs(x))/sqrt(d)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsech(c*x) + a)/(x^3*e + d*x), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asech(c*x))/x/(e*x**2+d)**(1/2),x)`

[Out] `Integral((a + b*asech(c*x))/(x*sqrt(d + e*x**2)), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arcsech(c*x) + a)/(sqrt(e*x^2 + d)*x), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x \sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(x*(d + e*x^2)^(1/2)),x)

[Out] int((a + b*acosh(1/(c*x)))/(x*(d + e*x^2)^(1/2)), x)

$$3.154 \quad \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^3 \sqrt{d + ex^2}} dx$$

Optimal. Leaf size=26

$$\operatorname{Int}\left(\frac{a + b \operatorname{sech}^{-1}(cx)}{x^3 \sqrt{d + ex^2}}, x\right)$$

[Out] Unintegrable((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(1/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^3 \sqrt{d + ex^2}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSech[c*x])/(x^3*Sqrt[d + e*x^2]), x]

[Out] Defer[Int] [(a + b*ArcSech[c*x])/(x^3*Sqrt[d + e*x^2]), x]

Rubi steps

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^3 \sqrt{d + ex^2}} dx = \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^3 \sqrt{d + ex^2}} dx$$

Mathematica [A]

time = 16.16, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^3 \sqrt{d + ex^2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSech[c*x])/(x^3*Sqrt[d + e*x^2]), x]

[Out] Integrate[(a + b*ArcSech[c*x])/(x^3*Sqrt[d + e*x^2]), x]

Maple [A]

time = 0.26, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsech}(cx)}{x^3 \sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(1/2),x)`

[Out] `int((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `1/2*a*(arcsinh(sqrt(d)*e^(-1/2)/abs(x))*e/d^(3/2) - sqrt(x^2*e + d)/(d*x^2)) + b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(sqrt(x^2*e + d)*x^3), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsech(c*x) + a)/(x^5*e + d*x^3), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x^3 \sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asech(c*x))/x**3/(e*x**2+d)**(1/2),x)`

[Out] `Integral((a + b*asech(c*x))/(x**3*sqrt(d + e*x**2)), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] integrate((b*arcsech(c*x) + a)/(sqrt(e*x^2 + d)*x^3), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x^3 \sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(x^3*(d + e*x^2)^(1/2)), x)

[Out] int((a + b*acosh(1/(c*x)))/(x^3*(d + e*x^2)^(1/2)), x)

$$3.155 \quad \int \frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Optimal. Leaf size=26

$$\operatorname{Int} \left(\frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}}, x \right)$$

[Out] Unintegrable(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2), x)

Rubi [A]

time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Verification is not applicable to the result.

[In] Int[(x^2*(a + b*ArcSech[c*x]))/Sqrt[d + e*x^2], x]

[Out] Defer[Int] [(x^2*(a + b*ArcSech[c*x]))/Sqrt[d + e*x^2], x]

Rubi steps

$$\int \frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx = \int \frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Mathematica [A]

time = 6.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(x^2*(a + b*ArcSech[c*x]))/Sqrt[d + e*x^2], x]

[Out] Integrate[(x^2*(a + b*ArcSech[c*x]))/Sqrt[d + e*x^2], x]

Maple [A]

time = 1.10, size = 0, normalized size = 0.00

$$\int \frac{x^2 (a + b \operatorname{arcsech}(cx))}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x)`

[Out] `int(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `-1/2*(d*arcsinh(x*e^(1/2)/sqrt(d))*e^(-3/2) - sqrt(x^2*e + d)*x*e^(-1))*a + b*integrate(x^2*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/sqrt(x^2*e + d), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral((b*x^2*arcsech(c*x) + a*x^2)/sqrt(x^2*e + d), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2(a + b \operatorname{asech}(cx))}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*asech(c*x))/(e*x**2+d)**(1/2),x)`

[Out] `Integral(x**2*(a + b*asech(c*x))/sqrt(d + e*x**2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] integrate((b*arcsech(c*x) + a)*x^2/sqrt(e*x^2 + d), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^2 (a + b \operatorname{acosh}(\frac{1}{cx}))}{\sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(1/2), x)

[Out] int((x^2*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(1/2), x)

$$3.156 \quad \int \frac{a + b \operatorname{sech}^{-1}(cx)}{\sqrt{d + ex^2}} dx$$

Optimal. Leaf size=23

$$\operatorname{Int}\left(\frac{a + b \operatorname{sech}^{-1}(cx)}{\sqrt{d + ex^2}}, x\right)$$

[Out] Unintegrable((a+b*arcsech(c*x))/(e*x^2+d)^(1/2), x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{\sqrt{d + ex^2}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSech[c*x])/Sqrt[d + e*x^2], x]

[Out] Defer[Int] [(a + b*ArcSech[c*x])/Sqrt[d + e*x^2], x]

Rubi steps

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{\sqrt{d + ex^2}} dx = \int \frac{a + b \operatorname{sech}^{-1}(cx)}{\sqrt{d + ex^2}} dx$$

Mathematica [A]

time = 0.69, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{\sqrt{d + ex^2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSech[c*x])/Sqrt[d + e*x^2], x]

[Out] Integrate[(a + b*ArcSech[c*x])/Sqrt[d + e*x^2], x]

Maple [A]

time = 0.64, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsech}(cx)}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x)
```

```
[Out] int((a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x)
```

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] a*arcsinh(x*e^(1/2)/sqrt(d))*e^(-1/2) + b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/sqrt(x^2*e + d), x)
```

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((b*arcsech(c*x) + a)/sqrt(x^2*e + d), x)
```

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asech(c*x))/(e*x**2+d)**(1/2),x)
```

```
[Out] Integral((a + b*asech(c*x))/sqrt(d + e*x**2), x)
```

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsech(c*x) + a)/sqrt(e*x^2 + d), x)
```

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(d + e*x^2)^(1/2), x)

[Out] int((a + b*acosh(1/(c*x)))/(d + e*x^2)^(1/2), x)

$$3.157 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^2 \sqrt{d+ex^2}} dx$$

Optimal. Leaf size=221

$$\frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{dx} - \frac{\sqrt{d+ex^2} (a+b\operatorname{sech}^{-1}(cx))}{dx} + \frac{bc\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{d+ex^2}}{d\sqrt{1+\frac{ex^2}{d}}}$$

[Out] $-(a+b*\operatorname{arcsech}(c*x))*(e*x^2+d)^{(1/2)}/d/x+b*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/x+b*c*\operatorname{EllipticE}(c*x,(-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/(1+e*x^2/d)^{(1/2)}-b*(c^2*d+e)*\operatorname{EllipticF}(c*x,(-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/c/d/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.15, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {270, 6436, 12, 486, 21, 434, 437, 435, 432, 430}

$$-\frac{\sqrt{d+ex^2}(a+b\operatorname{sech}^{-1}(cx))}{dx} - \frac{b\sqrt{\frac{1}{cx+1}} \sqrt{cx+1} (c^2d+e) \sqrt{\frac{ex^2}{d}+1} F(\operatorname{ArcSin}(cx)|-\frac{e}{c^2d})}{cd\sqrt{d+ex^2}} + \frac{bc\sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{d+ex^2} E(\operatorname{ArcSin}(cx)|-\frac{e}{c^2d})}{d\sqrt{\frac{ex^2}{d}+1}} + \frac{b\sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{dx}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*ArcSech[c*x])/(x^2*Sqrt[d + e*x^2]),x]`

[Out] $(b*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1-c^2*x^2]*\operatorname{Sqrt}[d+e*x^2])/(d*x) - (\operatorname{Sqrt}[d+e*x^2]*(a+b*\operatorname{ArcSech}[c*x]))/(d*x) + (b*c*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[d+e*x^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[c*x], -(e/(c^2*d))])/(d*\operatorname{Sqrt}[1+(e*x^2)/d]) - (b*(c^2*d+e)*\operatorname{Sqrt}[(1+c*x)^{-1}]*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[1+(e*x^2)/d]*\operatorname{EllipticF}[\operatorname{ArcSin}[c*x], -(e/(c^2*d))])/(c*d*\operatorname{Sqrt}[d+e*x^2])$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 21

`Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m+n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])`

Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m + 1)*((a + b*x^n)^(p + 1)/(a*c*(m + 1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 434

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[d/c] && NegQ[b/a]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 486

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^q/(a*e*(m + 1))), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*b*(m + 1) + n*(b*c*(p + 1) + a*d*q) + d*(b*(m + 1) + b*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[0, q, 1] && LtQ[m, -1] && IntBinomia
```

1Q[a, b, c, d, e, m, n, p, q, x]

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(
x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x]] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^2 \sqrt{d + ex^2}} dx &= -\frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{dx} - \left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{\sqrt{d + ex^2}}{dx^2 \sqrt{1 - c^2 x^2}} dx \\
 &= -\frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{dx} - \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{\sqrt{d + ex^2}}{x^2 \sqrt{1 - c^2 x^2}} dx}{d} \\
 &= \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{dx} - \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{dx} - \left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{\sqrt{d + ex^2}}{x^2 \sqrt{1 - c^2 x^2}} dx \\
 &= \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{dx} - \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{dx} - \left(b e \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{\sqrt{d + ex^2}}{x \sqrt{1 - c^2 x^2}} dx \\
 &= \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{dx} - \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{dx} + \left(b c^2 \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{\sqrt{d + ex^2}}{x \sqrt{1 - c^2 x^2}} dx \\
 &= \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{dx} - \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{dx} + \left(b c^2 \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{\sqrt{d + ex^2}}{x \sqrt{1 - c^2 x^2}} dx \\
 &= \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{dx} - \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{dx} + \frac{b c \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}}{dx} \int \frac{\sqrt{d + ex^2}}{x \sqrt{1 - c^2 x^2}} dx
 \end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 22.42, size = 501, normalized size = 2.27

$$\frac{a\left(\frac{d}{x} + ex\right) + bc\sqrt{\frac{1-cx}{1+cx}}(d+ex^2) - \frac{b\sqrt{1-cx}}{\sqrt{1+cx}}\frac{(1+cx)(d+ex^2)}{x} + \frac{b(d+ex^2)\operatorname{sech}^{-1}(cx)}{x} + \frac{b\sqrt{1-cx}}{\sqrt{1+cx}}\sqrt{\frac{c(\sqrt{d+i\sqrt{e}x})}{(c\sqrt{d+i\sqrt{e}})(1+cx)}}(\sqrt{d+i\sqrt{e}x})\left((c\sqrt{d-i\sqrt{e}})^{-1}\operatorname{sech}^{-1}\left(\frac{(c^2d+e)(1-cx)}{(c\sqrt{d+i\sqrt{e}})(1+cx)}\right)\frac{(\sqrt{d+i\sqrt{e}x})^2}{(\sqrt{d-i\sqrt{e}x})^2}\right) + 2b\sqrt{e}x\operatorname{sech}^{-1}\left(\frac{(c^2d+e)(1-cx)}{(c\sqrt{d+i\sqrt{e}})(1+cx)}\right)\frac{(\sqrt{d+i\sqrt{e}x})^2}{(\sqrt{d-i\sqrt{e}x})^2}}{\sqrt{\frac{-(c\sqrt{d-i\sqrt{e}})(-1+cx)}{(c\sqrt{d+i\sqrt{e}})(1+cx)}}\sqrt{\frac{c(\sqrt{d-i\sqrt{e}x})}{(c\sqrt{d-i\sqrt{e}})(1+cx)}}}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])/(x^2*Sqrt[d + e*x^2]), x]

[Out] -((a*(d/x + e*x) + b*c*Sqrt[(1 - c*x)/(1 + c*x)]*(d + e*x^2) - (b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(d + e*x^2))/x + (b*(d + e*x^2)*ArcSech[c*x])/x + (b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[(c*(Sqrt[d] + I*Sqrt[e]*x))]/((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x)))*(I*Sqrt[d] + Sqrt[e]*x)*((c*Sqrt[d] - I*Sqrt[e])*EllipticE[I*ArcSinh[Sqrt[((c^2*d + e)*(1 - c*x))/(c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x)]]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2 + (2*I)*Sqrt[e]*EllipticF[I*ArcSinh[Sqrt[((c^2*d + e)*(1 - c*x))/(c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x)]]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2]))/((Sqrt[-((c*Sqrt[d] - I*Sqrt[e])*(-1 + c*x))/(c*Sqrt[d] + I*Sqrt[e])*(1 + c*x)])*Sqrt[(c*(Sqrt[d] - I*Sqrt[e]*x))/(c*Sqrt[d] - I*Sqrt[e])*(1 + c*x)])))/(d*Sqrt[d + e*x^2]))

Maple [F]

time = 0.40, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsech}(cx)}{x^2 \sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))/x^2/(e*x^2+d)^(1/2), x)

[Out] int((a+b*arcsech(c*x))/x^2/(e*x^2+d)^(1/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^2/(e*x^2+d)^(1/2), x, algorithm="maxima")

[Out] -b*((x^3*e + d*x)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1)/(sqrt(x^2*e + d)*d*x^2) + integrate((c^2*d*x^2*log(c) - (c^2*x^4*e - (d*log(c) - d)*c^2*x^2 + d*log(c) - 2*(c^2*d*x^2 - d)*log(sqrt(x))))*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)) - d*log(c) + 2*(c^2*d*x^2 - d)*log(sqrt(x)))/(((c^2*d*x^2 - d)*x^2

+ (c^2*d*x^2 - d)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1) + 2*log(x))*sqrt(x^2*e + d), x) - sqrt(x^2*e + d)*a/(d*x)

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^2/(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x^2 \sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/x**2/(e*x**2+d)**(1/2),x)

[Out] Integral((a + b*asech(c*x))/(x**2*sqrt(d + e*x**2)), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^2/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/(sqrt(e*x^2 + d)*x^2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x^2 \sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(x^2*(d + e*x^2)^(1/2)),x)

[Out] int((a + b*acosh(1/(c*x)))/(x^2*(d + e*x^2)^(1/2)), x)

$$3.158 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^4 \sqrt{d+ex^2}} dx$$

Optimal. Leaf size=346

$$\frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{9dx^3} + \frac{b(2c^2d-5e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{9d^2x} - \frac{\sqrt{d+ex^2}}{9d^2x}$$

[Out] $-1/3*(a+b*\operatorname{arcsech}(c*x))*(e*x^2+d)^{(1/2)}/d/x^3+2/3*e*(a+b*\operatorname{arcsech}(c*x))*(e*x^2+d)^{(1/2)}/d^2/x+1/9*b*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/x^3+1/9*b*(2*c^2*d-5*e)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/x+1/9*b*c*(2*c^2*d-5*e)*\operatorname{EllipticE}(c*x, (-e/c^2/d)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(1+e*x^2/d)^{(1/2)}-2/9*b*(c^2*d-3*e)*(c^2*d+e)*\operatorname{EllipticF}(c*x, (-e/c^2/d)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/c/d^2/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.28, antiderivative size = 346, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {277, 270, 6436, 12, 594, 597, 538, 437, 435, 432, 430}

$$\frac{2c\sqrt{d+ex^2}(a+b\operatorname{sech}^{-1}(cx))}{3d^2x} - \frac{\sqrt{d+ex^2}(a+b\operatorname{sech}^{-1}(cx))}{3d^2x} - \frac{2b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(c^2d-3e)\sqrt{\frac{cx^2}{d}+1}F(\operatorname{ArcSin}(cx)|-\frac{2e}{c^2d})}{9d^2\sqrt{d+ex^2}} + \frac{bc\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}(2c^2d-5e)\sqrt{d+ex^2}E(\operatorname{ArcSin}(cx)|-\frac{2e}{c^2d})}{9d^2\sqrt{\frac{cx^2}{d}+1}} + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}(2c^2d-5e)\sqrt{d+ex^2}}{9d^2x} + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{9d^2x}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSech[c*x])/(x^4*sqrt[d + e*x^2]), x]

[Out] $(b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[d + e*x^2])/(9*d*x^3) + (b*(2*c^2*d - 5*e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[d + e*x^2])/(9*d^2*x) - (\operatorname{Sqrt}[d + e*x^2]*(a + b*\operatorname{ArcSech}[c*x]))/(3*d*x^3) + (2*e*\operatorname{Sqrt}[d + e*x^2]*(a + b*\operatorname{ArcSech}[c*x]))/(3*d^2*x) + (b*c*(2*c^2*d - 5*e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[d + e*x^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[c*x], -(e/(c^2*d))])/(9*d^2*\operatorname{Sqrt}[1 + (e*x^2)/d]) - (2*b*(c^2*d - 3*e)*(c^2*d + e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 + (e*x^2)/d]*\operatorname{EllipticF}[\operatorname{ArcSin}[c*x], -(e/(c^2*d))])/(9*c*d^2*\operatorname{Sqrt}[d + e*x^2])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 270

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m+1)*((a + b*x^n)^(p+1)/(a*c*(m+1))), x] /; FreeQ[{a, b, c, m, n,

p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 277

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IntQ[Simplify[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 430

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])

Rule 432

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]

Rule 435

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 437

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]

Rule 538

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-b/a, -d/c]))))))

Rule 594

```

Int[((g_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^q/(a*g*(m + 1))), x] - Dist[1/(a*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f)*(m + 1) + e*n*(b*c*(p + 1) + a*d*q) + d*((b*e - a*f)*(m + 1) + b*e*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && GtQ[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplerQ[e + f*x^n, c + d*x^n])

```

Rule 597

```

Int[((g_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]

```

Rule 6436

```

Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.))*((f_.)*(x_)^(m_.))*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^4 \sqrt{d + ex^2}} dx &= -\frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{3dx^3} + \frac{2e\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{3d^2x} + \left(b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2} \sqrt{d + ex^2} \right) \\
&= -\frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{3dx^3} + \frac{2e\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{3d^2x} + \frac{\left(b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2} \sqrt{d + ex^2} \right)}{9dx^3} \\
&= \frac{b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2} \sqrt{d + ex^2}}{9dx^3} - \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{3dx^3} + \frac{2e\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{3d^2x} \\
&= \frac{b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2} \sqrt{d + ex^2}}{9dx^3} + \frac{b(2c^2d - 5e) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2} \sqrt{d + ex^2}}{9d^2x} \\
&= \frac{b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2} \sqrt{d + ex^2}}{9dx^3} + \frac{b(2c^2d - 5e) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2} \sqrt{d + ex^2}}{9d^2x} \\
&= \frac{b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2} \sqrt{d + ex^2}}{9dx^3} + \frac{b(2c^2d - 5e) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2} \sqrt{d + ex^2}}{9d^2x} \\
&= \frac{b\sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2} \sqrt{d + ex^2}}{9dx^3} + \frac{b(2c^2d - 5e) \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2x^2} \sqrt{d + ex^2}}{9d^2x}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.
time = 22.61, size = 612, normalized size = 1.77

$$\frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{9d^2\sqrt{d+ex^2}} + \frac{b(2c^2d-5e) \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{9d^2\sqrt{d+ex^2}} + \frac{2e\sqrt{d+ex^2} (a+b \operatorname{sech}^{-1}(cx))}{3d^2\sqrt{d+ex^2}} - \frac{\sqrt{d+ex^2} (a+b \operatorname{sech}^{-1}(cx))}{3d\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])/(x^4*sqrt[d + e*x^2]), x]

[Out] ((b*d*sqrt[(1 - c*x)/(1 + c*x)]*(d + e*x^2))/x^3 + (b*c*d*sqrt[(1 - c*x)/(1 + c*x)]*(d + e*x^2))/x^2 + (b*(2*c^2*d - 5*e)*sqrt[(1 - c*x)/(1 + c*x)]*(d + e*x^2))/x - (3*a*(d - 2*e*x^2)*(d + e*x^2))/x^3 - (3*b*(d - 2*e*x^2)*(d + e*x^2)*ArcSech[c*x])/x^3 - (b*sqrt[(1 - c*x)/(1 + c*x)]*sqrt[(c*(sqrt[d

+ I*Sqrt[e]*x))/((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x)))*(I*Sqrt[d] + Sqrt[e]*x)
)*((2*c^3*d^(3/2) - (2*I)*c^2*d*Sqrt[e] - 5*c*Sqrt[d]*e + (5*I)*e^(3/2))*El
 lipticE[I*ArcSinh[Sqrt[((c^2*d + e)*(1 - c*x))/((c*Sqrt[d] + I*Sqrt[e])^2*(
 1 + c*x))]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2 + 2*((2*I
)*c^2*d - c*Sqrt[d]*Sqrt[e] - (6*I)*e)*Sqrt[e]*EllipticF[I*ArcSinh[Sqrt[((c
 ^2*d + e)*(1 - c*x))/((c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x))]], (c*Sqrt[d] +
 I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2)))/(Sqrt[-(((c*Sqrt[d] - I*Sqrt[e])*
 (-1 + c*x))/((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x)))]*Sqrt[(c*(Sqrt[d] - I*Sqrt
 [e]*x))/((c*Sqrt[d] - I*Sqrt[e])*(1 + c*x)))])/(9*d^2*Sqrt[d + e*x^2])

Maple [F]

time = 0.48, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsech}(cx)}{x^4 \sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))/x^4/(e*x^2+d)^(1/2), x)

[Out] int((a+b*arcsech(c*x))/x^4/(e*x^2+d)^(1/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^4/(e*x^2+d)^(1/2), x, algorithm="maxima")

[Out] 1/3*a*(2*sqrt(x^2*e + d)*e/(d^2*x) - sqrt(x^2*e + d)/(d*x^3)) + 1/3*b*((2*x
 ^5*e^2 + d*x^3*e - d^2*x)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1)/(sqrt(x^2*e
 + d)*d^2*x^4) - 3*integrate(1/3*(3*c^2*d^2*x^2*log(c) - 3*d^2*log(c) + (2*
 c^2*x^6*e^2 + c^2*d*x^4*e + (3*d^2*log(c) - d^2)*c^2*x^2 - 3*d^2*log(c) + 6
 *(c^2*d^2*x^2 - d^2)*log(sqrt(x)))*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1))
 + 6*(c^2*d^2*x^2 - d^2)*log(sqrt(x)))/(((c^2*d^2*x^2 - d^2)*x^4 + (c^2*d^2
 *x^2 - d^2)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1) + 4*log(x))*sqrt(x^2*e
 + d)), x))

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^4/(e*x^2+d)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x^4 \sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asech(c*x))/x**4/(e*x**2+d)**(1/2),x)

[Out] Integral((a + b*asech(c*x))/(x**4*sqrt(d + e*x**2)), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^4/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)/(sqrt(e*x^2 + d)*x^4), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x^4 \sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(x^4*(d + e*x^2)^(1/2)),x)

[Out] int((a + b*acosh(1/(c*x)))/(x^4*(d + e*x^2)^(1/2)), x)

$$3.159 \quad \int \frac{x^5 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Optimal. Leaf size=278

$$\frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{6c^2e^2} - \frac{d^2(a+b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d+ex^2}} - \frac{2d\sqrt{d+ex^2}(a+b \operatorname{sech}^{-1}(cx))}{e^3} + \frac{(d+ex^2)^{3/2}}{e^3}$$

[Out] $1/3*(e*x^2+d)^{(3/2)}*(a+b*\operatorname{arcsech}(c*x))/e^3+1/6*b*(9*c^2*d-e)*\arctan(e^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c/(e*x^2+d)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^3/e^{(5/2)}+8/3*b*d^{(3/2)}*\operatorname{arctanh}((e*x^2+d)^{(1/2)}/d^{(1/2)}/(-c^2*x^2+1)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/e^3-d^2*(a+b*\operatorname{arcsech}(c*x))/e^3/(e*x^2+d)^{(1/2)}-2*d*(a+b*\operatorname{arcsech}(c*x))*(e*x^2+d)^{(1/2)}/e^3-1/6*b*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/c^2/e^2$

Rubi [A]

time = 0.75, antiderivative size = 278, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {272, 45, 6436, 12, 1629, 163, 65, 223, 209, 95, 213}

$$\frac{d^2(a+b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d+ex^2}} - \frac{2d\sqrt{d+ex^2}(a+b \operatorname{sech}^{-1}(cx))}{e^3} + \frac{(d+ex^2)^{3/2}(a+b \operatorname{sech}^{-1}(cx))}{3e^3} + \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \operatorname{ArcTan}\left(\frac{\sqrt{e}\sqrt{1-c^2x^2}}{e\sqrt{d+ex^2}}\right)}{6c^2e^{5/2}} + \frac{8bd^{3/2} \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \operatorname{tanh}^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{3e^3} - \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{6c^2e^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^5*(a + b*\operatorname{ArcSech}[c*x]))/(d + e*x^2)^{(3/2)}, x]$

[Out] $-1/6*(b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[d + e*x^2])/(c^2*e^2) - (d^2*(a + b*\operatorname{ArcSech}[c*x]))/(e^3*\operatorname{Sqrt}[d + e*x^2]) - (2*d*\operatorname{Sqrt}[d + e*x^2]*(a + b*\operatorname{ArcSech}[c*x]))/e^3 + ((d + e*x^2)^{(3/2)}*(a + b*\operatorname{ArcSech}[c*x]))/(3*e^3) + (b*(9*c^2*d - e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTan}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[1 - c^2*x^2])/(c*\operatorname{Sqrt}[d + e*x^2])])/(6*c^3*e^{(5/2)}) + (8*b*d^{(3/2)}*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTanh}[\operatorname{Sqrt}[d + e*x^2]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[1 - c^2*x^2])])/(3*e^3)$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!Match} Q[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 45

$\operatorname{Int}[(a_*)(x_*)^{(m_*)}*((c_*) + (d_*)(x_*))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \operatorname{FreeQ}\{a, b, c, d, n\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{IGtQ}[m, 0] \&\& (\operatorname{!IntegerQ}[n] \operatorname{||} (\operatorname{EqQ}[c, 0] \&\& \operatorname{LeQ}[7*m + 4*n + 4, 0]) \operatorname{||} \operatorname{LtQ}[9*m + 5*(n + 1), 0]) \operatorname{||} \operatorname{GtQ}[m + n + 2, 0])$

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 95

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 163

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_
)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 209

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*A
rcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 213

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-(Rt[-a, 2]*Rt[b, 2])^(-
1))*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] &&
(LtQ[a, 0] || GtQ[b, 0])
```

Rule 223

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 272

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1629

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*b^(q - 1)*(m + n + p + q + 1))), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x]

```

Rule 6436

```

Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

```

Rubi steps

$$\begin{aligned}
\int \frac{x^5 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx &= -\frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{3e^3} \\
&= -\frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{3e^3} \\
&= -\frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{3e^3} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{6c^2e^2} - \frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d+ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^3} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{6c^2e^2} - \frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d+ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^3} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{6c^2e^2} - \frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d+ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^3} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{6c^2e^2} - \frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d+ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^3} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{6c^2e^2} - \frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d+ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^3}
\end{aligned}$$

Mathematica [A]

time = 20.96, size = 436, normalized size = 1.57

$$\frac{-b\sqrt{\frac{1-cx}{1+cx}}(1+cx)(d+ex^2) - 2ac^2(8d^2+4dex^2-c^2x^4) - 2bc^2(8d^2+4dex^2-c^2x^4)\operatorname{sech}^{-1}(cx) - \frac{b\sqrt{\frac{1-cx}{1+cx}}\sqrt{1-c^2x^2}(-9(-c^2)^{3/2}d\sqrt{-c^2d-e}\sqrt{e}\sqrt{\frac{c^2(d+ex^2)}{c^2d+e}}\operatorname{ArcSin}\left(\frac{\sqrt{e}\sqrt{1-c^2x^2}}{\sqrt{-c^2}\sqrt{-c^2d-e}}\right) + \sqrt{-c^2}\sqrt{-c^2d-e}e^{3/4}\sqrt{\frac{c^2(d+ex^2)}{c^2d+e}}\operatorname{ArcSin}\left(\frac{\sqrt{-c^2}\sqrt{e}\sqrt{1-c^2x^2}}{\sqrt{-c^2d-e}}\right) + 16c^2d^{3/2}\sqrt{-d-cx^2}\operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-cx^2}}\right))}{6c^2e^2\sqrt{d+ex^2}}}{6c^2e^2(-1+cx)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

[Out] (-b*e*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(d + e*x^2)) - 2*a*c^2*(8*d^2 + 4*d*e*x^2 - e^2*x^4) - 2*b*c^2*(8*d^2 + 4*d*e*x^2 - e^2*x^4)*ArcSech[c*x])/

$$(6*c^2*e^3*\sqrt{d + e*x^2}) - (b*\sqrt{(1 - c*x)/(1 + c*x)}*\sqrt{1 - c^2*x^2})*(-9*(-c^2)^{(3/2)}*d*\sqrt{-(c^2*d) - e}*\sqrt{e}*\sqrt{(c^2*(d + e*x^2))/(c^2*d + e)})*\text{ArcSin}[(c*\sqrt{e}*\sqrt{1 - c^2*x^2})/(\sqrt{-c^2}*\sqrt{-(c^2*d) - e})] + \sqrt{-c^2}*\sqrt{-(c^2*d) - e}*e^{(3/2)}*\sqrt{(c^2*(d + e*x^2))/(c^2*d + e)}*\text{ArcSin}[(\sqrt{-c^2}*\sqrt{e}*\sqrt{1 - c^2*x^2})/(c*\sqrt{-(c^2*d) - e})] + 16*c^5*d^{(3/2)}*\sqrt{-d - e*x^2}*\text{ArcTan}[(\sqrt{d}*\sqrt{1 - c^2*x^2})/\sqrt{-d - e*x^2}])]/(6*c^5*e^3*(-1 + c*x)*\sqrt{d + e*x^2})$$

Maple [F]

time = 1.38, size = 0, normalized size = 0.00

$$\int \frac{x^5(a + b \operatorname{arcsech}(cx))}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x)

[Out] int(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x, algorithm="maxima")

[Out] 1/3*(x^4*e^(-1)/sqrt(x^2*e + d) - 4*d*x^2*e^(-2)/sqrt(x^2*e + d) - 8*d^2*e^(-3)/sqrt(x^2*e + d)*a + b*integrate(x^5*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^2*e + d)^(3/2), x)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 814 vs. 2(184) = 368.

time = 0.80, size = 1665, normalized size = 5.99

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x, algorithm="fricas")

[Out] [1/12*((9*b*c^2*d^2 - b*x^2*cosh(1)^2 - b*x^2*sinh(1)^2 + (9*b*c^2*d*x^2 - b*d)*cosh(1) + (9*b*c^2*d*x^2 - 2*b*x^2*cosh(1) - b*d)*sinh(1))*sqrt(cosh(1) + sinh(1))*arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*cosh(1) + (2*c^2*x^3 - x)*sinh(1))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))*sqrt(cosh(1) + sinh(1))/((c^2*x^4 - x^2)*cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^2 + (c^2*d*x^2 - d)*cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*cosh(1) -

```

d)*sinh(1))) + 4*(b*c^3*x^4*cosh(1)^2 + b*c^3*x^4*sinh(1)^2 - 4*b*c^3*d*x^
2*cosh(1) - 8*b*c^3*d^2 + 2*(b*c^3*x^4*cosh(1) - 2*b*c^3*d*x^2)*sinh(1))*sq
rt(x^2*cosh(1) + x^2*sinh(1) + d)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) +
1)/(c*x)) + 8*(b*c^3*d*x^2*cosh(1) + b*c^3*d*x^2*sinh(1) + b*c^3*d^2)*sqrt
(d)*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*cosh(1)^2 + x^4*sinh(1)^2 - 4*(c
^3*d*x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) - 2*c*d*x)*sqrt(x^2*cosh(1) + x^2*
sinh(1) + d)*sqrt(d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 8*d^2 - 2*(3*c^2*d*x^
4 - 4*d*x^2)*cosh(1) - 2*(3*c^2*d*x^4 - x^4*cosh(1) - 4*d*x^2)*sinh(1))/x^4
) + 2*(2*a*c^3*x^4*cosh(1)^2 + 2*a*c^3*x^4*sinh(1)^2 - 8*a*c^3*d*x^2*cosh(1
) - 16*a*c^3*d^2 + 4*(a*c^3*x^4*cosh(1) - 2*a*c^3*d*x^2)*sinh(1) - (b*c^2*x
^3*cosh(1)^2 + b*c^2*x^3*sinh(1)^2 + b*c^2*d*x*cosh(1) + (2*b*c^2*x^3*cosh(
1) + b*c^2*d*x)*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))*sqrt(x^2*cosh(1) +
x^2*sinh(1) + d))/(c^3*x^2*cosh(1)^4 + c^3*x^2*sinh(1)^4 + c^3*d*cosh(1)^3
+ (4*c^3*x^2*cosh(1) + c^3*d)*sinh(1)^3 + 3*(2*c^3*x^2*cosh(1)^2 + c^3*d*c
osh(1))*sinh(1)^2 + (4*c^3*x^2*cosh(1)^3 + 3*c^3*d*cosh(1)^2)*sinh(1)), 1/1
2*(16*(b*c^3*d*x^2*cosh(1) + b*c^3*d*x^2*sinh(1) + b*c^3*d^2)*sqrt(-d)*arct
an(-1/2*(c^3*d*x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) - 2*c*d*x)*sqrt(x^2*cosh
(1) + x^2*sinh(1) + d)*sqrt(-d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))/(c^2*d^2*x^2
- d^2 + (c^2*d*x^4 - d*x^2)*cosh(1) + (c^2*d*x^4 - d*x^2)*sinh(1))) + (9*b
*c^2*d^2 - b*x^2*cosh(1)^2 - b*x^2*sinh(1)^2 + (9*b*c^2*d*x^2 - b*d)*cosh(1
) + (9*b*c^2*d*x^2 - 2*b*x^2*cosh(1) - b*d)*sinh(1))*sqrt(cosh(1) + sinh(1
))*arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*cosh(1) + (2*c^2*x^3 - x)*sinh(1))*
sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(cos
h(1) + sinh(1)))/((c^2*x^4 - x^2)*cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^2 + (c
^2*d*x^2 - d)*cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*cosh(1) - d)*sinh(1
)) + 4*(b*c^3*x^4*cosh(1)^2 + b*c^3*x^4*sinh(1)^2 - 4*b*c^3*d*x^2*cosh(1) -
8*b*c^3*d^2 + 2*(b*c^3*x^4*cosh(1) - 2*b*c^3*d*x^2)*sinh(1))*sqrt(x^2*cosh
(1) + x^2*sinh(1) + d)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x))
+ 2*(2*a*c^3*x^4*cosh(1)^2 + 2*a*c^3*x^4*sinh(1)^2 - 8*a*c^3*d*x^2*cosh(1)
- 16*a*c^3*d^2 + 4*(a*c^3*x^4*cosh(1) - 2*a*c^3*d*x^2)*sinh(1) - (b*c^2*x^3
*cosh(1)^2 + b*c^2*x^3*sinh(1)^2 + b*c^2*d*x*cosh(1) + (2*b*c^2*x^3*cosh(1)
+ b*c^2*d*x)*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)))*sqrt(x^2*cosh(1) + x
^2*sinh(1) + d))/(c^3*x^2*cosh(1)^4 + c^3*x^2*sinh(1)^4 + c^3*d*cosh(1)^3 +
(4*c^3*x^2*cosh(1) + c^3*d)*sinh(1)^3 + 3*(2*c^3*x^2*cosh(1)^2 + c^3*d*cos
h(1))*sinh(1)^2 + (4*c^3*x^2*cosh(1)^3 + 3*c^3*d*cosh(1)^2)*sinh(1)]]

```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5(a + b \operatorname{asech}(cx))}{(d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*asech(c*x))/(e*x**2+d)**(3/2), x)

[Out] Integral(x**5*(a + b*asech(c*x))/(d + e*x**2)**(3/2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")``[Out] integrate((b*arcsech(c*x) + a)*x^5/(e*x^2 + d)^(3/2), x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 (a + b \operatorname{acosh}(\frac{1}{cx}))}{(ex^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((x^5*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(3/2),x)``[Out] int((x^5*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(3/2), x)`

$$3.160 \quad \int \frac{x^3 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Optimal. Leaf size=177

$$\frac{d(a + b \operatorname{sech}^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^2} - \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \operatorname{ArcTan}\left(\frac{\sqrt{e} \sqrt{1 - c^2 x^2}}{c \sqrt{d + ex^2}}\right)}{ce^{3/2}} - \frac{2b\sqrt{d}}{e^2}$$

[Out] $-b \operatorname{arctan}(e^{1/2} (-c^2 x^2 + 1)^{1/2} / c / (e x^2 + d)^{1/2}) * (1 / (c x + 1))^{1/2} * (c x + 1)^{1/2} / c / e^{3/2} - 2 b \operatorname{arctanh}((e x^2 + d)^{1/2} / d^{1/2} / (-c^2 x^2 + 1)^{1/2}) * d^{1/2} * (1 / (c x + 1))^{1/2} * (c x + 1)^{1/2} / e^2 + d * (a + b \operatorname{arcsech}(c x)) / e^2 / (e x^2 + d)^{1/2} + (a + b \operatorname{arcsech}(c x)) * (e x^2 + d)^{1/2} / e^2$

Rubi [A]

time = 0.18, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {272, 45, 6436, 12, 587, 163, 65, 223, 209, 95, 213}

$$\frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^2} + \frac{d(a + b \operatorname{sech}^{-1}(cx))}{e^2 \sqrt{d + ex^2}} - \frac{b \sqrt{\frac{1}{cx + 1}} \sqrt{cx + 1} \operatorname{ArcTan}\left(\frac{\sqrt{e} \sqrt{1 - c^2 x^2}}{c \sqrt{d + ex^2}}\right)}{ce^{3/2}} - \frac{2b\sqrt{d} \sqrt{\frac{1}{cx + 1}} \sqrt{cx + 1} \operatorname{tanh}^{-1}\left(\frac{\sqrt{d + ex^2}}{\sqrt{d} \sqrt{1 - c^2 x^2}}\right)}{e^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^3 * (a + b * \operatorname{ArcSech}[c * x])) / (d + e * x^2)^{(3/2)}, x]$

[Out] $(d * (a + b * \operatorname{ArcSech}[c * x])) / (e^2 * \operatorname{Sqrt}[d + e * x^2]) + (\operatorname{Sqrt}[d + e * x^2] * (a + b * \operatorname{ArcSech}[c * x])) / e^2 - (b * \operatorname{Sqrt}[(1 + c * x)^{-1}] * \operatorname{Sqrt}[1 + c * x] * \operatorname{ArcTan}[(\operatorname{Sqrt}[e] * \operatorname{Sqrt}[1 - c^2 * x^2]) / (c * \operatorname{Sqrt}[d + e * x^2])]) / (c * e^{3/2}) - (2 * b * \operatorname{Sqrt}[d] * \operatorname{Sqrt}[(1 + c * x)^{-1}] * \operatorname{Sqrt}[1 + c * x] * \operatorname{ArcTanh}[\operatorname{Sqrt}[d + e * x^2] / (\operatorname{Sqrt}[d] * \operatorname{Sqrt}[1 - c^2 * x^2])]) / e^2$

Rule 12

$\operatorname{Int}[(a_*) * (u_*), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b_*) * (v_*) /; FreeQ[b, x]]

Rule 45

$\operatorname{Int}[(a_*) + (b_*) * (x_*)^{(m_*)} * ((c_*) + (d_*) * (x_*)^{(n_*)}), x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b * x)^m * (c + d * x)^n, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && NeQ[b * c - a * d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7 * m + 4 * n + 4, 0]) || LtQ[9 * m + 5 * (n + 1), 0] || GtQ[m + n + 2, 0])

Rule 65

$\operatorname{Int}[(a_*) + (b_*) * (x_*)^{(m_*)} * ((c_*) + (d_*) * (x_*)^{(n_*)}), x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p / b, \operatorname{Subst}[\operatorname{Int}[x^{(p * (m + 1) - 1)} * (c - a * (d / b) +$

$d*(x^{p/b})^n, x, (a + b*x)^{1/p}, x] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 95

$\text{Int}[(((a_.) + (b_.)*(x_.))^{(m_.)*((c_.) + (d_.)*(x_.))^{(n_.))}/((e_.) + (f_.)*(x_.)), x_Symbol] \text{:>} \text{With}\{q = \text{Denominator}[m]\}, \text{Dist}[q, \text{Subst}[\text{Int}[x^{(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q)}, x], x, (a + b*x)^{1/q}/(c + d*x)^{1/q}], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{EqQ}[m + n + 1, 0] \ \&\& \ \text{RationalQ}[n] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{SimplerQ}[a + b*x, c + d*x]$

Rule 163

$\text{Int}[(((c_.) + (d_.)*(x_.))^{(n_.)*((e_.) + (f_.)*(x_.))^{(p_.)*((g_.) + (h_.)*(x_.))})/((a_.) + (b_.)*(x_.)), x_Symbol] \text{:>} \text{Dist}[h/b, \text{Int}[(c + d*x)^n*(e + f*x)^p, x], x] + \text{Dist}[(b*g - a*h)/b, \text{Int}[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, n, p\}, x]$

Rule 209

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{-1}, x_Symbol] \text{:>} \text{Simp}[(1/(\text{Rt}[a, 2]*\text{Rt}[b, 2]))*\text{ArcTan}[\text{Rt}[b, 2]*(x/\text{Rt}[a, 2])], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

Rule 213

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{-1}, x_Symbol] \text{:>} \text{Simp}[(-\text{Rt}[-a, 2]*\text{Rt}[b, 2])^{-1})*\text{ArcTanh}[\text{Rt}[b, 2]*(x/\text{Rt}[-a, 2])], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

Rule 223

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*(x_.)^2], x_Symbol] \text{:>} \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}\{a, b\}, x \ \&\& \ !\text{GtQ}[a, 0]$

Rule 272

$\text{Int}[(x_.)^{(m_.)*((a_.) + (b_.)*(x_.)^{(n_.))^{(p_.)}, x_Symbol] \text{:>} \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 587

$\text{Int}[(x_.)^{(m_.)*((a_.) + (b_.)*(x_.)^{(n_.))^{(p_.)*((c_.) + (d_.)*(x_.)^{(n_.))^{(q_.)*((e_.) + (f_.)*(x_.)^{(n_.))^{(r_.)}, x_Symbol] \text{:>} \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simpl$

```
ify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /;
FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n]]]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
 \int \frac{x^3 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx &= \frac{d(a + b \operatorname{sech}^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^2} + \left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \\
 &= \frac{d(a + b \operatorname{sech}^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^2} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right)}{e^2} \\
 &= \frac{d(a + b \operatorname{sech}^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^2} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right)}{e^2} \\
 &= \frac{d(a + b \operatorname{sech}^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^2} + \frac{\left(bd \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right)}{e^2} \\
 &= \frac{d(a + b \operatorname{sech}^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^2} + \frac{\left(2bd \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right)}{e^2} \\
 &= \frac{d(a + b \operatorname{sech}^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^2} - \frac{2b\sqrt{d} \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}}{e^2} \\
 &= \frac{d(a + b \operatorname{sech}^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^2} - \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \operatorname{arctan} \left(\frac{\sqrt{d + ex^2}}{\sqrt{1 + cx}} \right)}{e^2}
 \end{aligned}$$

Mathematica [A]

time = 21.06, size = 249, normalized size = 1.41

$$\frac{(2d + ex^2)(a + b \operatorname{sech}^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{b \sqrt{\frac{1-cx}{1+cx}} \sqrt{1-c^2x^2} \left(\sqrt{-c^2} \sqrt{-c^2d - e} \sqrt{e} \sqrt{\frac{c^2(d+ex^2)}{c^2d+e}} \operatorname{ArcSin}\left(\frac{c\sqrt{e}\sqrt{1-c^2x^2}}{\sqrt{-c^2}\sqrt{-c^2d-e}}\right) + 2c^2\sqrt{d}\sqrt{-d-ex^2} \operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right) \right)}{c^3e^2(-1+cx)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

[Out] ((2*d + e*x^2)*(a + b*ArcSech[c*x]))/(e^2*Sqrt[d + e*x^2]) + (b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^2*x^2]*(Sqrt[-c^2]*Sqrt[-(c^2*d) - e]*Sqrt[e]*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSin[(c*Sqrt[e]*Sqrt[1 - c^2*x^2])/(Sqrt[-c^2]*Sqrt[-(c^2*d) - e]]) + 2*c^3*Sqrt[d]*Sqrt[-d - e*x^2]*ArcTan[(Sqrt[d]*Sqrt[1 - c^2*x^2])/Sqrt[-d - e*x^2]])/(c^3*e^2*(-1 + c*x)*Sqrt[d + e*x^2])

Maple [F]

time = 1.29, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{arcsech}(cx))}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x)

[Out] int(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x, algorithm="maxima")

[Out] (x^2*e^(-1)/sqrt(x^2*e + d) + 2*d*e^(-2)/sqrt(x^2*e + d))*a + b*integrate(x^3*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^2*e + d)^(3/2), x)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 529 vs. 2(116) = 232.

time = 0.49, size = 1095, normalized size = 6.19

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x, algorithm="fricas")

```
[Out] [-1/2*((b*x^2*cosh(1) + b*x^2*sinh(1) + b*d)*sqrt(cosh(1) + sinh(1))*arctan
(1/2*(c^2*d*x + (2*c^2*x^3 - x)*cosh(1) + (2*c^2*x^3 - x)*sinh(1))*sqrt(x^2
*cosh(1) + x^2*sinh(1) + d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(cosh(1) + s
inh(1))/((c^2*x^4 - x^2)*cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^2 + (c^2*d*x^2
- d)*cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*cosh(1) - d)*sinh(1))) - 2*(
b*c*x^2*cosh(1) + b*c*x^2*sinh(1) + 2*b*c*d)*sqrt(x^2*cosh(1) + x^2*sinh(1)
+ d)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) - (b*c*x^2*cosh(1)
+ b*c*x^2*sinh(1) + b*c*d)*sqrt(d)*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4
*cosh(1)^2 + x^4*sinh(1)^2 + 4*(c^3*d*x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) -
2*c*d*x)*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(d)*sqrt(-(c^2*x^2 - 1)/(
c^2*x^2)) + 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*cosh(1) - 2*(3*c^2*d*x^4 - x^
4*cosh(1) - 4*d*x^2)*sinh(1))/x^4) - 2*(a*c*x^2*cosh(1) + a*c*x^2*sinh(1) +
2*a*c*d)*sqrt(x^2*cosh(1) + x^2*sinh(1) + d))/(c*x^2*cosh(1)^3 + c*x^2*sin
h(1)^3 + c*d*cosh(1)^2 + (3*c*x^2*cosh(1) + c*d)*sinh(1)^2 + (3*c*x^2*cosh(
1)^2 + 2*c*d*cosh(1))*sinh(1)), -1/2*(2*(b*c*x^2*cosh(1) + b*c*x^2*sinh(1)
+ b*c*d)*sqrt(-d)*arctan(-1/2*(c^3*d*x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) -
2*c*d*x)*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-d)*sqrt(-(c^2*x^2 - 1)/(
c^2*x^2)))/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*cosh(1) + (c^2*d*x^4 - d
*x^2)*sinh(1))) + (b*x^2*cosh(1) + b*x^2*sinh(1) + b*d)*sqrt(cosh(1) + sinh
(1))*arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*cosh(1) + (2*c^2*x^3 - x)*sinh(1)
))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(
cosh(1) + sinh(1))/((c^2*x^4 - x^2)*cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^2 +
(c^2*d*x^2 - d)*cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*cosh(1) - d)*sinh
(1))) - 2*(b*c*x^2*cosh(1) + b*c*x^2*sinh(1) + 2*b*c*d)*sqrt(x^2*cosh(1) +
x^2*sinh(1) + d)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) - 2*(a
*c*x^2*cosh(1) + a*c*x^2*sinh(1) + 2*a*c*d)*sqrt(x^2*cosh(1) + x^2*sinh(1)
+ d))/(c*x^2*cosh(1)^3 + c*x^2*sinh(1)^3 + c*d*cosh(1)^2 + (3*c*x^2*cosh(1)
+ c*d)*sinh(1)^2 + (3*c*x^2*cosh(1)^2 + 2*c*d*cosh(1))*sinh(1))]
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{asech}(cx))}{(d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*asech(c*x))/(e*x**2+d)**(3/2), x)
```

```
[Out] Integral(x**3*(a + b*asech(c*x))/(d + e*x**2)**(3/2), x)
```

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x^3/(e*x^2 + d)^(3/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 (a + b \operatorname{acosh}(\frac{1}{cx}))}{(ex^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(3/2),x)

[Out] int((x^3*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(3/2), x)

$$3.161 \quad \int \frac{x \left(a + b \operatorname{sech}^{-1}(cx) \right)}{(d + ex^2)^{3/2}} dx$$

Optimal. Leaf size=87

$$-\frac{a + b \operatorname{sech}^{-1}(cx)}{e \sqrt{d + ex^2}} + \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \tanh^{-1} \left(\frac{\sqrt{d + ex^2}}{\sqrt{d} \sqrt{1 - c^2 x^2}} \right)}{\sqrt{d} e}$$

[Out] b*arctanh((e*x^2+d)^(1/2)/d^(1/2)/(-c^2*x^2+1)^(1/2))*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/e/d^(1/2)+(-a-b*arcsech(c*x))/e/(e*x^2+d)^(1/2)

Rubi [A]

time = 0.16, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {6434, 531, 457, 95, 213}

$$\frac{b \sqrt{\frac{1}{cx + 1}} \sqrt{cx + 1} \tanh^{-1} \left(\frac{\sqrt{d + ex^2}}{\sqrt{d} \sqrt{1 - c^2 x^2}} \right)}{\sqrt{d} e} - \frac{a + b \operatorname{sech}^{-1}(cx)}{e \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2),x]

[Out] -((a + b*ArcSech[c*x])/(e*Sqrt[d + e*x^2])) + (b*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcTanh[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[1 - c^2*x^2])])/(Sqrt[d]*e)

Rule 95

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 213

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(-Rt[-a, 2]*Rt[b, 2])^(-1)*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 457

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p

$*(c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 531

$\text{Int}[(u_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.)*((a1_.) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_.) + (b2_.)*(x_)^(non2_.))^(p_.), x_Symbol] \ :> \ \text{Int}[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x] /; \text{FreeQ}[\{a1, b1, a2, b2, c, d, n, p, q\}, x] \ \&\& \ \text{EqQ}[\text{non2}, n/2] \ \&\& \ \text{EqQ}[a2*b1 + a1*b2, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ (\text{GtQ}[a1, 0] \ \&\& \ \text{GtQ}[a2, 0]))$

Rule 6434

$\text{Int}[(a_.) + \text{ArcSech}[(c_.)*(x_)]*(b_.)]*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] \ :> \ \text{Simp}[(d + e*x^2)^(p + 1)*((a + b*\text{ArcSech}[c*x])/(2*e*(p + 1))), x] + \text{Dist}[b*(\text{Sqrt}[1 + c*x]/(2*e*(p + 1)))*\text{Sqrt}[1/(1 + c*x)], \text{Int}[(d + e*x^2)^(p + 1)/(x*\text{Sqrt}[1 - c*x]*\text{Sqrt}[1 + c*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, p\}, x] \ \&\& \ \text{NeQ}[p, -1]$

Rubi steps

$$\begin{aligned} \int \frac{x(a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{e\sqrt{d + ex^2}} - \frac{\left(b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\right) \int \frac{1}{x\sqrt{1 - cx}\sqrt{1 + cx}\sqrt{d + ex^2}} dx}{e} \\ &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{e\sqrt{d + ex^2}} - \frac{\left(b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\right) \int \frac{1}{x\sqrt{1 - c^2x^2}\sqrt{d + ex^2}} dx}{e} \\ &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{e\sqrt{d + ex^2}} - \frac{\left(b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\right) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1 - c^2x}\sqrt{d + ex^2}} dx, x, \frac{\sqrt{d + ex^2}}{\sqrt{1 - c^2x^2}}\right)}{2e} \\ &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{e\sqrt{d + ex^2}} - \frac{\left(b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\right) \operatorname{Subst}\left(\int \frac{1}{-d + x^2} dx, x, \frac{\sqrt{d + ex^2}}{\sqrt{1 - c^2x^2}}\right)}{e} \\ &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{e\sqrt{d + ex^2}} + \frac{b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx} \tanh^{-1}\left(\frac{\sqrt{d + ex^2}}{\sqrt{d}\sqrt{1 - c^2x^2}}\right)}{\sqrt{d}e} \end{aligned}$$

Mathematica [A]

time = 20.41, size = 135, normalized size = 1.55

$$\frac{a + b \operatorname{sech}^{-1}(cx)}{e\sqrt{d+ex^2}} - \frac{b\sqrt{\frac{1-cx}{1+cx}}\sqrt{1-c^2x^2}\sqrt{-d-ex^2}\operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right)}{\sqrt{d}e(-1+cx)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

[Out] -(a + b*ArcSech[c*x])/(e*Sqrt[d + e*x^2]) - (b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^2*x^2]*Sqrt[-d - e*x^2]*ArcTan[(Sqrt[d]*Sqrt[1 - c^2*x^2])/Sqrt[-d - e*x^2]])/(Sqrt[d]*e*(-1 + c*x)*Sqrt[d + e*x^2])

Maple [F]

time = 0.50, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{arcsech}(cx))}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x)

[Out] int(x*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x, algorithm="maxima")

[Out] b*integrate(x*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^2*e + d)^(3/2), x) - a*e^(-1)/sqrt(x^2*e + d)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 269 vs. 2(57) = 114.

time = 0.57, size = 575, normalized size = 6.61

$$\frac{4\sqrt{d+ex^2}\sqrt{-d-ex^2}\operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right) + 4\sqrt{d+ex^2}\sqrt{-d-ex^2}\operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right) + 4\sqrt{d+ex^2}\sqrt{-d-ex^2}\operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right) + 4\sqrt{d+ex^2}\sqrt{-d-ex^2}\operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right)}{4\sqrt{d+ex^2}\sqrt{-d-ex^2}\operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right) + 4\sqrt{d+ex^2}\sqrt{-d-ex^2}\operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right) + 4\sqrt{d+ex^2}\sqrt{-d-ex^2}\operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right) + 4\sqrt{d+ex^2}\sqrt{-d-ex^2}\operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x, algorithm="fricas")

[Out] [-1/4*(4*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*b*d*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + 4*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*a*d - (b*

$$x^2 \cosh(1) + b x^2 \sinh(1) + b d) \sqrt{d} \log\left(\frac{(c^4 d^2 x^4 - 8 c^2 d^2 x^2 + x^4 \cosh(1)^2 + x^4 \sinh(1)^2 - 4(c^3 d x^3 - c x^3 \cosh(1) - c x^3 \sinh(1) - 2 c d x) \sqrt{x^2 \cosh(1) + x^2 \sinh(1) + d}) \sqrt{d} \sqrt{-(c^2 x^2 - 1)/(c^2 x^2)} + 8 d^2 - 2(3 c^2 d x^4 - 4 d x^2) \cosh(1) - 2(3 c^2 d x^4 - x^4 \cosh(1) - 4 d x^2) \sinh(1)}{x^4}\right) / (d x^2 \cosh(1)^2 + d x^2 \sinh(1)^2 + d^2 \cosh(1) + (2 d x^2 \cosh(1) + d^2) \sinh(1)), -1/2(2 \sqrt{x^2 \cosh(1) + x^2 \sinh(1) + d} b d \log\left(\frac{c x \sqrt{-(c^2 x^2 - 1)/(c^2 x^2)} + 1}{c x}\right) + 2 \sqrt{x^2 \cosh(1) + x^2 \sinh(1) + d} a d - (b x^2 \cosh(1) + b x^2 \sinh(1) + b d) \sqrt{-d} \arctan\left(\frac{-1/2(c^3 d x^3 - c x^3 \cosh(1) - c x^3 \sinh(1) - 2 c d x) \sqrt{x^2 \cosh(1) + x^2 \sinh(1) + d} \sqrt{-d} \sqrt{-(c^2 x^2 - 1)/(c^2 x^2)}}{(c^2 d^2 x^2 - d^2 + (c^2 d x^4 - d x^2) \cosh(1) + (c^2 d x^4 - d x^2) \sinh(1))}\right) / (d x^2 \cosh(1)^2 + d x^2 \sinh(1)^2 + d^2 \cosh(1) + (2 d x^2 \cosh(1) + d^2) \sinh(1))]$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{asech}(cx))}{(d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asech(c*x))/(e*x**2+d)**(3/2),x)

[Out] Integral(x*(a + b*asech(c*x))/(d + e*x**2)**(3/2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x/(e*x^2 + d)^(3/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x(a + b \operatorname{acosh}(\frac{1}{cx}))}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(3/2),x)

[Out] int((x*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(3/2), x)

$$3.162 \quad \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x(d + ex^2)^{3/2}} dx$$

Optimal. Leaf size=26

$$\operatorname{Int}\left(\frac{a + b \operatorname{sech}^{-1}(cx)}{x(d + ex^2)^{3/2}}, x\right)$$

[Out] Unintegrable((a+b*arcsech(c*x))/x/(e*x^2+d)^(3/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x(d + ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSech[c*x])/(x*(d + e*x^2)^(3/2)), x]

[Out] Defer[Int] [(a + b*ArcSech[c*x])/(x*(d + e*x^2)^(3/2)), x]

Rubi steps

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x(d + ex^2)^{3/2}} dx = \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x(d + ex^2)^{3/2}} dx$$

Mathematica [A]

time = 21.53, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x(d + ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSech[c*x])/(x*(d + e*x^2)^(3/2)), x]

[Out] Integrate[(a + b*ArcSech[c*x])/(x*(d + e*x^2)^(3/2)), x]

Maple [A]

time = 0.36, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsech}(cx)}{x(e x^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/x/(e*x^2+d)^(3/2),x)`

[Out] `int((a+b*arcsech(c*x))/x/(e*x^2+d)^(3/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] `-a*(arcsinh(sqrt(d)*e^(-1/2)/abs(x))/d^(3/2) - 1/(sqrt(x^2*e + d)*d)) + b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/((x^2*e + d)^(3/2)*x), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsech(c*x) + a)/(x^5*e^2 + 2*d*x^3*e + d^2*x), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x (d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asech(c*x))/x/(e*x**2+d)**(3/2),x)`

[Out] `Integral((a + b*asech(c*x))/(x*(d + e*x**2)**(3/2)), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^(3/2),x, algorithm="giac")`

[Out] integrate((b*arcsech(c*x) + a)/((e*x^2 + d)^(3/2)*x), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x (e x^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(x*(d + e*x^2)^(3/2)),x)

[Out] int((a + b*acosh(1/(c*x)))/(x*(d + e*x^2)^(3/2)), x)

$$3.163 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^3(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=26

$$\operatorname{Int}\left(\frac{a+b\operatorname{sech}^{-1}(cx)}{x^3(d+ex^2)^{3/2}}, x\right)$$

[Out] Unintegrable((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(3/2), x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^3(d+ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSech[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

[Out] Defer[Int] [(a + b*ArcSech[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

Rubi steps

$$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^3(d+ex^2)^{3/2}} dx = \int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^3(d+ex^2)^{3/2}} dx$$

Mathematica [A]

time = 29.71, size = 0, normalized size = 0.00

$$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^3(d+ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSech[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

[Out] Integrate[(a + b*ArcSech[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

Maple [A]

time = 0.29, size = 0, normalized size = 0.00

$$\int \frac{a+b\operatorname{arcsech}(cx)}{x^3(e x^2+d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(3/2),x)`

[Out] `int((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(3/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] `1/2*a*(3*arcsinh(sqrt(d)*e^(-1/2)/abs(x))*e/d^(5/2) - 3*e/(sqrt(x^2*e + d)*d^2) - 1/(sqrt(x^2*e + d)*d*x^2)) + b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/((x^2*e + d)^(3/2)*x^3), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsech(c*x) + a)/(x^7*e^2 + 2*d*x^5*e + d^2*x^3), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x^3 (d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asech(c*x))/x**3/(e*x**2+d)**(3/2),x)`

[Out] `Integral((a + b*asech(c*x))/(x**3*(d + e*x**2)**(3/2)), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(3/2),x, algorithm="giac")`

[Out] integrate((b*arcsech(c*x) + a)/((e*x^2 + d)^(3/2)*x^3), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x^3 (ex^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(x^3*(d + e*x^2)^(3/2)), x)

[Out] int((a + b*acosh(1/(c*x)))/(x^3*(d + e*x^2)^(3/2)), x)

$$3.164 \quad \int \frac{x^4 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Optimal. Leaf size=26

$$\operatorname{Int} \left(\frac{x^4 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}}, x \right)$$

[Out] Unintegrable(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^4 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[(x^4*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Defer[Int] [(x^4*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

Rubi steps

$$\int \frac{x^4 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx = \int \frac{x^4 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Mathematica [A]

time = 7.34, size = 0, normalized size = 0.00

$$\int \frac{x^4 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(x^4*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Integrate[(x^4*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

Maple [A]

time = 1.19, size = 0, normalized size = 0.00

$$\int \frac{x^4 (a + b \operatorname{arcsech}(cx))}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x)`

[Out] `int(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] `1/2*(x^3*e^(-1)/sqrt(x^2*e + d) - 3*d*arcsinh(x*e^(1/2)/sqrt(d))*e^(-5/2) + 3*d*x*e^(-2)/sqrt(x^2*e + d))*a + b*integrate(x^4*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^2*e + d)^(3/2), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `integral((b*x^4*arcsech(c*x) + a*x^4)*sqrt(x^2*e + d)/(x^4*e^2 + 2*d*x^2*e + d^2), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4(a + b \operatorname{asech}(cx))}{(d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(a+b*asech(c*x))/(e*x**2+d)**(3/2),x)`

[Out] `Integral(x**4*(a + b*asech(c*x))/(d + e*x**2)**(3/2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")`

[Out] integrate((b*arcsech(c*x) + a)*x^4/(e*x^2 + d)^(3/2), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^4 (a + b \operatorname{acosh}(\frac{1}{cx}))}{(ex^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(3/2), x)

[Out] int((x^4*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(3/2), x)

$$3.165 \quad \int \frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Optimal. Leaf size=26

$$\operatorname{Int} \left(\frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}}, x \right)$$

[Out] Unintegrable(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[(x^2*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Defer[Int] [(x^2*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

Rubi steps

$$\int \frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx = \int \frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Mathematica [A]

time = 2.81, size = 0, normalized size = 0.00

$$\int \frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(x^2*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Integrate[(x^2*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

Maple [A]

time = 1.08, size = 0, normalized size = 0.00

$$\int \frac{x^2 (a + b \operatorname{arcsech}(cx))}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x)`

[Out] `int(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] `(arcsinh(x*e^(1/2)/sqrt(d))*e^(-3/2) - x*e^(-1)/sqrt(x^2*e + d))*a + b*integrate(x^2*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^2*e + d)^(3/2), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `integral((b*x^2*arcsech(c*x) + a*x^2)*sqrt(x^2*e + d)/(x^4*e^2 + 2*d*x^2*e + d^2), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2(a + b \operatorname{asech}(cx))}{(d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*asech(c*x))/(e*x**2+d)**(3/2),x)`

[Out] `Integral(x**2*(a + b*asech(c*x))/(d + e*x**2)**(3/2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")`

[Out] integrate((b*arcsech(c*x) + a)*x^2/(e*x^2 + d)^(3/2), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^2 (a + b \operatorname{acosh}(\frac{1}{cx}))}{(ex^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(3/2), x)

[Out] int((x^2*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(3/2), x)

$$3.166 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=92

$$\frac{x(a+b\operatorname{sech}^{-1}(cx))}{d\sqrt{d+ex^2}} + \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1+\frac{ex^2}{d}}F(\operatorname{ArcSin}(cx)|-\frac{e}{c^2d})}{cd\sqrt{d+ex^2}}$$

[Out] $x*(a+b*\operatorname{arcsech}(c*x))/d/(e*x^2+d)^{(1/2)}+b*\operatorname{EllipticF}(c*x,(-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/c/d/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.05, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {197, 6426, 12, 432, 430}

$$\frac{x(a+b\operatorname{sech}^{-1}(cx))}{d\sqrt{d+ex^2}} + \frac{b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{\frac{ex^2}{d}+1}F(\operatorname{ArcSin}(cx)|-\frac{e}{c^2d})}{cd\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSech}[c*x])/(d + e*x^2)^{(3/2)}, x]$

[Out] $(x*(a + b*\operatorname{ArcSech}[c*x]))/(d*\operatorname{Sqrt}[d + e*x^2]) + (b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 + (e*x^2)/d]*\operatorname{EllipticF}[\operatorname{ArcSin}[c*x], -(e/(c^2*d))])/(c*d*\operatorname{Sqrt}[d + e*x^2])$

Rule 12

$\operatorname{Int}[(a_)*(u_), x_Symbol] := \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& !\operatorname{MatchQ}[u, (b_)*(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 197

$\operatorname{Int}[((a_) + (b_.)*(x_)^{(n_)})^{(p_)}, x_Symbol] := \operatorname{Simp}[x*((a + b*x^n)^{(p + 1)}/a), x] /; \operatorname{FreeQ}[\{a, b, n, p\}, x] \&\& \operatorname{EqQ}[1/n + p + 1, 0]$

Rule 430

$\operatorname{Int}[1/(\operatorname{Sqrt}[(a_) + (b_.)*(x_)^2]*\operatorname{Sqrt}[(c_) + (d_.)*(x_)^2]), x_Symbol] := \operatorname{Simp}[(1/(\operatorname{Sqrt}[a]*\operatorname{Sqrt}[c]*\operatorname{Rt}[-d/c, 2]))*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Rt}[-d/c, 2]*x], b*(c/(a*d))], x] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NegQ}[d/c] \&\& \operatorname{GtQ}[c, 0] \&\& \operatorname{GtQ}[a, 0] \&\& !(\operatorname{NegQ}[b/a] \&\& \operatorname{SimplerSqrtQ}[-b/a, -d/c])$

Rule 432

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 6426

```
Int[((a_) + ArcSech[(c_)*(x_)]*(b_))*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{a + b \operatorname{sech}^{-1}(cx)}{(d + ex^2)^{3/2}} dx &= \frac{x(a + b \operatorname{sech}^{-1}(cx))}{d\sqrt{d + ex^2}} + \left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{1}{d\sqrt{1 - c^2x^2} \sqrt{d + ex^2}} dx \\ &= \frac{x(a + b \operatorname{sech}^{-1}(cx))}{d\sqrt{d + ex^2}} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{1}{\sqrt{1 - c^2x^2} \sqrt{d + ex^2}} dx}{d} \\ &= \frac{x(a + b \operatorname{sech}^{-1}(cx))}{d\sqrt{d + ex^2}} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 + \frac{ex^2}{d}} \right) \int \frac{1}{\sqrt{1 - c^2x^2} \sqrt{1 + \frac{ex^2}{d}}} dx}{d\sqrt{d + ex^2}} \\ &= \frac{x(a + b \operatorname{sech}^{-1}(cx))}{d\sqrt{d + ex^2}} + \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 + \frac{ex^2}{d}} F(\sin^{-1}(cx) | -\frac{e}{c^2d})}{cd\sqrt{d + ex^2}} \end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 46.62, size = 334, normalized size = 3.63

$$\frac{x(a + b \operatorname{sech}^{-1}(cx))}{d\sqrt{d + ex^2}} + \frac{2ib \sqrt{\frac{1 - cx}{1 + cx}} \sqrt{\frac{(c\sqrt{d} + i\sqrt{e})(1 + cx)}{(c\sqrt{d} - i\sqrt{e})(-1 + cx)}} (-i\sqrt{d} + \sqrt{e}x) \sqrt{-\frac{-1 + \frac{i\sqrt{e}x}{\sqrt{d}} + c\left(\frac{i\sqrt{d}}{\sqrt{e}} + x\right)}{1 - cx}} F\left(\operatorname{ArcSin}\left(\sqrt{\frac{1 + \frac{ic\sqrt{d}}{\sqrt{e}} - cx + \frac{i\sqrt{e}x}{\sqrt{d}}}{2 - 2cx}}\right) \middle| -\frac{4ic\sqrt{d}\sqrt{e}}{(c\sqrt{d} - i\sqrt{e})^2}\right)}{d(c\sqrt{d} + i\sqrt{e}) \sqrt{\frac{1 + \frac{ic\sqrt{d}}{\sqrt{e}} - cx + \frac{i\sqrt{e}x}{\sqrt{d}}}{1 - cx}} \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSech[c*x])/(d + e*x^2)^(3/2), x]
```

```
[Out] (x*(a + b*ArcSech[c*x]))/(d*Sqrt[d + e*x^2]) + ((2*I)*b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x))/((c*Sqrt[d] - I*Sqrt[e])*(-
```

$$1 + c*x)) * ((-I) * \text{Sqrt}[d] + \text{Sqrt}[e]*x) * \text{Sqrt}[-((-1 + (I*\text{Sqrt}[e]*x)/\text{Sqrt}[d] + c*((I*\text{Sqrt}[d])/\text{Sqrt}[e] + x))/(1 - c*x))] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(1 + (I*c*\text{Sqrt}[d])/\text{Sqrt}[e] - c*x + (I*\text{Sqrt}[e]*x)/\text{Sqrt}[d])/(2 - 2*c*x)]], ((-4*I)*c*\text{Sqrt}[d]*\text{Sqrt}[e])/(c*\text{Sqrt}[d] - I*\text{Sqrt}[e])^2)] / (d*(c*\text{Sqrt}[d] + I*\text{Sqrt}[e])* \text{Sqrt}[(1 + (I*c*\text{Sqrt}[d])/\text{Sqrt}[e] - c*x + (I*\text{Sqrt}[e]*x)/\text{Sqrt}[d])/(1 - c*x)] * \text{Sqrt}[d + e*x^2])$$

Maple [F]

time = 0.70, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsech}(cx)}{(e x^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x)

[Out] int((a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x, algorithm="maxima")

[Out] b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^2*e + d)^(3/2), x) + a*x/(sqrt(x^2*e + d)*d)

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 143 vs. 2(71) = 142.

time = 0.14, size = 143, normalized size = 1.55

$$\frac{\sqrt{x^2 \cosh(1) + x^2 \sinh(1) + d} \operatorname{bcdr} \log\left(\frac{cx \sqrt{-\frac{c^2 x^2 - 1}{c^2} + 1}}{cx}\right) + \sqrt{x^2 \cosh(1) + x^2 \sinh(1) + d} \operatorname{acdr} + (bx^2 \cosh(1) + bx^2 \sinh(1) + bd) \sqrt{d} \operatorname{ellipticF}\left(cx, -\frac{\cosh(1) + \sinh(1)}{c^2 d}\right)}{cd^2 x^2 \cosh(1) + cd^2 x^2 \sinh(1) + cd^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")

[Out] (sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*b*c*d*x*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) + sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*a*c*d*x + (b*x^2*cosh(1) + b*x^2*sinh(1) + b*d)*sqrt(d)*ellipticF(c*x, -(cosh(1) + sinh(1))/(c^2*d)))/(c*d^2*x^2*cosh(1) + c*d^2*x^2*sinh(1) + c*d^3)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{(d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*asech(c*x))/(e*x**2+d)**(3/2),x)``[Out] Integral((a + b*asech(c*x))/(d + e*x**2)**(3/2), x)`**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsech(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")``[Out] integrate((b*arcsech(c*x) + a)/(e*x^2 + d)^(3/2), x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a + b*acosh(1/(c*x)))/(d + e*x^2)^(3/2),x)``[Out] int((a + b*acosh(1/(c*x)))/(d + e*x^2)^(3/2), x)`

$$3.167 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{x^2(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=249

$$\frac{b\sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{d^2x} - \frac{a+b\operatorname{sech}^{-1}(cx)}{dx\sqrt{d+ex^2}} - \frac{2ex(a+b\operatorname{sech}^{-1}(cx))}{d^2\sqrt{d+ex^2}} + \frac{bc\sqrt{\frac{1}{1+cx}} \sqrt{1+cx}}{d^2}$$

[Out] $(-a-b*\operatorname{arcsech}(c*x))/d/x/(e*x^2+d)^{(1/2)}-2*e*x*(a+b*\operatorname{arcsech}(c*x))/d^2/(e*x^2+d)^{(1/2)}+b*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/x+b*c*\operatorname{EllipticE}(c*x,(-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(1+e*x^2/d)^{(1/2)}-b*(c^2*d+2*e)*\operatorname{EllipticF}(c*x,(-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/c/d^2/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.19, antiderivative size = 249, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {277, 197, 6436, 12, 597, 538, 437, 435, 432, 430}

$$\frac{2ex(a+b\operatorname{sech}^{-1}(cx))}{d^2\sqrt{d+ex^2}} - \frac{a+b\operatorname{sech}^{-1}(cx)}{dx\sqrt{d+ex^2}} - \frac{b\sqrt{\frac{1}{cx+1}} \sqrt{cx+1} (c^2d+2e) \sqrt{\frac{ex^2}{d}+1} F(\operatorname{ArcSin}(cx)|-\frac{e}{c^2d})}{d^2\sqrt{d+ex^2}} + \frac{bc\sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{d+ex^2} E(\operatorname{ArcSin}(cx)|-\frac{e}{c^2d})}{d^2\sqrt{\frac{ex^2}{d}+1}} + \frac{b\sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2} \sqrt{d+ex^2}}{d^2x}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSech}[c*x])/(x^2*(d + e*x^2)^{(3/2))}, x]$

[Out] $(b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[d + e*x^2])/(d^2*x) - (a + b*\operatorname{ArcSech}[c*x])/(d*x*\operatorname{Sqrt}[d + e*x^2]) - (2*e*x*(a + b*\operatorname{ArcSech}[c*x]))/(d^2*\operatorname{Sqrt}[d + e*x^2]) + (b*c*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[d + e*x^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[c*x], -(e/(c^2*d))])/(d^2*\operatorname{Sqrt}[1 + (e*x^2)/d]) - (b*(c^2*d + 2*e)*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 + (e*x^2)/d]*\operatorname{EllipticF}[\operatorname{ArcSin}[c*x], -(e/(c^2*d))])/(c*d^2*\operatorname{Sqrt}[d + e*x^2])$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] := \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{Match}Q[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 197

$\operatorname{Int}[((a_*) + (b_.)*(x_)^{(n_)})^{(p_)}, x_Symbol] := \operatorname{Simp}[x*((a + b*x^n)^{(p+1)}/a), x] /; \operatorname{FreeQ}\{a, b, n, p\}, x \ \&\& \ \operatorname{EqQ}[1/n + p + 1, 0]$

Rule 277

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[x^(m + 1)*((
a + b*x^n)^(p + 1)/(a*(m + 1))), x] - Dist[b*((m + n*(p + 1) + 1)/(a*(m + 1
))), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c
/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a,
0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 538

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-b/a, -d/c]))))))
```

Rule 597

```
Int[((g_.)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_
))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b
*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*c*g*(m + 1))), x] + Dist[1/(a*c*g^(n*(
m + 1))), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) -
```

```
e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2)
+ 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0
] && LtQ[m, -1]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(
x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x]] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^2 (d + ex^2)^{3/2}} dx &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{dx \sqrt{d + ex^2}} - \frac{2ex(a + b \operatorname{sech}^{-1}(cx))}{d^2 \sqrt{d + ex^2}} + \left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{-}{d^2 x^2 \sqrt{1 - c^2 x^2}} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{dx \sqrt{d + ex^2}} - \frac{2ex(a + b \operatorname{sech}^{-1}(cx))}{d^2 \sqrt{d + ex^2}} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{-}{x^2 \sqrt{1 - c^2 x^2}}}{d^2} \\
&= \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{d^2 x} - \frac{a + b \operatorname{sech}^{-1}(cx)}{dx \sqrt{d + ex^2}} - \frac{2ex(a + b \operatorname{sech}^{-1}(cx))}{d^2 \sqrt{d + ex^2}} \\
&= \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{d^2 x} - \frac{a + b \operatorname{sech}^{-1}(cx)}{dx \sqrt{d + ex^2}} - \frac{2ex(a + b \operatorname{sech}^{-1}(cx))}{d^2 \sqrt{d + ex^2}} \\
&= \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{d^2 x} - \frac{a + b \operatorname{sech}^{-1}(cx)}{dx \sqrt{d + ex^2}} - \frac{2ex(a + b \operatorname{sech}^{-1}(cx))}{d^2 \sqrt{d + ex^2}} \\
&= \frac{b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2} \sqrt{d + ex^2}}{d^2 x} - \frac{a + b \operatorname{sech}^{-1}(cx)}{dx \sqrt{d + ex^2}} - \frac{2ex(a + b \operatorname{sech}^{-1}(cx))}{d^2 \sqrt{d + ex^2}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 22.40, size = 501, normalized size = 2.01

$$\frac{\sqrt{\frac{1-cx}{1+cx}} \frac{1}{x} - \frac{c(d+2ex^2)}{x} - \frac{b(d+2ex^2)\operatorname{sech}^{-1}(cx)}{x}}{d^2\sqrt{d+ex^2}} \left(\frac{1}{\sqrt{\frac{1-cx}{1+cx}}} \frac{c(\sqrt{d-i\sqrt{e}x})}{(c\sqrt{d-i\sqrt{e}})(1+cx)} \sqrt{\frac{c(\sqrt{d+i\sqrt{e}x})}{(c\sqrt{d+i\sqrt{e}})(1+cx)}} - (\sqrt{d-i\sqrt{e}})^{-1} \left(\frac{(ed+e)(1-cx)}{(c\sqrt{d+i\sqrt{e}})(1+cx)} \frac{(\sqrt{d+i\sqrt{e}})^{-1}}{(\sqrt{d-i\sqrt{e}})} \right)^{-1} (\sqrt{d-i\sqrt{e}}) \sqrt{e} \left(\frac{(ed+e)(1-cx)}{(c\sqrt{d+i\sqrt{e}})(1+cx)} \frac{(\sqrt{d+i\sqrt{e}})^{-1}}{(\sqrt{d-i\sqrt{e}})} \right)^{-1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])/(x^2*(d + e*x^2)^(3/2)),x]

[Out] ((b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(d + e*x^2))/x - (a*(d + 2*e*x^2))/x - (b*(d + 2*e*x^2)*ArcSech[c*x])/x + (b*Sqrt[(1 - c*x)/(1 + c*x)]*(-(c^2*(d + e*x^2)) + ((1 + c*x)*Sqrt[(c*(Sqrt[d] - I*Sqrt[e]*x))/((c*Sqrt[d] - I*Sqrt[e])*(1 + c*x))])*Sqrt[(c*(Sqrt[d] + I*Sqrt[e]*x))/((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x))])*((-I)*(c*Sqrt[d] - I*Sqrt[e])^2*EllipticE[I*ArcSinh[Sqrt[((c^2*d + e)*(1 - c*x))/((c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x))]]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2 + 2*(c*Sqrt[d] - (2*I)*Sqrt[e])*Sqrt[e]*EllipticF[I*ArcSinh[Sqrt[((c^2*d + e)*(1 - c*x))/((c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x))]]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2))/Sqrt[-(((c*Sqrt[d] - I*Sqrt[e])*(-1 + c*x))/((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x)))))/c)/(d^2*Sqrt[d + e*x^2])

Maple [F]

time = 0.40, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsech}(cx)}{x^2 (e x^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))/x^2/(e*x^2+d)^(3/2),x)

[Out] int((a+b*arcsech(c*x))/x^2/(e*x^2+d)^(3/2),x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/x^2/(e*x^2+d)^(3/2),x, algorithm="maxima")

[Out] -a*(2*x*e/(sqrt(x^2*e + d)*d^2) + 1/(sqrt(x^2*e + d)*d*x)) + b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/((x^2*e + d)^(3/2)*x^2), x)

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/x^2/(e*x^2+d)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)
```

Sympy [F]

```
time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{a + b \operatorname{asech}(cx)}{x^2 (d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asech(c*x))/x**2/(e*x**2+d)**(3/2),x)
```

```
[Out] Integral((a + b*asech(c*x))/(x**2*(d + e*x**2)**(3/2)), x)
```

Giac [F]

```
time = 0.00, size = 0, normalized size = 0.00
```

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/x^2/(e*x^2+d)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsech(c*x) + a)/((e*x^2 + d)^(3/2)*x^2), x)
```

Mupad [F]

```
time = 0.00, size = -1, normalized size = -0.00
```

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x^2 (ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acosh(1/(c*x)))/(x^2*(d + e*x^2)^(3/2)),x)
```

```
[Out] int((a + b*acosh(1/(c*x)))/(x^2*(d + e*x^2)^(3/2)), x)
```

$$3.168 \quad \int \frac{x^5 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Optimal. Leaf size=272

$$-\frac{bd\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{3e^2(c^2d+e)\sqrt{d+ex^2}} - \frac{d^2(a+b\operatorname{sech}^{-1}(cx))}{3e^3(d+ex^2)^{3/2}} + \frac{2d(a+b\operatorname{sech}^{-1}(cx))}{e^3\sqrt{d+ex^2}} + \frac{\sqrt{d+ex^2}(a+b\operatorname{sech}^{-1}(cx))}{e^3}$$

[Out] $-1/3*d^2*(a+b*\operatorname{arcsech}(c*x))/e^3/(e*x^2+d)^{(3/2)}-b*\operatorname{arctan}(e^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c/(e*x^2+d)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c/e^{(5/2)}-8/3*b*\operatorname{arctanh}((e*x^2+d)^{(1/2)}/d^{(1/2)}/(-c^2*x^2+1)^{(1/2)})*d^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/e^3+2*d*(a+b*\operatorname{arcsech}(c*x))/e^3/(e*x^2+d)^{(1/2)}-1/3*b*d*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/e^2/(c^2*d+e)/(e*x^2+d)^{(1/2)}+(a+b*\operatorname{arcsech}(c*x))*(e*x^2+d)^{(1/2)}/e^3$

Rubi [A]

time = 0.84, antiderivative size = 272, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {272, 45, 6436, 12, 1628, 163, 65, 223, 209, 95, 213}

$$-\frac{d^2(a+b\operatorname{sech}^{-1}(cx))}{3e^3(d+ex^2)^{3/2}} + \frac{2d(a+b\operatorname{sech}^{-1}(cx))}{e^3\sqrt{d+ex^2}} + \frac{\sqrt{d+ex^2}(a+b\operatorname{sech}^{-1}(cx))}{e^3} - b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\operatorname{ArcTan}\left(\frac{\sqrt{e}\sqrt{1-c^2x^2}}{c\sqrt{d+ex^2}}\right) - \frac{8b\sqrt{d}\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{3e^3} - \frac{bd\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{3e^2(c^2d+e)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] `Int[(x^5*(a + b*ArcSech[c*x]))/(d + e*x^2)^(5/2), x]`

[Out] $-1/3*(b*d*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/(e^2*(c^2*d + e)*\operatorname{Sqrt}[d + e*x^2]) - (d^2*(a + b*\operatorname{ArcSech}[c*x]))/(3*e^3*(d + e*x^2)^{(3/2)}) + (2*d*(a + b*\operatorname{ArcSech}[c*x]))/(e^3*\operatorname{Sqrt}[d + e*x^2]) + (\operatorname{Sqrt}[d + e*x^2]*(a + b*\operatorname{ArcSech}[c*x]))/e^3 - (b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTan}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[1 - c^2*x^2])/(c*\operatorname{Sqrt}[d + e*x^2])])/(c*e^{(5/2)}) - (8*b*\operatorname{Sqrt}[d]*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTanh}[\operatorname{Sqrt}[d + e*x^2]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[1 - c^2*x^2])])/(3*e^3)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

Rule 45

`Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le`

$Q[7*m + 4*n + 4, 0] \ || \ LtQ[9*m + 5*(n + 1), 0] \ || \ GtQ[m + n + 2, 0]$

Rule 65

$Int[((a_.) + (b_.)*(x_))^{(m_)}*((c_.) + (d_.)*(x_))^{(n_)}, x_Symbol] \ :> \ With[\{p = Denominator[m]\}, Dist[p/b, Subst[Int[x^{(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^{n_}, x], x, (a + b*x)^{(1/p)}], x]] \ /; \ FreeQ[\{a, b, c, d\}, x] \ \&\& \ NeQ[b*c - a*d, 0] \ \&\& \ LtQ[-1, m, 0] \ \&\& \ LeQ[-1, n, 0] \ \&\& \ LeQ[Denominator[n], Denominator[m]] \ \&\& \ IntLinearQ[a, b, c, d, m, n, x]$

Rule 95

$Int[(((a_.) + (b_.)*(x_))^{(m_)}*((c_.) + (d_.)*(x_))^{(n_)})/((e_.) + (f_.)*(x_)), x_Symbol] \ :> \ With[\{q = Denominator[m]\}, Dist[q, Subst[Int[x^{(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^{(1/q)/(c + d*x)^{(1/q)}], x]] \ /; \ FreeQ[\{a, b, c, d, e, f\}, x] \ \&\& \ EqQ[m + n + 1, 0] \ \&\& \ RationalQ[n] \ \&\& \ LtQ[-1, m, 0] \ \&\& \ SimplerQ[a + b*x, c + d*x]$

Rule 163

$Int[(((c_.) + (d_.)*(x_))^{(n_)}*((e_.) + (f_.)*(x_))^{(p_)}*((g_.) + (h_.)*(x_))) / ((a_.) + (b_.)*(x_)), x_Symbol] \ :> \ Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] \ + \ Dist[(b*g - a*h)/b, Int[(c + d*x)^n*((e + f*x)^p/(a + b*x)), x], x] \ /; \ FreeQ[\{a, b, c, d, e, f, g, h, n, p\}, x]$

Rule 209

$Int[((a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \ :> \ Simp[(1/(Rt[a, 2]*Rt[b, 2]))*ArcTan[Rt[b, 2]*(x/Rt[a, 2])], x] \ /; \ FreeQ[\{a, b\}, x] \ \&\& \ PosQ[a/b] \ \&\& \ (GtQ[a, 0] \ || \ GtQ[b, 0])$

Rule 213

$Int[((a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \ :> \ Simp[(-(Rt[-a, 2]*Rt[b, 2])^{-1})*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] \ /; \ FreeQ[\{a, b\}, x] \ \&\& \ NegQ[a/b] \ \&\& \ (LtQ[a, 0] \ || \ GtQ[b, 0])$

Rule 223

$Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] \ :> \ Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] \ /; \ FreeQ[\{a, b\}, x] \ \&\& \ !GtQ[a, 0]$

Rule 272

$Int[(x_)^{(m_)}*((a_) + (b_.)*(x_)^{(n_)})^{(p_)}, x_Symbol] \ :> \ Dist[1/n, Subst[Int[x^{(Simplify[(m + 1)/n] - 1)*(a + b*x)^p}, x, x^n], x] \ /; \ FreeQ[\{a, b$

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1628

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= -\frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^3} \\
&= -\frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^3} \\
&= -\frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx))}{e^3} \\
&= -\frac{bd \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{3e^2 (c^2d + e) \sqrt{d + ex^2}} - \frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} \\
&= -\frac{bd \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{3e^2 (c^2d + e) \sqrt{d + ex^2}} - \frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} \\
&= -\frac{bd \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{3e^2 (c^2d + e) \sqrt{d + ex^2}} - \frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} \\
&= -\frac{bd \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{3e^2 (c^2d + e) \sqrt{d + ex^2}} - \frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}} \\
&= -\frac{bd \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{3e^2 (c^2d + e) \sqrt{d + ex^2}} - \frac{d^2 (a + b \operatorname{sech}^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \operatorname{sech}^{-1}(cx))}{e^3 \sqrt{d + ex^2}}
\end{aligned}$$

Mathematica [A]

time = 21.22, size = 348, normalized size = 1.28

$$\frac{-bde \sqrt{\frac{1-cx}{1+cx}} (1+cx)(d+ex^2) + a(c^2d+e)(8d^2+12dex^2+3e^2x^4) + b(c^2d+e)(8d^2+12dex^2+3e^2x^4) \operatorname{sech}^{-1}(cx)}{3e^3(c^2d+e)(d+ex^2)^{3/2}} + \frac{b \sqrt{\frac{1-cx}{1+cx}} \sqrt{1-c^2x^2} \left(3\sqrt{-c^2d-e} \sqrt{e} \sqrt{\frac{c^2(d+ex^2)}{c^2d+e}} \operatorname{ArcSin}\left(\frac{-\sqrt{e}\sqrt{1-c^2x^2}}{\sqrt{-c^2d-e}}\right) + 8c^2\sqrt{d-ex^2} \operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right) \right)}{3e^3(-1+cx)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(a + b*ArcSech[c*x]))/(d + e*x^2)^(5/2), x]

[Out] (-(b*d*e*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(d + e*x^2)) + a*(c^2*d + e)*(8*d^2 + 12*d*e*x^2 + 3*e^2*x^4) + b*(c^2*d + e)*(8*d^2 + 12*d*e*x^2 + 3*e^2

```
*x^4)*ArcSech[c*x]/(3*e^3*(c^2*d + e)*(d + e*x^2)^(3/2)) + (b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^2*x^2]*(3*Sqrt[-c^2]*Sqrt[-(c^2*d) - e]*Sqrt[e]*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSin[(c*Sqrt[e]*Sqrt[1 - c^2*x^2])/Sqrt[-c^2]*Sqrt[-(c^2*d) - e]]) + 8*c^3*Sqrt[d]*Sqrt[-d - e*x^2]*ArcTan[(Sqrt[d]*Sqrt[1 - c^2*x^2])/Sqrt[-d - e*x^2]])/(3*c^3*e^3*(-1 + c*x)*Sqrt[d + e*x^2])
```

Maple [F]

time = 1.38, size = 0, normalized size = 0.00

$$\int \frac{x^5(a + b \operatorname{arcsech}(cx))}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x)
```

```
[Out] int(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x)
```

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x, algorithm="maxima")
```

```
[Out] 1/3*(3*x^4*e^(-1)/(x^2*e + d)^(3/2) + 12*d*x^2*e^(-2)/(x^2*e + d)^(3/2) + 8*d^2*e^(-3)/(x^2*e + d)^(3/2))*a + b*integrate(x^5*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^2*e + d)^(5/2), x)
```

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 1481 vs. 2(180) = 360.

time = 0.88, size = 2999, normalized size = 11.03

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x, algorithm="fricas")
```

```
[Out] [-1/6*(3*(b*x^4*cosh(1)^3 + b*x^4*sinh(1)^3 + b*c^2*d^3 + (b*c^2*d*x^4 + 2*b*d*x^2)*cosh(1)^2 + (b*c^2*d*x^4 + 3*b*x^4*cosh(1) + 2*b*d*x^2)*sinh(1)^2 + (2*b*c^2*d^2*x^2 + b*d^2)*cosh(1) + (2*b*c^2*d^2*x^2 + 3*b*x^4*cosh(1)^2 + b*d^2 + 2*(b*c^2*d*x^4 + 2*b*d*x^2)*cosh(1))*sinh(1))*sqrt(cosh(1) + sinh(1))*arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*cosh(1) + (2*c^2*x^3 - x)*sinh(1)))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))*sqrt(cosh(1) + sinh(1))/((c^2*x^4 - x^2)*cosh(1)^2 + (c^2*x^4 - x^2)*sinh(1)^2 +
```

$$\begin{aligned}
& (c^2*d*x^2 - d)*\cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*\cosh(1) - d)*\sinh(1)) - 2*(3*b*c*x^4*\cosh(1)^3 + 3*b*c*x^4*\sinh(1)^3 + 8*b*c^3*d^3 + 3*(b*c^3*d*x^4 + 4*b*c*d*x^2)*\cosh(1)^2 + 3*(b*c^3*d*x^4 + 3*b*c*x^4*\cosh(1) + 4*b*c*d*x^2)*\sinh(1)^2 + 4*(3*b*c^3*d^2*x^2 + 2*b*c*d^2)*\cosh(1) + (12*b*c^3*d^2*x^2 + 9*b*c*x^4*\cosh(1)^2 + 8*b*c*d^2 + 6*(b*c^3*d*x^4 + 4*b*c*d*x^2)*\cosh(1))*\sinh(1))*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d}*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) - 4*(b*c*x^4*\cosh(1)^3 + b*c*x^4*\sinh(1)^3 + b*c^3*d^3 + (b*c^3*d*x^4 + 2*b*c*d*x^2)*\cosh(1)^2 + (b*c^3*d*x^4 + 3*b*c*x^4*\cosh(1) + 2*b*c*d*x^2)*\sinh(1)^2 + (2*b*c^3*d^2*x^2 + b*c*d^2)*\cosh(1) + (2*b*c^3*d^2*x^2 + 3*b*c*x^4*\cosh(1)^2 + b*c*d^2 + 2*(b*c^3*d*x^4 + 2*b*c*d*x^2)*\cosh(1))*\sinh(1))*\sqrt{d}*\log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*\cosh(1)^2 + x^4*\sinh(1)^2 + 4*(c^3*d*x^3 - c*x^3*\cosh(1) - c*x^3*\sinh(1) - 2*c*d*x)*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d}*\sqrt{d}*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*\cosh(1) - 2*(3*c^2*d*x^4 - x^4*\cosh(1) - 4*d*x^2)*\sinh(1))/x^4) - 2*(3*a*c*x^4*\cosh(1)^3 + 3*a*c*x^4*\sinh(1)^3 + 8*a*c^3*d^3 + 3*(a*c^3*d*x^4 + 4*a*c*d*x^2)*\cosh(1)^2 + 3*(a*c^3*d*x^4 + 3*a*c*x^4*\cosh(1) + 4*a*c*d*x^2)*\sinh(1)^2 + 4*(3*a*c^3*d^2*x^2 + 2*a*c*d^2)*\cosh(1) + (12*a*c^3*d^2*x^2 + 9*a*c*x^4*\cosh(1)^2 + 8*a*c*d^2 + 6*(a*c^3*d*x^4 + 4*a*c*d*x^2)*\cosh(1))*\sinh(1) - (b*c^2*d*x^3*\cosh(1)^2 + b*c^2*d*x^3*\sinh(1)^2 + b*c^2*d^2*x*\cosh(1) + (2*b*c^2*d*x^3*\cosh(1) + b*c^2*d^2*x)*\sinh(1))*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)}*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d}))/((c*x^4*\cosh(1)^6 + c*x^4*\sinh(1)^6 + c^3*d^3*\cosh(1)^3 + (c^3*d*x^4 + 2*c*d*x^2)*\cosh(1)^5 + (c^3*d*x^4 + 6*c*x^4*\cosh(1) + 2*c*d*x^2)*\sinh(1)^5 + (2*c^3*d^2*x^2 + c*d^2)*\cosh(1)^4 + (2*c^3*d^2*x^2 + 15*c*x^4*\cosh(1)^2 + c*d^2 + 5*(c^3*d*x^4 + 2*c*d*x^2)*\cosh(1))*\sinh(1)^4 + (20*c*x^4*\cosh(1)^3 + c^3*d^3 + 10*(c^3*d*x^4 + 2*c*d*x^2)*\cosh(1)^2 + 4*(2*c^3*d^2*x^2 + c*d^2)*\cosh(1))*\sinh(1)^3 + (15*c*x^4*\cosh(1)^4 + 3*c^3*d^3*\cosh(1) + 10*(c^3*d*x^4 + 2*c*d*x^2)*\cosh(1)^3 + 6*(2*c^3*d^2*x^2 + c*d^2)*\cosh(1)^2)*\sinh(1)^2 + (6*c*x^4*\cosh(1)^5 + 3*c^3*d^3*\cosh(1)^2 + 5*(c^3*d*x^4 + 2*c*d*x^2)*\cosh(1)^4 + 4*(2*c^3*d^2*x^2 + c*d^2)*\cosh(1)^3)*\sinh(1)), -1/6*(8*(b*c*x^4*\cosh(1)^3 + b*c*x^4*\sinh(1)^3 + b*c^3*d^3 + (b*c^3*d*x^4 + 2*b*c*d*x^2)*\cosh(1)^2 + (b*c^3*d*x^4 + 3*b*c*x^4*\cosh(1) + 2*b*c*d*x^2)*\sinh(1)^2 + (2*b*c^3*d^2*x^2 + b*c*d^2)*\cosh(1) + (2*b*c^3*d^2*x^2 + 3*b*c*x^4*\cosh(1)^2 + b*c*d^2 + 2*(b*c^3*d*x^4 + 2*b*c*d*x^2)*\cosh(1))*\sinh(1))*\sqrt{-d}*\arctan(-1/2*(c^3*d*x^3 - c*x^3*\cosh(1) - c*x^3*\sinh(1) - 2*c*d*x)*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d}*\sqrt{-d}*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})/(c^2*d^2*x^2 - d^2 + (c^2*d*x^4 - d*x^2)*\cosh(1) + (c^2*d*x^4 - d*x^2)*\sinh(1))) + 3*(b*x^4*\cosh(1)^3 + b*x^4*\sinh(1)^3 + b*c^2*d^3 + (b*c^2*d*x^4 + 2*b*d*x^2)*\cosh(1)^2 + (b*c^2*d*x^4 + 3*b*x^4*\cosh(1) + 2*b*d*x^2)*\sinh(1)^2 + (2*b*c^2*d^2*x^2 + b*d^2)*\cosh(1) + (2*b*c^2*d^2*x^2 + 3*b*x^4*\cosh(1)^2 + b*d^2 + 2*(b*c^2*d*x^4 + 2*b*d*x^2)*\cosh(1))*\sinh(1))*\sqrt{\cosh(1) + \sinh(1)}*\arctan(1/2*(c^2*d*x + (2*c^2*x^3 - x)*\cosh(1) + (2*c^2*x^3 - x)*\sinh(1))*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d}*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)}*\sqrt{\cosh(1) + \sinh(1)})/((c^2*x^4 - x^2)*\cosh(1)^2 + (c^2*x^4 - x^2)*\sinh(1)^2 + (c^2*d*x^2 - d)*\cosh(1) + (c^2*d*x^2 + 2*(c^2*x^4 - x^2)*\cosh(1) - d)*\sinh(1))) - 2*(3*b*c*x^4
\end{aligned}$$

$4*\cosh(1)^3 + 3*b*c*x^4*\sinh(1)^3 + 8*b*c^3*d^3 + 3*(b*c^3*d*x^4 + 4*b*c*d*x^2)*\cosh(1)^2 + 3*(b*c^3*d*x^4 + 3*b*c*x^4*\cosh(1) + 4*b*c*d*x^2)*\sinh(1)^2 + 4*(3*b*c^3*d^2*x^2 + 2*b*c*d^2)*\cosh(1) + (12*b*c^3*d^2*x^2 + 9*b*c*x^4*\cosh(1)^2 + 8*b*c*d^2 + 6*(b*c^3*d*x^4 + 4*b*c*d*x^2)*\cosh(1))*\sinh(1)*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d}*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) - 2*(3*a*c*x^4*\cosh(1)^3 + 3*a*c*x^4*\sinh(1)^3 + 8*a*c^3*d^3 + 3*(a*c^3*d*x^4 + 4*a*c*d*x^2)*\cosh(1)^2 + 3*(a*c^3*d*x^4 + 3*a*c*x^4*\cosh(1) + 4*a*c*d*x^2)*\sinh(1)^2 + 4*(3*a*c^3*d^2*x^2 + 2*a*c*d^2)*\cosh(1) + (12*a*c^3*d^2*x^2 + 9*a*c*x^4*\cosh(1)^2 + 8*a*c*d^2 + 6*(a*c^3*d*x^4 + 4*a*c*d*x^2)*\cosh(1))*\sinh(1) - (b*c^2*d*x^3*\cosh(1)^2 + b*c^2*d*x^3*\sinh(1)^2 + b*c^2*d^2*x*\cosh(1) + (2*b*c^2*d*x^3*\cosh(1) + b*c^2*d^2*x)*\sinh(1))*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)}*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d} / (c*x^4*\cosh(1)^6 + c*x^4*\sinh(1)^6 + c^3*d^3*\cosh(1)^3 + (c^3*d*x^4 + 2*c*d*x^2)*\cosh(1)^5 + (c^3*d*x^4 + 6*c*x^4*\cosh(1) + 2*c*d*x^2)*\sinh(1)^5 + (2*c^3*d^2*x^2 + c*d^2)*\cosh(1)^4 + (2*c^3*d^2*x^2 + 15*c*x^4*\cos...$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*asech(c*x))/(e*x**2+d)**(5/2), x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x^5/(e*x^2 + d)^(5/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 (a + b \operatorname{acosh}(\frac{1}{cx}))}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(5/2), x)

[Out] int((x^5*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(5/2), x)

$$3.169 \quad \int \frac{x^3 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Optimal. Leaf size=179

$$\frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{3e(c^2d+e)\sqrt{d+ex^2}} + \frac{d(a+b \operatorname{sech}^{-1}(cx))}{3e^2(d+ex^2)^{3/2}} - \frac{a+b \operatorname{sech}^{-1}(cx)}{e^2\sqrt{d+ex^2}} + \frac{2b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d+ex^2}}\right)}{3\sqrt{d}e^2}$$

[Out] $1/3*d*(a+b*\operatorname{arcsech}(c*x))/e^2/(e*x^2+d)^{(3/2)}+2/3*b*\operatorname{arctanh}((e*x^2+d)^{(1/2)}/d^{(1/2)})/(-c^2*x^2+1)^{(1/2)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/e^2/d^{(1/2)}+(-a-b*\operatorname{arcsech}(c*x))/e^2/(e*x^2+d)^{(1/2)}+1/3*b*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/e/(c^2*d+e)/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.18, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 8, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$, Rules used = {272, 45, 6436, 12, 587, 157, 95, 213}

$$-\frac{a+b \operatorname{sech}^{-1}(cx)}{e^2\sqrt{d+ex^2}} + \frac{d(a+b \operatorname{sech}^{-1}(cx))}{3e^2(d+ex^2)^{3/2}} + \frac{2b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{3\sqrt{d}e^2} + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2}}{3e(c^2d+e)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^3*(a + b*\operatorname{ArcSech}[c*x]))/(d + e*x^2)^{(5/2)}, x]$

[Out] $(b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/(3*e*(c^2*d + e)*\operatorname{Sqrt}[d + e*x^2]) + (d*(a + b*\operatorname{ArcSech}[c*x]))/(3*e^2*(d + e*x^2)^{(3/2)}) - (a + b*\operatorname{ArcSech}[c*x])/(e^2*\operatorname{Sqrt}[d + e*x^2]) + (2*b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{ArcTanh}[\operatorname{Sqrt}[d + e*x^2]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[1 - c^2*x^2])])/(3*\operatorname{Sqrt}[d]*e^2)$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] := \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 45

$\operatorname{Int}[(a_*) + (b_*)(x_)^{(m_*)}*((c_*) + (d_*)(x_)^{(n_*)}), x_Symbol] := \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 95

$\operatorname{Int}[(a_*) + (b_*)(x_)^{(m_*)}*((c_*) + (d_*)(x_)^{(n_*)})/((e_*) + (f_*)(x_)), x_Symbol] := \operatorname{With}\{q = \operatorname{Denominator}[m]\}, \operatorname{Dist}[q, \operatorname{Subst}[\operatorname{Int}[x^{q*(m+1)}$

- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 157

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]

Rule 213

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[b, 2])^(-1)*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 272

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 587

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_))^(r_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 6436

Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b\operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= \frac{d(a + b\operatorname{sech}^{-1}(cx))}{3e^2(d + ex^2)^{3/2}} - \frac{a + b\operatorname{sech}^{-1}(cx)}{e^2\sqrt{d + ex^2}} + \left(b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\right) \int \frac{-2d}{3e^2x\sqrt{1 - c^2x^2}} dx \\
&= \frac{d(a + b\operatorname{sech}^{-1}(cx))}{3e^2(d + ex^2)^{3/2}} - \frac{a + b\operatorname{sech}^{-1}(cx)}{e^2\sqrt{d + ex^2}} + \frac{\left(b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\right) \int \frac{-2d}{x\sqrt{1 - c^2x^2}} dx}{3e^2} \\
&= \frac{d(a + b\operatorname{sech}^{-1}(cx))}{3e^2(d + ex^2)^{3/2}} - \frac{a + b\operatorname{sech}^{-1}(cx)}{e^2\sqrt{d + ex^2}} + \frac{\left(b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\right) \operatorname{Subst}\left(\int \frac{-2d}{x\sqrt{1 - c^2x^2}} dx\right)}{6e^2} \\
&= \frac{b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}}{3e(c^2d + e)\sqrt{d + ex^2}} + \frac{d(a + b\operatorname{sech}^{-1}(cx))}{3e^2(d + ex^2)^{3/2}} - \frac{a + b\operatorname{sech}^{-1}(cx)}{e^2\sqrt{d + ex^2}} \\
&= \frac{b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}}{3e(c^2d + e)\sqrt{d + ex^2}} + \frac{d(a + b\operatorname{sech}^{-1}(cx))}{3e^2(d + ex^2)^{3/2}} - \frac{a + b\operatorname{sech}^{-1}(cx)}{e^2\sqrt{d + ex^2}} \\
&= \frac{b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}}{3e(c^2d + e)\sqrt{d + ex^2}} + \frac{d(a + b\operatorname{sech}^{-1}(cx))}{3e^2(d + ex^2)^{3/2}} - \frac{a + b\operatorname{sech}^{-1}(cx)}{e^2\sqrt{d + ex^2}} \\
&= \frac{b\sqrt{\frac{1}{1 + cx}}\sqrt{1 + cx}\sqrt{1 - c^2x^2}}{3e(c^2d + e)\sqrt{d + ex^2}} + \frac{d(a + b\operatorname{sech}^{-1}(cx))}{3e^2(d + ex^2)^{3/2}} - \frac{a + b\operatorname{sech}^{-1}(cx)}{e^2\sqrt{d + ex^2}} + \dots
\end{aligned}$$

Mathematica [A]

time = 10.16, size = 218, normalized size = 1.22

$$\frac{be\sqrt{\frac{1-cx}{1+cx}}(1+cx)(d+ex^2) - a(c^2d+e)(2d+3ex^2) - b(c^2d+e)(2d+3ex^2)\operatorname{sech}^{-1}(cx)}{3e^2(c^2d+e)(d+ex^2)^{3/2}} - \frac{2b\sqrt{\frac{1-cx}{1+cx}}\sqrt{1-c^2x^2}\sqrt{-d-ex^2}\operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right)}{3\sqrt{d}e^2(-1+cx)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*ArcSech[c*x]))/(d + e*x^2)^(5/2), x]

[Out] (b*e*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(d + e*x^2) - a*(c^2*d + e)*(2*d + 3*e*x^2) - b*(c^2*d + e)*(2*d + 3*e*x^2)*ArcSech[c*x])/(3*e^2*(c^2*d + e)*(d + e*x^2)^(3/2)) - (2*b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^2*x^2]*Sqrt[-d - e*x^2]*ArcTan[(Sqrt[d]*Sqrt[1 - c^2*x^2])/Sqrt[-d - e*x^2]])/(3*Sqrt[d]*e^2*(-1 + c*x)*Sqrt[d + e*x^2])

Maple [F]

time = 1.24, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{arcsech}(cx))}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2),x)`

[Out] `int(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2),x)`

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2),x, algorithm="maxima")`

[Out] `-1/3*(3*x^2*e^(-1)/(x^2*e + d)^(3/2) + 2*d*e^(-2)/(x^2*e + d)^(3/2))*a + b*integrate(x^3*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^2*e + d)^(5/2), x)`

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 898 vs. 2(118) = 236.

time = 0.64, size = 1834, normalized size = 10.25

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2),x, algorithm="fricas")`

[Out] `[-1/6*(2*(2*b*c^2*d^3 + 3*b*d*x^2*cosh(1)^2 + 3*b*d*x^2*sinh(1)^2 + (3*b*c^2*d^2*x^2 + 2*b*d^2)*cosh(1) + (3*b*c^2*d^2*x^2 + 6*b*d*x^2*cosh(1) + 2*b*d^2)*sinh(1))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) - (b*x^4*cosh(1)^3 + b*x^4*sinh(1)^3 + b*c^2*d^3 + (b*c^2*d*x^4 + 2*b*d*x^2)*cosh(1)^2 + (b*c^2*d*x^4 + 3*b*x^4*cosh(1) + 2*b*d*x^2)*sinh(1)^2 + (2*b*c^2*d^2*x^2 + b*d^2)*cosh(1) + (2*b*c^2*d^2*x^2 + 3*b*x^4*cosh(1)^2 + b*d^2 + 2*(b*c^2*d*x^4 + 2*b*d*x^2)*cosh(1))*sinh(1))*sqrt(d)*log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*cosh(1)^2 + x^4*sinh(1)^2 - 4*(c^3*d*x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) - 2*c*d*x)*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*sqrt(d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*cosh(1) - 2*(3*c^2*d*x^4 - x^4*cosh(1) - 4*d*x^2)*sinh(1))/x^4) + 2*(2*a*c^2*d^3 + 3*a*d*x^2*cosh(1)^2 + 3*a*d*x^2*sinh(1)^2 + (3*a*c^2*d^2*x^2 + 2*a*d^2)*cosh(1) + (3*a*c^2*d^2*x^2 + 6*a*d*x^2*cosh(1) + 2*a*`

$$\begin{aligned}
& d^2) \sinh(1) - (b*c*d*x^3*\cosh(1)^2 + b*c*d*x^3*\sinh(1)^2 + b*c*d^2*x*\cosh(1) \\
& + (2*b*c*d*x^3*\cosh(1) + b*c*d^2*x)*\sinh(1))\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} \\
&))\sqrt{(x^2*\cosh(1) + x^2*\sinh(1) + d))/(d*x^4*\cosh(1)^5 + d*x^4*\sinh(1)^5 \\
& + c^2*d^4*\cosh(1)^2 + (c^2*d^2*x^4 + 2*d^2*x^2)*\cosh(1)^4 + (c^2*d^2*x^4 \\
& + 5*d*x^4*\cosh(1) + 2*d^2*x^2)*\sinh(1)^4 + (2*c^2*d^3*x^2 + d^3)*\cosh(1)^3 \\
& + (2*c^2*d^3*x^2 + 10*d*x^4*\cosh(1)^2 + d^3 + 4*(c^2*d^2*x^4 + 2*d^2*x^2)*\cosh(1) \\
& *\sinh(1))^3 + (10*d*x^4*\cosh(1)^3 + c^2*d^4 + 6*(c^2*d^2*x^4 + 2*d^2*x^2) \\
& *cosh(1)^2 + 3*(2*c^2*d^3*x^2 + d^3)*\cosh(1))*\sinh(1)^2 + (5*d*x^4*\cosh(1)^4 \\
& + 2*c^2*d^4*\cosh(1) + 4*(c^2*d^2*x^4 + 2*d^2*x^2)*\cosh(1)^3 + 3*(2*c^2 \\
& *d^3*x^2 + d^3)*\cosh(1)^2)*\sinh(1)), 1/3*((b*x^4*\cosh(1)^3 + b*x^4*\sinh(1) \\
& ^3 + b*c^2*d^3 + (b*c^2*d*x^4 + 2*b*d*x^2)*\cosh(1)^2 + (b*c^2*d*x^4 + 3*b*x \\
& ^4*\cosh(1) + 2*b*d*x^2)*\sinh(1)^2 + (2*b*c^2*d^2*x^2 + b*d^2)*\cosh(1) + (2 \\
& *b*c^2*d^2*x^2 + 3*b*x^4*\cosh(1)^2 + b*d^2 + 2*(b*c^2*d*x^4 + 2*b*d*x^2)*\cosh(1) \\
& *\sinh(1))\sqrt{-d}*\arctan(-1/2*(c^3*d*x^3 - c*x^3*\cosh(1) - c*x^3*\sinh(1) - 2*c*d*x) \\
& *\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d}*\sqrt{-d}*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})/(c^2*d^2*x^2 - d^2 \\
& + (c^2*d*x^4 - d*x^2)*\cosh(1) + (c^2*d*x^4 - d*x^2)*\sinh(1))) - (2*b*c^2*d^3 + 3*b*d*x^2*\cosh(1)^2 \\
& + 3*b*d*x^2*\sinh(1)^2 + (3*b*c^2*d^2*x^2 + 2*b*d^2)*\cosh(1) + (3*b*c^2*d^2*x^2 + 6*b*d*x^2* \\
& \cosh(1) + 2*b*d^2)*\sinh(1))\sqrt{(x^2*\cosh(1) + x^2*\sinh(1) + d)}*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} \\
& + 1)/(c*x)) - (2*a*c^2*d^3 + 3*a*d*x^2*\cosh(1)^2 + 3*a*d*x^2*\sinh(1)^2 + (3*a*c^2*d^2*x^2 \\
& + 2*a*d^2)*\cosh(1) + (3*a*c^2*d^2*x^2 + 6*a*d*x^2*\cosh(1) + 2*a*d^2)*\sinh(1) - (b*c*d*x^3*\cosh(1)^2 \\
& + b*c*d*x^3*\sinh(1)^2 + b*c*d^2*x*\cosh(1) + (2*b*c*d*x^3*\cosh(1) + b*c*d^2*x)*\sinh(1))\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} \\
&))\sqrt{(x^2*\cosh(1) + x^2*\sinh(1) + d))/(d*x^4*\cosh(1)^5 + d*x^4*\sinh(1)^5 + c^2*d^4*\cosh(1)^2 \\
& + (c^2*d^2*x^4 + 2*d^2*x^2)*\cosh(1)^4 + (c^2*d^2*x^4 + 5*d*x^4*\cosh(1) + 2*d^2*x^2)*\sinh(1)^4 + \\
& (2*c^2*d^3*x^2 + d^3)*\cosh(1)^3 + (2*c^2*d^3*x^2 + 10*d*x^4*\cosh(1)^2 + d^3 + 4*(c^2*d^2*x^4 + 2*d^2*x^2) \\
& *\cosh(1))*\sinh(1))^3 + (10*d*x^4*\cosh(1)^3 + c^2*d^4 + 6*(c^2*d^2*x^4 + 2*d^2*x^2)*\cosh(1)^2 \\
& + 3*(2*c^2*d^3*x^2 + d^3)*\cosh(1))*\sinh(1)^2 + (5*d*x^4*\cosh(1)^4 + 2*c^2*d^4*\cosh(1) + 4*(c^2*d^2*x^4 \\
& + 2*d^2*x^2)*\cosh(1)^3 + 3*(2*c^2*d^3*x^2 + d^3)*\cosh(1)^2)*\sinh(1))]
\end{aligned}$$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asech(c*x))/(e*x**2+d)**(5/2), x)

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x^3/(e*x^2 + d)^(5/2), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(5/2),x)

[Out] int((x^3*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(5/2), x)

$$3.170 \quad \int \frac{x \left(a + b \operatorname{sech}^{-1}(cx) \right)}{(d + ex^2)^{5/2}} dx$$

Optimal. Leaf size=154

$$-\frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{3d(c^2d+e) \sqrt{d+ex^2}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{3e(d+ex^2)^{3/2}} + \frac{b \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d} \sqrt{1-c^2x^2}}\right)}{3d^{3/2}e}$$

[Out] 1/3*(-a-b*arcsech(c*x))/e/(e*x^2+d)^(3/2)+1/3*b*arctanh((e*x^2+d)^(1/2)/d^(1/2))/(-c^2*x^2+1)^(1/2)*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)/d^(3/2)/e-1/3*b*(1/(c*x+1))^(1/2)*(c*x+1)^(1/2)*(-c^2*x^2+1)^(1/2)/d/(c^2*d+e)/(e*x^2+d)^(1/2)

Rubi [A]

time = 0.19, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {6434, 531, 457, 98, 95, 213}

$$-\frac{a + b \operatorname{sech}^{-1}(cx)}{3e(d+ex^2)^{3/2}} + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d} \sqrt{1-c^2x^2}}\right)}{3d^{3/2}e} - \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2}}{3d(c^2d+e) \sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*ArcSech[c*x]))/(d + e*x^2)^(5/2),x]

[Out] -1/3*(b*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*Sqrt[1 - c^2*x^2])/(d*(c^2*d + e)*Sqrt[d + e*x^2]) - (a + b*ArcSech[c*x])/(3*e*(d + e*x^2)^(3/2)) + (b*Sqrt[(1 + c*x)^(-1)]*Sqrt[1 + c*x]*ArcTanh[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[1 - c^2*x^2])])/(3*d^(3/2)*e)

Rule 95

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 98

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[(a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b
```

```
x)^(m + 1)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && (LtQ[m, -1] || SumSimplerQ[m, 1])
```

Rule 213

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[b, 2])^(-1))*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

Rule 457

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 531

```
Int[(u_)*((c_) + (d_)*(x_)^(n_))^(q_)*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*(x_)^(non2_))^(p_), x_Symbol] := Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p, q}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[p] || (GtQ[a1, 0] && GtQ[a2, 0]))
```

Rule 6434

```
Int[((a_) + ArcSech[(c_)*(x_)])*(b_)*(x_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSech[c*x])/(2*e*(p + 1))), x] + Dist[b*(Sqrt[1 + c*x]/(2*e*(p + 1)))*Sqrt[1/(1 + c*x)], Int[(d + e*x^2)^(p + 1)/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= -\frac{a + b \operatorname{sech}^{-1}(cx)}{3e(d + ex^2)^{3/2}} - \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{x\sqrt{1-cx}\sqrt{1+cx}(d+ex^2)^{3/2}} dx}{3e} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{3e(d + ex^2)^{3/2}} - \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \int \frac{1}{x\sqrt{1-c^2x^2}(d+ex^2)^{3/2}} dx}{3e} \\
&= -\frac{a + b \operatorname{sech}^{-1}(cx)}{3e(d + ex^2)^{3/2}} - \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-c^2x}(d+ex)^{3/2}} dx, x, cx\right)}{6e} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{3d(c^2d + e)\sqrt{d + ex^2}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{3e(d + ex^2)^{3/2}} - \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-c^2x}(d+ex)^{3/2}} dx, x, cx\right)}{6e} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{3d(c^2d + e)\sqrt{d + ex^2}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{3e(d + ex^2)^{3/2}} - \frac{\left(b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\right) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-c^2x}(d+ex)^{3/2}} dx, x, cx\right)}{6e} \\
&= -\frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{3d(c^2d + e)\sqrt{d + ex^2}} - \frac{a + b \operatorname{sech}^{-1}(cx)}{3e(d + ex^2)^{3/2}} + \frac{b\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}}{3e(d + ex^2)^{3/2}}
\end{aligned}$$

Mathematica [A]

time = 0.20, size = 204, normalized size = 1.32

$$\frac{-ad(c^2d + e) - be\sqrt{\frac{1-cx}{1+cx}}(1+cx)(d+ex^2) - bd(c^2d + e)\operatorname{sech}^{-1}(cx)}{3de(c^2d + e)(d + ex^2)^{3/2}} - \frac{b\sqrt{\frac{1-cx}{1+cx}}\sqrt{1-c^2x^2}\sqrt{-d-ex^2}\operatorname{ArcTan}\left(\frac{\sqrt{d}\sqrt{1-c^2x^2}}{\sqrt{-d-ex^2}}\right)}{3d^{3/2}e(-1+cx)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcSech[c*x]))/(d + e*x^2)^(5/2), x]

[Out] $(-(a*d*(c^2*d + e)) - b*e*\operatorname{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x)*(d + e*x^2) - b*d*(c^2*d + e)*\operatorname{ArcSech}[c*x])/(3*d*e*(c^2*d + e)*(d + e*x^2)^{(3/2)}) - (b*\operatorname{Sqrt}[(1 - c*x)/(1 + c*x)]*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[-d - e*x^2]*\operatorname{ArcTan}[(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[1 - c^2*x^2])/\operatorname{Sqrt}[-d - e*x^2]])/(3*d^{(3/2)}*e*(-1 + c*x)*\operatorname{Sqrt}[d + e*x^2])$

Maple [F]

time = 0.49, size = 0, normalized size = 0.00

$$\int \frac{x(a + b \operatorname{arcsech}(cx))}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x*(a+b*\text{arcsech}(c*x))/(e*x^2+d)^{(5/2)}, x)$

[Out] $\text{int}(x*(a+b*\text{arcsech}(c*x))/(e*x^2+d)^{(5/2)}, x)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x*(a+b*\text{arcsech}(c*x))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}="maxima")$

[Out] $b*\text{integrate}(x*\log(\sqrt{1/(c*x)} + 1)*\sqrt{1/(c*x)} - 1) + 1/(c*x))/(x^2*e + d)^{(5/2)}, x) - 1/3*a*e^{(-1)}/(x^2*e + d)^{(3/2)}$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 709 vs. 2(96) = 192.

time = 0.58, size = 1456, normalized size = 9.45

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x*(a+b*\text{arcsech}(c*x))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}="fricas")$

[Out] $[-1/12*(4*(b*c^2*d^3 + b*d^2*\cosh(1) + b*d^2*\sinh(1))*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d}*\log((c*x*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 1)/(c*x)) - (b*x^4*\cosh(1)^3 + b*x^4*\sinh(1)^3 + b*c^2*d^3 + (b*c^2*d*x^4 + 2*b*d*x^2)*\cosh(1))^2 + (b*c^2*d*x^4 + 3*b*x^4*\cosh(1) + 2*b*d*x^2)*\sinh(1)^2 + (2*b*c^2*d^2*x^2 + b*d^2)*\cosh(1) + (2*b*c^2*d^2*x^2 + 3*b*x^4*\cosh(1)^2 + b*d^2 + 2*(b*c^2*d*x^4 + 2*b*d*x^2)*\cosh(1))*\sinh(1))*\sqrt{d}*\log((c^4*d^2*x^4 - 8*c^2*d^2*x^2 + x^4*\cosh(1)^2 + x^4*\sinh(1)^2 - 4*(c^3*d*x^3 - c*x^3*\cosh(1) - c*x^3*\sinh(1) - 2*c*d*x)*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d}*\sqrt{d}*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)} + 8*d^2 - 2*(3*c^2*d*x^4 - 4*d*x^2)*\cosh(1) - 2*(3*c^2*d*x^4 - x^4*\cosh(1) - 4*d*x^2)*\sinh(1))/x^4) + 4*(a*c^2*d^3 + a*d^2*\cosh(1) + a*d^2*\sinh(1) + (b*c*d*x^3*\cosh(1)^2 + b*c*d*x^3*\sinh(1)^2 + b*c*d^2*x*\cosh(1) + (2*b*c*d*x^3*\cosh(1) + b*c*d^2*x)*\sinh(1))*\sqrt{-(c^2*x^2 - 1)/(c^2*x^2)})*\sqrt{x^2*\cosh(1) + x^2*\sinh(1) + d}]/(d^2*x^4*\cosh(1)^4 + d^2*x^4*\sinh(1)^4 + c^2*d^5*\cosh(1) + (c^2*d^3*x^4 + 2*d^3*x^2)*\cosh(1)^3 + (c^2*d^3*x^4 + 4*d^2*x^4*\cosh(1) + 2*d^3*x^2)*\sinh(1)^3 + (2*c^2*d^4*x^2 + d^4)*\cosh(1)^2 + (2*c^2*d^4*x^2 + 6*d^2*x^4*\cosh(1)^2 + d^4 + 3*(c^2*d^3*x^4 + 2*d^3*x^2)*\cosh(1))*\sinh(1)^2 + (4*d^2*x^4*\cosh(1)^3 + c^2*d^5 + 3*(c^2*d^3*x^4 + 2*d^3*x^2)*\cosh(1)^2 + 2*(2*c^2*d^4*x^2 + d^4)*\cosh(1))*\sinh(1)), 1/6*((b*x^4*\cosh(1)^3 + b*x^4*\sinh(1)^3 + b*c^2*d^3 + (b*c^2*d*x^4 + 2*b*d*x^2)*\cosh(1)^2 + (b*c^2*d*x^4 + 3*b*x^4*\cosh(1) + 2*b*d*x^2)*\sinh(1)^2 + (2*b*$

```

c^2*d^2*x^2 + b*d^2)*cosh(1) + (2*b*c^2*d^2*x^2 + 3*b*x^4*cosh(1)^2 + b*d^2
+ 2*(b*c^2*d*x^4 + 2*b*d*x^2)*cosh(1))*sinh(1))*sqrt(-d)*arctan(-1/2*(c^3*
d*x^3 - c*x^3*cosh(1) - c*x^3*sinh(1) - 2*c*d*x)*sqrt(x^2*cosh(1) + x^2*sin
h(1) + d))*sqrt(-d)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))/(c^2*d^2*x^2 - d^2 + (c^2
*d*x^4 - d*x^2)*cosh(1) + (c^2*d*x^4 - d*x^2)*sinh(1))) - 2*(b*c^2*d^3 + b*
d^2*cosh(1) + b*d^2*sinh(1))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d)*log((c*x*s
qrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) - 2*(a*c^2*d^3 + a*d^2*cosh(1) +
a*d^2*sinh(1) + (b*c*d*x^3*cosh(1)^2 + b*c*d*x^3*sinh(1)^2 + b*c*d^2*x*cosh
(1) + (2*b*c*d*x^3*cosh(1) + b*c*d^2*x)*sinh(1))*sqrt(-(c^2*x^2 - 1)/(c^2*x
^2))*sqrt(x^2*cosh(1) + x^2*sinh(1) + d))/(d^2*x^4*cosh(1)^4 + d^2*x^4*sin
h(1)^4 + c^2*d^5*cosh(1) + (c^2*d^3*x^4 + 2*d^3*x^2)*cosh(1)^3 + (c^2*d^3*x
^4 + 4*d^2*x^4*cosh(1) + 2*d^3*x^2)*sinh(1)^3 + (2*c^2*d^4*x^2 + d^4)*cosh(
1)^2 + (2*c^2*d^4*x^2 + 6*d^2*x^4*cosh(1)^2 + d^4 + 3*(c^2*d^3*x^4 + 2*d^3*
x^2)*cosh(1))*sinh(1)^2 + (4*d^2*x^4*cosh(1)^3 + c^2*d^5 + 3*(c^2*d^3*x^4 +
2*d^3*x^2)*cosh(1)^2 + 2*(2*c^2*d^4*x^2 + d^4)*cosh(1))*sinh(1))]
```

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*asech(c*x))/(e*x**2+d)**(5/2),x)
```

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsech(c*x) + a)*x/(e*x^2 + d)^(5/2), x)
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)}{(e x^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(5/2),x)
```

```
[Out] int((x*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(5/2), x)
```


$$3.171 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{x(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=26

$$\operatorname{Int}\left(\frac{a+b\operatorname{sech}^{-1}(cx)}{x(d+ex^2)^{5/2}}, x\right)$$

[Out] Unintegrable((a+b*arcsech(c*x))/x/(e*x^2+d)^(5/2), x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x(d+ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSech[c*x])/(x*(d + e*x^2)^(5/2)), x]

[Out] Defer[Int] [(a + b*ArcSech[c*x])/(x*(d + e*x^2)^(5/2)), x]

Rubi steps

$$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x(d+ex^2)^{5/2}} dx = \int \frac{a+b\operatorname{sech}^{-1}(cx)}{x(d+ex^2)^{5/2}} dx$$

Mathematica [A]

time = 34.54, size = 0, normalized size = 0.00

$$\int \frac{a+b\operatorname{sech}^{-1}(cx)}{x(d+ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSech[c*x])/(x*(d + e*x^2)^(5/2)), x]

[Out] Integrate[(a + b*ArcSech[c*x])/(x*(d + e*x^2)^(5/2)), x]

Maple [A]

time = 0.39, size = 0, normalized size = 0.00

$$\int \frac{a+b\operatorname{arcsech}(cx)}{x(e x^2+d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsech(c*x))/x/(e*x^2+d)^(5/2),x)
```

```
[Out] int((a+b*arcsech(c*x))/x/(e*x^2+d)^(5/2),x)
```

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^(5/2),x, algorithm="maxima")
```

```
[Out] -1/3*a*(3*arcsinh(sqrt(d)*e^(-1/2)/abs(x))/d^(5/2) - 3/(sqrt(x^2*e + d)*d^2) - 1/((x^2*e + d)^(3/2)*d)) + b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/((x^2*e + d)^(5/2)*x), x)
```

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^(5/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(x^2*e + d)*(b*arcsech(c*x) + a)/(x^7*e^3 + 3*d*x^5*e^2 + 3*d^2*x^3*e + d^3*x), x)
```

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asech(c*x))/x/(e*x**2+d)**(5/2),x)
```

```
[Out] Timed out
```

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsech(c*x))/x/(e*x^2+d)^(5/2),x, algorithm="giac")
```

[Out] integrate((b*arcsech(c*x) + a)/((e*x^2 + d)^(5/2)*x), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x(e x^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(x*(d + e*x^2)^(5/2)), x)

[Out] int((a + b*acosh(1/(c*x)))/(x*(d + e*x^2)^(5/2)), x)

$$3.172 \quad \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx$$

Optimal. Leaf size=26

$$\operatorname{Int} \left(\frac{a + b \operatorname{sech}^{-1}(cx)}{x^3 (d + ex^2)^{5/2}}, x \right)$$

[Out] Unintegrable((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(5/2), x)

Rubi [A]

time = 0.09, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSech[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

[Out] Defer[Int] [(a + b*ArcSech[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

Rubi steps

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx = \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx$$

Mathematica [A]

time = 45.93, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSech[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

[Out] Integrate[(a + b*ArcSech[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

Maple [A]

time = 0.28, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsech}(cx)}{x^3 (ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(5/2),x)`

[Out] `int((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(5/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(5/2),x, algorithm="maxima")`

[Out] `1/6*a*(15*arcsinh(sqrt(d)*e^(-1/2)/abs(x))*e/d^(7/2) - 15*e/(sqrt(x^2*e + d)*d^3) - 5*e/((x^2*e + d)^(3/2)*d^2) - 3/((x^2*e + d)^(3/2)*d*x^2)) + b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/((x^2*e + d)^(5/2)*x^3), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(5/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsech(c*x) + a)/(x^9*e^3 + 3*d*x^7*e^2 + 3*d^2*x^5*e + d^3*x^3), x)`

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asech(c*x))/x**3/(e*x**2+d)**(5/2),x)`

[Out] Timed out

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^3/(e*x^2+d)^(5/2),x, algorithm="giac")`

[Out] integrate((b*arcsech(c*x) + a)/((e*x^2 + d)^(5/2)*x^3), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x^3 (ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(x^3*(d + e*x^2)^(5/2)), x)

[Out] int((a + b*acosh(1/(c*x)))/(x^3*(d + e*x^2)^(5/2)), x)

$$3.173 \quad \int \frac{x^6 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Optimal. Leaf size=26

$$\operatorname{Int} \left(\frac{x^6 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}}, x \right)$$

[Out] Unintegrable(x^6*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^6 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Int[(x^6*(a + b*ArcSech[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Defer[Int] [(x^6*(a + b*ArcSech[c*x]))/(d + e*x^2)^(5/2), x]

Rubi steps

$$\int \frac{x^6 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx = \int \frac{x^6 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Mathematica [A]

time = 10.99, size = 0, normalized size = 0.00

$$\int \frac{x^6 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(x^6*(a + b*ArcSech[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Integrate[(x^6*(a + b*ArcSech[c*x]))/(d + e*x^2)^(5/2), x]

Maple [A]

time = 1.37, size = 0, normalized size = 0.00

$$\int \frac{x^6 (a + b \operatorname{arcsech}(cx))}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^6(a+b\text{arcsech}(c*x))/(e*x^2+d)^{(5/2)}, x)$

[Out] $\text{int}(x^6(a+b\text{arcsech}(c*x))/(e*x^2+d)^{(5/2)}, x)$

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^6(a+b\text{arcsech}(c*x))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}="maxima")$

[Out] $\frac{1}{6}(3*x^5*e^{-1}/(x^2*e + d)^{(3/2)} + 5*(3*x^2*e^{-1}/(x^2*e + d)^{(3/2)} + 2*d*e^{-2}/(x^2*e + d)^{(3/2}))*d*x*e^{-1} - 15*d*\text{arcsinh}(x*e^{(1/2)}/\text{sqrt}(d))*e^{-7/2} + 5*d*x*e^{-3}/\text{sqrt}(x^2*e + d))*a + b*\text{integrate}(x^6*\log(\text{sqrt}(1/(c*x) + 1))*\text{sqrt}(1/(c*x) - 1) + 1/(c*x))/(x^2*e + d)^{(5/2)}, x)$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^6(a+b\text{arcsech}(c*x))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}="fricas")$

[Out] $\text{integral}((b*x^6*\text{arcsech}(c*x) + a*x^6)*\text{sqrt}(x^2*e + d)/(x^6*e^3 + 3*d*x^4*e^2 + 3*d^2*x^2*e + d^3), x)$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^{**6}(a+b\text{asech}(c*x))/(e*x^{**2}+d)^{(5/2)}, x)$

[Out] Timed out

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^6(a+b\text{arcsech}(c*x))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}="giac")$

[Out] integrate((b*arcsech(c*x) + a)*x^6/(e*x^2 + d)^(5/2), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^6 (a + b \operatorname{acosh}(\frac{1}{cx}))}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^6*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(5/2), x)

[Out] int((x^6*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(5/2), x)

$$3.174 \quad \int \frac{x^4 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Optimal. Leaf size=26

$$\operatorname{Int} \left(\frac{x^4 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}}, x \right)$$

[Out] Unintegrable(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^4 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Int[(x^4*(a + b*ArcSech[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Defer[Int] [(x^4*(a + b*ArcSech[c*x]))/(d + e*x^2)^(5/2), x]

Rubi steps

$$\int \frac{x^4 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx = \int \frac{x^4 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Mathematica [A]

time = 10.21, size = 0, normalized size = 0.00

$$\int \frac{x^4 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(x^4*(a + b*ArcSech[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Integrate[(x^4*(a + b*ArcSech[c*x]))/(d + e*x^2)^(5/2), x]

Maple [A]

time = 1.21, size = 0, normalized size = 0.00

$$\int \frac{x^4 (a + b \operatorname{arcsech}(cx))}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2),x)`

[Out] `int(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2),x, algorithm="maxima")`

[Out] `-1/3*((3*x^2*e^(-1)/(x^2*e + d)^(3/2) + 2*d*e^(-2)/(x^2*e + d)^(3/2))*x - 3*arcsinh(x*e^(1/2)/sqrt(d))*e^(-5/2) + x*e^(-2)/sqrt(x^2*e + d))*a + b*integrate(x^4*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^2*e + d)^(5/2), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2),x, algorithm="fricas")`

[Out] `integral((b*x^4*arcsech(c*x) + a*x^4)*sqrt(x^2*e + d)/(x^6*e^3 + 3*d*x^4*e^2 + 3*d^2*x^2*e + d^3), x)`

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(a+b*asech(c*x))/(e*x**2+d)**(5/2),x)`

[Out] Timed out

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2),x, algorithm="giac")`

[Out] integrate((b*arcsech(c*x) + a)*x^4/(e*x^2 + d)^(5/2), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^4 (a + b \operatorname{acosh}(\frac{1}{cx}))}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(5/2), x)

[Out] int((x^4*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(5/2), x)

$$3.175 \quad \int \frac{x^2 (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Optimal. Leaf size=246

$$\frac{bx \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{3d(c^2d+e) \sqrt{d+ex^2}} + \frac{x^3(a+b \operatorname{sech}^{-1}(cx))}{3d(d+ex^2)^{3/2}} - \frac{bc \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{d+ex^2} E(\operatorname{ArcSin}(cx))}{3de(c^2d+e) \sqrt{1+\frac{ex^2}{d}}}$$

[Out] $1/3*x^3*(a+b*\operatorname{arcsech}(c*x))/d/(e*x^2+d)^{(3/2)}-1/3*b*x*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/d/(c^2*d+e)/(e*x^2+d)^{(1/2)}-1/3*b*c*\operatorname{EllipticE}(c*x,(-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d/e/(c^2*d+e)/(1+e*x^2/d)^{(1/2)}+1/3*b*\operatorname{EllipticF}(c*x,(-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/c/d/e/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.17, antiderivative size = 246, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {270, 6436, 12, 482, 434, 437, 435, 432, 430}

$$\frac{x^3(a+b \operatorname{sech}^{-1}(cx))}{3d(d+ex^2)^{3/2}} + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{\frac{ex^2}{d}+1} F(\operatorname{ArcSin}(cx) | -\frac{e}{c^2d})}{3de \sqrt{d+ex^2}} - \frac{bc \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{d+ex^2} E(\operatorname{ArcSin}(cx) | -\frac{e}{c^2d})}{3de(c^2d+e) \sqrt{\frac{ex^2}{d}+1}} - \frac{bx \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2}}{3d(c^2d+e) \sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^2*(a + b*\operatorname{ArcSech}[c*x]))/(d + e*x^2)^{(5/2)}, x]$

[Out] $-1/3*(b*x*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/(d*(c^2*d + e)*\operatorname{Sqrt}[d + e*x^2]) + (x^3*(a + b*\operatorname{ArcSech}[c*x]))/(3*d*(d + e*x^2)^{(3/2)}) - (b*c*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[d + e*x^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[c*x], -(e/(c^2*d))])/(3*d*e*(c^2*d + e)*\operatorname{Sqrt}[1 + (e*x^2)/d]) + (b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 + (e*x^2)/d]*\operatorname{EllipticF}[\operatorname{ArcSin}[c*x], -(e/(c^2*d))])/(3*c*d*e*\operatorname{Sqrt}[d + e*x^2])$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 270

$\operatorname{Int}[(c_*)(x_*)^{(m_*)}*((a_*) + (b_*)(x_*)^{(n_*)})^{(p_*)}, x_Symbol] \rightarrow \operatorname{Simp}[(c*x)^{(m+1)}*((a + b*x^n)^{(p+1)}/(a*c*(m+1))), x] /;$ FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n + p + 1, 0] && NeQ[m, -1]

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c
/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a,
0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 434

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[
1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && Po
sQ[d/c] && NegQ[b/a]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d)
)], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 482

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_
))^(q_), x_Symbol] := Simp[e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*
((c + d*x^n)^(q + 1)/(n*(b*c - a*d)*(p + 1))), x] - Dist[e^n/(n*(b*c - a*d)
*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m -
n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e,
q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n +
1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(
x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
```

```

st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= \frac{x^3(a + b \operatorname{sech}^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{x^2}{3d \sqrt{1 - c^2 x^2} (d + ex^2)^{3/2}} dx \\
&= \frac{x^3(a + b \operatorname{sech}^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{x^2}{\sqrt{1 - c^2 x^2} (d + ex^2)^{3/2}} dx}{3d} \\
&= -\frac{bx \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{3d(c^2 d + e) \sqrt{d + ex^2}} + \frac{x^3(a + b \operatorname{sech}^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{x^2}{\sqrt{1 - c^2 x^2} (d + ex^2)^{3/2}} dx}{3d} \\
&= -\frac{bx \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{3d(c^2 d + e) \sqrt{d + ex^2}} + \frac{x^3(a + b \operatorname{sech}^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{x^2}{\sqrt{1 - c^2 x^2} (d + ex^2)^{3/2}} dx}{3d} \\
&= -\frac{bx \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{3d(c^2 d + e) \sqrt{d + ex^2}} + \frac{x^3(a + b \operatorname{sech}^{-1}(cx))}{3d(d + ex^2)^{3/2}} - \frac{\left(bc^2 \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{x^2}{\sqrt{1 - c^2 x^2} (d + ex^2)^{3/2}} dx}{3d} \\
&= -\frac{bx \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{3d(c^2 d + e) \sqrt{d + ex^2}} + \frac{x^3(a + b \operatorname{sech}^{-1}(cx))}{3d(d + ex^2)^{3/2}} - \frac{bc \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx}}{3d(d + ex^2)^{3/2}}
\end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 1.79, size = 488, normalized size = 1.98

$$\frac{ax^3 - \sqrt{\frac{1-cx}{1+cx}} \frac{(-cd+cx)(d+ex^2)}{c(c^2d+e)} + bx^3 \operatorname{sech}^{-1}(cx) + \frac{b \sqrt{\frac{1-cx}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{3d(d+ex^2)^{3/2}}}{3d(d+ex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(a + b*ArcSech[c*x]))/(d + e*x^2)^(5/2), x]

[Out] (a*x^3 - (b*Sqrt[(1 - c*x)/(1 + c*x)]*(-(c*d) + e*x)*(d + e*x^2))/(e*(c^2*d + e)) + b*x^3*ArcSech[c*x] + (b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*Sqrt[(c*(Sqrt[d] + I*Sqrt[e]*x))/((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x))]*Sqrt[(c*(I*Sqrt[d] + Sqrt[e]*x))/((I*c*Sqrt[d] + Sqrt[e])*(1 + c*x))]*(d + e*x^2)*((I*c*Sqrt[d] + Sqrt[e])*EllipticE[I*ArcSinh[Sqrt[((c^2*d + e)*(1 - c*x))/((c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x))]]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2] - 2*Sqrt[e]*EllipticF[I*ArcSinh[Sqrt[((c^2*d + e)*(1 - c*x))/((c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x))]]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2))/((I*c*Sqrt[d] + Sqrt[e])*e*Sqrt[((I*c*Sqrt[d] + Sqrt[e])*(-1 + c*x))/((-I)*c*Sqrt[d] + Sqrt[e])*(1 + c*x)))]/(3*d*(d + e*x^2)^(3/2))

Maple [F]

time = 1.12, size = 0, normalized size = 0.00

$$\int \frac{x^2(a + b \operatorname{arcsech}(cx))}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x)

[Out] int(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x, algorithm="maxima")

[Out] -1/3*a*(x*e^(-1)/(x^2*e + d)^(3/2) - x*e^(-1)/(sqrt(x^2*e + d)*d)) + b*integrate(x^2*log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^2*e + d)^(5/2), x)

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)

Sympy [F(-1)] Timed out
time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*asech(c*x))/(e*x**2+d)**(5/2), x)`

[Out] Timed out

Giac [F]
time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x, algorithm="giac")`

[Out] `integrate((b*arcsech(c*x) + a)*x^2/(e*x^2 + d)^(5/2), x)`

Mupad [F]
time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (a + b \operatorname{acosh}(\frac{1}{cx}))}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(5/2), x)`

[Out] `int((x^2*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(5/2), x)`

$$3.176 \quad \int \frac{a+b\operatorname{sech}^{-1}(cx)}{(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=266

$$\frac{bcx\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{1-c^2x^2}}{3d^2(c^2d+e)\sqrt{d+ex^2}} + \frac{x(a+b\operatorname{sech}^{-1}(cx))}{3d(d+ex^2)^{3/2}} + \frac{2x(a+b\operatorname{sech}^{-1}(cx))}{3d^2\sqrt{d+ex^2}} + \frac{bc\sqrt{\frac{1}{1+cx}}\sqrt{1+cx}\sqrt{d+ex^2}}{3d^2(c^2d+e)}$$

[Out] $\frac{1}{3}x*(a+b*\operatorname{arcsech}(c*x))/d/(e*x^2+d)^{(3/2)}+2/3*x*(a+b*\operatorname{arcsech}(c*x))/d^2/(e*x^2+d)^{(1/2)}+1/3*b*e*x*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/d^2/(c^2*d+e)/(e*x^2+d)^{(1/2)}+1/3*b*c*\operatorname{EllipticE}(c*x,(-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(e*x^2+d)^{(1/2)}/d^2/(c^2*d+e)/(1+e*x^2/d)^{(1/2)}+2/3*b*\operatorname{EllipticF}(c*x,(-e/c^2/d)^{(1/2)})*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(1+e*x^2/d)^{(1/2)}/c/d^2/(e*x^2+d)^{(1/2)}$

Rubi [A]

time = 0.15, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {198, 197, 6426, 12, 541, 538, 437, 435, 432, 430}

$$\frac{2x(a+b\operatorname{sech}^{-1}(cx))}{3d^2\sqrt{d+ex^2}} + \frac{x(a+b\operatorname{sech}^{-1}(cx))}{3d(d+ex^2)^{3/2}} + \frac{2b\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{\frac{ex^2}{d}+1}F(\operatorname{ArcSin}(cx)|-\frac{e}{c^2d})}{3cd^2\sqrt{d+ex^2}} + \frac{bc\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{d+ex^2}E(\operatorname{ArcSin}(cx)|-\frac{e}{c^2d})}{3d^2(c^2d+e)\sqrt{\frac{ex^2}{d}+1}} + \frac{bcx\sqrt{\frac{1}{cx+1}}\sqrt{cx+1}\sqrt{1-c^2x^2}}{3d^2(c^2d+e)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcSech}[c*x])/(d + e*x^2)^{(5/2)}, x]$

[Out] $(b*e*x*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 - c^2*x^2])/(3*d^2*(c^2*d + e)*\operatorname{Sqrt}[d + e*x^2]) + (x*(a + b*\operatorname{ArcSech}[c*x]))/(3*d*(d + e*x^2)^{(3/2)}) + (2*x*(a + b*\operatorname{ArcSech}[c*x]))/(3*d^2*\operatorname{Sqrt}[d + e*x^2]) + (b*c*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[d + e*x^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[c*x], -(e/(c^2*d))])/(3*d^2*(c^2*d + e)*\operatorname{Sqrt}[1 + (e*x^2)/d]) + (2*b*\operatorname{Sqrt}[(1 + c*x)^{-1}]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[1 + (e*x^2)/d]*\operatorname{EllipticF}[\operatorname{ArcSin}[c*x], -(e/(c^2*d))])/(3*c*d^2*\operatorname{Sqrt}[d + e*x^2])$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] := \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$ $\operatorname{FreeQ}[a, x] \&\& \operatorname{!MatchQ}[u, (b_*)(v_)] /;$ $\operatorname{FreeQ}[b, x]$

Rule 197

$\operatorname{Int}[(a_*) + (b_*)(x_)^{(n_*)}])^{(p_*)}, x_Symbol] := \operatorname{Simp}[x*((a + b*x^n)^{(p + 1)}/a), x] /;$ $\operatorname{FreeQ}[\{a, b, n, p\}, x] \&\& \operatorname{EqQ}[1/n + p + 1, 0]$

Rule 198

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(-x)*((a + b*x^n)^(p + 1)/(a*n*(p + 1))), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]
```

Rule 430

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1/(Sqrt[a]*Sqrt[c]*Rt[-d/c, 2]))*EllipticF[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-b/a, -d/c])
```

Rule 432

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d/c)*x^2]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d/c)*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 435

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]/(Sqrt[c]*Rt[-d/c, 2]))*EllipticE[ArcSin[Rt[-d/c, 2]*x], b*(c/(a*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 437

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b/a)*x^2], Int[Sqrt[1 + (b/a)*x^2]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 538

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-b/a, -d/c]))))))
```

Rule 541

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(-b*e - a*f)*x*(a + b*x^n)^(p + 1)*((c + d*x^n)^(q + 1)/(a*n*(b*c - a*d)*(p + 1))), x] + Dist[1/(a*n*(b*c - a*d)*
```

$p + 1)$), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

Rule 6426

Int[((a_.) + ArcSech[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \operatorname{sech}^{-1}(cx)}{(d + ex^2)^{5/2}} dx &= \frac{x(a + b \operatorname{sech}^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \operatorname{sech}^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} + \left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{1}{3d^2 \sqrt{1 - c^2 x^2}} dx \\
 &= \frac{x(a + b \operatorname{sech}^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \operatorname{sech}^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} + \frac{\left(b \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \right) \int \frac{3d + ex^2}{\sqrt{1 - c^2 x^2}} dx}{3d^2} \\
 &= \frac{bex \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{3d^2 (c^2 d + e) \sqrt{d + ex^2}} + \frac{x(a + b \operatorname{sech}^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \operatorname{sech}^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} \\
 &= \frac{bex \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{3d^2 (c^2 d + e) \sqrt{d + ex^2}} + \frac{x(a + b \operatorname{sech}^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \operatorname{sech}^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} \\
 &= \frac{bex \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{3d^2 (c^2 d + e) \sqrt{d + ex^2}} + \frac{x(a + b \operatorname{sech}^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \operatorname{sech}^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} \\
 &= \frac{bex \sqrt{\frac{1}{1 + cx}} \sqrt{1 + cx} \sqrt{1 - c^2 x^2}}{3d^2 (c^2 d + e) \sqrt{d + ex^2}} + \frac{x(a + b \operatorname{sech}^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \operatorname{sech}^{-1}(cx))}{3d^2 \sqrt{d + ex^2}}
 \end{aligned}$$

Mathematica [C] Result contains complex when optimal does not.

time = 22.95, size = 517, normalized size = 1.94

$$\frac{\sqrt{\frac{1-cx}{1+cx}} \frac{(-cd+ex)(d+ex)^2}{2cdx} + ax(3d+2ex)^2 + bx(3d+2ex)^2 \operatorname{sech}^{-1}(cx) - \frac{d\sqrt{\frac{1-cx}{1+cx}} \sqrt{\frac{c(\sqrt{d-i\sqrt{e}}x)}{(c\sqrt{d-i\sqrt{e}})(1+cx)}} \sqrt{\frac{c(\sqrt{d+i\sqrt{e}}x)}{(c\sqrt{d+i\sqrt{e}})(1+cx)}}}{(d+ex)^2} \left((c\sqrt{d-i\sqrt{e}})^2 \operatorname{erf}\left(\sqrt{\frac{(cd+e)(1-cx)}{(c\sqrt{d+i\sqrt{e}})(1+cx)}} \frac{(\sqrt{d+i\sqrt{e}})}{(c\sqrt{d-i\sqrt{e}})}\right) - 2i\sqrt{d+i\sqrt{e}} \operatorname{erf}\left(\sqrt{\frac{(cd+e)(1-cx)}{(c\sqrt{d+i\sqrt{e}})(1+cx)}} \frac{(\sqrt{d-i\sqrt{e}})}{(c\sqrt{d-i\sqrt{e}})}\right) \right)}{3d^2(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSech[c*x])/(d + e*x^2)^(5/2), x]

[Out] ((b*Sqrt[(1 - c*x)/(1 + c*x)]*(-(c*d) + e*x)*(d + e*x^2))/(c^2*d + e) + a*x*(3*d + 2*e*x^2) + b*x*(3*d + 2*e*x^2)*ArcSech[c*x] - (I*b*Sqrt[(1 - c*x)/(1 + c*x)]*(1 + c*x)*Sqrt[(c*(Sqrt[d] - I*Sqrt[e]*x))/((c*Sqrt[d] - I*Sqrt[e])*(1 + c*x))]*Sqrt[(c*(Sqrt[d] + I*Sqrt[e]*x))/((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x))]*(d + e*x^2)*((c*Sqrt[d] - I*Sqrt[e])*EllipticE[I*ArcSinh[Sqrt[(c^2*d + e)*(1 - c*x)]/((c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x))]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2] - 2*(3*c*Sqrt[d] + (2*I)*Sqrt[e])*EllipticF[I*ArcSinh[Sqrt[(c^2*d + e)*(1 - c*x)]/((c*Sqrt[d] + I*Sqrt[e])^2*(1 + c*x))]], (c*Sqrt[d] + I*Sqrt[e])^2/(c*Sqrt[d] - I*Sqrt[e])^2)))/(c*(c*Sqrt[d] + I*Sqrt[e])*Sqrt[-(((c*Sqrt[d] - I*Sqrt[e])*(-1 + c*x))/((c*Sqrt[d] + I*Sqrt[e])*(1 + c*x)))))]/(3*d^2*(d + e*x^2)^(3/2))

Maple [F]

time = 0.65, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsech}(cx)}{(e x^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x)

[Out] int((a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsech(c*x))/(e*x^2+d)^(5/2), x, algorithm="maxima")

[Out] 1/3*a*(2*x/(sqrt(x^2*e + d)*d^2) + x/((x^2*e + d)^(3/2)*d)) + b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(x^2*e + d)^(5/2), x)

Fricas [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/(e*x^2+d)^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Symbolic function elliptic_ec takes exactly 1 arguments (2 given)

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asech(c*x))/(e*x**2+d)**(5/2),x)`

[Out] Timed out

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/(e*x^2+d)^(5/2),x, algorithm="giac")`

[Out] `integrate((b*arcsech(c*x) + a)/(e*x^2 + d)^(5/2), x)`

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acosh(1/(c*x)))/(d + e*x^2)^(5/2),x)`

[Out] `int((a + b*acosh(1/(c*x)))/(d + e*x^2)^(5/2), x)`

3.177 $\int (fx)^m (d + ex^2)^3 (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=596

$$\frac{be\left(e^2(15 + 8m + m^2)^2 + 3c^2de(3 + m)^2(42 + 13m + m^2) + 3c^4d^2(840 + 638m + 179m^2 + 22m^3 + m^4)\right)}{c^6 f(2 + m)(3 + m)(4 + m)(5 + m)(6 + m)(7 + m)}$$

[Out] $d^3(fx)^{(1+m)}(a+b\operatorname{arcsech}(cx))/f/(1+m)+3d^2e*(fx)^{(3+m)}(a+b\operatorname{arcsech}(cx))/f^3/(3+m)+3d*e^2*(fx)^{(5+m)}(a+b\operatorname{arcsech}(cx))/f^5/(5+m)+e^3*(fx)^{(7+m)}(a+b\operatorname{arcsech}(cx))/f^7/(7+m)+b*(c^6*d^3*(2+m)*(4+m)*(6+m)/(1+m)+e*(1+m)*(e^2*(m^2+8*m+15)^2+3*c^2*d*e*(3+m)^2*(m^2+13*m+42)+3*c^4*d^2*(m^4+22*m^3+179*m^2+638*m+840))/(m^3+15*m^2+71*m+105))*(fx)^{(1+m)}\operatorname{hypergeom}([1/2, 1/2+1/2*m], [3/2+1/2*m], c^2*x^2)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^6/f/(1+m)/(2+m)/(4+m)/(6+m)-b*e*(e^2*(m^2+8*m+15)^2+3*c^2*d*e*(3+m)^2*(m^2+13*m+42)+3*c^4*d^2*(m^4+22*m^3+179*m^2+638*m+840))*(fx)^{(1+m)}(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^6/f/(6+m)/(m^2+6*m+8)/(m^3+15*m^2+71*m+105)-b*e^2*(e*(5+m)^2+3*c^2*d*(m^2+13*m+42))*(fx)^{(3+m)}(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^4/f^3/(4+m)/(5+m)/(6+m)/(7+m)-b*e^3*(fx)^{(5+m)}(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2/f^5/(6+m)/(7+m)$

Rubi [A]

time = 1.57, antiderivative size = 576, normalized size of antiderivative = 0.97, number of steps used = 5, number of rules used = 6, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$, Rules used = {276, 6436, 1823, 1281, 470, 371}

$\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+1)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+2)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+3)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+4)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+5)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+6)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+7)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+8)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+9)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+10)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+11)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+12)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+13)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+14)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+15)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+16)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+17)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+18)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+19)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+20)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+21)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+22)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+23)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+24)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+25)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+26)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+27)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+28)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+29)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+30)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+31)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+32)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+33)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+34)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+35)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+36)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+37)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+38)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+39)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+40)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+41)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+42)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+43)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+44)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+45)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+46)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+47)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+48)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+49)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+50)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+51)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+52)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+53)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+54)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+55)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+56)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+57)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+58)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+59)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+60)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+61)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+62)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+63)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+64)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+65)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+66)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+67)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+68)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+69)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+70)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+71)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+72)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+73)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+74)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+75)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+76)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+77)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+78)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+79)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+80)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+81)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+82)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+83)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+84)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+85)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+86)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+87)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+88)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+89)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+90)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+91)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+92)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+93)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+94)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+95)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+96)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+97)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+98)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+99)}$, $\frac{d^2(fx)^m(a+b\operatorname{sech}^{-1}(cx))}{f(m+100)}$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(fx)^m(d + ex^2)^3(a + b\operatorname{ArcSech}[cx]), x]$

[Out] $-((b*e*(e^2*(15 + 8*m + m^2)^2 + 3*c^2*d*e*(3 + m)^2*(42 + 13*m + m^2) + 3*c^4*d^2*(840 + 638*m + 179*m^2 + 22*m^3 + m^4))*(fx)^{(1 + m)}\operatorname{Sqrt}[(1 + cx)^{-1}]*\operatorname{Sqrt}[1 + cx]*\operatorname{Sqrt}[1 - c^2*x^2])/(c^6*f*(2 + m)*(3 + m)*(4 + m)*(5 + m)*(6 + m)*(7 + m)) - (b*e^2*(e*(5 + m)^2 + 3*c^2*d*(42 + 13*m + m^2))*(fx)^{(3 + m)}\operatorname{Sqrt}[(1 + cx)^{-1}]*\operatorname{Sqrt}[1 + cx]*\operatorname{Sqrt}[1 - c^2*x^2])/(c^4*f^3*(4 + m)*(5 + m)*(6 + m)*(7 + m)) - (b*e^3*(fx)^{(5 + m)}\operatorname{Sqrt}[(1 + cx)^{-1}]*\operatorname{Sqrt}[1 + cx]*\operatorname{Sqrt}[1 - c^2*x^2])/(c^2*f^5*(6 + m)*(7 + m)) + (d^3*(fx)^{(1 + m)}(a + b\operatorname{ArcSech}[cx]))/(f*(1 + m)) + (3*d^2*e*(fx)^{(3 + m)}(a + b\operatorname{ArcSech}[cx]))/(f^3*(3 + m)) + (3*d*e^2*(fx)^{(5 + m)}(a + b\operatorname{ArcSech}[cx]))/(f^5*(5 + m)) + (e^3*(fx)^{(7 + m)}(a + b\operatorname{ArcSech}[cx]))/(f^7*(7 + m)) + (b*(d^3/(1 + m)^2 + (e*(e^2*(15 + 8*m + m^2)^2 + 3*c^2*d*e*(3 + m)^2*(42 + 13*m + m^2) + 3*c^4*d^2*(840 + 638*m + 179*m^2 + 22*m^3 + m^4)))/(c^6*(2 + m)*(3 + m)*(4 + m)*(5 + m)*(6 + m)*(7 + m)))*(fx)^{(1 + m)}\operatorname{Sqrt}[(1 + cx)^{-1}]*\operatorname{Sqrt}[1 + cx]*\operatorname{Hypergeometric2F1}[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/f$

Rule 276

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 371

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Simp[a^p*((c*x)^(m + 1)/(c*(m + 1)))*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, (-b)*(x^n/a)], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 470

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[d*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(b*e*(m + n*(p + 1) + 1))), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rule 1281

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[c^p*(f*x)^(m + 4*p - 1)*((d + e*x^2)^(q + 1)/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1))), x] + Dist[1/(e*(m + 4*p + 2*q + 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]

Rule 1823

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[f*(c*x)^(m + q - 1)*((a + b*x^2)^(p + 1)/(b*c^(q - 1)*(m + q + 2*p + 1))), x] + Dist[1/(b*(m + q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])

Rule 6436

Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*((f_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[

SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rubi steps

$$\begin{aligned} \int (fx)^m (d + ex^2)^3 (a + b \operatorname{sech}^{-1}(cx)) dx &= \frac{d^3 (fx)^{1+m} (a + b \operatorname{sech}^{-1}(cx))}{f(1+m)} + \frac{3d^2 e (fx)^{3+m} (a + b \operatorname{sech}^{-1}(cx))}{f^3(3+m)} \\ &= -\frac{be^3 (fx)^{5+m} \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{c^2 f^5 (6+m)(7+m)} + \frac{d^3 (fx)^{1+m} (a - b \operatorname{sech}^{-1}(cx))}{f(1+m)} \\ &= -\frac{be^2 (e(5+m)^2 + 3c^2 d(42 + 13m + m^2)) (fx)^{3+m} \sqrt{\frac{1}{1+cx}} \sqrt{1-c^2x^2}}{c^4 f^3 (4+m)(5+m)(6+m)(7+m)} \\ &= -\frac{be \left(e^2 (15 + 8m + m^2)^2 + 3c^2 de(3+m)^2 (42 + 13m + m^2) \right)}{c^6 f(2+m)(3+m)} \\ &= -\frac{be \left(e^2 (15 + 8m + m^2)^2 + 3c^2 de(3+m)^2 (42 + 13m + m^2) \right) + d^3 (fx)^{1+m} (a - b \operatorname{sech}^{-1}(cx))}{c^6 f(2+m)(3+m)} \end{aligned}$$

Mathematica [F]

time = 0.10, size = 0, normalized size = 0.00

$$\int (fx)^m (d + ex^2)^3 (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate[(f*x)^m*(d + e*x^2)^3*(a + b*ArcSech[c*x]), x]

[Out] Integrate[(f*x)^m*(d + e*x^2)^3*(a + b*ArcSech[c*x]), x]

Maple [F]

time = 1.36, size = 0, normalized size = 0.00

$$\int (fx)^m (e x^2 + d)^3 (a + b \operatorname{arcsech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x)^m*(e*x^2+d)^3*(a+b*\text{arcsech}(c*x)),x)$

[Out] $\text{int}((f*x)^m*(e*x^2+d)^3*(a+b*\text{arcsech}(c*x)),x)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m*(e*x^2+d)^3*(a+b*\text{arcsech}(c*x)),x, \text{algorithm}=\text{"maxima"})$

[Out] $a*f^m*x^7*e^{(m*\log(x) + 3)/(m + 7) + 3*a*d*f^m*x^5*e^{(m*\log(x) + 2)/(m + 5) + 3*a*d^2*f^m*x^3*e^{(m*\log(x) + 1)/(m + 3) + (f*x)^{(m + 1)}*a*d^3/(f*(m + 1))} + ((m^3 + 9*m^2 + 23*m + 15)*b*f^m*x^7*e^{(m*\log(x) + 3) + 3*(m^3 + 11*m^2 + 31*m + 21)*b*d*f^m*x^5*e^{(m*\log(x) + 2) + 3*(m^3 + 13*m^2 + 47*m + 35)*b*d^2*f^m*x^3*e^{(m*\log(x) + 1) + (m^3 + 15*m^2 + 71*m + 105)*b*d^3*f^m*x^m*\log(\sqrt{c*x + 1}*\sqrt{-c*x + 1} + 1) - ((m^3 + 9*m^2 + 23*m + 15)*b*f^m*x^7*e^{(m*\log(x) + 3) + 3*(m^3 + 11*m^2 + 31*m + 21)*b*d*f^m*x^5*e^{(m*\log(x) + 2) + 3*(m^3 + 13*m^2 + 47*m + 35)*b*d^2*f^m*x^3*e^{(m*\log(x) + 1) + (m^3 + 15*m^2 + 71*m + 105)*b*d^3*f^m*x^m*\log(x))}/(m^4 + 16*m^3 + 86*m^2 + 176*m + 105) - \text{integrate}((b*c^2*f^m*(m + 7)*x^2*e^3*\log(c) - (f^m*(m + 7)*\log(c) - f^m)*b*e^3)*x^6*x^m/(c^2*(m + 7)*x^2 - m - 7), x) - \text{integrate}(3*(b*c^2*d*f^m*(m + 5)*x^2*e^2*\log(c) - (d*f^m*(m + 5)*\log(c) - d*f^m)*b*e^2)*x^4*x^m/(c^2*(m + 5)*x^2 - m - 5), x) - \text{integrate}(3*(b*c^2*d^2*f^m*(m + 3)*x^2*e*\log(c) - (d^2*f^m*(m + 3)*\log(c) - d^2*f^m)*b*e)*x^2*x^m/(c^2*(m + 3)*x^2 - m - 3), x) - \text{integrate}((b*c^2*d^3*f^m*(m + 1)*x^2*\log(c) - (d^3*f^m*(m + 1)*\log(c) - d^3*f^m)*b)*x^m/(c^2*(m + 1)*x^2 - m - 1), x) + \text{integrate}(((m^3 + 9*m^2 + 23*m + 15)*b*c^2*f^m*x^8*e^{(m*\log(x) + 3) + 3*(m^3 + 11*m^2 + 31*m + 21)*b*c^2*d*f^m*x^6*e^{(m*\log(x) + 2) + 3*(m^3 + 13*m^2 + 47*m + 35)*b*c^2*d^2*f^m*x^4*e^{(m*\log(x) + 1) + (m^3 + 15*m^2 + 71*m + 105)*b*c^2*d^3*f^m*x^2*x^m}/((m^4 + 16*m^3 + 86*m^2 + 176*m + 105)*c^2*x^2 - m^4 - 16*m^3 + ((m^4 + 16*m^3 + 86*m^2 + 176*m + 105)*c^2*x^2 - m^4 - 16*m^3 - 86*m^2 - 176*m - 105)*\sqrt{c*x + 1}*\sqrt{-c*x + 1} - 86*m^2 - 176*m - 105), x)$

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m*(e*x^2+d)^3*(a+b*\text{arcsech}(c*x)),x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}((a*x^6*e^3 + 3*a*d*x^4*e^2 + 3*a*d^2*x^2*e + a*d^3 + (b*x^6*e^3 + 3*b*d*x^4*e^2 + 3*b*d^2*x^2*e + b*d^3)*\text{arcsech}(c*x))*(f*x)^m, x)$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (f x)^m (a + b \operatorname{asech}(c x)) (d + e x^2)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)**3*(a+b*asech(c*x)),x)

[Out] Integral((f*x)**m*(a + b*asech(c*x))*(d + e*x**2)**3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)^3*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^3*(b*arcsech(c*x) + a)*(f*x)^m, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int (f x)^m (e x^2 + d)^3 \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(d + e*x^2)^3*(a + b*acosh(1/(c*x))),x)

[Out] int((f*x)^m*(d + e*x^2)^3*(a + b*acosh(1/(c*x))), x)

3.178 $\int (fx)^m (d + ex^2)^2 (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=372

$$\frac{be(e(3+m)^2 + 2c^2d(20 + 9m + m^2))(fx)^{1+m} \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{c^4 f(2+m)(3+m)(4+m)(5+m)} - \frac{be^2(fx)^{3+m} \sqrt{\frac{1}{1+cx}} \sqrt{1+cx}}{c^2 f^3(4+m)(5+m)}$$

[Out] $d^2(fx)^{(1+m)}(a+b \operatorname{arcsech}(cx))/f/(1+m)+2d*e*(fx)^{(3+m)}(a+b \operatorname{arcsech}(cx))/f^3/(3+m)+e^2*(fx)^{(5+m)}(a+b \operatorname{arcsech}(cx))/f^5/(5+m)+b*(c^4*d^2*(2+m)*(3+m)*(4+m)*(5+m)+e*(1+m)^2*(e*(3+m)^2+2*c^2*d*(m^2+9*m+20)))*(fx)^{(1+m)}*\operatorname{hypergeom}([1/2, 1/2+1/2*m], [3/2+1/2*m], c^2*x^2)*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}/c^4/f/(1+m)^2/(2+m)/(3+m)/(4+m)/(5+m)-b*e*(e*(3+m)^2+2*c^2*d*(m^2+9*m+20))*(fx)^{(1+m)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^4/f/(4+m)/(5+m)/(m^2+5*m+6)-b*e^2*(fx)^{(3+m)}*(1/(c*x+1))^{(1/2)}*(c*x+1)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2/f^3/(4+m)/(5+m)$

Rubi [A]

time = 0.31, antiderivative size = 352, normalized size of antiderivative = 0.95, number of steps used = 5, number of rules used = 6, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$, Rules used = {276, 6436, 12, 1281, 470, 371}

$$\frac{d^2(fx)^{m+1}(a+b \operatorname{sech}^{-1}(cx))}{f(m+1)} + \frac{2de(fx)^{m+3}(a+b \operatorname{sech}^{-1}(cx))}{f^3(m+3)} + \frac{e^2(fx)^{m+5}(a+b \operatorname{sech}^{-1}(cx))}{f^5(m+5)} - \frac{bc^2 \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2} (fx)^{m+3}}{c^2 f(m+4)(m+5)} + \frac{b \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} (fx)^{m+1} \left(\frac{(2c^2d(m^2+9m+20)+e(m+3)^2)}{c^2(m+2)(m+3)(m+4)(m+5)} + \frac{e}{(m+1)^2} \right) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; c^2x^2\right)}{f} - \frac{be \sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2} (fx)^{m+1} (2c^2d(m^2+9m+20)+e(m+3)^2)}{c^2 f(m+2)(m+3)(m+4)(m+5)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(fx)^m(d + ex^2)^2(a + b \operatorname{ArcSech}[cx]), x]$

[Out] $-((b*e*(e*(3+m)^2 + 2*c^2*d*(20 + 9*m + m^2))*(fx)^{(1+m)}*\operatorname{Sqrt}[(1 + cx)^{-1}]*\operatorname{Sqrt}[1 + cx]*\operatorname{Sqrt}[1 - c^2*x^2])/(c^4*f*(2+m)*(3+m)*(4+m)*(5+m)) - (b*e^2*(fx)^{(3+m)}*\operatorname{Sqrt}[(1 + cx)^{-1}]*\operatorname{Sqrt}[1 + cx]*\operatorname{Sqrt}[1 - c^2*x^2])/(c^2*f^3*(4+m)*(5+m)) + (d^2*(fx)^{(1+m)}*(a + b \operatorname{ArcSech}[cx]))/(f*(1+m)) + (2*d*e*(fx)^{(3+m)}*(a + b \operatorname{ArcSech}[cx]))/(f^3*(3+m)) + (e^2*(fx)^{(5+m)}*(a + b \operatorname{ArcSech}[cx]))/(f^5*(5+m)) + (b*(d^2/(1+m)^2 + (e*(e*(3+m)^2 + 2*c^2*d*(20 + 9*m + m^2)))/(c^4*(2+m)*(3+m)*(4+m)*(5+m)))*(fx)^{(1+m)}*\operatorname{Sqrt}[(1 + cx)^{-1}]*\operatorname{Sqrt}[1 + cx]*\operatorname{Hypergeometric}2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/f$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] := \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$ $\operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{Match}Q[u, (b_*)(v_)] /;$ $\operatorname{FreeQ}[b, x]$

Rule 276

$\operatorname{Int}[(c_*)(x_*)^m*((a_*) + (b_*)(x_*)^n)^p], x_Symbol] := \operatorname{Int}[\operatorname{Expand}[\operatorname{Integrand}[(c*x)^m*(a + b*x^n)^p, x], x] /;$ $\operatorname{FreeQ}\{a, b, c, m, n\}, x] \ \&\&$

IGtQ[p, 0]

Rule 371

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p
*((c*x)^(m + 1)/(c*(m + 1)))*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1
, (-b)*(x^n/a)], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

Rule 470

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n
_)), x_Symbol] := Simp[d*(e*x)^(m + 1)*((a + b*x^n)^(p + 1)/(b*e*(m + n*(p
+ 1) + 1))), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p
+ 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m,
n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 1281

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[c^p*(f*x)^(m + 4*p - 1)*((d + e*x^2)^(
q + 1)/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1))), x] + Dist[1/(e*(m + 4*p + 2*q
+ 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b
*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x], x
] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0
] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]
```

Rule 6436

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(
x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Di
st[a + b*ArcSech[c*x], u, x] + Dist[b*Sqrt[1 + c*x]*Sqrt[1/(1 + c*x)], Int[
SimplifyIntegrand[u/(x*Sqrt[1 - c*x]*Sqrt[1 + c*x]), x], x], x] /; FreeQ[{
a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ
[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p +
3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int (fx)^m (d + ex^2)^2 (a + b \operatorname{sech}^{-1}(cx)) dx &= \frac{d^2 (fx)^{1+m} (a + b \operatorname{sech}^{-1}(cx))}{f(1+m)} + \frac{2de (fx)^{3+m} (a + b \operatorname{sech}^{-1}(cx))}{f^3(3+m)} \\
&= \frac{d^2 (fx)^{1+m} (a + b \operatorname{sech}^{-1}(cx))}{f(1+m)} + \frac{2de (fx)^{3+m} (a + b \operatorname{sech}^{-1}(cx))}{f^3(3+m)} \\
&= -\frac{be^2 (fx)^{3+m} \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{c^2 f^3(4+m)(5+m)} + \frac{d^2 (fx)^{1+m} (a + b \operatorname{sech}^{-1}(cx))}{f(1+m)} \\
&= -\frac{be(e(3+m)^2 + 2c^2d(20+9m+m^2)) (fx)^{1+m} \sqrt{\frac{1}{1+cx}} \sqrt{1+cx}}{c^4 f(2+m)(4+m)(15+8m+m^2)} \\
&= -\frac{be(e(3+m)^2 + 2c^2d(20+9m+m^2)) (fx)^{1+m} \sqrt{\frac{1}{1+cx}} \sqrt{1+cx}}{c^4 f(2+m)(4+m)(15+8m+m^2)}
\end{aligned}$$

Mathematica [F]

time = 0.08, size = 0, normalized size = 0.00

$$\int (fx)^m (d + ex^2)^2 (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

`[In] Integrate[(f*x)^m*(d + e*x^2)^2*(a + b*ArcSech[c*x]), x]``[Out] Integrate[(f*x)^m*(d + e*x^2)^2*(a + b*ArcSech[c*x]), x]`**Maple [F]**

time = 1.01, size = 0, normalized size = 0.00

$$\int (fx)^m (ex^2 + d)^2 (a + b \operatorname{arcsech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((f*x)^m*(e*x^2+d)^2*(a+b*arcsech(c*x)), x)``[Out] int((f*x)^m*(e*x^2+d)^2*(a+b*arcsech(c*x)), x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)^2*(a+b*arcsech(c*x)),x, algorithm="maxima")

[Out] a*f^m*x^5*e^(m*log(x) + 2)/(m + 5) + 2*a*d*f^m*x^3*e^(m*log(x) + 1)/(m + 3) + (f*x)^(m + 1)*a*d^2/(f*(m + 1)) + ((m^2 + 4*m + 3)*b*f^m*x^5*e^(m*log(x) + 2) + 2*(m^2 + 6*m + 5)*b*d*f^m*x^3*e^(m*log(x) + 1) + (m^2 + 8*m + 15)*b*d^2*f^m*x*x^m)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1) - ((m^2 + 4*m + 3)*b*f^m*x^5*e^(m*log(x) + 2) + 2*(m^2 + 6*m + 5)*b*d*f^m*x^3*e^(m*log(x) + 1) + (m^2 + 8*m + 15)*b*d^2*f^m*x*x^m)*log(x))/(m^3 + 9*m^2 + 23*m + 15) - integrate((b*c^2*f^m*(m + 5)*x^2*e^2*log(c) - (f^m*(m + 5)*log(c) - f^m)*b*e^2)*x^4*x^m/(c^2*(m + 5)*x^2 - m - 5), x) - integrate(2*(b*c^2*d*f^m*(m + 3)*x^2*e*log(c) - (d*f^m*(m + 3)*log(c) - d*f^m)*b*e)*x^2*x^m/(c^2*(m + 3)*x^2 - m - 3), x) - integrate((b*c^2*d^2*f^m*(m + 1)*x^2*log(c) - (d^2*f^m*(m + 1)*log(c) - d^2*f^m)*b)*x^m/(c^2*(m + 1)*x^2 - m - 1), x) + integrate(((m^2 + 4*m + 3)*b*c^2*f^m*x^6*e^(m*log(x) + 2) + 2*(m^2 + 6*m + 5)*b*c^2*d*f^m*x^4*e^(m*log(x) + 1) + (m^2 + 8*m + 15)*b*c^2*d^2*f^m*x^2*x^m)/((m^3 + 9*m^2 + 23*m + 15)*c^2*x^2 - m^3 + ((m^3 + 9*m^2 + 23*m + 15)*c^2*x^2 - m^3 - 9*m^2 - 23*m - 15)*sqrt(c*x + 1)*sqrt(-c*x + 1) - 9*m^2 - 23*m - 15), x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)^2*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] integral((a*x^4*e^2 + 2*a*d*x^2*e + a*d^2 + (b*x^4*e^2 + 2*b*d*x^2*e + b*d^2)*arcsech(c*x))*(f*x)^m, x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (fx)^m (a + b \operatorname{asech}(cx)) (d + ex^2)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)**2*(a+b*asech(c*x)),x)

[Out] Integral((f*x)**m*(a + b*asech(c*x))*(d + e*x**2)**2, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)^2*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2*(b*arcsech(c*x) + a)*(f*x)^m, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int (f x)^m (e x^2 + d)^2 \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(d + e*x^2)^2*(a + b*acosh(1/(c*x))),x)

[Out] int((f*x)^m*(d + e*x^2)^2*(a + b*acosh(1/(c*x))), x)

3.179 $\int (fx)^m (d + ex^2) (a + b\operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=206

$$-\frac{be(fx)^{1+m} \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{c^2 f(2+m)(3+m)} + \frac{d(fx)^{1+m} (a + b\operatorname{sech}^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b\operatorname{sech}^{-1}(cx))}{f^3(3+m)} + \dots$$

[Out] $d*(f*x)^{(1+m)*(a+b*\operatorname{arcsech}(c*x))/f/(1+m)+e*(f*x)^{(3+m)*(a+b*\operatorname{arcsech}(c*x))/f^3/(3+m)+b*(e*(1+m)^2+c^2*d*(2+m)*(3+m))*(f*x)^{(1+m)*\operatorname{hypergeom}([1/2, 1/2+1/2*m], [3/2+1/2*m], c^2*x^2*(1/(c*x+1))^{(1/2)*(c*x+1)^{(1/2)/c^2/f/(1+m)^2/(2+m)/(3+m)-b*e*(f*x)^{(1+m)*(1/(c*x+1))^{(1/2)*(c*x+1)^{(1/2)*(-c^2*x^2+1)^{(1/2)/c^2/f/(2+m)/(3+m)}$

Rubi [A]

time = 0.13, antiderivative size = 192, normalized size of antiderivative = 0.93, number of steps used = 4, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {14, 6436, 12, 470, 371}

$$\frac{d(fx)^{m+1} (a + b\operatorname{sech}^{-1}(cx))}{f(m+1)} + \frac{e(fx)^{m+3} (a + b\operatorname{sech}^{-1}(cx))}{f^3(m+3)} + \frac{b\sqrt{\frac{1}{cx+1}} \sqrt{cx+1} (fx)^{m+1} \left(\frac{e}{c^2(m+2)(m+3)} + \frac{d}{(m+1)^2} \right) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; c^2x^2\right)}{f} - \frac{be\sqrt{\frac{1}{cx+1}} \sqrt{cx+1} \sqrt{1-c^2x^2} (fx)^{m+1}}{c^2 f(m+2)(m+3)}$$

Antiderivative was successfully verified.

[In] `Int[(f*x)^m*(d + e*x^2)*(a + b*ArcSech[c*x]),x]`

[Out] $-((b*e*(f*x)^{(1+m)*\operatorname{sqrt}[(1+c*x)^{-1}]*\operatorname{sqrt}[1+c*x]*\operatorname{sqrt}[1-c^2*x^2])/(c^2*f*(2+m)*(3+m))) + (d*(f*x)^{(1+m)*(a+b*\operatorname{ArcSech}[c*x])}/(f*(1+m))) + (e*(f*x)^{(3+m)*(a+b*\operatorname{ArcSech}[c*x])}/(f^3*(3+m))) + (b*(d/(1+m)^2 + e/(c^2*(2+m)*(3+m)))*(f*x)^{(1+m)*\operatorname{sqrt}[(1+c*x)^{-1}]*\operatorname{sqrt}[1+c*x]}*\operatorname{Hypergeometric2F1}[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/f$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

Rule 14

`Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)+(b_)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Rule 371

`Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*((c*x)^(m+1)/(c*(m+1)))*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, (-b)*(x^n/a)], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt`

$Q[p, 0] \parallel GtQ[a, 0]$

Rule 470

$\text{Int}[(e \cdot x)^m \cdot (a + b \cdot x^n)^p \cdot (c + d \cdot x^n)^q, x_Symbol] \rightarrow \text{Simp}[d \cdot (e \cdot x)^{m+1} \cdot (a + b \cdot x^n)^{p+1} / (b \cdot e \cdot (m + n \cdot (p + 1) + 1))], x] - \text{Dist}[(a \cdot d \cdot (m + 1) - b \cdot c \cdot (m + n \cdot (p + 1) + 1)) / (b \cdot (m + n \cdot (p + 1) + 1)), \text{Int}[(e \cdot x)^m \cdot (a + b \cdot x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, m, n, p\}, x] \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{NeQ}[m + n \cdot (p + 1) + 1, 0]$

Rule 6436

$\text{Int}[(a + \text{ArcSech}[c \cdot x] \cdot b) \cdot (f \cdot x)^m \cdot (d + e \cdot x^2)^p, x_Symbol] \rightarrow \text{With}\{u = \text{IntHide}[(f \cdot x)^m \cdot (d + e \cdot x^2)^p, x]\}, \text{Dist}[a + b \cdot \text{ArcSech}[c \cdot x], u, x] + \text{Dist}[b \cdot \text{Sqrt}[1 + c \cdot x] \cdot \text{Sqrt}[1 / (1 + c \cdot x)], \text{Int}[\text{SimplifyIntegrand}[u / (x \cdot \text{Sqrt}[1 - c \cdot x] \cdot \text{Sqrt}[1 + c \cdot x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, p\}, x] \&\& ((\text{IGtQ}[p, 0] \&\& !(\text{ILtQ}[(m - 1) / 2, 0]) \&\& \text{GtQ}[m + 2 \cdot p + 3, 0])) \parallel (\text{IGtQ}[(m + 1) / 2, 0] \&\& !(\text{ILtQ}[p, 0]) \&\& \text{GtQ}[m + 2 \cdot p + 3, 0])) \parallel (\text{ILtQ}[(m + 2 \cdot p + 1) / 2, 0] \&\& !\text{ILtQ}[(m - 1) / 2, 0]))$

Rubi steps

$$\begin{aligned} \int (fx)^m (d + ex^2) (a + b \operatorname{sech}^{-1}(cx)) dx &= \frac{d(fx)^{1+m} (a + b \operatorname{sech}^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \operatorname{sech}^{-1}(cx))}{f^3(3+m)} + \left(\right. \\ &= \frac{d(fx)^{1+m} (a + b \operatorname{sech}^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \operatorname{sech}^{-1}(cx))}{f^3(3+m)} + \left(\right. \\ &= -\frac{be(fx)^{1+m} \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{c^2 f(2+m)(3+m)} + \frac{d(fx)^{1+m} (a + b \operatorname{sech}^{-1}(cx))}{f(1+m)} \\ &= -\frac{be(fx)^{1+m} \sqrt{\frac{1}{1+cx}} \sqrt{1+cx} \sqrt{1-c^2x^2}}{c^2 f(2+m)(3+m)} + \frac{d(fx)^{1+m} (a + b \operatorname{sech}^{-1}(cx))}{f(1+m)} \end{aligned}$$

Mathematica [F]

time = 0.07, size = 0, normalized size = 0.00

$$\int (fx)^m (d + ex^2) (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate[(f*x)^m*(d + e*x^2)*(a + b*ArcSech[c*x]),x]

[Out] Integrate[(f*x)^m*(d + e*x^2)*(a + b*ArcSech[c*x]), x]

Maple [F]

time = 0.70, size = 0, normalized size = 0.00

$$\int (fx)^m (ex^2 + d) (a + b \operatorname{arcsech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(e*x^2+d)*(a+b*arcsech(c*x)),x)

[Out] int((f*x)^m*(e*x^2+d)*(a+b*arcsech(c*x)),x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="maxima")

[Out] a*f^m*x^3*e^(m*log(x) + 1)/(m + 3) + (f*x)^(m + 1)*a*d/(f*(m + 1)) + ((b*f^m*(m + 1)*x^3*e^(m*log(x) + 1) + b*d*f^m*(m + 3)*x*x^m)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1) - (b*f^m*(m + 1)*x^3*e^(m*log(x) + 1) + b*d*f^m*(m + 3)*x*x^m)*log(x))/(m^2 + 4*m + 3) - integrate((b*c^2*f^m*(m + 3)*x^2*e*log(c) - (f^m*(m + 3)*log(c) - f^m)*b*e)*x^2*x^m/(c^2*(m + 3)*x^2 - m - 3), x) - integrate((b*c^2*d*f^m*(m + 1)*x^2*log(c) - (d*f^m*(m + 1)*log(c) - d*f^m)*b)*x^m/(c^2*(m + 1)*x^2 - m - 1), x) + integrate((b*c^2*f^m*(m + 1)*x^4*e^(m*log(x) + 1) + b*c^2*d*f^m*(m + 3)*x^2*x^m)/((m^2 + 4*m + 3)*c^2*x^2 + ((m^2 + 4*m + 3)*c^2*x^2 - m^2 - 4*m - 3)*sqrt(c*x + 1)*sqrt(-c*x + 1) - m^2 - 4*m - 3), x)

Fricas [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="fricas")

[Out] integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsech(c*x))*(f*x)^m, x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (fx)^m (a + b \operatorname{asech}(cx)) (d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)*(a+b*asech(c*x)),x)

[Out] Integral((f*x)**m*(a + b*asech(c*x))*(d + e*x**2), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(a+b*arcsech(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsech(c*x) + a)*(f*x)^m, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int (f x)^m (e x^2 + d) \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(d + e*x^2)*(a + b*acosh(1/(c*x))),x)

[Out] int((f*x)^m*(d + e*x^2)*(a + b*acosh(1/(c*x))), x)

$$3.180 \quad \int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{d + ex^2} dx$$

Optimal. Leaf size=26

$$\operatorname{Int}\left(\frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{d + ex^2}, x\right)$$

[Out] Unintegrable((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d), x)

Rubi [A]

time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{d + ex^2} dx$$

Verification is not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcSech[c*x]))/(d + e*x^2), x]

[Out] Defer[Int] [((f*x)^m*(a + b*ArcSech[c*x]))/(d + e*x^2), x]

Rubi steps

$$\int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{d + ex^2} dx = \int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{d + ex^2} dx$$

Mathematica [A]

time = 1.58, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{d + ex^2} dx$$

Verification is not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcSech[c*x]))/(d + e*x^2), x]

[Out] Integrate[((f*x)^m*(a + b*ArcSech[c*x]))/(d + e*x^2), x]

Maple [A]

time = 1.20, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{arcsech}(cx))}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d),x)
```

```
[Out] int((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d),x)
```

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d),x, algorithm="maxima")
```

```
[Out] integrate((b*arcsech(c*x) + a)*(f*x)^m/(x^2*e + d), x)
```

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d),x, algorithm="fricas")
```

```
[Out] integral((b*arcsech(c*x) + a)*(f*x)^m/(x^2*e + d), x)
```

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{asech}(cx))}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)**m*(a+b*asech(c*x))/(e*x**2+d),x)
```

```
[Out] Integral((f*x)**m*(a + b*asech(c*x))/(d + e*x**2), x)
```

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d),x, algorithm="giac")
```

```
[Out] integrate((b*arcsech(c*x) + a)*(f*x)^m/(e*x^2 + d), x)
```

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(f x)^m (a + b \operatorname{acosh}(\frac{1}{c x}))}{e x^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f*x)^m*(a + b*acosh(1/(c*x))))/(d + e*x^2), x)
```

```
[Out] int(((f*x)^m*(a + b*acosh(1/(c*x))))/(d + e*x^2), x)
```

$$3.181 \quad \int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx$$

Optimal. Leaf size=26

$$\operatorname{Int} \left(\frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^2}, x \right)$$

[Out] Unintegrable((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d)^2,x)

Rubi [A]

time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx$$

Verification is not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcSech[c*x]))/(d + e*x^2)^2,x]

[Out] Defer[Int][((f*x)^m*(a + b*ArcSech[c*x]))/(d + e*x^2)^2, x]

Rubi steps

$$\int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx = \int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx$$

Mathematica [A]

time = 5.17, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcSech[c*x]))/(d + e*x^2)^2,x]

[Out] Integrate[((f*x)^m*(a + b*ArcSech[c*x]))/(d + e*x^2)^2, x]

Maple [A]

time = 1.89, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{arcsech}(cx))}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x)^m*(a+b*\text{arcsech}(c*x))/(e*x^2+d)^2,x)$

[Out] $\text{int}((f*x)^m*(a+b*\text{arcsech}(c*x))/(e*x^2+d)^2,x)$

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m*(a+b*\text{arcsech}(c*x))/(e*x^2+d)^2,x, \text{algorithm}="maxima")$

[Out] $\text{integrate}((b*\text{arcsech}(c*x) + a)*(f*x)^m/(x^2*e + d)^2, x)$

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m*(a+b*\text{arcsech}(c*x))/(e*x^2+d)^2,x, \text{algorithm}="fricas")$

[Out] $\text{integral}((b*\text{arcsech}(c*x) + a)*(f*x)^m/(x^4*e^2 + 2*d*x^2*e + d^2), x)$

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)**m*(a+b*\text{asech}(c*x))/(e*x**2+d)**2,x)$

[Out] Timed out

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m*(a+b*\text{arcsech}(c*x))/(e*x^2+d)^2,x, \text{algorithm}="giac")$

[Out] $\text{integrate}((b*\text{arcsech}(c*x) + a)*(f*x)^m/(e*x^2 + d)^2, x)$

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(f x)^m (a + b \operatorname{acosh}(\frac{1}{c x}))}{(e x^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f*x)^m*(a + b*acosh(1/(c*x))))/(d + e*x^2)^2,x)

[Out] int(((f*x)^m*(a + b*acosh(1/(c*x))))/(d + e*x^2)^2, x)

$$3.182 \quad \int (fx)^m (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Optimal. Leaf size=28

$$\operatorname{Int}\left((fx)^m (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)), x\right)$$

[Out] Unintegrable((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)), x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (fx)^m (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Int[(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]), x]

[Out] Defer[Int] [(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]), x]

Rubi steps

$$\int (fx)^m (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx = \int (fx)^m (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Mathematica [A]

time = 0.65, size = 0, normalized size = 0.00

$$\int (fx)^m (d + ex^2)^{3/2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate[(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]), x]

[Out] Integrate[(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcSech[c*x]), x]

Maple [A]

time = 0.91, size = 0, normalized size = 0.00

$$\int (fx)^m (ex^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsech}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x)`
 [Out] `int((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="maxima")`
 [Out] `integrate((x^2*e + d)^(3/2)*(b*arcsech(c*x) + a)*(f*x)^m, x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="fricas")`
 [Out] `integral((a*x^2*e + a*d + (b*x^2*e + b*d)*arcsech(c*x))*sqrt(x^2*e + d)*(f*x)^m, x)`

Sympy [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(e*x**2+d)**(3/2)*(a+b*asech(c*x)),x)`
 [Out] Timed out

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsech(c*x)),x, algorithm="giac")`
 [Out] `integrate((e*x^2 + d)^(3/2)*(b*arcsech(c*x) + a)*(f*x)^m, x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int (f x)^m (e x^2 + d)^{3/2} \left(a + b \operatorname{acosh}\left(\frac{1}{c x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x)^m*(d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))), x)
```

```
[Out] int((f*x)^m*(d + e*x^2)^(3/2)*(a + b*acosh(1/(c*x))), x)
```

3.183 $\int (fx)^m \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$

Optimal. Leaf size=28

$$\operatorname{Int}\left((fx)^m \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)), x\right)$$

[Out] Unintegrable((f*x)^m*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (fx)^m \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Int[(f*x)^m*Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]), x]

[Out] Defer[Int] [(f*x)^m*Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]), x]

Rubi steps

$$\int (fx)^m \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx = \int (fx)^m \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Mathematica [A]

time = 0.07, size = 0, normalized size = 0.00

$$\int (fx)^m \sqrt{d + ex^2} (a + b \operatorname{sech}^{-1}(cx)) dx$$

Verification is not applicable to the result.

[In] Integrate[(f*x)^m*Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]), x]

[Out] Integrate[(f*x)^m*Sqrt[d + e*x^2]*(a + b*ArcSech[c*x]), x]

Maple [A]

time = 0.91, size = 0, normalized size = 0.00

$$\int (fx)^m (a + b \operatorname{arcsech}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x)`

[Out] `int((f*x)^m*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(x^2*e + d)*(b*arcsech(c*x) + a)*(f*x)^m, x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsech(c*x) + a)*(f*x)^m, x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (fx)^m (a + b \operatorname{asech}(cx)) \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(a+b*asech(c*x))*(e*x**2+d)**(1/2),x)`

[Out] `Integral((f*x)**m*(a + b*asech(c*x))*sqrt(d + e*x**2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsech(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arcsech(c*x) + a)*(f*x)^m, x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int (fx)^m \sqrt{ex^2 + d} \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x)^m*(d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))),x)
```

```
[Out] int((f*x)^m*(d + e*x^2)^(1/2)*(a + b*acosh(1/(c*x))), x)
```


$$3.184 \quad \int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Optimal. Leaf size=28

$$\operatorname{Int} \left(\frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}}, x \right)$$

[Out] Unintegrable((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Verification is not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcSech[c*x]))/Sqrt[d + e*x^2], x]

[Out] Defer[Int](((f*x)^m*(a + b*ArcSech[c*x]))/Sqrt[d + e*x^2], x)

Rubi steps

$$\int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx = \int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Mathematica [A]

time = 0.85, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Verification is not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcSech[c*x]))/Sqrt[d + e*x^2], x]

[Out] Integrate[((f*x)^m*(a + b*ArcSech[c*x]))/Sqrt[d + e*x^2], x]

Maple [A]

time = 1.25, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{arcsech}(cx))}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x)
[Out] int((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x)
```

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")
[Out] integrate((b*arcsech(c*x) + a)*(f*x)^m/sqrt(x^2*e + d), x)
```

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")
[Out] integral((b*arcsech(c*x) + a)*(f*x)^m/sqrt(x^2*e + d), x)
```

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{asech}(cx))}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)**m*(a+b*asech(c*x))/(e*x**2+d)**(1/2),x)
[Out] Integral((f*x)**m*(a + b*asech(c*x))/sqrt(d + e*x**2), x)
```

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")
[Out] integrate((b*arcsech(c*x) + a)*(f*x)^m/sqrt(e*x^2 + d), x)
```

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(f x)^m (a + b \operatorname{acosh}(\frac{1}{c x}))}{\sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f*x)^m*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(1/2), x)
```

```
[Out] int(((f*x)^m*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(1/2), x)
```

$$3.185 \quad \int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Optimal. Leaf size=28

$$\operatorname{Int} \left(\frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}}, x \right)$$

[Out] Unintegrable((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Defer[Int] [((f*x)^m*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

Rubi steps

$$\int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx = \int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Mathematica [A]

time = 1.11, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{sech}^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Integrate[((f*x)^m*(a + b*ArcSech[c*x]))/(d + e*x^2)^(3/2), x]

Maple [A]

time = 1.34, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{arcsech}(cx))}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x)`

[Out] `int((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x, algorithm="maxima")`

[Out] `integrate((b*arcsech(c*x) + a)*(f*x)^m/(x^2*e + d)^(3/2), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x, algorithm="fricas")`

[Out] `integral(sqrt(x^2*e + d)*(b*arcsech(c*x) + a)*(f*x)^m/(x^4*e^2 + 2*d*x^2*e + d^2), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (a + b \operatorname{asech}(cx))}{(d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(a+b*asech(c*x))/(e*x**2+d)**(3/2), x)`

[Out] `Integral((f*x)**m*(a + b*asech(c*x))/(d + e*x**2)**(3/2), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsech(c*x))/(e*x^2+d)^(3/2), x, algorithm="giac")`

[Out] `integrate((b*arcsech(c*x) + a)*(f*x)^m/(e*x^2 + d)^(3/2), x)`

Mupad [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(f x)^m (a + b \operatorname{acosh}(\frac{1}{c x}))}{(e x^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f*x)^m*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(3/2), x)

[Out] int(((f*x)^m*(a + b*acosh(1/(c*x))))/(d + e*x^2)^(3/2), x)

$$3.186 \quad \int \frac{x^{11} (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{1 - c^4 x^4}} dx$$

Optimal. Leaf size=473

$$-\frac{4b\sqrt{1-c^2x^2}\sqrt{1+c^2x^2}}{15c^{13}\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x} + \frac{7b\sqrt{1-c^2x^2}(1+c^2x^2)^{3/2}}{90c^{13}\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x} - \frac{13b\sqrt{1-c^2x^2}(1+c^2x^2)^{5/2}}{150c^{13}\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x} + \frac{3b\sqrt{1-c^2x^2}(1+c^2x^2)^{7/2}}{70c^{13}\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x}$$

[Out] $\frac{1}{3}(-c^4x^4+1)^{3/2}(a+b\operatorname{arcsech}(cx))/c^{12}-\frac{1}{10}(-c^4x^4+1)^{5/2}(a+b\operatorname{arcsech}(cx))/c^{12}+\frac{7}{90}b(c^2x^2+1)^{3/2}(-c^2x^2+1)^{1/2}/c^{13}/x/(-1+1/c/x)^{1/2}/(1+1/c/x)^{1/2}-\frac{13}{150}b(c^2x^2+1)^{5/2}(-c^2x^2+1)^{1/2}/c^{13}/x/(-1+1/c/x)^{1/2}/(1+1/c/x)^{1/2}+\frac{3}{70}b(c^2x^2+1)^{7/2}(-c^2x^2+1)^{1/2}/c^{13}/x/(-1+1/c/x)^{1/2}/(1+1/c/x)^{1/2}-\frac{1}{90}b(c^2x^2+1)^{9/2}(-c^2x^2+1)^{1/2}/c^{13}/x/(-1+1/c/x)^{1/2}/(1+1/c/x)^{1/2}+\frac{4}{15}b\operatorname{arctanh}(c^2x^2+1)^{1/2}(-c^2x^2+1)^{1/2}/c^{13}/x/(-1+1/c/x)^{1/2}/(1+1/c/x)^{1/2}-\frac{4}{15}b(c^2x^2+1)^{1/2}(c^2x^2+1)^{1/2}/c^{13}/x/(-1+1/c/x)^{1/2}/(1+1/c/x)^{1/2}-\frac{1}{2}(a+b\operatorname{arcsech}(cx))(-c^4x^4+1)^{1/2}/c^{12}$

Rubi [A]

time = 1.09, antiderivative size = 473, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 10, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {272, 45, 6444, 12, 6874, 862, 52, 65, 214, 797}

$$\frac{(1-c^4x^4)^{5/2}(a+b\operatorname{sech}^{-1}(cx))}{10c^{12}} + \frac{(1-c^4x^4)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{3c^{12}} - \frac{\sqrt{1-c^2x^2}(a+b\operatorname{sech}^{-1}(cx))}{2c^{12}} - \frac{b\sqrt{1-c^2x^2}(c^2x^2+1)^{9/2}}{90c^{13}\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} + \frac{3b\sqrt{1-c^2x^2}(c^2x^2+1)^{7/2}}{70c^{13}\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} - \frac{13b\sqrt{1-c^2x^2}(c^2x^2+1)^{5/2}}{150c^{13}\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} + \frac{7b\sqrt{1-c^2x^2}(c^2x^2+1)^{3/2}}{90c^{13}\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} - \frac{4b\sqrt{1-c^2x^2}\sqrt{c^2x^2+1}}{15c^{13}\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} + \frac{4b\sqrt{1-c^2x^2}\operatorname{tanh}^{-1}\left(\sqrt{c^2x^2+1}\right)}{15c^{13}\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}}$$

Antiderivative was successfully verified.

[In] Int[(x^11*(a + b*ArcSech[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] $(-4*b*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[1 + c^2*x^2])/((15*c^{13}*\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]*x) + (7*b*\operatorname{Sqrt}[1 - c^2*x^2]*(1 + c^2*x^2)^{3/2})/(90*c^{13}*\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]*x) - (13*b*\operatorname{Sqrt}[1 - c^2*x^2]*(1 + c^2*x^2)^{5/2})/(150*c^{13}*\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]*x) + (3*b*\operatorname{Sqrt}[1 - c^2*x^2]*(1 + c^2*x^2)^{7/2})/(70*c^{13}*\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]*x) - (b*\operatorname{Sqrt}[1 - c^2*x^2]*(1 + c^2*x^2)^{9/2})/(90*c^{13}*\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]*x) - (\operatorname{Sqrt}[1 - c^4*x^4]*(a + b*\operatorname{ArcSech}[c*x]))/(2*c^{12}) + ((1 - c^4*x^4)^{3/2}*(a + b*\operatorname{ArcSech}[c*x]))/(3*c^{12}) - ((1 - c^4*x^4)^{5/2}*(a + b*\operatorname{ArcSech}[c*x]))/(10*c^{12}) + (4*b*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{ArcTanh}[\operatorname{Sqrt}[1 + c^2*x^2]])/(15*c^{13}*\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]*x)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 45

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && ( !IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 52

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Simp[
(a + b*x)^(m + 1)*((c + d*x)^n/(b*(m + n + 1))), x] + Dist[n*((b*c - a*d)/(
b*(m + n + 1))), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && ( !IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 214

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 797

```
Int[((d_) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_
.), x_Symbol] := Int[(d + e*x)^(m + p)*(f + g*x)*(a/d + (c/e)*x)^p, x] /; F
reeQ[{a, c, d, e, f, g, m}, x] && EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] ||
(GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))
```

Rule 862

```
Int[((d_) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_) + (c_.)*(x_)^2
)^(p_.), x_Symbol] := Int[(d + e*x)^(m + p)*(f + g*x)^n*(a/d + (c/e)*x)^p,
x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
```


+ a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

Rule 6444

Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*(u_), x_Symbol] :> With[{v = IntHid
e[u, x]}, Dist[a + b*ArcSech[c*x], v, x] + Dist[b*(Sqrt[1 - c^2*x^2]/(c*x*S
qrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)])), Int[SimplifyIntegrand[v/(x*Sqrt[1 -
c^2*x^2]), x], x], x] /; InverseFunctionFreeQ[v, x] /; FreeQ[{a, b, c}, x]

Rule 6874

Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]

Rubi steps

$$\begin{aligned}
\int \frac{x^{11}(a + b\operatorname{sech}^{-1}(cx))}{\sqrt{1 - c^4x^4}} dx &= -\frac{\sqrt{1 - c^4x^4}(a + b\operatorname{sech}^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4x^4)^{3/2}(a + b\operatorname{sech}^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4x^4)^5}{15c^{13}} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b\operatorname{sech}^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4x^4)^{3/2}(a + b\operatorname{sech}^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4x^4)^5}{15c^{13}} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b\operatorname{sech}^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4x^4)^{3/2}(a + b\operatorname{sech}^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4x^4)^5}{15c^{13}} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b\operatorname{sech}^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4x^4)^{3/2}(a + b\operatorname{sech}^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4x^4)^5}{15c^{13}} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b\operatorname{sech}^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4x^4)^{3/2}(a + b\operatorname{sech}^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4x^4)^5}{15c^{13}} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b\operatorname{sech}^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4x^4)^{3/2}(a + b\operatorname{sech}^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4x^4)^5}{15c^{13}} \\
&= -\frac{4b\sqrt{1 - c^2x^2}\sqrt{1 + c^2x^2}}{15c^{13}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x} - \frac{\sqrt{1 - c^4x^4}(a + b\operatorname{sech}^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4x^4)^5}{15c^{13}} \\
&= -\frac{4b\sqrt{1 - c^2x^2}\sqrt{1 + c^2x^2}}{15c^{13}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x} + \frac{7b\sqrt{1 - c^2x^2}(1 + c^2x^2)^{3/2}}{90c^{13}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x} - \frac{13b\sqrt{1 - c^2x^2}}{150c^{13}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x} \\
&= -\frac{4b\sqrt{1 - c^2x^2}\sqrt{1 + c^2x^2}}{15c^{13}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x} + \frac{7b\sqrt{1 - c^2x^2}(1 + c^2x^2)^{3/2}}{90c^{13}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x} - \frac{13b\sqrt{1 - c^2x^2}}{150c^{13}\sqrt{-1 + \frac{1}{cx}}\sqrt{1 + \frac{1}{cx}}x}
\end{aligned}$$

Mathematica [A]

time = 0.28, size = 213, normalized size = 0.45

$$\frac{-105a\sqrt{1-c^4x^4}(8+4c^4x^4+3c^8x^8) + \sqrt{\frac{1-cx}{1+cx}}\sqrt{1-c^4x^4}\frac{(768+36c^2x^2+78c^4x^4+5c^6x^6+35c^8x^8)}{-1+cx} - 105b\sqrt{1-c^4x^4}(8+4c^4x^4+3c^8x^8)\operatorname{sech}^{-1}(cx) + 840b\log(x(1-cx)) - 840b\log\left(1-cx - \sqrt{\frac{1-cx}{1+cx}}\sqrt{1-c^4x^4}\right)}{3150c^{12}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^11*(a + b*ArcSech[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] (-105*a*Sqrt[1 - c^4*x^4]*(8 + 4*c^4*x^4 + 3*c^8*x^8) + (b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^4*x^4]*(768 + 36*c^2*x^2 + 78*c^4*x^4 + 5*c^6*x^6 + 35*c^8*x^8))/(-1 + c*x) - 105*b*Sqrt[1 - c^4*x^4]*(8 + 4*c^4*x^4 + 3*c^8*x^8)*ArcSech[c*x] + 840*b*Log[x*(1 - c*x)] - 840*b*Log[1 - c*x - Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^4*x^4]])/(3150*c^12)

Maple [F]

time = 2.14, size = 0, normalized size = 0.00

$$\int \frac{x^{11}(a + b \operatorname{arcsech}(cx))}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^11*(a+b*arcsech(c*x))/(-c^4*x^4+1)^(1/2), x)

[Out] int(x^11*(a+b*arcsech(c*x))/(-c^4*x^4+1)^(1/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(a+b*arcsech(c*x))/(-c^4*x^4+1)^(1/2), x, algorithm="maxima")

[Out] -1/30*a*(3*(-c^4*x^4 + 1)^(5/2)/c^12 - 10*(-c^4*x^4 + 1)^(3/2)/c^12 + 15*sqrt(-c^4*x^4 + 1)/c^12) + 1/30*b*((3*c^12*x^12 + c^8*x^8 + 4*c^4*x^4 - 8)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1)/(sqrt(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*c^12) - 30*integrate(1/30*(30*c^10*x^21*log(c) + 60*c^10*x^21*log(sqrt(x)) + (60*c^10*x^21*log(sqrt(x)) + (3*c^10*x^10*(10*log(c) + 1) + 3*c^8*x^8 + 4*c^6*x^6 + 4*c^4*x^4 + 8*c^2*x^2 + 8)*x^11)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)))/((c^10*x^10*e^(log(c*x + 1) + log(-c*x + 1)) + c^10*x^10*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)))*sqrt(c^2*x^2 + 1)), x)

Fricas [A]

time = 0.46, size = 393, normalized size = 0.83

$$\frac{105(3a^{10}b^{10} - 3ab^{10} + 4b^{10}a^9 - 4b^{10}a^8 + 5b^{10}a^7 - 5b^{10}a^6 + 5b^{10}a^5 - 5b^{10}a^4 + 5b^{10}a^3 - 5b^{10}a^2 + 5b^{10}a - 5b^{10})\sqrt{-c^4x^4 + 1}\log\left(\frac{1 + \sqrt{\frac{c^2x^2 + 1}{-c^4x^4 + 1}}}{2cx}\right) - (30ab^{10} + 9b^{10}a^2 + 78b^{10}a^3 + 36b^{10}a^4 + 708b^{10}a^5)\sqrt{-c^4x^4 + 1}\sqrt{\frac{c^2x^2 + 1}{-c^4x^4 + 1}} + 420(b^{10}a^2 - 8)\log\left(\frac{1 + \sqrt{-c^4x^4 + 1} + \sqrt{\frac{c^2x^2 + 1}{-c^4x^4 + 1}}}{2cx}\right) - 420(b^{10}a^2 - 8)\log\left(\frac{1 + \sqrt{-c^4x^4 + 1} - \sqrt{\frac{c^2x^2 + 1}{-c^4x^4 + 1}}}{2cx}\right) + 105(3a^{10}b^{10} - 3ab^{10} + 4b^{10}a^9 - 4b^{10}a^8 + 5b^{10}a^7 - 5b^{10}a^6 + 5b^{10}a^5 - 5b^{10}a^4 + 5b^{10}a^3 - 5b^{10}a^2 + 5b^{10}a - 5b^{10})\sqrt{-c^4x^4 + 1}}{3150(c^{12} - c^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^11*(a+b*arcsech(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")
[Out] -1/3150*(105*(3*b*c^10*x^10 - 3*b*c^8*x^8 + 4*b*c^6*x^6 - 4*b*c^4*x^4 + 8*b
*c^2*x^2 - 8*b)*sqrt(-c^4*x^4 + 1)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))
+ 1)/(c*x)) - (35*b*c^9*x^9 + 5*b*c^7*x^7 + 78*b*c^5*x^5 + 36*b*c^3*x^3 + 7
68*b*c*x)*sqrt(-c^4*x^4 + 1)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 420*(b*c^2*x^
2 - b)*log((c^2*x^2 + sqrt(-c^4*x^4 + 1)*c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2))
- 1)/(c^2*x^2 - 1)) - 420*(b*c^2*x^2 - b)*log(-(c^2*x^2 - sqrt(-c^4*x^4 +
1)*c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/(c^2*x^2 - 1)) + 105*(3*a*c^10*x
^10 - 3*a*c^8*x^8 + 4*a*c^6*x^6 - 4*a*c^4*x^4 + 8*a*c^2*x^2 - 8*a)*sqrt(-c^
4*x^4 + 1))/(c^14*x^2 - c^12)
```

Sympy [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: SystemError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**11*(a+b*asech(c*x))/(-c**4*x**4+1)**(1/2),x)
[Out] Exception raised: SystemError >> excessive stack use: stack is 3062 deep
```

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^11*(a+b*arcsech(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="giac")
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx);OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^{11} \left(a + b \operatorname{acosh} \left(\frac{1}{cx} \right) \right)}{\sqrt{1 - c^4 x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^11*(a + b*acosh(1/(c*x))))/(1 - c^4*x^4)^(1/2),x)
[Out] int((x^11*(a + b*acosh(1/(c*x))))/(1 - c^4*x^4)^(1/2), x)
```

$$3.187 \quad \int \frac{x^7 (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{1 - c^4 x^4}} dx$$

Optimal. Leaf size=316

$$-\frac{b\sqrt{1-c^2x^2}\sqrt{1+c^2x^2}}{3c^9\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x} + \frac{b\sqrt{1-c^2x^2}(1+c^2x^2)^{3/2}}{18c^9\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x} - \frac{b\sqrt{1-c^2x^2}(1+c^2x^2)^{5/2}}{30c^9\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x} - \frac{\sqrt{1-c^4x^4}(a-bcx)}{2c^8}$$

[Out] $1/6*(-c^4*x^4+1)^{(3/2)}*(a+b*\operatorname{arcsech}(c*x))/c^8+1/18*b*(c^2*x^2+1)^{(3/2)}*(-c^2*x^2+1)^{(1/2)}/c^9/x/(-1+1/c/x)^{(1/2)}/(1+1/c/x)^{(1/2)}-1/30*b*(c^2*x^2+1)^{(5/2)}*(-c^2*x^2+1)^{(1/2)}/c^9/x/(-1+1/c/x)^{(1/2)}/(1+1/c/x)^{(1/2)}+1/3*b*\operatorname{arctanh}((c^2*x^2+1)^{(1/2)})*(-c^2*x^2+1)^{(1/2)}/c^9/x/(-1+1/c/x)^{(1/2)}/(1+1/c/x)^{(1/2)}-1/3*b*(-c^2*x^2+1)^{(1/2)}*(c^2*x^2+1)^{(1/2)}/c^9/x/(-1+1/c/x)^{(1/2)}/(1+1/c/x)^{(1/2)}-1/2*(a+b*\operatorname{arcsech}(c*x))*(-c^4*x^4+1)^{(1/2)}/c^8$

Rubi [A]

time = 0.93, antiderivative size = 316, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {272, 45, 6444, 12, 6874, 862, 52, 65, 214, 797}

$$\frac{(1-c^4x^4)^{3/2}(a+b\operatorname{sech}^{-1}(cx))}{6c^8} - \frac{\sqrt{1-c^4x^4}(a+b\operatorname{sech}^{-1}(cx))}{2c^8} - \frac{b\sqrt{1-c^2x^2}(c^2x^2+1)^{3/2}}{30c^9x\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} + \frac{b\sqrt{1-c^2x^2}(c^2x^2+1)^{3/2}}{18c^9x\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} - \frac{b\sqrt{1-c^2x^2}\sqrt{c^2x^2+1}}{3c^9x\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} + \frac{b\sqrt{1-c^2x^2}\tanh^{-1}(\sqrt{c^2x^2+1})}{3c^9x\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^7*(a + b*\operatorname{ArcSech}[c*x]))/\operatorname{Sqrt}[1 - c^4*x^4], x]$

[Out] $-1/3*(b*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[1 + c^2*x^2])/(c^9*\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]*x) + (b*\operatorname{Sqrt}[1 - c^2*x^2]*(1 + c^2*x^2)^{(3/2)})/(18*c^9*\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]*x) - (b*\operatorname{Sqrt}[1 - c^2*x^2]*(1 + c^2*x^2)^{(5/2)})/(30*c^9*\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]*x) - (\operatorname{Sqrt}[1 - c^4*x^4]*(a + b*\operatorname{ArcSech}[c*x]))/(2*c^8) + ((1 - c^4*x^4)^{(3/2)}*(a + b*\operatorname{ArcSech}[c*x]))/(6*c^8) + (b*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{ArcTanh}[\operatorname{Sqrt}[1 + c^2*x^2]])/(3*c^9*\operatorname{Sqrt}[-1 + 1/(c*x)]*\operatorname{Sqrt}[1 + 1/(c*x)]*x)$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!MatchQ}[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 45

$\operatorname{Int}[(a_*)(x_*)^m + (b_*)(x_*)^n, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \operatorname{FreeQ}\{a, b, c, d, n, x\} \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{IGtQ}[m, 0] \&\& (\operatorname{!IntegerQ}[n] \operatorname{||} (\operatorname{EqQ}[c, 0] \&\& \operatorname{Le}$

$Q[7*m + 4*n + 4, 0] \parallel LtQ[9*m + 5*(n + 1), 0] \parallel GtQ[m + n + 2, 0]$

Rule 52

$Int[(a_.) + (b_.)*(x_)^{(m_)}*((c_.) + (d_.)*(x_)^{(n_)}, x_Symbol] \rightarrow Simp[(a + b*x)^{(m + 1)}*((c + d*x)^n/(b*(m + n + 1))), x] + Dist[n*(b*c - a*d)/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^{(n - 1)}, x], x] /; FreeQ[\{a, b, c, d\}, x] \&\& NeQ[b*c - a*d, 0] \&\& GtQ[n, 0] \&\& NeQ[m + n + 1, 0] \&\& !(IGtQ[m, 0] \&\& (!IntegerQ[n] \parallel (GtQ[m, 0] \&\& LtQ[m - n, 0]))) \&\& !ILtQ[m + n + 2, 0] \&\& IntLinearQ[a, b, c, d, m, n, x]$

Rule 65

$Int[(a_.) + (b_.)*(x_)^{(m_)}*((c_.) + (d_.)*(x_)^{(n_)}, x_Symbol] \rightarrow With[\{p = Denominator[m]\}, Dist[p/b, Subst[Int[x^{(p*(m + 1) - 1)}*(c - a*(d/b) + d*(x^{p/b})^n], x], x, (a + b*x)^{(1/p)}], x]] /; FreeQ[\{a, b, c, d\}, x] \&\& NeQ[b*c - a*d, 0] \&\& LtQ[-1, m, 0] \&\& LeQ[-1, n, 0] \&\& LeQ[Denominator[n], Denominator[m]] \&\& IntLinearQ[a, b, c, d, m, n, x]$

Rule 214

$Int[(a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[\{a, b\}, x] \&\& NegQ[a/b]$

Rule 272

$Int[(x_)^{(m_)}*((a_) + (b_.)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow Dist[1/n, Subst[Int[x^{(Simplify[(m + 1)/n] - 1)}*(a + b*x)^p], x, x^n], x] /; FreeQ[\{a, b, m, n, p\}, x] \&\& IntegerQ[Simplify[(m + 1)/n]]$

Rule 797

$Int[((d_) + (e_.)*(x_)^{(m_)}*((f_.) + (g_.)*(x_)^{(n_)})*((a_) + (c_.)*(x_)^2)^{(p_.)}, x_Symbol] \rightarrow Int[(d + e*x)^{(m + p)}*(f + g*x)*(a/d + (c/e)*x)^p, x] /; FreeQ[\{a, c, d, e, f, g, m\}, x] \&\& EqQ[c*d^2 + a*e^2, 0] \&\& (IntegerQ[p] \parallel (GtQ[a, 0] \&\& GtQ[d, 0] \&\& EqQ[m + p, 0]))$

Rule 862

$Int[((d_) + (e_.)*(x_)^{(m_)}*((f_.) + (g_.)*(x_)^{(n_)})*((a_) + (c_.)*(x_)^2)^{(p_.)}, x_Symbol] \rightarrow Int[(d + e*x)^{(m + p)}*(f + g*x)^n*(a/d + (c/e)*x)^p, x] /; FreeQ[\{a, c, d, e, f, g, m, n\}, x] \&\& NeQ[e*f - d*g, 0] \&\& EqQ[c*d^2 + a*e^2, 0] \&\& (IntegerQ[p] \parallel (GtQ[a, 0] \&\& GtQ[d, 0] \&\& EqQ[m + p, 0]))$

Rule 6444

```
Int[((a_.) + ArcSech[(c_.)*(x_)]*(b_.))*(u_), x_Symbol] := With[{v = IntHid
e[u, x]}, Dist[a + b*ArcSech[c*x], v, x] + Dist[b*(Sqrt[1 - c^2*x^2]/(c*x*S
qrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]))], Int[SimplifyIntegrand[v/(x*Sqrt[1 -
c^2*x^2]), x], x], x] /; InverseFunctionFreeQ[v, x] /; FreeQ[{a, b, c}, x]
```

Rule 6874

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7 (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{1 - c^4 x^4}} dx &= -\frac{\sqrt{1 - c^4 x^4} (a + b \operatorname{sech}^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{6c^8} + \frac{(b\sqrt{1 - c^4 x^4})}{c} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \operatorname{sech}^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{6c^8} + \frac{(b\sqrt{1 - c^4 x^4})}{6c} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \operatorname{sech}^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{6c^8} - \frac{(b\sqrt{1 - c^4 x^4})}{6c} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \operatorname{sech}^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{6c^8} - \frac{(b\sqrt{1 - c^4 x^4})}{6c} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \operatorname{sech}^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{6c^8} - \frac{(b\sqrt{1 - c^4 x^4})}{6c} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \operatorname{sech}^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2} (a + b \operatorname{sech}^{-1}(cx))}{6c^8} - \frac{(b\sqrt{1 - c^4 x^4})}{6c} \\
&= -\frac{b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{3c^9 \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} - \frac{\sqrt{1 - c^4 x^4} (a + b \operatorname{sech}^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2}}{2c^8} \\
&= -\frac{b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{3c^9 \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} + \frac{b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{3/2}}{18c^9 \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} - \frac{b\sqrt{1 - c^2 x^2}}{30c^9 \sqrt{-1 + \frac{1}{cx}}} \\
&= -\frac{b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{3c^9 \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} + \frac{b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{3/2}}{18c^9 \sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} - \frac{b\sqrt{1 - c^2 x^2}}{30c^9 \sqrt{-1 + \frac{1}{cx}}}
\end{aligned}$$

Mathematica [A]

time = 0.23, size = 178, normalized size = 0.56

$$\frac{-15a\sqrt{1-c^4x^4}(2+c^4x^4) + b\sqrt{\frac{1-cx}{1+cx}}\sqrt{1-c^4x^4}\frac{(28+c^2x^2+3c^4x^4)}{-1+cx} - 15b\sqrt{1-c^4x^4}(2+c^4x^4)\operatorname{sech}^{-1}(cx) + 30b\log(x(1-cx)) - 30b\log\left(1-cx - \sqrt{\frac{1-cx}{1+cx}}\sqrt{1-c^4x^4}\right)}{90c^8}$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(a + b*ArcSech[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] (-15*a*Sqrt[1 - c^4*x^4]*(2 + c^4*x^4) + (b*Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^4*x^4]*(28 + c^2*x^2 + 3*c^4*x^4))/(-1 + c*x) - 15*b*Sqrt[1 - c^4*x^4]*(2 + c^4*x^4)*ArcSech[c*x] + 30*b*Log[x*(1 - c*x)] - 30*b*Log[1 - c*x - Sqrt[(1 - c*x)/(1 + c*x)]*Sqrt[1 - c^4*x^4]])/(90*c^8)

Maple [F]

time = 1.98, size = 0, normalized size = 0.00

$$\int \frac{x^7(a + b \operatorname{arcsech}(cx))}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7*(a+b*arcsech(c*x))/(-c^4*x^4+1)^(1/2), x)

[Out] int(x^7*(a+b*arcsech(c*x))/(-c^4*x^4+1)^(1/2), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(a+b*arcsech(c*x))/(-c^4*x^4+1)^(1/2), x, algorithm="maxima")

[Out] 1/6*a*((-c^4*x^4 + 1)^(3/2)/c^8 - 3*sqrt(-c^4*x^4 + 1)/c^8) + 1/6*b*((c^8*x^8 + c^4*x^4 - 2)*log(sqrt(c*x + 1)*sqrt(-c*x + 1) + 1)/(sqrt(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*c^8) - 6*integrate(1/6*(6*c^6*x^13*log(c) + 12*c^6*x^13*log(sqrt(x)) + (12*c^6*x^13*log(sqrt(x)) + (c^6*x^6*(6*log(c) + 1) + c^4*x^4 + 2*c^2*x^2 + 2)*x^7)*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)))/((c^6*x^6*e^(log(c*x + 1) + log(-c*x + 1)) + c^6*x^6*e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1)))*sqrt(c^2*x^2 + 1)), x))

Fricas [A]

time = 0.40, size = 336, normalized size = 1.06

$$\frac{15(b^2x^8 - bc^2x^4 + 2b^2c^2x^2 - 2b)\sqrt{-c^2x^2 + 1}\log\left(\frac{a\sqrt{\frac{c^2x^2 - 1}{c^2x^2 + 1}}}{c}\right) - (3bc^2x^3 + bc^2x^3 + 28bcx)\sqrt{-c^2x^2 + 1}\sqrt{\frac{-c^2x^2 - 1}{c^2x^2 + 1}} + 15(bc^2x^2 - b)\log\left(\frac{c^2x + \sqrt{-c^2x^2 + 1}\operatorname{arcsinh}\left(\frac{\sqrt{-c^2x^2 - 1}}{c^2x^2 + 1}\right)}{c^2x^2 - 1}\right) - 15(bc^2x^2 - b)\log\left(\frac{c^2x - \sqrt{-c^2x^2 + 1}\operatorname{arcsinh}\left(\frac{\sqrt{-c^2x^2 - 1}}{c^2x^2 + 1}\right)}{c^2x^2 - 1}\right) + 15(ac^2x^8 - ac^2x^4 + 2ac^2x^2 - 2a)\sqrt{-c^2x^2 + 1}}{90(c^{10}x^2 - c^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^7*(a+b*arcsech(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")
[Out] -1/90*(15*(b*c^6*x^6 - b*c^4*x^4 + 2*b*c^2*x^2 - 2*b)*sqrt(-c^4*x^4 + 1)*log((c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) - (3*b*c^5*x^5 + b*c^3*x^3 + 28*b*c*x)*sqrt(-c^4*x^4 + 1)*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) + 15*(b*c^2*x^2 - b)*log((c^2*x^2 + sqrt(-c^4*x^4 + 1)*c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/(c^2*x^2 - 1)) - 15*(b*c^2*x^2 - b)*log(-(c^2*x^2 - sqrt(-c^4*x^4 + 1)*c*x*sqrt(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/(c^2*x^2 - 1)) + 15*(a*c^6*x^6 - a*c^4*x^4 + 2*a*c^2*x^2 - 2*a)*sqrt(-c^4*x^4 + 1))/(c^10*x^2 - c^8)
```

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^7(a + b \operatorname{asech}(cx))}{\sqrt{-(cx-1)(cx+1)(c^2x^2+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**7*(a+b*asech(c*x))/(-c**4*x**4+1)**(1/2),x)
[Out] Integral(x**7*(a + b*asech(c*x))/sqrt(-(c*x - 1)*(c*x + 1)*(c**2*x**2 + 1)), x)
```

Giac [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^7*(a+b*arcsech(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="giac")
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx);OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^7 \left(a + b \operatorname{acosh}\left(\frac{1}{cx}\right) \right)}{\sqrt{1 - c^4 x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^7*(a + b*acosh(1/(c*x))))/(1 - c^4*x^4)^(1/2),x)
[Out] int((x^7*(a + b*acosh(1/(c*x))))/(1 - c^4*x^4)^(1/2), x)
```

$$3.188 \quad \int \frac{x^3 (a + b \operatorname{sech}^{-1}(cx))}{\sqrt{1 - c^4 x^4}} dx$$

Optimal. Leaf size=159

$$\frac{b\sqrt{1-c^2x^2}\sqrt{1+c^2x^2}}{2c^5\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x} - \frac{\sqrt{1-c^4x^4}(a+b\operatorname{sech}^{-1}(cx))}{2c^4} + \frac{b\sqrt{1-c^2x^2}\tanh^{-1}\left(\sqrt{1+c^2x^2}\right)}{2c^5\sqrt{-1+\frac{1}{cx}}\sqrt{1+\frac{1}{cx}}x}$$

[Out] 1/2*b*arctanh((c^2*x^2+1)^(1/2))*(-c^2*x^2+1)^(1/2)/c^5/x/(-1+1/c/x)^(1/2)/(1+1/c/x)^(1/2)-1/2*b*(-c^2*x^2+1)^(1/2)*(c^2*x^2+1)^(1/2)/c^5/x/(-1+1/c/x)^(1/2)/(1+1/c/x)^(1/2)-1/2*(a+b*arcsech(c*x))*(-c^4*x^4+1)^(1/2)/c^4

Rubi [A]

time = 0.11, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 8, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {267, 6444, 12, 1266, 862, 52, 65, 214}

$$\frac{\sqrt{1-c^4x^4}(a+b\operatorname{sech}^{-1}(cx))}{2c^4} - \frac{b\sqrt{1-c^2x^2}\sqrt{c^2x^2+1}}{2c^5x\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}} + \frac{b\sqrt{1-c^2x^2}\tanh^{-1}\left(\sqrt{c^2x^2+1}\right)}{2c^5x\sqrt{\frac{1}{cx}-1}\sqrt{\frac{1}{cx}+1}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*ArcSech[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] -1/2*(b*Sqrt[1 - c^2*x^2]*Sqrt[1 + c^2*x^2])/(c^5*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]*x) - (Sqrt[1 - c^4*x^4]*(a + b*ArcSech[c*x]))/(2*c^4) + (b*Sqrt[1 - c^2*x^2]*ArcTanh[Sqrt[1 + c^2*x^2]])/(2*c^5*Sqrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)]*x)

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 52

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[(a + b*x)^(m + 1)*((c + d*x)^n/(b*(m + n + 1))), x] + Dist[n*((b*c - a*d)/(b*(m + n + 1))), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 214

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 267

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 862

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_.), x_Symbol] := Int[(d + e*x)^(m + p)*(f + g*x)^n*(a/d + (c/e)*x)^p,
x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
+ a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))
```

Rule 1266

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 6444

```
Int[((a_.) + ArcSech[(c_.)*(x_)])*(b_.)*(u_), x_Symbol] := With[{v = IntHid
e[u, x]}, Dist[a + b*ArcSech[c*x], v, x] + Dist[b*(Sqrt[1 - c^2*x^2]/(c*x*S
qrt[-1 + 1/(c*x)]*Sqrt[1 + 1/(c*x)])), Int[SimplifyIntegrand[v/(x*Sqrt[1 -
c^2*x^2]), x], x], x] /; InverseFunctionFreeQ[v, x] /; FreeQ[{a, b, c}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b\operatorname{sech}^{-1}(cx))}{\sqrt{1 - c^4x^4}} dx &= -\frac{\sqrt{1 - c^4x^4} (a + b\operatorname{sech}^{-1}(cx))}{2c^4} + \frac{(b\sqrt{1 - c^2x^2}) \int -\frac{\sqrt{1 - c^4x^4}}{2c^4x\sqrt{1 - c^2x^2}} dx}{c\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} \\
&= -\frac{\sqrt{1 - c^4x^4} (a + b\operatorname{sech}^{-1}(cx))}{2c^4} - \frac{(b\sqrt{1 - c^2x^2}) \int \frac{\sqrt{1 - c^4x^4}}{x\sqrt{1 - c^2x^2}} dx}{2c^5\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} \\
&= -\frac{\sqrt{1 - c^4x^4} (a + b\operatorname{sech}^{-1}(cx))}{2c^4} - \frac{(b\sqrt{1 - c^2x^2}) \operatorname{Subst}\left(\int \frac{\sqrt{1 - c^4x^2}}{x\sqrt{1 - c^2x}} dx, x\right)}{4c^5\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} \\
&= -\frac{\sqrt{1 - c^4x^4} (a + b\operatorname{sech}^{-1}(cx))}{2c^4} - \frac{(b\sqrt{1 - c^2x^2}) \operatorname{Subst}\left(\int \frac{\sqrt{1 + c^2x}}{x} dx, x\right)}{4c^5\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} \\
&= -\frac{b\sqrt{1 - c^2x^2} \sqrt{1 + c^2x^2}}{2c^5\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} - \frac{\sqrt{1 - c^4x^4} (a + b\operatorname{sech}^{-1}(cx))}{2c^4} - \frac{(b\sqrt{1 - c^2x^2})}{4c^5\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} \\
&= -\frac{b\sqrt{1 - c^2x^2} \sqrt{1 + c^2x^2}}{2c^5\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} - \frac{\sqrt{1 - c^4x^4} (a + b\operatorname{sech}^{-1}(cx))}{2c^4} - \frac{(b\sqrt{1 - c^2x^2})}{4c^5\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} \\
&= -\frac{b\sqrt{1 - c^2x^2} \sqrt{1 + c^2x^2}}{2c^5\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x} - \frac{\sqrt{1 - c^4x^4} (a + b\operatorname{sech}^{-1}(cx))}{2c^4} + \frac{b\sqrt{1 - c^2x^2}}{2c^5\sqrt{-1 + \frac{1}{cx}} \sqrt{1 + \frac{1}{cx}} x}
\end{aligned}$$

Mathematica [A]

time = 0.22, size = 140, normalized size = 0.88

$$\frac{a\sqrt{1 - c^4x^4} + \frac{b\sqrt{1 - c^4x^4}}{\sqrt{\frac{1 - cx}{1 + cx}}^{(1+cx)}} + b\sqrt{1 - c^4x^4} \operatorname{sech}^{-1}(cx) - b\log(x(1 - cx)) + b\log\left(1 - cx - \sqrt{\frac{1 - cx}{1 + cx}} \sqrt{1 - c^4x^4}\right)}{2c^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*ArcSech[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] $-1/2*(a*\text{Sqrt}[1 - c^4*x^4] + (b*\text{Sqrt}[1 - c^4*x^4])/(\text{Sqrt}[(1 - c*x)/(1 + c*x)]*(1 + c*x)) + b*\text{Sqrt}[1 - c^4*x^4]*\text{ArcSech}[c*x] - b*\text{Log}[x*(1 - c*x)] + b*\text{Log}[1 - c*x - \text{Sqrt}[(1 - c*x)/(1 + c*x)]]*\text{Sqrt}[1 - c^4*x^4])/c^4$

Maple [F]

time = 0.78, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{arcsech}(cx))}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3*(a+b*\text{arcsech}(c*x))/(-c^4*x^4+1)^(1/2), x)$

[Out] $\text{int}(x^3*(a+b*\text{arcsech}(c*x))/(-c^4*x^4+1)^(1/2), x)$

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3*(a+b*\text{arcsech}(c*x))/(-c^4*x^4+1)^(1/2), x, \text{algorithm}="maxima")$

[Out] $1/2*b*((c^4*x^4 - 1)*\log(\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1) + 1)/(\text{sqrt}(c^2*x^2 + 1)*\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1)*c^4) - 2*\text{integrate}(1/2*(2*c^2*x^5*\log(c) + 4*c^2*x^5*\log(\text{sqrt}(x)) + (4*c^2*x^5*\log(\text{sqrt}(x)) + (c^2*x^2*(2*\log(c) + 1) + 1)*x^3)*e^(1/2*\log(c*x + 1) + 1/2*\log(-c*x + 1)))/((c^2*x^2*e^(1/2*\log(c*x + 1) + 1/2*\log(-c*x + 1)) + \log(-c*x + 1)) + c^2*x^2*e^(1/2*\log(c*x + 1) + 1/2*\log(-c*x + 1)))*\text{sqrt}(c^2*x^2 + 1)), x) - 1/2*\text{sqrt}(-c^4*x^4 + 1)*a/c^4$

Fricas [B] Leaf count of result is larger than twice the leaf count of optimal. 279 vs. $2(135) = 270$.

time = 0.40, size = 279, normalized size = 1.75

$$\frac{2\sqrt{-c^4x^4+1} \operatorname{bcx} \sqrt{\frac{c^2x^2-1}{c^2x^2}} - 2\sqrt{-c^4x^4+1} (bc^2x^2 - b) \log\left(\frac{cx\sqrt{\frac{c^2x^2-1}{c^2x^2}} + 1}{cx}\right) - (bc^2x^2 - b) \log\left(\frac{c^2x^2 + \sqrt{-c^4x^4+1} cx\sqrt{\frac{c^2x^2-1}{c^2x^2}} - 1}{c^2x^2 - 1}\right) + (bc^2x^2 - b) \log\left(\frac{c^2x^2 - \sqrt{-c^4x^4+1} cx\sqrt{\frac{c^2x^2-1}{c^2x^2}} - 1}{c^2x^2 - 1}\right) - 2\sqrt{-c^4x^4+1} (ac^2x^2 - a)}{4(c^6x^2 - c^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3*(a+b*\text{arcsech}(c*x))/(-c^4*x^4+1)^(1/2), x, \text{algorithm}="fricas")$

[Out] $1/4*(2*\text{sqrt}(-c^4*x^4 + 1)*b*c*x*\text{sqrt}(-(c^2*x^2 - 1)/(c^2*x^2)) - 2*\text{sqrt}(-c^4*x^4 + 1)*(b*c^2*x^2 - b)*\log((c*x*\text{sqrt}(-(c^2*x^2 - 1)/(c^2*x^2)) + 1)/(c*x)) - (b*c^2*x^2 - b)*\log((c^2*x^2 + \text{sqrt}(-c^4*x^4 + 1)*c*x*\text{sqrt}(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/(c^2*x^2 - 1)) + (b*c^2*x^2 - b)*\log(-(c^2*x^2 - \text{sqrt}(-c^4*x^4 + 1)*c*x*\text{sqrt}(-(c^2*x^2 - 1)/(c^2*x^2)) - 1)/(c^2*x^2 - 1)) - 2*\text{sqrt}(-c^4*x^4 + 1)*(a*c^2*x^2 - a))/(c^6*x^2 - c^4)$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3(a + b \operatorname{asech}(cx))}{\sqrt{-(cx-1)(cx+1)(c^2x^2+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asech(c*x))/(-c**4*x**4+1)**(1/2),x)

[Out] Integral(x**3*(a + b*asech(c*x))/sqrt(-(c*x - 1)*(c*x + 1)*(c**2*x**2 + 1)), x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsech(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsech(c*x) + a)*x^3/sqrt(-c^4*x^4 + 1), x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3(a + b \operatorname{acosh}(\frac{1}{cx}))}{\sqrt{1 - c^4 x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(a + b*acosh(1/(c*x))))/(1 - c^4*x^4)^(1/2),x)

[Out] int((x^3*(a + b*acosh(1/(c*x))))/(1 - c^4*x^4)^(1/2), x)

$$3.189 \quad \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x \sqrt{1 - c^4 x^4}} dx$$

Optimal. Leaf size=29

$$\operatorname{Int}\left(\frac{a + b \operatorname{sech}^{-1}(cx)}{x \sqrt{1 - c^4 x^4}}, x\right)$$

[Out] Unintegrable((a+b*arcsech(c*x))/x/(-c^4*x^4+1)^(1/2), x)

Rubi [A]

time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x \sqrt{1 - c^4 x^4}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSech[c*x])/(x*Sqrt[1 - c^4*x^4]), x]

[Out] Defer[Int] [(a + b*ArcSech[c*x])/(x*Sqrt[1 - c^4*x^4]), x]

Rubi steps

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x \sqrt{1 - c^4 x^4}} dx = \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x \sqrt{1 - c^4 x^4}} dx$$

Mathematica [A]

time = 0.27, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x \sqrt{1 - c^4 x^4}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSech[c*x])/(x*Sqrt[1 - c^4*x^4]), x]

[Out] Integrate[(a + b*ArcSech[c*x])/(x*Sqrt[1 - c^4*x^4]), x]

Maple [A]

time = 1.05, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsech}(cx)}{x \sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/x/(-c^4*x^4+1)^(1/2),x)`

[Out] `int((a+b*arcsech(c*x))/x/(-c^4*x^4+1)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x/(-c^4*x^4+1)^(1/2),x, algorithm="maxima")`

[Out] `-1/4*a*(log(sqrt(-c^4*x^4 + 1) + 1) - log(sqrt(-c^4*x^4 + 1) - 1)) + b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(sqrt(-(c^2*x^2 + 1)*(c*x + 1)*(c*x - 1))*x), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-c^4*x^4 + 1)*(b*arcsech(c*x) + a)/(c^4*x^5 - x), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x \sqrt{-(cx-1)(cx+1)(c^2x^2+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asech(c*x))/x/(-c**4*x**4+1)**(1/2),x)`

[Out] `Integral((a + b*asech(c*x))/(x*sqrt(-(c*x - 1)*(c*x + 1)*(c**2*x**2 + 1))), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x/(-c^4*x^4+1)^(1/2),x, algorithm="giac")`

[Out] integrate((b*arcsech(c*x) + a)/(sqrt(-c^4*x^4 + 1)*x), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x \sqrt{1 - c^4 x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(x*(1 - c^4*x^4)^(1/2)), x)

[Out] int((a + b*acosh(1/(c*x)))/(x*(1 - c^4*x^4)^(1/2)), x)

$$3.190 \quad \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^5 \sqrt{1 - c^4 x^4}} dx$$

Optimal. Leaf size=29

$$\operatorname{Int}\left(\frac{a + b \operatorname{sech}^{-1}(cx)}{x^5 \sqrt{1 - c^4 x^4}}, x\right)$$

[Out] Unintegrable((a+b*arcsech(c*x))/x^5/(-c^4*x^4+1)^(1/2), x)

Rubi [A]

time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^5 \sqrt{1 - c^4 x^4}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b*ArcSech[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

[Out] Defer[Int] [(a + b*ArcSech[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

Rubi steps

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^5 \sqrt{1 - c^4 x^4}} dx = \int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^5 \sqrt{1 - c^4 x^4}} dx$$

Mathematica [A]

time = 2.36, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{sech}^{-1}(cx)}{x^5 \sqrt{1 - c^4 x^4}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b*ArcSech[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

[Out] Integrate[(a + b*ArcSech[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

Maple [A]

time = 0.78, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{arcsech}(cx)}{x^5 \sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsech(c*x))/x^5/(-c^4*x^4+1)^(1/2),x)`

[Out] `int((a+b*arcsech(c*x))/x^5/(-c^4*x^4+1)^(1/2),x)`

Maxima [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^5/(-c^4*x^4+1)^(1/2),x, algorithm="maxima")`

[Out] `-1/8*(c^4*log(sqrt(-c^4*x^4 + 1) + 1) - c^4*log(sqrt(-c^4*x^4 + 1) - 1) + 2*sqrt(-c^4*x^4 + 1)/x^4)*a + b*integrate(log(sqrt(1/(c*x) + 1)*sqrt(1/(c*x) - 1) + 1/(c*x))/(sqrt(-(c^2*x^2 + 1)*(c*x + 1)*(c*x - 1))*x^5), x)`

Fricas [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^5/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-c^4*x^4 + 1)*(b*arcsech(c*x) + a)/(c^4*x^9 - x^5), x)`

Sympy [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asech}(cx)}{x^5 \sqrt{-(cx-1)(cx+1)(c^2x^2+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asech(c*x))/x**5/(-c**4*x**4+1)**(1/2),x)`

[Out] `Integral((a + b*asech(c*x))/(x**5*sqrt(-(c*x - 1)*(c*x + 1)*(c**2*x**2 + 1))), x)`

Giac [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsech(c*x))/x^5/(-c^4*x^4+1)^(1/2),x, algorithm="giac")`

[Out] integrate((b*arcsech(c*x) + a)/(sqrt(-c^4*x^4 + 1)*x^5), x)

Mupad [A]

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{a + b \operatorname{acosh}\left(\frac{1}{cx}\right)}{x^5 \sqrt{1 - c^4 x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acosh(1/(c*x)))/(x^5*(1 - c^4*x^4)^(1/2)), x)

[Out] int((a + b*acosh(1/(c*x)))/(x^5*(1 - c^4*x^4)^(1/2)), x)

Chapter 4

Appendix

Local contents

4.1	Download section	986
4.2	Listing of Grading functions	986

4.1 Download section

The following zip files contain the raw integrals used in this test.

Mathematica format Mathematica_syntax.zip

Maple and Mupad format Maple_syntax.zip

Sympy format SYMPY_syntax.zip

Sage math format SAGE_syntax.zip

4.2 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.2.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*           Small rewrite of logic in main function to make it*)
(*           match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*           GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*           is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*           antiderivative*)
(* "A" if result can be considered optimal*)
```



```

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafC
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A","none"}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
        ]
        ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
      ,(*ELSE*)(*result does not contains complex*)
      If[leafCountResult<=2*leafCountOptimal,
        finalresult={"A","none"}
        ,(*ELSE*)
        finalresult={"B","Leaf count is larger than twice the leaf count of optimal. $
      ]
    ]
    ,(*ELSE*)(*expnResult>expnOptimal*)
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      finalresult={"C","Result contains higher order function than in optimal. Order "<
    ,
    finalresult={"F","Contains unresolved integral."}
  ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)

```



```

ExpIntegralE, ExpIntegralEi, LogIntegral,
SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
Gamma, LogGamma, PolyGamma,
Zeta, PolyLog, ProductLog,
EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
  MemberQ[{AppellF1},func]

```

4.2.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems
#Nasser 4/07/2022 add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);
#do NOT call ExpnType() if leaf size is too large. Recursion problem
if leaf_count_result > 500000 then
      return "B","result has leaf size over 500,000. Avoiding possible recursion issues";
fi;

      leaf_count_optimal := leafcount(optimal);
      ExpnType_result := ExpnType(result);
      ExpnType_optimal := ExpnType(optimal);

```

```

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#   is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
#   antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A","";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of r
                    convert(leaf_count_result,string)," vs. $2 (" ,
                    convert(leaf_count_optimal,string)," ) = ",convert(2*leaf_co

        end if
    else #result contains complex but optimal is not
        if debug then
            print("result contains complex but optimal is not");
        fi;
        return "C","Result contains complex when optimal does not.";
    fi;
else # result do not contain complex

```

```

    # this assumes optimal do not as well. No check is needed here.
    if debug then
        print("result do not contain complex, this assumes optimal do not as well")
    fi;
    if leaf_count_result<=2*leaf_count_optimal then
        if debug then
            print("leaf_count_result<=2*leaf_count_optimal");
        fi;
        return "A","";
    else
        if debug then
            print("leaf_count_result>2*leaf_count_optimal");
        fi;
        return "B",cat("Leaf count of result is larger than twice the leaf count of o
                        convert(leaf_count_result,string)," $ vs. $2(",
                        convert(leaf_count_optimal,string),")=",convert(2*leaf_cou

    fi;
    fi;
else #ExpnType(result) > ExpnType(optimal)
    if debug then
        print("ExpnType(result) > ExpnType(optimal)");
    fi;
    return "C",cat("Result contains higher order function than in optimal. Order ",
                  convert(ExpnType_result,string)," vs. order ",
                  convert(ExpnType_optimal,string),".");
fi;

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function

```

```

# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+`) or type(expn,'*`) then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9
  end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,

```

```

    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product.  rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```

4.2.3 Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
    ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
    ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

```



```

except AttributeError as error:
    return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnT
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+' or type(expn,'*')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:

```

```

    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1)  #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print ("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""
    else:
        if expnType_result <= expnType_optimal:
            if result.has(I):
                if optimal.has(I): #both result and optimal complex
                    if leaf_count_result <= 2*leaf_count_optimal:
                        grade = "A"
                        grade_annotation = ""
                    else:
                        grade = "B"
                        grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
                else: #result contains complex but optimal is not
                    grade = "C"
                    grade_annotation = "Result contains complex when optimal does not."
            else: # result do not contain complex, this assumes optimal do not as well
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result)
            else:
                grade = "C"
                grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType_result)

```

```

# print("Before returning. grade=", grade, " grade_annotation=", grade_annotation)

return grade, grade_annotation

```

4.2.4 SageMath grading function

```

# Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fricas, Giac and Maxima results.
# Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
# June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
# July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    # print("Enter tree_size, expr is ", expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: # isinstance(expr, Pow):
        if expr.operands()[1] == 1/2: # expr.args[1] == Rational(1,2):
            if debug: print("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

```

```

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func , " is special_function")
        else:
            print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

```

```

def is_atom(expn):

    #debug=False
    if debug:
        print ("Enter is_atom, expn=",expn)

    if not hasattr(expn, 'parent'):
        return False

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
            if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)

```

```

    return 1
  else:
    return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
  else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn.op
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or instan
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    if debug:
        print ("Enter grade_antiderivative for sagemath")
        print("Enter grade_antiderivative, result=",result)
        print("Enter grade_antiderivative, optimal=",optimal)
        print("type(anti)=",type(result))
        print("type(optimal)=",type(optimal))

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    #if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

```

```

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger t
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_
else:
    grade = "C"
    grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_resu

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```